

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Rd, K2236
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-9559
Fax 925-842-8370

Dana Thurman
Project Manager

ChevronTexaco

APRIL 12, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-4930

Address: 3369 CASTRO VALLEY BLVD., CASTRO VALLEY, CA

APR 12 2005
Environmental Services

I have reviewed the attached routine groundwater monitoring report dated MARCH 24, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Dana Thurman
Project Manager

Enclosure: Report



GETTLER - RYAN INC.

TRANSMITTAL

March 24, 2005
G-R #386509

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-4930
3369 Castro Valley Boulevard
Castro Valley, California
MTI: 61D-1967
RO 0000416**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	March 22, 2005	Groundwater Monitoring and Sampling Report First Quarter - Event of February 18, 2005

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Mr. Dana Thurman, ChevronTexaco Company, P.O. Box 6012, Room K2236, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to ***April 8, 2005***, at which time the final report will be distributed to the following:

- cc: **Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577**
Mr. Chuck Headlee, RWQCB - San Francisco Bay Region, 1515 Clay Street, Suite 1400, Oakland, CA 94612
Ms. Anna Counelis and Tula Gallanes, 109 Casa Vieja, Orinda, CA 94563

Enclosures

trans/9-4930-DT



GETTLER-RYAN INC.

March 22, 2005
G-R Job #386509

Mr. Dana Thurman
ChevronTexaco Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

RE: First Quarter Event of February 18, 2005
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

Dear Mr. Thurman:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports


CASTRO VALLEY BOULEVARD

EXPLANATION


- ◆ Groundwater monitoring well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- 99.99--- Groundwater elevation contour, dashed where inferred



Approximate groundwater flow direction at a gradient of 0.006 Ft./Ft.



WILBEAM AVENUE



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-4930
 3369 Castro Valley Boulevard
 Castro Valley, California

FIGURE

1

PROJECT NUMBER
386509

REVIEWED BY

DATE
 February 18, 2005

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	F (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1													
10/29/93	172.90	166.15	6.75	1,000	11	17	32	110	--	--	--	--	--
02/25/94	172.90	166.80	6.10	250	6.0	1.0	5.0	3.0	--	--	--	--	--
04/04/94	172.90	166.14	6.76	--	--	--	--	--	--	--	--	--	--
04/29/94	172.90	166.35	6.55	--	--	--	--	--	--	--	--	--	--
06/13/94	172.90	166.12	6.78	670	35	3.5	43	3.9	--	0.8	16	14	47
06/30/94	172.90	166.06	6.84	--	--	--	--	--	--	--	--	--	--
07/28/94	172.90	166.03	6.87	--	--	--	--	--	--	--	--	--	--
08/31/94	172.90	166.00	6.90	560	43	9.5	25	5.0	--	1.3	19	13	65
11/11/94	172.90	167.00	5.90	460	53	4.0	50	3.4	--	--	--	--	--
02/01/95	172.90	166.88	6.02	240	25	0.6	4.0	<0.5	--	--	--	--	--
05/18/95	172.90	166.82	6.08	580	42	1.0	53	2.6	--	--	--	--	--
08/22/95	172.90	166.52	6.38	840	73	1.2	110	1.6	--	--	--	--	--
11/01/95	172.90	166.40	6.50	350	36	<0.5	30	<0.5	15	--	--	--	--
01/26/96	172.90	166.85	6.05	210	23	<0.5	12	<0.5	4.7	--	--	--	--
05/08/96	172.90	166.50	6.40	310	42	2.3	56	1.1	52	--	--	--	--
10/03/96	173.53	166.61	6.92	240	31	<0.5	1.7	<0.5	18	--	--	--	--
02/04/97	173.53	167.02	6.51	200	9.9	<0.5	3.7	<0.5	16	--	--	--	--
04/30/97	173.53	166.64	6.89	260	11	<0.5	17	<0.5	13	--	--	--	--
07/22/97	173.53	166.49	7.04	170	5.0	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	173.53	166.55	6.98	230	13	<0.5	7.8	0.68	-- ¹	--	--	--	--
02/11/98	173.53	167.52	6.01	110	3.1	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	173.53	166.72	6.81	170	4.2	1.8	2.1	<0.5	<2.5	--	--	--	--
08/07/98	173.53	167.01	6.52	110	5.2	<0.5	6.7	<0.5	13	--	--	--	--
11/05/98	173.53	166.58	6.95	160	1.8	<0.5	<0.5	0.53	<2.5	--	--	--	--
03/02/99	173.53	166.97	6.56	119	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	173.53	166.89	6.64	153	3.17	<0.5	0.791	<0.5	<5.0	--	--	--	--
08/24/99	173.53	166.40	7.13	96.2	1.38	<0.5	<0.5	<0.5	14.7	--	--	--	--
11/19/99	173.53	166.92	6.61	209	13.1	1.68	12.3	<0.5	3.79	--	--	--	--
02/03/00	173.53	168.30	5.23	95	1.4	<0.5	<0.5	<0.5	15	--	--	--	--
05/03/00	173.53	166.52	7.01	120 ²	0.92	<0.50	<0.50	<0.50	12	--	--	--	--
07/28/00	173.53	166.45	7.08	100 ²	<0.50	<0.50	<0.50	<0.50	21	--	--	--	--
11/13/00	173.53	169.41	4.12	73.0 ³	1.14	<0.500	<0.500	<0.500	27.0	--	--	--	--
02/15/01	173.53	166.86	6.67	148 ⁴	2.34	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	173.53	166.48	7.05	97 ²	1.5	<0.50	<0.50	<0.50	3.0/2.1 ⁵	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-1 (cont)													
08/30/01 ⁶	173.53	166.21	7.32	410	4.8	<0.50	1.4	<0.50	--<5.0 ⁵	--	--	--	--
11/29/01	173.53	166.78	6.75	180	5.7	<0.50	2.3	<1.5	<2.5	--	--	--	--
02/05/02	173.53	166.73	6.80	120	1.9	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02 ⁷	173.53	166.43	7.10	120	1.00	<0.50	<0.50	<1.5	2.9	--	41	<2	300
08/15/02	173.53	166.42	7.11	110	1.7	<0.50	<0.50	<1.5	<2.5	--	--	--	--
11/05/02	173.53	166.20	7.33	130	1.9	<0.50	<0.50	<1.5	<5.0	--	--	--	--
02/05/03	173.53	166.51	7.02	120	1.5	<0.50	<0.50	<1.5	<10	--	--	--	--
05/07/03	173.53	166.89	6.64	110	0.7	<0.5	<0.5	<1.5	<10	--	--	--	--
08/05/03 ¹¹	173.53	166.39	7.14	120	2	<0.5	<0.5	<0.5	4	--	--	--	--
11/17/03 ¹¹	173.53	166.53	7.00	110	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
02/14/04 ¹¹	173.53	166.55	6.98	92	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
04/27/04 ¹¹	173.53	166.37	7.16	120	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--
08/17/04 ¹¹	173.53	166.36	7.17	99	<0.5	<0.5	<0.5	<0.5	4	--	--	--	--
11/30/04 ¹¹	173.53	166.42	7.11	120	0.6	<0.5	<0.5	<0.5	4	--	--	--	--
02/18/05 ¹¹	173.53	167.18	6.35	100	<0.5	<0.5	<0.5	<0.5	4	--	--	--	--
MW-2													
10/29/93	173.91	166.05	7.86	5,600	140	3.2	17	330	--	--	--	--	--
02/25/94	173.91	166.96	6.95	820	41	<0.5	17	5.0	--	--	--	--	--
04/04/94	173.91	166.18	7.73	--	--	--	--	--	--	--	--	--	--
04/29/94	173.91	166.23	7.68	--	--	--	--	--	--	--	--	--	--
06/13/94	173.91	166.20	7.71	1,100	160	0.8	64	2.0	--	<0.5	0.9	<0.5	2.0
06/30/94	173.91	165.87	8.04	--	--	--	--	--	--	--	--	--	--
07/28/94	173.91	165.99	7.92	--	--	--	--	--	--	--	--	--	--
08/31/94	173.91	165.98	7.93	190	7.1	4.1	3.1	1.2	--	<0.5	1.1	<0.5	4.5
11/11/94	173.91	167.08	6.83	440	120	<1.0	18	<1.0	--	--	--	--	--
02/01/95	173.91	167.77	6.14	240	81	<1.0	<1.0	<1.0	--	--	--	--	--
05/18/95	173.91	166.91	7.00	330	74	<0.5	26	1.3	--	--	--	--	--
08/22/95	173.91	166.58	7.33	390	84	<1.0	2.1	<1.0	--	--	--	--	--
11/01/95	173.91	166.54	7.37	190	46	<0.5	1.6	<0.5	<2.5	--	--	--	--
01/26/96	173.91	168.13	5.78	<50	13	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	173.91	166.76	7.15	<50	4.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	172.67	166.66	6.01	63	4.3	<0.5	<0.5	<0.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	FOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-2 (cont)													
02/04/97	172.67	167.40	5.27	<50	1.6	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	172.67	166.74	5.93	<50	5.4	<0.5	0.8	<0.5	<2.5	--	--	--	--
07/22/97	172.67	166.53	6.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	172.67	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--
02/11/98	172.67	167.95	4.72	<50	0.52	0.63	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	172.67	167.07	5.60	<50	1.1	1.2	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	172.67	166.33	6.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	172.67	166.59	6.08	120	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	172.67	167.41	5.26	67	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	172.67	167.71	4.96	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	172.67	165.33	7.34	<50	1.18	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	172.67	166.84	5.83	<50	4.29	0.907	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	172.67	167.24	5.43	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	172.67	166.81	5.86	100 ²	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	172.67	166.76	5.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	172.67	166.69	5.98	82.8 ³	0.825	<0.500	<0.500	<0.500	25.0	--	--	--	--
02/15/01	172.67	167.25	5.42	161 ⁴	0.808	<0.500	<0.500	<0.500	30.3	--	--	--	--
05/31/01	172.67	166.91	5.76	120 ²	3.0	<0.50	<0.50	<0.50	29/26 ⁵	--	--	--	--
08/30/01 ⁶	172.67	166.55	6.12	450	2.2	<0.50	<0.50	<0.50	--/27 ⁵	--	--	--	--
11/29/01	172.67	167.29	5.38	250	1.3	<0.50	<0.50	<1.5	17	--	--	--	--
02/05/02	172.67	166.97	5.70	190	1.3	<0.50	<0.50	<1.5	7.5	--	--	--	--
05/16/02 ⁸	172.67	166.63	6.04	230	0.87	<0.50	<0.50	<1.5	5.3	--	35	<2	640
08/15/02	172.67	166.73	5.94	200	2.7	<0.50	<0.50	<1.5	3.3	--	--	--	--
11/05/02	172.67	166.42	6.25	340	<0.50	<0.50	<0.50	<1.5	2.7	--	--	--	--
02/05/03	172.67	166.87	5.80	250	3.1	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	172.67	167.43	5.24	170	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 ¹¹	172.67	166.68	5.99	200	2	<0.5	<0.5	<0.5	1	--	--	--	--
11/17/03 ¹¹	172.67	166.84	5.83	270	0.6	<0.5	<0.5	<0.5	2	--	--	--	--
02/14/04 ¹¹	172.67	166.90	5.77	310	0.5	<0.5	<0.5	<0.5	2	--	--	--	--
04/27/04 ¹¹	172.67	166.57	6.10	340	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
08/17/04 ¹¹	172.67	166.67	6.00	270	2	<0.5	<0.5	<0.5	2	--	--	--	--
11/30/04 ¹¹	172.67	166.76	5.91	370	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--
02/18/05 ¹¹	172.67	167.65	5.02	300	<0.5	<0.5	<0.5	<0.5	3	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-3													
10/29/93	172.60	164.96	7.64	110	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/25/94	172.60	166.22	6.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
04/04/94	172.60	165.21	7.39	--	--	--	--	--	--	--	--	--	--
04/29/94	172.60	165.62	6.98	--	--	--	--	--	--	--	--	--	--
06/13/94	172.60	165.15	7.45	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	2.0	<0.5	220
06/30/94	172.60	165.05	7.55	--	--	--	--	--	--	--	--	--	--
07/28/94	172.60	164.93	7.67	--	--	--	--	--	--	--	--	--	--
08/31/94	172.60	164.81	7.79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	1.6	<0.5	320
11/11/94	172.60	165.73	6.87	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/01/95	172.60	167.03	5.57	89	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	172.60	165.79	6.81	--	--	--	--	--	--	--	--	--	--
08/22/95	172.60	165.35	7.25	190	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	172.60	165.70	6.90	--	--	--	--	--	--	--	--	--	--
01/26/96	172.60	167.35	5.25	160	<2.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	172.60	165.55	7.05	--	--	--	--	--	--	--	--	--	--
10/03/96	170.47	165.29	5.18	150	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	170.47	166.27	4.20	88	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	170.47	165.37	5.10	--	--	--	--	--	--	--	--	--	--
07/22/97	170.47	165.15	5.32	180	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/03/97	170.47	165.12	5.35	--	--	--	--	--	--	--	--	--	--
02/11/98	170.47	167.47	3.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	170.47	165.96	4.51	--	--	--	--	--	--	--	--	--	--
08/07/98	170.47	165.26	5.21	110	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	170.47	165.35	5.12	--	--	--	--	--	--	--	--	--	--
03/02/99	170.47	166.19	4.28	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	170.47	165.82	4.65	--	--	--	--	--	--	--	--	--	--
08/24/99	170.47	164.76	5.71	352	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	170.47	164.64	5.83	--	--	--	--	--	--	--	--	--	--
02/03/00	170.47	165.55	4.92	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	170.47	165.54	4.93	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
07/28/00	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
11/13/00	170.47	165.29	5.18	--	--	--	--	--	--	--	--	--	--
02/15/01	170.47	166.10	4.37	310 ⁴	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	170.47	165.62	4.85	230 ²	<1.0	<1.0	<1.0	<1.0	5.2/2.4 ⁵	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-3 (cont)													
08/30/01	170.47	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--
11/29/01	170.47	166.12	4.35	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/05/02	170.47	165.63	4.84	360	<0.50	<0.50	<0.50	<1.5	2.8	--	--	--	--
05/16/02 ⁹	170.47	165.37	5.10	340	<0.50	<0.50	<0.50	<1.5	3.4	--	37	<2	990
08/15/02	170.47	164.91	5.56	370	<0.50	<0.50	<0.50	<1.5	3.1	--	--	--	--
11/05/02	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
02/05/03	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
05/07/03	170.47	166.44	4.03	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
08/05/03 ¹¹	170.47	165.37	5.10	350	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--
11/17/03	170.47	165.52	4.95	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/14/04	170.47	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--
04/27/04	170.47	165.39	5.08	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
08/17/04 ¹¹	170.47	165.34	5.13	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/30/04	170.47	165.41	5.06	SAMPLED SEMI-ANNUALLY				--	--	--	--	--	--
02/18/05 ¹¹	170.47	167.04	3.43	290	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--
MW-4													
10/29/93	170.68	165.18	5.50	640	6.7	3.3	0.6	6.7	--	--	--	--	--
02/25/94	170.68	165.86	4.82	450	20	0.8	12	6.0	--	--	--	--	--
04/04/94	170.68	165.23	5.45	--	--	--	--	--	--	--	--	--	--
04/29/94	170.68	165.45	5.23	--	--	--	--	--	--	--	--	--	--
06/13/94	170.68	165.14	5.54	1,700	130	1.4	100	11	--	22	59	13	180
06/30/94	170.68	165.13	5.55	--	--	--	--	--	--	--	--	--	--
07/28/94	170.68	165.06	5.62	--	--	--	--	--	--	--	--	--	--
08/31/94	170.68	165.00	5.68	800	17	3.5	9.3	4.4	--	25	53	22	510
11/11/94	170.68	165.46	5.22	500	26	<0.5	30	4.3	--	--	--	--	--
02/01/95	170.68	165.12	5.56	1,600	180	<2.0	31	42	--	--	--	--	--
05/18/95	170.68	165.70	4.98	1,300	130	<2.0	140	5.5	--	--	--	--	--
08/22/95	170.68	165.35	5.33	970	50	<1.2	75	<1.2	--	--	--	--	--
11/01/95	170.68	165.28	5.40	320	3.3	<0.5	4.1	<0.5	27	--	--	--	--
01/26/96	170.68	166.40	4.28	1,400	65	<2.5	98	71	100	--	--	--	--
05/08/96	170.68	165.33	5.35	610	28	1.2	58	4.4	70	--	--	--	--
10/03/96	171.70	165.48	6.22	210	4.2	<0.5	<0.5	<0.5	12	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
MW-4 (cont)													
02/04/97	171.70	166.57	5.13	60	4.4	<0.5	<0.5	<0.5	--	--	--	--	--
04/30/97	171.70	165.60	6.10	870	49	<2.0	100	<2.0	18	--	--	--	--
07/22/97	171.70	165.36	6.34	420	16	<0.5	23	<0.5	9.4	--	--	--	--
11/03/97	171.70	165.35	6.35	370	8.1	0.54	10	7.6	30	--	--	--	--
02/11/98	171.70	167.16	4.54	<50	2.0	0.58	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	171.70	166.25	5.45	230	13	2.3	37	4.3	15	--	--	--	--
08/07/98	171.70	166.57	5.13	85	4.8	<0.5	11	0.87	57	--	--	--	--
11/05/98	171.70	165.31	6.39	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	171.70	166.65	5.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	171.70	166.40	5.30	<50	0.9	<0.5	0.843	<0.5	<5.0	--	--	--	--
08/24/99	171.70	164.35	7.35	<50	0.893	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	171.70	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
02/03/00	171.70	166.35	5.35	<50	<0.5	<0.5	<0.5	<0.5	2.9	--	--	--	--
05/03/00	171.70	165.72	5.98	110 ²	1.1	<0.50	0.51	<0.50	12	--	--	--	--
07/28/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											
11/13/00	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											
02/15/01	171.70	UNABLE TO LOCATE - DUE TO LANDSCAPING											
05/31/01	171.70	166.62	5.08	<50	0.63	<0.50	<0.50	<0.50	<2.5/<2.0 ⁵	--	--	--	--
08/30/01 ⁶	171.70	165.30	6.40	560	3.6	<0.50	21	1.3	--/<5.0 ⁵	--	--	--	--
11/29/01	171.70	166.05	5.65	210	1.5	<0.50	6.6	<1.5	<5.0	--	--	--	--
02/05/02	171.70	165.83	5.87	71	<0.50	<0.50	1.0	<1.5	<2.5	--	--	--	--
05/16/02 ¹⁰	171.70	165.49	6.21	160	<0.50	<0.50	<0.50	<1.5	4.9	--	46	<2	420
08/15/02	171.70	165.49	6.21	150	2.8	<0.50	2.5	<1.5	2.5	--	--	--	--
11/05/02	171.70	165.24	6.46	290	<0.50	<0.50	<0.50	<1.5	6.5	--	--	--	--
02/05/03	171.70	165.64	6.06	68	1.2	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	171.70	166.68	5.02	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 ¹¹	171.70	165.45	6.25	88	0.7	<0.5	2	<0.5	<0.5	--	--	--	--
11/17/03 ¹¹	171.70	165.54	6.16	80	0.9	<0.5	0.9	<0.5	0.9	--	--	--	--
02/14/04 ¹¹	171.70	165.70	6.00	63	<0.5	<0.5	<0.5	<0.5	0.7	--	--	--	--
04/27/04 ¹¹	171.70	165.40	6.30	200	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--
08/17/04 ¹¹	171.70	165.52	6.18	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/30/04 ¹¹	171.70	165.41	6.29	260	2	<0.5	<0.5	<0.5	3	--	--	--	--
02/18/05 ¹¹	171.70	166.73	4.97	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
TRIP BLANK													
02/25/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
06/13/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/31/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/11/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
02/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
05/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
08/22/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
11/01/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
01/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
10/03/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/04/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
04/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
07/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/11/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/08/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
08/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/05/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/02/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
05/17/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
08/24/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
11/19/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
02/03/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
05/03/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
07/28/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
11/13/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
02/15/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
05/31/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
08/30/01 ⁶	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	-/<5.0 ⁵	--	--	--	--
QA													
11/29/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/16/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
08/15/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	1,2-DCE (ppb)	TCE (ppb)	DCFM (ppb)	PCE (ppb)
QA (cont)													
11/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
02/05/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
05/07/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--
08/05/03 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/17/03 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
02/14/04 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
04/27/04 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
08/17/04 ¹¹	--	--	--	-- ¹²	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
11/30/04 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
02/18/05 ¹¹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 3, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

1,2-DCE = 1,2-Dichloroethene

TCE = Trichloroethene

DCFM = Dichlorodifluoromethane

PCE = Tetrachloroethene

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

¹ No value for MTBE could be determined; see lab report.

² Laboratory report indicates discrete peaks.

³ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁴ Laboratory report indicates single analyte peak(s) are present in the requested fuel quantitation range. Fuel hydrocarbon is not present.

⁵ MTBE by EPA Method 8260.

⁶ TPH-G and BTEX by EPA Method 8260.

⁷ Analyses for trans-1,2-DCE was detected at 3 ppb, and cis-1,2-DCE was detected at 9 ppb.

⁸ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 10 ppb.

⁹ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 8 ppb.

¹⁰ Analyses for trans-1,2-DCE was <1 ppb, and cis-1,2-DCE was detected at 28 ppb.

¹¹ BTEX and MTBE by EPA Method 8260.

¹² Laboratory indicates insufficient volume to analyze for TPH-G.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-1	05/31/01	<1.000	<500	<20	2.1	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
	08/05/03	--	--	--	4	--	--	--	--	--
	11/17/03	--	--	--	3	--	--	--	--	--
	02/14/04	--	--	--	3	--	--	--	--	--
	04/27/04	--	--	--	5	--	--	--	--	--
	08/17/04	--	--	--	4	--	--	--	--	--
	11/30/04	--	--	--	4	--	--	--	--	--
	02/18/05	--	--	--	4	--	--	--	--	--
MW-2	05/31/01	<1.000	<500	<20	26	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	27	--	--	--	--	--
	08/05/03	--	--	--	1	--	--	--	--	--
	11/17/03	--	--	--	2	--	--	--	--	--
	02/14/04	--	--	--	2	--	--	--	--	--
	04/27/04	--	--	--	3	--	--	--	--	--
	08/17/04	--	--	--	2	--	--	--	--	--
	11/30/04	--	--	--	3	--	--	--	--	--
	02/18/05	--	--	--	3	--	--	--	--	--
MW-3	05/31/01	<1.000	<500	<20	2.4	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	INACCESSIBLE - TRUCK PARKED OVER WELL				--	--	--	--	--
	08/05/03	--	--	--	5	--	--	--	--	--
	11/17/03	SAMPLED SEMI-ANNUALLY				--	--	--	--	--
	08/17/04	--	--	--	<0.5	--	--	--	--	--
	02/18/05	--	--	--	5	--	--	--	--	--
MW-4	05/31/01	<1.000	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/30/01	--	--	--	<5.0	--	--	--	--	--
	08/05/03	--	--	--	<0.5	--	--	--	--	--
	11/17/03	--	--	--	0.9	--	--	--	--	--
	02/14/04	--	--	--	0.7	--	--	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-4	04/27/04	--	--	--	5	--	--	--	--	--
(cont)	08/17/04	--	--	--	<0.5	--	--	--	--	--
	11/30/04	--	--	--	3	--	--	--	--	--
	02/18/05	--	--	--	<0.5	--	--	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4930
3369 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide
(ppm) = Parts per million
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHODS:

EPA Method 8015 (Modified) for Methanol
EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 2/18/05 (inclusive)
 City: Castro Valley, CA Sampler: Jim Herron

Well ID: MW-1 Date Monitored: 2/18/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 18.05 ft.
 Depth to Water: 6.35 ft.
 Volume Factor (VF) table:

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 xVF .17 = 1.98 x3 case volume= Estimated Purge Volume: 5.96 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1005 Weather Conditions: cloudy
 Sample Time/Date: 1025 12/18/05 Water Color: cloudy Odor: no
 Purging Flow Rate: - gpm. Sediment Description: 1.241
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1009</u>	<u>2</u>	<u>7.03</u>	<u>839</u>	<u>18.0</u>		
<u>1012</u>	<u>4</u>	<u>6.92</u>	<u>870</u>	<u>17.5</u>		
<u>1016</u>	<u>6</u>	<u>6.75</u>	<u>915</u>	<u>17.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 2/18/05 (inclusive)
 City: Castro Valley, CA Sampler: Jim Herron

Well ID: MW-2 Date Monitored: 2/18/05 Well Condition: ok
 Well Diameter: 2 in.
 Total Depth: 11.39 ft.
 Depth to Water: 5.02 ft.
11.39 x VF .17 = 1.93 x3 case volume = Estimated Purge Volume: 5.80 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: Rain
 Sample Time/Date: 0835 2/18/05 Water Color: Cloudy Odor: No
 Purging Flow Rate: - gpm. Sediment Description: 1.52
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0818</u>	<u>1.5</u>	<u>7.29</u>	<u>720</u>	<u>15.2</u>		
<u>0822</u>	<u>3.0</u>	<u>7.21</u>	<u>741</u>	<u>15.0</u>		
<u>0826</u>	<u>4.5</u>	<u>7.13</u>	<u>792</u>	<u>14.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930 Job Number: 386509
 Site Address: 3369 Castro Valley Blvd. Event Date: 2/18/05 (inclusive)
 City: Castro Valley, CA Sampler: Jim Herzon

Well ID: MW-3 Date Monitored: 2/18/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 17.40 ft.
 Depth to Water: 3.43 ft.
 Volume Factor (VF): 13.97 xVF .17 = 2.37 x3 case volume = Estimated Purge Volume: 7.12 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0850 Weather Conditions: Rain
 Sample Time/Date: 0915 / 2/18/05 Water Color: cloudy Odor: no
 Purging Flow Rate: - gpm. Sediment Description: 1.0 ft
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0854</u>	<u>2</u>	<u>7.05</u>	<u>634</u>	<u>16.5</u>		
<u>0858</u>	<u>4</u>	<u>6.92</u>	<u>642</u>	<u>16.1</u>		
<u>0902</u>	<u>6</u>	<u>6.73</u>	<u>687</u>	<u>15.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4930
 Site Address: 3369 Castro Valley Blvd.
 City: Castro Valley, CA

Job Number: 386509
 Event Date: 2/18/05 (inclusive)
 Sampler: Jim Heenan

Well ID: MW-4 Date Monitored: 2/18/05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 17.26 ft.
 Depth to Water: 4.97 ft.
12.29 xVF .17 = 2.08 x3 case volume = Estimated Purge Volume: 6.26 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0930 Weather Conditions: Rain
 Sample Time/Date: 0955 / 2/18/05 Water Color: Clear Odor: no
 Purging Flow Rate: — gpm. Sediment Description: 1.5 hr
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0934</u>	<u>2</u>	<u>7.26</u>	<u>741</u>	<u>16.1</u>	_____	_____
<u>0938</u>	<u>4</u>	<u>7.11</u>	<u>769</u>	<u>15.9</u>	_____	_____
<u>0942</u>	<u>6</u>	<u>7.04</u>	<u>795</u>	<u>15.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



082105-07

Acct. #: 10904

For Lancaster Laboratories use only
Sample #: 4469349-353

Group# 932717
SCR#:

Cambria MTI Project # 61H-1967

Facility #: SS#9-4930 G-R#386509 Global ID#T0600100137
 Site Address: 3369 CASTRO VALLEY BLVD., CASTRO VALLEY, CA
 Chevron PM: MTI Lead Consultant: GAMBRIABE
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone: 925-551-7555 Fax #925-551-7899
 Sampler: Jim Heron
 Service Order #: Non SAR:

Matrix
 Potable Water
 NPDES
 Soil
 Oil
 Air
 Composite

Analyses Requested

Preservation Codes	
<input type="checkbox"/> BTEX+MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DRO <input type="checkbox"/> 8260 full scan <input type="checkbox"/> Organometals <input type="checkbox"/> Lead 7420 <input type="checkbox"/> 7421	<input type="checkbox"/> H 17 <input type="checkbox"/> T <input type="checkbox"/> N <input type="checkbox"/> S

- Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

Value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX+MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Organometals	Lead 7420	7421
CA	2/18/01		X			X			Y	X	X	X				
MW-1		1025	X			X			Y	X	X	X				
MW-2		0835	X			X			Y	X	X	X				
MW-3		0915	X			X			Y	X	X	X				
MW-4		0955	Y			Y			Y	X	X	X				

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 24 hour 72 hour 48 hour
 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB) **EDF/EDD**
 Disk

Relinquished by: <u>[Signature]</u>	Date: 2/18/01	Time: 1600	Received by:	Date:	Time:
Relinquished by: <u>[Signature]</u>	Date: 2/21/01	Time: 1340	Received by: <u>[Signature]</u>	Date: 2/21/01	Time: 1340
Relinquished by: <u>[Signature]</u>	Date: 2/21/01	Time: 1600	Received by: <u>[Signature]</u>	Date: 2/21/01	Time: 1600
Relinquished by Commercial Carrier: UPS FedEx Other	Temperature Upon Receipt: 1.8 °C		Received by: <u>[Signature]</u>	Date: 2/21/01	Time: 0845
			Custody Seals Intact?	Yes	No



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

RECEIVED

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

GETTLER RYAN INC
LABORATORY

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 932717. Samples arrived at the laboratory on Tuesday, February 22, 2005. The PO# for this group is 99011184 and the release number is MTI.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-050218	NA	Water	4469349
MW-1-W-050218	Grab	Water	4469350
MW-2-W-050218	Grab	Water	4469351
MW-3-W-050218	Grab	Water	4469352
MW-4-W-050218	Grab	Water	4469353

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Dana M. Kauffman".

Dana M. Kauffman
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4469349

QA-T-050218 NA Water
Facility# 94930 Job# 386509 MTI# 61H-1967 GRD
3369 Castro-Castro Valley T0600100137 QA
Collected: 02/18/2005

Account Number: 10904

Submitted: 02/22/2005 08:45
Reported: 02/28/2005 at 13:20
Discard: 03/31/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

336QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.		ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5		ug/l	1
05401	Benzene	71-43-2	N.D.	0.5		ug/l	1
05407	Toluene	108-88-3	N.D.	0.5		ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5		ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5		ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/23/2005 18:41	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/25/2005 15:47	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/23/2005 18:41	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/25/2005 15:47	Ginelle L Haines	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4469350

MW-1-W-050218 Grab Water
Facility# 94930 Job# 386509 MTI# 61H-1967 GRD
3369 Castro-Castro Valley T0600100137 MW-1
Collected: 02/18/2005 10:25 by JH

Account Number: 10904

Submitted: 02/22/2005 08:45
Reported: 02/28/2005 at 13:20
Discard: 03/31/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

336M1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	100.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	4.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/25/2005 20:27	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/25/2005 16:12	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/25/2005 20:27	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/25/2005 16:12	Ginelle L Haines	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4469351

MW-2-W-050218 Grab Water
Facility# 94930 Job# 386509 MTI# 61H-1967 GRD
3369 Castro-Castro Valley T0600100137 MW-2
Collected: 02/18/2005 08:35 by JH

Account Number: 10904

Submitted: 02/22/2005 08:45
Reported: 02/28/2005 at 13:20
Discard: 03/31/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

336M2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	300.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	3.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/25/2005 20:56	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/25/2005 16:37	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/25/2005 20:56	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/25/2005 16:37	Ginelle L Haines	n.a.

Lancaster Laboratories Sample No. WW 4469352

 MW-3-W-050218 Grab Water
 Facility# 94930 Job# 386509 MTI# 61H-1967 GRD
 3369 Castro-Castro Valley T0600100137 MW-3
 Collected: 02/18/2005 09:15 by JH

Account Number: 10904

 Submitted: 02/22/2005 08:45
 Reported: 02/28/2005 at 13:20
 Discard: 03/31/2005

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

336M3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	290.	250.	ug/l	5
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	5.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	02/23/2005 23:30	K. Robert Caulfeild-James	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/25/2005 17:02	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/23/2005 23:30	K. Robert Caulfeild-James	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/25/2005 17:02	Ginelle L Haines	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4469353

MW-4-W-050218 Grab Water
Facility# 94930 Job# 386509 MTI# 61H-1967 GRD
3369 Castro-Castro Valley T0600100137 MW-4
Collected: 02/18/2005 09:55 by JH

Account Number: 10904

Submitted: 02/22/2005 08:45
Reported: 02/28/2005 at 13:20
Discard: 03/31/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

336M4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.		50.	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	02/23/2005	23:58	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	02/25/2005	17:27	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	02/23/2005	23:58	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	02/25/2005	17:27	Ginelle L Haines	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 02/28/05 at 01:20 PM

Group Number: 932717

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05054A08A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4469349 ug/l	115	114	70-130	1	30
Batch number: 05054A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4469352-4469353 ug/l	115	114	70-130	1	30
Batch number: 05056A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4469350-4469351 ug/l	104	106	70-130	2	30
Batch number: Z050562AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4469349-4469353 ug/l	90		77-127		
Benzene	N.D.	0.5	ug/l	92		85-117		
Toluene	N.D.	0.5	ug/l	95		85-115		
Ethylbenzene	N.D.	0.5	ug/l	96		82-119		
Xylene (Total)	N.D.	0.5	ug/l	96		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05054A08A TPH-GRO - Waters			Sample number(s): 4469349 122 63-154						
Batch number: 05054A08B TPH-GRO - Waters			Sample number(s): 4469352-4469353 122 63-154						
Batch number: 05056A08B TPH-GRO - Waters			Sample number(s): 4469350-4469351 116 63-154						
Batch number: Z050562AA Methyl Tertiary Butyl Ether	92	90	69-134	2	30				
Benzene	98	96	83-128	2	30				
Toluene	102	100	83-127	2	30				
Ethylbenzene	102	101	82-129	2	30				
Xylene (Total)	102	100	82-130	2	30				

Surrogate Quality Control

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 02/28/05 at 01:20 PM

Group Number: 932717

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05054A08A
 Trifluorotoluene-F

4469349	100
Blank	100
LCS	104
LCSD	103
MS	102

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05054A08B
 Trifluorotoluene-F

4469352	102
4469353	102
Blank	102
LCS	104
LCSD	103
MS	102

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05056A08B
 Trifluorotoluene-F

4469350	102
4469351	104
Blank	102
LCS	103
LCSD	103
MS	104

Limits: 70-142

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z050562AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4469349	94	96	97	93
4469350	94	96	97	92
4469351	94	92	95	92
4469352	95	95	95	93
4469353	96	97	97	93
Blank	96	91	98	91
LCS	93	94	95	93
MS	94	95	96	95
MSD	94	99	96	95

Limits: 81-120

82-112

85-112

83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.