



RECEIVED
By Alameda County Environmental Health 3:42 pm, May 01, 2015

Karel Detterman, PG
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502

ARCADIS U.S., Inc.
100 Montgomery Street,
Suite 300
San Francisco, CA 94104
Tel 415.374.2744
Fax 415.374.2745
www.arcadis-us.com

Subject:
Fourth Quarter 2014 and First Quarter 2015 Semi-Annual Groundwater Monitoring Report
Former BP Station #11109
4280 Foothill Boulevard
Oakland, California
ACEH Case #RO0000426

ENVIRONMENT

Dear Ms. Detterman:

Date:

May 1, 2015

Contact:

Hollis E. Phillips

"I declare to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Phone:


415.432.6903

Email:

Hollis.phillips@arcadis-us.com

Submitted by:

ARCADIS U.S., Inc.



Our ref:

GP09BPNA.C106.N0000

Hollis E. Phillips, P.G. (No. 6887)
Principal Geologist/Project Manager

Imagine the result

Ms. Karel Detterman, P.G.
Hazardous Materials Specialist
Alameda County Environmental Health (ACEH)
1131 Harbor Bay Parkway
Alameda, CA 94502

Subject:

Fourth Quarter 2014 and First Quarter 2015 Semi-Annual Groundwater Monitoring Report

Former BP Station #11109,
4280 Foothill Boulevard, Oakland, California
ACEH Case #RO0000426

Dear Ms. Detterman:

ARCADIS U.S., Inc. (ARCADIS) has prepared this *Fourth Quarter 2014 and First Quarter 2015 Semi-Annual Groundwater Monitoring Report* to document the results of groundwater monitoring and sampling and remediation progress at the Former BP Service Station #11109 located at 4280 Foothill Boulevard in Oakland, Alameda County, California (the Site; Figure 1).

1. Summary

A summary of the work performed at the Site during this reporting period and the proposed work for the next reporting period is provided below.

Work Performed – This Semi-Annual Reporting Period (October 1, 2014 to March 31, 2015)

- Submitted the *Second Quarter and Third Quarter 2014 Semi-Annual Groundwater Monitoring Report*, dated December 10, 2014.
- Conducted First Quarter 2015 semi-annual groundwater monitoring event on March 10, 2015. The light non-aqueous phase liquid (LNAPL) absorbent socks in monitoring wells MW-5, MW-10, and MW-12 were removed and new socks were replaced on March 10, 2015. The removed absorbent socks were placed in an on-site drum pending offsite transport and disposal.

ARCADIS U.S., Inc.
100 Montgomery Street
Suite 300
San Francisco
California 94104
Tel 415 374 2744
Fax 415 374 2745
www.arcadis-us.com

ENVIRONMENT

Date:

May 1, 2015

Contact:

Hollis E. Phillips

Phone:

415.432.6903

Email:

Hollis.Phillips@arcadis-us.com

Our ref:

GP09BPNA.C106.N0000

Imagine the result

Work Proposed – Next Semi-Annual Reporting Period (April 1, 2015 to September 30, 2015)

- Submit the *Fourth Quarter 2014 and First Quarter 2015 Semi-Annual Groundwater Monitoring Report*, contained herein.
- Prepare for semi-annual groundwater monitoring/sampling activities to be conducted in Third Quarter 2015.
- Conduct the field activities described in the *CPT/UVOST Field Investigation Work Plan* and submit the *CPT/UVOST Field Investigation Report*.

2. Groundwater Monitoring/Sampling Activities and Results

First quarter 2015 groundwater monitoring was conducted on March 10, 2015 by Broadbent & Associates, Inc. (BAI) personnel. Groundwater monitoring was conducted concurrently at the adjacent Chevron #9-0076 (ACEH Case #RO0000427) to further characterize hydrogeology in the vicinity of the Site. Prior to groundwater sampling, depth-to-water measurements were collected in wells MW-2 through MW-12 with an oil/water interface probe. Measureable LNAPL was present in monitoring well MW-5, and an oily substance was observed on the interface probe at MW-12. Monitoring well MW-2 was noted as dry during well gauging activities. Depth-to-water (DTW) measurements on-site ranged from 9.49 feet (ft) below top of casing (bTOC) at MW-11 to 14.66 ft bTOC at MW-6. Resulting groundwater surface elevations on-site ranged from 28.30 feet above mean sea level (ft msl) at MW-8 to 33.79 ft msl at MW-9. Groundwater elevations provided by Chevron at the adjacent Chevron site varied from 12.16 ft msl (C-8) to 31.66 ft msl (C-10).

Field methods used during groundwater monitoring are provided as Appendix A and field data sheets are included as Appendix B. Groundwater elevations are summarized in Table 1, and a groundwater elevation contour map is presented on Figure 2.

Groundwater samples were collected on March 10, 2015 from wells MW-3, MW-4, MW-6, MW-7, and MW-11 using HydraSleeve™ groundwater samplers, which collect a representative sample from a specific depth interval within the monitoring well screen. Samples were not collected from wells MW-5, MW-10, and MW-12 due to the presence of measurable LNAPL (MW-5) and LNAPL-related impacts to the absorbent socks (MW-10 and MW-12). No irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to TestAmerica

Laboratories, Inc. (Pleasanton, California) for analysis of Gasoline-Range Organics (GRO, C6-C12) by United States Environmental Protection Agency (EPA) Method 8260B (MW-4, MW-7, MW-11); for Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), Ethyl Tertiary Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA) and Ethanol by EPA Method 8260B (MW-7, MW-11); and Methyl Tertiary Butyl Ether (MTBE) by EPA Method 8260B (MW-3, MW-4, MW-6, MW-7, MW-11). No significant irregularities were encountered during analysis of the samples. The laboratory analytical report, including chain-of-custody documentation, is provided in Appendix C.

3. LNAPL Removal Activities

LNAPL absorbent socks were first placed in monitoring wells MW-5, MW-10, and MW-12 on May 7, 2013 to remove residual LNAPL at each location, as discussed in the *Results of DPE Pilot Test and SPH Removal* summary letter. Following first quarter 2015 semiannual gauging and sampling activities, the absorbent socks were removed and placed in an on-site drum. The socks appeared to have absorbed LNAPL within the wells since being replaced on September 25, 2014. MW-10 and MW-12 both exhibited a strong hydrocarbon odor. Upon removal, the absorbent socks at MW-5 and MW-10 were observed to be approximately two-thirds absorbed with water, with some staining of the sock. MW-12 had no apparent staining; however, the interface probe was oily to the touch. The removed absorbent socks were placed in a 55-gallon drum dedicated to LNAPL-containing items and new absorbent socks were deployed in MW-5, MW-10, and MW-12 on March 10, 2015. Field notes from absorbent sock replacement activities are provided in Appendix B.

4. Discussion/Conclusions

Groundwater levels were between historic minimum and maximum elevations for all wells monitored on-site. Monitoring well MW-2 has historically been reported as dry; however, further investigation has confirmed that this well is in fact damaged.

The groundwater elevations observed at monitoring wells C-4, C-10, and C-11 at the adjacent Chevron station were not consistent with other site monitoring locations, and therefore were omitted from the contours provided on Figure 2. Groundwater elevations calculated for the Site and the adjacent Chevron facility yielded an average groundwater gradient of approximately 0.046 ft/ft towards the southwest. The current groundwater elevation contour map is provided on Figure 2.

Groundwater monitoring laboratory analytical results are summarized in Table 1 and are consistent with historical concentrations observed. A groundwater analytical summary map is provided as Figure 3.

- GRO was detected in three groundwater monitoring wells (MW-4, MW-7, and MW-11) at concentrations ranging from 90 micrograms per liter ($\mu\text{g/L}$) (MW-4) to 7,600 $\mu\text{g/L}$ (MW-11).
- MTBE was detected in three groundwater monitoring wells (MW-3, MW-4, and MW-7) at concentrations ranging from 1.9 $\mu\text{g/L}$ (MW-7) to 17 $\mu\text{g/L}$ (MW-4).
- Benzene was detected in two monitoring wells (MW-7 and MW-11) at concentrations of 0.80 $\mu\text{g/L}$ (MW-7) and 130 $\mu\text{g/L}$ (MW-11).
- Toluene, ethylbenzene, and total xylenes were detected in one monitoring well (MW-11) at concentrations of 90 $\mu\text{g/L}$, 260 $\mu\text{g/L}$, and 520 $\mu\text{g/L}$, respectively.
- ETBE, TAME, DIPE, EDB, TBA, 1,2-DCA, and ethanol were below laboratory reporting limits for both wells sampled.

5. Recommendations

ARCADIS recommends continued groundwater monitoring and sampling on a semi-annual basis in accordance with the approved schedule.

Additionally, ARCADIS recommends conducting the site investigation activities as proposed in the *CPT/UVOST Field Investigation Work Plan* dated April 4, 2014 and as discussed with ACEH in a conference call on July 1, 2014. Site investigation activities will be implemented once all necessary permits have been obtained.

The site investigation has been delayed primarily because of the permitting process with the City of Oakland (City). ARCADIS originally submitted the *Excavation Permit and Obstruction Permit* application package to the City on July 31, 2014. Additional materials including an indenture agreement and property owner liability insurance were requested by the City. Evidence of insurance was submitted to the City on September 4, 2014. On October 22, 2014, ARCADIS contacted the City of Oakland Planning and Building Department to inquire into the status of the original July 2014 application and the indenture agreement. The City of Oakland personnel stated in an email that *'the encroachment application is still in the queue due to current workload and staffing'* and that it *'will likely to take several weeks to process.'*

An indenture agreement between the property owner and the City of Oakland to legalize existing monitoring wells installed in 1991 without benefit of permit (MW-8 on

Foothill and MW-9 on High Street) for Permit No. ENMI 14139 was drafted by the City on November 7, 2014 and must be fully executed prior to permit issuance for obstruction into the right-of-way. Execution of the indenture agreement was completed on January 14, 2015.

The finalized excavation and obstruction permits were received from the City on March 26, 2015. ARCADIS anticipates completion of the CPT/UVOST field activities in the second quarter 2015.

6. Limitations

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by TestAmerica Laboratories, Inc. (Pleasanton, California), and our understanding of Alameda County Environmental Health (ACEH) requirements. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of ARCADIS-US, Inc. and Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.


If you have any questions or comments regarding the contents of this report, please contact Hollis Phillips by telephone (415.432.6903) or by e-mail (Hollis.Phillips@arcadis-us.com).

Sincerely,

ARCADIS U.S., Inc.



Hollis E. Phillips, P.G. (No. 6887)
Principal Geologist/Project Manager



Copies:

Ms. Karel Detterman, P.G., Alameda County Environmental Health (Submitted via ACEH ftp Site)

Mr. Ed Ralston, ConocoPhillips, 76 Broadway, Sacramento, California 95818
(electronic copy via GeoTracker)

Electronic copy uploaded to GeoTracker

File

Enclosures:

- | | |
|------------|---|
| Table 1 | Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses |
| Table 2 | Historical Groundwater Flow Direction and Gradient |
| Figure 1 | Site Location Map |
| Figure 2 | Groundwater Elevation Contour Map – March 10, 2015 |
| Figure 3 | Analytical Summary Map – March 10, 2015 |
| Appendix A | Field Methods |
| Appendix B | Field Data Sheets |
| Appendix C | Laboratory Report and Chain-of-Custody Documentation |

TABLES

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-1	1/31/1990		38.19	15.41	--	22.78	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-1	9/16/2010		--	--	--	--	5,500	--	400	250	320	410	11	<20	<2.5	<2.5	<2.5	<500	<2.5	<2.5	--		
MW-2	2/5/1990		41.22	21.90	--	19.32	1,300	--	14	<0.1	9	13	--	--	--	--	--	--	--	--	--	--	
MW-2	2/14/1991		41.22	21.16	--	20.06	<50	<10,000	<0.3	<0.3	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-2	5/13/1991		41.22	21.32	--	19.90	<50	<50	<0.3	<0.3	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-2	7/24/1991		41.22	22.92	--	18.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	10/3/1991		41.22	24.90	--	16.32	<50	<50	<0.3	0.8	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-2	10/15/1991		41.22	24.10	--	17.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	12/16/1991		41.22	23.95	--	17.27	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	1/6/1992		41.22	23.30	--	17.92	<50	<50	<0.3	<0.3	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-2	1/22/1992		41.22	23.14	--	18.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	1/28/1992		41.22	22.99	--	18.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	2/5/1992		41.22	22.63	--	18.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	2/12/1992		41.22	22.04	--	19.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	2/17/1992		41.22	20.84	--	20.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	4/3/1992		41.22	18.29	--	22.93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	4/8/1992		41.22	18.86	--	22.36	<50	63	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-2	4/14/1992		41.22	19.45	--	21.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	4/29/1992		41.22	20.35	--	20.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	5/7/1992		41.22	20.84	--	20.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	7/3/1992		41.22	22.34	--	18.88	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-2	10/8/1992		41.22	23.73	--	17.49	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-2	12/31/1992		41.22	21.12	--	20.10	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-2	4/21/1993		41.22	17.68	--	23.54	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	a
MW-2	7/7/1993		41.22	20.30	--	20.92	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-2	9/21/1993		41.22	21.93	--	19.29	<50	--	0.9	0.7	0.7	2.6	21.54	--	--	--	--	--	--	--	--	--	
MW-2	12/17/1993		41.22	21.48	--	19.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	12/23/1993		--	--	--	--	<50	--	<0.5	<0.5	<0.5	0.7	--	--	--	--	--	--	--	--	--	--	
MW-2	4/7/1994		41.22	20.25	--	20.97	<50	--	<0.5	<0.5	<0.5	<0.5	12.2	--	--	--	--	--	--	--	--	5.9	
MW-2	7/6/1994		41.22	20.59	--	20.63	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	3.1	
MW-2	10/7/1994		41.22	22.04	--	19.18	<50	--	<0.5	<0.5	<0.5	<0.5	15.2	--	--	--	--	--	--	--	--	2.8	
MW-2	1/27/1995		41.22	26.12	--	15.10	<50	440	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	4.8	
MW-2	3/30/1995		41.22	12.34	--	28.88	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	7.2	
MW-2	6/20/1995		41.22	16.42	--	24.80	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	6.0	
MW-2	10/3/1995		41.22	20.06	--	21.16	<50	--	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	--	--	--	--	--	5.7	
MW-2	12/6/1995		41.22	21.31	--	19.91	<50	--	<0.50	<0.50	<0.50	<1.0	46	--	--	--	--	--	--	--	--	5.4	
MW-2	3/21/1996		41.22	12.28	--	28.94	<50	--	<0.5	<1.0	<1.0	<1.0	<1.0	--	--	--	--	--	--	--	--	7.4	
MW-2	6/21/1996		41.22	13.28	--	27.94	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.3	
MW-2	9/6/1996		41.22	13.94	--	27.28	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	9/9/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.4	
MW-2	12/19/1996		41.22	12.19	--	29.03	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.9	
MW-2	3/17/1997		41.22	11.59	--	29.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	8/12/1997		41.22	13.21	--	28.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	12/10/1997		41.22	12.34	--	28.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/12/1998		41.22	11.04	--	30.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	6/23/1998		41.22	11.77	--	29.45	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/31/1999		41.22	12.38	--	28.84	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	8/25/1999		41.22	17.72	--	23.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-2	3/9/2000		41.22	11.94	--	29.28	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/8/2001		41.22	10.31	--	30.91	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/8/2002		41.22	14.35	--	26.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/18/2002		41.22	13.11	--	28.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/11/2003		41.22	13.24	--	27.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	12/9/2003		41.22	18.58	--	22.64	350	--	<0.50	<0.50	0.56	2.8	24	<20	<0.50	<0.50	<0.50	<100	--	--	--	b	
MW-2	3/9/2004		41.22	12.52	--	28.70	74	--	<0.50	<0.50	0.83	4.7	27	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-2	9/17/2004		41.22	18.05	--	23.17	59	--	<0.50	<0.50	<0.50	<0.50	21	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-2	3/7/2005		41.22	2.32	--	38.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	c	
MW-2	9/5/2006		41.22	10.46	--	30.76	79	--	<0.50	5.1	<0.50	0.73	<0.50	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--		
MW-2	3/5/2007		41.22	12.25	--	28.97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	c	
MW-2	3/6/2008		41.22	12.33	--	28.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	d	
MW-2	9/5/2012		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	3/20/2013		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-2	9/20/2013		41.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	j
MW-2	3/13/2014		41.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	j
MW-2	9/25/2014		41.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	j, l
MW-2	3/10/2015		41.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	j
MW-3	2/5/1990		40.74	17.45	--	23.29	1,400	--	15	<2.5	11	8	--	--	--	--	--	--	--	--	--	--	
MW-3	2/14/1991		40.74	18.52	--	22.22	320	--	8	<0.3	8	1	--	--	--	--	--	--	--	--	--	--	
MW-3	5/13/1991		40.74	19.32	--	21.42	640	--	13	<0.3	18	1	--	--	--	--	--	--	--	--	--	--	
MW-3	7/24/1991		40.74	20.69	--	20.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	10/3/1991		40.74	19.47	--	21.27	940	--	21	<0.3	23	2.1	--	--	--	--	--	--	--	--	--	--	
MW-3	10/15/1991		40.74	20.46	--	20.28	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	12/4/1991		40.74	18.29	--	22.45	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	12/16/1991		40.74	18.34	--	22.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	1/6/1992		40.74	18.50	--	22.24	580	--	6.1	1	6.1	7.1	--	--	--	--	--	--	--	--	--	--	
MW-3	1/22/1992		40.74	17.86	--	22.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	1/28/1992		40.74	15.84	--	24.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	2/5/1992		40.74	17.53	--	23.21	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	2/12/1992		40.74	17.15	--	23.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	2/17/1992		40.74	16.18	--	24.56	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	4/3/1992		40.74	14.80	--	25.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	4/8/1992		40.74	17.06	--	23.68	1,100	--	30	4.6	32	11	--	--	--	--	--	--	--	--	--	--	
MW-3	4/14/1992		40.74	15.22	--	25.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	4/29/1992		40.74	15.90	--	24.84	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	5/7/1992		40.74	16.35	--	24.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	7/3/1992		40.74	17.74	--	23.00	1,200	--	38	<2.5	24	<2.5	--	--	--	--	--	--	--	--	--	--	
MW-3	10/8/1992		40.74	19.06	--	21.68	1,400	--	31	<0.5	25	13	--	--	--	--	--	--	--	--	--	--	
MW-3	12/31/1992	Dup	40.74	16.61	--	24.13	960	--	11	3.6	10	3.8	--	--	--	--	--	--	--	--	--	--	e
MW-3	12/31/1992		40.74	16.61	--	24.13	820	--	12	4.1	13	5.9	--	--	--	--	--	--	--	--	--	--	
MW-3	4/21/1993	Dup	40.74	14.24	--	26.50	390	--	5	<0.5	3.7	1.5	--	--	--	--	--	--	--	--	--	--	e
MW-3	4/21/1993		40.74	14.24	--	26.50	420	--	5.6	<0.5	3.9	1.4	--	--	--	--	--	--	--	--	--	--	
MW-3	7/7/1993		40.13	15.19	--	24.94	54	--	0.6	0.6	<0.5	<0.5	12.68	--	--	--	--	--	--	--	--	--	f
MW-3	9/21/1993		40.13	16.58	--	23.55	540	--	7.9	0.9	4.7	2.4	--	--	--	--	--	--	--	--	--	--	
MW-3	12/17/1993		40.13	15.82	--	24.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	12/23/1993	Dup	--	--	--	--	480	--	9.2	<0.5	5.4	5.3	--	--	--	--	--	--	--	--	--	--	e
MW-3	12/23/1993		--	--	--	--	500	--	9.8	1.5	3.3	2.1	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes
MW-3	4/7/1994	Dup	40.13	28.50	--	11.63	460	--	20	7.7	9	11	--	--	--	--	--	--	--	--	--	e
MW-3	4/7/1994		40.13	28.50	--	11.63	460	--	20	7.4	8.9	11	18.2	--	--	--	--	--	--	--	--	
MW-3	7/6/1994		--	--	--	--	300	--	10	0.6	1.7	6.4	5.54	--	--	--	--	--	--	--	4.8	
MW-3	10/7/1994		40.13	27.65	--	12.48	620	--	28	<0.5	2.2	12	31.4	--	--	--	--	--	--	--	4.4	
MW-3	1/27/1995		40.13	27.65	--	12.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/30/1995		40.13	26.05	--	14.08	300	--	10	6	3.4	18	--	--	--	--	--	--	--	--	7.6	
MW-3	6/20/1995		40.13	19.49	--	20.64	170	--	7.2	3.4	0.85	15	--	--	--	--	--	--	--	--	--	
MW-3	10/3/1995		40.13	24.93	--	15.20	170	--	2.1	<0.50	0.81	8	6.7	--	--	--	--	--	--	--	--	
MW-3	12/6/1995	Dup	40.13	25.14	--	14.99	1,400	--	6.1	3	1.7	190	53	--	--	--	--	--	--	--	--	e
MW-3	12/6/1995		40.13	25.14	--	14.99	1,700	--	6.7	3.1	2.8	210	64	--	--	--	--	--	--	--	--	
MW-3	3/21/1996		40.13	9.48	--	30.65	<50	--	0.5	<1.0	<1.0	1	<10	--	--	--	--	--	--	--	7.3	
MW-3	6/21/1996		40.13	11.60	--	28.53	<50	--	13	<1.0	<1.0	<1.0	12	--	--	--	--	--	--	--	7.6	
MW-3	9/6/1996		40.13	12.23	--	27.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	9/9/1996		--	--	--	--	<250	--	6.5	<5.0	<5.0	<5.0	<50	--	--	--	--	--	--	--	7.6	
MW-3	12/19/1996		40.13	10.46	--	29.67	<50	--	4.1	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	8.4	
MW-3	3/17/1997		40.13	9.86	--	30.27	50	--	<5.0	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	7.4	
MW-3	8/12/1997		40.13	12.11	--	28.02	<50	--	0.79	<1.0	<1.0	<1.0	10	--	--	--	--	--	--	--	6.1	
MW-3	12/10/1997		40.13	10.90	--	29.23	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	3.2	
MW-3	3/12/1998	Dup	40.13	10.20	--	29.93	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	e
MW-3	3/12/1998		40.13	10.20	--	29.93	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	6.3	
MW-3	6/23/1998		40.13	10.17	--	29.96	50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	3.4	
MW-3	3/31/1999		40.13	11.45	--	28.68	60	--	<1.0	<1.0	<1.0	<1.0	6.2	--	--	--	--	--	--	--	--	
MW-3	8/25/1999		40.13	12.52	--	27.61	<50	--	<1.0	<1.0	<1.0	<1.0	7.7	--	--	--	--	--	--	--	--	
MW-3	3/9/2000		40.13	12.39	--	27.74	<50	--	<0.5	0.54	<0.5	1.7	6.3	--	--	--	--	--	--	--	--	
MW-3	3/8/2001		40.13	10.41	--	29.72	<50	--	<0.5	<0.5	<0.5	0.59	7.7	--	--	--	--	--	--	--	--	
MW-3	3/8/2002		40.13	9.83	--	30.30	62	--	<0.5	<0.5	<0.5	<1.0	11.6	--	--	--	--	--	--	--	--	
MW-3	3/18/2002		40.13	9.20	--	30.93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/11/2003		40.13	10.54	--	29.59	<50	--	<0.50	<0.50	<0.50	<0.50	6.7	--	--	--	--	--	--	--	--	
MW-3	12/9/2003		40.13	12.88	--	27.25	<50	--	<0.50	<0.50	<0.50	<0.50	6.4	<20	<0.50	<0.50	<0.50	<100	--	--	--	
MW-3	3/9/2004		40.13	9.49	--	30.64	<50	--	<0.50	<0.50	<0.50	0.63	6.9	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--	
MW-3	9/17/2004		40.13	12.76	--	27.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/7/2005		40.13	7.30	--	32.83	<50	--	<0.50	<0.50	<0.50	0.52	5.1	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--	
MW-3	9/6/2005		42.92	10.81	--	32.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/6/2006		42.92	8.85	--	34.07	<50	--	<0.50	<0.50	<0.50	<0.50	6.9	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--	
MW-3	9/5/2006		42.92	9.86	--	33.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/5/2007		42.92	8.33	--	34.59	<50	--	<0.50	<0.50	<0.50	<0.50	5.4	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	2.31	
MW-3	9/7/2007		42.92	11.10	--	31.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/6/2008		42.92	8.92	--	34.00	<50	--	<0.50	<0.50	<0.50	<0.50	4.2	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	2.5	
MW-3	9/3/2008		42.92	12.19	--	30.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/4/2009		42.92	8.28	--	34.64	<50	--	<0.50	<0.50	<0.50	<0.50	4.9	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	1.19	
MW-3	9/30/2009		42.92	11.60	--	31.32	<50	--	<0.50	<0.50	<0.50	<0.50	6.8	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--	
MW-3	10/28/2009		42.92	10.40	--	32.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	3/23/2010		42.92	8.27	--	34.65	<50	--	<0.50	<0.50	<0.50	<1.0	3.2	<4.0	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--	
MW-3	6/10/2010		42.92	9.40	--	33.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-3	9/16/2010		42.92	11.14	--	31.78	<50	--	<0.50	<0.50	<0.50	<1.0	5.9	<4.0	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--	
MW-3	2/23/2011		42.92	8.71	--	34.21	--	--	--	--	--	--	0.58	--	--	--	--	--	--	--	--	
MW-3	9/28/2011		42.92	11.14	--	31.78	--	--	--	--	--	--	3.2	--	--	--	--	--	--	--	--	
MW-3	3/8/2012		42.92	11.01	--	31.91	--	--	--	--	--	--	<0.50(*)	--	--	--	--	--	--	--	--	
MW-3	9/5/2012		42.92	11.42	--	31.50	--	--	--	--	--	--	6.5	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-3	3/20/2013		42.92	10.30	--	32.62	--	--	--	--	--	--	2.6	--	--	--	--	--	--	--	--	--	
MW-3	9/20/2013		42.92	11.40	--	31.52	--	--	--	--	--	--	4.1	--	--	--	--	--	--	--	--	4.66	
MW-3	3/13/2014		42.92	10.73	--	32.19	--	--	--	--	--	--	4.2	--	--	--	--	--	--	--	--	--	
MW-3	9/25/2014		42.92	12.06	--	30.86	--	--	--	--	--	--	5.5	--	--	--	--	--	--	--	--	2.33	
MW-3	3/10/2015		42.92	10.16	--	32.76	--	--	--	--	--	--	4.0	--	--	--	--	--	--	--	--	2.43	
MW-4	2/5/1990		40.11	20.75	--	19.36	620	--	<0.5	9	<0.5	10	--	--	--	--	--	--	--	--	--	--	
MW-4	2/14/1991		40.11	21.73	--	18.38	180	--	<0.3	<0.3	0.4	2	--	--	--	--	--	--	--	--	--	--	
MW-4	5/13/1991		40.11	18.55	--	21.56	72	--	0.7	<0.3	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-4	7/24/1991		40.11	21.31	--	18.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	10/3/1991		40.11	22.57	--	17.54	57	--	<0.3	<0.3	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-4	10/15/1991		40.11	22.88	--	17.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	12/4/1991		40.11	22.54	--	17.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	12/16/1991		40.11	22.59	--	17.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	1/6/1992		40.11	22.00	--	18.11	480	--	0.8	3.2	1.9	7.7	--	--	--	--	--	--	--	--	--	--	
MW-4	1/22/1992		40.11	21.58	--	18.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	1/28/1992		40.11	21.42	--	18.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	2/5/1992		40.11	21.10	--	19.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	2/12/1992		40.11	20.74	--	19.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	2/17/1992		40.11	19.78	--	20.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	4/3/1992		40.11	16.80	--	23.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	4/8/1992		40.11	17.13	--	22.98	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-4	4/14/1992		40.11	17.74	--	22.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	4/29/1992		40.11	18.56	--	21.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	5/7/1992		40.11	19.10	--	21.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	7/3/1992		40.11	20.71	--	19.40	<50	--	0.6	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-4	10/8/1992		40.11	22.43	--	17.68	270	--	<0.5	2.1	2.5	3.2	--	--	--	--	--	--	--	--	--	--	
MW-4	12/31/1992		40.11	19.58	--	20.53	150	--	<0.5	<0.5	<0.5	1.3	--	--	--	--	--	--	--	--	--	--	
MW-4	4/21/1993		40.11	17.79	--	22.32	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-4	7/7/1993		40.11	18.44	--	21.67	160	--	1.2	5.4	3.8	19	5.51	--	--	--	--	--	--	--	--	--	
MW-4	9/21/1993		40.11	20.14	--	19.97	71	--	<0.5	1.9	<0.5	2.1	--	--	--	--	--	--	--	--	--	--	
MW-4	12/17/1993		40.11	19.80	--	20.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	12/23/1993		--	--	--	--	<50	--	3.1	1.6	0.8	3.8	5.7	--	--	--	--	--	--	--	--	--	
MW-4	4/7/1994		40.11	19.12	--	20.99	<50	--	<0.5	<0.5	<0.5	<0.5	11.7	--	--	--	--	--	--	--	--	6.6	
MW-4	7/6/1994		40.11	19.90	--	20.21	62	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	4.1	
MW-4	10/7/1994		40.11	20.07	--	20.04	<50	--	<0.5	<0.5	<0.5	<0.5	7.38	--	--	--	--	--	--	--	--	3.6	
MW-4	1/27/1995		40.11	13.72	--	26.39	<50	--	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	2.7	
MW-4	3/30/1995		40.11	11.46	--	28.65	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	8.3	
MW-4	6/20/1995		40.11	14.78	--	25.33	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	--	
MW-4	10/3/1995		40.11	19.62	--	20.49	<50	--	<0.50	<0.50	<0.50	<1.0	5	--	--	--	--	--	--	--	--	5.8	
MW-4	12/6/1995		40.11	19.91	--	20.20	<50	--	<0.50	<0.50	<0.50	<1.0	47	--	--	--	--	--	--	--	--	5.7	
MW-4	3/21/1996		40.11	11.12	--	28.99	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.8	
MW-4	6/21/1996		40.11	12.21	--	27.90	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.9	
MW-4	9/6/1996		40.11	12.89	--	27.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	9/9/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.2	
MW-4	12/19/1996		40.11	11.01	--	29.10	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	8.4	
MW-4	3/17/1997		40.11	10.42	--	29.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	8/12/1997		40.11	12.77	--	27.34	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	12/10/1997		40.11	11.22	--	28.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-4	3/12/1998		40.11	10.81	--	29.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	6/23/1998		40.11	10.61	--	29.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/31/1999		40.11	11.46	--	28.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	8/25/1999		40.11	16.16	--	23.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/9/2000		40.11	12.23	--	27.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/8/2001		40.11	11.04	--	29.07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/8/2002		40.11	12.73	--	27.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/18/2002		40.11	11.62	--	28.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/11/2003		40.11	13.44	--	26.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	12/9/2003		40.11	15.03	--	25.08	<250	--	<2.5	<2.5	<2.5	<2.5	130	<100	<2.5	<2.5	2.7	<500	--	--	--	--	
MW-4	3/9/2004		40.11	11.04	--	29.07	<50	--	<0.50	<0.50	<0.50	<0.50	35	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--	--	
MW-4	9/17/2004		40.11	16.75	--	23.36	<250	--	<2.5	<2.5	<2.5	<2.5	140	<100	<2.5	<2.5	2.6	<500	<2.5	<2.5	--	--	
MW-4	3/7/2005		40.11	11.02	--	29.09	67	--	<0.50	<0.50	<0.50	<0.50	42	<20	<0.50	<0.50	0.56	<100	<0.50	<0.50	--	--	
MW-4	9/6/2005		42.88	14.64	--	28.24	81	--	<0.50	<0.50	<0.50	<1.5	180	<10	<0.50	<0.50	2.8	<150	<0.50	<0.50	--	--	
MW-4	3/6/2006		42.88	12.42	--	30.46	<100	--	<1.0	<1.0	<1.0	<1.0	110	<40	<1.0	<1.0	1.4	<600	<1.0	<1.0	--	--	
MW-4	9/5/2006		42.88	13.81	--	29.07	130	--	<1.0	<1.0	<1.0	<1.0	190	<40	<1.0	<1.0	1.7	<600	<1.0	<1.0	--	--	
MW-4	3/5/2007		42.88	10.63	--	32.25	<50	--	<0.50	<0.50	<0.50	<0.50	13	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	3.34	--	
MW-4	9/7/2007		42.88	14.77	--	28.11	90	--	<0.50	<0.50	<0.50	<0.50	130	<20	<0.50	<0.50	1.7	<300	<0.50	<0.50	1.14	--	
MW-4	3/6/2008		42.88	11.30	--	31.58	<50	--	<0.50	<0.50	<0.50	<0.50	170	14	<0.50	<0.50	2.1	<300	<0.50	<0.50	1.76	--	
MW-4	9/3/2008		42.88	16.11	--	26.77	<50	--	<5.0	<5.0	<5.0	<5.0	150	<100	<5.0	<5.0	<5.0	<3,000	<5.0	<5.0	1.97	--	
MW-4	3/4/2009		42.88	10.78	--	32.10	140	--	<5.0	<5.0	<5.0	<5.0	110	<100	<5.0	<5.0	<5.0	<3,000	<5.0	<5.0	1.31	--	
MW-4	9/30/2009		42.88	16.48	--	26.40	240	--	<2.0	<2.0	<2.0	<2.0	140	<40	<2.0	<2.0	<2.0	<1,200	<2.0	<2.0	0.08	--	
MW-4	10/28/2009		42.88	15.07	--	27.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	3/23/2010		42.88	10.82	--	32.06	<50	--	<0.50	<0.50	<0.50	<1.0	84	18	<0.50	<0.50	0.88	<100	<0.50	<0.50	--	--	
MW-4	6/10/2010		42.88	12.67	--	30.21	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-4	9/16/2010		42.88	15.72	--	27.16	120	--	<0.50	<0.50	<0.50	<1.0	72	8.0	<0.50	<0.50	0.82	<100	<0.50	<0.50	--	--	
MW-4	2/23/2011		42.88	11.43	--	31.45	<50	--	--	--	--	--	55	--	--	--	--	--	--	--	--	--	
MW-4	9/28/2011		42.88	15.34	--	27.54	150	--	--	--	--	--	62	--	--	--	--	--	--	--	--	--	
MW-4	3/8/2012		42.88	15.03	--	27.85	120	--	--	--	--	--	42	--	--	--	--	--	--	--	--	--	
MW-4	9/5/2012		42.88	15.90	--	26.98	56	--	<0.50	<0.50	<0.50	<1.0	47	18	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--	--	
MW-4	3/20/2013		42.88	13.80	--	29.08	<50	--	--	--	--	--	17	--	--	--	--	--	--	--	--	--	
MW-4	9/20/2013		42.88	15.69	--	27.19	830	--	--	--	--	--	21	--	--	--	--	--	--	--	--	4.41	
MW-4	3/13/2014		42.88	15.59	--	27.29	<50	--	--	--	--	--	19	--	--	--	--	--	--	--	--	--	
MW-4	9/25/2014		42.88	17.10	--	25.78	190	--	--	--	--	--	17	--	--	--	--	--	--	--	--	2.06	i
MW-4	3/10/2015		42.88	14.36	--	28.52	90	--	--	--	--	--	17	--	--	--	--	--	--	--	--	1.87	
MW-5	10/3/1991		39.55	18.08	--	21.47	79,000	--	13,000	7,400	1,400	6,200	--	--	--	--	--	--	--	--	--	--	
MW-5	10/15/1991		39.55	18.55	--	21.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	12/4/1991		39.55	18.44	0.13	20.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	12/16/1991		39.55	18.66	0.01	20.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	1/6/1992		39.55	19.12	0.11	20.32	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	1/22/1992		39.55	14.59	--	24.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	1/28/1992		39.55	15.25	--	24.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	2/5/1992		39.55	15.58	--	23.97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-5	2/12/1992		39.55	15.54	0.01	24.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	2/17/1992		39.55	13.98	--	25.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-5	4/3/1992		39.55	13.63	0.04	25.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	4/8/1992		39.55	13.17	0.01	26.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	4/14/1992		39.55	13.45	0.01	26.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-5	4/29/1992		39.55	13.75	0.07	25.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	5/7/1992		39.55	16.15	0.04	23.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	7/3/1992		39.55	17.67	0.08	21.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	9/1/1992		39.55	17.83	0.50	21.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	10/8/1992		39.55	17.86	0.92	20.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	12/31/1992		39.55	15.20	--	24.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	4/21/1993		39.55	12.64	0.02	26.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	7/7/1993		39.14	12.68	0.82	25.64	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g,f
MW-5	9/21/1993		39.14	14.35	--	24.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-5	12/17/1993		39.14	12.61	0.41	26.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	4/7/1994		39.14	30.00	--	9.14	66,000	--	3,000	1,700	250	6,800	2,002	--	--	--	--	--	--	--	--	--	
MW-5	7/6/1994		--	--	--	--	29,000	--	1,900	330	63	2,700	1,141	--	--	--	--	--	--	--	--	--	
MW-5	10/7/1994	Dup	39.14	28.70	--	10.44	45,000	--	2,900	540	260	2,600	--	--	--	--	--	--	--	--	--	--	e
MW-5	10/7/1994		39.14	28.70	--	10.44	250,000	--	2,600	660	830	5,200	37.7	--	--	--	--	--	--	--	--	4.2	
MW-5	1/27/1995		39.14	28.70	--	10.44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	3/30/1995	Dup	39.14	28.95	--	10.19	43,000	--	7,900	2,500	440	6,200	--	--	--	--	--	--	--	--	--	--	e
MW-5	3/30/1995		39.14	28.95	--	10.19	50,000	--	7,900	2,600	520	6,400	--	--	--	--	--	--	--	--	--	5.5	
MW-5	6/20/1995	Dup	39.14	22.54	--	16.60	26,000	--	3,500	290	<25	3,300	--	--	--	--	--	--	--	--	--	--	e
MW-5	6/20/1995		39.14	22.54	--	16.60	34,000	--	5,100	1,900	300	3,700	--	--	--	--	--	--	--	--	--	--	
MW-5	10/3/1995	Dup	39.14	18.84	--	20.30	12,000	--	46	39	10	1,600	320	--	--	--	--	--	--	--	--	--	e
MW-5	10/3/1995		39.14	18.84	--	20.30	12,000	--	68	42	11	1,600	330	--	--	--	--	--	--	--	--	--	
MW-5	12/6/1995		39.14	19.07	--	20.07	16,000	--	1,200	93	51	700	600	--	--	--	--	--	--	--	--	--	
MW-5	3/21/1996	Dup	39.14	7.43	--	31.71	1,900	--	92	30	7	270	<10	--	--	--	--	--	--	--	--	--	e
MW-5	3/21/1996		39.14	7.43	--	31.71	1,500	--	89	28	6	250	<10	--	--	--	--	--	--	--	--	7.2	
MW-5	6/21/1996	Dup	39.14	9.87	--	29.27	2,700	--	680	140	20	400	<50	--	--	--	--	--	--	--	--	--	e
MW-5	6/21/1996		39.14	9.87	--	29.27	3,500	--	740	150	19	400	<100	--	--	--	--	--	--	--	--	7.1	
MW-5	9/6/1996		39.14	10.52	--	28.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	9/9/1996	Dup	--	--	--	--	90,000	--	2,900	1,600	670	6,900	<2,500	--	--	--	--	--	--	--	--	--	e
MW-5	9/9/1996		--	--	--	--	82,000	--	3,100	1,700	850	9,100	<2,500	--	--	--	--	--	--	--	--	7.5	
MW-5	12/19/1996	Dup	39.14	8.62	--	30.52	26,000	--	490	430	63	1,140	<500	--	--	--	--	--	--	--	--	--	e
MW-5	12/19/1996		39.14	8.62	--	30.52	41,000	--	790	820	120	2,040	<500	--	--	--	--	--	--	--	--	7.7	
MW-5	3/17/1997	Dup	39.14	8.22	--	30.92	6,600	--	2.5	2.7	<1.0	<1.0	28	--	--	--	--	--	--	--	--	--	e
MW-5	3/17/1997		39.14	8.22	--	30.92	5,500	--	1.9	2.4	<1.0	<1.0	29	--	--	--	--	--	--	--	--	6.4	
MW-5	8/12/1997	Dup	39.14	12.18	0.22	26.74	36,000	--	6,100	2,500	720	4,500	<500	--	--	--	--	--	--	--	--	--	e
MW-5	8/12/1997		39.14	12.18	0.22	26.74	33,000	--	6,400	2,400	680	4,400	<1,000	--	--	--	--	--	--	--	--	6.8	g
MW-5	12/10/1997	Dup	39.14	10.78	0.06	28.30	37,000	--	2,900	2,500	440	4,800	--	--	--	--	--	--	--	--	--	--	e
MW-5	12/10/1997		39.14	10.78	0.06	28.30	31,000	--	3,000	2,500	560	5,100	500	--	--	--	--	--	--	--	--	1.8	g
MW-5	3/12/1998		39.14	10.11	0.22	28.81	100,000	--	1,600	870	250	2,600	<250	--	--	--	--	--	--	--	--	6.1	g
MW-5	6/23/1998	Dup	39.14	10.20	0.02	28.92	27,000	--	2,600	840	400	2,950	<500	--	--	--	--	--	--	--	--	--	e
MW-5	6/23/1998		39.14	10.20	0.02	28.92	27,000	--	2,500	840	370	2,900	<250	--	--	--	--	--	--	--	--	2.1	
MW-5	8/25/1999		39.14	14.69	0.38	24.07	180,000	--	2,700	400	830	2,800	26	--	--	--	--	--	--	--	--	--	g
MW-5	3/9/2000		39.14	14.83	0.60	23.71	53,000	--	12,000	2,600	1,900	9,100	<5.0	--	--	--	--	--	--	--	--	--	g
MW-5	3/8/2002		39.14	11.45	1.50	26.19	33,000	--	8,240	1,080	1,010	2,900	34.3	--	--	--	--	--	--	--	--	--	g
MW-5	3/18/2002		39.14	8.03	--	31.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	3/11/2003		39.14	9.60	0.45	29.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	12/9/2003		39.14	11.44	0.03	27.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/9/2004		39.14	7.91	--	31.23	31,000	--	3,900	1,100	780	3,600	<50	<2,000	<50	<50	<50	<10,000	96	<50	--	--	g
MW-5	9/17/2004		39.14	12.13	0.15	27.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/7/2005		39.14	8.62	0.02	30.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes
MW-5	9/6/2005		39.14	11.16	0.18	27.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/6/2006		39.14	8.60	(SHEEN)	30.54	32,000	--	7,500	810	1,200	2,300	<50	<2,000	60	<50	<50	<30,000	<50	<50	--	g,b
MW-5	9/5/2006		39.14	6.16	0.03	32.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/5/2007		39.14	8.34	(SHEEN)	30.80	90,000	--	10,000	4,200	1,900	7,900	<50	<2,000	57	<50	<50	<30,000	<50	<50	1.30	b
MW-5	9/7/2007		39.14	15.15	0.15	23.99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	1/14/2008		39.14	10.30	0.49	28.84	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	2/27/2008		39.14	13.22	0.12	25.92	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/6/2008		39.14	12.90	0.14	26.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	9/3/2008		39.14	12.90	0.99	26.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/4/2009		39.14	8.45	0.16	30.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	4/8/2009		39.14	9.05	0.67	30.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	5/11/2009		39.14	9.10	0.32	30.04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	6/16/2009		39.14	9.15	0.02	29.99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	7/22/2009		39.14	9.33	0.12	29.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	8/6/2009		39.14	10.05	0.01	29.09	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	9/30/2009		39.14	10.55	0.06	28.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	10/28/2009		39.14	10.48	--	28.66	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-5	3/23/2010		39.14	7.10	--	32.04	67,000	--	1,400	380	620	1,800	<5.0	<40	<5.0	<5.0	<5.0	<1,000	<5.0	<5.0	--	
MW-5	6/10/2010		39.14	8.26	--	30.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	9/16/2010		39.14	9.14	--	30.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	2/23/2011		39.14	8.33	--	30.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	9/28/2011		39.14	10.46	--	28.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/8/2012		39.14	10.27	--	28.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	9/5/2012		39.14	11.80	1.40	27.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-5	3/20/2013		39.14	9.73	0.02	29.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g,k
MW-5	9/20/2013		39.14	10.26	--	28.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b,i
MW-5	3/13/2014		39.14	9.74	--	29.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-5	9/25/2014		39.14	11.88	--	27.26	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-5	3/10/2015		39.14	9.89	0.01	29.26	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g, k
MW-6	10/3/1991		41.59	20.73	--	20.86	<50	--	0.7	0.8	<0.3	1.3	--	--	--	--	--	--	--	--	--	
MW-6	10/15/1991		41.59	21.20	--	20.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	12/4/1991		41.59	21.26	--	20.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	12/16/1991		41.59	21.12	--	20.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	1/6/1992		41.59	20.29	--	21.30	<50	--	<0.5	<0.5	<0.5	1.6	--	--	--	--	--	--	--	--	--	
MW-6	1/22/1992		41.59	20.12	--	21.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	1/28/1992		41.59	20.20	--	21.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	2/5/1992		41.59	20.09	--	21.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	2/12/1992		41.59	19.15	--	22.44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	2/17/1992		41.59	18.02	--	23.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	4/3/1992		41.59	16.62	--	24.97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	4/8/1992		41.59	17.06	--	24.53	<50	--	0.6	<0.5	0.8	<0.5	--	--	--	--	--	--	--	--	--	
MW-6	4/14/1992		41.59	17.23	--	24.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	4/29/1992		41.59	18.12	--	23.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	5/7/1992		41.59	18.52	--	23.07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	7/3/1992		41.59	19.71	--	21.88	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
MW-6	10/8/1992	Dup	41.59	21.22	--	20.37	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	e
MW-6	10/8/1992		41.59	21.22	--	20.37	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
MW-6	12/31/1992		41.59	21.33	--	20.26	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-6	4/21/1993		41.59	16.45	--	25.14	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-6	7/7/1993		41.59	18.68	--	22.91	<50	--	<0.5	<0.5	<0.5	<0.5	28.96	--	--	--	--	--	--	--	--	--	
MW-6	9/21/1993		41.59	19.64	--	21.95	<50	--	<0.5	<0.5	<0.5	1.6	--	--	--	--	--	--	--	--	--	--	
MW-6	12/17/1993		41.59	21.08	--	20.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	12/23/1993		--	--	--	--	<50	--	<0.5	0.5	<0.5	0.6	13.95	--	--	--	--	--	--	--	--	--	
MW-6	4/7/1994		41.59	21.27	--	20.32	<50	--	<0.5	<0.5	<0.5	<0.5	35.1	--	--	--	--	--	--	--	--	6.1	
MW-6	7/6/1994	Dup	41.59	19.81	--	21.78	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	e
MW-6	7/6/1994		41.59	19.81	--	21.78	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	4.0	
MW-6	10/7/1994		41.59	21.25	--	20.34	<50	--	<0.5	<0.5	<0.5	<0.5	24.3	--	--	--	--	--	--	--	--	3.5	
MW-6	1/27/1995		41.59	12.39	--	29.20	<50	--	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	4.2	
MW-6	3/30/1995		41.59	11.34	--	30.25	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	6.1	
MW-6	6/20/1995		41.59	15.12	--	26.47	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	--	
MW-6	10/3/1995		41.59	20.68	--	20.91	<50	--	<0.50	<0.50	<0.50	<1.0	66	--	--	--	--	--	--	--	--	6.4	
MW-6	12/6/1995		41.59	23.77	--	17.82	<50	--	<0.50	<0.50	<0.50	<1.0	45	--	--	--	--	--	--	--	--	5.7	
MW-6	3/21/1996		41.59	11.55	--	30.04	<50	--	<0.5	<1.0	<1.0	<1.0	41	--	--	--	--	--	--	--	--	9.1	
MW-6	6/21/1996		41.59	12.60	--	28.99	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	8.6	
MW-6	9/6/1996		41.59	13.25	--	28.34	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	9/9/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	22	--	--	--	--	--	--	--	--	7.9	
MW-6	12/19/1996		41.59	11.45	--	30.14	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.7	
MW-6	3/17/1997		41.59	10.80	--	30.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	8/12/1997		41.59	13.11	--	28.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	12/10/1997		41.59	13.84	--	27.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/12/1998		41.59	11.17	--	30.42	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	6/23/1998		41.59	13.27	--	28.32	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/31/1999		41.59	12.91	--	28.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	8/25/1999		41.59	15.93	--	25.66	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/9/2000		41.59	11.49	--	30.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/8/2001		41.59	10.81	--	30.78	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/8/2002		41.59	14.28	--	27.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/18/2002		41.59	13.10	--	28.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/11/2003		41.59	13.63	--	27.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	12/9/2003		41.59	14.26	--	27.33	<50	--	<0.50	<0.50	<0.50	<0.50	12	<20	<0.50	<0.50	<0.50	<100	--	--	--		
MW-6	3/9/2004		41.59	11.87	--	29.72	<50	--	<0.50	<0.50	<0.50	<0.50	10	<20	<0.50	<0.50	<0.50	<100	0.58	<0.50	--		
MW-6	9/17/2004		41.59	16.45	--	25.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/7/2005		41.59	13.65	--	27.94	<50	--	<0.50	<0.50	<0.50	<0.50	5.8	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-6	9/6/2005		44.37	14.23	--	30.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/6/2006		44.37	12.89	--	31.48	<50	--	<0.50	<0.50	<0.50	<0.50	8.1	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--		
MW-6	9/5/2006		44.37	14.10	--	30.27	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/5/2007		44.37	11.43	--	32.94	<50	--	<0.50	<0.50	<0.50	<0.50	5.6	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	2.57		
MW-6	9/7/2007		44.37	16.00	--	28.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/6/2008		44.37	11.84	--	32.53	<50	--	<0.50	<0.50	<0.50	<0.50	1.9	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	2.34		
MW-6	9/3/2008		44.37	16.24	--	28.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/4/2009		44.37	11.68	--	32.69	<50	--	<0.50	<0.50	<0.50	<0.50	2.8	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	4.66		
MW-6	9/30/2009		44.37	16.83	--	27.54	<50	--	<0.50	<0.50	<0.50	<0.50	4.4	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	0.10		
MW-6	10/28/2009		44.37	15.63	--	28.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	3/23/2010		44.37	11.48	--	32.89	<50	--	<0.50	<0.50	<0.50	<1.0	1.0	<4.0	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-6	6/10/2010		44.37	12.54	--	31.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-6	9/16/2010		44.37	15.95	--	28.42	<50	--	<0.50	<0.50	<0.50	<1.0	0.80	<4.0	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-6	2/23/2011		44.37	12.34	--	32.03	--	--	--	--	--	--	<0.50	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-6	9/28/2011		44.37	15.81	--	28.56	--	--	--	--	--	--	3.4	--	--	--	--	--	--	--	--	--	
MW-6	3/8/2012		44.37	15.51	--	28.86	--	--	--	--	--	--	0.58	--	--	--	--	--	--	--	--	--	
MW-6	9/5/2012		44.37	15.88	--	28.49	--	--	--	--	--	--	2.1	--	--	--	--	--	--	--	--	--	
MW-6	3/20/2013		44.37	14.36	--	30.01	<50	--	<0.50	<0.50	<0.50	<1.0	<0.50	<4.0	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--		
MW-6	9/20/2013		44.37	16.02	--	28.35	--	--	--	--	--	--	2.4	--	--	--	--	--	--	--	--	4.72	
MW-6	3/13/2014		44.37	15.43	--	28.94	--	--	--	--	--	--	<0.50	--	--	--	--	--	--	--	--	--	
MW-6	9/25/2014		44.37	17.15	--	27.22	--	--	--	--	--	--	2.0	--	--	--	--	--	--	--	--	2.37	
MW-6	3/10/2015		44.37	14.66	--	29.71	--	--	--	--	--	--	<0.50	--	--	--	--	--	--	--	--	3.57	
MW-7	10/3/1991		40.64	14.93	--	25.71	360	--	62	13	3.4	20	--	--	--	--	--	--	--	--	--	--	
MW-7	10/15/1991		40.64	15.16	--	25.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	12/4/1991		40.64	15.41	--	25.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	12/16/1991		40.64	15.21	--	25.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	1/6/1992		40.64	14.56	--	26.08	1,100	--	170	<0.5	24	23	--	--	--	--	--	--	--	--	--	--	
MW-7	1/22/1992		40.64	14.63	--	26.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	1/28/1992		40.64	14.73	--	25.91	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	2/5/1992		40.64	14.58	--	26.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	2/12/1992		40.64	13.94	--	26.70	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	2/17/1992		40.64	13.10	--	27.54	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	4/3/1992		40.64	12.66	--	27.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	4/8/1992		40.64	12.77	--	27.87	750	--	150	<0.5	23	9.9	--	--	--	--	--	--	--	--	--	--	
MW-7	4/14/1992		40.64	13.02	--	27.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	4/29/1992		40.64	13.59	--	27.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	5/7/1992		40.64	13.95	--	26.69	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	7/3/1992		40.64	14.73	--	25.91	660	--	210	<2.5	33	8	--	--	--	--	--	--	--	--	--	--	
MW-7	10/8/1992		40.64	15.75	--	24.89	320	--	49	1.4	13	6.2	--	--	--	--	--	--	--	--	--	--	
MW-7	12/31/1992		40.64	13.57	--	27.07	900	--	100	<2.5	28	4.3	--	--	--	--	--	--	--	--	--	--	
MW-7	4/21/1993		40.64	14.56	--	26.08	510	--	83	1.2	10	5.8	--	--	--	--	--	--	--	--	--	--	
MW-7	7/7/1993	Dup	40.32	13.40	--	26.92	1,100	--	170	1.9	29	2.84	9.84	--	--	--	--	--	--	--	--	--	e
MW-7	7/7/1993		40.32	13.40	--	26.92	1,100	--	160	2	27	4	10.84	--	--	--	--	--	--	--	--	--	f
MW-7	9/21/1993	Dup	40.32	14.40	--	25.92	640	--	140	1.7	23	2.4	--	--	--	--	--	--	--	--	--	--	e
MW-7	9/21/1993		40.32	14.40	--	25.92	690	--	150	3.1	26	5.7	--	--	--	--	--	--	--	--	--	--	
MW-7	12/17/1993		40.32	13.65	--	26.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	12/23/1993		--	--	--	--	250	--	64	1.2	9	1.8	7.81	--	--	--	--	--	--	--	--	--	
MW-7	4/7/1994		40.32	30.62	--	9.70	140	--	32	1.4	<0.5	<0.5	6.32	--	--	--	--	--	--	--	--	--	
MW-7	7/6/1994		40.32	16.88	--	23.44	410	--	94	1.3	10	3.5	<5.0	--	--	--	--	--	--	--	--	4.4	
MW-7	10/7/1994		40.32	25.59	--	14.73	<50	--	9.2	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	4.9	
MW-7	1/27/1995	Dup	40.32	9.82	--	30.50	930	--	620	4	77	21	--	--	--	--	--	--	--	--	--	--	e
MW-7	1/27/1995		40.32	9.82	--	30.50	810	--	570	3	60	17	--	--	--	--	--	--	--	--	--	0.0	
MW-7	3/30/1995		40.32	9.15	--	31.17	180	--	65	0.53	2	<1.0	--	--	--	--	--	--	--	--	--	7.8	
MW-7	6/20/1995		40.32	11.38	--	28.94	2,800	--	980	<5.0	<5.0	43	--	--	--	--	--	--	--	--	--	--	
MW-7	10/3/1995		40.32	29.95	--	10.37	<50	--	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	--	--	--	--	--	--	
MW-7	12/6/1995		40.32	29.85	--	10.47	<50	--	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	--	--	--	--	--	--	
MW-7	3/21/1996		40.32	9.76	--	30.56	1,000	--	390	2	40	13	<10	--	--	--	--	--	--	--	--	7.4	
MW-7	6/21/1996		40.32	11.01	--	29.31	<250	--	40	<5.0	<5.0	<5.0	<50	--	--	--	--	--	--	--	--	7.4	
MW-7	9/6/1996		40.32	11.68	--	28.64	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	9/9/1996		--	--	--	--	<250	--	13	<5.0	<5.0	<5.0	<50	--	--	--	--	--	--	--	--	7.2	
MW-7	12/19/1996		40.32	10.78	--	29.54	70	--	1.2	<1.0	1	<1.0	<10	--	--	--	--	--	--	--	--	8.3	
MW-7	3/17/1997		40.32	9.96	--	30.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-7	8/12/1997		40.32	11.44	--	28.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	12/10/1997		40.32	10.42	--	29.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/12/1998		40.32	9.51	--	30.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	6/23/1998		40.32	9.98	--	30.34	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/31/1999		40.32	10.38	--	29.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	8/25/1999		40.32	12.38	--	27.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/9/2000		40.32	8.48	--	31.84	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/8/2001		40.32	8.37	--	31.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/18/2002		40.32	9.94	--	30.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/11/2003		40.32	11.26	--	29.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	12/9/2003		40.32	12.76	--	27.56	270	--	26	<0.50	<0.50	<0.50	8.7	<20	<0.50	<0.50	<0.50	<100	--	--	--		
MW-7	3/9/2004		40.32	10.91	--	29.41	320	--	49	0.73	1.8	0.59	6.9	<20	<0.50	<0.50	<0.50	<100	1.2	<0.50	--		
MW-7	9/17/2004		40.32	13.20	--	27.12	330	--	17	<0.50	<0.50	<0.50	7.0	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-7	3/7/2005		40.32	8.18	--	32.14	340	--	41	0.79	0.79	0.73	7.2	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-7	9/6/2005		43.10	11.80	--	31.30	1,100	--	130	1.2	1.8	<1.5	16	30	0.60	<0.50	<0.50	<150	<0.50	<0.50	--		
MW-7	3/6/2006		43.10	8.39	--	34.71	440	--	31	0.78	0.74	0.81	8.3	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--		
MW-7	9/5/2006		43.10	11.45	--	31.65	2,000	--	260	3.1	5.9	<2.5	12	<100	<2.5	<2.5	<2.5	<1,500	<2.5	<2.5	--		
MW-7	3/5/2007		43.10	9.31	--	33.79	2,200	--	110	2.2	4.0	1.8	7.6	<40	<1.0	<1.0	<1.0	<600	<1.0	<1.0	1.06		
MW-7	9/7/2007		43.10	12.18	--	30.92	220	--	8.4	<0.50	<0.50	<0.50	1.2	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	0.98		
MW-7	3/6/2008		43.10	10.05	--	33.05	1,800	--	54	1.2	1.1	<1.0	<1.0	<20	<1.0	<1.0	<1.0	<600	<1.0	<1.0	--		
MW-7	9/3/2008		43.10	13.17	--	29.93	540	--	13	0.69	<0.50	<0.50	5.5	17	<0.50	<0.50	<0.50	<300	<0.50	<0.50	4.77		
MW-7	3/4/2009		43.10	8.25	--	34.85	720	--	15	0.59	0.53	<0.50	3.4	12	<0.50	<0.50	<0.50	<300	<0.50	<0.50	1.29		
MW-7	9/30/2009		43.10	12.70	--	30.40	1,200	--	44	1.0	0.74	0.79	3.3	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	0.11		
MW-7	10/28/2009		43.10	11.17	--	31.93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	3/23/2010		43.10	9.28	--	33.82	610	--	11	<0.50	<0.50	<1.0	<0.50	12	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-7	6/10/2010		43.10	10.24	--	32.86	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-7	9/16/2010		43.10	12.16	--	30.94	4,700	--	130	<5.0	7.4	<10	<5.0	<40	<5.0	<5.0	<5.0	<1,000	<5.0	<5.0	--		
MW-7	2/23/2011		43.10	9.62	--	33.48	2,200	--	26	1.1	1.4	1.6	4.0	<4.0	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--		
MW-7	9/28/2011		43.10	11.80	--	31.30	3,800	--	380	4.8	28	4.3	9.5	13	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--		
MW-7	3/8/2012		43.10	11.69	--	31.41	550	--	1.4	<0.50	<0.50	<1.0	2.3	<4.0	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--		
MW-7	9/5/2012		43.10	11.60	--	31.50	830	--	16	1.3	0.66	1.4	3.0	<4.0	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--		
MW-7	3/20/2013		43.10	10.88	--	32.22	--	--	--	--	--	--	3.4	--	--	--	--	--	--	--	--	--	
MW-7	9/20/2013		43.10	11.50	--	31.60	580	--	<0.50	<0.50	<0.50	<1.0	2.3	<10	<0.50	<0.50	<0.50	<250	<0.50	<0.50	4.18		
MW-7	3/13/2014		43.10	10.81	--	32.29	100	--	<0.50	<0.50	<0.50	<1.0	1.3	<10	<0.50	<0.50	<0.50	<250	<0.50	<0.50	--		
MW-7	9/25/2014		43.10	12.15	--	30.95	640	--	<0.50	<0.50	<0.50	<1.0	2.6	<20	<0.50	<0.50	<0.50	<500	<0.50	<0.50	1.51	i	
MW-7	3/10/2015		43.10	10.75	--	32.35	310	--	0.80	<0.50	<0.50	<1.0	1.9	<20	<0.50	<0.50	<0.50	<500	<0.50	<0.50	1.52		
MW-8	10/3/1991		38.18	22.37	--	15.81	<50	--	<0.3	0.6	<0.3	0.9	--	--	--	--	--	--	--	--	--	--	
MW-8	10/15/1991		38.18	22.70	--	15.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	12/4/1991		38.18	22.44	--	15.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	12/16/1991		38.18	22.47	--	15.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	1/6/1992		38.18	21.94	--	16.24	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-8	1/22/1992		38.18	21.44	--	16.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	1/28/1992		38.18	21.20	--	16.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	2/5/1992		38.18	20.88	--	17.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	2/12/1992		38.18	20.54	--	17.64	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	2/17/1992		38.18	19.99	--	18.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	4/3/1992		38.18	16.75	--	21.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	4/8/1992		38.18	16.57	--	21.61	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-8	4/29/1992		38.18	18.61	--	19.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	5/7/1992		38.18	18.41	--	19.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	7/3/1992		38.18	20.35	--	17.83	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-8	10/8/1992		38.18	21.74	--	16.44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	12/31/1992		38.18	19.09	--	19.09	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-8	4/21/1993		38.18	18.92	--	19.26	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-8	7/7/1993		38.18	17.76	--	20.42	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	--	
MW-8	9/21/1993		38.18	19.71	--	18.47	<50	--	2.9	2.2	2.2	7.1	--	--	--	--	--	--	--	--	--	--	
MW-8	12/17/1993		38.18	21.33	--	16.85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	12/23/1993		--	--	--	--	<50	--	<0.5	<0.5	<0.5	0.6	<5.0	--	--	--	--	--	--	--	--	--	
MW-8	4/7/1994		38.18	21.51	--	16.67	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	6.6	
MW-8	7/6/1994		38.18	17.41	--	20.77	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	4.4	
MW-8	10/7/1994		38.18	19.20	--	18.98	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	3.7	
MW-8	1/27/1995		38.18	12.25	--	25.93	<50	--	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	2.9	
MW-8	3/30/1995		38.18	10.35	--	27.83	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	8.3	
MW-8	6/20/1995		38.18	13.37	--	24.81	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	6.9	
MW-8	12/6/1995		38.18	18.42	--	19.76	<50	--	<0.50	<0.50	<0.50	<1.0	47	--	--	--	--	--	--	--	--	5.3	
MW-8	6/21/1996		38.18	13.03	--	25.15	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.0	
MW-8	9/6/1996		38.18	13.70	--	24.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	9/9/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.0	
MW-8	12/19/1996		38.18	11.93	--	26.25	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.6	
MW-8	3/17/1997		38.18	11.29	--	26.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	8/12/1997		38.18	13.73	--	24.45	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	12/10/1997		38.18	11.88	--	26.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/12/1998		38.18	11.89	--	26.29	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	6/23/1998		38.18	11.33	--	26.85	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/31/1999		38.18	12.68	--	25.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	8/25/1999		38.18	14.93	--	23.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/9/2000		38.18	9.14	--	29.04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/8/2001		38.18	8.41	--	29.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/8/2002		38.18	11.18	--	27.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/18/2002		38.18	10.72	--	27.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/11/2003		38.18	10.46	--	27.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/9/2004		38.18	9.79	--	28.39	<50	--	<0.50	<0.50	<0.50	<0.50	0.50	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-8	9/17/2004		38.18	15.35	--	22.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/7/2005		38.18	7.94	--	30.24	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-8	9/6/2005		40.95	13.06	--	27.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/6/2006		40.95	9.26	--	31.69	<50	--	<0.50	<0.50	<0.50	<0.50	0.59	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--		
MW-8	9/5/2006		40.95	12.61	--	28.34	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/5/2007		40.95	9.12	--	31.83	<50	--	<0.50	<0.50	<0.50	0.53	<0.50	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	6.79		
MW-8	9/7/2007		40.95	13.56	--	27.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/6/2008		40.95	9.80	--	31.15	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	4.14		
MW-8	9/3/2008		40.95	14.20	--	26.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/4/2009		40.95	9.51	--	31.44	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	2.62		
MW-8	9/30/2009		40.95	14.92	--	26.03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	10/28/2009		40.95	13.56	--	27.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	6/10/2010		40.95	11.06	--	29.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	9/16/2010		40.95	14.41	--	26.54	<50	--	<0.50	<0.50	<0.50	<1.0	<0.50	<4.0	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-8	9/28/2011		40.95	13.87	--	27.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-8	3/8/2012		40.95	13.27	--	27.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	9/5/2012		40.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/20/2013		40.95	11.90	--	29.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	9/20/2013		40.95	13.88	--	27.07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/13/2014		40.95	14.29	--	26.66	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	9/25/2014		40.95	15.72	--	25.23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-8	3/10/2015		40.95	12.65	--	28.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	10/3/1991		41.25	14.12	--	27.13	<50	--	<0.3	0.4	<0.3	<0.3	--	--	--	--	--	--	--	--	--	--	
MW-9	10/15/1991		41.25	14.27	--	26.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	12/4/1991		41.25	13.84	--	27.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	12/16/1991		41.25	14.18	--	27.07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	1/6/1992		41.25	13.42	--	27.83	<50	--	<0.5	<0.5	<0.5	0.9	--	--	--	--	--	--	--	--	--	--	
MW-9	1/22/1992		41.25	13.75	--	27.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	1/28/1992		41.25	14.76	--	26.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	2/5/1992		41.25	13.38	--	27.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	2/12/1992		41.25	11.86	--	29.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	2/17/1992		41.25	10.78	--	30.47	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	4/3/1992		41.25	11.63	--	29.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	4/8/1992		41.25	12.25	--	29.00	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-9	4/14/1992		41.25	12.32	--	28.93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	4/29/1992		41.25	13.07	--	28.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	5/7/1992		41.25	14.43	--	26.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	7/3/1992		41.25	13.85	--	27.40	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-9	10/8/1992		41.25	14.89	--	26.36	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-9	12/31/1992		41.25	11.90	--	29.35	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-9	4/21/1993		41.25	13.68	--	27.57	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	
MW-9	7/7/1993		41.25	13.12	--	28.13	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	--	
MW-9	9/21/1993		41.25	14.00	--	27.25	<50	--	<0.5	<0.5	<0.5	0.9	--	--	--	--	--	--	--	--	--	--	
MW-9	12/17/1993		41.25	12.98	--	28.27	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	12/23/1993		--	--	--	--	<50	--	<0.5	<0.5	<0.5	0.9	<5.0	--	--	--	--	--	--	--	--	--	
MW-9	4/7/1994		41.25	13.24	--	28.01	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	4.7	
MW-9	7/6/1994		41.25	13.77	--	27.48	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	3.9	
MW-9	10/7/1994		41.25	14.60	--	26.65	<50	--	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--	3.0	
MW-9	1/27/1995		41.25	8.47	--	32.78	<50	--	<0.5	<0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	2.5	
MW-9	3/30/1995		41.25	8.19	--	33.06	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	8.4	
MW-9	6/20/1995		41.25	11.25	--	30.00	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	8.1	
MW-9	10/3/1995		41.25	14.68	--	26.57	<50	--	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	--	--	--	--	--	6.0	
MW-9	12/6/1995		41.25	16.07	--	25.18	<50	--	<0.50	<0.50	<0.50	<1.0	46	--	--	--	--	--	--	--	--	5.4	
MW-9	3/21/1996		41.25	9.60	--	31.65	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	8.0	
MW-9	6/21/1996		41.25	10.86	--	30.39	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.8	
MW-9	9/6/1996		41.25	11.52	--	29.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	9/9/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	21	--	--	--	--	--	--	--	--	7.3	
MW-9	12/19/1996		41.25	10.43	--	30.82	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	7.3	
MW-9	3/17/1997		41.25	9.87	--	31.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	8/12/1997		41.25	11.44	--	29.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	12/10/1997		41.25	10.44	--	30.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/12/1998		41.25	9.50	--	31.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	6/23/1998		41.25	10.06	--	31.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-9	3/31/1999		41.25	9.06	--	32.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	8/25/1999		41.25	12.00	--	29.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/9/2000		41.25	10.57	--	30.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/8/2001		41.25	9.73	--	31.52	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/8/2002		41.25	11.89	--	29.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/18/2002		41.25	9.68	--	31.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/11/2003		41.25	9.21	--	32.04	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/9/2004		41.25	10.99	--	30.26	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-9	9/17/2004		41.25	13.35	--	27.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/7/2005		41.25	8.94	--	32.31	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-9	9/6/2005		44.06	11.99	--	32.07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/6/2006		44.06	8.26	--	35.80	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	--		
MW-9	9/5/2006		44.06	11.63	--	32.43	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/5/2007		44.06	9.33	--	34.73	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<300	<0.50	<0.50	2.22		
MW-9	9/7/2007		44.06	12.28	--	31.78	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/6/2008		44.06	10.11	--	33.95	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	3.72		
MW-9	9/3/2008		44.06	13.49	--	30.57	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/4/2009		44.06	8.15	--	35.91	<50	--	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<300	<0.50	<0.50	4.03		
MW-9	9/30/2009		44.06	12.98	--	31.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	10/28/2009		44.06	11.98	--	32.08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/23/2010		44.06	10.59	--	33.47	<50	--	<0.50	<0.50	<0.50	<1.0	<0.50	<4.0	<0.50	<0.50	<0.50	<100	<0.50	<0.50	--		
MW-9	6/10/2010		44.06	10.25	--	33.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	2/23/2011		44.06	9.71	--	34.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	9/28/2011		44.06	11.66	--	32.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/8/2012		44.06	11.56	--	32.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	9/5/2012		44.06	11.18	--	32.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/20/2013		44.06	10.00	--	34.06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	9/20/2013		44.06	10.91	--	33.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	3/13/2014		44.06	9.96	--	34.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-9	9/25/2014		44.06	11.53	--	32.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	l
MW-9	3/10/2015		44.06	10.27	--	33.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	l
MW-10	6/16/2009		39.78	8.60	0.01	31.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	7/22/2009		39.78	9.68	0.01	30.11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	8/6/2009		39.78	9.48	--	30.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-10	9/30/2009		39.78	9.69	0.01	30.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	10/28/2009		39.78	8.53	--	31.25	62,000	--	8,300	5,300	3,100	12,000	<50	<400	<50	<50	<50	<10,000	<50	<50	--		
MW-10	3/23/2010		39.78	7.70	(SHEEN)	32.08	59,000	--	6,500	4,800	2,300	9,700	<100	<800	<100	<100	<100	<20,000	<100	<100	--	b	
MW-10	6/10/2010		39.78	8.93	0.01	30.86	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	9/16/2010		39.78	9.69	0.01	30.10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	2/23/2011		39.78	7.99	--	31.79	61,000	--	7,000	5,300	2,800	12,000	<100	<800	<100	<100	<100	<50,000	<100	<100	--		
MW-10	9/28/2011		39.78	10.36	0.31	29.64	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	3/8/2012		39.78	10.51	0.32	29.51	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	9/5/2012		39.78	10.25	0.01	29.54	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-10	3/20/2013		39.78	9.48	0.01	30.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g,k
MW-10	9/20/2013		39.78	10.50	--	29.28	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b,i
MW-10	3/13/2014		39.78	9.81	--	29.97	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g,k
MW-10	9/25/2014		39.78	11.08	--	28.70	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-10	3/10/2015		39.78	9.60	--	30.18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	i

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes	
MW-11	9/30/2009		40.04	10.55	--	29.49	30,000	--	850	1,400	1,000	3,700	27	<200	<10	<10	<10	<6,000	<10	<10	--		
MW-11	10/28/2009		40.04	8.00	--	32.04	27,000	--	1,100	2,300	1,500	5,800	<50	<400	<50	<50	<50	<10,000	<50	<50	--		
MW-11	3/23/2010		40.04	7.25	--	32.79	21,000	--	530	830	790	2,200	<25	<200	<25	<25	<25	<5,000	<25	<25	--		
MW-11	6/10/2010		40.04	9.65	--	30.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-11	9/16/2010		40.04	9.42	--	30.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-11	2/23/2011		40.04	7.60	--	32.44	10,000	--	380	260	330	540	7.2	<40	<5.0	<5.0	<5.0	<2,500	<5.0	<5.0	--		
MW-11	9/28/2011		40.04	9.88	--	30.16	5,900	--	230	92	260	370	6.4	26	<2.5	<2.5	<2.5	<1,300	<2.5	<2.5	--		
MW-11	3/8/2012		40.04	9.71	--	30.33	5,000	--	280	170	250	380	<5.0	<40	<5.0	<5.0	<5.0	<2,500	<5.0	<5.0	--		
MW-11	9/5/2012		40.04	10.60	--	29.44	22,000	--	1,000	1,600	1,200	4,500	6.2	<40	<5.0	<5.0	<5.0	<2,500	<5.0	<5.0	--		
MW-11	3/20/2013		40.04	9.54	--	30.50	16,000	--	250	620	680	2,200	<10	<80	<10	<10	<10	<5,000	<10	<10	--	i	
MW-11	9/20/2013		40.04	10.55	--	29.49	10,000	--	120	130	320	720	<10	<200	<10	<10	<10	<5,000	<10	<10	4.29		
MW-11	3/13/2014		40.04	9.71	--	30.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-11	9/25/2014		40.04	10.91	--	29.13	1,600	--	39	14	40	56	0.64	<20	<0.50	<0.50	<0.50	<500	<0.50	<0.50	3.05	i	
MW-11	3/10/2015		40.04	9.49	--	30.55	7,600	--	130	90	260	520	<0.50	<20	<0.50	<0.50	<0.50	<500	<0.50	<0.50	1.40		
MW-12	9/30/2009		40.32	11.02	0.02	29.32	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW-12	10/28/2009		40.32	10.40	--	29.92	43,000	--	5,800	800	2,900	6,800	<50	<400	<50	<50	<50	<10,000	<50	<50	--	z	
MW-12	3/23/2010		40.32	11.46	(SHEEN)	28.86	39,000	--	4,800	1,000	3,100	6,400	<25	<200	<25	<25	<25	<5,000	<25	<25	--	b	
MW-12	6/10/2010		40.32	11.35	--	29.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-12	9/16/2010		40.32	11.54	0.02	28.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-12	2/23/2011		40.32	10.80	0.10	29.60	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-12	9/28/2011		40.32	11.48	0.20	28.99	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-12	3/8/2012		40.32	11.92	0.32	28.64	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-12	9/5/2012		40.32	11.63	1.43	29.76	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
MW-12	3/20/2013		40.32	10.13	0.04	30.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g,k
MW-12	9/20/2013		40.32	10.92	--	29.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b,i
MW-12	3/13/2014		40.32	10.60	--	29.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g,k
MW-12	9/25/2014		40.32	11.42	--	28.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b
MW-12	3/10/2015		40.32	10.45	--	29.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	b,i
QC-2	10/8/1992		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	12/31/1992		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	7/7/1993		--	--	--	--	<50	--	<0.5	<0.5	<0.5	0.6	--	--	--	--	--	--	--	--	--	--	h
QC-2	9/21/1993		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	12/23/1993		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	4/7/1994		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	7/6/1994		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	10/7/1994		--	--	--	--	<50	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	--	h
QC-2	1/27/1995		--	--	--	--	<50	--	<0.5	0.5	<0.5	<1.0	--	--	--	--	--	--	--	--	--	--	h
QC-2	3/30/1995		--	--	--	--	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	--	h
QC-2	6/20/1995		--	--	--	--	<50	--	<0.50	<0.50	<0.50	<1.0	--	--	--	--	--	--	--	--	--	--	h
QC-2	10/3/1995		--	--	--	--	<50	--	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	--	--	--	--	--	--	h
QC-2	12/6/1995		--	--	--	--	<50	--	<0.50	<0.50	<0.50	<1.0	<5.0	--	--	--	--	--	--	--	--	--	h
QC-2	3/21/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	--	h
QC-2	6/21/1996		--	--	--	--	<50	--	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--	--	--	--	h

Table 1
Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
CA 11109
4280 Foothill Blvd., Oakland, CA

Well ID	Date	Type	TOC (ft msl)	DTW (ft btoc)	Measured LNAPL Thickness (ft)	GW Elev (ft msl)	GRO (µg/L)	DRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	Ethanol (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	DO (mg/L)	Notes
---------	------	------	-----------------	------------------	--	---------------------	---------------	---------------	-------------	-------------	-------------	-------------	----------------	---------------	----------------	----------------	----------------	-------------------	-------------------	---------------	--------------	-------

Notes:
B = Benzene
1,2-DCA = 1,2-Dichloroethane
DIPE = Di-isopropyl ether
DO = Dissolved oxygen
DRO = Diesel range organics, range C10-C28
DTW = Depth to water in ft btoc
E = Ethylbenzene
EDB = 1,2-Dibromomethane
ETBE = Ethyl tert butyl ether
GRO = Gasoline range organics, range C6-C12
GW Elev = Groundwater measured in ft msl
LNAPL = Light non-aqueous phase liquid
MTBE = Methyl tert butyl ether
T = Toluene
TAME = Tert-amyl methyl ether
TBA = Tert-butyl alcohol
TOC = Top of casing measured in ft (surveyed)
X = Xylenes, total
µg/L = Micrograms per liter
mg/L = Milligrams per liter
ft = feet
ft btoc = feet below top of casing
ft msl = feet relative to mean sea level
Dup = Duplicate sample
SHEEN = Sheen detected in well
-- = Not analyzed/applicable/measured/ available
< = Not detected at or above reported detection limit
(a) Sample exceeded EPA recommended holding time
(b) Sheen in well
(c) Well not sampled due to damage during site construction
(d) Insufficient water to sample
(e) Blind duplicate
(f) TOC lowered
(g) Free product in well
(h) Trip Blank
(i) Hydrocarbon odor observed at wellhead
(j) Well is dry
(k) GWE adjusted assuming specific gravity of 0.75 for free product
(l) Well not sampled in accordance with groundwater sampling schedule
(*) Laboratory control sample and/ or laboratory control sample duplicate exceeds the control limits

1. Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.
2. Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.
3. GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.
4. The data within this table collected prior to April 2006 was provided to ARCADIS U.S., Inc. by Atlantic Richfield Company and their previous consultants. ARCADIS U.S., Inc. has not verified the accuracy of this information.

Table 2
Historical Groundwater Flow Direction and Gradient
CA-11109
4280 Foothill Blvd., Oakland, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
3/6/2006	Southwest	0.05
9/5/2006	Southwest	0.05
2/21/2007	Southwest	0.02
9/7/2007	Southwest	0.03
3/6/2008	Southwest	0.01
9/3/2008	Southwest	0.006
3/4/2009	Southwest	0.02
9/30/2009	Northwest	0.07
10/28/2009	Northwest	0.04
3/23/2010	Northwest	0.03
6/10/2010	Northwest	0.02
9/16/2010	Northwest	0.07
2/23/2011	Northwest	0.04
9/28/2011	Northwest	0.02
3/8/2012	Northwest	0.06
9/5/2012	West-Northwest	0.04
3/20/2013	Southwest	0.03
9/20/2013	Southwest	0.03
3/13/2014	Southwest	0.05
9/25/2014	Southwest	0.05
3/10/2015	Southwest	0.05


Notes:

N/A = Not Available

ft/ft = Feet per foot

Note: All data collected following April 2006 was collected by Broadbent & Associates, Inc. The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants.

FIGURES



LEGEND:


- GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER MONITORING WELL-CHEVRON
- ⊕ RECOVERY POINT
- (28.52) GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- 20.00 — GROUNDWATER ELEVATION CONTOUR LINE (DASHED WHERE INFERRED)
- 0.046 → GROUNDWATER FLOW DIRECTION AND GRADIENT (FOOT PER FOOT)
- * NOT USED FOR CONTOURING
- INA INACCESSIBLE
- (Dry) WELL DRY DURING GROUNDWATER MONITORING EVENT

NOTES:


1. GROUNDWATER ELEVATIONS AT ADJACENT CHEVRON SITE CALCULATED BASED ON FIELD DEPTH TO WATER DATA MEASURED ON MARCH 10, 2015 AND PROVIDED BY CHEVRON; TOP OF CASING MEASUREMENTS AVAILABLE ON GEOTRACKER.

NOTES:

1. BASE MAP PROVIDED BY BROADBENT & ASSOCIATES, INC. DATED 10/26/2009, REFERENCE 06-88-646, AT A SCALE OF 1"=40'.



FORMER BP STATION #11109 4280 FOOTHILL BOULEVARD OAKLAND, CALIFORNIA	
FOURTH QUARTER 2014 AND FIRST QUARTER 2015 SEMI-ANNUAL GROUNDWATER MONITORING REPORT	
GROUNDWATER ELEVATION CONTOUR MAP - MARCH 10, 2015	
	FIGURE 2





APPENDIX A

Field Methods

QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

1.0 Equipment Calibration

Equipment calibration was performed per equipment manufacturer specifications before use.

2.0 Depth to Groundwater and Light Non-Aqueous Phase Liquid Measurement

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

3.0 Well Purging and Groundwater Sample Collection

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

3.1 Purging a Predetermined Well Volume

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water

is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

Parameter	Stabilization Criterion
Temperature	± 0.2°C (± 0.36°F)
pH	± 0.1 standard units
Conductivity	± 3%
Dissolved oxygen	± 10%
Oxidation reduction potential	± 10 mV
Turbidity ¹	± 10% or 1.0 NTU (whichever is greater)

3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to minimize drawdown and mixing of the water column in the well casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

¹ As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)², or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

3.3 Minimal Purge, Discrete Depth, and Passive Sampling

Per ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)², discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

² According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

4.0 Decontamination

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

5.0 Sample Containers, Labeling, and Storage

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were properly labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

6.0 Chain of Custody Record and Procedure

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.


7.0 Field Records

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

HYDRASleeve™

Simple by Design US Patent No. 6,481,300; No. 6,837,120 others pending

Standard Operating Procedure: Sampling Ground Water with a HydraSleeve



This Guide should be used in addition to field manuals appropriate to sampling device (i.e., HydraSleeve or Super Sleeve).

Find the appropriate field manual on the HydraSleeve website at <http://www.hydrasleeve.com>.

For more information about the HydraSleeve, or if you have questions, contact:
GeoInsight, 2007 Glass Road, Las Cruces, NM 88005, 1-800-996-2225,
info@hydrasleeve.com.

Copyright, GeoInsight.

Table of Contents

Introduction.....	1
Applications of the HydraSleeve	1
Description of the HydraSleeve	3
Selecting the HydraSleeve Size to Meet Site-Specific Sampling Objectives.....	4
HydraSleeve Deployment	5
Information Required Before Deploying a HydraSleeve.....	5
HydraSleeve Placement	6
Procedures for Sampling with the HydraSleeve	8
Measurement of Field Indicator Parameters	11
Alternate Deployment Strategies	11
Post-Sampling Activities	14
References.....	15

Introduction

The HydraSleeve is classified as a no-purge (passive) grab sampling device, meaning that it is used to collect ground-water samples directly from the screened interval of a well without having to purge the well prior to sample collection. When it is used as described in this Standard Operating Procedure (SOP), the HydraSleeve causes no drawdown in the well (until the sample is withdrawn from the water column) and only minimal disturbance of the water column, because it has a very thin cross section and it displaces very little water (<100 ml) during deployment in the well. The HydraSleeve collects a sample from within the screen only, and it excludes water from any other part of the water column in the well through the use of a self-sealing check valve at the top of the sampler. It is a single-use (disposable) sampler that is not intended for reuse, so there are no decontamination requirements for the sampler itself.

The use of no-purge sampling as a means of collecting representative ground-water samples depends on the natural movement of ground water (under ambient hydraulic head) from the formation adjacent to the well screen through the screen. Robin and Gillham (1987) demonstrated the existence of a dynamic equilibrium between the water in a formation and the water in a well screen installed in that formation, which results in formation-quality water being available in the well screen for sampling at all times. No-purge sampling devices like the HydraSleeve collect this formation-quality water as the sample, under undisturbed (non-pumping) natural flow conditions. Samples collected in this manner generally provide more conservative (i.e., higher concentration) values than samples collected using well-volume purging, and values equivalent to samples collected using low-flow purging and sampling (Parsons, 2005).

Applications of the HydraSleeve

The HydraSleeve can be used to collect representative samples of ground water for all analytes (volatile organic compounds [VOCs], semi-volatile organic compounds [SVOCs], common metals, trace metals, major cations and anions, dissolved gases, total dissolved solids, radionuclides, pesticides, PCBs, explosive compounds, and all other analytical parameters). Designs are available to collect samples from wells from 1" inside diameter and larger. The HydraSleeve can collect samples from wells of any yield, but it is especially well-suited to collecting samples from low-yield wells, where other sampling methods can't be used reliably because their use results in dewatering of the well screen and alteration of sample chemistry (McAlary and Barker, 1987).

The HydraSleeve can collect samples from wells of any depth, and it can be used for single-event sampling or long-term ground-water monitoring programs. Because of its thin cross section and flexible construction, it can be used in narrow, constricted or damaged wells where rigid sampling devices may not fit. Using multiple HydraSleeves deployed in series along a single suspension line or tether, it is also possible to conduct in-well vertical profiling in wells in which contaminant concentrations are thought to be stratified.

As with all groundwater sampling devices, HydraSleeves should not be used to collect groundwater samples from wells in which separate (non-aqueous) phase hydrocarbons (i.e., gasoline, diesel fuel or jet fuel) are present because of the possibility of incorporating some of the separate-phase hydrocarbon into the sample.

Description of the HydraSleeve

The HydraSleeve (Figure 1) consists of the following basic components:

- A suspension line or tether (A.), attached to the spring clip or directly to the top of the sleeve to deploy the device into and recover the device from the well. Tethers with depth indicators marked in 1-foot intervals are available from the manufacturer.
- A long, flexible, 4-mil thick lay-flat polyethylene sample sleeve (C.) sealed at the bottom (this is the sample chamber), which comes in different sizes, as discussed below with a self-sealing reed-type flexible polyethylene check valve built into the top of the sleeve (B.) to prevent water from entering or exiting the sampler except during sample acquisition.
- A reusable stainless-steel weight with clip (D.), which is attached to the bottom of the sleeve to carry it down the well to its intended depth in the water column. Bottom weights available from the manufacturer are 0.75" OD and are available in three sizes: 5 oz. (2.5" long); 8 oz. (4" long); and 16 oz. (8" long). In lieu of a bottom weight, an optional top weight may be attached to the top of the HydraSleeve to carry it to depth and to compress it at the bottom of the well (not shown in Figure 1);
- A discharge tube that is used to puncture the HydraSleeve after it is recovered from the well so the sample can be decanted into sample bottles (not shown).
- Just above the self-sealing check valve at the top of the sleeve are two holes which provide attachment points for the spring clip and/or suspension line or tether. At the bottom of the sample sleeve are two holes which provide attachment points for the weight clip and weight.




Figure 1. HydraSleeve components.

Note: The sample sleeve and the discharge tube are designed for one-time use and are disposable. The spring clip, weight and weight clip may be reused after thorough cleaning. Suspension cord is generally disposed after one use although, if it is dedicated to the well, it may be reused at the discretion of the sampling personnel.

Selecting the HydraSleeve Size to Meet Site-Specific Sampling Objectives

It is important to understand that each HydraSleeve is able to collect a finite volume of sample because, after the HydraSleeve is deployed, you only get one chance to collect an undisturbed sample. Thus, the volume of sample required to meet your site-specific sampling and analytical requirements will dictate the size of HydraSleeve you need to meet these requirements.

The volume of sample collected by the HydraSleeve varies with the diameter and length of the HydraSleeve. Dimensions and volumes of available HydraSleeve models are detailed in Table 1.

Table 1. Dimensions and volumes of HydraSleeve models.

Diameter	Volume	Length	Lay-Flat Width	Filled Dia.
<i>2-Inch HydraSleeves</i>				
Standard 625-ml HydraSleeve	625 ml	< 30"	2.5"	1.4"
Standard 1-Liter HydraSleeve	1 Liter	38"	3"	1.9"
1-Liter HydraSleeve SS	1 Liter	36"	3"	1.9"
2-Liter HydraSleeve SS	2 Liters	60"	3"	1.9"
<i>4-Inch HydraSleeves</i>				
Standard 1.6-Liter HydraSleeve	1.6 Liters	30"	3.8"	2.3"
Custom 2-Liter HydraSleeve	2 Liters	36"	4"	2.7"

HydraSleeves can be custom-fabricated by the manufacturer in varying diameters and lengths to meet specific volume requirements. HydraSleeves can also be deployed in series (i.e., multiple HydraSleeves attached to one tether) to collect additional sample to meet specific volume requirements, as described below.

If you have questions regarding the availability of sufficient volume of sample to satisfy laboratory requirements for analysis, it is recommended that you contact the laboratory to discuss the minimum volumes needed for each suite of analytes. Laboratories often require only 10% to 25% of the volume they specify to complete analysis for specific suites of analytes, so they can often work with much smaller sample volumes that can easily be supplied by a HydraSleeve.

HydraSleeve Deployment

Information Required Before Deploying a HydraSleeve

Before installing a HydraSleeve in any well, you will need to know the following:

- The inside diameter of the well
- The length of the well screen
- The water level in the well
- The position of the well screen in the well
- The total depth of the well

The inside diameter of the well is used to determine the appropriate HydraSleeve diameter for use in the well. The other information is used to determine the proper placement of the HydraSleeve in the well to collect a representative sample from the screen (see HydraSleeve Placement, below), and to determine the appropriate length of tether to attach to the HydraSleeve to deploy it at the appropriate position in the well.

Most of this information (with the exception of the water level) should be available from the well log; if not, it will have to be collected by some other means. The inside diameter of the well can be measured at the top of the well casing, and the total depth of the well can be measured by sounding the bottom of the well with a weighted tape. The position and length of the well screen may have to be determined using a down-hole camera if a well log is not available. The water level in the well can be measured using any commonly available water-level gauge.

HydraSleeve Placement

The HydraSleeve is designed to collect a sample directly from the well screen, and it fills by pulling it up through the screen a distance equivalent to 1 to 1.5 times its length. This upward motion causes the top check valve to open, which allows the device to fill. To optimize sample recovery, it is recommended that the HydraSleeve be placed in the well so that the bottom weight rests on the bottom of the well and the top of the HydraSleeve is as close to the bottom of the well screen as possible. This should allow the sampler to fill before the top of the device reaches the top of the screen as it is pulled up through the water column, and ensure that only water from the screen is collected as the sample. In short-screen wells, or wells with a short water column, it may be necessary to use a top-weight on the HydraSleeve to compress it in the bottom of the well so that, when it is recovered, it has room to fill before it reaches the top of the screen.

Example

2" ID PVC well, 50' total depth, 10' screen at the bottom of the well, with water level above the screen (the entire screen contains water).

Correct Placement (figure 2): Using a standard HydraSleeve for a 2" well (2.6" flat width/1.5" filled OD x 30" long, 650 ml volume), deploy the sampler so the weight (an 8 oz., 4"-long weight with a 2"-long clip) rests at the bottom of the well. The top of the sleeve is thus set at about 36" above the bottom of the well. When the sampler is recovered, it will be pulled upward approximately 30" to 45" before it is filled; therefore, it is full (and the top check valve closes) at approximately 66" (5 ½ feet) to 81" (6 ¾ feet) above the bottom of the well, which is well before the sampler reaches the top of the screen. In this example, only water from the screen is collected as a sample.




Figure 2. Correct placement of HydraSleeve.

Incorrect Placement (figure 3): If the well screen in this example was only 5' long, and the HydraSleeve was placed as above, it would not fill before the top of the device reached the top of the well screen, so the sample would include water from above the screen, which may not have the same chemistry.

The solution? Deploy the HydraSleeve with a top weight, so that it is collapsed to within 6" to 9" of the bottom of the well. When the HydraSleeve is recovered, it will fill within 39" (3 ¼ feet) to 54" (4 ½ feet) above the bottom of the well, or just before the sampler reaches the top of the screen, so it collects only water from the screen as the sample.




Figure 3. Incorrect placement of HydraSleeve.

This example illustrates one of many types of HydraSleeve placements. More complex placements are discussed in a later section.

Procedures for Sampling with the HydraSleeve

Collecting a ground-water sample with a HydraSleeve is a simple one-person operation.

Note: Before deploying the HydraSleeve in the well, collect the depth-to-water measurement that you will use to determine the preferred position of the HydraSleeve in the well. This measurement may also be used with measurements from other wells to create a ground-water contour map. If necessary, also measure the depth to the bottom of the well to verify actual well depth to confirm your decision on placement of the HydraSleeve in the water column.

Measure the correct amount of tether needed to suspend the HydraSleeve in the well so that the weight will rest on the bottom of the well (or at your preferred position in the well). Make sure to account for the need to leave a few feet of tether at the top of the well to allow recovery of the sleeve

Note: Always wear sterile gloves when handling and discharging the HydraSleeve.

I. Assembling the HydraSleeve

1. Remove the HydraSleeve from its packaging, unfold it, and hold it by its top.
2. Crimp the top of the HydraSleeve by folding the hard polyethylene reinforcing strips at the holes.
3. Attach the spring clip to the holes to ensure that the top will remain open until the sampler is retrieved.
4. Attach the tether to the spring clip by tying a knot in the tether.

Note: Alternatively, attach the tether to one (NOT both) of the holes at the top of the Hydrasleeve by tying a knot in the tether.

5. Fold the flaps with the two holes at the bottom of the HydraSleeve together and slide the weight clip through the holes.
6. Attach a weight to the bottom of the weight clip to ensure that the HydraSleeve will descend to the bottom of the well.

II. Deploying the HydraSleeve

1. Using the tether, carefully lower the HydraSleeve to the bottom of the well, or to your preferred depth in the water column

During installation, hydrostatic pressure in the water column will keep the self-sealing check valve at the top of the HydraSleeve closed, and ensure that it retains its flat, empty profile for an indefinite period prior to recovery.

Note: Make sure that it is not pulled upward at any time during its descent. If the HydraSleeve is pulled upward at a rate greater than 0.5'/second at any time prior to recovery, the top check valve will open and water will enter the HydraSleeve prematurely.

2. Secure the tether at the top of the well by placing the well cap on the top of the well casing and over the tether.

Note: Alternatively, you can tie the tether to a hook on the bottom of the well cap (you will need to leave a few inches of slack in the line to avoid pulling the sampler up as the cap is removed at the next sampling event).

III. Equilibrating the Well

The equilibration time is the time it takes for conditions in the water column (primarily flow dynamics and contaminant distribution) to restabilize after vertical mixing occurs (caused by installation of a sampling device in the well).

- Situation: The HydraSleeve is deployed for the first time or for only one time in a well

The HydraSleeve is very thin in cross section and displaces very little water (<100 ml) during deployment so, unlike most other sampling devices, it does not disturb the water column to the point at which long equilibration times are necessary to ensure recovery of a representative sample.

In most cases, the HydraSleeve can be recovered immediately (with no equilibration time) or within a few hours. In regulatory jurisdictions that impose specific requirements for equilibration times prior to recovery of no-purge sampling devices, these requirements should be followed.

- Situation: The HydraSleeve is being deployed for recovery during a future sampling event

In periodic (i.e., quarterly or semi-annual) sampling programs, the sampler for the current sampling event can be recovered and a new sampler (for the next sampling event)

deployed immediately thereafter, so the new sampler remains in the well until the next sampling event.

Thus, a long equilibration time is ensured and, at the next sampling event, the sampler can be recovered immediately. This means that separate mobilizations, to deploy and then to recover the sampler, are not required. HydraSleeves can be left in a well for an indefinite period of time without concern.

IV. HydraSleeve Recovery and Sample Collection

1. Hold on to the tether while removing the well cap.
2. Secure the tether at the top of the well while maintaining tension on the tether (but without pulling the tether upwards)
3. Measure the water level in the well.
4. In one smooth motion, pull the tether up between 30” to 45” (36” to 54” for the longer HydraSleeve) at a rate of about 1’ per second (or faster).

The motion will open the top check valve and allow the HydraSleeve to fill (it should fill in about 1 to 1.5 times the length of the HydraSleeve). This is analogous to coring the water column in the well from the bottom up.

When the HydraSleeve is full, the top check valve will close. You should begin to feel the weight of the HydraSleeve on the tether and it will begin to displace water. The closed check valve prevents loss of sample and entry of water from zones above the well screen as the HydraSleeve is recovered.

5. Continue pulling the tether upward until the HydraSleeve is at the top of the well.
6. Decant and discard the small volume of water trapped in the Hydrasleeve above the check valve by turning the sleeve over.

V. Sample Collection

Note: Sample collection should be done immediately after the HydraSleeve has been brought to the surface to preserve sample integrity.

1. Remove the discharge tube from its sleeve.
2. Hold the HydraSleeve at the check valve.
3. Puncture the HydraSleeve just below the check valve with the pointed end of the discharge tube
4. Discharge water from the HydraSleeve into your sample containers.

Control the discharge from the HydraSleeve by either raising the bottom of the sleeve, by squeezing it like a tube of toothpaste, or both.

5. Continue filling sample containers until all are full.

Measurement of Field Indicator Parameters

Field indicator parameter measurement is generally done during well purging and sampling to confirm when parameters are stable and sampling can begin. Because no-purge sampling does not require purging, field indicator parameter measurement is not necessary for the purpose of confirming when purging is complete.

If field indicator parameter measurement is required to meet a specific non-purging regulatory requirement, it can be done by taking measurements from water within a HydraSleeve that is not used for collecting a sample to submit for laboratory analysis (i.e., a second HydraSleeve installed in conjunction with the primary sample collection HydraSleeve [see Multiple Sampler Deployment below]).

Alternate Deployment Strategies

Deployment in Wells with Limited Water Columns

For wells in which only a limited water column exists to be sampled, the HydraSleeve can be deployed with an optional top weight instead of a bottom weight, which collapses the HydraSleeve to a very short (approximately 6" to 9") length, and allows the HydraSleeve to fill in a water column only 36" to 45" in height.

Multiple Sampler Deployment

Multiple sampler deployment in a single well screen can accomplish two purposes:

- It can collect additional sample volume to satisfy site or laboratory-specific sample volume requirements.
- It can accommodate the need for collecting field indicator parameter measurements.
- It can be used to collect samples from multiple intervals in the screen to allow identification of possible contaminant stratification.

It is possible to use up to 3 standard 30” HydraSleeves deployed in series along a single tether to collect samples from a 10’ long well screen without collecting water from the interval above the screen.

The samplers must be attached to the tether at both the top and bottom of the sleeve. Attach the tether at the top with a stainless-steel clip (available from the manufacturer). Attach the tether at the bottom using a cable tie. The samplers must be attached as follows (figure 4):

- The first (attached to the tether as described above, with the weight at the bottom) at the bottom of the screen
- The second attached immediately above the first
- The third (attached the same as the second) immediately above the second




Figure 4. Multiple HydraSleeve deployment.

Alternately, the first sampler can be attached to the tether as described above, a second attached to the bottom of the first using a short length of tether (in place of the weight), and the third attached to the bottom of the second in the same manner, with the weight attached to the bottom of the third sampler (figure 5).




Figure 5. Alternative method for deploying multiple HydraSleeves.

In either case, when attaching multiple HydraSleeves in series, more weight may be required to hold the samplers in place in the well than would be required with a single sampler. Recovery of multiple samplers and collection of samples is done in the same manner as for single sampler deployments.

Post-Sampling Activities

The recovered HydraSleeve and the sample discharge tubing should be disposed as per the solid waste management plan for the site. To prepare for the next sampling event, a new HydraSleeve can be deployed in the well (as described previously) and left in the well until the next sampling event, at which time it can be recovered.

The weight and weight clip can be reused on this sampler after they have been thoroughly cleaned as per the site equipment decontamination plan. The tether may be dedicated to the well and reused or discarded at the discretion of sampling personnel.

References

McAlary, T. A. and J. F. Barker, 1987, Volatilization Losses of Organics During Ground-Water Sampling From Low-Permeability Materials, Ground-Water Monitoring Review, Vol. 7, No. 4, pp. 63-68

Parsons, 2005, Results Report for the Demonstration of No-Purge Ground-Water Sampling Devices at Former McClellan Air Force Base, California; Contract F44650-99-D-0005, Delivery Order DKO1, U.S. Army Corps of Engineers (Omaha District), U.S. Air Force Center for Environmental Excellence, and U.S. Air Force Real Property Agency

Robin, M. J. L. and R. W. Gillham, 1987, Field Evaluation of Well Purging Procedures, Ground-Water Monitoring Review, Vol. 7, No. 4, pp. 85-93



APPENDIX B

Field Data Sheets



Passive LNAPL Recovery Field Data Sheets

Site Name: Arcadis 11109 Project No.: 09-88-646
 Site Location: 4280 Foothill Blvd, Oakland, CA

Date: 3/10/15 Technician: Alex Martinez
 Onsite Time: 0815 Weather Conditions: Cloudy
 Offsite Time: 1200 Ambient Temperature: ~60°F

Absorbent Sock Measurements Upon Arrival					
Parameter	MW-5	MW-10	MW-12		
Well Diameter (inches)	4	4	4		
Sock Diameter (inches)	3	3	3		
Is the sock saturated with product? Yes or No	Yes	No	No		
If yes, length of saturation on socks (inches)	~2-3				
Depth to LNAPL, feet below top of casing	9.88	-	-		
Depth to water, feet below top of casing	9.89	9.60	10.45		

No. of 55-gallon drums: 1

Drum #	<u>-</u>						
Fill Start Date	<u>2012</u>						
Is it full?	<u>No</u>						
If not, how full?	<u>1/4</u>						

Absorbent Sock Measurements Prior to Departure					
Parameter	MW-5	MW-10	MW-12		
Sock Replaced? Yes or No	Yes	Yes	Yes		
Sock Diameter (inches)	3	3	3		
Total Sock Length (feet)	3	3	3		
Sock Length Below Water* (feet)	2	2	2		
Sock Length Above Water* (feet)	1	1	1		

*Note: When installing sock, set the depth of sock such that 2/3 of it is above the water table. Store the used socks in sealed 5-gallon buckets and store them in 55-gal drum labelled hazardous waste.

Comments/Notes: Replaced sockeas for each well MW-10 & 12 had
no apparent staining in socks but still emitted very high
hydrocarbon odors. New sockeas were placed in wells. MW-5
still contained 0.01 ft of LNAPL and had some staining.
Replaced sock.

Signature: Alex Martinez Date: 3/10/15

Gauging Data

Date	03/10/2015
Project_Number	09-88-646
Location	4280 Foothill, Oakland, CA
Sampler	Alex Martinez

Well	Date/Time	Well Depth (ft)	Depth To Water (ft)	Depth to LNAPL (ft)	Remarks
MW-10	03/10/2015 09:30		9.60		Soakease present, but no LNAPL upon gauging. Aporoximately 2/3 absorbed with water and little staining in sock. Vert strong hydrocarbon odor still present. Replaced soakease with new one.
MW-11	03/10/2015 09:09	30.33	9.49		
MW-12	03/10/2015 09:54		10.45		Soakease present. Approximately 2/3 absorbed with no apparent staining. Very strong hydrocarbon odor still present and interface probe felt oily to the touch after gauging. Removed and replaced sock.
MW-2	03/10/2015 08:46	13.26	-		Dry
MW-3	03/10/2015 08:59	31.42	10.16		
MW-4	03/10/2015 09:05	26.77	14.36		
MW-5	03/10/2015 09:20		9.89	9.88	Soakease approximatelt 2/3 absorbed with water. Some staining at bottom of sock, about 2-3 inches. Replaced soakease and no sample collection.
MW-6	03/10/2015 08:53	34.52	14.66		
MW-7	03/10/2015 09:06	33.38	10.75		
MW-8	03/10/2015 08:32	29.97	12.65		
MW-9	03/10/2015 08:38	29.48	10.27		

Signature:



MW-3

Date	03/10/2015	Well Head Integrity	Okay	Pump Inlet Depth (ft)	_____
Project_Number	09-88-646	Well Head	_____	Well Diameter (in)	4
Location	4280 Foothill, Oakland, CA	Comments	_____	Initial DTW (ft)	_____
Weather Conditions	Cloudy			Well Depth (ft)	_____
Waste Container	Tank				
Waste Location	Off site				
Sampler	Alex Martinez				

Field Parameters

Time	Purge Volume (L)	DTW (ft)	DO (mg/L)	Temp (C)	pH	Conductivity (uS/cm)	ORP (mV)	Turbidity (NTU)	Remarks
10:32	1.0		2.43	19.67	6.26	825	127	0.3	

Sampling Summary

Sample ID	MW-3	Purge Rate (LPM)	-
Sample Collection Date	03/10/2015	VOA Preserved #	3
Sample Collection Time	10:25	VOA Un-preserved #	_____
DTW at Sampling (ft)	10.16	Liter Amber #	_____
Sampled using	Hydrasleeve	Plastic Bottles #	_____
		Other	_____
		Remarks	_____

Signature:



MW-4

Date	03/10/2015	Well Head Integrity	Okay	Pump Inlet Depth (ft)	
Project_Number	09-88-646	Well Head		Well Diameter (in)	4
Location	4280 Foothill, Oakland, CA	Comments		Initial DTW (ft)	
Weather Conditions	Cloudy			Well Depth (ft)	
Waste Container	Tank				
Waste Location	Off site				
Sampler	Alex Martinez				

Field Parameters

Time	Purge Volume (L)	DTW (ft)	DO (mg/L)	Temp (C)	pH	Conductivity (uS/cm)	ORP (mV)	Turbidity (NTU)	Remarks
10:46	1.0	-	1.87	19.25	6.45	761	-117	9.6	

Sampling Summary

Sample ID	MW-4	Purge Rate (LPM)	-
Sample Collection Date	03/10/2015	VOA Preserved #	3
Sample Collection Time	10:45	VOA Un-preserved #	
DTW at Sampling (ft)	14.36	Liter Amber #	
Sampled using	Hydrasleeve	Plastic Bottles #	
		Other	
		Remarks	

Signature: 

MW-6

Date	03/10/2015	Well Head Integrity	Okay	Pump Inlet Depth (ft)	
Project_Number	09-88-646	Well Head		Well Diameter (in)	4
Location	4280 Foothill, Oakland, CA	Comments		Initial DTW (ft)	
Weather Conditions	Cloudy			Well Depth (ft)	
Waste Container	Tank				
Waste Location	Off site				
Sampler	Alex Martinez				

Field Parameters

Time	Purge Volume (L)	DTW (ft)	DO (mg/L)	Temp (C)	pH	Conductivity (uS/cm)	ORP (mV)	Turbidity (NTU)	Remarks
10:15	1.0		3.57	17.92	6.26	563	117	0.3	

Sampling Summary

Sample ID	MW-6	Purge Rate (LPM)	-
Sample Collection Date	03/10/2015	VOA Preserved #	3
Sample Collection Time	10:10	VOA Un-preserved #	
DTW at Sampling (ft)	14.66	Liter Amber #	
Sampled using	Hydrasleeve	Plastic Bottles #	
		Other	
		Remarks	

Signature: 

MW-7

Date	03/10/2015	Well Head Integrity	Okay	Pump Inlet Depth (ft)	_____
Project_Number	09-88-646	Well Head	_____	Well Diameter (in)	6
Location	4280 Foothill, Oakland, CA	Comments	_____	Initial DTW (ft)	_____
Weather Conditions	Cloudy			Well Depth (ft)	_____
Waste Container	Tank				
Waste Location	Off site				
Sampler	Alex Martinez				

Field Parameters

Time	Purge Volume (L)	DTW (ft)	DO (mg/L)	Temp (C)	pH	Conductivity (uS/cm)	ORP (mV)	Turbidity (NTU)	Remarks
11:03	1.0		1.52	19.78	6.37	657	-133	1.1	Moderate hydrocarbon odor

Sampling Summary

Sample ID	MW-7	Purge Rate (LPM)	-
Sample Collection Date	03/10/2015	VOA Preserved #	3
Sample Collection Time	11:00	VOA Un-preserved #	_____
DTW at Sampling (ft)	10.75	Liter Amber #	_____
Sampled using	Hydrasleeve	Plastic Bottles #	_____
		Other	_____
		Remarks	_____

 Signature: 

MW-11

Date	03/10/2015	Well Head Integrity	Need repair	Pump Inlet Depth (ft)	
Project_Number	09-88-646	Well Head	new bolts needed for security	Well Diameter (in)	4
Location	4280 Foothill, Oakland, CA	Comments		Initial DTW (ft)	
Weather Conditions	Cloudy			Well Depth (ft)	
Waste Container	Tank				
Waste Location	Off site				
Sampler	Alex Martinez				

Field Parameters

Time	Purge Volume (L)	DTW (ft)	DO (mg/L)	Temp (C)	pH	Conductivity (uS/cm)	ORP (mV)	Turbidity (NTU)	Remarks
11:17	1.0	-	1.40	20.02	6.32	890	-153	1.5	Moderate hydrocarbon odor and sheen present.

Sampling Summary

Sample ID	MW-11	Purge Rate (LPM)	-
Sample Collection Date	03/10/2015	VOA Preserved #	3
Sample Collection Time	11:15	VOA Un-preserved #	
DTW at Sampling (ft)	9.49	Liter Amber #	
Sampled using	Hydrasleeve	Plastic Bottles #	
		Other	
		Remarks	

Signature:





APPENDIX C

Laboratory Report and Chain-of-Custody Documentation

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Pleasanton
1220 Quarry Lane
Pleasanton, CA 94566
Tel: (925)484-1919

TestAmerica Job ID: 720-63415-1
Client Project/Site: BP #11109, Oakland

For:
ARCADIS U.S., Inc.
100 Montgomery Street
Suite 300
San Francisco, California 94104

Attn: Hollis Phillips



Authorized for release by:
3/16/2015 4:10:11 PM

Dimple Sharma, Senior Project Manager
(925)484-1919
dimple.sharma@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	19
Lab Chronicle	21
Certification Summary	22
Method Summary	23
Sample Summary	24
Chain of Custody	25
Receipt Checklists	26

Definitions/Glossary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Job ID: 720-63415-1

Laboratory: TestAmerica Pleasanton

Narrative

Job Narrative
720-63415-1

Comments

No additional comments.

Receipt

The samples were received on 3/10/2015 12:25 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.2° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Detection Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-3

Lab Sample ID: 720-63415-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methyl tert-butyl ether	4.0		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA

Client Sample ID: MW-4

Lab Sample ID: 720-63415-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methyl tert-butyl ether	17		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C6-C12	90		50		ug/L	1		8260B/CA_LUFT MS	Total/NA

Client Sample ID: MW-6

Lab Sample ID: 720-63415-3

No Detections.

Client Sample ID: MW-7

Lab Sample ID: 720-63415-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
MTBE	1.9		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Benzene	0.80		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C6-C12	310		50		ug/L	1		8260B/CA_LUFT MS	Total/NA

Client Sample ID: MW-11

Lab Sample ID: 720-63415-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	130		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Ethylbenzene	260		10		ug/L	20		8260B/CA_LUFT MS	Total/NA
Toluene	90		0.50		ug/L	1		8260B/CA_LUFT MS	Total/NA
Xylenes, Total	520		20		ug/L	20		8260B/CA_LUFT MS	Total/NA
Gasoline Range Organics (GRO) -C6-C12	7600		1000		ug/L	20		8260B/CA_LUFT MS	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Pleasanton

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-3
Date Collected: 03/10/15 10:25
Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-1
Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	4.0		0.50		ug/L			03/11/15 18:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	83		67 - 130					03/11/15 18:33	1
1,2-Dichloroethane-d4 (Surr)	93		72 - 130					03/11/15 18:33	1
Toluene-d8 (Surr)	88		70 - 130					03/11/15 18:33	1



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-4
Date Collected: 03/10/15 10:45
Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-2
Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	17		0.50		ug/L			03/13/15 12:25	1
Gasoline Range Organics (GRO) -C6-C12	90		50		ug/L			03/13/15 12:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		67 - 130					03/13/15 12:25	1
1,2-Dichloroethane-d4 (Surr)	93		72 - 130					03/13/15 12:25	1
Toluene-d8 (Surr)	103		70 - 130					03/13/15 12:25	1



Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-6
Date Collected: 03/10/15 10:10
Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-3
Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			03/11/15 19:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	83		67 - 130					03/11/15 19:06	1
1,2-Dichloroethane-d4 (Surr)	94		72 - 130					03/11/15 19:06	1
Toluene-d8 (Surr)	90		70 - 130					03/11/15 19:06	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-7
Date Collected: 03/10/15 11:00
Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-4
Matrix: Water

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
MTBE	1.9		0.50		ug/L			03/11/15 13:02	1
Benzene	0.80		0.50		ug/L			03/11/15 13:02	1
EDB	ND		0.50		ug/L			03/11/15 13:02	1
1,2-DCA	ND		0.50		ug/L			03/11/15 13:02	1
Ethylbenzene	ND		0.50		ug/L			03/11/15 13:02	1
Toluene	ND		0.50		ug/L			03/11/15 13:02	1
Xylenes, Total	ND		1.0		ug/L			03/11/15 13:02	1
Gasoline Range Organics (GRO)	310		50		ug/L			03/11/15 13:02	1
-C6-C12									
TBA	ND		20		ug/L			03/11/15 13:02	1
Ethanol	ND		500		ug/L			03/11/15 13:02	1
DIPE	ND		0.50		ug/L			03/11/15 13:02	1
TAME	ND		0.50		ug/L			03/11/15 13:02	1
Ethyl t-butyl ether	ND		0.50		ug/L			03/11/15 13:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		67 - 130					03/11/15 13:02	1
1,2-Dichloroethane-d4 (Surr)	91		72 - 130					03/11/15 13:02	1
Toluene-d8 (Surr)	101		70 - 130					03/11/15 13:02	1

Client Sample Results

Client: ARCADIS U.S., Inc.
 Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-11

Lab Sample ID: 720-63415-5

Date Collected: 03/10/15 11:15

Matrix: Water

Date Received: 03/10/15 12:25

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
MTBE	ND		0.50		ug/L			03/11/15 13:57	1
Benzene	130		0.50		ug/L			03/11/15 13:57	1
EDB	ND		0.50		ug/L			03/11/15 13:57	1
1,2-DCA	ND		0.50		ug/L			03/11/15 13:57	1
Ethylbenzene	260		10		ug/L			03/12/15 17:52	20
Toluene	90		0.50		ug/L			03/11/15 13:57	1
Xylenes, Total	520		20		ug/L			03/12/15 17:52	20
Gasoline Range Organics (GRO)	7600		1000		ug/L			03/12/15 17:52	20
-C6-C12									
TBA	ND		20		ug/L			03/11/15 13:57	1
Ethanol	ND		500		ug/L			03/11/15 13:57	1
DIPE	ND		0.50		ug/L			03/11/15 13:57	1
TAME	ND		0.50		ug/L			03/11/15 13:57	1
Ethyl t-butyl ether	ND		0.50		ug/L			03/11/15 13:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		67 - 130		03/11/15 13:57	1
4-Bromofluorobenzene	95		67 - 130		03/12/15 17:52	20
1,2-Dichloroethane-d4 (Surr)	93		72 - 130		03/11/15 13:57	1
1,2-Dichloroethane-d4 (Surr)	96		72 - 130		03/12/15 17:52	20
Toluene-d8 (Surr)	104		70 - 130		03/11/15 13:57	1
Toluene-d8 (Surr)	101		70 - 130		03/12/15 17:52	20

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		BFB (67-130)	12DCE (72-130)	TOL (70-130)
720-63415-1	MW-3	83	93	88
720-63415-2	MW-4	99	93	103
720-63415-2 MS	MW-4	94	85	102
720-63415-2 MSD	MW-4	94	89	102
720-63415-3	MW-6	83	94	90
720-63415-4	MW-7	102	91	101
720-63415-5	MW-11	106	93	104
720-63415-5	MW-11	95	96	101
LCS 720-177389/5	Lab Control Sample	93	83	100
LCS 720-177389/7	Lab Control Sample	95	91	101
LCS 720-177406/6	Lab Control Sample	88	87	95
LCS 720-177464/5	Lab Control Sample	92	84	100
LCS 720-177464/7	Lab Control Sample	93	87	94
LCS 720-177547/5	Lab Control Sample	89	90	100
LCS 720-177547/7	Lab Control Sample	94	91	101
LCSD 720-177389/6	Lab Control Sample Dup	94	87	101
LCSD 720-177389/8	Lab Control Sample Dup	97	90	101
LCSD 720-177406/7	Lab Control Sample Dup	87	84	94
LCSD 720-177464/6	Lab Control Sample Dup	92	87	101
LCSD 720-177464/8	Lab Control Sample Dup	93	86	101
LCSD 720-177547/6	Lab Control Sample Dup	93	87	100
LCSD 720-177547/8	Lab Control Sample Dup	94	89	100
MB 720-177389/4	Method Blank	94	88	101
MB 720-177406/5	Method Blank	88	88	84
MB 720-177464/4	Method Blank	92	84	99
MB 720-177547/4	Method Blank	94	90	99

Surrogate Legend

BFB = 4-Bromofluorobenzene
12DCE = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS

Lab Sample ID: MB 720-177389/4

Matrix: Water

Analysis Batch: 177389

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
MTBE	ND		0.50		ug/L			03/11/15 07:53	1
Benzene	ND		0.50		ug/L			03/11/15 07:53	1
EDB	ND		0.50		ug/L			03/11/15 07:53	1
1,2-DCA	ND		0.50		ug/L			03/11/15 07:53	1
Ethylbenzene	ND		0.50		ug/L			03/11/15 07:53	1
Toluene	ND		0.50		ug/L			03/11/15 07:53	1
Xylenes, Total	ND		1.0		ug/L			03/11/15 07:53	1
Gasoline Range Organics (GRO)	ND		50		ug/L			03/11/15 07:53	1
-C6-C12									
TBA	ND		20		ug/L			03/11/15 07:53	1
Ethanol	ND		500		ug/L			03/11/15 07:53	1
DIPE	ND		0.50		ug/L			03/11/15 07:53	1
TAME	ND		0.50		ug/L			03/11/15 07:53	1
Ethyl t-butyl ether	ND		0.50		ug/L			03/11/15 07:53	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		67 - 130		03/11/15 07:53	1
1,2-Dichloroethane-d4 (Surr)	88		72 - 130		03/11/15 07:53	1
Toluene-d8 (Surr)	101		70 - 130		03/11/15 07:53	1

Lab Sample ID: LCS 720-177389/5

Matrix: Water

Analysis Batch: 177389

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
MTBE	25.0	22.7		ug/L		91	62 - 130
Benzene	25.0	24.7		ug/L		99	79 - 130
EDB	25.0	25.5		ug/L		102	70 - 130
1,2-DCA	25.0	22.0		ug/L		88	61 - 132
Ethylbenzene	25.0	25.6		ug/L		103	80 - 120
Toluene	25.0	24.9		ug/L		100	78 - 120
m-Xylene & p-Xylene	25.0	25.3		ug/L		101	70 - 142
o-Xylene	25.0	25.4		ug/L		102	70 - 130
TBA	250	264		ug/L		106	70 - 130
Ethanol	1250	1210		ug/L		97	31 - 216
DIPE	25.0	21.2		ug/L		85	69 - 134
TAME	25.0	24.3		ug/L		97	79 - 130
Ethyl t-butyl ether	25.0	22.8		ug/L		91	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	83		72 - 130
Toluene-d8 (Surr)	100		70 - 130

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-177389/7

Matrix: Water

Analysis Batch: 177389

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C6-C12	500	520		ug/L		104	58 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	95		67 - 130
1,2-Dichloroethane-d4 (Surr)	91		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 720-177389/6

Matrix: Water

Analysis Batch: 177389

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
MTBE	25.0	23.8		ug/L		95	62 - 130	5	20
Benzene	25.0	24.7		ug/L		99	79 - 130	0	20
EDB	25.0	26.5		ug/L		106	70 - 130	4	20
1,2-DCA	25.0	22.2		ug/L		89	61 - 132	1	20
Ethylbenzene	25.0	25.2		ug/L		101	80 - 120	2	20
Toluene	25.0	24.7		ug/L		99	78 - 120	1	20
m-Xylene & p-Xylene	25.0	24.9		ug/L		100	70 - 142	2	20
o-Xylene	25.0	25.1		ug/L		100	70 - 130	1	20
TBA	250	257		ug/L		103	70 - 130	3	20
Ethanol	1250	967		ug/L		77	31 - 216	22	30
DIPE	25.0	21.7		ug/L		87	69 - 134	2	20
TAME	25.0	25.3		ug/L		101	79 - 130	4	20
Ethyl t-butyl ether	25.0	23.6		ug/L		94	70 - 130	3	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	94		67 - 130
1,2-Dichloroethane-d4 (Surr)	87		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 720-177389/8

Matrix: Water

Analysis Batch: 177389

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C6-C12	500	515		ug/L		103	58 - 120	1	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	97		67 - 130
1,2-Dichloroethane-d4 (Surr)	90		72 - 130
Toluene-d8 (Surr)	101		70 - 130

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: MB 720-177406/5

Matrix: Water

Analysis Batch: 177406

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			03/11/15 12:27	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		67 - 130					03/11/15 12:27	1
1,2-Dichloroethane-d4 (Surr)	88		72 - 130					03/11/15 12:27	1
Toluene-d8 (Surr)	84		70 - 130					03/11/15 12:27	1

Lab Sample ID: LCS 720-177406/6

Matrix: Water

Analysis Batch: 177406

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methyl tert-butyl ether	25.0	23.3		ug/L		93	62 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	88		67 - 130				
1,2-Dichloroethane-d4 (Surr)	87		72 - 130				
Toluene-d8 (Surr)	95		70 - 130				

Lab Sample ID: LCSD 720-177406/7

Matrix: Water

Analysis Batch: 177406

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methyl tert-butyl ether	25.0	23.2		ug/L		93	62 - 130	0	20
Surrogate	%Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	87		67 - 130						
1,2-Dichloroethane-d4 (Surr)	84		72 - 130						
Toluene-d8 (Surr)	94		70 - 130						

Lab Sample ID: MB 720-177464/4

Matrix: Water

Analysis Batch: 177464

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
MTBE	ND		0.50		ug/L			03/12/15 09:01	1
Benzene	ND		0.50		ug/L			03/12/15 09:01	1
EDB	ND		0.50		ug/L			03/12/15 09:01	1
1,2-DCA	ND		0.50		ug/L			03/12/15 09:01	1
Ethylbenzene	ND		0.50		ug/L			03/12/15 09:01	1
Toluene	ND		0.50		ug/L			03/12/15 09:01	1
Xylenes, Total	ND		1.0		ug/L			03/12/15 09:01	1
Gasoline Range Organics (GRO) -C6-C12	ND		50		ug/L			03/12/15 09:01	1
TBA	ND		20		ug/L			03/12/15 09:01	1
Ethanol	ND		500		ug/L			03/12/15 09:01	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: MB 720-177464/4

Matrix: Water

Analysis Batch: 177464

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DIPE	ND		0.50		ug/L			03/12/15 09:01	1
TAME	ND		0.50		ug/L			03/12/15 09:01	1
Ethyl t-butyl ether	ND		0.50		ug/L			03/12/15 09:01	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		67 - 130		03/12/15 09:01	1
1,2-Dichloroethane-d4 (Surr)	84		72 - 130		03/12/15 09:01	1
Toluene-d8 (Surr)	99		70 - 130		03/12/15 09:01	1

Lab Sample ID: LCS 720-177464/5

Matrix: Water

Analysis Batch: 177464

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
MTBE	25.0	23.6		ug/L		94	62 - 130
Benzene	25.0	25.0		ug/L		100	79 - 130
EDB	25.0	26.7		ug/L		107	70 - 130
1,2-DCA	25.0	22.4		ug/L		90	61 - 132
Ethylbenzene	25.0	25.6		ug/L		102	80 - 120
Toluene	25.0	25.0		ug/L		100	78 - 120
m-Xylene & p-Xylene	25.0	25.4		ug/L		102	70 - 142
o-Xylene	25.0	25.4		ug/L		102	70 - 130
TBA	250	259		ug/L		104	70 - 130
Ethanol	1250	1140		ug/L		91	31 - 216
DIPE	25.0	21.9		ug/L		88	69 - 134
TAME	25.0	25.1		ug/L		100	79 - 130
Ethyl t-butyl ether	25.0	23.5		ug/L		94	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	92		67 - 130
1,2-Dichloroethane-d4 (Surr)	84		72 - 130
Toluene-d8 (Surr)	100		70 - 130

Lab Sample ID: LCS 720-177464/7

Matrix: Water

Analysis Batch: 177464

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C6-C12	500	492		ug/L		98	58 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	87		72 - 130
Toluene-d8 (Surr)	94		70 - 130

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCSD 720-177464/6
Matrix: Water
Analysis Batch: 177464

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
MTBE	25.0	25.3		ug/L		101	62 - 130	7	20
Benzene	25.0	24.8		ug/L		99	79 - 130	0	20
EDB	25.0	28.3		ug/L		113	70 - 130	6	20
1,2-DCA	25.0	23.0		ug/L		92	61 - 132	2	20
Ethylbenzene	25.0	25.1		ug/L		100	80 - 120	2	20
Toluene	25.0	24.6		ug/L		98	78 - 120	2	20
m-Xylene & p-Xylene	25.0	24.8		ug/L		99	70 - 142	3	20
o-Xylene	25.0	25.0		ug/L		100	70 - 130	2	20
TBA	250	251		ug/L		100	70 - 130	3	20
Ethanol	1250	1070		ug/L		86	31 - 216	6	30
DIPE	25.0	22.2		ug/L		89	69 - 134	1	20
TAME	25.0	26.6		ug/L		106	79 - 130	6	20
Ethyl t-butyl ether	25.0	24.4		ug/L		97	70 - 130	4	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	92		67 - 130
1,2-Dichloroethane-d4 (Surr)	87		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: LCSD 720-177464/8
Matrix: Water
Analysis Batch: 177464

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C6-C12	500	501		ug/L		100	58 - 120	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	93		67 - 130
1,2-Dichloroethane-d4 (Surr)	86		72 - 130
Toluene-d8 (Surr)	101		70 - 130

Lab Sample ID: MB 720-177547/4
Matrix: Water
Analysis Batch: 177547

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	ND		0.50		ug/L			03/13/15 09:09	1
Gasoline Range Organics (GRO) -C6-C12	ND		50		ug/L			03/13/15 09:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		67 - 130		03/13/15 09:09	1
1,2-Dichloroethane-d4 (Surr)	90		72 - 130		03/13/15 09:09	1
Toluene-d8 (Surr)	99		70 - 130		03/13/15 09:09	1

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: LCS 720-177547/5

Matrix: Water

Analysis Batch: 177547

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methyl tert-butyl ether	25.0	26.0		ug/L		104	62 - 130
Surrogate							
	%Recovery	Qualifier	Limits				
4-Bromofluorobenzene	89		67 - 130				
1,2-Dichloroethane-d4 (Surr)	90		72 - 130				
Toluene-d8 (Surr)	100		70 - 130				

Lab Sample ID: LCS 720-177547/7

Matrix: Water

Analysis Batch: 177547

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO) -C6-C12	500	513		ug/L		103	58 - 120
Surrogate							
	%Recovery	Qualifier	Limits				
4-Bromofluorobenzene	94		67 - 130				
1,2-Dichloroethane-d4 (Surr)	91		72 - 130				
Toluene-d8 (Surr)	101		70 - 130				

Lab Sample ID: LCSD 720-177547/6

Matrix: Water

Analysis Batch: 177547

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methyl tert-butyl ether	25.0	25.7		ug/L		103	62 - 130	1	20
Surrogate									
	%Recovery	Qualifier	Limits						
4-Bromofluorobenzene	93		67 - 130						
1,2-Dichloroethane-d4 (Surr)	87		72 - 130						
Toluene-d8 (Surr)	100		70 - 130						

Lab Sample ID: LCSD 720-177547/8

Matrix: Water

Analysis Batch: 177547

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO) -C6-C12	500	508		ug/L		102	58 - 120	1	20
Surrogate									
	%Recovery	Qualifier	Limits						
4-Bromofluorobenzene	94		67 - 130						
1,2-Dichloroethane-d4 (Surr)	89		72 - 130						
Toluene-d8 (Surr)	100		70 - 130						

TestAmerica Pleasanton

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method: 8260B/CA_LUFTMS - 8260B / CA LUFT MS (Continued)

Lab Sample ID: 720-63415-2 MS

Matrix: Water

Analysis Batch: 177547

Client Sample ID: MW-4

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Methyl tert-butyl ether	17		25.0	39.3		ug/L		89	60 - 138
MS MS									
Surrogate	%Recovery	Qualifier	Limits						
4-Bromofluorobenzene	94		67 - 130						
1,2-Dichloroethane-d4 (Surr)	85		72 - 130						
Toluene-d8 (Surr)	102		70 - 130						

Lab Sample ID: 720-63415-2 MSD

Matrix: Water

Analysis Batch: 177547

Client Sample ID: MW-4

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methyl tert-butyl ether	17		25.0	42.8		ug/L		103	60 - 138	8	20
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
4-Bromofluorobenzene	94		67 - 130								
1,2-Dichloroethane-d4 (Surr)	89		72 - 130								
Toluene-d8 (Surr)	102		70 - 130								

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

GC/MS VOA

Analysis Batch: 177389

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-63415-4	MW-7	Total/NA	Water	8260B/CA_LUFT MS	
720-63415-5	MW-11	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177389/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177389/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-177389/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-177389/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-177389/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 177406

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-63415-1	MW-3	Total/NA	Water	8260B/CA_LUFT MS	
720-63415-3	MW-6	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177406/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-177406/7	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-177406/5	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 177464

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-63415-5	MW-11	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177464/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177464/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-177464/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-177464/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-177464/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 177547

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
720-63415-2	MW-4	Total/NA	Water	8260B/CA_LUFT MS	
720-63415-2 MS	MW-4	Total/NA	Water	8260B/CA_LUFT MS	
720-63415-2 MSD	MW-4	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177547/5	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCS 720-177547/7	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
LCSD 720-177547/6	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	

TestAmerica Pleasanton

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

GC/MS VOA (Continued)

Analysis Batch: 177547 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 720-177547/8	Lab Control Sample Dup	Total/NA	Water	8260B/CA_LUFT MS	
MB 720-177547/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Client Sample ID: MW-3

Date Collected: 03/10/15 10:25

Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	177406	03/11/15 18:33	YYB	TAL PLS

Client Sample ID: MW-4

Date Collected: 03/10/15 10:45

Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	177547	03/13/15 12:25	ASC	TAL PLS

Client Sample ID: MW-6

Date Collected: 03/10/15 10:10

Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	177406	03/11/15 19:06	YYB	TAL PLS

Client Sample ID: MW-7

Date Collected: 03/10/15 11:00

Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	177389	03/11/15 13:02	PDR	TAL PLS

Client Sample ID: MW-11

Date Collected: 03/10/15 11:15

Date Received: 03/10/15 12:25

Lab Sample ID: 720-63415-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/CA_LUFTMS		1	177389	03/11/15 13:57	PDR	TAL PLS
Total/NA	Analysis	8260B/CA_LUFTMS		20	177464	03/12/15 17:52	PDR	TAL PLS

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919

Certification Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Laboratory: TestAmerica Pleasanton

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	State Program	9	2496	01-31-16

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Method	Method Description	Protocol	Laboratory
8260B/CA_LUFTMS	8260B / CA LUFT MS	SW846	TAL PLS

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PLS = TestAmerica Pleasanton, 1220 Quarry Lane, Pleasanton, CA 94566, TEL (925)484-1919



Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: BP #11109, Oakland

TestAmerica Job ID: 720-63415-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
720-63415-1	MW-3	Water	03/10/15 10:25	03/10/15 12:25
720-63415-2	MW-4	Water	03/10/15 10:45	03/10/15 12:25
720-63415-3	MW-6	Water	03/10/15 10:10	03/10/15 12:25
720-63415-4	MW-7	Water	03/10/15 11:00	03/10/15 12:25
720-63415-5	MW-11	Water	03/10/15 11:15	03/10/15 12:25

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 720-63415-1

Login Number: 63415

List Source: TestAmerica Pleasanton

List Number: 1

Creator: Gonzales, Justinn

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_REPORT FILE

SUCCESS

Your GEO_REPORT file has been successfully submitted!

<u>Submittal Type:</u>	GEO_REPORT
<u>Report Title:</u>	Fourth Quarter 2014 and First Quarter 2015 Semi-Annual Groundwater Monitoring Report 050115
<u>Report Type:</u>	Monitoring Report - Semi-Annually
<u>Report Date:</u>	5/1/2015
<u>Facility Global ID:</u>	T0600100217
<u>Facility Name:</u>	BP #11109
<u>File Name:</u>	CA-11109 150501 BP - 4Q14-1Q15 SAGWMMR.pdf
<u>Organization Name:</u>	ARCADIS
<u>Username:</u>	ARCADISBP
<u>IP Address:</u>	72.37.244.172
<u>Submittal Date/Time:</u>	5/1/2015 2:25:22 PM
<u>Confirmation Number:</u>	3549921393

Copyright © 2015 State of California