

## Detterman, Mark, Env. Health

---

**From:** Detterman, Mark, Env. Health  
**Sent:** Thursday, July 26, 2012 4:40 PM  
**To:** 'Lee, Nathan'  
**Cc:** Espino Devine, Catalina  
**Subject:** RE: RO 0427 Chevron Service Station 90077 4265 Foothill Boulevard - Extension Request

Nat,  
Thanks for the update for the site. Please use this email to document general ACEH concurrence with a resampling event of the vapor wells, and inclusion of the data in the requested work plan; however, I've utilized a September 14<sup>th</sup> deliverable date (6 weeks further out, rather than 8 weeks). I'll update Geotracker shortly.  
Regards,

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Lee, Nathan [<mailto:nlee@croworld.com>]  
**Sent:** Tuesday, July 24, 2012 3:48 PM  
**To:** Detterman, Mark, Env. Health  
**Cc:** Espino Devine, Catalina  
**Subject:** RO 0427 Chevron Service Station 90077 4265 Foothill Boulevard - Extension Request

Mark,

Conestoga-Rovers and Associates (CRA) on behalf of Chevron Environmental Management Company (EMC) would like to request an extension for the Vapor Investigation Work Plan (and conduit Study) which was requested by Alameda County Environmental Health (ACEH) in their letter dated May 30, 2012 and due on August 3, 2012. The reason for this extension request is, CRA would like to sample the existing soil vapor probes and use the soil gas analytical data to assist in completion of the vapor investigation work plan. Also the geophysical survey for the utility conduit was conducted on site on July 19, 2012. CRA is awaiting the report from the geophysical subcontractor. Also, CRA has requested from Pacific Gas and Electric (PG&E) their electrical and natural gas utility location map, CRA has yet to receive PG&E's utility map. PG&E's utility map will help tie in their utilities to the adjacent sites. Therefore an extension request of **September 28, 2012** for the submittal of the Vapor Investigation Work Plan (and utility conduit study) is requested.

Thanks,

**Nathan Lee, P.G.**  
**Conestoga-Rovers & Associates (CRA)**  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

Phone: 510.420.3333

Fax: 510.420.9170  
Cell: 510.385.2499  
Email: [nlee@CRAworld.com](mailto:nlee@CRAworld.com)