

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

ENVIRONMENTAL
PROTECTION

97 OCT 27 PM 4:17

October 13, 1997

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

3rd Quarter 1997 Monitoring at 9-0076

Third Quarter 1997 Groundwater Monitoring at
Chevron Service Station Number 9-0076
4265 Foothill Blvd.
Oakland, CA

Monitoring Performed on September 17, 1997

Groundwater Sampling Report 970917-A-1

This report covers the routine monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table

also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,



Francis Thie
Vice President

FPT/ew

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix

BP
STATION

FOOTHILL BOULEVARD

SCALE (ft)



Pre-purge

UNDERGROUND
STORAGE TANKS

KIOSK

C-1
21.47

20.00

PUMP
ISLANDS

C-2
14.33

C-3

15.96

C-5
10.67

C-4
15.03

RESIDENTIAL

HIGH STREET

RESIDENTIAL

10.00

BOND STREET

C-6
10.66

RESIDENTIAL

C-7
6.19

LUCKY
MARKET

EAST 17th STREET

C-8
5.32

C-9
2.05


EXPLANATION

⊙ MONITORING WELL LOCATION

15.96 GROUNDWATER ELEVATION (FT, MSL)

20.00 — GROUNDWATER ELEVATION CONTOUR (FT, MSL)

↘ APPROXIMATE GROUNDWATER FLOW DIRECTION;
APPROXIMATE GRADIENT = 0.04



Base map from Geoconsultants, Inc.

PREPARED BY

RRM
engineering contracting firm

Chevron Station 9-0076
4265 Foothill Boulevard
Oakland, California

GROUNDWATER ELEVATION CONTOUR MAP,
SEPTEMBER 17, 1997

FIGURE:
1
PROJECT:
DAC04

MW	DO	GRP
C1	1.4	101
C2	1.3	150
C3	2.1	59
C4	0.6	102
C6	1.5	-57
C7	0.6	126

**Table of
Well Data and
Analytical Results**

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-1													
04/28/89	35.42	15.37	20.05	--	--	--	--	940	30	1.3	11	13	--
08/08/89	35.42	11.35	24.07	--	--	--	--	820	45	2.0	13	13	--
12/21/89	35.42	12.61	22.81	--	--	--	--	--	--	--	--	--	--
08/27/90	35.42	13.30	22.12	--	--	--	--	440	15	1.0	6.0	13	--
11/04/90	35.42	9.86	25.56	--	--	--	--	--	--	--	--	--	--
06/18/91	35.42	13.78	21.64	--	--	--	--	74	5.6	0.6	1.9	1.3	--
09/19/91	35.42	10.84	24.58	--	--	--	--	150	7.1	<0.5	2.3	3.0	--
12/20/91	35.42	9.25	26.17	--	--	--	--	250	10	<0.5	3.7	1.6	--
03/18/92	35.42	17.17	18.25	--	--	--	--	190	16	<0.5	8.5	2.9	--
07/14/92	35.42	7.81	27.61	--	--	--	--	20,000	480	2200	510	2900	--
10/08/92	35.42	10.98	24.44	--	--	--	--	360	34	4.6	19	12	--
01/08/93	35.42	15.74	19.68	--	--	--	--	120	9.1	0.5	5.1	1.8	--
04/14/93	35.42	19.04	16.38	--	--	--	--	190	74	0.6	1.0	2.0	--
07/16/93	35.42	--	--	--	--	--	--	--	--	--	--	--	--
07/27/93	35.42	26.03	9.39	--	--	--	--	300	12	<0.5	5.0	2.0	--
09/21/93	38.41	16.99	21.42	--	--	--	--	360	12	1.2	5.8	3.7	--
01/28/94	38.41	18.84	19.57	--	--	--	--	370	24	1.0	13	4.0	--
03/17/94	38.41	21.56	16.85	--	--	--	--	460	42	<0.5	6.7	3.7	--
06/16/94	38.41	20.58	17.83	--	--	--	--	320	20	0.7	8.7	3.0	--
09/22/94	38.41	18.15	20.26	--	--	--	--	380	24	0.6	8.8	1.9	--
12/15/94	38.41	22.59	15.82	--	--	--	--	280	23	7.6	7.8	13	--
03/30/95	38.41	26.39	12.02	--	--	--	--	2200	890	8.9	15	<5.0	--
06/20/95	38.41	24.01	14.40	--	--	--	--	690	140	<2.0	9.4	2.8	--
09/20/95	38.41	24.59	13.82	--	--	--	--	730	27	78	26	130	--
12/06/95	38.41	17.81	20.60	--	--	--	--	220	16	<0.5	7.2	1.7	11
03/21/96	38.41	26.76	11.65	--	--	--	--	640	170	<2.0	6.7	<2.0	35
06/21/96	38.41	24.16	14.25	--	--	--	--	640	140	<1.2	8.7	2.0	23
09/06/96	38.41	21.66	16.75	--	--	--	--	460	24	0.56	10	2.4	43
12/19/96	38.41	24.43	13.98	--	--	--	--	790	120	22	13	19	<25
03/17/97	38.41	25.63	12.78	--	--	--	--	2200	660	<10	15	<10	110
06/11/97	38.41	23.25	15.16	--	--	--	--	1500	130	<2.0	16	3.4	130
09/17/97	38.41	21.47	16.94	--	--	--	*	910	160	23	13	49	180

* See table of Additional Analysis

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-2													
04/28/89	35.18	8.74	26.44	--	--	--	--	120,000	30,000	22,000	3000	17,000	--
08/08/89	35.18	5.29	29.90	0.01	--	--	--	--	--	--	--	--	--
12/21/89	35.18	5.86	29.32	--	--	--	--	--	--	--	--	--	--
08/27/90	35.18	5.77	29.55	0.17	--	--	--	--	--	--	--	--	--
11/04/90	35.18	4.71	30.47	--	--	--	--	--	--	--	--	--	--
06/18/91	35.18	6.90	28.33	0.06	--	--	--	--	--	--	--	--	--
09/19/91	35.18	5.84	29.39	0.06	--	--	--	--	--	--	--	--	--
12/20/91	35.18	5.95	29.23	--	--	--	--	170,000	20,000	10,000	2800	19,000	--
03/18/92	35.18	21.58	13.60	0.09	--	--	--	--	--	--	--	--	--
07/14/92	35.18	--	--	--	--	--	--	--	--	--	--	--	--
10/08/92	35.18	--	--	--	--	--	--	--	--	--	--	--	--
01/08/93	35.18	10.98	24.20	Sheen	--	--	--	79,000	14,000	7200	3500	16,000	--
04/14/93	35.18	--	--	--	--	--	--	--	--	--	--	--	--
07/16/93	35.18	5.03	30.15	--	--	--	--	2200	440	73	24	350	--
09/21/93	37.47	11.18	26.29	--	--	--	--	11,000	2300	300	270	910	--
01/28/94	37.47	13.51	23.96	--	--	--	--	49,000	11,000	3900	1600	12,000	--
03/17/94	37.47	11.48	25.99	--	--	--	--	16,000	3300	1000	220	3500	--
06/16/94	37.47	13.55	23.92	--	--	--	--	20,000	4800	1500	520	4300	--
09/22/94	37.47	11.85	25.62	--	--	--	--	35,000	5600	850	1700	7300	--
12/15/94	37.47	16.31	21.16	--	--	--	--	96,000	9000	3500	3300	13,000	--
03/30/95	37.47	20.29	17.18	--	--	--	--	100,000	9400	3700	3900	14,000	--
06/20/95	37.47	18.52	18.95	--	--	--	--	93,000	6400	1900	2900	11,000	--
09/20/95	37.47	19.27	18.20	--	--	--	--	58,000	6600	330	1600	5500	--
12/06/95	37.47	12.71	24.76	--	--	--	--	40,000	5000	86	1800	3700	<500
03/21/96	37.47	21.30	16.17	0.00	0.132	0.130	--	--	--	--	--	--	--
06/21/96	37.47	19.34	18.15	0.02	0.026	0.156	--	--	--	--	--	--	--
09/06/96	37.47	16.36	21.14	0.04	0.079	0.235	--	--	--	--	--	--	--
12/19/96	37.47	19.94	17.55	0.03	0.050	0.285	--	--	--	--	--	--	--
03/17/97	37.47	18.88	18.59	--	--	0.285	--	58,000	4800	1200	1800	6300	3400
06/11/97	37.47	16.17	21.30	--	--	0.285	--	40,000	5500	720	1400	4100	3100
09/17/97	37.47	14.33	23.14	--	--	0.285	*	30,000	4800	220	1200	1800	3200

* See table of Additional Analysis

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Volumetric Measurements			Notes	Analytical results					
				SPH Thickness	SPH Removed	Total SPH Removed		TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-3													
04/28/89	35.28	7.28	28.00	--	--	--	--	<500	1.7	<0.5	<0.5	<0.5	--
08/08/89	35.28	5.28	30.00	--	--	--	--	<500	1.0	<0.5	<0.5	<0.5	--
12/21/89	35.28	4.75	30.53	--	--	--	--	--	--	--	--	--	--
08/27/90	35.28	5.60	29.68	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/04/90	35.30	4.94	30.36	--	--	--	--	--	--	--	--	--	--
06/18/91	35.30	6.84	28.46	--	--	--	--	52	1.1	<0.5	<0.5	1.2	--
09/19/91	35.30	5.97	29.33	--	--	--	--	73	1.2	<0.5	<0.5	<0.5	--
12/20/91	35.30	5.53	29.77	--	--	--	--	<50	0.7	<0.5	<0.5	<0.5	--
03/18/92	35.30	9.55	25.75	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	35.30	7.43	27.87	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	35.30	6.75	28.55	--	--	--	--	<50	<0.5	<0.5	<0.5	0.5	--
01/08/93	35.30	9.45	25.85	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	35.30	11.34	23.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	35.30	9.66	25.64	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	38.37	12.15	26.22	--	--	--	--	<50	0.7	<0.5	<0.5	<0.8	--
01/28/94	38.37	12.71	25.66	--	--	--	--	<50	2.0	<0.5	<0.5	1.0	--
03/17/94	38.37	13.42	24.95	--	--	--	--	<50	2.8	<0.5	0.6	1.5	--
06/16/94	38.37	14.06	24.31	--	--	--	--	<50	1.4	<0.5	<0.5	<0.5	--
09/22/94	38.37	13.33	25.04	--	--	--	--	<50	0.6	<0.5	<0.5	<0.5	--
12/15/94	38.37	16.15	22.22	--	--	--	--	<50	2.6	1.7	0.82	4.5	--
03/30/95	38.37	19.95	18.42	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	38.37	18.58	19.79	--	--	--	--	110	2.2	<0.5	<0.5	1.2	--
09/20/95	38.37	19.42	18.95	--	--	--	--	560	21	80	23	120	--
12/06/95	38.37	14.21	24.16	--	--	--	--	<50	0.73	<0.5	<0.5	0.67	<2.5
03/21/96	38.37	20.52	17.85	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	38.37	18.59	19.78	--	--	--	--	57	<0.5	<0.5	<0.5	<0.5	<2.5
09/06/96	38.37	16.74	21.63	--	--	--	--	<50	0.90	<0.5	<0.5	<0.5	<2.5
12/19/96	38.37	16.07	22.30	--	--	--	--	310	36	33	6.5	28	<2.5
03/17/97	38.37	19.42	18.95	--	--	--	--	54	1.1	<0.5	<0.5	0.76	<2.5
06/11/97	38.37	17.22	21.15	--	--	--	--	120	1.1	<0.5	<0.5	<0.5	<2.5
09/17/97	38.37	15.96	22.41	--	--	--	*	240	19	19	6.6	40	13

* See table of Additional Analysis

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.				Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)					
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-4													
01/12/89	33.45	3.96	29.49	--	--	--	--	--	--	--	--	--	--
04/12/89	33.45	6.01	27.44	--	--	--	--	--	--	--	--	--	--
04/28/89	33.45	3.96	29.49	--	--	--	--	20,000	6300	550	230	1500	--
08/08/89	33.45	3.90	29.55	--	--	--	--	8000	7500	340	88	1000	--
12/21/89	33.45	3.43	30.02	--	--	--	--	--	--	--	--	--	--
08/27/90	33.48	4.46	29.02	--	--	--	--	26,000	10,000	280	410	1400	--
11/04/90	33.48	3.67	29.81	--	--	--	--	--	--	--	--	--	--
06/18/91	33.48	6.03	27.45	--	--	--	--	34,000	14,000	410	450	1300	--
09/19/91	33.48	4.83	28.65	--	--	--	--	16,000	7400	90	110	460	--
12/20/91	33.48	4.64	28.84	--	--	--	--	24,000	12,000	120	260	740	--
03/18/92	33.48	11.05	24.43	--	--	--	--	48,000	6000	1300	1300	2400	--
07/14/92	33.48	6.59	26.89	--	--	--	--	40,000	14,000	920	550	2400	--
10/08/92	33.48	5.69	27.79	--	--	--	--	29,000	13,000	190	110	1400	--
01/08/93	33.48	9.98	23.50	--	--	--	--	25,000	7000	630	860	1800	--
04/14/93	33.48	12.35	21.13	--	--	--	--	27,000	6300	1000	900	1400	--
07/16/93	33.48	9.52	23.96	--	--	--	--	28,000	7800	1100	830	2100	--
09/21/93	36.49	10.98	25.51	--	--	--	--	30,000	9600	130	390	1300	--
01/28/94	36.49	13.18	23.31	--	--	--	--	18,000	7800	440	260	1200	--
03/17/94	36.49	15.14	21.35	--	--	--	--	32,000	7800	820	820	1800	--
06/16/94	36.49	13.99	22.50	--	--	--	--	25,000	7600	710	600	1800	--
09/22/94	36.49	12.56	23.93	--	--	--	--	25,000	7800	140	600	1100	--
12/15/94	36.49	17.47	19.02	--	--	--	--	38,000	7600	460	1200	2000	--
03/30/95	36.49	21.63	14.86	--	--	--	--	41,000	8700	1600	1800	3000	--
06/20/95	36.49	19.59	16.90	--	--	--	--	29,000	6000	890	960	1800	--
09/20/95	36.49	20.29	16.20	--	--	--	--	12,000	6900	510	290	1300	--
12/06/95	36.49	13.37	23.12	--	--	--	--	13,000	3900	42	30	250	<250
03/21/96	36.49	22.39	14.10	--	--	--	--	39,000	4800	640	1000	1800	<1000
06/21/96	36.49	19.54	16.95	--	--	--	--	26,000	4400	640	960	1800	2000
09/06/96	36.49	16.36	20.13	--	--	--	--	23,000	500	200	230	1000	3100
12/19/96	36.49	19.57	16.92	--	--	--	--	23,000	4900	320	1100	2000	<250
03/17/97	36.49	19.09	17.40	--	--	--	--	30,000	5800	700	1400	2200	1700
06/11/97	36.49	18.15	18.34	--	--	--	--	29,000	4400	520	790	1800	2000
09/17/97	36.49	15.03	21.46	--	--	--	*	17,000	4300	140	940	1100	4600

* See table of Additional Analysis

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-5													
08/27/90	35.50	5.67	29.83	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/14/90	35.50	4.94	30.56	--	--	--	--	--	--	--	--	--	--
06/18/91	35.50	6.98	28.52	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/19/91	35.50	5.99	29.51	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/91	35.50	5.54	29.96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/92	35.50	9.58	25.92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	35.50	7.50	28.00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	35.50	6.85	28.65	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/08/93	35.50	9.48	26.02	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	35.50	11.46	24.04	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	35.50	10.29	25.21	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	38.50	12.14	26.36	--	--	--	--	60	10	8.1	1.9	9.4	--
01/28/94	38.50	12.60	25.90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/17/94	38.50	14.00	24.50	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/16/94	38.50	14.10	24.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/22/94	38.50	13.34	25.16	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/94	38.50	15.61	22.89	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/95	38.50	19.96	18.54	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	38.50	18.37	20.13	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/20/95	38.50	14.16	24.34	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/95	38.50	14.40	24.10	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/21/96	38.50	20.10	18.40	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	38.50	18.23	20.27	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	8.7
06/06/96	38.50	16.60	21.90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/19/96	38.50	17.35	21.15	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	38.50	18.66	19.84	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	38.50	16.90	21.60	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	38.50	10.67	27.83	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-6													
08/27/90	32.40	-11.71	44.11	--	--	--	--	7200	2100	6.0	41	300	--
11/14/90	32.40	-11.63	44.03	--	--	--	--	--	--	--	--	--	--
06/18/91	32.40	-11.09	43.49	--	--	--	--	4400	2500	18	160	77	--
09/19/91	32.40	-1.92	34.32	--	--	--	--	3100	1600	8.3	73	8.0	--
12/20/91	32.40	-8.95	41.35	--	--	--	--	4400	1300	3.2	74	10	--
03/18/92	32.40	-8.29	40.69	--	--	--	--	9800	3200	34	250	500	--
07/14/92	32.40	-6.49	38.89	--	--	--	--	6500	2200	100	96	240	--
10/08/92	32.40	-6.27	38.67	--	--	--	--	1800	1000	3.1	15	41	--
01/08/93	32.40	-5.41	37.81	--	--	--	--	5200	1600	6.8	63	120	--
04/14/93	32.40	-2.30	34.70	--	--	--	--	11,000	1800	13	110	200	--
07/16/93	32.40	-1.47	33.87	--	--	--	--	4800	820	10	41	57	--
09/21/93	35.40	1.42	33.98	--	--	--	--	4100	1200	<50	75	130	--
01/28/94	35.40	1.54	33.86	--	--	--	--	3100	930	14	40	34	--
03/17/94	35.40	3.09	32.31	--	--	--	--	5100	950	18	61	83	--
06/16/94	35.40	3.90	31.50	--	--	--	--	3800	970	6.4	52	62	--
09/22/94	35.40	4.18	31.22	--	--	--	--	4100	980	7.8	43	48	--
12/15/94	35.40	4.00	31.40	--	--	--	--	5000	1400	<20	73	61	--
03/30/95	35.40	9.02	26.38	--	--	--	--	5500	1700	<13	120	97	--
06/20/95	35.40	10.39	25.01	--	--	--	--	1700	470	<10	29	16	--
09/20/95	35.40	11.35	24.05	--	--	--	--	3500	770	<5.0	45	17	--
12/06/95	35.40	7.28	28.12	--	--	--	--	3100	710	<10	41	20	<50
03/21/96	35.40	12.28	23.12	--	--	--	--	1400	330	<2.5	15	8.1	19
06/21/96	35.40	11.90	23.50	--	--	--	--	2200	560	<5.0	18	<5.0	77
09/06/96	35.40	10.57	24.83	--	--	--	--	2800	720	<10	13	<10	160
12/19/96	35.40	10.90	24.50	--	--	--	--	830	320	<2.5	<2.5	<2.5	14
03/17/97	35.40	12.81	22.59	--	--	--	--	2200	500	<10	25	<10	<50
06/11/97	35.40	11.64	23.76	--	--	--	--	3000	570	<5.0	29	10	220
09/17/97	35.40	10.66	24.74	--	--	--	*	1400	330	<5.0	<5.0	<5.0	76

* See table of Additional Analysis

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-7													
08/27/90	32.17	-12.06	44.23	--	--	--	--	110	26	0.8	4.0	6.0	--
11/14/90	32.17	-11.94	44.11	--	--	--	--	--	--	--	--	--	--
06/18/91	32.17	-9.88	42.05	--	--	--	--	23,000	5700	420	1000	2800	--
09/19/91	32.17	-9.55	41.72	--	--	--	--	26,000	4600	330	970	2400	--
12/20/91	32.17	-9.50	41.67	--	--	--	--	33,000	5500	270	1000	2100	--
03/18/92	32.17	-9.03	41.20	--	--	--	--	27,000	5800	410	1300	3300	--
07/14/92	32.17	-7.60	39.77	--	--	--	--	46,000	12,000	720	1700	4600	--
10/08/92	32.17	-6.97	39.14	--	--	--	--	22,000	6800	370	1300	3200	--
01/08/93	32.17	-6.33	38.50	--	--	--	--	36,000	7600	540	1700	4200	--
04/14/93	32.17	-3.76	35.93	--	--	--	--	23,000	3100	450	670	1900	--
07/16/93	32.17	-3.21	35.38	--	--	--	--	19,000	3200	330	550	1800	--
09/21/93	35.19	-0.27	35.46	--	--	--	--	17,000	2700	160	410	760	--
01/28/94	35.19	-0.26	35.45	--	--	--	--	14,000	1800	210	390	1000	--
03/17/94	35.19	1.95	33.24	--	--	--	--	17,000	1600	210	410	1200	--
06/16/94	35.19	2.12	33.07	--	--	--	--	12,000	1600	180	410	1200	--
09/22/94	35.19	2.45	32.74	--	--	--	--	10,000	1700	110	320	580	--
12/15/94	35.19	3.27	31.92	--	--	--	--	10,000	1200	120	280	710	--
03/30/95	35.19	7.59	27.60	--	--	--	--	4600	460	73	160	460	--
06/20/95	35.19	7.32	27.87	--	--	--	--	26,000	4400	450	900	2400	--
09/20/95	35.19	7.11	28.08	--	--	--	--	9400	610	81	250	800	--
12/06/95	35.19	4.57	30.62	--	--	--	--	1200	110	12	25	71	34
03/21/96	35.19	7.34	27.85	--	--	--	--	17,000	1300	160	410	1300	<100
06/21/96	35.19	7.77	27.42	--	--	--	--	14,000	1300	210	500	1700	590
09/06/96	35.19	6.84	28.35	--	--	--	--	15,000	3400	<50	460	850	<250
12/19/96	35.19	6.08	29.11	--	--	--	--	530	8.6	0.50	0.85	3.4	<2.5
03/17/97	35.19	8.05	27.14	--	--	--	--	4600	310	46	110	310	98
06/11/97	35.19	7.14	28.05	--	--	--	--	420	15	<0.5	3.3	5.1	<2.5
09/17/97	35.19	6.19	29.00	--	--	--	*	1400	120	11	31	84	54

* See table of Additional Analysis

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.			Volumetric Measurements are in gallons.				Analytical results are in parts per billion (ppb)						
DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-8													
11/14/90	30.68	-12.61	43.29	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
06/18/91	30.68	-11.94	42.62	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/19/91	30.68	-11.04	41.72	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/91	30.68	-10.30	40.98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/92	30.68	-9.34	40.02	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	30.68	-8.34	39.02	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	30.68	-8.00	38.68	--	--	--	--	<50	<0.5	<0.5	<0.5	1.1	--
01/08/93	30.68	-7.39	38.07	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	30.68	-5.31	35.99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	30.68	-4.64	35.32	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	34.68	-0.62	35.30	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--
01/28/94	34.68	-0.93	35.61	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/17/94	34.68	0.31	34.37	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/16/94	34.68	1.32	33.36	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/22/94	34.68	1.86	32.82	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/94	34.68	2.32	32.36	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/95	34.68	5.44	29.24	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	34.68	6.34	28.34	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/20/95	34.68	5.20	29.48	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/95	34.68	3.76	30.92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/21/96	34.68	6.03	28.65	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	34.68	6.78	27.90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/06/96	34.68	5.98	28.70	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/19/96	34.68	4.98	29.70	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	34.68	6.92	27.76	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	34.68	5.87	28.81	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	34.68	5.32	29.36	--	--	--	Sampled annually	--	--	--	--	--	--
C-9													
08/13/96	--	--	28.27	--	--	--	--	ND	ND	ND	ND	ND	ND
09/06/96	--	--	28.47	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/19/96	30.68	1.39	29.29	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	30.68	3.11	27.57	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	30.68	2.41	28.27	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	30.68	2.05	28.63	--	--	--	Sampled annually	--	--	--	--	--	--

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Volumetric Measurements are in gallons.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	SPH Thickness	SPH Removed	Total SPH Removed	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
TRIP BLANK													
04/28/89	--	--	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
08/08/89	--	--	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
08/27/90	--	--	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/14/90	--	--	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
06/18/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/19/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/91	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/18/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/14/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/08/92	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/08/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
04/14/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/16/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/93	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.8	--
01/28/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/17/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/16/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/22/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/15/94	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/20/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/20/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/95	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/21/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/06/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/96	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/17/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/11/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/17/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

ADDITIONAL ANALYSES

Analytical values are in parts per million (ppm) unless otherwise noted

DATE	Notes	Total			
		Alkalinity mg CaCO ₃ /L	Ferrous Iron	Nitrate as Nitrate	Sulfate
C-1					
09/17/97	--	2.0	1.1	<1.0	12
C-2					
09/17/97	--	560	4.7	<1.0	<1.0
C-3					
09/17/97	--	340	0.012	100	33
C-4					
09/17/97	--	540	5.9	<1.0	<1.0
C-6					
09/17/97	--	620	1.1	<1.0	18
C-7					
09/17/97	--	600	4.8	<1.0	18

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on November 1, 1994.
Earlier field data and analytical results are drawn from the September 27, 1994 Groundwater Technology, Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl t-Butyl Ether

ND = Not detected at or above the minimum quantitation limit. See laboratory reports for minimum quantitation limits.

Analytical Appendix



Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1	Sampled: 09/17/97 Received: 09/18/97 Analyzed: see below
Attention: Fran Thie	Lab Proj. ID: 9709A51	Reported: 10/02/97

LABORATORY ANALYSIS

Analyte	Units	Date Analyzed	Detection Limit	Sample Results
Lab No: 9709A51-01 Sample Desc : LIQUID,C1				
Alkalinity: Total	mg CaCO3/L	09/23/97	1.0	2.0
Ferrous Iron	mg/L	09/29/97	0.010	1.1
Nitrate as Nitrate	mg/L	09/19/97	1.0	N.D.
Sulfate	mg/L	09/19/97	1.0	12
Lab No: 9709A51-02 Sample Desc : LIQUID,C2				
Alkalinity: Total	mg CaCO3/L	09/26/97	10.0	560
Ferrous Iron	mg/L	09/29/97	0.010	4.7
Nitrate as Nitrate	mg/L	09/19/97	1.0	N.D.
Sulfate	mg/L	09/19/97	1.0	N.D.
Lab No: 9709A51-03 Sample Desc : LIQUID,C3				
Alkalinity: Total	mg CaCO3/L	09/26/97	10.0	340
Ferrous Iron	mg/L	09/29/97	0.010	0.012
Nitrate as Nitrate	mg/L	09/19/97	1.0	100
Sulfate	mg/L	09/19/97	1.0	33
Lab No: 9709A51-04 Sample Desc : LIQUID,C4				
Alkalinity: Total	mg CaCO3/L	09/26/97	10.0	540
Ferrous Iron	mg/L	09/29/97	0.010	5.9
Nitrate as Nitrate	mg/L	09/19/97	1.0	N.D.
Sulfate	mg/L	09/19/97	1.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Lab Proj. ID: 9709A51	Sampled: 09/17/97 Received: 09/18/97 Analyzed: see below Reported: 10/02/97
Attention: Fran Thie		

LABORATORY ANALYSIS

Analyte	Units	Date Analyzed	Detection Limit	Sample Results
Lab No: 9709A51-05 Sample Desc : LIQUID,C6				
Alkalinity: Total	mg CaCO3/L	09/26/97	10.0	620
Ferrous Iron	mg/L	09/29/97	0.010	1.1
Nitrate as Nitrate	mg/L	09/20/97	1.0	N.D.
Sulfate	mg/L	09/20/97	1.0	18
Lab No: 9709A51-06 Sample Desc : LIQUID,C7				
Alkalinity: Total	mg CaCO3/L	09/26/97	10.0	600
Ferrous Iron	mg/L	09/29/97	0.010	4.8
Nitrate as Nitrate	mg/L	09/20/97	1.0	N.D.
Sulfate	mg/L	09/20/97	1.0	18

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: C1 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-01	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 09/30/97 Reported: 10/02/97
--	---	---

QC Batch Number: GC093097BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	910
Methyl t-Butyl Ether	25	180
Benzene	5.0	160
Toluene	5.0	23
Ethyl Benzene	5.0	13
Xylenes (Total)	5.0	49
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	111

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: C2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-02	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 09/30/97 Reported: 10/02/97
--	---	---

QC Batch Number: GC093097BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	5000	30000
Methyl t-Butyl Ether	250	3200
Benzene	50	4800
Toluene	50	220
Ethyl Benzene	50	1200
Xylenes (Total)	50	1800
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	117

Analytes re
N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Peggy Penner
Project Manag





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: C3 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-03	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 09/30/97 Reported: 10/02/97
Attention: Fran Thie		

QC Batch Number: GC093097BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	240
Methyl t-Butyl Ether	2.5	13
Benzene	0.50	19
Toluene	0.50	19
Ethyl Benzene	0.50	6.6
Xylenes (Total)	0.50	40
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	103

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112 Attention: Fran Thie	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: C4 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-04	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 09/30/97 Reported: 10/02/97
--	---	---

QC Batch Number: GC093097BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	5000	17000
Methyl t-Butyl Ether	250	4600
Benzene	50	4300
Toluene	50	140
Ethyl Benzene	50	940
Xylenes (Total)	50	1100
Chromatogram Pattern:		Gas

Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70	130
		84

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: C6 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-05	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 10/01/97 Reported: 10/02/97
Attention: Fran Thie		

QC Batch Number: GC100197BTEX07A
Instrument ID: GCHP07

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	1400
Methyl t-Butyl Ether	25	76
Benzene	5.0	330
Toluene	5.0	N.D.
Ethyl Benzene	5.0	N.D.
Xylenes (Total)	5.0	N.D.
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	122

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: C7 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-06	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 09/30/97 Reported: 10/02/97
--	---	---

QC Batch Number: GC093097BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	1400
Methyl t-Butyl Ether	25	54
Benzene	5.0	120
Toluene	5.0	11
Ethyl Benzene	5.0	31
Xylenes (Total)	5.0	84
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	91

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-0076 970917-A1 Sample Descript: TB Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9709A51-07	Sampled: 09/17/97 Received: 09/18/97 Analyzed: 09/30/97 Reported: 10/02/97
--	---	---

QC Batch Number: GC093097BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	75

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-0076 / 970917-A1
Matrix: Liquid

Work Order #: 9709A51 -01-06

Reported: Oct 3, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Nitrate	Sulfate	Alkalinity
QC Batch#:	IN0919973000ACC	IN0919973000ACC	IN092697040300A
Analy. Method:	EPA 300.0	EPA 300.0	SM 403
Prep. Method:	N.A.	N.A.	N.A.

Analyst:	S. Fong	S. Fong	B. Taylor
MS/MSD #:	970998501	970998501	9709A5801
Sample Conc.:	24	700	440
Prepared Date:	9/19/97	9/19/97	9/26/97
Analyzed Date:	9/19/97	9/19/97	9/26/97
Instrument I.D.#:	INIC2	INIC2	MANUAL
Conc. Spiked:	100 mg/L	100 mg/L	1000 mg/L

Result:	110	790	920
MS % Recovery:	86	90	48

Dup. Result:	110	790	1000
MSD % Recov.:	86	90	56

RPD:	0.0	0.0	8.3
RPD Limit:	0-20	0-20	0-20

LCS #:	LCS091997	LCS091997	LCS092697
Prepared Date:	9/19/97	9/19/97	9/26/97
Analyzed Date:	9/19/97	9/19/97	9/26/97
Instrument I.D.#:	INIC2	INIC2	MANUAL
Conc. Spiked:	10 mg/L	10 mg/L	100 mg/L
LCS Result:	9.4	10	100
LCS % Recov.:	94	100	100

MS/MSD	75-125	75-125	75-125
LCS	80-120	80-120	80-120
Control Limits			

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9709A51.BLA <1>

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-0076 / 970917-A1
Matrix: Liquid

Work Order #: 9709A51-01-06

Reported: Oct 3, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Beryllium	Cadmium	Chromium	Nickel
QC Batch#:	ME0929976010M2A	ME0929976010M2A	ME0929976010M2A	ME0929976010M2A
Analy. Method:	EPA 6010	EPA 6010	EPA 6010	EPA 6010
Prep. Method:	EPA 3010	EPA 3010	EPA 3010	EPA 3010

Analyst:	R. Butler	R. Butler	R. Butler	R. Butler
MS/MSD #:	9709A5106	9709A5106	9709A5106	9709A5106
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Prepared Date:	9/29/97	9/29/97	9/29/97	9/29/97
Analyzed Date:	9/29/97	9/29/97	9/29/97	9/29/97
Instrument I.D.#:	MTJA2	MTJA2	MTJA2	MTJA2
Conc. Spiked:	1.0 mg/L	1.0 mg/L	1.0 mg/L	1.0 mg/L

Result:	0.95	0.96	0.93	0.94
MS % Recovery:	95	96	93	94

Dup. Result:	0.94	0.95	0.92	0.94
MSD % Recov.:	94	95	92	94

RPD:	1.1	1.0	1.1	0.0
RPD Limit:	0-20	0-20	0-20	0-20

LCS #:	CCVMI092597	CCVMI092597	CCVMI092597	CCVMI092597
Prepared Date:	9/25/97	9/25/97	9/25/97	9/25/97
Analyzed Date:	9/29/97	9/29/97	9/29/97	9/29/97
Instrument I.D.#:	MTJA2	MTJA2	MTJA2	MTJA2
Conc. Spiked:	5.0 mg/L	5.0 mg/L	5.0 mg/L	5.0 mg/L
LCS Result:	5.0	5.0	5.0	5.1
LCS % Recov.:	100	100	100	100

MS/MSD	80-120	80-120	80-120	80-120
LCS	80-120	80-120	80-120	80-120
Control Limits				

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9709A51.BLA <2>





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-0076 / 970917-A1
Matrix: Liquid

Work Order #: 9709A51-01-04, 06-07

Reported: Oct 3, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC093097BTEX18A	GC093097BTEX18A	GC093097BTEX18A	GC093097BTEX18A	GC093097BTEX18A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	9709A9406	9709A9406	9709A9406	9709A9406	9709A9406
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	9/30/97	9/30/97	9/30/97	9/30/97	9/30/97
Analyzed Date:	9/30/97	9/30/97	9/30/97	9/30/97	9/30/97
Instrument I.D.#:	GCHP18	GCHP18	GCHP18	GCHP18	GCHP18
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	8.2	9.4	10	32	62
MS % Recovery:	82	94	100	107	103
Dup. Result:	8.1	9.2	9.8	31	30
MSD % Recov.:	81	92	98	103	50
RPD:	1.2	2.2	2.0	3.2	70
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK093097	BLK093097	BLK093097	BLK093097	BLK093097
Prepared Date:	9/30/97	9/30/97	9/30/97	9/30/97	9/30/97
Analyzed Date:	9/30/97	9/30/97	9/30/97	9/30/97	9/30/97
Instrument I.D.#:	GCHP18	GCHP18	GCHP18	GCHP18	GCHP18
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	7.9	9.1	9.9	31	60
LCS % Recov.:	79	91	99	103	100

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Reggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9709A51.BLA <3>





Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-0076 / 970917-A1
Matrix: Liquid

Work Order #: 9709A51-05

Reported: Oct 3, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC100197BTEX07A	GC100197BTEX07A	GC100197BTEX07A	GC100197BTEX07A	GC100197BTEX07A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	9709C0804	9709C0804	9709C0804	9709C0804	9709C0804
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	10/1/97	10/1/97	10/1/97	10/1/97	10/1/97
Analyzed Date:	10/1/97	10/1/97	10/1/97	10/1/97	10/1/97
Instrument I.D.#:	GCHP7	GCHP7	GCHP7	GCHP7	GCHP7
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	9.0	8.5	8.5	26	57
MS % Recovery:	90	85	85	87	95
Dup. Result:	9.3	8.9	8.7	26	59
MSD % Recov.:	93	89	87	87	98
RPD:	3.3	4.6	2.3	0.0	3.4
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK100197	BLK100197	BLK100197	BLK100197	BLK100197
Prepared Date:	10/1/97	10/1/97	10/1/97	10/1/97	10/1/97
Analyzed Date:	10/1/97	10/1/97	10/1/97	10/1/97	10/1/97
Instrument I.D.#:	GCHP7	GCHP7	GCHP7	GCHP7	GCHP7
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.8	9.5	9.2	28	62
LCS % Recov.:	98	95	92	93	103

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD= MS Duplicate, RPD= Relative % Difference

9709A51.BLA <4>





Blaine Tech Services

1680 Rogers Avenue

San Jose, CA 95112

Attention: Fran Thie

Client Proj. ID: Chevron 9-0076 970917-A1

Lab Proj. ID: 9709A51

Received: 09/18/97

Reported: 10/02/97

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 14 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9709A51-01 was diluted 10-fold.
Sample 9709A51-02 was diluted 100-fold.
Sample 9709A51-04 was diluted 100-fold.
Sample 9709A51-05 was diluted 10-fold.
Sample 9709A51-06 was diluted 10-fold.

SEQUOIA ANALYTICAL


Peggy Renner
Project Manager



Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>970917-11</u>	Station #: <u>9-0076</u>
Sampler: <u>SA</u>	Date: <u>9-17-97</u>
Well I.D.: <u>C1</u>	Well Diameter: 2 <u>(3)</u> 4 6 8 <u> </u>
Total Well Depth: <u>39.05</u>	Depth to Water: <u>16.94</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Disposable Bailer Middleburg Electric Submersible <u>X</u> Extraction Pump Other: _____	Sampling Method: Bailer <u>X</u> Disposable Bailer <u>X</u> Extraction Port Other: _____
--	--

<u>8.2</u>	x	<u>3</u>	=	<u>24.5</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>1342</u>	<u>68.6</u>	<u>6.9</u>	<u>1100</u>	<u>8.2</u>	
<u>1343</u>	<u>68.2</u>	<u>6.9</u>	<u>1000</u>	<u>16.4</u>	<u>600</u>
<u>1344</u>	<u>68.0</u>	<u>6.9</u>	<u>1000</u>	<u>24.5</u>	

Did well dewater? Yes (No) Gallons actually evacuated: 24.5

Sampling Time: 1350 Sampling Date: 9-17-97

Sample I.D.: C1 Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other: Alkalinity, Sulfate, Nitrate, Iron

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	<u>1.4</u> mg/L	Post-purge:	<u>0.8</u> mg/L
O.R.P. (if req'd):	Pre-purge:	<u>101</u> mV	Post-purge:	<u>104</u> mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 970917-1A1	Station #: 9-0076
Sampler: SA	Date: 9-17-97
Well I.D.: C3	Well Diameter: 2 <input checked="" type="radio"/> 4 <input type="radio"/> 6 <input type="radio"/> 8 <input type="radio"/>
Total Well Depth: 39.40	Depth to Water: 22.41
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump

Other: _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

<u>6.2</u>	x	<u>3</u>	=	<u>18.9</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1154	68.6	7.1	1200	6.2	
1155	69.2	6.9	1000	12.4	
1156	70.3	6.9	940	18.9	

Did well dewater? Yes No Gallons actually evacuated: 18.9

Sampling Time: 1205 Sampling Date: 9-17-97

Sample I.D.: C3 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Alkalinity, Sulfate, Nitrate, Iron

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge: 2.1 <u>59</u> mV	Post-purge: <u>0.8</u> mg/L
O.R.P. (if req'd):	Pre-purge: <u>59</u> mV	Post-purge: <u>67</u> mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 970917-A1	Station #: P-0076
Sampler: SA	Date: 9-17-97
Well I.D.: 3 4	Well Diameter: 2 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 6 <input type="checkbox"/> 8 <input type="checkbox"/>
Total Well Depth: 39.43	Depth to Water: 21.46
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Disposable Bailer Disposable Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump

<u>6.6</u>	x	<u>3</u>	=	<u>19.9</u> Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1415	69.2	6.7	1000	6.6	odor
1416	68.3	6.8	800	13.2	
1417	68.0	6.8	800	14.9	
INSTALLED GRC					

Did well dewater? Yes No Gallons actually evacuated: 19.9

Sampling Time: 1425 Sampling Date: 9-17-97

Sample I.D.: ~~3~~ 4 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Alkalinity, Sulfate, Nitrate, Iron

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	0.6 mg/l	Post-purge:	0.2 mg/l
O.R.P. (if req'd):	Pre-purge:	102 mV	Post-purge:	107 mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 970917-A1	Station #: 9-0076
Sampler: DOUG & STEVE	Date: 9-17-97
Well I.D.: C-6	Well Diameter: (2) 3 4 6 8
Total Well Depth: 54.52	Depth to Water: 24.74
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method:

Bailer
 Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Other: _____

4.8	x	3	=	14.3	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1008	68.8	6.8	1060	5.0	Strong odor
1011	66.4	6.7	1060	10.0	
1014	66.2	6.7	1070	15.0	
					* Installed DRC's to well

Did well dewater? Yes No Gallons actually evacuated: 14.5 15.0

Sampling Time: 1020 Sampling Date: 9-17-97

Sample I.D.: C-6 Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs

Analyzed for: (TPH-G BTEX MTBE TPH-D) Other: Alkalinity, Sulfate, Nitrate, Iron

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	(Pre-purge)	1.5 mg/L	(Post-purge)	1.2 mg/L
O.R.P. (if req'd):	(Pre-purge)	-57 mV	(Post-purge)	-48 mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 970917-1A1	Station #: 9-0076
Sampler: SA	Date: 9-17-97
Well I.D.: C7	Well Diameter: (2) 3 4 6 8
Total Well Depth: 57.20	Depth to Water: 29.00
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Disposable Bailer Middleburg Electric Submersible Extraction Pump

Other: _____

Sampling Method: Bailer Disposable Bailer Extraction Port

Other: _____

1.0	x	3	=	12.0	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1249	63.0	6.9	900	4	
1253	62.3	6.7	800	8	Odor
1257	62.0	6.7	800	12	

Did well dewater? Yes No Gallons actually evacuated: 12

Sampling Time: 1302 Sampling Date: 9-17-97

Sample I.D.: C7 Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other: Alkalinity, Sulfate, Nitrate, Iron

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	(Pre-purge): 0.6 mg/L	(Post-purge): 0.4 mg/L	
O.R.P. (if req'd):	(Pre-purge): 126 mV	(Post-purge): 115 mV	