

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-1</b>											
02/08/98	40.41	26.53	13.88	--	--	130,000	9,700	8,200	3,200	15,000	<250
06/16/98	40.41	26.18	14.23	--	--	96,000	15,000	12,000	2,600	11,000	1,300
07/29/98	40.41	22.59	17.82	--	--	370,000	19,000	14,000	5,800	15,000	<2,500
08/13/98	40.41	22.01	18.40	--	--	120,000	19,000	16,000	2,900	14,000	<1,000
11/24/98	40.41	19.61	20.80	--	--	100,000	26,000	18,000	4,000	22,000	2,000
02/03/99	40.41	22.96	17.45	--	--	110,000	27,000	16,000	3,800	22,000	<2.5
06/07/99	40.41	24.29**	16.44	0.40	0.03	--	--	--	--	--	--
09/07/99	40.41	19.97**	20.71	0.34	0.01	--	--	--	--	--	--
10/27/99	40.41	18.93**	21.75	0.34	0.03	--	--	--	--	--	--
02/08/00	40.41	22.44	17.97	0.00	0.00	147,000	19,600	13,700	4,020	21,300	<2,500
05/05/00	40.41	24.36	16.05	0.00	0.00	150,000 <sup>2</sup>	28,000	17,000	4,400	23,000	<1,000
07/28/00	40.41	21.21	19.20	0.00	0.00	76,000 <sup>2</sup>	20,000	15,000	3,400	23,000	1,200
11/26/00	40.41	20.44**	20.18	0.26	0.26 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/09/01	40.41	22.40**	18.03	0.03	0.26 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/11/01	40.41	25.31	15.10	0.00	0.00	89,000 <sup>2</sup>	21,000	12,000	3,200	14,000	<500
08/30/01	40.41	20.05**	20.42	0.07	0.26 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/21/01	40.41	20.11**	20.52	0.27	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/05/02	40.41	25.79**	14.63	0.01	0.00	130,000	16,000	13,000	4,200	23,000	<30
04/01/02	37.40	25.03	12.37	0.00	0.00	--	--	--	--	--	--
08/05/02	37.40	24.46	12.94	0.00	0.00	230,000	12,000	9,000	5,500	28,000	280
11/04/02	37.40	17.37	20.03	0.00	0.00	130,000	24,000	15,000	3,900	20,000	<60
02/03/03	37.40	23.22	14.18	0.00	0.00	100,000	13,000	8,900	3,000	15,000	<130
05/02/03	37.40	24.12	13.28	0.00	0.00	140,000	9,900	5,900	4,200	21,000	<130
08/01/03 <sup>7</sup>	37.40	20.58	16.82	0.00	0.00	250,000	16,000	7,300	3,700	19,000	45
11/21/03 <sup>7</sup>	37.40	19.06	18.34	0.00	0.00	110,000	18,000	9,500	3,000	17,000	<10
02/10/04 <sup>7</sup>	37.40	23.89	13.51	0.00	0.00	51,000	4,800	1,700	760	6,400	20
05/11/04 <sup>7</sup>	37.40	23.05	14.35	0.00	0.00	80,000	13,000	6,500	2,800	14,000	61
08/10/04 <sup>7</sup>	37.40	20.61**	16.80	0.01	0.00	100,000	14,000	8,700	3,200	17,000	<25
11/08/04	37.40	21.89**	15.63	0.15	1.30 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/21/05	37.40	25.98**	11.84	0.52	0.60 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/10/05	37.40	26.11**	11.49	0.25	1.11 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/12/05	37.40	22.98**	14.44	0.03	1.01 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/11/05	37.40	19.13**	18.58	0.39	0.75 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/20/06	37.40	25.33**	12.66	0.74	0.25 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-1 (cont)</b>											
05/12/06	37.40	26.92**	10.71	0.29	0.05 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
08/14/06	37.40	21.78**	15.82	0.25	0.02 <sup>4</sup>	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
<b>11/08/06</b>	<b>37.40</b>	<b>19.21**</b>	<b>18.49</b>	<b>0.38</b>	<b>0.55<sup>4</sup></b>	<b>NOT SAMPLED DUE TO THE PRESENCE OF SPH</b>				<b>--</b>	<b>--</b>
<b>MW-2</b>											
02/08/98	38.73	31.13	7.60	--	--	24,000	130	170	450	1,900	2,300
06/16/98	38.73	29.61	9.12	--	--	8,900	31	46	310	1,100	260
07/29/98	38.73	27.06	11.67	--	--	7,600	15	21	150	480	82
08/13/98	38.73	26.32	12.41	--	--	14,000	26	80	500	2,100	32
11/24/98	38.73	23.10	15.63	--	--	37,000	63	220	1,300	7,100	770
02/03/99	38.73	27.16	11.57	--	--	16,000	140	110	850	3,100	900
06/07/99	38.73	27.78	10.95	--	--	4,300	<10	<10	120	260	160
09/07/99	38.73	26.00	12.73	--	--	10,700	50.5	<25	297	1,020	<250
10/27/99	38.73	26.02	12.71	--	--	7,240	53.8	31.9	234	654	448
02/08/00	38.73	28.59	10.14	--	--	10,100	42.9	18.4	424	1,480	206
05/05/00	38.73	28.61	10.12	0.00	0.00	7,800 <sup>2</sup>	34	22	320	1,100	170
07/28/00	38.73	26.16	12.57	0.00	0.00	6,700 <sup>2</sup>	40	13	490	540	190
11/26/00	38.73	26.83	11.90	0.00	0.00	8,200 <sup>2</sup>	21	9.5	400	1,100	120
02/09/01	38.73	26.53	12.20	0.00	0.00	11,200 <sup>3</sup>	<50.0	<50.0	629	1,380	282
05/11/01	38.73	29.75	8.98	0.00	0.00	6,800 <sup>2</sup>	39	19	370	1,100	67
08/30/01	38.73	25.83	12.90	0.00	0.00	17,000	67	<25	750	2,100	360
11/21/01	38.73	25.61	13.12	0.00	0.00	3,500	14	<5.0	100	51	610
02/05/02	38.73	30.38	8.35	0.00	0.00	10,000	5.5	<10	330	960	63
04/01/02	35.72	27.91	7.81	0.00	0.00	--	--	--	--	--	--
08/05/02	35.72	19.81	15.91	0.00	0.00	8,800	18	8.2	220	630	220
11/04/02	35.72	21.58	14.14	0.00	0.00	14,000	28	10	670	1,600	440
02/03/03	35.72	25.72	10.00	0.00	0.00	7,200	6.2	2.7	140	430	50
05/02/03	35.72	27.41	8.31	0.00	0.00	12,000	<20	3.9	350	1,500	150
08/01/03 <sup>7</sup>	35.72	23.06	12.66	0.00	0.00	12,000	14	4	330	730	140
11/21/03 <sup>7</sup>	35.72	23.05	12.67	0.00	0.00	15,000	13	4	400	1,500	100
02/10/04 <sup>7</sup>	35.72	30.52	5.20	0.00	0.00	17,000	9	3	420	1,600	72
05/11/04 <sup>7</sup>	35.72	25.89	9.83	0.00	0.00	4,800	1	0.6	140	440	81
08/10/04 <sup>7</sup>	35.72	23.91	11.81	0.00	0.00	11,000	8	1	340	1,100	35
11/08/04 <sup>7</sup>	35.72	24.13	11.59	0.00	0.00	11,000	6	2	260	810	25

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-2 (cont)</b>											
02/21/05 <sup>7</sup>	35.72	27.98	7.74	0.00	0.00	16,000	5	2	500	1,700	10
05/10/05 <sup>7</sup>	35.72	27.61	8.11	0.00	0.00	8,400	3	<1	290	750	6
08/12/05 <sup>7</sup>	35.72	24.40	11.32	0.00	0.00	5,800	4	0.7	150	370	30
11/11/05 <sup>7</sup>	35.72	23.14	12.58	0.00	0.00	4,500	4	1	120	310	7
02/20/06 <sup>7</sup>	35.72	28.31	7.41	0.00	0.00	5,700	1	<0.5	190	380	0.7
05/12/06 <sup>7</sup>	35.72	28.70	7.02	0.00	0.00	9,100	2	<0.5	210	440	1
08/14/06 <sup>7</sup>	35.72	24.34	11.38	0.00	0.00	2,400	2	<0.5	42	98	20
<b>11/08/06<sup>7</sup></b>	<b>35.72</b>	<b>22.30</b>	<b>13.42</b>	<b>0.00</b>	<b>0.00</b>	<b>5,700</b>	<b>4</b>	<b>0.9</b>	<b>87</b>	<b>190</b>	<b>7</b>
<b>MW-3</b>											
02/08/98	39.51	24.91	14.60	--	--	94,000	12,000	4,400	2,000	10,000	8,000
06/16/98	39.51	25.53	13.98	--	--	38,000	5,600	1,400	1,200	4,700	6,300/4,600 <sup>1</sup>
07/29/98	39.51	22.14	17.37	--	--	58,000	4,100	700	1,300	4,200	4,100
08/13/98	39.51	21.29	18.22	--	--	43,000	6,800	1,900	1,600	6,800	2,300
11/24/98	39.51	19.06	20.45	--	--	40,000	5,000	800	1,600	6,800	6,000/4,400 <sup>1</sup>
02/03/99	39.51	22.03	17.48	--	--	47,000	7,100	1,600	1,900	9,000	5,000
06/07/99	39.51	23.76	15.75	--	--	27,000	2,500	540	1,200	3,900	2,800
09/07/99	39.51	19.80	19.71	--	--	44,000	3,930	1,170	1,760	7,130	3,440
10/27/99	39.51	19.09	20.42	--	--	28,200	2,030	620	1,260	5,080	1,710
02/08/00	39.51	21.76	17.75	--	--	25,300	2,000	668	1,210	5,330	1,760
05/05/00	39.51	23.87	15.64	0.00	0.00	27,000 <sup>2</sup>	2,600	960	1,500	5,200	2,500
07/28/00	39.51	21.28	18.23	0.00	0.00	7,400 <sup>2</sup>	950	360	840	3,200	1,700
11/26/00	39.51	20.13	19.38	0.00	0.00	20,000 <sup>2</sup>	1,800	690	1,400	5,500	1,600
02/09/01	39.51	21.79	17.72	0.00	0.00	31,200 <sup>3</sup>	1,980	<50.0	1,770	7,220	2,170
05/11/01	39.51	24.86	14.65	0.00	0.00	18,000 <sup>2</sup>	3,000	780	1,600	5,500	1,800
08/30/01	39.51	20.16	19.35	0.00	0.00	9,400	570	180	610	1,900	880
11/21/01	39.51	19.47	20.04	0.00	0.00	29,000	1,100	450	1,500	6,100	1,200
02/05/02	39.51	25.42	14.09	0.00	0.00	16,000	820	210	830	2,400	1,100
04/01/02	36.53	24.32	12.21	0.00	0.00	--	--	--	--	--	--
08/05/02	36.53	22.22	14.31	0.00	0.00	11,000	310	92	380	820	830
11/04/02	36.53	17.50	19.03	0.00	0.00	32,000	1,900	540	1,800	5,900	1,500
02/03/03	36.53	22.58	13.95	0.00	0.00	19,000	1,100	240	920	2,900	1,100
05/02/03	36.53	23.46	13.07	0.00	0.00	18,000	1,200	270	1,100	2,500	1,400
08/01/03 <sup>7</sup>	36.53	20.22	16.31	0.00	0.00	7,700	300	79	410	820	780

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-3 (cont)</b>											
11/21/03 <sup>7</sup>	36.53	18.64	17.89	0.00	0.00	7,600	270	100	470	1,300	700
02/10/04 <sup>7</sup>	36.53	23.47	13.06	0.00	0.00	3,800	250	28	170	300	650
05/11/04 <sup>7</sup>	36.53	22.80	13.73	0.00	0.00	1,200	60	9	76	62	530
08/10/04 <sup>7</sup>	36.53	20.44	16.09	0.00	0.00	1,600	70	9	86	62	500
11/08/04 <sup>7</sup>	36.53	21.42	15.11	0.00	0.00	4,800	280	37	260	400	760
02/21/05 <sup>7</sup>	36.53	25.08	11.45	0.00	0.00	450	0.8	<0.5	0.7	<0.5	200
05/10/05 <sup>7</sup>	36.53	26.27	10.26	0.00	0.00	220	<0.5	<0.5	<0.5	<0.5	250
08/12/05 <sup>7</sup>	36.53	20.11	16.42	0.00	0.00	2,800	94	32	150	390	370
11/11/05 <sup>7</sup>	36.53	18.94	17.59	0.00	0.00	3,800	140	46	230	430	440
02/20/06 <sup>7</sup>	36.53	24.61	11.92	0.00	0.00	390	4	0.9	5	4	290
05/12/06 <sup>7</sup>	36.53	27.15	9.38	0.00	0.00	1,100	2	<0.5	3	2	91
08/14/06 <sup>7</sup>	36.53	21.85	14.68	0.00	0.00	170	<0.5	<0.5	<0.5	0.8	21
<b>11/08/06<sup>7</sup></b>	<b>36.53</b>	<b>19.10</b>	<b>17.43</b>	<b>0.00</b>	<b>0.00</b>	<b>1,900</b>	<b>83</b>	<b>17</b>	<b>120</b>	<b>130</b>	<b>100</b>
<b>MW-4</b>											
02/02/99	40.24	27.07	13.17	--	--	<50	0.52	<0.5	<0.5	<0.5	6.0
06/07/99	40.24	23.83	16.41	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/99	40.24	19.34	20.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/27/99	40.24	18.65	21.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/08/00	40.24	23.08	17.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
05/05/00	40.24	24.22	16.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/28/00	40.24	21.12	19.12	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/26/00	40.24	20.32	19.92	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
02/09/01	40.24	22.79	17.45	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/11/01	40.24	25.22	15.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/30/01	40.24	19.91	20.33	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/21/01	40.24	20.49	19.75	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/05/02	40.24	26.18	14.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/02	37.29	25.23	12.06	0.00	0.00	--	--	--	--	--	--
08/05/02	37.29	20.24	17.05	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/04/02	37.29	17.56	19.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/03/03	37.29	23.24	14.05	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/02/03	37.29	24.44	12.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/01/03 <sup>7</sup>	37.29	20.35	16.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-4 (cont)</b>											
11/21/03 <sup>7</sup>	37.29	19.14	18.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/04 <sup>7</sup>	37.29	24.27	13.02	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
05/11/04 <sup>7</sup>	37.29	23.14	14.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/10/04 <sup>7</sup>	37.29	20.82	16.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/04 <sup>7</sup>	37.29	22.43	14.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/05 <sup>7</sup>	37.29	26.53	10.76	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 <sup>7</sup>	37.29	27.04	10.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
08/12/05 <sup>7</sup>	37.29	22.04	15.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/11/05 <sup>7</sup>	37.29	18.93	18.36	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/06 <sup>7</sup>	37.29	25.70	11.59	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
05/12/06 <sup>7</sup>	37.29	27.42	9.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8
08/14/06 <sup>7</sup>	37.29	21.94	15.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
<b>11/08/06<sup>7</sup></b>	<b>37.29</b>	<b>19.01</b>	<b>18.28</b>	<b>0.00</b>	<b>0.00</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
<b>MW-5</b>											
02/02/99	40.37	21.57	18.80	--	--	72	2.7	<0.5	<0.5	<0.5	11
06/07/99	40.37	23.39	16.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/99	40.37	19.24	21.13	--	--	<50	<0.5	<0.5	<0.5	<0.5	6.92
10/27/99	40.37	18.45	21.92	--	--	<50	2.39	<0.5	<0.5	<0.5	21.3
02/08/00	40.37	21.39	18.98	--	--	<50	10.6	<0.5	<0.5	<0.5	21.7
05/05/00	40.37	23.48	16.89	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	3.8
07/28/00	40.37	20.88	19.49	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/26/00	40.37	19.68	20.69	0.00	0.00	<50	0.57	<0.50	<0.50	<0.50	15
02/09/01	40.37	21.50	18.87	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	9.11
05/11/01	40.37	24.47	15.90	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/30/01	40.37	19.76	20.61	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	9.5
11/21/01	40.37	19.33	21.04	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	7.3
02/05/02	40.37	25.16	15.21	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/02	37.40	23.95	13.45	0.00	0.00	--	--	--	--	--	--
08/05/02	37.40	19.86	17.54	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	2.7
11/04/02	37.40	17.33	20.07	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	6.3
02/03/03	37.40	22.37	15.03	0.00	0.00	<50	<0.50	0.60	<0.50	<1.5	<2.5
05/02/03	37.40	23.44	13.96	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/01/03 <sup>7</sup>	37.40	20.00	17.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-5(cont)</b>											
11/21/03 <sup>7</sup>	37.40	18.83	18.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/04 <sup>7</sup>	37.40	23.26	14.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/11/04 <sup>7</sup>	37.40	22.70	14.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/10/04 <sup>7</sup>	37.40	20.32	17.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/04 <sup>7</sup>	37.40	21.42	15.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/05	37.40	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--
05/10/05 <sup>7</sup>	37.40	25.52	11.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
08/12/05 <sup>7</sup>	37.40	21.77	15.63	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/11/05 <sup>7</sup>	37.40	18.72	18.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8
02/20/06 <sup>7</sup>	37.40	24.83	12.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 <sup>7</sup>	37.40	26.34	11.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.9
08/14/06 <sup>7</sup>	37.40	21.67	15.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.9
<b>11/08/06<sup>7</sup></b>	<b>37.40</b>	<b>18.89</b>	<b>18.51</b>	<b>0.00</b>	<b>0.00</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>1</b>
<b>MW-6</b>											
02/02/99	39.84	21.36	18.48	--	--	14,000	5,600	<50	150	160	<250
06/07/99	39.84	23.39	16.45	--	--	1,500	1,100	33	25	34	200
09/07/99	39.84	19.35	20.49	--	--	6,550	2,940	81.5	177	84	865
10/27/99	39.84	18.61	21.23	--	--	3,680	1,240	29.6	115	14.9	735
02/08/00	39.84	21.44	18.40	--	--	17,300	8,920	<100	378	211	2,610
05/05/00	39.84	23.48	16.36	0.00	0.00	4,200 <sup>2</sup>	1,900	98	170	290	1,300
07/28/00	39.84	20.90	18.94	0.00	0.00	1,200 <sup>2</sup>	660	30	83	36	650
11/26/00	39.84	19.71	20.13	0.00	0.00	7,600 <sup>2</sup>	4,300	63	360	110	2,000
02/09/01	39.84	21.44	18.40	0.00	0.00	18,200 <sup>3</sup>	7,090	<100	457	169	2,930
05/11/01	39.84	24.39	15.45	0.00	0.00	2,600 <sup>2</sup>	2,300	31	88	40	990
08/30/01	39.84	19.82	20.02	0.00	0.00	2,500	1,600	50	160	100	1,900
11/21/01	39.84	19.22	20.62	0.00	0.00	25,000	8,800	150	620	330	2,900
02/05/02	39.84	24.04	15.80	0.00	0.00	1,400	400	6.8	27	20	480
04/01/02	36.90	23.08	13.82	0.00	0.00	--	--	--	--	--	--
08/05/02	36.90	19.85	17.05	0.00	0.00	1,200	300	5.1	11	3.7	250
11/04/02	36.90	17.34	19.56	0.00	0.00	7,500	2,000	29	140	39	1,300
02/03/03	36.90	22.28	14.62	0.00	0.00	630	160	<5.0	9.2	2.7	260
05/02/03	36.90	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--
08/01/03 <sup>7</sup>	36.90	20.02	16.88	0.00	0.00	1,500	400	3	14	3	540

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-6 (cont)</b>											
11/21/03 <sup>7</sup>	36.90	18.49	18.41	0.00	0.00	4,400	1,300	12	98	18	540
02/10/04 <sup>7</sup>	36.90	23.20	13.70	0.00	0.00	430	110	1	4	0.7	150
05/11/04 <sup>7</sup>	36.90	22.63	14.27	0.00	0.00	95	11	<0.5	1	0.6	120
08/10/04 <sup>7</sup>	36.90	20.26	16.64	0.00	0.00	430	46	<0.5	3	<0.5	140
11/08/04 <sup>7</sup>	36.90	21.27	15.63	0.00	0.00	750	50	<0.5	2	<0.5	81
02/21/05 <sup>7</sup>	36.90	25.47	11.43	0.00	0.00	130	8	<0.5	<0.5	<0.5	60
05/10/05 <sup>7</sup>	36.90	25.49	11.41	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/12/05 <sup>7</sup>	36.90	21.82	15.08	0.00	0.00	75	<0.5	<0.5	<0.5	<0.5	82
11/11/05 <sup>7</sup>	36.90	18.74	18.16	0.00	0.00	1,100	270	12	19	46	350
02/20/06 <sup>7</sup>	36.90	24.75	12.15	0.00	0.00	1,100	250	3	22	9	130
05/12/06 <sup>7</sup>	36.90	26.58	10.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	84
08/14/06 <sup>7</sup>	36.90	21.69	15.21	0.00	0.00	51	<0.5	<0.5	<0.5	<0.5	75
<b>11/08/06<sup>7</sup></b>	<b>36.90</b>	<b>18.93</b>	<b>17.97</b>	<b>0.00</b>	<b>0.00</b>	<b>200</b>	<b>3</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>27</b>
<b>MW-7</b>											
02/21/05 <sup>7</sup>	36.84	26.43	10.41	0.00	0.00	7,600	2,200	6	210	920	53
05/10/05 <sup>7</sup>	36.84	27.25	9.59	0.00	0.00	3,900	700	<0.5	<0.5	650	77
08/12/05 <sup>7</sup>	36.84	24.01	12.83	0.00	0.00	18,000	7,300	12	1,100	2,500	80
11/11/05 <sup>7</sup>	NP <sup>8</sup>	20.20	16.64	0.00	0.00	39,000	11,000	38	1,700	2,900	100
02/20/06 <sup>7</sup>	36.84	26.45	10.39	0.00	0.00	17,000	4,400	18	470	1,500	62
05/12/06 <sup>7</sup>	36.84	28.05	8.79	0.00	0.00	15,000	5,100	12	370	880	73
08/14/06 <sup>7</sup>	36.84	22.96	13.88	0.00	0.00	30,000	8,100	18	1,500	3,600	74
<b>11/08/06<sup>7</sup></b>	<b>36.84</b>	<b>19.97</b>	<b>16.87</b>	<b>0.00</b>	<b>0.00</b>	<b>39,000</b>	<b>10,000</b>	<b>28</b>	<b>1,400</b>	<b>2,300</b>	<b>89</b>
<b>MW-8</b>											
04/01/02 <sup>6</sup>	37.21	26.11	11.10	0.00	0.00	1,200	8.6	<0.50	2.5	2.5	<2.5/<2 <sup>5</sup>
08/05/02	37.21	21.07	16.14	0.00	0.00	560	11	<0.50	<0.50	<1.5	<2.5/<2 <sup>5</sup>
11/04/02	37.21	18.24	18.97	0.00	0.00	780	5.1	<0.50	1.1	1.9	<2.5/<2 <sup>5</sup>
02/03/03	37.21	24.00	13.21	0.00	0.00	230	3.7	<0.50	0.54	<1.5	<10/0.6 <sup>5</sup>
05/02/03	37.21	25.09	12.12	0.00	0.00	180	2.5	<0.5	<0.5	<1.5	<2.5/<0.5 <sup>5</sup>
08/01/03 <sup>7</sup>	37.21	21.10	16.11	0.00	0.00	220	2	<0.5	<0.5	<0.5	0.8
11/21/03 <sup>7</sup>	37.21	20.04	17.17	0.00	0.00	140	<0.5	<0.5	<0.5	<0.5	0.7
02/10/04 <sup>7</sup>	37.21	25.08	12.13	0.00	0.00	150	2	<0.5	<0.5	<0.5	0.8

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	
<b>MW-8 (cont)</b>												
05/11/04 <sup>7</sup>	37.21	23.74	13.47	0.00	0.00	86	4	<0.5	<0.5	<0.5	1	
08/10/04 <sup>7</sup>	37.21	21.56	15.65	0.00	0.00	80	<0.5	<0.5	<0.5	<0.5	0.8	
11/08/04 <sup>7</sup>	37.21	23.23	13.98	0.00	0.00	110	<0.5	<0.5	<0.5	<0.5	1	
02/21/05 <sup>7</sup>	37.21	27.12	10.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
05/10/05 <sup>7</sup>	37.21	26.61	10.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1	
08/12/05 <sup>7</sup>	37.21	24.63	12.58	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
11/11/05 <sup>7</sup>	37.21	19.80	17.41	0.00	0.00	96	<0.5	<0.5	<0.5	<0.5	2	
02/20/06 <sup>7</sup>	37.21	26.42	10.79	0.00	0.00	81	<0.5	<0.5	<0.5	<0.5	0.6	
05/12/06 <sup>7</sup>	37.21	27.97	9.24	0.00	0.00	72	1	<0.5	<0.5	<0.5	2	
08/14/06 <sup>7</sup>	37.21	22.54	14.67	0.00	0.00	110	3	<0.5	<0.5	<0.5	2	
<b>11/08/06<sup>7</sup></b>	<b>37.21</b>	<b>19.80</b>	<b>17.41</b>	<b>0.00</b>	<b>0.00</b>	<b>310</b>	<b>2</b>	<b>1</b>	<b>&lt;0.5</b>	<b>2</b>	<b>3</b>	
<b>MW-9</b>												
04/01/02 <sup>6</sup>	35.03	24.41	10.62	0.00	0.00	94	1.5	<0.50	<0.50	<1.5	25/19 <sup>5</sup>	
08/05/02	35.03	20.18	14.85	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	18/15 <sup>5</sup>	
11/04/02	35.03	17.55	17.48	0.00	0.00	<50	<0.50	1.7	<0.50	2.1	24/21 <sup>5</sup>	
02/03/03	35.03	22.52	12.51	0.00	0.00	<50	1.9	<0.50	<0.50	<1.5	17/16 <sup>5</sup>	
05/02/03	35.03	23.35	11.68	0.00	0.00	<50	0.6	<0.5	<0.5	<1.5	21/18 <sup>5</sup>	
08/01/03 <sup>7</sup>	35.03	20.34	14.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	22	
11/21/03 <sup>7</sup>	35.03	18.68	16.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18	
02/10/04 <sup>7</sup>	35.03	23.34	11.69	0.00	0.00	210	7	0.5	1	1	31	
05/11/04 <sup>7</sup>	35.03	22.91	12.12	0.00	0.00	230	17	<0.5	<0.5	<0.5	72	
08/10/04 <sup>7</sup>	35.03	20.45	14.58	0.00	0.00	250	5	<0.5	<0.5	<0.5	66	
11/08/04	35.03	INACCESSIBLE		--	--	--	--	--	--	--	--	
02/21/05 <sup>7</sup>	35.03	25.51	9.52	0.00	0.00	510	6	<0.5	1	3	79	
05/10/05 <sup>7</sup>	35.03	26.18	8.85	0.00	0.00	670	11	0.7	0.5	2	100	
08/12/05 <sup>7</sup>	35.03	23.97	11.06	0.00	0.00	390	4	<0.5	<0.5	0.7	89	
11/11/05 <sup>7</sup>	35.03	19.05	15.98	0.00	0.00	2,500	48	5	21	33	140	
02/20/06 <sup>7</sup>	35.03	24.95	10.08	0.00	0.00	3,200	47	5	30	32	130	
05/12/06 <sup>7</sup>	35.03	26.95	8.08	0.00	0.00	1,800	19	1	1	4	89	
08/14/06	35.03	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--	--
<b>11/08/06</b>	<b>35.03</b>	<b>INACCESSIBLE - VEHICLE PARKED OVER WELL</b>				<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-10</b>											
04/01/02 <sup>6</sup>	35.53	23.81	11.72	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	6.1/5 <sup>5</sup>
08/05/02	35.53	19.73	15.80	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	5.1/5 <sup>5</sup>
11/04/02	35.53	17.22	18.31	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	5.5/5 <sup>5</sup>
02/03/03	35.53	22.11	13.42	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	2.8/3 <sup>5</sup>
05/02/03	35.53	23.08	12.45	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5/<0.5 <sup>5</sup>
08/01/03 <sup>7</sup>	35.53	19.91	15.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2
11/21/03 <sup>7</sup>	35.53	18.27	17.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
02/10/04 <sup>7</sup>	35.53	23.01	12.52	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/11/04 <sup>7</sup>	35.53	22.47	13.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
08/10/04 <sup>7</sup>	35.53	20.08	15.45	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3
11/08/04 <sup>7</sup>	35.53	20.85	14.68	0.00	0.00	<50	<0.5	<0.5	0.9	5	<0.5
02/21/05 <sup>7</sup>	35.53	25.21	10.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 <sup>7</sup>	35.53	24.49	11.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
08/12/05 <sup>7</sup>	35.53	22.95	12.58	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
11/11/05 <sup>7</sup>	35.53	18.64	16.89	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	5
02/20/06 <sup>7</sup>	35.53	24.62	10.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 <sup>7</sup>	35.53	26.27	9.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6
08/14/06 <sup>7</sup>	35.53	21.57	13.96	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2
<b>11/08/06</b>	<b>35.53</b>	<b>INACCESSIBLE - VEHICLE PARKED OVER WELL</b>				<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>
<b>TRIP BLANK</b>											
02/08/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/13/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
11/24/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/02/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/03/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/07/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/27/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/08/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
05/05/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/28/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>TRIP BLANK (cont)</b>											
11/26/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
02/09/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/11/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/30/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
<b>QA</b>											
11/21/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/05/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/05/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/04/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/03/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/02/03	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/01/03 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/03 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/04 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/11/04 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/10/04 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/04 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/05 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/12/05 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/11/05 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/06 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/12/06 <sup>7</sup>	--	--	--	--	--	<50	<0.5	0.5 <sup>9</sup>	<0.5	<0.5	<0.5
08/14/06 <sup>7</sup>	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
<b>11/08/06<sup>7</sup></b>	--	--	--	--	--	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to May 5, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	MTBE = Methyl tertiary butyl ether (ppb) = Parts per billion
GWE = Groundwater Elevation (msl) = Mean sea level	T = Toluene E = Ethylbenzene	NP = No Purge -- = Not Measured/Not Analyzed
DTW = Depth to Water	X = Xylenes	QA = Quality Assurance/Trip Blank
SPHT = Separate Phase Hydrocarbon Thickness		
SPH = Separate Phase Hydrocarbons		

\* TOC elevations were re-surveyed on May 31, 2005, by Morrow Surveying Land Surveyors using the previous benchmark. TOC elevations were surveyed in April 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark designated 3787 in field book 1595, page 50; cut square northerly curb on Krause Ave., approx. 37 feet westerly of PL westerly of 73rd Ave., (Elevation = 33.82 feet).

\*\* GWE corrected for the presence of free product; correction factor:  $[(TOC - DTW) + (SPHT \times 0.8)]$ .

- 1 Confirmation run.
- 2 Laboratory report indicates gasoline C6-C12.
- 3 Laboratory report indicates weathered gasoline C6-C12.
- 4 Product and water removed.
- 5 MTBE by EPA Method 8260.
- 6 Well development performed.
- 7 BTEX and MTBE by EPA Method 8260.
- 8 Unable to purge well due to insufficient water.
- 9 Laboratory report indicates the trip blank results were investigated and the source of contamination did not occur during analysis.

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	FAME (ppb)
MW-1	08/01/03	<2,000	--	45	--	--	--
	11/21/03	<1,000	--	<10	--	--	--
	02/10/04	<250	--	20	--	--	--
	05/11/04	<500	--	61	--	--	--
	08/10/04	<2,500	--	<25	--	--	--
	11/08/04	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	02/21/05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	05/10/05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	08/12/05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	11/11/05	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	02/20/06	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	05/12/06	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	08/14/06	NOT SAMPLED DUE TO THE PRESENCE OF SPH			--	--	--
	<b>11/08/06</b>	<b>NOT SAMPLED DUE TO THE PRESENCE OF SPH</b>			--	--	--
MW-2	08/01/03	<100	--	140	--	--	--
	11/21/03	<100	--	100	--	--	--
	02/10/04	<100	--	72	--	--	--
	05/11/04	<50	--	81	--	--	--
	08/10/04	<100	--	35	--	--	--
	11/08/04	<50	--	25	--	--	--
	02/21/05	<100	--	10	--	--	--
	05/10/05	<100	--	6	--	--	--
	08/12/05	<50	--	30	--	--	--
	11/11/05	<50	--	7	--	--	--
	02/20/06	<50	--	0.7	--	--	--
	05/12/06	<50	--	1	--	--	--
	08/14/06	<50	--	20	--	--	--
	<b>11/08/06</b>	<b>&lt;50</b>	--	<b>7</b>	--	--	--
MW-3	08/01/03	<130	--	780	--	--	--
	11/21/03	<50	--	700	--	--	--
	02/10/04	<50	--	650	--	--	--
	05/11/04	<50	--	530	--	--	--
	08/10/04	<100	--	500	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-3 (cont)	11/08/04	<50	--	760	--	--	--
	02/21/05	<50	--	200	--	--	--
	05/10/05	<50	--	250	--	--	--
	08/12/05	<50	--	370	--	--	--
	11/11/05	<50	--	440	--	--	--
	02/20/06	<50	--	290	--	--	--
	05/12/06	<50	--	91	--	--	--
	08/14/06	<50	--	21	--	--	--
	<b>11/08/06</b>	<b>&lt;50</b>	<b>--</b>	<b>100</b>	<b>--</b>	<b>--</b>	<b>--</b>
MW-4	08/01/03	<50	--	<0.5	--	--	--
	11/21/03	<50	--	<0.5	--	--	--
	02/10/04	<50	--	1	--	--	--
	05/11/04	<50	--	<0.5	--	--	--
	08/10/04	<50	--	<0.5	--	--	--
	11/08/04	<50	--	<0.5	--	--	--
	02/21/05	<50	--	<0.5	--	--	--
	05/10/05	<50	--	1	--	--	--
	08/12/05	<50	--	<0.5	--	--	--
	11/11/05	<50	--	<0.5	--	--	--
	02/20/06	<50	--	1	--	--	--
	05/12/06	<50	--	0.8	--	--	--
	08/14/06	<50	--	<0.5	--	--	--
		<b>11/08/06</b>	<b>&lt;50</b>	<b>--</b>	<b>&lt;0.5</b>	<b>--</b>	<b>--</b>
MW-5	08/01/03	<50	--	<0.5	--	--	--
	11/21/03	<50	--	<0.5	--	--	--
	02/10/04	<50	--	<0.5	--	--	--
	05/11/04	<50	--	<0.5	--	--	--
	08/10/04	<50	--	<0.5	--	--	--
	11/08/04	<50	--	<0.5	--	--	--
	02/21/05	INACCESSIBLE - VEHICLE PARKED OVER WELL		--	--	--	--
	05/10/05	<50	--	1	--	--	--
	08/12/05	<50	--	<0.5	--	--	--
	11/11/05	<50	--	0.8	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	FAME (ppb)
MW-5 (cont)	02/20/06	<50	--	<0.5	--	--	--
	05/12/06	<50	--	0.9	--	--	--
	08/14/06	<50	--	0.9	--	--	--
	<b>11/08/06</b>	<b>&lt;50</b>	--	<b>1</b>	--	--	--
MW-6	08/01/03	<100	--	540	--	--	--
	11/21/03	<50	--	540	--	--	--
	02/10/04	<50	--	150	--	--	--
	05/11/04	<50	--	120	--	--	--
	08/10/04	<50	--	140	--	--	--
	11/08/04	<50	--	81	--	--	--
	02/21/05	<50	--	60	--	--	--
	05/10/05	<50	--	<0.5	--	--	--
	08/12/05	<50	--	82	--	--	--
	11/11/05	<50	--	350	--	--	--
	02/20/06	<50	--	130	--	--	--
	05/12/06	<50	--	84	--	--	--
	08/14/06	<50	--	75	--	--	--
	<b>11/08/06</b>	<b>&lt;50</b>	--	<b>27</b>	--	--	--
MW-7	02/21/05	<100	130	53	<1	<1	<1
	05/10/05	<50	140	77	<0.5	<0.5	<0.5
	08/12/05	<500	280	80	<5	<5	<5
	11/11/05	<1,000	340	100	<10	<10	<10
	02/20/06	<500	200	62	<5	<5	<5
	05/12/06	<500	200	73	<5	<5	<5
	08/14/06	<1,000	280	74	<10	<10	<10
	<b>11/08/06</b>	<b>&lt;1,000</b>	<b>330</b>	<b>89</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>
MW-8	04/01/02	--	<100	<2	<2	<2	<2
	08/05/02	--	<100	<2	<2	<2	<2
	11/04/02	--	<100	<2	<2	<2	<2
	02/03/03	--	<5	0.6	<0.5	<0.5	<0.5
	05/02/03	--	<5	<0.5	<0.5	<0.5	<0.5

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-8 (cont)	08/01/03	<50	<5	0.8	<0.5	<0.5	<0.5
	11/21/03	<50	<5	0.7	<0.5	<0.5	<0.5
	02/10/04	<50	<5	0.8	<0.5	<0.5	<0.5
	05/11/04	<50	<5	1	<0.5	<0.5	<0.5
	08/10/04	<50	<5	0.8	<0.5	<0.5	<0.5
	11/08/04	<50	7	1	<0.5	<0.5	<0.5
	02/21/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/10/05	<50	<5	1	<0.5	<0.5	<0.5
	08/12/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	11/11/05	<50	6	2	<0.5	<0.5	<0.5
	02/20/06	<50	<5	0.6	<0.5	<0.5	<0.5
	05/12/06	<50	6	2	<0.5	<0.5	<0.5
	08/14/06	<50	7	2	<0.5	<0.5	<0.5
	<b>11/08/06</b>	<b>&lt;50</b>	<b>13</b>	<b>3</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
	MW-9	04/01/02	--	<100	19	<2	<2
08/05/02		--	<100	15	<2	<2	<2
11/04/02		--	<100	21	<2	<2	<2
02/03/03		--	<5	16	<0.5	<0.5	0.8
05/02/03		--	<5	18	<0.5	<0.5	0.8
08/01/03		<50	7	22	0.9	<0.5	1
11/21/03		<50	<5	18	0.8	<0.5	1
02/10/04		<50	9	31	0.6	<0.5	2
05/11/04		<50	16	72	<0.5	<0.5	4
08/10/04		<50	<5	66	0.9	<0.5	3
11/08/04		INACCESSIBLE	--	--	--	--	--
02/21/05		<50	17	79	0.5	<0.5	4
05/10/05		<50	20	100	<0.5	<0.5	4
08/12/05		<50	18	89	<0.5	<0.5	4
11/11/05		<50	25	140	<0.5	<0.5	6
02/20/06		<50	22	130	<0.5	<0.5	5
05/12/06		<50	14	89	<0.5	<0.5	4
08/14/06	INACCESSIBLE - VEHICLE PARKED OVER WELL			--	--	--	
<b>11/08/06</b>	<b>INACCESSIBLE - VEHICLE PARKED OVER WELL</b>			<b>--</b>	<b>--</b>	<b>--</b>	

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

<b>WELL ID</b>	<b>DATE</b>	<b>ETHANOL</b> <i>(ppb)</i>	<b>TBA</b> <i>(ppb)</i>	<b>MTBE</b> <i>(ppb)</i>	<b>DIPE</b> <i>(ppb)</i>	<b>ETBE</b> <i>(ppb)</i>	<b>FAME</b> <i>(ppb)</i>
<b>MW-10</b>	04/01/02	--	<100	5	<2	<2	<2
	08/05/02	--	<100	5	<2	<2	<2
	11/04/02	--	<100	5	<2	<2	<2
	02/03/03	--	<5	3	<0.5	<0.5	<0.5
	05/02/03	--	<5	<0.5	<0.5	<0.5	<0.5
	08/01/03	<50	<5	2	<0.5	<0.5	<0.5
	11/21/03	<50	<5	1	<0.5	<0.5	<0.5
	02/10/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/11/04	<50	<5	1	<0.5	<0.5	<0.5
	08/10/04	<50	<5	3	<0.5	<0.5	<0.5
	11/08/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	02/21/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/10/05	<50	<5	1	<0.5	<0.5	<0.5
	08/12/05	<50	<5	1	<0.5	<0.5	<0.5
	11/11/05	<50	<5	5	<0.5	<0.5	<0.5
	02/20/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/12/06	<50	<5	0.6	<0.5	<0.5	<0.5
	08/14/06	<50	<5	2	<0.5	<0.5	<0.5
<b>11/08/06</b>	<b>INACCESSIBLE - VEHICLE PARKED OVER WELL</b>				--	--	--



**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-3322  
7225 Bancroft Avenue  
Oakland, California

---

---

**EXPLANATIONS:**

TBA = Tertiary butyl alcohol  
MTBE = Methyl tertiary butyl ether  
DIPE = Di-isopropyl ether  
ETBE = Ethyl tertiary butyl ether  
TAME = Tertiary amyl methyl ether  
(ppb) = Parts per billion  
-- = Not Analyzed

**ANALYTICAL METHOD:**

EPA Method 8260 for Oxygenate Compounds

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-1</b>										
06/04/97	30.75	4.39	25.82	71 <sup>1</sup>	890	100	110	29	150	<10
09/16/97	30.75	4.85	25.90	75 <sup>1</sup>	1,600	210	210	60	250	<10
12/17/97	30.75	4.88	25.87	65 <sup>1</sup>	940	120	100	41	160	<25
03/18/98	30.75	5.90	24.85	77 <sup>1</sup>	530	91	39	22	65	6.8
06/28/98	30.75	5.92	24.83	140 <sup>1</sup>	1,100	220	140	37	120	14
09/07/98	30.75	5.56	25.19	280 <sup>1</sup>	1,700	530	86	84	240	49
12/09/98	30.75	5.10	25.65	240 <sup>1</sup>	1,700	240	130	100	270	32
03/11/99	30.75	5.30	25.45	98 <sup>1</sup>	353	53.9	28.6	20.5	56.1	14.1
06/17/99	30.75	5.39	25.36	217 <sup>1</sup>	810	270	150	95	340	15
09/29/99	30.75	5.13	25.62	153 <sup>1</sup>	659	76	49.7	35.1	118	12.6
12/14/99	30.75	5.07	25.68	188 <sup>1,2</sup>	2,760	287	199	139	502	<12.5
03/09/00 <sup>3</sup>	30.75	5.54	25.21	166 <sup>1</sup>	1,590	238	94.9	72.2	247	22.3
06/10/00	30.75	5.73	25.02	--	1,460	242	47.8	83.8	151	97.3
09/30/00	30.75	5.30	25.45	240 <sup>7</sup>	650 <sup>6</sup>	130	49	69	190	21
12/22/00	30.75	5.05	25.70	200 <sup>9</sup>	640 <sup>6</sup>	110	33	58	160	68
03/01/01	30.75	5.25	25.50	211 <sup>7</sup>	1,500 <sup>6</sup>	210	67.9	109	320	87.3
05/04/01	30.75	5.41	25.34	130 <sup>7</sup>	991	127	32.6	73.0	137	95.4
09/05/01	30.75	5.16	25.59	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/21/01	30.75	5.17	25.58	210	2,000	220	16	110	400	34
03/15/02	30.75	5.60	25.15	--	--	--	--	--	--	--
06/15/02	30.75	5.49	25.26	140	350	54	0.61	12	40	130
09/06/02	30.75	5.26	25.49	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/06/02	30.75	5.12	25.63	2,900	900	71	2.1	39	150	34
03/03/03	30.75	5.46	25.29	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
06/17/03 <sup>14</sup>	30.75	5.64	25.11	180	290	34	0.6	23	90	92
09/16/03	30.75	5.37	25.38	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/31/03 <sup>14</sup>	30.75	5.20	25.55	150	1,500	97	6	70	230	86
03/26/04	30.75	5.74	25.01	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 <sup>14</sup>	30.75	4.59	26.16	860	500	44	5	12	54	76
11/16/04 <sup>14</sup>	34.01	7.85	26.16	<26	570	33	<0.5	14	53	48
02/18/05	34.01	8.25	25.76	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/06/05 <sup>14</sup>	34.01	8.62	25.39	110	170	13	<0.5	4	18	220
08/05/05	34.01	8.31	25.70	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
11/07/05 <sup>14</sup>	34.01	7.99	26.02	260 <sup>20</sup>	180	7	<0.5	3	24	260
02/06/06	34.01	8.33	25.68	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/08/06 <sup>14</sup>	34.01	9.03	24.98	730	270	23	<0.7	1	18	590

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-1 (cont)</b>										
08/08/06	34.01	8.49	25.52	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
<b>11/08/06<sup>14</sup></b>	<b>34.01</b>	<b>8.11</b>	<b>25.90</b>	<b>380</b>	<b>&lt;50</b>	<b>0.6</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>2</b>	<b>140</b>
<b>MW-2</b>										
06/04/97	30.00	5.13	24.87	4,000 <sup>1</sup>	13,000	790	30	420	1,700	4000
09/16/97	30.00	5.06	24.94	2,200 <sup>1</sup>	4,000	360	9.7	210	460	1500
12/17/97	30.00	5.18	24.82	2,100 <sup>1</sup>	4,100	380	<10	200	460	2100
03/18/98	30.00	6.43	23.57	3,700 <sup>1</sup>	8,400	1,800	<50	350	630	13,000
06/28/98 <sup>4</sup>	30.00	6.21	23.79	4,400 <sup>1</sup>	9,300	740	340	710	2,300	3800
09/07/98	30.00	5.78	24.22	3,100 <sup>1</sup>	9,900	1,000	150	640	1,800	4500/4100 <sup>5</sup>
12/09/98	30.00	5.31	24.69	1,900 <sup>1</sup>	8,500	860	74	610	960	2600/2600 <sup>5</sup>
03/11/99	30.00	5.79	24.21	2,700 <sup>1</sup>	12,500	1,520	42.2	645	2,250	3400/5050 <sup>5</sup>
06/17/99	30.00	5.69	24.31	7,150 <sup>1</sup>	27,000	2,200	260	1500	5,900	4700
09/29/99	30.00	5.45	24.55	3,030 <sup>1</sup>	6910	582	11.1	491	1,170	1970
12/14/99	30.00	5.39	24.61	615 <sup>1,2</sup>	4230	282	12.3	284	690	631
03/09/00 <sup>3</sup>	30.00	6.08	23.92	3,300 <sup>1</sup>	15,300	1,110	39.4	1,040	3,030	2,470
06/10/00	30.00	6.13	23.87	--	7,360	560	40.7	627	1,280	1,260
09/30/00	30.00	5.67	24.33	1,800 <sup>7</sup>	3,600 <sup>6</sup>	280	<10	420	430	290
12/22/00	30.00	5.39	24.61	870 <sup>9</sup>	1,500 <sup>6</sup>	100	<1.3	160	59	380
03/01/01	30.00	5.79	24.21	1,320 <sup>7</sup>	2,340 <sup>6</sup>	171	<5.00	238	157	864
05/04/01	30.00	5.83	24.17	3,100 <sup>7</sup>	11,900	199	33.9	1,420	290	3,890
09/05/01	30.00	5.45	24.55	2,200	3,300	170	1.7	310	110	1,100
12/21/01	30.00	5.60	24.40	980	1,100	58	0.72	120	14	450
03/15/02	30.00	6.05	23.95	2,200	5,000	250	9.1	470	430	1,800
06/15/02	30.00	5.84	24.16	3,700	5,200	240	5.2	540	210	2,200
09/06/02	30.00	5.59	24.41	2,200	2,100	84	1.4	250	30	1,000
12/06/02	30.00	5.44	24.56	730	780	21	<0.50	58	3.4	480
03/03/03	30.00	5.79	24.21	3,500	4,800	220	1.9	650	46	4,400
06/17/03 <sup>14</sup>	30.00	6.07	23.93	4,100	4,700	140	4	370	84	2,700
09/16/03 <sup>14</sup>	30.00	5.69	24.31	1,800 <sup>15</sup>	1,300	38	<1	110	3	1,300
12/31/03 <sup>14</sup>	30.00	5.64	24.36	330	990	11	<0.5	23	3	440
03/26/04	30.00	6.25	23.75	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 <sup>14</sup>	30.00	5.53	24.47	400	300	9	<0.5	18	1	340
11/16/04 <sup>14</sup>	32.59	8.14	24.45	4,300	10,000	91	7	830	1,300	1,100
02/18/05	32.59	8.67	23.92	SAMPLED SEMI-ANNUALLY		--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-2 (cont)</b>										
05/06/05 <sup>14</sup>	32.59	9.06	23.53	1,300	4,900	62	4	290	320	400
08/05/05	32.59	8.61	23.98	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
11/07/05 <sup>14</sup>	32.59	8.27	24.32	300 <sup>20</sup>	800	2	<0.5	<0.5	<0.5	66
02/06/06	32.59	8.76	23.83	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/08/06 <sup>14</sup>	32.59	9.49	23.10	2,100	6,100	32	4	430	460	360
08/08/06	32.59	8.79	23.80	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
<b>11/08/06<sup>14</sup></b>	<b>32.59</b>	<b>8.32</b>	<b>24.27</b>	<b>770</b>	<b>120</b>	<b>12</b>	<b>&lt;0.5</b>	<b>0.7</b>	<b>8</b>	<b>840</b>
<b>MW-3</b>										
06/04/97	31.32	5.27	26.05	<50	190	26	20	1.5	16	8.2
09/16/97	31.32	5.17	26.15	<50	270	58	53	6.1	30	21
12/17/97	31.32	5.22	26.10	<50	290	50	54	8.1	37	21
03/18/98	31.32	6.42	24.90	<50	390	140	33	4.6	30	94
06/28/98	31.32	6.39	24.93	<50	290	90	11	1.6	13	150
09/07/98	31.32	5.97	25.35	<50	170	46	20	4.3	19	120
12/09/98	31.32	5.41	25.91	55 <sup>1</sup>	660	120	93	22	72	150
03/11/99	31.32	5.85	25.47	<50	653	136	69.5	13.7	63.8	144
06/17/99	31.32	5.90	25.42	103 <sup>1</sup>	530	190	110	24	88	210
09/29/99	31.32	5.61	25.71	232 <sup>1</sup>	433	97.8	61.4	16.9	56.6	156
12/14/99	31.32	5.55	25.77	<50 <sup>2</sup>	8650	1040	795	212	800	995
03/09/00 <sup>3</sup>	31.32	6.14	25.18	74.6 <sup>1</sup>	1170	304	103	25.2	114	539
06/10/00	31.32	6.29	25.03	--	359	63.8	27.8	10.5	35.4	393
09/30/00	31.32	5.79	25.53	100 <sup>8</sup>	220 <sup>6</sup>	42	33	12	38	67
12/22/00	31.32	5.52	25.80	110 <sup>9</sup>	370 <sup>6</sup>	96	48	18	58	180
03/01/01	31.32	5.75	25.57	144 <sup>7</sup>	912 <sup>6</sup>	218	89.0	36.0	110	310
05/04/01	31.32	5.96	25.36	<50	1,260	146	79.6	38.2	101	1,070
09/05/01	31.32	5.61	25.71	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/21/01	31.32	5.67	25.65	180	850	160	11	32	84	300
03/15/02	31.32	6.15	25.17	--	--	--	--	--	--	--
06/15/02	31.32	6.01	25.31	<50	550	110	3.0	23	58	590
09/06/02	31.32	5.74	25.58	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/06/02	31.32	5.56	25.76	160	350	60	1.3	11	32	530
03/03/03	31.32	5.92	25.40	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
06/17/03 <sup>14</sup>	31.32	6.19	25.13	130	560	90	2	19	57	590
09/16/03	31.32	5.85	25.47	SAMPLED SEMI-ANNUALLY		--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-3 (cont)</b>										
12/31/03 <sup>14</sup>	31.32	5.67	25.65	120	840	140	24	25	87	670
03/26/04	31.32	6.33	24.99	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04 <sup>14</sup>	31.32	5.46	25.86	110	630	84	18	11	35	410
11/16/04 <sup>14</sup>	34.16	8.26	25.90	92	740	100	4	21	45	460
02/18/05	34.16	8.79	25.37	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/06/05 <sup>14</sup>	34.16	9.18	24.98	83	290	43	<1	6	11	740
08/05/05	34.16	8.81	25.35	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
11/07/05 <sup>14</sup>	34.16	8.47	25.69	66	220	29	0.7	3	26	440
02/06/06	34.16	8.88	25.28	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/08/06 <sup>14</sup>	34.16	9.67	24.49	310	560	70	<1	3	24	3,300
08/08/06	34.16	9.00	25.16	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
<b>11/08/06<sup>14</sup></b>	<b>34.16</b>	<b>8.57</b>	<b>25.59</b>	<b>210</b>	<b>510</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>73</b>
<b>MW-4</b>										
04/08/99	30.13	--	--	--	130	3.1	<0.5	<0.5	7.7	4,700
06/17/99	30.13	5.19	24.94	3,780 <sup>1</sup>	590	58	<5.0	<5.0	160	6,200
09/29/99	30.13	4.96	25.17	1,130 <sup>1</sup>	692	10.7	<2.5	5.51	236	7,840
12/14/99	30.13	4.91	25.22	571 <sup>1,2</sup>	625	<10	3.83	<10	94.6	4,470
03/09/00 <sup>3</sup>	30.13	5.45	24.68	600 <sup>1</sup>	402	3.76	1.18	<0.5	71.4	3,140
06/10/00	30.13	5.53	24.60	--	<1,000	13.2	<10.0	<10.0	97.8	3,080
09/30/00	30.13	5.09	25.04	1,400 <sup>7</sup>	280 <sup>6</sup>	21	0.67	6.3	60	3,300
12/22/00	30.13	4.90	25.23	740 <sup>9</sup>	240 <sup>6</sup>	2.2	<0.50	1.3	25	2,200
03/01/01	30.13	5.15	24.98	661 <sup>7</sup>	193	2.31	<0.500	1.34	12.1	1,220
05/04/01	30.13	5.25	24.88	1,100 <sup>7</sup>	722	12.0	<5.00	17.1	89.4	2,390
09/05/01	30.13	4.96	25.17	2,500	1,400	23	2.2	19	260	2,300
12/21/01	30.13	5.06	25.07	1,100	310	2.9	<0.50	2.6	32	860
03/15/02	30.13	5.44	24.69	3,100	520	5.0	<0.50	15	6.8	2,700
06/15/02	30.13	5.29	24.84	2,400	950	16	3.6	41	100	2,200/2,400 <sup>12</sup>
09/06/02	30.13	5.07	25.06	2,600	640	9.6	0.52	9.8	28	1,700
12/06/02	30.13	4.93	25.20	1,400	280	3.6	<0.50	1.7	<1.5	730
03/03/03	30.13	5.28	24.85	1,500	280	2.7	<0.50	7.3	2.3	910
06/17/03 <sup>14</sup>	30.13	5.44	24.69	2,000	660	8	1	38	16	1,100
09/16/03 <sup>14</sup>	30.13	5.15	24.98	2,100 <sup>16</sup>	480	6	<1	11	3	710
12/31/03 <sup>14</sup>	30.13	5.07	25.06	1,400	220	3	<0.5	2	<0.5	390
03/26/04	30.13	5.60	24.53	SAMPLED SEMI-ANNUALLY		--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-4 (cont)</b>										
08/17/04 <sup>14</sup>	30.13	4.68	25.45	2,100	470	12	1	28	4	370
11/16/04 <sup>14</sup>	33.07	7.63	25.44	960	270	7	<0.5	7	6	270
02/18/05	33.07	8.07	25.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/06/05 <sup>14</sup>	33.07	8.38	24.69	350	86	0.7	<0.5	<0.5	<0.5	110
08/05/05	33.07	8.05	25.02	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
11/07/05 <sup>14</sup>	33.07	7.74	25.33	150	54	0.6	<0.5	<0.5	<0.5	59
02/06/06	33.07	8.13	24.94	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
05/08/06 <sup>14</sup>	33.07	8.80	24.27	200	66	0.5	<0.5	<0.5	<0.5	92
08/08/06	33.07	7.91	25.16	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
<b>11/08/06<sup>14</sup></b>	<b>33.07</b>	<b>7.84</b>	<b>25.23</b>	<b>400</b>	<b>55</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>40</b>
<b>MW-7</b>										
05/04/01 <sup>11</sup>	31.90	4.03	27.87	<50	<50.0	<0.500	<5.00	<5.00	<5.00	567/470 <sup>12</sup>
09/05/01	31.90	3.86	28.04	<50	<50	<0.50	<0.50	<0.50	<1.5	1,400/1,300 <sup>12</sup>
12/21/01	31.90	3.04	28.86	210	<50	<0.50	<0.50	<0.50	<1.5	620/670 <sup>12</sup>
03/15/02	31.90	4.18	27.72	<50	<50	<0.50	<0.50	<0.50	<1.5	320/350 <sup>12</sup>
06/15/02	31.90	4.06	27.84	<50	<50	<0.50	<0.50	<0.50	<1.5	850/960 <sup>12</sup>
09/06/02	31.90	3.93	27.97	<50	59	<0.50	<0.50	<0.50	<1.5	1,900
12/06/02	31.90	3.87	28.03	<50	68	<0.50	<0.50	<0.50	<1.5	2,200
03/03/03	31.90	4.21	27.69	<50	<50	<0.50	<0.50	<0.50	<1.5	1,300
06/17/03 <sup>14</sup>	31.90	4.14	27.76	<50	79	<0.5	<0.5	<0.5	<0.5	2,500
09/16/03 <sup>14</sup>	31.90	4.07	27.83	<50 <sup>17</sup>	110	<5	<5	<5	<5	4,400
12/31/03 <sup>14</sup>	31.90	4.04	27.86	<50	76	<2	<2	<2	<2	3,000
03/26/04 <sup>14</sup>	31.90	4.25	27.65	<50	61	<1	<1	<1	<1	2,000
08/17/04 <sup>14</sup>	31.90	4.02	27.88	2,200	130	<5	<5	<5	<5	8,000
11/16/04 <sup>14</sup>	34.35	6.48	27.87	<50	200	<3	<3	<3	<3	7,300
02/18/05 <sup>14</sup>	34.35	6.75	27.60	64	86	<10	<10	<10	<10	5,700
05/06/05 <sup>14</sup>	34.35	6.92	27.43	60	160	<5	<5	<5	<5	8,400
08/05/05 <sup>14</sup>	34.35	6.70	27.65	81 <sup>18</sup>	500	<5	<5	<5	<5	20,000 <sup>19</sup>
11/07/05 <sup>14</sup>	34.35	6.56	27.79	68	300	<10	<10	<10	<10	24,000
02/06/06 <sup>14</sup>	34.35	6.81	27.54	72 <sup>21</sup>	300	<0.5	<0.5	<0.5	<0.5	14,000
05/08/06 <sup>14</sup>	34.35	7.20	27.15	94	80	<2	<2	3	7	6,500
08/08/06 <sup>14</sup>	34.35	6.82	27.53	150	520	<10	<10	<10	<10	17,000
<b>11/08/06<sup>14</sup></b>	<b>34.35</b>	<b>6.60</b>	<b>27.75</b>	<b>440</b>	<b>900</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>&lt;5</b>	<b>41,000</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-5</b>										
04/08/99	30.93	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/17/99	30.93	4.93	26.00	53.8 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/29/99	30.93	4.73	26.20	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/14/99	30.93	4.61	26.32	<50 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	0.598
03/09/00 <sup>3</sup>	30.93	5.00	25.93	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/00	30.93	5.21	25.72	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/30/00	30.93	4.79	26.14	130 <sup>8</sup>	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/22/00	30.93	4.60	26.33	250 <sup>8</sup>	<50	<0.50	<0.50	<0.50	<0.50	9.1
03/01/01	30.93	4.77	26.16	77.4 <sup>7</sup>	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/04/01	30.93	4.89	26.04	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--
09/05/01	30.93	4.72	26.21	SAMPLED SEMI-ANNUALLY			--	--	--	--
12/21/01	30.93	4.73	26.20	110	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/15/02	30.93	5.06	25.87	--	--	--	--	--	--	--
06/15/02	30.93	4.95	25.98	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/06/02	30.93	4.75	26.18	SAMPLED SEMI-ANNUALLY			--	--	--	--
12/06/02	30.93	4.61	26.32	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/03/03	30.93	4.94	25.99	SAMPLED SEMI-ANNUALLY			--	--	--	--
06/17/03 <sup>14</sup>	30.93	5.06	25.87	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/16/03	30.93	4.84	26.09	SAMPLED SEMI-ANNUALLY			--	--	--	--
12/31/03 <sup>14</sup>	30.93	4.72	26.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/26/04	30.93	5.19	25.74	SAMPLED SEMI-ANNUALLY			--	--	--	--
08/17/04	30.93	TO BE DESTROYED		--	--	--	--	--	--	--
DESTROYED - 2005										
<b>MW-6</b>										
04/08/99	30.58	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	4.5
06/17/99	30.58	5.99	24.59	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/29/99	30.58	5.81	24.77	<50	<50	<0.5	<0.5	<0.5	<0.5	4.46
12/14/99	30.58	5.74	24.84	<50 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	4.13
03/09/00 <sup>3</sup>	30.58	6.49	24.09	<50	<50	<0.5	<0.5	<0.5	<0.5	2.82
06/10/00	30.58	6.58	24.00	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/30/00	30.58	6.00	24.58	110 <sup>8</sup>	<50	<0.50	<0.50	<0.50	<0.50	7.3
12/22/00	30.58	5.75	24.83	100 <sup>8</sup>	<50	<0.50	<0.50	<0.50	<0.50	4.5
03/01/01	30.58	6.07	24.51	141 <sup>7</sup>	<50.0	<0.500	<0.500	<0.500	<0.500	7.52
05/04/01	30.58	6.26	24.32	<50	<50.0	<0.500	<5.00	<5.00	<5.00	2.74
09/05/01	30.58	5.99	24.59	SAMPLED SEMI-ANNUALLY			--	--	--	--
12/21/01	30.58	5.93	24.65	200	<50	<0.50	<0.50	<0.50	<1.5	8.5

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>MW-6 (cont)</b>										
03/15/02	30.58	6.44	24.14	--	--	--	--	--	--	--
06/15/02	30.58	6.25	24.33	<50	<50	<0.50	<0.50	<0.50	<1.5	4.3
09/06/02	30.58	5.98	24.60	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/06/02	30.58	5.79	24.79	64	<50	<0.50	<0.50	<0.50	<1.5	5.0
03/03/03	30.58	6.14	24.44	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
06/17/03 <sup>14</sup>	30.58	6.47	24.11	<50	<50	<0.5	<0.5	<0.5	<0.5	13
09/16/03	30.58	6.06	24.52	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
12/31/03 <sup>14</sup>	30.58	6.00	24.58	<50	<50	<0.5	<0.5	<0.5	0.5	14
03/26/04	30.58	6.69	23.89	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
08/17/04	30.58	TO BE DESTROYED		--	--	--	--	--	--	--
DESTROYED - 2005										
<b>TRIP BLANK</b>										
06/04/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/18/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/09/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/17/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/14/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/09/00 <sup>3</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/10/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/22/00 <sup>10</sup>	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
03/01/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/04/01	--	--	--	--	<50.0	<0.500	<5.00	<5.00	<5.00	<0.500
09/05/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
<b>QA</b>										
12/21/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/06/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/06/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
<b>QA (cont)</b>										
03/03/03 <sup>13</sup>	--	--	--	--	--	--	--	--	--	--
06/17/03 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/16/03 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/31/03 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/26/04 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/17/04 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/16/04 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/18/05 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/06/05 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/05/05 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/07/05 <sup>14</sup>	--	--	--	--	<50	0.6 <sup>19</sup>	<0.5	<0.5	<0.5	<0.5
02/06/06 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/08/06 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/08/06 <sup>14</sup>	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
<b>11/08/06<sup>14</sup></b>	--	--	--	--	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to June 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene T = Toluene E = Ethylbenzene X = Xylenes	-- = Not Measured/Not Analyzed (ppb) = Parts per Billion QA = Quality Assurance/Trip Blank
GWE = Groundwater Elevation (msl) = Mean sea level	TPH-D = Total Petroleum Hydrocarbons as Diesel	
DTW = Depth to Water	MTBE = Methyl tertiary butyl ether	

\* The following wells: MW-1, MW-2, MW-3, MW-4, and MW-7, were resurveyed by Morrow Surveying on September 13, 2004. TOC elevation was surveyed on April 11, 2001, by Virgil Chavez Land Surveying. The benchmark for the survey was the top of curb at the south end of the return at the southeast corner of Castro Street and 18th Street. (Benchmark Elevation = 29.65 feet, msl).

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Sample was extracted outside EPA recommended holding time.
- 3 TPH-G, BTEX and MTBE was analyzed outside EPA recommended holding time.
- 4 EPA Method 8240.
- 5 Confirmation run.
- 6 Laboratory report indicates gasoline C6-C12.
- 7 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 8 Laboratory report indicates unidentified hydrocarbons >C16.
- 9 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 10 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 11 Well development performed.
- 12 MTBE by EPA Method 8260.
- 13 Due to laboratory error the trip blank sample was not analyzed.
- 14 BTEX and MTBE by EPA Method 8260.
- 15 Laboratory report indicates the surrogate data for the method blank is outside QC limits. Results from the reextraction are within the limits. The hold time had expired prior to reextraction so all results are reported from the original extract. The TPH-D result from the reextraction is 910 ppb.
- 16 Laboratory report indicates the surrogate data for the method blank is outside QC limits. Results from the reextraction are within the limits. The hold time had expired prior to reextraction so all results are reported from the original extract. The TPH-D result from the reextraction is 1,700 ppb.
- 17 Laboratory report indicates the surrogate data for the method blank is outside QC limits. Results from the reextraction are within the limits. The hold time had expired prior to reextraction so all results are reported from the original extract. Similar results were obtained in both extracts.
- 18 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.
- 19 Analytical result confirmed.
- 20 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.
- 21 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to individual peak(s) eluting in the DRO range.

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
<b>MW-1</b>						
06/17/03	--	--	92	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY					
12/31/03	<50	--	86	--	--	--
08/17/04	<50	--	76	--	--	--
11/16/04	<50	--	48	--	--	--
05/06/05	<50	--	220	--	--	--
11/07/05	<50	--	260	--	--	--
05/08/06	<50	--	590	--	--	--
<b>11/08/06</b>	<b>&lt;50</b>	--	<b>140</b>	--	--	--
<b>MW-2</b>						
06/17/03	--	--	2,700	--	--	--
09/16/03	<130	--	1,300	--	--	--
12/31/03	<50	--	440	--	--	--
03/26/04	SAMPLED SEMI-ANNUALLY					
08/17/04	<50	--	340	--	--	--
11/16/04	<100	--	1,100	--	--	--
05/06/05	<50	--	400	--	--	--
11/07/05	<50	--	66	--	--	--
05/08/06	<50	--	360	--	--	--
<b>11/08/06</b>	<b>&lt;50</b>	--	<b>840</b>	--	--	--
<b>MW-3</b>						
06/17/03	--	--	590	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY					
12/31/03	66	--	670	--	--	--
08/17/04	<50	--	410	--	--	--
11/16/04	<50	--	460	--	--	--
05/06/05	<100	--	740	--	--	--
11/07/05	<50	--	440	--	--	--
05/08/06	<100	--	3,300	--	--	--
<b>11/08/06</b>	<b>&lt;50</b>	--	<b>73</b>	--	--	--
<b>MW-4</b>						
04/08/99	<25,000	<5000	5400	<100	<100	<100

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
<b>MW-4 (cont)</b>						
06/15/02	--	840	2,400	<2	<2	110
06/17/03	--	520	1,100	<0.5	<0.5	110
09/16/03	<100	--	710	--	--	--
12/31/03	<50	--	390	--	--	--
03/26/04	SAMPLED SEMI-ANNUALLY					
08/17/04	<50	66	370	<0.5	<0.5	50
11/16/04	<50	--	270	--	--	--
05/06/05	<50	21	110	<0.5	<0.5	8
11/07/05	<50	--	59	--	--	--
05/08/06	<50	--	92	--	--	--
<b>11/08/06</b>	<b>&lt;50</b>	<b>--</b>	<b>40</b>	<b>--</b>	<b>--</b>	<b>--</b>
<b>MW-7</b>						
05/04/01	<500	57	470	<2.0	<2.0	11
09/05/01	<500	<100	1,300	<2	<2	32
12/21/01	<500	<100	670	<2	<2	15
03/15/02	<500	<100	350	<2	<2	8
06/15/02	--	<100	960	<2	<2	18
06/17/03	--	37	2,500	<0.5	<0.5	53
09/16/03	<500	--	4,400	--	--	--
12/31/03	<200	--	3,000	--	--	--
03/26/04	<100	--	2,000	--	--	--
08/17/04	<500	<50	8,000	<5	<5	140
11/16/04	<250	--	7,300	--	--	--
02/18/05	<1,000	--	5,700	--	--	--
05/06/05	<500	<50	8,400	<5	<5	140
08/05/05	<500	--	20,000 <sup>1</sup>	--	--	--
11/07/05	<1,000	--	24,000	--	--	--
02/06/06	<50	--	14,000	--	--	--
05/08/06	<200	--	6,500	--	--	--
08/08/06	<1,000	--	17,000	--	--	--
<b>11/08/06</b>	<b>&lt;500</b>	<b>--</b>	<b>41,000</b>	<b>--</b>	<b>--</b>	<b>--</b>
<b>MW-5</b>						
04/08/99	<500	<100	<2.0	<2.0	<2.0	<2.0
06/17/03	--	--	<0.5	--	--	--

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
<b>MW-5 (cont)</b>						
09/16/03	SAMPLED SEMI-ANNUALLY		--	--	--	--
12/31/03	<50	--	<0.5	--	--	--
08/17/04	TO BE DESTROYED	--	--	--	--	--
DESTROYED - 2005						
<b>MW-6</b>						
04/08/99	<500	<100	5.6	<2.0	<2.0	<2.0
06/17/03	--	--	13	--	--	--
09/16/03	SAMPLED SEMI-ANNUALLY		--	--	--	--
12/31/03	<50	--	14	--	--	--
08/17/04	TO BE DESTROYED	--	--	--	--	--
DESTROYED - 2005						

**Table 2**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Chevron Service Station #9-4800  
1700 Castro Street  
Oakland, California

---

---

**EXPLANATIONS:**

Groundwater laboratory analytical results prior to May 4, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

<sup>1</sup> Analytical result confirmed.