

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4									
09/16/91	327.28	317.69	9.59	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/92	327.28	317.79	9.49	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/92	327.28	318.39	8.89	<50	<0.5	<0.5	<0.5	<0.5	--
06/05/92	327.28	318.06	9.22	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/92	327.28	317.93	9.35	<50	<0.5	<0.5	<0.5	<0.5	--
12/30/92	327.28	319.00	8.28	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/93	327.28	319.03	8.25	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/93	327.28	318.12	9.16	--	--	--	--	--	--
07/25/93	327.28	318.18	9.10	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	327.28	318.58	8.70	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	327.28	317.38	9.90	<50	<0.5	<0.5	<0.5	0.5	--
03/21/94	327.28	318.03	9.25	<50	1.0	2.0	0.5	1.9	--
06/07/94	327.28	318.23	9.05	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/94	327.28	318.31	8.97	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/94	327.28	318.06	9.22	<50	<0.5	1.1	0.8	2.7	--
03/06/95	327.28	318.26	9.02	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/95	327.28	318.47	8.81	170	<0.5	<0.5	<0.5	<0.5	--
09/14/95	327.28	318.00	9.28	<50	1.0	<0.5	1.6	<0.5	--
12/16/95	327.28	319.42	7.86	<50	<0.5	<0.5	<0.5	<0.5	150
03/28/96	327.28	318.94	8.34	<50	<0.5	<0.5	<0.5	<0.5	53
06/28/96	327.28	318.79	8.49	70	<0.5	<0.5	<0.5	<0.5	92
09/26/96	327.28	318.84	8.44	--	--	--	--	--	--
12/30/96	327.28	319.10	8.18	<50	<0.5	<0.5	<0.5	<0.5	100
03/13/97	327.28	318.43	8.85	--	--	--	--	--	--
06/30/97	327.28	318.79	8.49	260	<0.5	<0.5	<0.5	<0.5	330
09/30/97	326.93	318.32	8.61	--	--	--	--	--	--
12/31/97	326.93	318.40	8.53	<50	<0.5	<0.5	<0.5	<0.5	170
04/02/98	326.93	317.98	8.95	--	--	--	--	--	--
06/29/98	326.93	318.21	8.72	<50	<0.5	<0.5	<0.5	<0.5	150
09/16/98	326.93	317.59	9.34	--	--	--	--	--	--
12/23/98	326.93	318.18	8.75	<50	<0.5	<0.5	<0.5	<0.5	210
03/26/99	326.93	317.79	9.14	<100	<1.0	<1.0	<1.0	<1.0	303
06/25/99	326.93	317.72	9.21	<50	<0.5	<0.5	<0.5	<0.5	228/237 ¹
09/16/99	326.93	317.01	9.92	--	--	--	--	--	--
12/15/99	326.93	318.32	8.61	<50	<0.5	<0.5	<0.5	<0.5	310
03/07/00	326.93	318.59	8.34	--	--	--	--	--	--
06/19/00	326.93	318.84	8.09	<50	<0.50	<0.50	<0.50	<0.50	370
09/18/00	326.93	318.21	8.72	<50.0	<0.500	<0.500	<0.500	<0.500	326

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)									
12/01/00	326.93	318.03	8.90	<50.0	<0.500	<0.500	<0.500	<0.500	478
03/13/01	326.93	318.96	7.97	<50.0	<0.500	<0.500	<0.500	<0.500	9.53
06/01/01	326.93	318.62	8.31	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	326.94	318.49	8.45	<50	<0.50	<0.50	<0.50	<1.5	400
12/05/01	326.94	319.44	7.50	<50	<0.50	<0.50	<0.50	<1.5	350
03/26/02	326.94	318.96	7.98	<50	<0.50	<0.50	<0.50	<1.5	340
06/14/02	326.94	319.10	7.84	<50	<0.50	<0.50	<0.50	<1.5	290
09/20/02	326.94	319.66	7.28	<50	<0.50	<0.50	<0.50	<1.5	420
12/12/02	326.94	320.18	6.76	<50	<0.50	<0.50	<0.50	<1.5	43/42 ⁷
03/07/03	326.94	320.78	6.16	<50	<0.50	<0.50	<0.50	<1.5	550/430 ⁷
06/06/03 ⁹	326.94	321.33	5.61	<50	<0.5	<0.5	<0.5	<0.5	3
09/05/03 ⁹	326.94	319.29	7.65	<50	<0.5	<0.5	<0.5	<0.5	11
12/15/03 ⁹	326.94	319.63	7.31	<50	<0.5	<0.5	<0.5	<0.5	5
03/15/04 ⁹	326.94	319.02	7.92	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	326.94	318.69	8.25	<50	<0.5	<0.5	<0.5	<0.5	17
09/02/04 ⁹	326.94	319.55	7.39	<50	<0.5	<0.5	<0.5	<0.5	0.5
11/30/04 ⁹	326.94	319.66	7.28	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	326.94	321.03	5.91	<50	<0.5	<0.5	<0.5	<0.5	0.7
06/29/05 ⁹	326.94	321.67	5.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	326.94	321.24	5.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/06/05	326.94	320.81	6.13	SAMPLED ANNUALLY		--	--	--	--
03/10/06 ⁹	326.94	319.59	7.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06	326.94	319.09	7.85	SAMPLED ANNUALLY		--	--	--	--
09/05/06	326.94	319.00	7.94	SAMPLED ANNUALLY		--	--	--	--
12/01/06	326.94	318.88	8.06	SAMPLED ANNUALLY		--	--	--	--
MW-5									
09/16/91	327.82	317.76	10.06	12,000	4,000	29	1,600	92	--
01/22/92	327.82	317.24	10.58	44,000	2,000	320	5,700	2,400	--
03/26/92	327.82	318.64	9.18	39,000	3,200	210	5,700	2,400	--
06/05/92	327.82	317.92	9.90	28,000	3,800	140	4,000	2,000	--
09/23/92	327.82	317.85	9.97	40,000	2,000	290	2,900	1,800	--
12/30/92	327.82	319.02	8.80	44,000	9,000	190	3,100	1,600	--
03/22/93	327.82	318.49	9.33	43,000	6,500	170	2,400	2,400	--
06/14/93	327.82	318.04	9.78	--	--	--	--	--	--
07/25/93	327.82	318.10	9.72	43,000	550	45	2,700	1,100	--
09/23/93	327.82	318.40	9.42	44,000	14,000	640	3,700	1,800	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)									
12/28/93	327.82	318.15	9.67	56,000	12,000	590	4,100	1,600	--
03/21/94	327.82	318.11	9.71	48,000	12,000	600	4,700	1,600	--
06/07/94	327.82	318.10	9.72	42,000	13,000	480	3,700	1,200	--
10/07/94	327.82	318.27	9.55	15,000	1,100	41	950	34	--
12/29/94	327.82	317.90	9.92	45,000	12,000	460	3,600	1,400	--
03/06/95	327.82	318.50	9.32	40,000	9,700	210	3,500	700	--
06/14/95	327.82	318.41	9.41	42,000	8,000	170	3,700	640	--
09/14/95	327.82	317.30	10.52	26,000	4,100	85	2,000	270	--
12/16/95	327.82	319.48	8.34	35,000	7,300	<0.5	2,900	420	<500
03/28/96	327.82	318.09	9.73	30,000	5,200	160	3,500	600	<250
06/28/96	327.82	318.37	9.45	26,000	4,300	60	2,100	200	680
09/26/96	327.82	317.95	9.87	15,000	2,700	59	1,300	140	400
12/30/96	327.82	318.82	9.00	34,000	4,600	120	2,800	660	310
03/13/97	327.82	318.33	9.49	13,000	1,900	34	1,300	220	76
06/30/97	327.82	318.19	9.63	11,000	1,800	19	84	94	160
10/01/97	327.82	318.08	9.74	27,000	4,700	120	3,700	330	310
12/31/97	327.82	318.34	9.48	34,000	8,000	130	3,400	3,900	<500
04/02/98	327.82	317.44	10.38	27,000	4,600	65	3,400	270	270
06/29/98	327.82	317.79	10.03	16,000	3,000	<50	1,800	220	290
09/16/98	327.82	318.84	8.98	9,700	2,700	52	1,400	210	<250
12/23/98	327.82	318.00	9.82	5,100	1,600	18	570	39	130
03/26/99 ²	327.82	318.26	9.56	25,800	4,410	58.4	2,550	57.2	137
06/25/99	327.82	INACCESSIBLE	--	--	--	--	--	--	--
09/16/99	327.82	317.51	10.31	8,850	1,310	20.3	802	120	155
12/15/99	327.82	317.52	10.30	10,000	2,800	33	1,600	160	250
03/07/00	327.82	318.29	9.53	18,700	3,830	95.6	1,900	305	309
06/19/00 ³	327.82	318.90	8.92	1,000 ⁴	290	3.4	<1.0	14	52
09/18/00 ^{3,6}	327.82	318.18	9.64	924 ⁵	205	<5.00	<5.00	<5.00	83.1
12/01/00 ³	327.82	318.05	9.77	<50.0	0.878	<0.500	<0.500	<0.500	<5.00
03/13/01 ³	327.82	318.67	9.15	333	55.0	0.803	21.8	1.44	2.07
06/01/01 ³	327.82	317.71	10.11	130 ⁴	36	<0.50	<0.50	<0.50	7.8/<2.0 ⁷
09/07/01 ⁸	327.82	318.43	9.39	2,600	330	<10	200	12	14
12/05/01	327.82	319.57	8.25	25,000	730	36	2,900	650	<25
03/26/02	327.82	319.44	8.38	25,000	1,500	31	2,100	400	<100
06/14/02	327.82	320.18	7.64	27,000	900	52	2,400	320	<50
09/20/02	327.82	320.45	7.37	26,000	450	50	2,400	1,100	<100
12/12/02	327.82	320.33	7.49	23,000	260	32	1,900	1,100	<50/<2 ⁷
03/07/03	327.82	320.38	7.44	21,000	270	39	2,000	1,100	<25/<1 ⁷

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)									
06/06/03 ⁹	327.82	321.10	6.72	1,700	22	3	190	140	<0.5
09/05/03 ⁹	327.82	318.90	8.92	20,000	170	23	1,200	1,100	<2
12/15/03 ⁹	327.82	319.47	8.35	22,000	240	23	1,300	970	<1
03/15/04 ⁹	327.82	318.80	9.02	17,000	150	20	1,400	790	<1
06/14/04 ⁹	327.82	319.45	8.37	15,000	100	12	1,300	730	<1
09/02/04 ⁹	327.82	319.92	7.90	12,000	81	12	960	600	<3
11/30/04 ⁹	327.82	319.62	8.20	13,000	54	8	750	280	<1
03/11/05 ⁹	327.82	320.41	7.41	11,000	50	5	810	120	<1
06/29/05 ⁹	327.82	320.07	7.75	10,000	58	5	600	75	<0.5
09/14/05 ⁹	327.82	320.26	7.56	11,000	49	4	660	49	<0.5
12/06/05 ⁹	327.82	320.09	7.73	6,500	26	2	210	21	<0.5
03/10/06 ⁹	327.82	319.46	8.36	7,500	45	2	420	13	<0.5
06/06/06 ⁹	327.82	318.82	9.00	8,000	40	1	340	6	<0.5
09/05/06 ⁹	327.82	319.06	8.76	8,200	28	1	340	2	<0.5
12/01/06⁹	327.82	319.02	8.80	6,400	26	1	360	3	0.5
MW-6									
09/16/91	328.48	317.87	10.61	6,200	1,300	3.9	550	78	--
01/22/92	328.48	318.18	10.30	18,000	2,800	48	2,000	440	--
03/26/92	328.48	318.98	9.50	21,000	3,300	17	2,100	300	--
06/05/92	328.48	318.14	10.34	14,000	2,800	9.2	1,800	270	--
09/23/92	328.48	317.92	10.56	19,000	1,000	40	1,200	230	--
12/30/92	328.48	318.71	9.75	15,000	1,100	<5.0	1,000	77	--
03/22/93	328.48	319.21	9.27	15,000	1,300	10	770	220	--
06/14/93	328.48	318.33	10.15	--	--	--	--	--	--
07/25/93	328.48	318.23	10.25	6,400	630	<2.5	440	6.0	--
09/23/93	328.48	318.31	10.17	9,500	1,000	23	690	110	--
12/28/93	328.48	317.96	10.52	11,000	890	31	730	48	--
03/21/94	328.48	318.20	10.28	5,700	380	10	270	22	--
06/07/94	328.48	318.20	10.28	5,300	600	4.4	370	26	--
10/07/94	328.48	318.06	10.42	2,600	270	<5.0	110	<5.0	--
12/29/94	328.48	318.23	10.25	4,500	560	6.2	360	<5.0	--
03/06/95	328.48	319.12	9.36	4,100	480	15	290	20	--
06/14/95	328.48	318.37	10.11	2,800	180	6.9	110	6.6	--
09/14/95	328.48	318.21	10.27	3,100	370	<0.5	250	<0.5	--
12/16/95	328.48	319.21	9.27	1,900	210	<0.5	76	<0.5	<13
03/28/96	328.48	319.13	9.35	1,000	120	<0.5	64	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)									
06/28/96	328.48	318.70	9.78	950	110	0.8	44	<0.5	22
09/26/96	328.48	319.02	9.46	1,100	120	1.6	48	<0.5	17
12/30/96	328.48	319.45	9.03	3,200	260	2.3	120	<0.5	23
03/13/97	328.48	318.76	9.72	2,000	250	<0.5	110	<0.5	<5.0
06/30/97	328.48	318.81	9.67	470	<0.5	1.2	<0.5	<0.5	<5.0
10/01/97	327.82	318.53	9.29	1,500	120	3.4	27	<0.5	20
12/31/97	327.82	317.61	10.21	1,500	79	<2.5	28	<2.5	<12
04/02/98	327.82	318.86	8.96	760	48	2.3	9.9	<1.0	15
06/29/98	327.82	318.45	9.37	340	29	<2.5	7.1	<2.5	18
09/16/98	327.82	318.60	9.22	340	18	1.4	5.6	<1.0	18
12/23/98	327.82	317.51	10.31	390	5.4	1.2	0.58	1.2	15
03/26/99 ²	327.82	317.91	9.91	1,310	132	18.5	38.5	1.88	19.1
06/25/99	327.82	317.50	10.32	856	37.4	5.2	10.7	<0.5	<2.0/<5.0 ¹
09/16/99	327.82	317.28	10.54	<50	1.19	<0.5	<0.5	<0.5	<5.0
12/15/99	327.82	319.33	8.49	1,400	110	<5.0	35	<5.0	37
03/07/00	327.82	318.60	9.22	1,200	97.9	2.16	44.8	<1.25	26
06/19/00 ³	327.82	318.42	9.40	160 ¹	1.4	0.73	5.4	2.4	7.9
09/18/00 ^{3,6}	327.82	317.74	10.08	234 ⁵	<0.500	1.72	<0.500	<0.500	<5.00
12/01/00 ³	327.82	317.56	10.26	79.5 ⁵	1.74	<0.500	<0.500	<0.500	<5.00
03/13/01 ³	327.82	318.53	9.29	180	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01 ³	327.82	317.24	10.58	280 ⁴	4.1	0.62	<0.50	<0.50	25/<2.0 ⁷
09/07/01 ⁸	327.83	317.92	9.91	1,200	70	<0.50	42	1.9	<2.5
12/05/01	327.83	319.02	8.81	1,600	45	<2.0	26	<1.5	<2.5
03/26/02	327.83	318.90	8.93	590	6.0	<0.50	<0.50	<1.5	<2.5
06/14/02	327.83	318.97	8.86	740	15	<0.50	<0.50	<1.5	<2.5
09/20/02	327.83	319.83	8.00	770	9.8	1.9	0.71	<1.5	<2.5
12/12/02	327.83	319.83	8.00	780	5.7	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	327.83	320.05	7.78	1,100	130	<0.50	19	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	327.83	320.79	7.04	61	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	327.83	318.79	9.04	390	<0.5	<0.5	<0.5	<0.5	0.9
12/15/03 ⁹	327.83	319.24	8.59	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	327.83	318.92	8.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	327.83	318.62	9.21	700	<0.5	<0.5	<0.5	<0.5	19
09/02/04 ⁹	327.83	319.14	8.69	610	<0.5	<0.5	<0.5	<0.5	15
11/30/04 ⁹	327.83	319.28	8.55	290	0.9	<0.5	<0.5	<0.5	14
03/11/05 ⁹	327.83	320.57	7.26	720	<0.5	<0.5	<0.5	<0.5	56
06/29/05 ⁹	327.83	320.72	7.11	370	<0.5	<0.5	<0.5	<0.5	22
09/14/05 ⁹	327.83	320.51	7.32	310	<0.5	<0.5	<0.5	<0.5	8

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)									
12/06/05 ⁹	327.83	320.21	7.62	190	<0.5	<0.5	<0.5	<0.5	4
03/10/06 ⁹	327.83	319.40	8.43	110	<0.5	<0.5	<0.5	<0.5	4
06/06/06 ⁹	327.83	318.59	9.24	510	<0.5	<0.5	<0.5	<0.5	5
09/05/06 ⁹	327.83	318.47	9.36	290	<0.5	<0.5	<0.5	<0.5	4
12/01/06⁹	327.83	318.22	9.61	230	<0.5	<0.5	<0.5	<0.5	4
MW-7									
06/17/97	326.37	318.32	8.05	ND	ND	ND	ND	ND	ND
09/30/97	326.37	318.78	7.59	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	326.37	318.49	7.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	326.37	319.06	7.31	<50	2.6	<0.5	<0.5	<0.5	<2.5
06/29/98	326.37	318.39	7.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	326.37	318.55	7.82	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	326.37	318.37	8.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	326.37	318.43	7.94	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/25/99	326.37	318.65	7.72	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	326.37	317.61	8.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	326.37	318.42	7.95	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	326.37	319.38	6.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	326.37	318.64	7.73	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00 ⁶	326.37	318.21	8.16	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	326.37	317.06	9.31	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	326.37	318.65	7.72	<50.0	<0.500	<0.500	<0.500	<0.500	1.10
06/01/01	326.37	318.40	7.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	326.37	318.61	7.76	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	326.37	318.99	7.38	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	326.37	318.96	7.41	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	326.37	318.85	7.52	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	326.37	319.65	6.72	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	326.37	319.18	7.19	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	326.37	319.48	6.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	326.37	319.62	6.75	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	326.37	318.75	7.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	326.37	319.16	7.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	326.37	318.48	7.89	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	326.37	318.56	7.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	326.37	318.59	7.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7 (cont)									
11/30/04 ⁹	326.37	318.67	7.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	326.37	320.14	6.23	<50	<0.5	<0.5	<0.5	<0.5	0.7
06/29/05 ⁹	326.37	319.84	6.53	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	326.37	319.69	6.68	<50	<0.5	<0.5	<0.5	<0.5	11
12/06/05 ⁹	326.37	319.34	7.03	<50	<0.5	<0.5	<0.5	<0.5	12
03/10/06 ⁹	326.37	319.27	7.10	<50	<0.5	<0.5	<0.5	<0.5	8
06/06/06 ⁹	326.37	318.60	7.77	<50	<0.5	<0.5	<0.5	<0.5	9
09/05/06 ⁹	326.37	318.55	7.82	<50	<0.5	<0.5	<0.5	<0.5	6
12/01/06⁹	326.37	318.32	8.05	<50	<0.5	<0.5	<0.5	<0.5	2
MW-8									
06/17/97	325.89	318.15	7.74	ND	ND	ND	ND	ND	ND
09/30/97	325.89	318.16	7.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	325.89	318.27	7.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	325.89	318.48	7.41	<50	<0.5	1.3	0.67	3.5	<2.5
06/29/98	325.89	317.98	7.91	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	325.89	318.42	7.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	325.89	318.28	7.61	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	325.89	316.81	9.08	<50	<0.5	<0.5	<0.5	<0.5	5.01
06/25/99	325.89	315.94	9.95	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	325.89	316.00	9.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	325.89	317.14	8.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	325.89	317.11	8.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	325.89	318.34	7.55	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	325.89	317.64	8.25	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	325.89	317.45	8.44	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	325.89	318.32	7.57	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01	325.89	317.97	7.92	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	325.89	318.11	7.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	325.89	318.57	7.32	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	325.89	318.18	7.71	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	325.89	318.24	7.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	325.89	318.53	7.36	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	325.89	319.00	6.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	325.89	318.94	6.95	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	325.89	319.09	6.80	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	325.89	317.24	8.65	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8 (cont)									
12/15/03 ⁹	325.89	317.62	8.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	325.89	318.64	7.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	325.89	318.03	7.86	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	325.89	318.05	7.84	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	325.89	318.16	7.73	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	325.89	319.46	6.43	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	325.89	317.50	8.39	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	325.89	318.58	7.31	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/06/05	325.89	318.78	7.11	SAMPLED ANNUALLY		--	--	--	--
03/10/06 ⁹	325.89	318.77	7.12	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06	325.89	318.45	7.44	SAMPLED ANNUALLY		--	--	--	--
09/05/06	325.89	318.08	7.81	SAMPLED ANNUALLY		--	--	--	--
12/01/06	325.89	318.55	7.34	SAMPLED ANNUALLY		--	--	--	--
MW-9									
06/20/97	325.73	317.88	7.85	ND	ND	ND	ND	ND	ND
10/01/97	325.73	318.10	7.63	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	325.73	318.53	7.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	325.73	318.52	7.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/98	325.73	315.31	10.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	325.73	315.99	9.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	325.73	317.59	8.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	325.73	317.62	8.11	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/25/99	325.73	318.28	7.45	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	325.73	316.87	8.86	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	325.73	317.93	7.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	325.73	318.37	7.36	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	325.73	318.39	7.34	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	325.73	317.61	8.12	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	325.73	317.46	8.27	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	325.73	318.34	7.39	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01	325.73	317.92	7.81	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	325.73	317.55	8.18	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	325.73	318.58	7.15	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	325.73	318.47	7.26	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	325.73	318.62	7.11	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	325.73	318.74	6.99	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-9 (cont)									
12/12/02	325.73	318.92	6.81	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	325.73	318.95	6.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	325.73	319.09	6.64	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	325.73	318.30	7.43	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	325.73	318.65	7.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	325.73	318.43	7.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	325.73	318.28	7.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	325.73	318.48	7.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	325.73	318.62	7.11	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	325.73	319.44	6.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	325.73	319.11	6.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05	325.73	INACCESSIBLE - VEHICLE PARKED OVER WELL							
12/06/05	325.73	318.75	6.98	SAMPLED ANNUALLY		--	--	--	--
03/10/06 ⁹	325.73	318.72	7.01	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06	325.73	318.27	7.46	SAMPLED ANNUALLY		--	--	--	--
09/05/06	325.73	318.24	7.49	SAMPLED ANNUALLY		--	--	--	--
12/01/06	325.73	318.11	7.62	SAMPLED ANNUALLY		--	--	--	--
MW-1									
07/12/89	326.48	--	--	100	<0.5	<0.5	6.0	<0.5	--
08/02/89	326.48	318.38	8.10	--	--	--	--	--	--
10/24/89	326.48	318.97	7.51	<50	1.0	<0.5	13	<0.5	--
03/12/90	326.48	318.07	8.41	140	0.8	<0.5	1.0	<0.5	--
03/26/90	326.48	318.34	8.14	--	--	--	--	--	--
06/22/90	326.48	318.17	8.31	<50	<0.5	<0.5	<0.5	<0.5	--
09/11/90	326.48	318.35	8.14	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	326.48	318.34	8.02	77	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
MW-2									
07/17/89	327.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/02/89	327.53	318.48	9.05	--	--	--	--	--	--
10/24/89	327.53	318.29	9.24	<50	<0.5	<0.5	<0.5	<0.5	--
03/12/90	327.53	317.46	10.07	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/90	327.53	317.48	10.05	--	--	--	--	--	--
06/22/90	327.53	317.48	10.05	<50	<0.5	<0.5	<0.5	<0.5	--
09/11/90	327.53	317.85	9.68	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-2 (cont)									
04/18/91 ABANDONED	327.53	318.30	9.23	<50	<0.5	<0.5	<0.5	<0.5	--
MW-3									
07/17/89	326.47	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/02/89	326.47	318.32	8.15	--	--	--	--	--	--
10/24/89	326.47	318.88	7.59	<50	<0.5	<0.5	<0.5	<0.5	--
03/12/90	326.47	318.00	8.47	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/90	326.47	317.64	8.83	--	--	--	--	--	--
06/22/90	326.47	317.64	8.83	<50	0.4	<0.5	0.8	<0.5	--
09/11/90	326.47	318.06	8.41	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91 ABANDONED	326.47	318.49	7.98	<50	<0.5	<0.5	<0.5	<0.5	--
BAILER BLANK									
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/25/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
TRIP BLANK									
06/22/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
09/16/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/05/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/30/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/25/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/06/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK (cont)									
06/14/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/14/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/13/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/01/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	--	--	--	<50.0	<0.500	1.61	<0.500	0.593	<0.500
06/01/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/07/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA									
12/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/07/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/06/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA (cont)									
11/30/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/06/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/10/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/01/06⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled by reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

¹ Confirmation run.

² ORC installed.

³ ORC present in well.

⁴ Laboratory report indicates gasoline C6-C12.

⁵ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁶ Laboratory report indicates insufficient preservative to reduce sample pH to less than 2. Sample was analyzed within 14 days, but beyond the seventh day recommended for Benzene, Toluene, Xylenes, and Ethylbenzene.

⁷ MTBE by EPA Method 8260.

⁸ Removed ORC from well.

⁹ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DPE (ppb)	ETBE (ppb)	FAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-4	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	42	<2	<2	<2	<2	<2
	03/07/03	--	<5	430	<0.5	<0.5	3	<0.5	<0.5
	06/06/03	--	--	3	--	--	--	--	--
	09/05/03	<50	--	11	--	--	--	--	--
	12/15/03	<50	--	5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	17	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	0.7	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/06/05	SAMPLED ANNUALLY		--	--	--	--	--	--
03/10/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-5	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<10	<1	<1	<1	<1	<1	<1
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<200	--	<2	--	--	--	--	--
	12/15/03	<130	--	<1	--	--	--	--	--
	03/15/04	<130	<13	<1	<1	<1	<1	--	--
	06/14/04	<100	<10	<1	<1	<1	<1	--	--
	09/02/04	<250	<25	<3	<3	<3	<3	--	--
	11/30/04	<130	<13	<1	<1	<1	<1	--	--
	03/11/05	<100	<10	<1	<1	<1	<1	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/06/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/10/06	<50	13	<0.5	<0.5	<0.5	<0.5	--	--
	06/06/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/05/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
12/01/06	<50	<5	0.5	<0.5	<0.5	<0.5	<0.5	--	--
MW-6	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	4	<2

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DPE (ppb)	ETBE (ppb)	FAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-6 (cont)	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	1	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	0.9	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	19	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	15	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	14	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	56	<0.5	<0.5	3	--	--
	06/29/05	<50	<5	22	<0.5	<0.5	0.8	--	--
	09/14/05	<50	<5	8	<0.5	<0.5	<0.5	--	--
	12/06/05	<50	<5	4	<0.5	<0.5	<0.5	--	--
	03/10/06	<50	<5	4	<0.5	<0.5	<0.5	--	--
	06/06/06	<50	<5	5	<0.5	<0.5	<0.5	--	--
	09/05/06	<50	<5	4	<0.5	<0.5	<0.5	--	--
12/01/06	<50	<5	4	<0.5	<0.5	<0.5	<0.5	--	--
MW-7	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	0.7	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	11	<0.5	<0.5	<0.5	--	--
	12/06/05	<50	<5	12	<0.5	<0.5	<0.5	--	--
	03/10/06	<50	<5	8	<0.5	<0.5	<0.5	--	--
06/06/06	<50	<5	9	<0.5	<0.5	<0.5	--	--	
09/05/06	<50	<5	6	<0.5	<0.5	<0.5	--	--	
12/01/06	<50	<5	2	<0.5	<0.5	<0.5	<0.5	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DPE (ppb)	ETBE (ppb)	FAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-8	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/06/05	SAMPLED ANNUALLY			--	--	--	--	--
03/10/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--	
MW-9	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	INACCESSIBLE - VEHICLE PARKED OVER WELL			--	--	--	--	--
	12/06/05	SAMPLED ANNUALLY			--	--	--	--	--
03/10/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--	

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide/1,2-Dibromoethane
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-4	09/07/01	1.96	--
	12/05/01	1.96	--
	03/26/02	2.10	--
	06/14/02	3.10	--
	09/20/02	2.30	--
	12/12/02	2.10	--
	03/07/03	0.40	--
	06/06/03	2.10	--
	09/05/03	2.00	--
	12/15/03	2.46	--
	03/15/04	1.20	--
	06/14/04	1.80	--
	09/02/04	1.60	--
	11/30/04	1.80	--
	03/11/05	2.30	--
	06/29/05	2.40	--
	09/14/05	2.70	--
03/10/06	2.20	--	
MW-5	06/19/00	9.65	--
	09/18/00	3.59	--
	12/01/00	3.76	--
	03/13/01	3.59	--
	06/01/01	3.36	--
	09/07/01	4.02	--
	12/05/01	1.04	--
	03/26/02	1.00	--
	06/14/02	0.90	--
	09/20/02	1.00	--
	12/12/02	1.10	--
	03/07/03	0.10	--
	06/06/03	0.80	--
	09/05/03	1.00	--
	12/15/03	1.78	--
	03/15/04	1.60	--
	06/14/04	2.40	--
	09/02/04	1.90	--
	11/30/04	2.00	--
	03/11/05	2.30	--
	06/29/05	1.90	--
09/14/05	1.60	--	
12/06/05	2.10	--	
03/10/06	1.80	--	
06/06/06	1.10	--	
09/05/06	1.70	--	
12/01/06	1.90	--	
MW-6	06/19/00	5.88	--
	09/18/00	4.81	--
	12/01/00	4.27	--
	03/13/01	4.12	--
	06/01/01	3.84	--

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-6 (cont)	09/07/01	4.26	--
	12/05/01	1.26	--
	03/26/02	1.30	--
	06/14/02	1.40	--
	09/20/02	1.30	--
	12/12/02	1.40	--
	03/07/03	0.90	--
	06/06/03	1.20	--
	09/05/03	1.30	--
	12/15/03	1.91	--
	03/15/04	1.40	--
	06/14/04	1.50	--
	09/02/04	1.70	--
	11/30/04	1.80	--
	03/11/05	2.30	--
	06/29/05	1.50	--
	09/14/05	0.70	--
	12/06/05	1.60	--
	03/10/06	1.60	--
	06/06/06	0.60	--
09/05/06	1.20	--	
	12/01/06	1.40	--
MW-7	09/07/01	2.04	--
	12/05/01	1.84	--
	03/26/02	2.00	--
	06/14/02	2.00	--
	09/20/02	2.10	--
	12/12/02	2.00	--
	03/07/03	0.10	--
	06/06/03	1.50	--
	09/05/03	1.80	--
	12/15/03	3.02	--
	03/15/04	1.70	--
	06/14/04	1.10	--
	09/02/04	1.00	--
	11/30/04	0.90	--
	03/11/05	2.40	--
	06/29/05	2.20	--
	09/14/05	1.70	--
	12/06/05	2.00	--
	03/10/06	2.20	--
	06/06/06	0.90	--
09/05/06	0.93	--	
	12/01/06	1.12	--
MW-8	09/07/01	2.17	--
	12/05/01	2.10	--
	03/26/02	2.10	--
	06/14/02	2.00	--
	09/20/02	2.10	--
	12/12/02	2.20	--

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-8 (cont)	03/07/03	0.60	--
	06/06/03	1.70	--
	09/05/03	2.00	--
	12/15/03	2.93	--
	03/15/04	1.30	--
	06/14/04	1.60	--
	09/02/04	1.20	--
	11/30/04	1.30	--
	03/11/05	1.60	--
	06/29/05	1.20	--
	09/14/05	1.60	--
	03/10/06	1.50	--
	MW-9	09/07/01	1.72
12/05/01		2.21	--
03/26/02		2.20	--
06/14/02		1.90	--
09/20/02		2.00	--
12/12/02		2.10	--
03/07/03		0.60	--
06/06/03		1.80	--
09/05/03		1.90	--
12/15/03		3.15	--
03/15/04		1.80	--
06/14/04		1.00	--
09/02/04		1.10	--
11/30/04		1.20	--
03/11/05		0.20	--
06/29/05	1.60	--	
09/14/05	INACCESSIBLE - VEHICLE PARKED OVER WELL		--
03/10/06	1.40	--	

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured