

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|------------|------------|------------|------------|---------------|------------------|
| C-1 | | | | | | | | | | | | |
| 04/28/89 | 35.42 | 15.37 | 20.05 | -- | -- | 940 | 30 | 1.3 | 11 | 13 | -- | -- |
| 08/08/89 | 35.42 | 11.35 | 24.07 | -- | -- | 820 | 45 | 2.0 | 13 | 13 | -- | -- |
| 12/21/89 | 35.42 | 12.61 | 22.81 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/90 | 35.42 | 13.30 | 22.12 | -- | -- | 440 | 15 | 1.0 | 6.0 | 13 | -- | -- |
| 11/04/90 | 35.42 | 9.86 | 25.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 35.42 | 13.78 | 21.64 | -- | -- | 74 | 5.6 | 0.6 | 1.9 | 1.3 | -- | -- |
| 09/19/91 | 35.42 | 10.84 | 24.58 | -- | -- | 150 | 7.1 | <0.5 | 2.3 | 3.0 | -- | -- |
| 12/20/91 | 35.42 | 9.25 | 26.17 | -- | -- | 250 | 10 | <0.5 | 3.7 | 1.6 | -- | -- |
| 03/18/92 | 35.42 | 17.17 | 18.25 | -- | -- | 190 | 16 | <0.5 | 8.5 | 3 | -- | -- |
| 07/14/92 | 35.42 | 7.81 | 27.61 | -- | -- | 20,000 | 480 | 2,200 | 510 | 2,900 | -- | -- |
| 10/08/92 | 35.42 | 10.98 | 24.44 | -- | -- | 360 | 34 | 4.6 | 19 | 12 | -- | -- |
| 01/08/93 | 35.42 | 15.74 | 19.68 | -- | -- | 120 | 9.1 | 0.5 | 5.1 | 1.8 | -- | -- |
| 04/14/93 | 35.42 | 19.04 | 16.38 | -- | -- | 190 | 74 | 0.6 | 1.0 | 2.0 | -- | -- |
| 07/16/93 | 35.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/27/93 | 35.42 | 26.03 | 9.39 | -- | -- | 300 | 12 | <0.5 | 5.0 | 2.0 | -- | -- |
| 09/21/93 | 38.41 | 16.99 | 21.42 | -- | -- | 360 | 12 | 1.2 | 5.8 | 3.7 | -- | -- |
| 01/28/94 | 38.41 | 18.84 | 19.57 | -- | -- | 370 | 24 | 1.0 | 13 | 4.0 | -- | -- |
| 03/17/94 | 38.41 | 21.56 | 16.85 | -- | -- | 460 | 42 | <0.5 | 6.7 | 3.7 | -- | -- |
| 06/16/94 | 38.41 | 20.58 | 17.83 | -- | -- | 320 | 20 | 0.7 | 8.7 | 3.0 | -- | -- |
| 09/22/94 | 38.41 | 18.15 | 20.26 | -- | -- | 380 | 24 | 0.6 | 8.8 | 1.9 | -- | -- |
| 12/15/94 | 38.41 | 22.59 | 15.82 | -- | -- | 280 | 23 | 7.6 | 7.8 | 13 | -- | -- |
| 03/30/95 | 38.41 | 26.39 | 12.02 | -- | -- | 2,200 | 890 | 8.9 | 15 | <5.0 | -- | -- |
| 06/20/95 | 38.41 | 24.01 | 14.40 | -- | -- | 690 | 140 | <2.0 | 9.4 | 2.8 | -- | -- |
| 09/20/95 | 38.41 | 24.59 | 13.82 | -- | -- | 730 | 27 | 78 | 26 | 130 | -- | -- |
| 12/06/95 | 38.41 | 17.81 | 20.60 | -- | -- | 220 | 16 | <0.5 | 7.2 | 1.7 | 11 | -- |
| 03/21/96 | 38.41 | 26.76 | 11.65 | -- | -- | 640 | 170 | <2.0 | 6.7 | <2.0 | 35 | -- |
| 06/21/96 | 38.41 | 24.16 | 14.25 | -- | -- | 640 | 140 | <1.2 | 8.7 | 2.0 | 23 | -- |
| 09/06/96 | 38.41 | 21.66 | 16.75 | -- | -- | 460 | 24 | 0.56 | 10 | 2.4 | 43 | -- |
| 12/19/96 | 38.41 | 24.43 | 13.98 | -- | -- | 790 | 120 | 22 | 13 | 19 | <25 | -- |
| 03/17/97 | 38.41 | 25.63 | 12.78 | -- | -- | 2,200 | 660 | <10 | 15 | <10 | 110 | -- |
| 06/11/97 | 38.41 | 23.25 | 15.16 | -- | -- | 1,500 | 130 | <2.0 | 16 | 3.4 | 130 | -- |
| 09/17/97 | 38.41 | 21.47 | 16.94 | -- | -- | 910 | 160 | 23 | 13 | 49 | 180 | -- |
| 12/11/97 | 38.41 | 25.23 | 13.18 | -- | -- | 2,000 | 270 | 7.0 | 53 | 7.4 | 460 | -- |
| 03/12/98 | 38.41 | 28.92 | 9.49 | -- | -- | 3,100 | 1,300 | <20 | 42 | <20 | 760 | -- |
| 06/23/98 | 38.41 | 28.19 | 10.22 | -- | -- | 1,300 | 650 | 6.9 | 22 | 6.5 | 290 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------------|---------------|--------------|--------------|---------------|-----------------------------|--------------------|------------|----------------|----------------|----------------|--------------------|------------------|
| C-1 (cont) | | | | | | | | | | | | |
| 09/01/98 | 38.41 | 21.43 | 16.98 | -- | -- | 270 | 6.0 | <2.5 | <2.5 | <2.5 | 950 | -- |
| 12/30/98 | 38.41 | 22.29 | 16.12 | -- | -- | 2,020 | 578 | <5.0 | <5.0 | <5.0 | 1,720 | -- |
| 03/31/99 | 38.41 | 24.53 | 13.88 | -- | -- | 2,140 | 776 | 5.89 | <5.0 | 5.15 | 1,170 | -- |
| 06/14/99 | 38.41 | 23.09 | 15.32 | -- | -- | 1,450 | 524 | <5.0 | <5.0 | <5.0 | 1,150 | -- |
| 06/14/99 ¹ | 38.41 | 23.09 | 15.32 | -- | -- | -- | -- | -- | -- | -- | 1,360 ² | -- |
| 09/30/99 | 38.41 | 22.30 | 16.11 | -- | -- | 79 | 1.12 | <0.5 | 1.07 | <0.5 | 677 | -- |
| 12/22/99 | 38.41 | 23.37 | 15.04 | -- | -- | 501 | 157 | 4.45 | <2.5 | 4.81 | 744 | -- |
| 03/09/00 | 38.41 | 31.28 | 7.13 | -- | -- | 3,300 | 2,500 | 28 | 37 | <25 | 1,700 | -- |
| 06/23/00 ³ | 38.41 | 25.86 | 12.55 | 0.00 | 0.00 | 2,200 ⁴ | 1,000 | 6.9 | 5.7 | 9.3 | 1,900 | -- |
| 09/05/00 ³ | 38.41 | 21.28 | 17.13 | 0.00 | 0.00 | <200 | 8.3 | <2.0 | <2.0 | <2.0 | 1,000 | -- |
| 12/04/00 | 38.41 | 21.48 | 16.93 | 0.00 | 0.00 | 1,400 ⁴ | 600 | <5.0 | <5.0 | <5.0 | 1,500 | -- |
| 03/08/01 ³ | 38.41 | 30.45 | 7.96 | 0.00 | 0.00 | 2,570 | 1,040 | 7.93 | 12.0 | <5.00 | 1,470 | -- |
| 06/07/01 ³ | 38.41 | 25.45 | 12.96 | 0.00 | 0.00 | 750 ⁴ | 220 | 5.6 | 4.8 | 2.6 | 2,500 ⁵ | -- |
| 09/13/01 ³ | 38.41 | 19.91 | 18.50 | 0.00 | 0.00 | 670 ⁶ | <5.0 | <5.0 | <5.0 | <5.0 | 660 | -- |
| 12/13/01 ³ | 38.41 | 23.02 | 15.39 | 0.00 | 0.00 | 1,100 | 340 | 2.1 | 0.95 | 7.9 | 630 | -- |
| 03/08/02 ³ | 38.41 | 28.35 | 10.06 | 0.00 | 0.00 | 3,600 | 1,400 | 9.5 | 17 | 6.5 | 1,900 | -- |
| 06/19/02 ³ | 38.41 | 24.92 | 13.49 | 0.00 | 0.00 | 1,300 | 220 | 3.4 | 2.7 | <3.0 | 1,400 | -- |
| 09/11/02 ³ | 38.41 | 21.18 | 17.23 | 0.00 | 0.00 | 400 | 22 | <0.50 | <0.50 | <1.5 | 780 | -- |
| 12/11/02 ³ | 38.41 | 19.81 | 18.60 | 0.00 | 0.00 | 180 | 4.2 | <0.50 | 1.1 | <1.5 | 350 | -- |
| 03/11/03 ³ | 38.41 | 25.81 | 12.60 | 0.00 | 0.00 | 3,500 | 1,100 | 9.1 | 12 | 8.0 | 1,600 | -- |
| 06/10/03 ^{3,7} | 38.41 | 25.73 | 12.68 | 0.00 | 0.00 | 1,600 | 350 | 2 | 3 | 3 | 1,300 | -- |
| 09/09/03 ^{3,7} | 38.41 | 21.66 | 16.75 | 0.00 | 0.00 | 290 | 4 | <1 | 1 | 1 | 710 | <100 |
| 12/09/03 ^{7,9} | 38.41 | 20.73 | 17.68 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 200 | <50 |
| 03/09/04 ⁷ | 38.41 | 30.61 | 7.80 | 0.00 | 0.00 | 7,100 | 2,000 | 15 | 23 | 10 | 1,100 | <50 |
| 06/08/04 ⁷ | 38.41 | 27.29 | 11.12 | 0.00 | 0.00 | 2,300 | 840 | 6 | 5 | 4 | 1,100 | <50 |
| 09/08/04 ⁷ | 38.41 | 24.11 | 14.30 | 0.00 | 0.00 | 150 | 110 | 2 | 0.5 | 1 | 730 | <50 |
| 12/06/04 ⁷ | 38.41 | 25.15 | 13.26 | 0.00 | 0.00 | 2,100 | 480 | 4 | 2 | 2 | 530 | <50 |
| 03/07/05 ⁷ | 38.41 | 31.93 | 6.48 | 0.00 | 0.00 | 4,100 | 1,200 | 9 | 10 | 5 | 1,100 | <100 |
| 06/06/05 ⁷ | 38.41 | 29.56 | 8.85 | 0.00 | 0.00 | 3,400 | 990 | 8 | 9 | 5 | 1,100 | <100 |
| 09/06/05 ⁷ | 38.41 | 26.99 | 11.42 | 0.00 | 0.00 | 1,100 | 83 | 2 | 0.9 | 1 | 810 | <50 |
| 12/05/05 ⁷ | 38.41 | 27.43 | 10.98 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 78 | <50 |
| 03/06/06 ⁷ | 38.41 | 30.64 | 7.77 | 0.00 | 0.00 | 3,700 | 880 | 10 | 8 | 7 | 1,300 | <50 |
| 06/05/06 ⁷ | 38.41 | 29.51 | 8.90 | 0.00 | 0.00 | 380 | 7 | <0.5 | <0.5 | <0.5 | 960 | <50 |
| 09/05/06 ⁷ | 38.41 | 27.32 | 11.09 | 0.00 | 0.00 | 260 | <0.5 | <0.5 | <0.5 | <0.5 | 390 | <50 |
| 12/04/06⁷ | 38.41 | 27.49 | 10.92 | 0.00 | 0.00 | 270 | 20 | <0.5 | <0.5 | <0.5 | 250 | <50 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|------------|------------|------------|------------|---------------|------------------|
| C-2 | | | | | | | | | | | | |
| 04/28/89 | 35.18 | 8.74 | 26.44 | -- | -- | 120,000 | 30,000 | 22,000 | 3,000 | 17,000 | -- | -- |
| 08/08/89 | 35.18 | 5.29 | 29.90 | 0.01 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/21/89 | 35.18 | 5.86 | 29.32 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/90 | 35.18 | 5.77 | 29.55 | 0.17 | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/04/90 | 35.18 | 4.71 | 30.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 35.18 | 6.90 | 28.33 | 0.06 | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/19/91 | 35.18 | 5.84 | 29.39 | 0.06 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/20/91 | 35.18 | 5.95 | 29.23 | -- | -- | 170,000 | 20,000 | 10,000 | 2,800 | 19,000 | -- | -- |
| 03/18/92 | 35.18 | 21.58 | 13.60 | 0.09 | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/14/92 | 35.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/08/92 | 35.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/08/93 | 35.18 | 10.98 | 24.20 | Sheen | -- | 79,000 | 14,000 | 7,200 | 3,500 | 16,000 | -- | -- |
| 04/14/93 | 35.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/16/93 | 35.18 | 5.03 | 30.15 | -- | -- | 2200 | 440 | 73 | 24 | 350 | -- | -- |
| 09/21/93 | 37.47 | 11.18 | 26.29 | -- | -- | 11,000 | 2,300 | 300 | 270 | 910 | -- | -- |
| 01/28/94 | 37.47 | 13.51 | 23.96 | -- | -- | 49,000 | 11,000 | 3,900 | 1,600 | 12,000 | -- | -- |
| 03/17/94 | 37.47 | 11.48 | 25.99 | -- | -- | 16,000 | 3,300 | 1,000 | 220 | 3,500 | -- | -- |
| 06/16/94 | 37.47 | 13.55 | 23.92 | -- | -- | 20,000 | 4,800 | 1500 | 520 | 4,300 | -- | -- |
| 09/22/94 | 37.47 | 11.85 | 25.62 | -- | -- | 35,000 | 5,600 | 850 | 1,700 | 7,300 | -- | -- |
| 12/15/94 | 37.47 | 16.31 | 21.16 | -- | -- | 96,000 | 9,000 | 3,500 | 3,300 | 13,000 | -- | -- |
| 03/30/95 | 37.47 | 20.29 | 17.18 | -- | -- | 100,000 | 9,400 | 3,700 | 3,900 | 14,000 | -- | -- |
| 06/20/95 | 37.47 | 18.52 | 18.95 | -- | -- | 93,000 | 6,400 | 1,900 | 2,900 | 11,000 | -- | -- |
| 09/20/95 | 37.47 | 19.27 | 18.20 | -- | -- | 58,000 | 6,600 | 330 | 1,600 | 5,500 | -- | -- |
| 12/06/95 | 37.47 | 12.71 | 24.76 | -- | -- | 40,000 | 5,000 | 86 | 1,800 | 3,700 | <500 | -- |
| 03/21/96 | 37.47 | 21.30 | 16.17 | 0.00 | 0.13 | -- | -- | -- | -- | -- | -- | -- |
| 06/21/96 | 37.47 | 19.34 | 18.15 | 0.02 | 0.03 | -- | -- | -- | -- | -- | -- | -- |
| 09/06/96 | 37.47 | 16.36 | 21.14 | 0.04 | 0.08 | -- | -- | -- | -- | -- | -- | -- |
| 12/19/96 | 37.47 | 19.94 | 17.55 | 0.03 | 0.05 | -- | -- | -- | -- | -- | -- | -- |
| 03/17/97 | 37.47 | 18.88 | 18.59 | -- | -- | 58,000 | 4,800 | 1,200 | 1,800 | 6,300 | 3,400 | -- |
| 06/11/97 | 37.47 | 16.17 | 21.30 | -- | -- | 40,000 | 5,500 | 720 | 1,400 | 4,100 | 3,100 | -- |
| 09/17/97 | 37.47 | 14.33 | 23.14 | -- | -- | 30,000 | 4,800 | 220 | 1,200 | 1,800 | 3,200 | -- |
| 12/11/97 | 37.47 | 20.26 | 17.21 | -- | -- | 76,000 | 6,100 | 1,300 | 2,200 | 8,000 | 3,800 | -- |
| 03/12/98 | 37.47 | 23.30 | 14.17 | -- | -- | 45,000 | 6,000 | 1,400 | 1,800 | 5,900 | 2,700 | -- |
| 06/23/98 ³ | 37.47 | 22.65 | 14.82 | -- | -- | 1,100,000 | 6,800 | 5,100 | 13,000 | 38,000 | <1,000 | -- |
| 09/01/98 | 37.47 | 15.69 | 21.78 | -- | -- | 9,700 | 300 | 8.2 | 6.2 | 250 | 3,700 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH | | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------------|---------------|--------------|--------------|---------------|----------------------|---------------------|--------------|------------|------------|------------|--------------------|------------------|
| | | | | | REMOVED (gallons) | TPH-G (ppb) | | | | | | |
| C-2 (cont) | | | | | | | | | | | | |
| 12/30/98 | 37.47 | 15.61 | 21.86 | -- | -- | 110,000 | 4,790 | 1,300 | 841 | 5,570 | 2,420 | -- |
| 03/31/99 | 37.47 | 20.57 | 16.90 | -- | -- | 48,000 | 4,800 | 1,110 | 1,520 | 5,450 | 2,160 | -- |
| 06/14/99 | 37.47 | 17.32 | 20.15 | Sheen | -- | 56,400 | 5,380 | 671 | 1,300 | 3,960 | 2,480 | -- |
| 06/14/99 ¹ | 37.47 | 17.32 | 20.15 | -- | -- | -- | -- | -- | -- | -- | 2,630 ² | -- |
| 09/30/99 | 37.47 | 14.50 | 22.97 | -- | -- | 22,100 | 623 | <100 | 529 | 1,250 | 2,430 | -- |
| 12/22/99 | 37.47 | 16.47 | 21.00 | -- | -- | 10,200 | 1,750 | 102 | 222 | 963 | 1,980 | -- |
| 03/09/00 | 37.47 | 25.27 | 12.20 | -- | -- | 26,000 | 4,800 | 930 | 1,200 | 4,400 | 1,800 | -- |
| 06/23/00 ³ | 37.47 | 18.53 | 18.94 | 0.00 | 0.00 | 29,000 ⁴ | 3,400 | 360 | 440 | 2,500 | 2,800 | -- |
| 09/05/00 ³ | 37.47 | 17.01 | 20.46 | 0.00 | 0.00 | 35,000 ⁴ | 3,800 | 54 | 980 | 750 | 5,200 | -- |
| 12/04/00 | 37.47 | 16.54 | 20.93 | 0.00 | 0.00 | 16,000 ⁴ | 2,500 | 120 | 360 | 1,100 | 2,100 | -- |
| 03/08/01 ³ | 37.47 | 20.53 | 16.94 | 0.00 | 0.00 | 42,300 | 3,930 | 828 | 2,010 | 5,180 | 1,660 | -- |
| 06/07/01 ³ | 37.47 | 18.13 | 19.34 | 0.00 | 0.00 | 15,000 ⁴ | 3,400 | 150 | 700 | 1,300 | 1,900 | -- |
| 09/13/01 ³ | 37.47 | 15.28 | 22.19 | 0.00 | 0.00 | 9,600 | 1,200 | <50 | 120 | 160 | 2,200 | -- |
| 12/13/01 ³ | 37.47 | 19.87 | 17.60 | 0.00 | 0.00 | 33,000 | 3,200 | 430 | 1,300 | 3,700 | 1,400 | -- |
| 03/08/02 ³ | 37.47 | 23.18 | 14.29 | 0.00 | 0.00 | 26,000 | 2,900 | 390 | 1,200 | 2,800 | 1,100 | -- |
| 06/19/02 ³ | 37.47 | 18.36 | 19.11 | 0.00 | 0.00 | 19,000 | 3,000 | 100 | 720 | 1,100 | 1,400 | -- |
| 09/11/02 ³ | 37.47 | 16.79 | 20.68 | 0.00 | 0.00 | 10,000 | 1,400 | 23 | 120 | 78 | 1,800 | -- |
| 12/11/02 ³ | 37.47 | 15.36 | 22.11 | 0.00 | 0.00 | 8,700 | 1,300 | 24 | 100 | 250 | 1,900 | -- |
| 03/11/03 ³ | 37.47 | 22.86 | 14.61 | 0.00 | 0.00 | 23,000 | 2,000 | 280 | 1,100 | 2,100 | 990 | -- |
| 06/10/03 ^{3,7} | 37.47 | 20.36 | 17.11 | 0.00 | 0.00 | 14,000 | 1,300 | 91 | 450 | 720 | 480 | -- |
| 09/09/03 ^{3,7} | 37.47 | 16.33 | 21.14 | 0.00 | 0.00 | 6,800 | 1,100 | 9 | 83 | 47 | 1,300 | <200 |
| 12/09/03 ⁷ | 37.47 | 18.27 | 19.20 | 0.00 | 0.00 | 22,000 | 1,100 | 120 | 570 | 1,000 | 460 | <250 |
| 03/09/04 ⁷ | 37.47 | 25.65 | 11.82 | 0.00 | 0.00 | 24,000 | 1,800 | 420 | 820 | 2,100 | 480 | <250 |
| 06/08/04 ⁷ | 37.47 | 21.05 | 16.42 | 0.00 | 0.00 | 1,200 | 180 | 5 | 1 | 10 | 170 | <50 |
| 09/08/04 ⁷ | 37.47 | 24.32** | 13.16 | 0.01 | 0.00 | 16,000 | 340 | 13 | 290 | 200 | 170 | <250 |
| 12/06/04 ⁷ | 37.47 | 23.36** | 14.12 | 0.01 | 0.00 | 13,000 | 730 | 130 | 340 | 570 | 280 | <100 |
| 03/07/05 ⁷ | 37.47 | 26.91** | 10.57 | 0.01 | 0.00 | 18,000 | 2,200 | 470 | 770 | 2,000 | 420 | <250 |
| 06/06/05 ⁷ | 37.47 | 24.78 | 12.69 | 0.00 | 0.00 | 9,800 | 940 | 79 | 300 | 490 | 200 | <100 |
| 09/06/05 ⁷ | 37.47 | 22.69 | 14.78 | 0.00 | 0.00 | 9,300 | 380 | 8 | 89 | 76 | 170 | <100 |
| 12/05/05 ⁷ | 37.47 | 23.25 | 14.22 | 0.00 | 0.00 | 8,300 | 190 | 8 | 68 | 67 | 56 | <50 |
| 03/06/06 ⁷ | 37.47 | 27.73 | 9.74 | 0.00 | 0.00 | 1,900 | 41 | 5 | 13 | 43 | 6 | <50 |
| 06/05/06 ⁷ | 37.47 | 27.72 | 9.75 | 0.00 | 0.00 | 8,800 | 680 | 99 | 200 | 460 | 170 | <50 |
| 09/05/06 ⁷ | 37.47 | 25.51 | 11.96 | 0.00 | 0.00 | 8,200 | 1,200 | 24 | 170 | 65 | 65 | <100 |
| 12/04/06⁷ | 37.47 | 25.04 | 12.43 | 0.00 | 0.00 | 9,500 | 1,800 | 38 | 140 | 94 | 94 | <100 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|------------|------------|------------|------------|---------------|------------------|
| C-3 | | | | | | | | | | | | |
| 04/28/89 | 35.28 | 7.28 | 28.00 | -- | -- | <500 | 1.7 | <0.5 | <0.5 | <0.5 | -- | -- |
| 08/08/89 | 35.28 | 5.28 | 30.00 | -- | -- | <500 | 1.0 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/21/89 | 35.28 | 4.75 | 30.53 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/90 | 35.28 | 5.60 | 29.68 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | -- | -- |
| 11/04/90 | 35.30 | 4.94 | 30.36 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 35.30 | 6.84 | 28.46 | -- | -- | 52 | 1.1 | <0.5 | <0.5 | 1.2 | -- | -- |
| 09/19/91 | 35.30 | 5.97 | 29.33 | -- | -- | 73 | 1.2 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/20/91 | 35.30 | 5.53 | 29.77 | -- | -- | <50 | 0.7 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/18/92 | 35.30 | 9.55 | 25.75 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/14/92 | 35.30 | 7.43 | 27.87 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 10/08/92 | 35.30 | 6.75 | 28.55 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | 0.5 | -- | -- |
| 01/08/93 | 35.30 | 9.45 | 25.85 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 04/14/93 | 35.30 | 11.34 | 23.96 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/16/93 | 35.30 | 9.66 | 25.64 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/21/93 | 38.37 | 12.15 | 26.22 | -- | -- | <50 | 0.7 | <0.5 | <0.5 | <0.8 | -- | -- |
| 01/28/94 | 38.37 | 12.71 | 25.66 | -- | -- | <50 | 2.0 | <0.5 | <0.5 | 1.0 | -- | -- |
| 03/17/94 | 38.37 | 13.42 | 24.95 | -- | -- | <50 | 2.8 | <0.5 | 0.6 | 1.5 | -- | -- |
| 06/16/94 | 38.37 | 14.06 | 24.31 | -- | -- | <50 | 1.4 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/22/94 | 38.37 | 13.33 | 25.04 | -- | -- | <50 | 0.6 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/15/94 | 38.37 | 16.15 | 22.22 | -- | -- | <50 | 2.6 | 1.7 | 0.82 | 4.5 | -- | -- |
| 03/30/95 | 38.37 | 19.95 | 18.42 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/20/95 | 38.37 | 18.58 | 19.79 | -- | -- | 110 | 2.2 | <0.5 | <0.5 | 1.2 | -- | -- |
| 09/20/95 | 38.37 | 19.42 | 18.95 | -- | -- | 560 | 21 | 80 | 23 | 120 | -- | -- |
| 12/06/95 | 38.37 | 14.21 | 24.16 | -- | -- | <50 | 0.73 | <0.5 | <0.5 | 0.67 | <2.5 | -- |
| 03/21/96 | 38.37 | 20.52 | 17.85 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/21/96 | 38.37 | 18.59 | 19.78 | -- | -- | 57 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/06/96 | 38.37 | 16.74 | 21.63 | -- | -- | <50 | 0.9 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/19/96 | 38.37 | 16.07 | 22.30 | -- | -- | 310 | 36 | 33 | 6.5 | 28 | <2.5 | -- |
| 03/17/97 | 38.37 | 19.42 | 18.95 | -- | -- | 54 | 1.1 | <0.5 | <0.5 | 0.76 | <2.5 | -- |
| 06/11/97 | 38.37 | 17.22 | 21.15 | -- | -- | 120 | 1.1 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/17/97 | 38.37 | 15.96 | 22.41 | -- | -- | 240 | 19 | 19 | 6.6 | 40 | 13 | -- |
| 12/11/97 | 38.37 | 16.11 | 22.26 | -- | -- | <50 | 1.8 | <0.5 | <0.5 | 0.5 | <2.5 | -- |
| 03/12/98 | 38.37 | 20.02 | 18.35 | -- | -- | 72 | 6.3 | <0.5 | 0.64 | 3.1 | 2.6 | -- |
| 06/23/98 | 38.37 | 19.33 | 19.04 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/01/98 | 38.37 | 18.40 | 19.97 | -- | -- | 200 | 6.8 | 0.31 | 0.52 | 2.0 | <2.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------------|---------------|--------------|--------------|---------------|-----------------------------|------------------|----------------|----------------|----------------|----------------|----------------|------------------|
| C-3 (cont) | | | | | | | | | | | | |
| 12/30/98 | 38.37 | 17.06 | 21.31 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- |
| 03/31/99 | 38.37 | 20.60 | 17.77 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12.6 | -- |
| 06/14/99 | 38.37 | 20.12 | 18.25 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/30/99 | 38.37 | 17.18 | 21.19 | -- | -- | 79.2 | 3.04 | 0.794 | <0.5 | 1.04 | 6.17 | -- |
| 12/22/99 | 38.37 | 16.05 | 22.32 | -- | -- | <50 | 1.53 | 1.08 | <0.5 | 0.66 | 12 | -- |
| 03/09/00 | 38.37 | 21.27 | 17.10 | -- | -- | 99 | 6.9 | 0.8 | 0.89 | 3.8 | 12 | -- |
| 06/23/00 | 38.37 | 19.22 | 19.15 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| 09/05/00 | 38.37 | 17.53 | 20.84 | 0.00 | 0.00 | 52 ⁴ | 4.3 | <0.50 | <0.50 | 0.93 | 29 | -- |
| 12/04/00 | 38.37 | 17.17 | 21.20 | 0.00 | 0.00 | 70 ⁴ | 4.0 | <0.50 | <0.50 | 0.71 | 25 | -- |
| 03/08/01 | 38.37 | 20.70 | 17.67 | 0.00 | 0.00 | <50.0 | 0.873 | <0.500 | <0.500 | <0.500 | 3.24 | -- |
| 06/07/01 | 38.37 | 19.47 | 18.90 | 0.00 | 0.00 | 140 ⁴ | 16 | 0.67 | 1.4 | 3.8 | 30 | -- |
| 09/13/01 | 38.37 | 17.36 | 21.01 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| 12/13/01 | 38.37 | 18.57 | 19.80 | 0.00 | 0.00 | <50 | 1.2 | <0.50 | <0.50 | <1.5 | 15 | -- |
| 03/08/02 | 38.37 | 20.59 | 17.78 | 0.00 | 0.00 | 82 | 5.4 | <0.50 | <0.50 | <1.5 | 68 | -- |
| 06/19/02 | 38.37 | 19.97 | 18.40 | 0.00 | 0.00 | 74 | 2.1 | <0.50 | <0.50 | <1.5 | 77 | -- |
| 09/11/02 | 38.37 | 18.20 | 20.17 | 0.00 | 0.00 | 110 | 4.7 | <0.50 | <0.50 | <1.5 | 76 | -- |
| 12/11/02 | 38.37 | 16.62 | 21.75 | 0.00 | 0.00 | 79 | 1.5 | <0.50 | <0.50 | <1.5 | 96 | -- |
| 03/11/03 | 38.37 | 19.30 | 19.07 | 0.00 | 0.00 | <50 | 2.1 | <0.50 | <0.50 | <1.5 | 18 | -- |
| 06/10/03 ⁷ | 38.37 | 19.29 | 19.08 | 0.00 | 0.00 | 86 | 2 | <0.5 | <0.5 | <0.5 | 93 | -- |
| 09/09/03 ⁷ | 38.37 | 17.67 | 20.70 | 0.00 | 0.00 | <50 | 2 | <0.5 | <0.5 | <0.5 | 160 | <50 |
| 12/09/03 ⁷ | 38.37 | 17.32 | 21.05 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <50 |
| 03/09/04 ⁷ | 38.37 | 22.12 | 16.25 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/08/04 ⁷ | 38.37 | 19.87 | 18.50 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 09/08/04 ⁷ | 38.37 | 18.36 | 20.01 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 22 | <50 |
| 12/06/04 ⁷ | 38.37 | 19.07 | 19.30 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 03/07/05 ⁷ | 38.37 | 20.35 | 18.02 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/06/05 ⁷ | 38.37 | 19.29 | 19.08 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 09/06/05 ⁷ | 38.37 | 20.22 | 18.15 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 12/05/05 ⁷ | 38.37 | 20.52 | 17.85 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 03/06/06 ⁷ | 38.37 | 20.44 | 17.93 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/05/06 ⁷ | 38.37 | 23.02 | 15.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 65 | <50 |
| 09/05/06 ⁷ | 38.37 | 19.95 | 18.42 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 12/04/06⁷ | 38.37 | 20.08 | 18.29 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|------------|------------|------------|------------|---------------|------------------|
| C-4 | | | | | | | | | | | | |
| 01/12/89 | 33.45 | 3.96 | 29.49 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/12/89 | 33.45 | 6.01 | 27.44 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 04/28/89 | 33.45 | 3.96 | 29.49 | -- | -- | 20,000 | 6,300 | 550 | 230 | 1,500 | -- | -- |
| 08/08/89 | 33.45 | 3.90 | 29.55 | -- | -- | 8,000 | 7,500 | 340 | 88 | 1,000 | -- | -- |
| 12/21/89 | 33.45 | 3.43 | 30.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/27/90 | 33.48 | 4.46 | 29.02 | -- | -- | 26,000 | 10,000 | 280 | 410 | 1,400 | -- | -- |
| 11/04/90 | 33.48 | 3.67 | 29.81 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 33.48 | 6.03 | 27.45 | -- | -- | 34,000 | 14,000 | 410 | 450 | 1,300 | -- | -- |
| 09/19/91 | 33.48 | 4.83 | 28.65 | -- | -- | 16,000 | 7,400 | 90 | 110 | 460 | -- | -- |
| 12/20/91 | 33.48 | 4.64 | 28.84 | -- | -- | 24,000 | 12,000 | 120 | 260 | 740 | -- | -- |
| 03/18/92 | 33.48 | 11.05 | 24.43 | -- | -- | 48,000 | 6,000 | 1,300 | 1,300 | 2,400 | -- | -- |
| 07/14/92 | 33.48 | 6.59 | 26.89 | -- | -- | 40,000 | 14,000 | 920 | 550 | 2,400 | -- | -- |
| 10/08/92 | 33.48 | 5.69 | 27.79 | -- | -- | 29,000 | 13,000 | 190 | 110 | 1,400 | -- | -- |
| 01/08/93 | 33.48 | 9.98 | 23.50 | -- | -- | 25,000 | 7,000 | 630 | 860 | 1,800 | -- | -- |
| 04/14/93 | 33.48 | 12.35 | 21.13 | -- | -- | 27,000 | 6,300 | 1,000 | 900 | 1,400 | -- | -- |
| 07/16/93 | 33.48 | 9.52 | 23.96 | -- | -- | 28,000 | 7,800 | 1,100 | 830 | 2,100 | -- | -- |
| 09/21/93 | 36.49 | 10.98 | 25.51 | -- | -- | 30,000 | 9,600 | 130 | 390 | 1,300 | -- | -- |
| 01/28/94 | 36.49 | 13.18 | 23.31 | -- | -- | 18,000 | 7,800 | 440 | 260 | 1,200 | -- | -- |
| 03/17/94 | 36.49 | 15.14 | 21.35 | -- | -- | 32,000 | 7,800 | 820 | 820 | 1,800 | -- | -- |
| 06/16/94 | 36.49 | 13.99 | 22.50 | -- | -- | 25,000 | 7,600 | 710 | 600 | 1,800 | -- | -- |
| 09/22/94 | 36.49 | 12.56 | 23.93 | -- | -- | 25,000 | 7,800 | 140 | 600 | 1,100 | -- | -- |
| 12/15/94 | 36.49 | 17.47 | 19.02 | -- | -- | 38,000 | 7,600 | 460 | 1,200 | 2,000 | -- | -- |
| 03/30/95 | 36.49 | 21.63 | 14.86 | -- | -- | 41,000 | 8,700 | 1,600 | 1,800 | 3,000 | -- | -- |
| 06/20/95 | 36.49 | 19.59 | 16.90 | -- | -- | 29,000 | 6,000 | 890 | 960 | 1,800 | -- | -- |
| 09/20/95 | 36.49 | 20.29 | 16.20 | -- | -- | 12,000 | 6,900 | 510 | 290 | 1,300 | -- | -- |
| 12/06/95 | 36.49 | 13.37 | 23.12 | -- | -- | 13,000 | 3,900 | 42 | 30 | 250 | <250 | -- |
| 03/21/96 | 36.49 | 22.39 | 14.10 | -- | -- | 39,000 | 4,800 | 640 | 1,000 | 1,800 | <1,000 | -- |
| 06/21/96 | 36.49 | 19.54 | 16.95 | -- | -- | 26,000 | 4,400 | 640 | 960 | 1,800 | 2,000 | -- |
| 09/06/96 | 36.49 | 16.36 | 20.13 | -- | -- | 23,000 | 500 | 200 | 230 | 1,000 | 3,100 | -- |
| 12/19/96 | 36.49 | 19.57 | 16.92 | -- | -- | 23,000 | 4,900 | 320 | 1,100 | 2,000 | <250 | -- |
| 03/17/97 | 36.49 | 19.09 | 17.40 | -- | -- | 30,000 | 5,800 | 700 | 1,400 | 2,200 | 1,700 | -- |
| 06/11/97 | 36.49 | 18.15 | 18.34 | -- | -- | 29,000 | 4,400 | 520 | 790 | 1,800 | 2,000 | -- |
| 09/17/97 | 36.49 | 15.03 | 21.46 | -- | -- | 17,000 | 4,300 | 140 | 940 | 1,100 | 4,600 | -- |
| 12/11/97 | 36.49 | 19.84 | 16.65 | -- | -- | 12,000 | 2,500 | 130 | 300 | 1,000 | 1,400 | -- |
| 03/12/98 | 36.49 | 19.90 | 16.59 | -- | -- | 46,000 | 11,000 | 1,500 | 2,300 | 5,000 | 3,400 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-------------------------|---------------|--------------|--------------|---------------|-----------------------------|------------------|------------|------------|------------|------------|------------------|------------------|
| C-4 (cont) | | | | | | | | | | | | |
| 06/23/98 ³ | 36.49 | 19.47 | 17.02 | -- | -- | 27,000 | 1,600 | 160 | 180 | 690 | 100 | -- |
| 09/01/98 | 36.49 | 15.04 | 21.45 | -- | -- | 520 | 14 | 2.3 | <0.5 | 4.8 | 61 | -- |
| 12/30/98 | 36.49 | 15.07 | 21.42 | -- | -- | 122 | 14.1 | 1.86 | <1.0 | 3.61 | 349 | -- |
| 03/31/99 | 36.49 | 21.29 | 15.20 | -- | -- | 20,300 | 4,450 | 443 | 1,000 | 2,130 | 1,320 | -- |
| 06/14/99 | 36.49 | 14.69 | 21.80 | -- | -- | 1,820 | 183 | 7.14 | 36.7 | 56.5 | 291 | -- |
| 06/14/99 ¹ | 36.49 | 14.69 | 21.80 | -- | -- | -- | -- | -- | -- | -- | 280 ² | -- |
| 09/30/99 | 36.49 | 16.68 | 19.81 | -- | -- | 1,030 | 11.6 | 2.14 | 29.2 | 68.7 | 91.5 | -- |
| 12/22/99 | 36.49 | 16.22 | 20.27 | -- | -- | 217 | 4.45 | 0.765 | 2.82 | 8.21 | 70.2 | -- |
| 03/09/00 | 36.49 | 23.13 | 13.36 | -- | -- | 8,300 | 2,600 | 270 | 510 | 1,400 | 650 | -- |
| 06/23/00 ³ | 36.49 | 17.09 | 19.40 | 0.00 | 0.00 | 55 ⁴ | 1.2 | <0.50 | <0.50 | <0.50 | 250 | -- |
| 09/05/00 ³ | 36.49 | 15.06 | 21.43 | 0.00 | 0.00 | 110 ⁴ | 5.4 | <0.50 | <0.50 | 1.1 | 52 | -- |
| 12/04/00 | 36.49 | 14.71 | 21.78 | 0.00 | 0.00 | <50 | <0.50 | 0.56 | <0.50 | 1.1 | 22 | -- |
| 03/08/01 ³ | 36.49 | 19.87 | 16.62 | 0.00 | 0.00 | 9,080 | 2,260 | 229 | 395 | 1,060 | 718 | -- |
| 06/07/01 ³ | 36.49 | 16.89 | 19.60 | 0.00 | 0.00 | 800 ⁴ | 75 | 4.3 | 22 | 33 | 340 | -- |
| 09/13/01 ³ | 36.49 | 14.78 | 21.71 | 0.00 | 0.00 | <50 | 0.68 | <0.50 | <0.50 | <0.50 | 18 | -- |
| 12/13/01 ³ | 36.49 | 18.54 | 17.95 | 0.00 | 0.00 | 5,800 | 1,400 | 43 | 21 | 470 | 540 | -- |
| 03/08/02 ³ | 36.49 | 19.71 | 16.78 | 0.00 | 0.00 | 7,000 | 1,300 | 67 | 280 | 390 | 610 | -- |
| 06/19/02 ³ | 36.49 | 17.69 | 18.80 | 0.00 | 0.00 | 3,100 | 130 | 6.5 | 29 | 55 | 250 | -- |
| 09/11/02 ³ | 36.49 | 16.19 | 20.30 | 0.00 | 0.00 | 820 | 6.2 | 1.0 | 2.2 | 2.5 | 26 | -- |
| 12/11/02 ³ | 36.49 | 14.52 | 21.97 | 0.00 | 0.00 | <50 | 0.74 | <0.50 | <0.50 | <1.5 | 9.3 | -- |
| 03/11/03 ³ | 36.49 | 18.10 | 18.39 | 0.00 | 0.00 | 5,500 | 490 | 12 | 100 | 210 | 330 | -- |
| 06/10/03 ^{3,7} | 36.49 | 17.74 | 18.75 | 0.00 | 0.00 | 3,300 | 370 | 15 | 120 | 200 | 200 | -- |
| 09/09/03 ^{3,7} | 36.49 | 15.70 | 20.79 | 0.00 | 0.00 | 690 | 8 | 0.8 | 5 | 5 | 30 | <50 |
| 12/09/03 ^{7,9} | 36.49 | 16.19 | 20.30 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 57 | <50 |
| 03/09/04 ⁷ | 36.49 | 23.03 | 13.46 | 0.00 | 0.00 | 15,000 | 1,600 | 73 | 520 | 460 | 230 | <250 |
| 06/08/04 ⁷ | 36.49 | 19.47 | 17.02 | 0.00 | 0.00 | 550 | 120 | 2 | 0.7 | 5 | 93 | <50 |
| 09/08/04 ⁷ | 36.49 | 18.91 | 17.58 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 37 | <50 |
| 12/06/04 ⁷ | 36.49 | 19.71 | 16.78 | 0.00 | 0.00 | 7,000 | 1,600 | 39 | 230 | 260 | 180 | <50 |
| 03/07/05 ⁷ | 36.49 | 24.33 | 12.16 | 0.00 | 0.00 | 9,500 | 2,100 | 67 | 330 | 160 | 170 | <250 |
| 06/06/05 ⁷ | 36.49 | 22.86 | 13.63 | 0.00 | 0.00 | 7,700 | 2,000 | 39 | 280 | 130 | 130 | <250 |
| 09/06/05 ⁷ | 36.49 | 20.79 | 15.70 | 0.00 | 0.00 | 3,600 | 830 | 10 | 79 | 21 | 110 | <50 |
| 12/05/05 ⁷ | 36.49 | 20.04 | 16.45 | 0.00 | 0.00 | 4,400 | 1,000 | 11 | 80 | 23 | 120 | <250 |
| 03/06/06 ⁷ | 36.49 | 23.54 | 12.95 | 0.00 | 0.00 | 10,000 | 2,400 | 92 | 240 | 170 | 130 | <500 |
| 06/05/06 ⁷ | 36.49 | 25.47 | 11.02 | 0.00 | 0.00 | 16,000 | 3,300 | 160 | 350 | 370 | 150 | <500 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|---------------|--------------|--------------|---------------|-----------------------------|------------------|--------------|------------|------------|------------|---------------|------------------|
| C-4 (cont) | | | | | | | | | | | | |
| 09/05/06 ⁷ | 36.49 | 23.89 | 12.60 | 0.00 | 0.00 | 9,600 | 1,400 | 29 | 200 | 78 | 81 | <100 |
| 12/04/06 ⁷ | 36.49 | 23.29 | 13.20 | 0.00 | 0.00 | 13,000 | 1,800 | 40 | 150 | 99 | 100 | <250 |
| C-5 | | | | | | | | | | | | |
| 08/27/90 | 35.50 | 5.67 | 29.83 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | -- | -- |
| 11/14/90 | 35.50 | 4.94 | 30.56 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 35.50 | 6.98 | 28.52 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/19/91 | 35.50 | 5.99 | 29.51 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/20/91 | 35.50 | 5.54 | 29.96 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/18/92 | 35.50 | 9.58 | 25.92 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/14/92 | 35.50 | 7.50 | 28.00 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 10/08/92 | 35.50 | 6.85 | 28.65 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 01/08/93 | 35.50 | 9.48 | 26.02 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 04/14/93 | 35.50 | 11.46 | 24.04 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/16/93 | 35.50 | 10.29 | 25.21 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/21/93 | 38.50 | 12.14 | 26.36 | -- | -- | 60 | 10 | 8.1 | 1.9 | 9.4 | -- | -- |
| 01/28/94 | 38.50 | 12.60 | 25.90 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/17/94 | 38.50 | 14.00 | 24.50 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/16/94 | 38.50 | 14.10 | 24.40 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/22/94 | 38.50 | 13.34 | 25.16 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/15/94 | 38.50 | 15.61 | 22.89 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/30/95 | 38.50 | 19.96 | 18.54 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/20/95 | 38.50 | 18.37 | 20.13 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/20/95 | 38.50 | 14.16 | 24.34 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/06/95 | 38.50 | 14.40 | 24.10 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/21/96 | 38.50 | 20.10 | 18.40 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/21/96 | 38.50 | 18.23 | 20.27 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8.7 | -- |
| 06/06/96 | 38.50 | 16.60 | 21.90 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/19/96 | 38.50 | 17.35 | 21.15 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/17/97 | 38.50 | 18.66 | 19.84 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/11/97 | 38.50 | 16.90 | 21.60 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/17/97 | 38.50 | 10.67 | 27.83 | -- | -- | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/11/97 | 38.50 | 17.50 | 21.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/12/98 | 38.50 | 22.08 | 16.42 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|---------------|--------------|--------------|---------------|-----------------------------|-------------------------|------------|------------|------------|------------|---------------|------------------|
| C-5 (cont) | | | | | | | | | | | | |
| 06/23/98 | 38.50 | 21.52 | 16.98 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/01/98 | 38.50 | 18.08 | 20.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/30/98 | 38.50 | 17.71 | 20.79 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/99 | 38.50 | 21.45 | 17.05 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 15 | -- |
| 06/14/99 | 38.50 | 21.02 | 17.48 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/99 | 38.50 | 19.77 | 18.73 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/22/99 | 38.50 | 16.32 | 22.18 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/09/00 | 38.50 | 21.52 | 16.98 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | 0.87 | 3.5 | -- |
| 06/23/00 | 38.50 | 18.85 | 19.65 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/05/00 | 38.50 | 18.03 | 20.47 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 12/04/00 | 38.50 | 17.04 | 21.46 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 03/08/01 | 38.50 | 20.97 | 17.53 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 5.15 | -- |
| 06/07/01 | 38.50 | 19.00 | 19.50 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/13/01 | 38.50 | 17.07 | 21.43 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/13/01 | 38.50 | 18.66 | 19.84 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/08/02 | 38.50 | 20.32 | 18.18 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 3.5 | -- |
| 06/19/02 | 38.50 | 19.62 | 18.88 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/11/02 | 38.50 | 17.94 | 20.56 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/11/02 | 38.50 | 16.68 | 21.82 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/11/03 | 38.50 | 19.54 | 18.96 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 3.2 | -- |
| 06/10/03 | 38.50 | 19.63 | 18.87 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/09/03 | 38.50 | 17.82 | 20.68 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/09/03 | 38.50 | 18.25 | 20.25 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/09/04 ⁷ | 38.50 | 21.82 | 16.68 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 |
| 06/08/04 | 38.50 | 19.16 | 19.34 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/08/04 | 38.50 | 18.40 | 20.10 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/06/04 | 38.50 | 18.75 | 19.75 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/07/05 ⁷ | 38.50 | 20.35 | 18.15 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/06/05 | 38.50 | 19.14 | 19.36 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/06/05 | 38.50 | 20.24 | 18.26 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/05/05 | 38.50 | 20.59 | 17.91 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/06/06 ⁷ | 38.50 | 20.30 | 18.20 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/05/06 | 38.50 | 22.63 | 15.87 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/05/06 | 38.50 | 19.72 | 18.78 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/04/06 | 38.50 | 19.79 | 18.71 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|------------|------------|------------|------------|---------------|------------------|
| C-6 | | | | | | | | | | | | |
| 08/27/90 | 32.40 | -11.71 | 44.11 | -- | -- | 7,200 | 2,100 | 6.0 | 41 | 300 | -- | -- |
| 11/14/90 | 32.40 | -11.63 | 44.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 32.40 | -11.09 | 43.49 | -- | -- | 4,400 | 2,500 | 18 | 160 | 77 | -- | -- |
| 09/19/91 | 32.40 | -1.92 | 34.32 | -- | -- | 3,100 | 1,600 | 8.3 | 73 | 8.0 | -- | -- |
| 12/20/91 | 32.40 | -8.95 | 41.35 | -- | -- | 4,400 | 1,300 | 3.2 | 74 | 10 | -- | -- |
| 03/18/92 | 32.40 | -8.29 | 40.69 | -- | -- | 9,800 | 3,200 | 34 | 250 | 500 | -- | -- |
| 07/14/92 | 32.40 | -6.49 | 38.89 | -- | -- | 6,500 | 2,200 | 100 | 96 | 240 | -- | -- |
| 10/08/92 | 32.40 | -6.27 | 38.67 | -- | -- | 1,800 | 1,000 | 3.1 | 15 | 41 | -- | -- |
| 01/08/93 | 32.40 | -5.41 | 37.81 | -- | -- | 5,200 | 1,600 | 6.8 | 63 | 120 | -- | -- |
| 04/14/93 | 32.40 | -2.30 | 34.70 | -- | -- | 11,000 | 1,800 | 13 | 110 | 200 | -- | -- |
| 07/16/93 | 32.40 | -1.47 | 33.87 | -- | -- | 4,800 | 820 | 10 | 41 | 57 | -- | -- |
| 09/21/93 | 35.40 | 1.42 | 33.98 | -- | -- | 4,100 | 1,200 | <50 | 75 | 130 | -- | -- |
| 01/28/94 | 35.40 | 1.54 | 33.86 | -- | -- | 3,100 | 930 | 14 | 40 | 34 | -- | -- |
| 03/17/94 | 35.40 | 3.09 | 32.31 | -- | -- | 5,100 | 950 | 18 | 61 | 83 | -- | -- |
| 06/16/94 | 35.40 | 3.90 | 31.50 | -- | -- | 3,800 | 970 | 6.4 | 52 | 62 | -- | -- |
| 09/22/94 | 35.40 | 4.18 | 31.22 | -- | -- | 4,100 | 980 | 7.8 | 43 | 48 | -- | -- |
| 12/15/94 | 35.40 | 4.00 | 31.40 | -- | -- | 5,000 | 1,400 | <20 | 73 | 61 | -- | -- |
| 03/30/95 | 35.40 | 9.02 | 26.38 | -- | -- | 5,500 | 1,700 | <13 | 120 | 97 | -- | -- |
| 06/20/95 | 35.40 | 10.39 | 25.01 | -- | -- | 1,700 | 470 | <10 | 29 | 16 | -- | -- |
| 09/20/95 | 35.40 | 11.35 | 24.05 | -- | -- | 3,500 | 770 | <5.0 | 45 | 17 | -- | -- |
| 12/06/95 | 35.40 | 7.28 | 28.12 | -- | -- | 3,100 | 710 | <10 | 41 | 20 | <50 | -- |
| 03/21/96 | 35.40 | 12.28 | 23.12 | -- | -- | 1,400 | 330 | <2.5 | 15 | 8.1 | 19 | -- |
| 06/21/96 | 35.40 | 11.90 | 23.50 | -- | -- | 2,200 | 560 | <5.0 | 18 | <5.0 | 77 | -- |
| 09/06/96 | 35.40 | 10.57 | 24.83 | -- | -- | 2,800 | 720 | <10 | 13 | <10 | 160 | -- |
| 12/19/96 | 35.40 | 10.90 | 24.50 | -- | -- | 830 | 320 | <2.5 | <2.5 | <2.5 | 14 | -- |
| 03/17/97 | 35.40 | 12.81 | 22.59 | -- | -- | 2,200 | 500 | <10 | 25 | <10 | <50 | -- |
| 06/11/97 | 35.40 | 11.64 | 23.76 | -- | -- | 3,000 | 570 | <5.0 | 29 | 10 | 220 | -- |
| 09/17/97 | 35.40 | 10.66 | 24.74 | -- | -- | 1,400 | 330 | <5.0 | <5.0 | <5.0 | 76 | -- |
| 12/11/97 | 35.40 | 10.75 | 24.65 | -- | -- | 1,600 | 230 | <5.0 | 7.3 | 6.4 | 46 | -- |
| 03/12/98 | 35.40 | 8.28 | 27.12 | -- | -- | 980 | 300 | <5.0 | 15 | 12 | 49 | -- |
| 06/23/98 ³ | 35.40 | 7.48 | 27.92 | -- | -- | 220 | 35 | <0.5 | 2.5 | 1.1 | <2.5 | -- |
| 09/01/98 | 35.40 | 3.80 | 31.60 | -- | -- | 1,800 | 370 | 2.8 | 19 | 5 | 44 | -- |
| 12/30/98 | 35.40 | 3.58 | 31.82 | -- | -- | 1,600 | 244 | <1.0 | 8.53 | <1.0 | 54.9 | -- |
| 03/31/99 | 35.40 | 9.34 | 26.06 | -- | -- | 741 | 92.2 | <1.0 | 6.60 | <1.0 | 27.9 | -- |
| 06/14/99 | 35.40 | 5.72 | 29.68 | -- | -- | 434 | 110 | <1.0 | 5.76 | 1.46 | 13 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | |
|-----------------------------|---------------|---|--------------|---------------|-----------------------------|--------------------|----------------|----------------|----------------|----------------|-------------------|------------------|----|
| C-6 (cont) | | | | | | | | | | | | | |
| 06/14/99 ¹ | 35.40 | 5.72 | 29.68 | -- | -- | -- | -- | -- | -- | -- | 6.96 ² | -- | |
| 09/30/99 | 35.40 | 12.34 | 23.06 | -- | -- | 481 | 92.7 | <1.0 | 3.69 | <1.0 | 32.9 | -- | |
| 12/22/99 | 35.40 | 12.85 | 22.55 | -- | -- | 1,310 | 158 | 2.16 | 5.5 | 1.41 | 113 | -- | |
| 03/09/00 | 35.40 | 15.37 | 20.03 | -- | -- | 470 | 120 | 0.74 | 5.0 | 2.5 | 36 | -- | |
| 06/23/00 ³ | 35.40 | 13.25 | 22.15 | 0.00 | 0.00 | 1,700 ⁴ | 210 | <5.0 | <5.0 | 5.8 | 64 | -- | |
| 09/05/00 ³ | 35.40 | 8.35 | 27.05 | 0.00 | 0.00 | 740 ⁴ | 99 | 0.60 | 5.1 | 2.2 | 80 | -- | |
| 12/04/00 | 35.40 | 10.25 | 25.15 | 0.00 | 0.00 | 450 ⁴ | 31 | 0.71 | <0.50 | <0.50 | 54 | -- | |
| 03/08/01 ³ | 35.40 | 11.56 | 23.84 | 0.00 | 0.00 | 1,550 | 228 | 3.93 | 19.9 | 32.5 | 46.2 | -- | |
| 06/07/01 ³ | 35.40 | 9.67 | 25.73 | 0.00 | 0.00 | 360 ⁴ | 21 | 1.8 | 2.4 | 3.8 | 100 | -- | |
| 09/13/01 ³ | 35.40 | 11.60 | 23.80 | 0.00 | 0.00 | 950 | 180 | <5.0 | 5.9 | <5.0 | 170 | -- | |
| 12/13/01 ³ | 35.40 | 10.21 | 25.19 | 0.00 | 0.00 | 2,000 | 170 | 0.86 | 6.4 | 4.1 | 77 | -- | |
| 03/08/02 ³ | 35.40 | 14.32 | 21.08 | 0.00 | 0.00 | 600 | 33 | 0.91 | 1.8 | <1.5 | 90 | -- | |
| 06/19/02 ³ | 35.40 | 10.78 | 24.62 | 0.00 | 0.00 | 370 | 11 | <0.50 | <0.50 | <1.5 | 88 | -- | |
| 09/11/02 ³ | 35.40 | 6.40 | 29.00 | 0.00 | 0.00 | 490 | 16 | 0.50 | <0.50 | <1.5 | 120 | -- | |
| 12/11/02 ³ | 35.40 | 11.22 | 24.18 | 0.00 | 0.00 | 430 | 17 | <0.50 | <0.50 | <1.5 | 100 | -- | |
| 03/11/03 ³ | 35.40 | 7.70 | 27.70 | 0.00 | 0.00 | 410 | 8.8 | 0.88 | <0.50 | <1.5 | 120 | -- | |
| 06/10/03 ^{3,7} | 35.40 | 13.80 | 21.60 | 0.00 | 0.00 | 460 | 10 | <0.5 | <0.5 | <0.5 | 100 | -- | |
| 09/09/03 | 35.40 | INACCESSIBLE - VEHICLE PARKED OVER WELL | | | | | -- | -- | -- | -- | -- | -- | -- |
| 12/09/03 ^{7,9} | 35.40 | 9.51 | 25.89 | 0.00 | 0.00 | 1,700 | 69 | <0.5 | 3 | 0.6 | 83 | <50 | |
| 03/09/04 ⁷ | 35.40 | 15.89 | 19.51 | 0.00 | 0.00 | 6,800 | 280 | 1 | 10 | 4 | 96 | <50 | |
| 06/08/04 ⁷ | 35.40 | 14.57 | 20.83 | 0.00 | 0.00 | 560 | 13 | <0.5 | <0.5 | 0.5 | 68 | <50 | |
| 09/08/04 ⁷ | 35.40 | 13.52 | 21.88 | 0.00 | 0.00 | 290 | 16 | <0.5 | <0.5 | <0.5 | 50 | <50 | |
| 12/06/04 ⁷ | 35.40 | 14.06 | 21.34 | 0.00 | 0.00 | 290 | 18 | <0.5 | 0.5 | <0.5 | 44 | <50 | |
| 03/07/05 ⁷ | 35.40 | 17.13 | 18.27 | 0.00 | 0.00 | 2,500 | 150 | 0.7 | 5 | 2 | 71 | <50 | |
| 06/06/05 ⁷ | 35.40 | 16.88 | 18.52 | 0.00 | 0.00 | 1,900 | 110 | <1 | 3 | 2 | 59 | <100 | |
| 09/06/05 ⁷ | 35.40 | 15.02 | 20.38 | 0.00 | 0.00 | 800 | 16 | <0.5 | 0.5 | 0.6 | 51 | <50 | |
| 12/05/05 ⁷ | 35.40 | 15.34 | 20.06 | 0.00 | 0.00 | 540 | 15 | <0.5 | <0.5 | 0.6 | 45 | <50 | |
| 03/06/06 ⁷ | 35.40 | 16.64 | 18.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | |
| 06/05/06 ⁷ | 35.40 | 17.60 | 17.80 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | |
| 09/05/06 ⁷ | 35.40 | 15.40 | 20.00 | 0.00 | 0.00 | 1,200 | 17 | <0.5 | 0.7 | 0.8 | 29 | <50 | |
| 12/04/06⁷ | 35.40 | 14.49 | 20.91 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH | | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|---------------|--------------|--------------|---------------|----------------------|----------------|------------|------------|------------|------------|-------------------|------------------|
| | | | | | REMOVED (gallons) | TPH-G (ppb) | | | | | | |
| C-7 | | | | | | | | | | | | |
| 08/27/90 | 32.17 | -12.06 | 44.23 | -- | -- | 110 | 26 | 0.8 | 4.0 | 6.0 | -- | -- |
| 11/14/90 | 32.17 | -11.94 | 44.11 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/18/91 | 32.17 | -9.88 | 42.05 | -- | -- | 23,000 | 5,700 | 420 | 1,000 | 2,800 | -- | -- |
| 09/19/91 | 32.17 | -9.55 | 41.72 | -- | -- | 26,000 | 4,600 | 330 | 970 | 2,400 | -- | -- |
| 12/20/91 | 32.17 | -9.50 | 41.67 | -- | -- | 33,000 | 5,500 | 270 | 1,000 | 2,100 | -- | -- |
| 03/18/92 | 32.17 | -9.03 | 41.20 | -- | -- | 27,000 | 5,800 | 410 | 1,300 | 3,300 | -- | -- |
| 07/14/92 | 32.17 | -7.60 | 39.77 | -- | -- | 46,000 | 12,000 | 720 | 1,700 | 4,600 | -- | -- |
| 10/08/92 | 32.17 | -6.97 | 39.14 | -- | -- | 22,000 | 6,800 | 370 | 1,300 | 3,200 | -- | -- |
| 01/08/93 | 32.17 | -6.33 | 38.50 | -- | -- | 36,000 | 7,600 | 540 | 1,700 | 4,200 | -- | -- |
| 04/14/93 | 32.17 | -3.76 | 35.93 | -- | -- | 23,000 | 3,100 | 450 | 670 | 1,900 | -- | -- |
| 07/16/93 | 32.17 | -3.21 | 35.38 | -- | -- | 19,000 | 3,200 | 330 | 550 | 1,800 | -- | -- |
| 09/21/93 | 35.19 | -0.27 | 35.46 | -- | -- | 17,000 | 2,700 | 160 | 410 | 760 | -- | -- |
| 01/28/94 | 35.19 | -0.26 | 35.45 | -- | -- | 14,000 | 1,800 | 210 | 390 | 1,000 | -- | -- |
| 03/17/94 | 35.19 | 1.95 | 33.24 | -- | -- | 17,000 | 1,600 | 210 | 410 | 1,200 | -- | -- |
| 06/16/94 | 35.19 | 2.12 | 33.07 | -- | -- | 12,000 | 1,600 | 180 | 410 | 1,200 | -- | -- |
| 09/22/94 | 35.19 | 2.45 | 32.74 | -- | -- | 10,000 | 1,700 | 110 | 320 | 580 | -- | -- |
| 12/15/94 | 35.19 | 3.27 | 31.92 | -- | -- | 10,000 | 1,200 | 120 | 280 | 710 | -- | -- |
| 03/30/95 | 35.19 | 7.59 | 27.60 | -- | -- | 4,600 | 460 | 73 | 160 | 460 | -- | -- |
| 06/20/95 | 35.19 | 7.32 | 27.87 | -- | -- | 26,000 | 4,400 | 450 | 900 | 2,400 | -- | -- |
| 09/20/95 | 35.19 | 7.11 | 28.08 | -- | -- | 9,400 | 610 | 81 | 250 | 800 | -- | -- |
| 12/06/95 | 35.19 | 4.57 | 30.62 | -- | -- | 1,200 | 110 | 12 | 25 | 71 | 34 | -- |
| 03/21/96 | 35.19 | 7.34 | 27.85 | -- | -- | 17,000 | 1,300 | 160 | 410 | 1,300 | <100 | -- |
| 09/06/96 | 35.19 | 6.84 | 28.35 | -- | -- | 15,000 | 3,400 | <50 | 460 | 850 | <250 | -- |
| 12/19/96 | 35.19 | 6.08 | 29.11 | -- | -- | 530 | 9 | 0.5 | 0.85 | 3.4 | <2.5 | -- |
| 03/17/97 | 35.19 | 8.05 | 27.14 | -- | -- | 4,600 | 310 | 46 | 110 | 310 | 98 | -- |
| 06/11/97 | 35.19 | 7.14 | 28.05 | -- | -- | 420 | 15 | <0.5 | 3.3 | 5.1 | <2.5 | -- |
| 09/17/97 | 35.19 | 6.19 | 29.00 | -- | -- | 1,400 | 120 | 11 | 31 | 84 | 54 | -- |
| 12/11/97 | 35.19 | 5.93 | 29.26 | -- | -- | 210 | 10 | <0.5 | 0.97 | 1.6 | <2.5 | -- |
| 03/12/98 | 35.19 | 10.27 | 24.92 | -- | -- | 68 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/23/98 | 35.19 | 9.89 | 25.30 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/01/98 | 35.19 | 8.92 | 26.27 | -- | -- | 570 | 24 | 1.4 | 8.4 | 22 | 24 | -- |
| 12/30/98 | 35.19 | 8.67 | 26.52 | -- | -- | <50 | 4.85 | 1.26 | <0.5 | 1.29 | 167 | -- |
| 03/31/99 | 35.19 | 10.43 | 24.76 | -- | -- | 53.1 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- |
| 06/14/99 | 35.19 | 9.75 | 25.44 | -- | -- | 109 | 4.43 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/14/99 ¹ | 35.19 | 9.75 | 25.44 | -- | -- | -- | -- | -- | -- | -- | <2.0 ² | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------------|---------------|--------------|--------------|---------------|-----------------------------|---------------------|----------------|----------------|----------------|----------------|---------------|------------------|
| C-7 (cont) | | | | | | | | | | | | |
| 09/30/99 | 35.19 | 8.32 | 26.87 | -- | -- | 2,400 | 282 | 26.3 | 120 | 236 | 126 | -- |
| 12/22/99 | 35.19 | 7.42 | 27.77 | -- | -- | 3,840 | 162 | 18.1 | 44.7 | 85.3 | 141 | -- |
| 03/09/00 | 35.19 | 9.62 | 25.57 | -- | -- | 13,000 | 2,700 | 110 | 700 | 1,500 | <130 | -- |
| 06/23/00 | 35.19 | 9.53 | 25.66 | 0.00 | 0.00 | 190 ⁴ | 3.4 | <0.50 | <0.50 | 1.6 | 7.3 | -- |
| 09/05/00 | 35.19 | 8.44 | 26.75 | 0.00 | 0.00 | 4,200 ⁴ | 330 | 26 | 120 | 200 | 190 | -- |
| 12/04/00 | 35.19 | 8.03 | 27.16 | 0.00 | 0.00 | 2,600 ⁴ | 550 | <5.0 | 73 | 62 | <25 | -- |
| 03/08/01 | 35.19 | 9.76 | 25.43 | 0.00 | 0.00 | 1,180 | 39.2 | 2.41 | 15.5 | 30.8 | 10.3 | -- |
| 06/07/01 | 35.19 | 9.80 | 25.39 | 0.00 | 0.00 | 2,600 ⁴ | 440 | 14 | 110 | 130 | 56 | -- |
| 09/13/01 | 35.19 | 8.58 | 26.61 | 0.00 | 0.00 | 23,000 ⁶ | 670 | <100 | 150 | 210 | <500 | -- |
| 12/13/01 | 35.19 | 8.50 | 26.69 | 0.00 | 0.00 | 2,400 | 160 | 5.8 | 42 | 54 | <10 | -- |
| 03/08/02 | 35.19 | 10.39 | 24.80 | 0.00 | 0.00 | 3,900 | 380 | 21 | 110 | 160 | <20 | -- |
| 06/19/02 | 35.19 | 7.78 | 27.41 | 0.00 | 0.00 | 3,600 | 440 | 8.5 | 87 | 73 | <10 | -- |
| 09/11/02 | 35.19 | 9.41 | 25.78 | 0.00 | 0.00 | 11,000 | 1,800 | 18 | 360 | 380 | <10 | -- |
| 12/11/02 | 35.19 | 4.44 | 30.75 | 0.00 | 0.00 | 6,000 | 1,100 | 9.3 | 190 | 190 | <10 | -- |
| 03/11/03 | 35.19 | 8.29 | 26.90 | 0.00 | 0.00 | 4,900 | 940 | 13 | 150 | 160 | <25 | -- |
| 06/10/03 ⁷ | 35.19 | 4.28 | 30.91 | 0.00 | 0.00 | 3,100 | 500 | 7 | 83 | 77 | 4 | -- |
| 09/09/03 ⁷ | 35.19 | 3.38 | 31.81 | 0.00 | 0.00 | 3,900 | 310 | 9 | 110 | 130 | 5 | <50 |
| 12/09/03 ⁷ | 35.19 | 6.74 | 28.45 | 0.00 | 0.00 | 170 | 0.8 | <0.5 | <0.5 | <0.5 | 5 | <50 |
| 03/09/04 ⁷ | 35.19 | 10.73 | 24.46 | 0.00 | 0.00 | 80 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 |
| 06/08/04 ⁷ | 35.19 | 8.23 | 26.96 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 |
| 09/08/04 ⁷ | 35.19 | 9.99 | 25.20 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 |
| 12/06/04 ⁷ | 35.19 | 10.28 | 24.91 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 |
| 03/07/05 ⁷ | 35.19 | 11.76 | 23.43 | 0.00 | 0.00 | 590 | 9 | 0.7 | 4 | 6 | 7 | <50 |
| 06/06/05 ⁷ | 35.19 | 13.31 | 21.88 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 |
| 09/06/05 ⁷ | 35.19 | 11.60 | 23.59 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 |
| 12/05/05 ⁷ | 35.19 | 11.44 | 23.75 | 0.00 | 0.00 | <50 | 0.6 | <0.5 | <0.5 | <0.5 | 9 | <50 |
| 03/06/06 ⁷ | 35.19 | 13.80 | 21.39 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 |
| 06/05/06 ⁷ | 35.19 | 14.78 | 20.41 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 |
| 09/05/06 ⁷ | 35.19 | 12.38 | 22.81 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 |
| 12/04/06⁷ | 35.19 | 11.84 | 23.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 |
| C-8 | | | | | | | | | | | | |
| 11/14/90 | 30.68 | -12.61 | 43.29 | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | -- | -- |
| 06/18/91 | 30.68 | -11.94 | 42.62 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-------------------|---------------|--------------|--------------|---------------|-----------------------------|------------------|------------|------------|------------|------------|---------------|------------------|
| C-8 (cont) | | | | | | | | | | | | |
| 09/19/91 | 30.68 | -11.04 | 41.72 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/20/91 | 30.68 | -10.30 | 40.98 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/18/92 | 30.68 | -9.34 | 40.02 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/14/92 | 30.68 | -8.34 | 39.02 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 10/08/92 | 30.68 | -8.00 | 38.68 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | 1.1 | -- | -- |
| 01/08/93 | 30.68 | -7.39 | 38.07 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 04/14/93 | 30.68 | -5.31 | 35.99 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/16/93 | 30.68 | -4.64 | 35.32 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/21/93 | 34.68 | -0.62 | 35.30 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.8 | -- | -- |
| 01/28/94 | 34.68 | -0.93 | 35.61 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/17/94 | 34.68 | 0.31 | 34.37 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/16/94 | 34.68 | 1.32 | 33.36 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/22/94 | 34.68 | 1.86 | 32.82 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/15/94 | 34.68 | 2.32 | 32.36 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/30/95 | 34.68 | 5.44 | 29.24 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/20/95 | 34.68 | 6.34 | 28.34 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/20/95 | 34.68 | 5.20 | 29.48 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/06/95 | 34.68 | 3.76 | 30.92 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/21/96 | 34.68 | 6.03 | 28.65 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/21/96 | 34.68 | 6.78 | 27.90 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/06/96 | 34.68 | 5.98 | 28.70 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/19/96 | 34.68 | 4.98 | 29.70 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/17/97 | 34.68 | 6.92 | 27.76 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/11/97 | 34.68 | 5.87 | 28.81 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/17/97 | 34.68 | 5.32 | 29.36 | -- | -- | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/11/97 | 34.68 | 4.88 | 29.80 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/12/98 | 34.68 | 8.95 | 25.73 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2.6 | -- |
| 06/23/98 | 34.68 | 8.38 | 26.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/01/98 | 34.68 | 8.17 | 26.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/30/98 | 34.68 | 7.79 | 26.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/99 | 34.68 | 8.32 | 26.36 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 11.8 | -- |
| 06/14/99 | 34.68 | 8.65 | 26.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/99 | 34.68 | 7.40 | 27.28 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/22/99 | 34.68 | 6.48 | 28.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/09/00 | 34.68 | 8.35 | 26.33 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | 1.8 | <2.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|---------------|--------------|--------------|---------------|-----------------------------|-------------------------|------------|------------|------------|------------|---------------|------------------|
| C-8 (cont) | | | | | | | | | | | | |
| 06/23/00 | 34.68 | 8.49 | 26.19 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/05/00 | 34.68 | 7.71 | 26.97 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 12/04/00 | 34.68 | 7.26 | 27.42 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 03/08/01 | 34.68 | 8.58 | 26.10 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- |
| 06/07/01 | 34.68 | 8.89 | 25.79 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/13/01 | 34.68 | 7.87 | 26.81 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/13/01 | 34.68 | 7.52 | 27.16 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/08/02 | 34.68 | 9.38 | 25.30 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 06/19/02 | 34.68 | 9.75 | 24.93 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/11/02 | 34.68 | 8.76 | 25.92 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/11/02 | 34.68 | 7.37 | 27.31 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/11/03 | 34.68 | 8.89 | 25.79 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 06/10/03 | 34.68 | 9.40 | 25.28 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/09/03 | 34.68 | 8.57 | 26.11 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/09/03 | 34.68 | 6.17 | 28.51 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/09/04 ⁷ | 34.68 | 10.70 | 23.98 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/08/04 | 34.68 | 9.41 | 25.27 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/08/04 | 34.68 | 8.85 | 25.83 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/06/04 | 34.68 | 9.62 | 25.06 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/07/05 ⁷ | 34.68 | 11.33 | 23.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/06/05 | 34.68 | 11.84 | 22.84 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/06/05 | 34.68 | 9.77 | 24.91 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/05/05 | 34.68 | 10.52 | 24.16 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/06/06 ⁷ | 34.68 | 12.13 | 22.55 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/05/06 | 34.68 | 13.08 | 21.60 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/05/06 | 34.68 | 10.93 | 23.75 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/04/06 | 34.68 | 10.71 | 23.97 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| C-9 | | | | | | | | | | | | |
| 08/13/96 | -- | -- | 28.27 | -- | -- | ND | ND | ND | ND | ND | ND | -- |
| 09/06/96 | -- | -- | 28.47 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/19/96 | 30.68 | 1.39 | 29.29 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/17/97 | 30.68 | 3.11 | 27.57 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/11/97 | 30.68 | 2.41 | 28.27 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------|------------------|------------------|--------------|---------------|-----------------------------|------------------|------------|------------|------------|------------|---------------|------------------|
| C-9 (cont) | | | | | | | | | | | | |
| 09/17/97 | 30.68 | 2.05 | 28.63 | -- | -- | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/11/97 | 30.68 | 1.25 | 29.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/12/98 | 30.68 | 5.06 | 25.62 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/23/98 | 30.68 | 4.53 | 26.15 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/01/98 | 30.68 | 4.30 | 26.38 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/30/98 | 30.68 | 3.93 | 26.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/99 | 30.68 | 5.35 | 25.33 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12.5 | -- |
| 06/14/99 | 30.68 | 4.16 | 26.52 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/99 | 30.68 | 3.89 | 26.79 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/22/99 | 30.68 | 2.99 | 27.69 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/09/00 | 30.68 | 4.64 | 26.04 | -- | -- | <50 | <0.5 | <0.5 | <0.5 | 0.75 | <2.5 | -- |
| 06/23/00 | 30.68 | 4.83 | 25.85 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 09/05/00 | 30.68 | 3.99 | 26.69 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 12/04/00 | 30.68 | 3.61 | 27.07 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 03/08/01 | 30.68 | 4.93 | 25.75 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- |
| 06/07/01 | 30.68 | 5.18 | 25.50 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/13/01 | 30.68 | 4.13 | 26.55 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/13/01 | 30.68 | 3.91 | 26.77 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/08/02 | 30.68 | 5.68 | 25.00 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 06/19/02 | 30.68 | 6.01 | 24.67 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/11/02 | 30.68 | 4.98 | 25.70 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/11/02 | 30.68 | 3.61 | 27.07 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/11/03 | 30.68 | 6.20 | 24.48 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 06/10/03 | 30.68 | 5.68 | 25.00 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/09/03 | 30.68 | 4.88 | 25.80 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/09/03 | 30.68 | 2.46 | 28.22 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/09/04 ⁷ | 30.68 | 6.82 | 23.86 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/08/04 | -- ¹⁰ | -- ¹⁰ | 25.21 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/08/04 | -- ¹⁰ | -- ¹⁰ | 25.61 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/06/04 | -- ¹⁰ | -- ¹⁰ | 24.77 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/07/05 ⁷ | -- ¹⁰ | -- ¹⁰ | 23.18 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |
| 06/06/05 | -- ¹⁰ | -- ¹⁰ | 22.65 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 09/06/05 | -- ¹⁰ | -- ¹⁰ | 24.58 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 12/05/05 | -- ¹⁰ | -- ¹⁰ | 23.80 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- |
| 03/06/06 ⁷ | -- ¹⁰ | -- ¹⁰ | 22.44 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------------|------------------------|------------------------|--------------|---------------|-----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|------------------|
| C-9 (cont) | | | | | | | | | | | | |
| 06/05/06 | -- ¹⁰ | -- ¹⁰ | 21.54 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 09/05/06 | -- ¹⁰ | -- ¹⁰ | 23.49 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| 12/04/06 | --¹⁰ | --¹⁰ | 23.72 | 0.00 | 0.00 | SAMPLED ANNUALLY | -- | -- | -- | -- | -- | -- |
| C-10 | | | | | | | | | | | | |
| 09/09/03 ^{7,8} | -- | -- | 17.18 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 0.5 | 14 | <50 |
| 12/09/03 ⁷ | -- | -- | 14.24 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 |
| 03/09/04 ⁷ | 38.37 | 28.67 | 9.70 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 15 | <50 |
| 06/08/04 ⁷ | 38.37 | 26.67 | 11.70 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 44 | <50 |
| 09/08/04 ⁷ | 38.37 | 25.37 | 13.00 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 |
| 12/06/04 ⁷ | 38.37 | 25.84 | 12.53 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 |
| 03/07/05 ⁷ | 38.38 | 30.54 | 7.84 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 140 | <50 |
| 06/06/05 ⁷ | 38.38 | 28.76 | 9.62 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 390 | <50 |
| 09/06/05 ⁷ | 38.39 | 26.81 | 11.58 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 190 | <50 |
| 12/05/05 ⁷ | 38.39 | 27.51 | 10.88 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 67 | <50 |
| 03/06/06 ⁷ | 38.39 | 31.02 | 7.37 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 280 | <50 |
| 06/05/06 ⁷ | 38.39 | 29.14 | 9.25 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 280 | <50 |
| 09/05/06 ⁷ | 38.39 | 28.01 | 10.38 | 0.00 | 0.00 | <50 | 3 | 3 | 2 | 16 | 63 | <50 |
| 12/04/06⁷ | 38.39 | 27.74 | 10.65 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 93 | <50 |
| TRIP BLANK | | | | | | | | | | | | |
| 04/28/89 | -- | -- | -- | -- | -- | <500 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 08/08/89 | -- | -- | -- | -- | -- | <500 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 08/27/90 | -- | -- | -- | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | -- | -- |
| 11/14/90 | -- | -- | -- | -- | -- | <50 | <0.3 | <0.3 | <0.3 | <0.6 | -- | -- |
| 06/18/91 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/19/91 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/20/91 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/18/92 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 07/14/92 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 10/08/92 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 01/08/93 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 04/14/93 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|--------------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|------------|------------|------------|------------|---------------|------------------|
| TRIP BLANK (cont) | | | | | | | | | | | | |
| 07/16/93 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/21/93 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.8 | -- | -- |
| 01/28/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/17/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/16/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/22/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/15/94 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/30/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/20/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/20/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/06/95 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/21/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/21/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/06/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/19/96 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/17/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/11/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/17/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/11/97 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 03/12/98 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/23/98 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 09/01/98 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/30/98 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- |
| 03/31/99 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- |
| 06/14/99 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 12/22/99 | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- |
| 06/23/00 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| 09/05/00 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| 12/04/00 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| 03/08/01 | -- | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- |
| 06/07/01 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| 09/13/01 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- |
| QA | | | | | | | | | | | | |
| 12/13/01 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 03/08/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPHT (ft.) | SPH REMOVED (gallons) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) |
|-----------------------------|---------------|--------------|--------------|---------------|-----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------|
| QA (cont) | | | | | | | | | | | | |
| 06/19/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 09/11/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 12/11/02 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 03/11/03 | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- |
| 06/10/03 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/09/03 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 12/09/03 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03/09/04 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06/08/04 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/08/04 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 12/06/04 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03/07/05 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06/06/05 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/06/05 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 12/05/05 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03/06/06 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06/05/06 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 09/05/06 ⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 12/04/06⁷ | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbons Thickness

SPH = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

ND = Not Detected

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

* TOC elevation for C-10 was surveyed on September 26, 2003, by Virgil Chavez Land Surveying. The benchmark for this survey was a City of Oakland No. 1589, a cut square in the sidewalk at the mid-return at the west corner of High Street and Foothill Blvd., (Benchmark Elevation = 38.54 feet, NGVD 29).

** GWE corrected for the presence of SPH; correction factor: $[(TOC - DTW) + (SPHT \times 0.80)]$.

1 Confirmation run.

2 Sample were analyzed past hold-time, the results should be considered as estimated.

3 ORC present in well.

4 Laboratory report indicates gasoline C6-C12.

5 Laboratory report indicates sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.

6 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

7 BTEX and MTBE by EPA Method 8260.

8 Well development performed.

9 ORC removed from well.

10 TOC has been altered; unable to determine an accurate GWE.

Table 2
Field Measurements and Groundwater Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | DO Pre-Purge (mg/L) | DO Post-Purge (mg/L) | ORP Pre-Purge (mV) | ORP Post-Purge (mV) | Total Alkalinity (mg/L) | Ferrous Iron (ppm) | Nitrate as Nitrate (ppm) | Sulfate (ppm) |
|------------------|---------------------------|----------------------------|--------------------------|---------------------------|-------------------------------|--------------------------|--------------------------------|------------------|
| C-1 | | | | | | | | |
| 09/17/97 | 1.4 | 8.8 | 101 | 104 | 2.0 | 1.1 | <1.0 | 12 |
| 03/12/98 | 1.7 | 3.6 | 171 | 171 | 550 | 3.0 | <1.0 | 6.6 |
| 03/31/99 | 6.5 | 1.8 | 99 | 89 | 382 | 2520 ¹ | 0.418 | 8.23 |
| 12/22/99 | 0.95 | 2.0 | -95 | -128 | 568 | 0.19 | <0.1 | 11 |
| 03/09/00 | 1.8 | 2.4 | -47 | -38 | 520 | 0.84 | 0.54 | 15 |
| 09/05/00 | 1.74 | 2.66 | 105 | 59 | 520 | 0.41 | 1.6 | 10 |
| C-2 | | | | | | | | |
| 09/17/97 | 1.3 | -- | 150 | -- | 560 | 4.7 | <1.0 | <1.0 |
| 03/12/98 | 1.1 | 1.1 | 176 | 174 | 420 | 3.5 | <1.0 | <1.0 |
| 03/31/99 | 1.5 | 1.6 | 151 | 157 | 456 | 2100 ¹ | 0.118 | 19.7 |
| 12/22/99 | 0.6 | 0.65 | -90 | -84 | 782 | 1.0 | 5.34 | 5.38 |
| 03/09/00 | 1.0 | 1.6 | -68 | -70 | 450 | 0.31 | <0.1 | 0.39 |
| 09/05/00 | 1.31 | 1.85 | 65 | 44 | 690 | 0.34 | <1.0 | <1.0 |
| C-3 | | | | | | | | |
| 09/17/97 | 2.1 | 0.8 | 59 | 67 | 340 | 0.012 | 100 | 33 |
| 03/12/98 | 2.8 | 2.5 | 165 | 163 | 260 | 0.14 | 88 | 32 |
| 03/31/99 | 4.1 | 3.3 | 101 | 89 | 256 | <500 ¹ | 18.4 | 72 |
| 12/22/99 | 0.98 | 1.48 | 69 | 107 | 402 | 0.013 | 67.7 | 37.6 |
| 03/09/00 | 3.3 | 1.6 | 110 | 97 | 390 | 0.12 | 60 | 38 |
| 09/05/00 | 3.79 | 2.53 | 202 | 203 | 430 | 0.011 | 52 | 40 |
| C-4 | | | | | | | | |
| 09/17/97 | 0.6 | 0.2 | 102 | 107 | 540 | 5.9 | <1.0 | <1.0 |
| 03/12/98 | 1.5 | 2.6 | 173 | 175 | 550 | 1.3 | <1.0 | 2.7 |
| 03/31/99 | 1.8 | 2.2 | 170 | 176 | 492 | 1,560 ¹ | 0.191 | <1.0 |
| 12/22/99 | 6.8 | 5.68 | -25 | 14 | 739 | 0.87 | 1.85 | 39.6 |
| 03/09/00 | 1.1 | 1.9 | -13 | -39 | 530 | <0.01 | <0.1 | 4.5 |
| 09/05/00 | 2.22 | 2.02 | 105 | 138 | 530 | <0.010 | <1.0 | 29 |
| C-5 | | | | | | | | |
| 03/12/98 | 1.7 | 1.9 | 70 | 169 | 210 | 0.074 | 69 | 74 |
| 03/31/99 | 12.8 | 6.7 | 92 | 97 | 254 | <500 ¹ | 16.7 | 69.7 |
| 03/09/00 | 2.8 | 3.6 | 120 | 118 | 230 | 0.39 | 60 | 74 |

Table 2
Field Measurements and Groundwater Analytical Results
Chevron Service Station #9-0076
4265 Foothill Boulevard
Oakland, California

| WELL ID/ DATE | DO Pre-Purge (mg/L) | DO Post-Purge (mg/L) | ORP Pre-Purge (mV) | ORP Post-Purge (mV) | Total Alkalinity (mg/L) | Ferrous Iron (ppm) | Nitrate as Nitrate (ppm) | Sulfate (ppm) |
|------------------|---------------------------|----------------------------|--------------------------|---------------------------|-------------------------------|--------------------------|--------------------------------|------------------|
| C-6 | | | | | | | | |
| 09/17/97 | 1.5 | 1.2 | -57 | -48 | 620 | 1.1 | <1.0 | 18 |
| 03/12/98 | 14.1 | 11.3 | 173 | 174 | 200 | 0.11 | 14 | 14 |
| 03/31/99 | 9.8 | 8.4 | 162 | 168 | 534 | <500 ¹ | 0.849 | 45.3 |
| 12/22/99 | 1.02 | 1.22 | -65 | -60 | 614 | 0.36 | 0.421 | 32 |
| 03/09/00 | 5.4 | 1.6 | -113 | -35 | 540 | 0.26 | 0.14 | 24 |
| 09/05/00 | 1.90 | 2.73 | 45 | 31 | 550 | 0.18 | <1.0 | 38 |
| C-7 | | | | | | | | |
| 09/17/97 | 0.6 | 0.4 | 126 | 115 | 600 | 4.8 | <1.0 | 18 |
| 03/12/98 | 2.2 | 2.1 | 167 | 167 | 460 | 0.16 | <1.0 | 29 |
| 03/31/99 | 2.0 | 1.8 | 137 | 135 | 486 | <500 ¹ | <0.1 | 29.4 |
| 12/22/99 | 1.8 | 1.5 | 20 | -60 | 400 | 1.6 | 0.434 | 16.9 |
| 03/09/00 | 0.7 | 2.5 | 10 | -13 | 610 | 2.1 | <0.1 | 5.5 |
| 09/05/00 | 1.77 | 1.46 | 133 | 46 | 590 | 1.8 | <1.0 | 12 |
| C-8 | | | | | | | | |
| 03/12/98 | 1.0 | 1.1 | 171 | 169 | 110 | 0.16 | 7.4 | 8.2 |
| 03/31/99 | 1.8 | 1.5 | 149 | 132 | 264 | <500 ¹ | 17 | 71 |
| 03/09/00 | 2.7 | 3.3 | 141 | 160 | 270 | 0.24 | 29 | 35 |
| C-9 | | | | | | | | |
| 03/12/98 | 2.5 | 2.5 | 172 | 168 | 230 | 0.048 | 59 | 58 |
| 03/31/99 | 2.1 | 2.3 | 154 | 142 | 236 | <500 ¹ | 18 | 72.7 |
| 03/09/00 | 2.5 | 3.7 | 108 | 138 | 190 | 0.79 | 100 | 73 |

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 5, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

DO = Dissolved Oxygen

(mg/L) = Milligrams per liter

ORP = Oxidation Reduction Potential

(mV) = Millivolts

(ppm) = Parts per million

-- = Not Measured

¹ Analyzed in part per billion (ppb).

Table 3
Joint Groundwater Monitoring Data
 BP Service Station #11109
 4280 Foothill Boulevard
 Oakland, California

| WELL ID | DATE | TOC* <i>(ft.)</i> | DTW <i>(ft.)</i> | SPHT <i>(ft.)</i> | GWE <i>(msl)</i> |
|----------------|-------------|-----------------------------|----------------------------|-----------------------------|----------------------------|
| MW-2 | 09/05/06 | 41.22 | 10.46 | 0.00 | 30.76 |
| MW-3 | 09/05/06 | 40.13 | 9.86 | 0.00 | 30.27 |
| MW-4 | 09/05/06 | 40.11 | 13.81 | 0.00 | 26.30 |
| MW-5 | 09/05/06 | 39.14 | 6.16 | 0.03 | 33.00** |
| MW-6 | 09/05/06 | 41.59 | 14.10 | 0.00 | 27.49 |
| MW-7 | 09/05/06 | 40.32 | 11.45 | 0.00 | 28.87 |
| MW-8 | 09/05/06 | 38.18 | 12.61 | 0.00 | 25.57 |
| MW-9 | 09/05/06 | 41.25 | 11.63 | 0.00 | 29.62 |

EXPLANATIONS:

Groundwater monitoring data provided by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbons Thickness

GWE = Groundwater Elevation

(msl) = Mean sea level

* TOC elevation relative to msl.

** GWE corrected for the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].