

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------|--------------|--------------|--------------|---------------|----------------------|--------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-1 | | | | | | | | | | | | | | |
| 08/20/91 | 6.82 | 1.62 | 5.20 | -- | -- | 260 | 5,100 | 1,700 | 21 | 220 | 34 | -- | -- | -- |
| 09/30/91 | 6.82 | 1.15 | 5.67 | Sheen | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/28/91 | 6.82 | 1.50 | 5.30 | 0.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/08/92 | 6.82 | 1.67 | 5.15 | Sheen | -- | 4,400 | 5,400 | 770 | 13 | 95 | 31 | -- | -- | -- |
| 01/13/92 | 6.82 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/23/92 | 6.89 | 1.48 | 5.41 | -- | -- | 2,000 | 7,700 | 1,500 | 40 | 230 | 100 | -- | -- | -- |
| 08/24/92 | 6.89 | 1.12 | 5.77 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 6.89 | 1.00 | 5.89 | -- | -- | <50 | 3,500 | 1,700 | 28 | 190 | 78 | -- | -- | -- |
| 10/26/92 | 6.89 | 0.95 | 5.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 6.89 | 2.18 | 4.71 | -- | -- | 5,500 | 60,000 | 7,100 | 240 | 2,000 | 1,300 | -- | -- | -- |
| 01/08/93 | 6.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 6.89 | 2.17 | 4.72 | -- | -- | <10 | 530 | 1,100 | 41 | 67 | 79 | -- | -- | -- |
| 06/11/93 | 6.89 | 5.37 | 5.07 | -- | -- | -- | 7,000 | 1,900 | 33 | 120 | 69 | 9,600 | -- | 840 |
| 09/29/93 | 6.89 | 1.13 | 5.76 | -- | -- | <10 | 6,600 | 1,600 | 28 | 43 | 74 | -- | -- | -- |
| 12/20/93 | 6.89 | 1.74 | 5.15 | -- | -- | <10 | 6,300 | 1,900 | 36 | 82 | 65 | -- | -- | -- |
| 03/07/94 | 6.89 | 2.21 | 4.68 | -- | -- | <10 | 7,700 | 1,100 | 55 | 66 | 38 | 12,000 | -- | -- |
| 06/17/94 | 6.89 | 1.83 | 5.06 | -- | -- | 2,200 | 4,300 | 710 | 12 | 90 | 38 | -- | -- | -- |
| 09/12/94 | 6.89 | 1.24 | 5.65 | -- | -- | 2,500 | 6,400 | 1,500 | <25 | 180 | <25 | 12,000 | -- | -- |
| 11/30/94 | 6.89 | 2.32 | 4.57 | -- | -- | 2,300 ¹ | 4,900 | 690 | 26 | 97 | 60 | 3,900 | -- | -- |
| 03/24/95 | 6.89 | 3.91 | 2.98 | -- | -- | 1,400 ² | 1,800 | 160 | 7.3 | 11 | 14 | 1,300 | -- | -- |
| 06/27/95 | 6.89 | 1.87 | 5.02 | -- | -- | 2,300 ² | 4,600 | 1,300 | 11 | 97 | 13 | 5,100 | -- | -- |
| 09/28/95 | 6.89 | 1.59 | 5.30 | -- | -- | 3,900 ² | 6,600 | 1,500 | <20 | <20 | <20 | 5,800 | -- | -- |
| 12/19/95 | 6.89 | 2.21 | 4.68 | -- | -- | 2,600 ² | 3,800 | 930 | <10 | 100 | <10 | 6,300 | -- | -- |
| 02/28/96 | 6.89 | 3.27 | 3.62 | -- | -- | 1,800 ² | 3,600 | 280 | <5.0 | 18 | 5.5 | 2,200 | -- | -- |
| 06/25/96 | 6.89 | 1.87 | 5.02 | -- | -- | 3,000 | 4,700 | 1,600 | 36 | 150 | 31 | 3,000 | -- | -- |
| 12/17/96 | 6.89 | 2.23 | 4.66 | -- | -- | 2,700 ³ | 7,800 | 1,000 | 28 | 340 | 63 | 1,200 | -- | -- |
| 03/31/97 | 6.89 | 2.01 | 4.88 | -- | -- | 2,200 ² | 5,300 | 590 | 55 | 210 | 53 | 950 | -- | -- |
| 06/30/97 | 6.89 | 1.32 | 5.57 | -- | -- | 2,200 ² | 4,400 | 350 | <10 | <10 | 11 | 580 | -- | -- |
| 09/12/97 | 6.89 | 1.56 | 5.33 | -- | -- | 2,300 ² | 3,400 | 220 | 9.5 | 15 | 11 | 460 | -- | -- |
| 12/05/97 | 6.89 | 2.44 | 4.45 | -- | -- | 1,900 ² | 4,700 | 870 | 21 | 120 | 18 | 750 | -- | -- |
| 02/16/98 | 6.89 | 3.52 | 3.37 | -- | -- | 1,600 ² | 4,400 | 120 | 12 | 11 | 7.7 | 270 | -- | -- |
| 06/17/98 | 6.89 | 2.24 | 4.65 | -- | -- | 1,300 ² | 7,800 | <25 | 50 | 34 | 650 | 650 | -- | -- |
| 08/31/98 | 6.89 | 1.70 | 5.19 | -- | -- | 2,400 ² | 3,700 | 620 | 17 | 120 | 31 | 380 | -- | -- |
| 12/28/98 | 6.89 | 1.94 | 4.95 | -- | -- | 1,500 ² | 3,800 | 250 | 14 | 28 | 15 | 330 | -- | -- |
| 03/04/99 | 6.89 | 3.24 | 3.65 | -- | -- | 1,070 ² | 1,560 | 17.9 | <0.5 | 4.17 | 1.05 | 70.4 | -- | -- |
| 06/14/99 | 6.89 | 1.89 | 5.00 | -- | -- | 2,500 ² | <10,000 | 820 | 240 | 320 | 640 | <500 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------------|--------------|--------------|--------------|---------------|----------------------|---------------------|---------------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-1 (cont) | | | | | | | | | | | | | | |
| 09/17/99 | 6.89 | 0.30 | 6.59 | -- | -- | 2,110 ² | 3,300 | 141 | 12.3 | <10 | <10 | 238 | -- | -- |
| 12/20/99 | 6.89 | 1.92 | 4.97 | -- | -- | 1,840 ² | 2,990 | 218 | 16.3 | 20 | <10 | 232 | -- | -- |
| 03/20/00 | 6.89 | 3.11 | 3.78 | -- | -- | 938 ² | 1,340 | 20 | 3.07 | 1.87 | 1.87 | 29.1 | -- | -- |
| 06/24/00 ⁵ | 6.89 | 2.45 | 4.44 | 0.00 | 0.00 | 1,680 ⁹ | 1,500 ⁷ | 12 | 5.3 | <2.5 | 7.9 | 190 | -- | -- |
| 09/07/00 ⁵ | 6.89 | 1.74 | 5.15 | 0.00 | 0.00 | 1,500 ⁹ | 3,100 ⁷ | 190 | 13 | 14 | <10 | 210 | -- | -- |
| 12/05/00 ⁵ | 6.89 | 2.16 | 4.73 | 0.00 | 0.00 | 970 ¹³ | 2,140 ¹⁴ | 248 | <5.00 | 20.5 | <5.00 | <25.0 | -- | -- |
| 03/01/01 ⁵ | 6.89 | 3.33 | 3.56 | 0.00 | 0.00 | 610 ⁹ | 1,000 ⁷ | 21 | <10 | <10 | <10 | 280 | -- | -- |
| 06/04/01 ⁵ | 6.89 | 2.13 | 4.76 | 0.00 | 0.00 | 1,100 ⁹ | 2,800 ⁷ | 310 | 23 | 11 | 15 | 470 | -- | -- |
| 09/10/01 ⁵ | 6.89 | 1.28 | 5.61 | 0.00 | 0.00 | 2,600 | 2,500 ¹⁶ | <20 | 26 | <20 | <20 | 310 | -- | -- |
| 12/03/01 ⁵ | 6.89 | 3.31 | 3.58 | 0.00 | 0.00 | 2,700 | 2,400 | 30 | 7.3 | 7.0 | 6.5 | 160 | -- | -- |
| 03/04/02 ⁵ | 6.89 | 2.36 | 4.53 | 0.00 | 0.00 | 2,700 | 3,300 | 120 | 17 | 22 | 9.0 | 110 | -- | -- |
| 05/30/02 ⁵ | 6.89 | 2.41 | 4.48 | 0.00 | 0.00 | 2,700 | 4,100 | 110 | 9.3 | 22 | 11 | 100 | -- | -- |
| 09/03/02 ⁵ | 6.89 | 1.42 | 5.47 | 0.00 | 0.00 | 2,900 | 3,700 | <5.0 | 7.8 | 3.2 | 10 | 130 | -- | -- |
| 12/09/02 ⁵ | 6.89 | 1.61 | 5.28 | 0.00 | 0.00 | 3,000 | 2,900 | 35 | 5.1 | 5.5 | 8.3 | 170 | -- | -- |
| 03/10/03 ⁵ | 6.89 | 2.50 | 4.39 | 0.00 | 0.00 | 1,600 | 3,000 | 42 | 5.0 | 8.2 | 8.7 | 110 | -- | -- |
| 06/09/03 ^{5,18} | 6.89 | 2.53 | 4.36 | 0.00 | 0.00 | 2,000 | 5,200 | 140 | 16 | 20 | 15 | 100 | -- | -- |
| 09/08/03 ^{5,18} | 6.89 | 1.52 | 5.37 | 0.00 | 0.00 | 2,100 | 3,500 | 4 | 10 | 2 | 11 | 200 | <50 | -- |
| 12/08/03 ^{5,18} | 6.89 | 2.44 | 4.45 | 0.00 | 0.00 | 3,400 | 2,200 | 8 | 4 | 3 | 8 | 160 | <50 | -- |
| 03/09/04 ^{18,20} | 6.89 | 2.86 | 4.03 | 0.00 | 0.00 | 3,300 | 1,500 | 16 | 3 | 5 | 4 | 99 | <130 | -- |
| 06/17/04 ¹⁸ | 6.89 | 1.41 | 5.48 | 0.00 | 0.00 | 2,700 | 3,400 | 180 | 13 | 27 | 13 | 160 | <50 | -- |
| 09/15/04 ¹⁸ | 6.89 | -0.91 | 7.80 | 0.00 | 0.00 | 2,600 | 1,700 | 2 | 1 | 0.8 | 5 | 180 | <50 | -- |
| 12/23/04 ¹⁸ | 6.89 | 1.35 | 5.54 | 0.00 | 0.00 | 3,000 | 1,800 | 120 | 3 | 5 | 5 | 120 | <50 | -- |
| 03/24/05 ¹⁸ | 6.89 | 3.49 | 3.40 | 0.00 | 0.00 | 950 | 1,100 | 45 | 2 | 5 | 2 | 16 | <50 | -- |
| 06/16/05 ¹⁸ | 6.89 | 2.29 | 4.60 | 0.00 | 0.00 | 1,600 | 3,600 | 210 | 11 | 33 | 12 | 69 | <50 | -- |
| 09/16/05 ¹⁸ | 6.89 | 1.10 | 5.79 | 0.00 | 0.00 | 2,200 | 3,700 | 74 | 9 | 21 | 14 | 150 | <50 | -- |
| 12/21/05 ¹⁸ | 6.89 | 3.11 | 3.78 | 0.00 | 0.00 | 1,600 ²² | 1,400 | 53 | 2 | 4 | 4 | 62 | <50 | -- |
| 03/23/06 ¹⁸ | 6.89 | 3.33 | 3.56 | 0.00 | 0.00 | 1,400 | 1,100 | 3 | 2 | 2 | 3 | 26 | <50 | -- |
| 06/09/06 ¹⁸ | 6.89 | 2.11 | 4.78 | 0.00 | 0.00 | 1,300 | 5,200 | 160 | 13 | 42 | 20 | 77 | <50 | -- |
| 09/05/06 ¹⁸ | 6.89 | 0.89 | 6.00 | 0.00 | 0.00 | 1,600 | 2,000 | 0.8 | <0.5 | <0.5 | 0.8 | 1,500 | <50 | -- |
| 12/15/06¹⁸ | 6.89 | 2.84 | 4.05 | 0.00 | 0.00 | 1,800 | 1,400 | 3 | 0.9 | 1 | 5 | 47 | <50 | -- |
| MW-2A | | | | | | | | | | | | | | |
| 04/19/99 | 6.53 | 1.67 | 4.86 | -- | -- | 820 ² | <2,000 | <20 | <20 | <20 | <20 | 9,200 | -- | -- |
| 06/14/99 | 6.53 | 1.23 | 5.30 | -- | -- | 2,000 ² | <5,000 | 89 | <50 | 66 | <50 | 10,000 | -- | -- |
| 09/17/99 | 6.53 | 0.69 | 5.84 | -- | -- | 1,050 ² | 903 | 42 | 1.63 | 22.8 | 7.74 | 11,400 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------------|--------------|--------------|--------------|---------------|----------------------|---------------------|-------------------|------------|--------------|--------------|------------|---------------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-2A (cont) | | | | | | | | | | | | | | |
| 12/20/99 | 6.53 | -0.07 | 6.60 | -- | -- | 2,820 ² | 2,280 | 115 | <10 | 87.2 | 27.2 | 14,000 | -- | -- |
| 03/20/00 | 6.53 | 1.74 | 4.79 | -- | -- | 1,220 ² | 1,040 | 54.3 | <5.0 | 33.8 | 12.1 | 10,900 ² | -- | -- |
| 06/24/00 | 6.53 | 1.28 | 5.25 | 0.00 | 0.00 | 1,300 ⁹ | 690 ⁷ | 50 | 2.5 | 18 | 9.5 | 15,000 ⁸ | -- | -- |
| 09/07/00 | 6.53 | 1.09 | 5.44 | 0.00 | 0.00 | 770 ⁹ | 310 ⁷ | 6.7 | 1.4 | 1.6 | 3.8 | 16,000 | -- | -- |
| 12/05/00 | 6.53 | 1.16 | 5.37 | 0.00 | 0.00 | 810 ¹³ | 414 ¹⁴ | 32.4 | <0.500 | 7.49 | 5.96 | 8,910 ⁸ | -- | -- |
| 03/01/01 | 6.53 | 2.03 | 4.50 | 0.00 | 0.00 | 590 ⁹ | 370 ⁷ | 30 | 4.0 | 12 | 9.2 | 8,200 | -- | -- |
| 06/04/01 | 6.53 | 1.36 | 5.17 | 0.00 | 0.00 | 930 ⁹ | <500 | 19 | <5.0 | <5.0 | <5.0 | 7,800 | -- | -- |
| 09/10/01 | 6.53 | 0.79 | 5.74 | 0.00 | 0.00 | 2,400 | <5,000 | <50 | <50 | <50 | <50 | 9,700 | -- | -- |
| 12/03/01 | 6.53 | 1.46 | 5.07 | 0.00 | 0.00 | 2,500 | 480 | 4.5 | <1.0 | 1.1 | <3.0 | 10,000 | -- | -- |
| 03/04/02 | 6.53 | 1.52 | 5.01 | 0.00 | 0.00 | 2,300 | 630 | 5.4 | 1.5 | 2.9 | 2.3 | 7,000 | -- | -- |
| 05/30/02 | 6.53 | 1.66 | 4.87 | 0.00 | 0.00 | 2,100 | 520 | 6.1 | <1.0 | 2.6 | 5.4 | 7,100 | -- | -- |
| 09/03/02 | 6.53 | 1.03 | 5.50 | 0.00 | 0.00 | 2,600 | 590 | 7.8 | 0.98 | 2.9 | 7.8 | 7,800 | -- | -- |
| 12/09/02 | 6.53 | 1.06 | 5.47 | 0.00 | 0.00 | 1,900 | 670 | 7.9 | 0.88 | 2.1 | 5.0 | 8,300 | -- | -- |
| 03/10/03 | 6.53 | 1.52 | 5.01 | 0.00 | 0.00 | 1,700 | 640 | 8.0 | 0.76 | 2.6 | 4.1 | 7,500 | -- | -- |
| 06/09/03 ¹⁸ | 6.53 | 1.77 | 4.76 | 0.00 | 0.00 | 1,900 | 540 | 3 | <3 | <3 | <3 | 6,800 | -- | -- |
| 09/08/03 ¹⁸ | 6.53 | 1.16 | 5.37 | 0.00 | 0.00 | 2,000 | 540 | 3 | 0.7 | 0.7 | 3 | 7,000 | <50 | -- |
| 12/08/03 ¹⁸ | 6.53 | 1.34 | 5.19 | 0.00 | 0.00 | 3,100 | 480 | <5 | <5 | <5 | <5 | 6,500 | <500 | -- |
| 03/09/04 ¹⁸ | 6.53 | 1.81 | 4.72 | 0.00 | 0.00 | 1,200 | 1,300 | 44 | 2 | 15 | 10 | 2,900 | <130 | -- |
| 06/17/04 ¹⁸ | 6.53 | -0.07 | 6.60 | 0.00 | 0.00 | 2,300 | 920 | 23 | 2 | 6 | 12 | 1,700 | <100 | -- |
| 09/15/04 ¹⁸ | 6.53 | -2.34 | 8.87 | 0.00 | 0.00 | 1,900 | 880 | 6 | 2 | <1 | 7 | 2,100 | <100 | -- |
| 12/23/04 ¹⁸ | 6.53 | 0.68 | 5.85 | 0.00 | 0.00 | 2,200 | 430 | 6 | <3 | <3 | <3 | 5,100 | <250 | -- |
| 03/24/05 ¹⁸ | 6.53 | 1.78 | 4.75 | 0.00 | 0.00 | 810 | 390 | <5 | <5 | <5 | <5 | 5,200 | <500 | -- |
| 06/16/05 ¹⁸ | 6.53 | 1.30 | 5.23 | 0.00 | 0.00 | 3,000 | 380 | <5 | <5 | <5 | <5 | 5,500 | <500 | -- |
| 09/16/05 ¹⁸ | 6.53 | 0.45 | 6.08 | 0.00 | 0.00 | 2,600 | 380 | <5 | <5 | <5 | <5 | 5,900 | <500 | -- |
| 12/21/05 ¹⁸ | 6.53 | 1.55 | 4.98 | 0.00 | 0.00 | 4,000 ²³ | 450 | 1 | 0.6 | <0.5 | 2 | 4,800 | <50 | -- |
| 03/23/06 ¹⁸ | 6.53 | 1.97 | 4.56 | 0.00 | 0.00 | 2,600 | 330 | 1 | 0.8 | <0.5 | 2 | 4,500 | <50 | -- |
| 06/09/06 ¹⁸ | 6.53 | 1.37 | 5.16 | 0.00 | 0.00 | 2,800 | 500 | <1 | <1 | <1 | <1 | 4,500 | <100 | -- |
| 09/05/06 ¹⁸ | 6.53 | 0.72 | 5.81 | 0.00 | 0.00 | 3,000 | 510 | <5 | <5 | <5 | <5 | 3,600 | <500 | -- |
| 12/15/06¹⁸ | 6.53 | 1.48 | 5.05 | 0.00 | 0.00 | 2,800 | 600 | 4 | <1 | <1 | 1 | 4,000 | <100 | -- |
| MW-3A | | | | | | | | | | | | | | |
| 04/19/99 | 8.70 | 1.00 | 7.70 | -- | -- | 93 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | -- | -- |
| 06/14/99 | 8.70 | 0.50 | 8.20 | -- | -- | 160 ² | 148 | 4.55 | 0.82 | 0.53 | 1.1 | 3.7 | -- | -- |
| 09/17/99 | 8.70 | -0.02 | 8.72 | -- | -- | 101 ² | 169 | 6.02 | 0.806 | 0.515 | 0.786 | 4.68 | -- | -- |
| 12/20/99 | 8.70 | -0.22 | 8.92 | -- | -- | 153 ² | <50 | 1.82 | <0.5 | <0.5 | <0.5 | 11 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------------|--------------|--------------|--------------|---------------|----------------------|--------------------|----------------|----------------|------------|----------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-3A (cont) | | | | | | | | | | | | | | |
| 03/20/00 | 8.70 | 1.06 | 7.64 | -- | -- | 223 ² | 140 | 5.08 | 0.695 | <0.5 | <0.5 | 10.1 | -- | -- |
| 06/24/00 | 8.70 | 0.32 | 8.38 | 0.00 | 0.00 | 128 ⁹ | <50 | 0.74 | <0.50 | <0.50 | <0.50 | 34 | -- | -- |
| 09/07/00 | 8.70 | -0.09 | 8.79 | 0.00 | 0.00 | <50 | <50 | 1.4 | <0.50 | <0.50 | <0.50 | 15 | -- | -- |
| 12/05/00 | 8.70 | 0.02 | 8.68 | 0.00 | 0.00 | <50 | <50.0 | 1.39 | <0.500 | <0.500 | <0.500 | 12.9 | -- | -- |
| 03/01/01 | 8.70 | 0.88 | 7.82 | 0.00 | 0.00 | 66 ¹¹ | <50 | 1.0 | <0.50 | <0.50 | <0.50 | 19 | -- | -- |
| 06/04/01 | 8.70 | 0.25 | 8.45 | 0.00 | 0.00 | 69 ⁹ | <50 | 2.0 | <0.50 | <0.50 | <0.50 | 37 | -- | -- |
| 09/10/01 | 8.70 | -0.40 | 9.10 | 0.00 | 0.00 | <50 | <50 | 3.9 | <0.50 | <0.50 | <0.50 | 19 | -- | -- |
| 12/03/01 | 8.70 | 0.62 | 8.08 | 0.00 | 0.00 | 56 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 19 | -- | -- |
| 03/04/02 | 8.70 | -0.24 | 8.94 | 0.00 | 0.00 | 85 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 26 | -- | -- |
| 05/30/02 | 8.70 | -0.08 | 8.78 | 0.00 | 0.00 | 210 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 22 | -- | -- |
| 09/03/02 | 8.70 | -0.28 | 8.98 | 0.00 | 0.00 | 89 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 24 | -- | -- |
| 12/09/02 | 8.70 | -0.20 | 8.90 | 0.00 | 0.00 | 110 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 22 | -- | -- |
| 03/10/03 | 8.70 | 0.58 | 8.12 | 0.00 | 0.00 | 66 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 40 | -- | -- |
| 06/09/03 ¹⁸ | 8.70 | 0.47 | 8.23 | 0.00 | 0.00 | 82 | <50 | <0.5 | 0.5 | <0.5 | <0.5 | 35 | -- | -- |
| 09/08/03 ¹⁸ | 8.70 | -0.06 | 8.76 | 0.00 | 0.00 | 110 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 27 | <50 | -- |
| 12/08/03 ¹⁸ | 8.70 | 0.20 | 8.50 | 0.00 | 0.00 | 74 ¹⁹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 23 | <50 | -- |
| 03/09/04 ¹⁸ | 8.70 | 0.99 | 7.71 | 0.00 | 0.00 | 410 | 53 | 1 | <0.5 | <0.5 | <0.5 | 28 | <50 | -- |
| 06/17/04 ¹⁸ | 8.70 | 0.18 | 8.52 | 0.00 | 0.00 | 430 | 180 | 1 | <0.5 | <0.5 | <0.5 | 3 | <50 | -- |
| 09/15/04 ¹⁸ | 8.70 | -0.42 | 9.12 | 0.00 | 0.00 | 280 | 92 | <0.5 | <0.5 | <0.5 | <0.5 | 63 | <50 | -- |
| 12/23/04 ¹⁸ | 8.70 | -0.06 | 8.76 | 0.00 | 0.00 | 330 | 76 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | -- |
| 03/24/05 ¹⁸ | 8.70 | 2.42 | 6.28 | 0.00 | 0.00 | 210 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 | 360 | -- |
| 06/16/05 ¹⁸ | 8.70 | 0.52 | 8.18 | 0.00 | 0.00 | 590 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- |
| 09/16/05 ¹⁸ | 8.70 | -0.08 | 8.78 | 0.00 | 0.00 | 160 ²¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | -- |
| 12/21/05 ¹⁸ | 8.70 | 0.40 | 8.30 | 0.00 | 0.00 | 220 ²³ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 10 | <50 | -- |
| 03/23/06 ¹⁸ | 8.70 | 1.60 | 7.10 | 0.00 | 0.00 | 150 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.5 | <50 | -- |
| 06/09/06 ¹⁸ | 8.70 | 0.40 | 8.30 | 0.00 | 0.00 | 390 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- |
| 09/05/06 ¹⁸ | 8.70 | -0.30 | 9.00 | 0.00 | 0.00 | 140 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | -- |
| 12/15/06¹⁸ | 8.70 | 0.17 | 8.53 | 0.00 | 0.00 | 250 | <50 | <0.5 | 0.8 | <0.5 | 2 | 9 | <50 | -- |
| MW-4A | | | | | | | | | | | | | | |
| 04/19/99 | 7.69 | 2.78 | 4.91 | -- | -- | 370 ² | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 1,600 | -- | -- |
| 06/14/99 | 7.69 | 2.44 | 5.25 | -- | -- | 2,500 ² | 5,360 | 312 | <20 | 44 | <20 | 2,880 | -- | -- |
| 09/17/99 | 7.69 | 0.32 | 7.37 | -- | -- | 1,430 ² | 1,290 | 38.6 | <5.0 | 7.01 | <5.0 | 1,780 | -- | -- |
| 12/20/99 | 7.69 | 1.39 | 6.30 | -- | -- | 7,480 ² | 852 | 43.5 | 4.63 | 9.18 | 4.36 | 1,070 | -- | -- |
| 03/20/99 | 7.69 | 2.07 | 5.62 | -- | -- | 1,280 ² | 1,370 | 129 | 8.6 | 18.3 | 7.3 | 2,110 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------------|--------------|--------------|--------------|---------------|----------------------|---------------------|-------------------|------------|------------|------------|------------|--------------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-4A (cont) | | | | | | | | | | | | | | |
| 06/24/00 | 7.69 | 1.57 | 6.12 | 0.00 | 0.00 | 1,190 ⁹ | 190 ⁷ | 1.4 | 1.7 | 1.7 | 3.3 | 3,900 ⁷ | -- | -- |
| 09/07/00 | 7.69 | 1.43 | 6.26 | 0.00 | 0.00 | 740 ⁹ | 490 ⁷ | 15 | 1.9 | 1.1 | 3.9 | 3,300 | -- | -- |
| 12/05/00 | 7.69 | 1.70 | 5.99 | 0.00 | 0.00 | 560 ¹² | <500 | <5.00 | <5.00 | <5.00 | <5.00 | 3,380 ⁸ | -- | -- |
| 03/01/01 | 7.69 | 2.01 | 5.68 | 0.00 | 0.00 | 600 ⁹ | <1,000 | 10 | <10 | <10 | <10 | 4,600 | -- | -- |
| 06/04/01 | 7.69 | 1.09 | 6.60 | 0.00 | 0.00 | 770 ⁹ | 390 ¹⁵ | 8.4 | 3.8 | <2.5 | 3.0 | 3,800 | -- | -- |
| 09/10/01 | 7.69 | 1.12 | 6.57 | 0.00 | 0.00 | 810 | <500 | 13 | <5.0 | 22 | <5.0 | 4,900 | -- | -- |
| 12/03/01 | 7.69 | 1.74 | 5.95 | 0.00 | 0.00 | 2,100 | <250 | 1.5 | <1.0 | <1.0 | <3.0 | 3,800 | -- | -- |
| 03/04/02 | 7.69 | -1.19 | 8.88 | 0.00 | 0.00 | 2,400 | 2,500 | 49 | 6.8 | 21 | 9.5 | 2,600 | -- | -- |
| 05/30/02 | 7.69 | 1.49 | 6.20 | 0.00 | 0.00 | 2,600 | 430 | 4.6 | <1.0 | 2.0 | <3.0 | 3,700 | -- | -- |
| 09/03/02 | 7.69 | 1.20 | 6.49 | 0.00 | 0.00 | 3,200 | <500 | 4.5 | <2.0 | 3.5 | 7.5 | 3,800 | -- | -- |
| 12/09/02 | 7.69 | 1.43 | 6.26 | 0.00 | 0.00 | 1,600 | 440 | 1.1 | <0.50 | 0.71 | <5.0 | 4,000 | -- | -- |
| 03/10/03 | 7.69 | 1.86 | 5.83 | 0.00 | 0.00 | 1,700 | 710 | 14 | 2.2 | 4.2 | <10 | 4,100 | -- | -- |
| 06/09/03 ¹⁸ | 7.69 | 1.25 | 6.44 | 0.00 | 0.00 | 3,200 | 400 | 3 | <1 | 2 | <1 | 4,100 | -- | -- |
| 09/08/03 ¹⁸ | 7.69 | 1.83 | 5.86 | 0.00 | 0.00 | 3,900 | 1,300 | 28 | 4 | 4 | <3 | 2,900 | <250 | -- |
| 12/08/03 ¹⁸ | 7.69 | 1.57 | 6.12 | 0.00 | 0.00 | 2,500 | 360 | 3 | <3 | <3 | <3 | 3,200 | <250 | -- |
| 03/09/04 ¹⁸ | 7.69 | 2.32 | 5.37 | 0.00 | 0.00 | 4,300 | 1,400 | 28 | 5 | 10 | 3 | 3,200 | <250 | -- |
| 06/17/04 ¹⁸ | 7.69 | 1.64 | 6.05 | 0.00 | 0.00 | 7,900 | 6,000 | 140 | 20 | 52 | 16 | 1,500 | <50 | -- |
| 09/15/04 ¹⁸ | 7.69 | 0.29 | 7.40 | 0.00 | 0.00 | 4,200 | 3,300 | 14 | 5 | 4 | 6 | 2,400 | <100 | -- |
| 12/23/04 ¹⁸ | 7.69 | 1.43 | 6.26 | 0.00 | 0.00 | 2,800 | 1,500 | 7 | 3 | 4 | 4 | 3,000 | <100 | -- |
| 03/24/05 ¹⁸ | 7.69 | 2.68 | 5.01 | 0.00 | 0.00 | 900 | 2,700 | 28 | 7 | 9 | 4 | 2,300 | <250 | -- |
| 06/16/05 ¹⁸ | 7.69 | 1.66 | 6.03 | 0.00 | 0.00 | 3,600 | 1,000 | 3 | 5 | 3 | 6 | 3,200 | <250 | -- |
| 09/16/05 ¹⁸ | 7.69 | 1.07 | 6.62 | 0.00 | 0.00 | 2,400 | 380 | <5 | <5 | <5 | <5 | 3,700 | <500 | -- |
| 12/21/05 ¹⁸ | 7.69 | 1.83 | 5.86 | 0.00 | 0.00 | 2,900 ²³ | 580 | 2 | 0.7 | 1 | 2 | 3,000 | <50 | -- |
| 03/23/06 ¹⁸ | 7.69 | 2.55 | 5.14 | 0.00 | 0.00 | 1,900 | 1,400 | 16 | 5 | 9 | <3 | 2,800 | <250 | -- |
| 06/09/06 ¹⁸ | 7.69 | 1.76 | 5.93 | 0.00 | 0.00 | 3,900 | 1,200 | 4 | 2 | 3 | 3 | 3,000 | <50 | -- |
| 09/05/06 ¹⁸ | 7.69 | 1.07 | 6.62 | 0.00 | 0.00 | 3,800 | 650 | <5 | <5 | <5 | <5 | 1,600 | <500 | -- |
| 12/15/06¹⁸ | 7.69 | 1.69 | 6.00 | 0.00 | 0.00 | 3,500 | 1,000 | 2 | 1 | 0.8 | 3 | 520 | <50 | -- |

MW-5

| | | | | | | | | | | | | | | |
|----------|-------|------|-------|----|----|-----|-----|------|------|------|------|----|----|----|
| 06/23/92 | 14.14 | 1.90 | 12.24 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 08/24/92 | 14.14 | 1.85 | 12.29 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 14.14 | 1.68 | 12.46 | -- | -- | 60 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 10/26/92 | 14.14 | 1.62 | 12.52 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 14.14 | 3.02 | 11.12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/08/93 | 14.14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|--------------------|--------------|--------------|--------------|---------------|----------------------|-----------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-5 (cont) | | | | | | | | | | | | | | |
| 03/25/93 | 14.14 | 4.40 | 9.74 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | 0.9 | -- | -- | -- |
| 06/11/93 | 14.14 | 3.70 | 10.44 | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | 770 |
| 09/29/93 | 14.14 | 2.22 | 11.92 | -- | -- | <10 | <50 | <0.5 | 0.6 | <0.5 | 0.6 | -- | -- | -- |
| 12/20/93 | 14.14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/07/94 | 14.14 | 2.80 | 11.34 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/17/94 | 14.14 | 2.87 | 11.27 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/12/94 | 14.14 | 1.28 | 12.86 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- |
| 11/30/94 | 14.14 | 2.23 | 11.91 | -- | -- | 99 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/24/95 | 14.14 | 4.38 | 9.76 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/27/95 | 14.14 | 2.74 | 11.40 | -- | -- | 55 ³ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/28/95 | 14.14 | 2.24 | 11.90 | -- | -- | 300 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/19/95 | 14.14 | 1.56 | 12.58 | -- | -- | 53 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.1 | -- | -- |
| 02/28/96 | 14.14 | 2.44 | 11.70 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/25/96 | 14.14 | 2.71 | 11.43 | -- | -- | 120 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 36 | -- | -- |
| 12/17/96 | 14.14 | 2.74 | 11.40 | -- | -- | 89 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/31/97 | 14.14 | 2.04 | 12.10 | -- | -- | 150 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/30/97 | 14.14 | 1.36 | 12.78 | -- | -- | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/12/97 | 14.14 | 0.46 | 13.68 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/05/97 | 14.14 | 1.11 | 13.03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/98 | 14.14 | 4.17 | 9.97 | -- | -- | 62 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/17/98 | 14.14 | 2.29 | 11.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/31/98 | 14.14 | 1.32 | 12.82 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/28/98 | 14.14 | 0.71 | 13.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/04/99 | 14.14 | 0.39 | 13.75 | -- | -- | 70.5 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.34 | -- | -- |
| 06/14/99 | 14.14 | 0.04 | 14.10 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/17/99 | 14.14 | -0.04 | 14.18 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/20/99 | 14.14 | 0.44 | 13.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/20/00 | 14.14 | 1.50 | 12.64 | -- | -- | 115 ³ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/24/00 | 14.14 | 1.10 | 13.04 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/07/00 | 14.14 | 0.97 | 13.17 | 0.00 | 0.00 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.0 | -- | -- |
| 12/05/00 | 14.14 | 2.86 | 11.28 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/01/01 | 14.14 | 3.84 | 10.30 | 0.00 | 0.00 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 06/04/01 | 14.14 | 2.83 | 11.31 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/10/01 | 14.14 | 1.98 | 12.16 | 0.00 | 0.00 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 12/03/01 | 14.14 | 5.52 | 8.62 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 03/04/02 | 14.14 | 4.29 | 9.85 | 0.00 | 0.00 | 78 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------|--------------|-------------------------------------|--------------|---------------|----------------------|------------------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-5 (cont) | | | | | | | | | | | | | | |
| 05/30/02 | 14.14 | 3.31 | 10.83 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/03/02 | 14.14 | INACCESSIBLE - CAR PARKED OVER WELL | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/09/02 | 14.14 | 2.78 | 11.36 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/10/03 | 14.14 | 2.95 | 11.19 | 0.00 | 0.00 | 100 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 8.2 | -- | -- |
| 06/09/03 | 14.14 | 1.57 | 12.57 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/08/03 ¹⁸ | 14.14 | 2.13 | 12.01 | 0.00 | 0.00 | 65 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | -- |
| 12/08/03 | 14.14 | 3.01 | 11.13 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/09/04 ¹⁸ | 14.14 | 3.56 | 10.58 | 0.00 | 0.00 | 110 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | -- |
| 06/17/04 | 14.14 | 2.04 | 12.10 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/15/04 ¹⁸ | 14.14 | 1.56 | 12.58 | 0.00 | 0.00 | 92 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | -- |
| 12/23/04 | 14.14 | 1.94 | 12.20 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/24/05 ¹⁸ | 14.14 | 6.44 | 7.70 | 0.00 | 0.00 | 85 | <50 | <0.5 | <0.5 | <0.5 | 3 | 6 | <50 | -- |
| 06/16/05 | 14.14 | 2.59 | 11.55 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/16/05 ¹⁸ | 14.14 | 2.36 | 11.78 | 0.00 | 0.00 | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | -- |
| 12/21/05 | 14.14 | 4.44 | 9.70 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/23/06 ¹⁸ | 14.14 | 4.94 | 9.20 | 0.00 | 0.00 | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | -- |
| 06/09/06 | 14.14 | 3.47 | 10.67 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/05/06 ¹⁸ | 14.14 | 2.34 | 11.80 | 0.00 | 0.00 | 120 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | -- |
| 12/15/06 | 14.14 | 2.64 | 11.50 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | | | | | | | | | | | | | | |
| 06/23/92 | 4.46 | -0.68 | 5.14 | -- | -- | 120 | <50 | 4.3 | <0.5 | 0.8 | 0.9 | -- | -- | -- |
| 08/24/92 | 4.46 | -0.49 | 4.95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 4.46 | -0.44 | 4.90 | -- | -- | <50 | <250 | <2.5 | <2.5 | <2.5 | <2.5 | -- | -- | -- |
| 10/26/92 | 4.46 | -1.06 | 5.52 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 4.46 | -0.94 | 5.40 | -- | -- | 81 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 01/08/93 | 4.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 4.46 | -1.64 | 6.10 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | 0.7 | -- | -- | -- |
| 06/11/93 | 4.46 | -2.10 | 6.56 | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | 15,000 |
| 09/29/93 | 4.46 | -0.71 | 5.17 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/20/93 | 4.46 | -1.47 | 5.93 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/07/94 | 4.46 | -0.81 | 5.27 | -- | -- | <10 | 54 | <0.5 | <0.5 | <0.5 | 0.6 | -- | -- | -- |
| 06/17/94 | 4.46 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/12/94 | 4.46 | -0.64 | 5.10 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- |
| 11/30/94 | 4.46 | -1.12 | 5.58 | -- | -- | 800 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------|--------------|-------------------------------------|--------------|---------------|----------------------|-----------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-6 (cont) | | | | | | | | | | | | | | |
| 03/24/95 | 4.46 | -1.87 | 6.33 | -- | -- | 490 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/27/95 | 4.46 | -3.74 | 8.20 | -- | -- | 300 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/28/95 | 4.46 | -0.19 | 4.65 | -- | -- | 1,200 ² | 120 | 1.1 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/19/95 | 4.46 | -1.58 | 6.04 | -- | -- | 820 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 02/28/96 | 4.46 | -1.54 | 6.00 | -- | -- | 270 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/25/96 | 4.46 | -1.71 | 6.17 | -- | -- | 750 ² | 97 | <0.5 | <0.5 | <0.5 | 0.71 | <2.5 | -- | -- |
| 12/17/96 | 4.46 | -1.67 | 6.13 | -- | -- | 540 ² | 65 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/31/97 | 4.46 | -2.23 | 6.69 | -- | -- | 780 ² | 65 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/30/97 | 4.46 | -2.62 | 7.08 | -- | -- | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/12/97 | 4.46 | -0.95 | 5.41 | -- | -- | 270 ² | 65 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/05/97 | 4.46 | -1.96 | 6.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/98 | 4.46 | -0.30 | 4.76 | -- | -- | 330 ² | 140 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/17/98 | 4.46 | -1.54 | 6.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/31/98 | 4.46 | -0.64 | 5.10 | -- | -- | 270 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/28/98 | 4.46 | -2.04 | 6.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/04/99 | 4.46 | -1.35 | 5.81 | -- | -- | 638 ¹ | 95.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- |
| 06/14/99 | 4.46 | -0.97 | 5.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/17/99 | 4.46 | -1.74 | 6.20 | -- | -- | 258 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/20/99 | 4.46 | -2.31 | 6.77 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/20/00 | 4.46 | -2.12 | 6.58 | -- | -- | 257 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/24/00 | 4.46 | -2.52 | 6.98 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/07/00 | 4.46 | -0.46 | 4.92 | 0.00 | 0.00 | 98 ¹¹ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 12/05/00 | 4.46 | -0.64 | 5.10 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/01/01 | 4.46 | -0.43 | 4.89 | 0.00 | 0.00 | 190 ⁹ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 06/04/01 | 4.46 | -0.75 | 5.21 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/10/01 | 4.46 | -0.65 | 5.11 | 0.00 | 0.00 | 140 ¹⁷ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 12/03/01 | 4.46 | -0.57 | 5.03 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 03/04/02 | 4.46 | INACCESSIBLE - CAR PARKED OVER WELL | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 05/30/02 | 4.46 | -1.65 | 6.11 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/03/02 | 4.46 | -0.82 | 5.28 | 0.00 | 0.00 | 340 | <500 | <2.0 | <2.0 | <2.0 | <6.0 | <3.0 | -- | -- |
| 12/09/02 | 4.46 | -0.66 | 5.12 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 03/10/03 | 4.46 | -1.80 | 6.26 | 0.00 | 0.00 | 420 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 06/09/03 | 4.46 | -1.45 | 5.91 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 09/08/03 ¹⁸ | 4.46 | -0.19 | 4.65 | 0.00 | 0.00 | 230 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- |
| 12/08/03 | 4.46 | -0.78 | 5.24 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | | -- | -- | -- | -- | -- | -- |
| 03/09/04 ¹⁸ | 4.46 | -1.39 | 5.85 | 0.00 | 0.00 | 1,500 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------|--------------|--------------|--------------|---------------|----------------------|------------------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-6 (cont) | | | | | | | | | | | | | | |
| 06/17/04 | 4.46 | -1.62 | 6.08 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/15/04 ¹⁸ | 4.46 | -2.28 | 6.74 | 0.00 | 0.00 | 1,200 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- |
| 12/23/04 | 4.46 | -1.30 | 5.76 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/24/05 ¹⁸ | 4.46 | -0.19 | 4.65 | 0.00 | 0.00 | 290 | 60 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- |
| 06/16/05 | 4.46 | -1.04 | 5.50 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/16/05 ¹⁸ | 4.46 | -0.63 | 5.09 | 0.00 | 0.00 | 640 | <50 | <3 | <3 | <3 | <3 | <3 | <250 | -- |
| 12/21/05 | 4.46 | -0.54 | 5.00 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/23/06 ¹⁸ | 4.46 | -0.17 | 4.63 | 0.00 | 0.00 | 1,500 | 50 | <3 | <3 | <3 | <3 | <3 | <250 | -- |
| 06/09/06 | 4.46 | -0.49 | 4.95 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/05/06 ¹⁸ | 4.46 | -0.39 | 4.85 | 0.00 | 0.00 | 820 | <250 | <3 | <3 | <3 | <3 | <3 | <250 | -- |
| 12/15/06 | 4.46 | -0.94 | 5.40 | 0.00 | 0.00 | SAMPLED SEMI-ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | | | |
| 08/24/92 | 5.26 | -0.29 | 5.55 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 5.26 | -0.39 | 5.65 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 10/26/92 | 5.26 | -0.25 | 5.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 5.26 | 1.31 | 3.95 | -- | -- | 60 | <50 | 2.9 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 01/08/93 | 5.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 5.26 | 2.76 | 2.50 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/11/93 | 5.26 | 1.80 | 3.46 | -- | -- | -- | <50 | 0.6 | <0.5 | <0.5 | <0.5 | -- | -- | 2,200 |
| 09/29/93 | 5.26 | -0.26 | 5.52 | -- | -- | <10 | <50 | 2.0 | 1.0 | 1.0 | 7.0 | -- | -- | -- |
| 12/20/93 | 5.26 | 0.85 | 4.41 | -- | -- | <10 | <50 | 2.0 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/07/94 | 5.26 | 2.64 | 2.62 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/17/94 | 5.26 | 1.99 | 3.27 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/12/94 | 5.26 | 1.15 | 4.11 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- |
| 11/30/94 | 5.26 | 2.50 | 2.76 | -- | -- | 92 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/24/95 | 5.26 | 3.06 | 2.20 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/27/95 | 5.26 | 1.36 | 3.90 | -- | -- | 69 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/28/95 | 5.26 | 0.41 | 4.85 | -- | -- | 84 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/19/95 | 5.26 | 2.24 | 3.02 | -- | -- | 84 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 02/28/96 | 5.26 | 3.83 | 1.43 | -- | -- | 99 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/25/96 | 5.26 | 0.97 | 4.29 | -- | -- | 110 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/17/96 | 5.26 | 3.08 | 2.18 | -- | -- | 54 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/31/97 | 5.26 | 2.32 | 2.94 | -- | -- | 100 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/30/97 | 5.26 | 1.68 | 3.58 | -- | -- | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------|--------------|---------------------------------|--------------|---------------|----------------------|------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-7 (cont) | | | | | | | | | | | | | | |
| 09/12/97 | 5.26 | 1.85 | 3.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/05/97 | 5.26 | 3.37 | 1.89 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/98 | 5.26 | 3.43 | 1.83 | -- | -- | 77 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/17/98 | 5.26 | 3.32 | 1.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/31/98 | 5.26 | 1.07 | 4.19 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/28/98 | 5.26 | 0.79 | 4.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/04/99 | 5.26 | 3.51 | 1.75 | -- | -- | 73.4 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- |
| 06/14/99 | 5.26 | 3.64 | 1.62 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/17/99 | 5.26 | 0.42 | 4.84 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/20/99 | 5.26 | 0.45 | 4.81 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/20/00 | 5.26 | 3.41 | 1.85 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/24/00 | 5.26 | 3.05 | 2.21 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/07/00 | 5.26 | 1.61 | 3.65 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/05/00 | 5.26 | 2.31 | 2.95 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/01/01 | 5.26 | 4.61 | 0.65 | 0.00 | 0.00 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 06/04/01 | 5.26 | 3.74 | 1.52 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/10/01 | 5.26 | 1.08 | 4.18 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/03/01 | 5.26 | 4.20 | 1.06 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/04/02 | 5.26 | 3.76 | 1.50 | 0.00 | 0.00 | <50 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 05/30/02 | 5.26 | 2.51 | 2.75 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/03/02 | 5.26 | 2.24 | 3.02 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/09/02 | 5.26 | 2.41 | 2.85 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/10/03 | 5.26 | 3.32 | 1.94 | 0.00 | 0.00 | 85 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 06/09/03 | 5.26 | 2.72 | 2.54 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/08/03 | 5.26 | 2.66 | 2.60 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/08/03 | 5.26 | 2.81 | 2.45 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/09/04 ¹⁸ | 5.26 | 4.53 | 0.73 | 0.00 | 0.00 | 230 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- |
| 06/17/04 | 5.26 | INACCESSIBLE - DUE TO ROAD WORK | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/15/04 | 5.26 | INACCESSIBLE - DUE TO ROAD WORK | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/04 | 5.26 | UNABLE TO LOCATE | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/24/05 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/16/05 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/16/05 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/21/05 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/23/06 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/09/06 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|--------------------|--------------|--------------------------------------|--------------|---------------|----------------------|------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-7 (cont) | | | | | | | | | | | | | | |
| 09/05/06 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/15/06 | 5.26 | UNABLE TO LOCATE - PAVED OVER | | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-8 | | | | | | | | | | | | | | |
| 06/23/92 | 8.94 | -15.20 | 24.14 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 08/24/92 | 8.94 | 0.34 | 8.60 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 8.94 | 0.55 | 8.39 | -- | -- | <50 | 94 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 10/26/92 | 8.94 | -0.18 | 9.12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 8.94 | 0.83 | 8.11 | -- | -- | 79 | <50 | 0.7 | 5.0 | 0.7 | 2.9 | -- | -- | -- |
| 01/08/93 | 8.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 8.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/11/93 | 8.94 | 0.55 | 8.39 | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | 3,500 |
| 09/29/93 | 8.94 | 0.69 | 8.25 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/20/93 | 8.94 | 0.48 | 8.46 | -- | -- | <10 | <50 | <0.5 | 0.6 | <0.5 | 1.0 | -- | -- | -- |
| 03/07/94 | 8.94 | 0.28 | 8.66 | -- | -- | <10 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/17/94 | 8.94 | 0.12 | 8.82 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/12/94 | 8.94 | 0.11 | 8.83 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | 0.8 | <5.0 | -- | -- |
| 11/30/94 | 8.94 | 0.31 | 8.63 | -- | -- | 120 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/24/95 | 8.94 | 0.43 | 8.51 | -- | -- | 110 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/27/95 | 8.94 | -0.03 | 8.97 | -- | -- | 67 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/28/95 | 8.94 | 0.04 | 8.90 | -- | -- | 91 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/19/95 | 8.94 | 0.54 | 8.40 | -- | -- | 76 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 02/28/96 | 8.94 | 0.50 | 8.44 | -- | -- | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/25/96 | 8.94 | 0.05 | 8.89 | -- | -- | 80 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/17/96 | 8.94 | 0.49 | 8.45 | -- | -- | 79 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/31/97 | 8.94 | 0.18 | 8.76 | -- | -- | 72 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.6 | -- | -- |
| 06/30/97 | 8.94 | -0.18 | 9.12 | -- | -- | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/12/97 | 8.94 | 0.13 | 8.81 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/05/97 | 8.94 | 0.59 | 8.35 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/98 | 8.94 | 1.00 | 7.94 | -- | -- | 68 ² | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4.3 | -- | -- |
| 06/17/98 | 8.94 | 0.51 | 8.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/31/98 | 8.94 | 0.06 | 8.88 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/28/98 | 8.94 | 0.64 | 8.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/04/99 | 8.94 | 0.29 | 8.65 | -- | -- | 106 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.83 | -- | -- |
| 06/14/99 | 8.94 | 0.52 | 8.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------|--------------|-------------------------------------|--------------|---------------|----------------------|-------------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-8 (cont) | | | | | | | | | | | | | | |
| 09/17/99 | 8.94 | -0.93 | 9.87 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/20/99 | 8.94 | 0.54 | 8.40 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/20/00 | 8.94 | 0.82 | 8.12 | -- | -- | 82.2 ⁶ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3.46 | -- | -- |
| 06/24/00 | 8.94 | 0.31 | 8.63 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/07/00 | 8.94 | 0.26 | 8.68 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/05/00 | 8.94 | 0.81 | 8.13 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/01/01 | 8.94 | 1.04 | 7.90 | 0.00 | 0.00 | 51 ¹¹ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 06/04/01 | 8.94 | -0.27 | 9.21 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/10/01 | 8.94 | 0.26 | 8.68 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/03/01 | 8.94 | 1.12 | 7.82 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/04/02 | 8.94 | 1.26 | 7.68 | 0.00 | 0.00 | 82 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 05/30/02 | 8.94 | INACCESSIBLE - CAR PARKED OVER WELL | | | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/03/02 | 8.94 | -0.21 | 9.15 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/09/02 | 8.94 | 0.21 | 8.73 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/10/03 | 8.94 | 0.55 | 8.39 | 0.00 | 0.00 | 110 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 06/09/03 | 8.94 | -0.03 | 8.97 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/08/03 | 8.94 | 0.52 | 8.42 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/08/03 | 8.94 | 0.77 | 8.17 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/09/04 ¹⁸ | 8.94 | 1.03 | 7.91 | 0.00 | 0.00 | 300 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | -- |
| 06/17/04 | 8.94 | 0.01 | 8.93 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/15/04 | 8.94 | -0.97 | 9.91 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/23/04 | 8.94 | 3.20 | 5.74 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/24/05 ¹⁸ | 8.94 | 0.50 | 8.44 | 0.00 | 0.00 | 240 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- |
| 06/16/05 | 8.94 | 0.16 | 8.78 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/16/05 | 8.94 | 0.26 | 8.68 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/21/05 | 8.94 | 0.73 | 8.21 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 03/23/06 ¹⁸ | 8.94 | 1.03 | 7.91 | 0.00 | 0.00 | 120 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 | <50 | -- |
| 06/09/06 | 8.94 | 0.03 | 8.91 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 09/05/06 | 8.94 | 0.39 | 8.55 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |
| 12/15/06 | 8.94 | 0.68 | 8.26 | 0.00 | 0.00 | SAMPLED ANNUALLY | | -- | -- | -- | -- | -- | -- | -- |

MW-9

| | | | | | | | | | | | | | | |
|----------|------|------|------|----|----|--------------------|--------------------|------|------|------|------|-----|----|----|
| 04/19/99 | 5.87 | 2.71 | 3.16 | -- | -- | 2,600 ² | 3,900 ⁶ | 14 | 6.9 | 14 | 24 | 140 | -- | -- |
| 06/14/99 | 5.87 | 1.06 | 4.81 | -- | -- | 2,800 ² | 2,880 | 12.6 | <10 | <10 | <10 | 138 | -- | -- |
| 09/17/99 | 5.87 | 1.02 | 4.85 | -- | -- | 1,770 ² | 3,370 | 33.1 | 14.4 | <5.0 | <5.0 | 202 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------------|--------------|--------------|--------------|---------------|----------------------|---------------------|--------------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-9 (cont) | | | | | | | | | | | | | | |
| 12/20/99 | 5.87 | 1.87 | 4.00 | -- | -- | 996 ² | 3,970 | 42.2 | 13.5 | <10 | <10 | 311 | -- | -- |
| 03/20/00 | 5.87 | 2.87 | 3.00 | -- | -- | 2,710 ² | 5,920 | 22.1 | <5.0 | 6.8 | <5.0 | 106.0 | -- | -- |
| 06/24/00 | 5.87 | 1.96 | 3.91 | 0.00 | 0.00 | 1,940 ⁹ | 2,500 ⁷ | 12 | <10 | 11 | <10 | 120 | -- | -- |
| 09/07/00 | 5.87 | 1.59 | 4.28 | 0.00 | 0.00 | 1,500 ⁹ | 3,700 ⁷ | <25 | <25 | <25 | <25 | 330 | -- | -- |
| 12/05/00 | 5.87 | 2.07 | 3.80 | 0.00 | 0.00 | 1,300 ¹² | 3,470 ² | <5.00 | 7.64 | <5.00 | <5.00 | 177 | -- | -- |
| 03/01/01 | 5.87 | 3.19 | 2.68 | 0.00 | 0.00 | 960 ⁹ | 2,400 ⁷ | 11 | 18.0 | <10 | <10 | 250 | -- | -- |
| 06/04/01 | 5.87 | 1.96 | 3.91 | 0.00 | 0.00 | 1,200 ⁹ | 3,200 ⁷ | 45 | 17 | 6.1 | 8.9 | 300 | -- | -- |
| 09/10/01 | 5.87 | 1.18 | 4.69 | 0.00 | 0.00 | 2,000 ¹⁷ | 2,300 | 5.7 | 7.3 | 10 | <5.0 | 200 | -- | -- |
| 12/03/01 | 5.87 | 2.88 | 2.99 | 0.00 | 0.00 | 2,600 | 3,600 | 14 | 5.4 | 8.2 | 8.5 | 210 | -- | -- |
| 03/04/02 | 5.87 | 2.32 | 3.55 | 0.00 | 0.00 | 3,700 | 4,400 | 17 | <5.0 | 9.2 | 6.4 | 79 | -- | -- |
| 05/30/02 | 5.87 | 2.22 | 3.65 | 0.00 | 0.00 | 4,600 | 4,300 | 15 | 3.7 | 5.8 | 6.1 | 110 | -- | -- |
| 09/03/02 | 5.87 | 1.31 | 4.56 | 0.00 | 0.00 | 2,500 | 3,200 | 5.8 | 2.6 | 3.5 | 5.6 | 84 | -- | -- |
| 12/09/02 | 5.87 | 1.51 | 4.36 | 0.00 | 0.00 | 2,600 | 3,000 | 6.3 | 3.2 | 3.9 | 6.1 | 110 | -- | -- |
| 03/10/03 | 5.87 | 2.26 | 3.61 | 0.00 | 0.00 | 1,500 | 3,300 | 11 | 3.7 | 5.4 | <7.5 | 150 | -- | -- |
| 06/09/03 ¹⁸ | 5.87 | 2.29 | 3.58 | 0.00 | 0.00 | 2,700 | 3,500 | 2 | 2 | 3 | 2 | 46 | -- | -- |
| 09/08/03 ¹⁸ | 5.87 | 1.43 | 4.44 | 0.00 | 0.00 | 3,000 | 3,000 | 3 | 2 | 2 | 3 | 120 | <50 | -- |
| 12/08/03 ¹⁸ | 5.87 | 2.21 | 3.66 | 0.00 | 0.00 | 2,500 | 2,400 | 3 | 3 | 3 | 4 | 560 | <50 | -- |
| 03/09/04 ¹⁸ | 5.87 | 2.69 | 3.18 | 0.00 | 0.00 | 2,500 | 3,700 | 2 | 1 | 2 | 2 | 120 | <50 | -- |
| 06/17/04 ¹⁸ | 5.87 | 1.05 | 4.82 | 0.00 | 0.00 | 2,700 | 3,100 | 2 | 1 | 2 | 3 | 96 | <50 | -- |
| 09/15/04 ¹⁸ | 5.87 | -3.16 | 9.03 | 0.00 | 0.00 | 2,600 | 1,200 | 1 | <0.5 | <0.5 | 2 | 190 | <50 | -- |
| 12/23/04 ¹⁸ | 5.87 | 1.38 | 4.49 | 0.00 | 0.00 | 3,400 | 2,900 | 4 | 4 | 4 | 4 | 93 | <50 | -- |
| 03/24/05 ¹⁸ | 5.87 | 3.35 | 2.52 | 0.00 | 0.00 | 1,500 | 3,200 | 16 | 2 | 3 | 3 | 23 | <50 | -- |
| 06/16/05 ¹⁸ | 5.87 | 2.25 | 3.62 | 0.00 | 0.00 | 1,600 | 2,300 | 30 | 2 | 2 | 3 | 28 | <50 | -- |
| 09/16/05 ¹⁸ | 5.87 | 1.09 | 4.78 | 0.00 | 0.00 | 1,500 | 1,400 | 2 | 0.9 | 1 | 2 | 50 | <50 | -- |
| 12/21/05 ¹⁸ | 5.87 | 2.97 | 2.90 | 0.00 | 0.00 | 1,400 ²² | 2,300 | 2 | 2 | 3 | 3 | 40 | <50 | -- |
| 03/23/06 ¹⁸ | 5.87 | 3.25 | 2.62 | 0.00 | 0.00 | 1,600 | 2,900 | 1 | 9 | 6 | 160 | 24 | <50 | -- |
| 06/09/06 ¹⁸ | 5.87 | 2.06 | 3.81 | 0.00 | 0.00 | 1,500 | 1,900 | 5 | 1 | 1 | 34 | 32 | <50 | -- |
| 09/05/06 ¹⁸ | 5.87 | 0.94 | 4.93 | 0.00 | 0.00 | 1,700 | 1,300 | 1 | 1 | 0.9 | 14 | 53 | <50 | -- |
| 12/15/06¹⁸ | 5.87 | 2.68 | 3.19 | 0.00 | 0.00 | 2,000 | 2,300 | 1 | 1 | 1 | 5 | 43 | <50 | -- |
| MW-2 | | | | | | | | | | | | | | |
| 08/20/91 | 6.27 | 1.92 | 4.35 | -- | -- | 600 | 9,300 | 3,700 | 55 | 530 | 75 | -- | -- | -- |
| 09/30/91 | 6.27 | 1.28 | 4.99 | -- | -- | -- | 3,500 | 2,600 | 47 | 440 | 68 | -- | -- | -- |
| 10/28/91 | 6.27 | 1.36 | 4.91 | -- | -- | -- | 4,600 | 1,800 | 29 | 290 | 53 | -- | -- | -- |
| 01/08/92 | 6.27 | 1.63 | 4.64 | Sheen | -- | -- | 14,000 | 4,300 | 70 | <25 | 130 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|--------------------|--------------|--------------|--------------|---------------|----------------------|----------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-2 (cont) | | | | | | | | | | | | | | |
| 01/13/92 | 6.27 | -- | -- | -- | -- | 38,000 | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/23/92 | 6.27 | 1.63 | 4.64 | 0.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/24/92 | 6.27 | 1.34 | 4.94 | 0.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 6.27 | 1.20 | 5.08 | 0.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 10/26/92 | 6.27 | 0.34 | 5.93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 6.27 | -- | -- | -- | -- | 160,000 | 21,000 | 5,400 | 59 | 1,300 | 160 | -- | -- | -- |
| 01/08/93 | 6.27 | 2.57 | 3.70 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 6.27 | 2.89 | 3.38 | Sheen | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/11/93 | 6.27 | 2.09 | 4.18 | -- | -- | -- | 5,900 | 1,100 | 23 | 240 | 51 | -- | -- | 2,300 |
| 09/29/93 | 6.27 | 0.07 | 6.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/20/93 | 6.27 | 1.94 | 4.35 | 0.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/07/94 | 6.27 | 2.60 | 3.67 | -- | -- | <10 | 26,000 | 5,700 | 170 | 1,000 | 150 | -- | -- | -- |
| 06/17/94 | 6.27 | 2.25 | 4.02 | Sheen | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/12/94 | 6.27 | 1.45 | 4.83 | 0.01 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 11/30/94 | 6.27 | 2.27 | 4.00 | -- | -- | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- |
| 03/24/95 | 6.27 | 2.73 | 4.01 | 0.59 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/27/95 | 6.27 | 1.71 | 4.96 | 0.50 | 0.013 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/95 | 6.27 | 2.62 | 4.25 | 0.75 | 0.013 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/19/95 | 6.27 | 1.99 | 4.76 | 0.60 | 0.010 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/28/96 | 6.27 | 1.99 | 4.58 | 0.38 | 0.008 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/25/96 | 6.27 | 2.36 | 4.29 | 0.47 | 0.030 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/17/96 | 6.27 | 2.22 | 4.16 | 0.14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/97 | 6.27 | 2.34 | 4.07 | 0.18 | 0.030 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/30/97 | 6.27 | 2.06 | 4.32 | 0.14 | 0.030 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/12/97 | 6.27 | 2.00 | 4.38 | 0.14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/05/97 | 6.27 | 2.51 | 3.78 | 0.02 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/16/98 | 6.27 | 3.08 | 3.29 | 0.12 | 0.007 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/17/98 | 6.27 | 2.35 | 4.00 | 0.10 | 0.010 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/31/98 | 6.27 | 0.65 | 5.71 | 0.11 | 0.008 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/28/98 | 6.27 | 1.75 | 4.60 | 0.10 | 0.005 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/04/99 | 6.27 | 2.58 | 3.73 | 0.05 | 0.200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DESTROYED | | | | | | | | | | | | | | |
| MW-3 | | | | | | | | | | | | | | |
| 08/20/91 | 8.71 | 0.26 | 8.45 | -- | -- | 200 | 3,100 | 200 | 13 | 15 | 12 | -- | -- | -- |
| 09/30/91 | 8.71 | -0.03 | 8.74 | -- | -- | -- | 1,000 | 150 | 8.3 | 13 | 6.7 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|--------------------|--------------|--------------|--------------|---------------|----------------------|--------------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-3 (cont) | | | | | | | | | | | | | | |
| 10/28/91 | 8.71 | -0.05 | 8.76 | -- | -- | -- | 1,200 | 120 | 6.7 | 11 | 7.5 | -- | -- | -- |
| 01/08/92 | 8.71 | -0.06 | 8.77 | -- | -- | -- | 410 | 120 | 0.9 | 4.1 | 3.4 | -- | -- | -- |
| 01/13/92 | 8.71 | -- | -- | -- | -- | 220 | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/23/92 | 8.71 | 0.03 | 8.68 | -- | -- | <50 | 630 | 43 | 0.8 | 8.2 | 3.4 | -- | -- | -- |
| 08/24/92 | 8.71 | -0.14 | 8.85 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 8.71 | -0.23 | 8.94 | -- | -- | <50 | 1,800 | 730 | 1.4 | 66 | 39 | -- | -- | -- |
| 10/26/92 | 8.71 | -0.36 | 9.07 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 8.71 | -- | -- | -- | -- | 850 | 840 | 270 | 3.4 | 15 | 4.2 | -- | -- | -- |
| 01/08/93 | 8.71 | 1.02 | 7.69 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 8.71 | 0.97 | 7.74 | -- | -- | <10 | 760 | 270 | 4.0 | 10 | 5.0 | -- | -- | -- |
| 06/11/93 | 8.71 | 0.19 | 8.52 | -- | -- | -- | 200 | 32 | 1.0 | 5.0 | 2.0 | -- | -- | 5,600 |
| 09/29/93 | 8.71 | 2.66 | 6.05 | -- | -- | -- | 9,300 | 2,800 | 60 | 270 | 62 | -- | -- | -- |
| 12/20/93 | 8.71 | -0.12 | 8.83 | -- | -- | <10 | 460 | 250 | 4.0 | 8.0 | 4.0 | -- | -- | -- |
| 03/07/94 | 8.71 | 0.64 | 8.07 | -- | -- | <10 | 2,400 | 260 | 13 | 35 | 18 | -- | -- | -- |
| 06/17/94 | 8.71 | 0.19 | 8.52 | -- | -- | <50 | 1,000 | 200 | 4.0 | 6.6 | 6.7 | -- | -- | -- |
| 09/12/94 | 8.71 | -0.21 | 8.92 | -- | -- | <50 | 360 | 130 | 3.4 | 4.8 | 3.3 | 130 | -- | -- |
| 11/30/94 | 8.71 | 0.58 | 8.13 | -- | -- | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- |
| 03/24/95 | 8.71 | 1.93 | 6.78 | -- | -- | 1,200 ² | 4,100 | 920 | <10 | 23 | <10 | 70 | -- | -- |
| 06/27/95 | 8.71 | 0.49 | 8.22 | -- | -- | 1,000 ² | 3,100 | 640 | 16 | 31 | <10 | <50 | -- | -- |
| 09/28/95 | 8.71 | -0.14 | 8.85 | -- | -- | 460 ² | 490 | 78 | 3.4 | 4.4 | 2.4 | 38 | -- | -- |
| 12/19/95 | 8.71 | 0.69 | 8.02 | -- | -- | 650 ² | 2,600 | 580 | <10 | 25 | <10 | <50 | -- | -- |
| 02/28/96 | 8.71 | 1.16 | 7.55 | -- | -- | 780 ² | 1,500 | 510 | <5.0 | 9.9 | <5.0 | <25 | -- | -- |
| 06/25/96 | 8.71 | 0.34 | 8.37 | -- | -- | 1,200 ² | 1,300 | 390 | 7.8 | 14 | 6.5 | 31 | -- | -- |
| 12/17/96 | 8.71 | 0.41 | 8.30 | -- | -- | 1,100 ² | 760 | 85 | <1.2 | 5.9 | 5.1 | <6.2 | -- | -- |
| 03/31/97 | 8.71 | 0.52 | 8.19 | -- | -- | 1,300 ² | 2,000 | 380 | 12 | 24 | 12 | <25 | -- | -- |
| 06/30/97 | 8.71 | 0.00 | 8.71 | -- | -- | 620 ² | 1,900 | 340 | 9.9 | 23 | 6.1 | <25 | -- | -- |
| 09/12/97 | 8.71 | 1.07 | 7.64 | -- | -- | 400 ² | 1,200 | 200 | 4.6 | 14 | 4.8 | 3.9 | -- | -- |
| 12/05/97 | 8.71 | 0.46 | 8.25 | -- | -- | 190 ² | 460 | 72 | 2.7 | 5.2 | 1.7 | <5.0 | -- | -- |
| 02/16/98 | 8.71 | 1.71 | 7.00 | -- | -- | 1,000 ² | 6,200 | 1,100 | 20 | 34 | 12 | <50 | -- | -- |
| 06/17/98 | 8.71 | 0.71 | 8.00 | -- | -- | 1,100 ² | 3,000 | 350 | <10 | <10 | <10 | 120 | -- | -- |
| 08/31/98 | 8.71 | 0.08 | 8.63 | -- | -- | 790 ² | 430 | 100 | 2.6 | 8.6 | 6.0 | <12 | -- | -- |
| 12/28/98 | 8.71 | -0.02 | 8.73 | -- | -- | 180 ² | 1,400 | 220 | <10 | 12 | <10 | <50 | -- | -- |
| 03/04/99 | 8.71 | 1.06 | 7.65 | -- | -- | 763 ² | 2,880 | 355 | 9.15 | 19 | <5.0 | <20 | -- | -- |
| DESTROYED | | | | | | | | | | | | | | |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------|--------------|--------------|--------------|---------------|----------------------|--------------------|----------------|------------|------------|------------|------------|----------------------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| MW-4 | | | | | | | | | | | | | | |
| 08/20/91 | 7.37 | 1.32 | 5.05 | -- | -- | 160 | 1,800 | 870 | 4.0 | 3.0 | 9.0 | -- | -- | -- |
| 09/30/91 | 7.37 | 1.70 | 5.67 | -- | -- | -- | 670 | 830 | 5.5 | 2.7 | 12 | -- | -- | -- |
| 10/28/91 | 7.37 | 1.56 | 5.81 | -- | -- | -- | 2,800 | 990 | 5.8 | 4.8 | 19 | -- | -- | -- |
| 01/08/92 | 7.37 | 2.03 | 5.34 | -- | -- | -- | 2,900 | 1,200 | 10 | 7.0 | 18 | -- | -- | -- |
| 01/13/92 | 7.37 | -- | -- | -- | -- | 1,000 | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/23/92 | 7.37 | 2.00 | 5.37 | -- | -- | <50 | 1,600 | 380 | 6.5 | 3.0 | 12 | -- | -- | -- |
| 08/24/92 | 7.37 | 1.62 | 5.75 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | 7.37 | 1.42 | 5.95 | -- | -- | <50 | 1,200 | 480 | 5.6 | 3.7 | 11 | -- | -- | -- |
| 10/26/92 | 7.37 | 1.41 | 5.96 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | 7.37 | -- | -- | -- | -- | 1,800 | 1,500 | 700 | 3.6 | 3.2 | 11 | -- | -- | -- |
| 01/08/93 | 7.37 | 2.73 | 4.64 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | 7.37 | 2.95 | 4.42 | -- | -- | <10 | 520 | 160 | 3.0 | 1.0 | 4.0 | -- | -- | -- |
| 06/11/93 | 7.37 | 2.25 | 5.12 | -- | -- | -- | 1,200 | 430 | 5.0 | 6.0 | 11 | -- | -- | 2,600 |
| 09/29/93 | 7.37 | 1.57 | 5.80 | -- | -- | -- | 1,300 | 210 | 8.0 | 2.0 | 14 | -- | -- | -- |
| 12/20/93 | 7.37 | 2.27 | 5.10 | -- | -- | 3,900 | 570 | 230 | 5.0 | 4.0 | 8.0 | -- | -- | -- |
| 03/07/94 | 7.37 | 2.36 | 5.01 | -- | -- | 2,600 | 2,200 | 290 | 18 | 2.5 | 11 | 22,000 | -- | -- |
| 06/17/94 | 7.37 | 1.55 | 5.82 | -- | -- | 2,800 | 2,100 | 480 | 11 | 4.3 | 9.5 | -- | -- | -- |
| 09/12/94 | 7.37 | 1.73 | 5.64 | -- | -- | 3,000 | 1,700 | 340 | 6.1 | 2.7 | 9.7 | 63,000 | -- | -- |
| 11/30/94 | 7.37 | 1.79 | 5.58 | -- | -- | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- |
| 03/24/95 | 7.37 | 2.42 | 4.95 | -- | -- | 3,000 ² | 1,500 | 280 | <5.0 | <5.0 | 6.9 | 12,000 | -- | -- |
| 06/27/95 | 7.37 | -1.42 | 8.79 | -- | -- | 3,100 ² | <10,000 | 310 | <100 | <100 | <100 | 32,000 | -- | -- |
| 09/28/95 | 7.37 | 1.52 | 5.85 | -- | -- | 6,300 ² | 330 | 64 | 1.1 | <0.5 | <0.5 | 630 | -- | -- |
| 12/19/95 | 7.37 | 1.87 | 5.50 | -- | -- | 3,400 ² | 3,000 | 520 | <25 | <25 | <25 | 44,000 | -- | -- |
| 02/28/96 | 7.37 | 2.27 | 5.10 | -- | -- | 4,700 ² | <10,000 | 230 | <100 | <100 | <100 | 32,000 | -- | -- |
| 06/25/96 | 7.37 | 1.59 | 5.78 | -- | -- | 3,100 | <10,000 | 160 | <100 | <100 | <100 | 31,000 | -- | -- |
| 12/17/96 | 7.37 | 1.42 | 5.95 | -- | -- | 3,600 ³ | <5,000 | 110 | <50 | <50 | <50 | 22,000 | -- | -- |
| 03/31/97 | 7.37 | 1.75 | 5.62 | -- | -- | 2,700 ² | <2,500 | 130 | <25 | <25 | <25 | 16,000 | -- | -- |
| 06/30/97 | 7.37 | 1.34 | 6.03 | -- | -- | 2,700 ² | <2,500 | 130 | <25 | <25 | <25 | 14,000 | -- | -- |
| 09/12/97 | 7.37 | 1.68 | 5.69 | -- | -- | 2,100 ² | <5,000 | 63 | <50 | <50 | <50 | 15,000 | -- | -- |
| 12/05/97 | 7.37 | 2.22 | 5.15 | -- | -- | 2,600 ² | 1,300 | 120 | <5.0 | <5.0 | 8.5 | 15,000 | -- | -- |
| 02/16/98 | 7.37 | 1.11 | 6.26 | -- | -- | 1,300 ² | 1,200 | 57 | 4.5 | <2.5 | 7.0 | 12,000 | -- | -- |
| 06/17/98 | 7.37 | 2.41 | 4.96 | -- | -- | 530 ² | 5,300 | 390 | 290 | 28 | 150 | 17,000 | -- | -- |
| 08/31/98 | 7.37 | 1.46 | 5.91 | -- | -- | 2,400 ² | <50 | 89 | <0.5 | <0.5 | <0.5 | 14,000/16,000 ⁴ | -- | -- |
| 12/28/98 | 7.37 | 1.96 | 5.41 | -- | -- | 2,900 ² | 1,000 | 52 | 5.6 | 4.6 | 9.1 | 8,400 | -- | -- |
| 03/04/99 | 7.37 | 2.17 | 5.20 | -- | -- | 4,490 ² | <2,500 | 85.5 | 40.9 | <25 | <25 | 11,400 | -- | -- |

DESTROYED

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPHT (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|-------------------|--------------|--------------|--------------|---------------|----------------------|----|----------------|----------------|------------|------------|------------|------------|---------------|--------------------|--------------|
| | | | | | REMOVED (gallons) | | | | | | | | | | |
| TRIP BLANK | | | | | | | | | | | | | | | |
| 08/24/92 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/21/92 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 10/26/92 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/23/92 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 01/08/93 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/25/93 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/11/93 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/29/93 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/20/93 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/07/94 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/17/94 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/12/94 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1.0 | -- | -- | -- |
| 11/30/94 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 03/24/95 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/27/95 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/19/95 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 02/28/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 06/25/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- |
| 12/17/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/30/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 09/12/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/05/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 02/16/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/17/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 08/31/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/28/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/04/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- |
| 06/14/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 09/17/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 12/20/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 03/20/00 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- |
| 06/24/00 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 09/07/00 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 12/05/00 | -- | -- | -- | -- | -- | -- | <50 | <0.500 | <0.500 | <0.500 | <0.500 | <0.500 | <2.5 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID/ DATE | TOC (ft.) | GWE (mst) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL ♦ (ppb) | TDS (ppb) |
|------------------------------|--------------|--------------|--------------|---------------|----------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------------|--------------|
| | | | | SPHT (ft.) | REMOVED (gallons) | | | | | | | | | |
| TRIP BLANK (cont) | | | | | | | | | | | | | | |
| 03/01/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 06/04/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| 09/10/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- |
| QA | | | | | | | | | | | | | | |
| 12/03/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 03/04/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 05/30/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 09/03/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 12/09/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 03/10/03 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- |
| 06/09/03 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/08/03 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/08/03 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/09/04 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/17/04 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/15/04 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/23/04 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/24/05 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/16/05 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/16/05 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/21/05 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 03/23/06 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 06/09/06 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 09/05/06 ¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |
| 12/15/06¹⁸ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 24, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

TDS = Total Dissolved Solids

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

◆ Ethanol by EPA Method 8260.

¹ Chromatogram pattern indicates a non-diesel mix.

² Chromatogram pattern indicates an unidentified hydrocarbon.

³ Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.

⁴ Confirmation run.

⁵ ORC present in well.

⁶ Laboratory report indicates gasoline and unidentified hydrocarbons >10.

⁷ Laboratory report indicates gasoline C6-C12.

⁸ Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

⁹ Laboratory report indicates unidentified hydrocarbons C9-C24.

¹⁰ Laboratory report indicates unidentified hydrocarbons C10-C24.

¹¹ Laboratory report indicates unidentified hydrocarbons >C16.

¹² Laboratory report indicates unidentified hydrocarbons C9-C40.

¹³ Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.

¹⁴ Laboratory report indicates weathered gasoline C6-C12.

¹⁵ Laboratory report indicates unidentified hydrocarbons C6-C12.

¹⁶ Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

¹⁷ Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel. The pattern more closely resembles that of a heavier hydrocarbon mix.

¹⁸ BTEX and MTBE by EPA Method 8260.

¹⁹ Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.

²⁰ ORC removed from well.

²¹ Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil. It elutes in the DRO range later than #2 fuel and also has individual peaks eluting in the DRO range.

²² Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It contains two patterns in the DRO range, one earlier and one later than #2 fuel.

²³ Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

Table 2
Dissolved Oxygen Concentrations
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID | DATE | Before Purging (mg/L) | After Purging (mg/L) |
|---------|-----------------------|--------------------------|-------------------------|
| MW-1 | 06/24/00 ¹ | 5.30 | -- |
| | 09/07/00 ¹ | 4.02 | -- |
| | 12/05/00 ¹ | 3.86 | -- |
| | 03/01/01 ¹ | 3.04 | -- |
| | 06/04/01 ¹ | 2.70 | -- |
| | 09/10/01 ¹ | 2.40 | -- |
| | 12/03/01 ¹ | 0.70 | -- |
| | 03/04/02 ¹ | 1.10 | -- |
| | 05/30/02 ¹ | 0.90 | -- |
| | 09/03/02 ¹ | 1.20 | -- |
| | 12/09/02 ¹ | 0.90 | -- |
| | 03/10/03 ¹ | 1.00 | -- |
| | 06/09/03 ¹ | 0.80 | -- |
| | 09/08/03 ¹ | 0.60 | -- |
| | 12/08/03 ¹ | 2.00 | -- |

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

¹ ORC present in well.

Table 3
Groundwater Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

| WELL ID | DATE | Total Alkalinity (ppb) | Ferrous Iron (ppb) | Sulfate (ppb) | Nitrate (ppb) |
|----------------|-------------|-----------------------------------|-------------------------------|--------------------------|--------------------------|
| MW-1 | 12/28/98 | 390,000 | 4,900 | <1,000 | <1,000 |
| MW-3 | 12/28/98 | 980,000 | 4,500 | 390,000 | <1,000 |
| MW-4 | 12/28/98 | 670,000 | 3,500 | 6,800 | <1,000 |
| MW-5 | 12/28/98 | 480,000 | 15 | 51,000 | <1,000 |
| MW-6 | 12/28/98 | 2,400,000 | 810 | 110,000 | <1,000 |
| MW-7 | 12/28/98 | 350,000 | 12,000 | 79,000 | <1,000 |
| MW-8 | 12/28/98 | 1,100,000 | 45 | 87,000 | <1,000 |

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

(ppb) = Parts per billion

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|----------------|------------|------------|------------|------------|----------------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-1 | | | | | | | | | | | | |
| 10/17/95 | 2.61 | -1.51 | 4.12 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03/29/96 | 2.61 | -0.72 | 3.33 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9.5 |
| 06/26/96 | 2.61 | -1.23 | 3.84 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 46 |
| 09/25/96 | 2.61 | -1.41 | 4.02 | 0.00 | 0.00 | -- | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 940 |
| 12/17/96 | 2.61 | -0.96 | 3.57 | 0.00 | 0.00 | -- | <50 | 0.9 | <0.5 | <0.5 | <0.5 | 260 |
| 03/20/97 | 2.61 | -1.54 | 4.15 | 0.00 | 0.00 | -- | <50 | <2.0 | <2.0 | <2.0 | <2.0 | 76 |
| 06/20/97 | 2.61 | -1.72 | 4.33 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 64 |
| 09/09/97 | 2.61 | -1.74 | 4.35 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 110 |
| 12/12/97 | 2.61 | -0.39 | 3.00 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 27 |
| 02/19/98 | 2.61 | 0.78 | 1.83 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 14 |
| 06/23/98 | 2.61 | -0.73 | 3.34 | 0.00 | 0.00 | -- | 210 | <0.5 | <0.5 | <0.5 | <0.5 | 3,400 |
| 08/31/98 | 2.61 | -0.88 | 3.49 | 0.00 | 0.00 | -- | 1,400 | 630 | <5.0 | <5.0 | <5.0 | 16,000 |
| 12/29/98 | 2.61 | -1.22 | 3.83 | 0.00 | 0.00 | -- | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 1,090 |
| 03/11/99 | 2.61 | -0.43 | 3.04 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 33.9 |
| 06/24/99 | 2.61 | -0.77 | 3.38 | 0.00 | 0.00 | -- | <500 | 65.7 | <5.0 | <5.0 | <5.0 | 1,160 |
| 09/29/99 | 2.61 | -1.01 | 3.62 | 0.00 | 0.00 | -- | 81.7 | <0.5 | <0.5 | <0.5 | <0.5 | 1,130 |
| 12/08/99 | 2.61 | -1.46 | 4.07 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 233 |
| 03/01/00 | 2.61 | 0.66 | 1.95 | 0.00 | 0.00 | -- | 100 | <0.5 | <0.5 | <0.5 | <0.5 | 37.9 |
| 06/19/00 | 2.61 | -0.80 | 3.41 | 0.00 | 0.00 | -- | <50 | 3.8 | <0.50 | <0.50 | <0.50 | 88/91 ² |
| 09/30/00 | 2.61 | -1.23 | 3.84 | 0.00 | 0.00 | -- | <130 | <1.3 | <1.3 | <1.3 | <1.3 | 460/530 ² |
| 10/05/00 | 2.61 | -1.32 | 3.93 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 12/08/00 | 8.61 | 4.41 | 4.20 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 58.7 |
| 03/03/01 ¹¹ | 8.61 | 6.30 | 2.31 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.9 |
| 06/19/01 | 8.61 | 5.27 | 3.34 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 51 |
| 09/05/01 | 8.61 | 4.84 | 3.77 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 180 |
| 12/10/01 | 8.61 | 6.14 | 2.47 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 21 |
| 03/04/02 | 8.61 | 5.48 | 3.13 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 47 |
| 06/03/02 | 8.61 | 2.90 | 5.71 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 31 |
| 09/14/02 | 8.61 | 4.86 | 3.75 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 140 |
| 12/13/02 | 8.61 | 5.32 | 3.29 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 03/14/03 | 8.61 | 5.54 | 3.07 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 35 |
| 06/09/03 ¹³ | 8.61 | 5.09 | 3.52 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 69 |
| 09/03/03 ¹³ | 8.61 | 4.49 | 4.12 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 |
| 12/01/03 ¹³ | 8.61 | 5.34 | 3.27 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 100 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|--------------|--------------|---------------|----------------------|--------------------|-----------------|----------------|----------------|----------------|----------------|--------------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-1 (cont) | | | | | | | | | | | | |
| 03/01/04 ¹³ | 8.61 | 6.55 | 2.06 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 26 |
| 06/02/04 ¹³ | 8.61 | 5.31 | 3.30 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 93 |
| 09/03/04 ¹³ | 8.61 | 4.47 | 4.14 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 140 |
| 12/20/04 ¹³ | 8.61 | 4.99 | 3.62 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 37 |
| 03/12/05 ¹³ | 8.61 | 5.57 | 3.04 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 130 |
| 06/28/05 ¹³ | 8.61 | 5.33 | 3.28 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 93 |
| 09/01/05 ¹³ | 8.61 | 5.03 | 3.58 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 59 |
| 12/01/05 ¹³ | 8.61 | 5.56 | 3.05 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 62 |
| 03/04/06 ¹³ | 8.61 | 5.30 | 3.31 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 88 |
| 06/01/06 ¹³ | 8.61 | 5.17 | 3.44 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 36 |
| 09/01/06 ¹³ | 8.61 | 5.62 | 2.99 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 18 |
| 12/15/06¹³ | 8.61 | 5.70 | 2.91 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 |
| MW-2 | | | | | | | | | | | | |
| 10/17/95 ³ | 3.51 | -1.82 | 5.33 | 0.00 | 0.00 | 1,600 ⁴ | 170 | 3.5 | <0.5 | 1.0 | 6.1 | -- |
| 03/29/96 | 3.51 | -0.44 | 3.95 | 0.00 | 0.00 | 3,000 ⁴ | 89 | 4.7 | <0.5 | 0.64 | 0.74 | 21 |
| 06/26/96 | 3.51 | -1.09 | 4.60 | 0.00 | 0.00 | 2,000 ⁴ | 80 | 8.7 | <0.5 | 1.2 | 1.3 | 31 |
| 09/25/96 | 3.51 | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/17/96 | 3.51 | -0.41 | 3.92 | 0.00 | 0.00 | 2,400 ⁴ | 110 | <0.5 | <0.5 | 0.75 | 2.1 | 27 |
| 03/20/97 | 3.51 | -1.32 | 4.83 | 0.00 | 0.00 | 3,400 ⁴ | 140 | 8.2 | <2.0 | <2.0 | <2.0 | 58 |
| 06/20/97 | 3.51 | -1.53 | 5.04 | 0.00 | 0.00 | 1,600 ⁴ | 62 | 7.7 | <0.5 | <0.5 | <0.5 | 38 |
| 09/09/97 | 3.51 | -1.47 | 4.98 | 0.00 | 0.00 | 82 ⁴ | 190 | 9.4 | <0.5 | <0.5 | 0.86 | 48 |
| 12/12/97 | 3.51 | -0.40 | 3.91 | 0.00 | 0.00 | 8,500 ⁴ | 180 | 1.8 | <0.5 | <0.5 | 3.2 | 34 |
| 02/19/98 | 3.51 | 0.55 | 2.96 | 0.00 | 0.00 | 3,800 ⁴ | <100 | 1.8 | <1.0 | <1.0 | <1.0 | 230 |
| 06/23/98 | 3.51 | -0.54 | 4.05 | 0.00 | 0.00 | -- | 60 | <0.5 | <0.5 | <0.5 | <0.5 | 55 |
| 08/31/98 | 3.51 | -0.80 | 4.31 | 0.00 | 0.00 | -- | 61 | 2.2 | <0.5 | <0.5 | 1.1 | 53 |
| 12/29/98 | 3.51 | -1.12 | 4.63 | 0.00 | 0.00 | -- | 54 | 1.3 | <0.5 | <0.5 | 0.752 | 38.1 |
| 03/11/99 | 3.51 | -0.01 | 3.52 | 0.00 | 0.00 | -- | 648 | 2.9 | <2.0 | <2.0 | <2.0 | 73.2 |
| 06/24/99 | 3.51 | -0.49 | 4.00 | 0.00 | 0.00 | -- | 264 | .58 | <0.5 | 1.01 | <0.5 | 44.1 |
| 09/29/99 | 3.51 | -0.93 | 4.44 | 0.00 | 0.00 | -- | 54.3 | .66 | <0.5 | <0.5 | <0.5 | 35.7 |
| 12/08/99 | 3.51 | -1.38 | 4.89 | 0.00 | 0.00 | -- | <50 | 1.27 | <0.5 | <0.5 | <0.5 | 56.9 |
| 03/01/00 | 3.51 | 0.48 | 3.03 | 0.00 | 0.00 | -- | 68 | 1.57 | <0.5 | <0.5 | <0.5 | 110 |
| 06/19/00 | 3.51 | -0.66 | 4.17 | 0.00 | 0.00 | -- | 58 ¹ | 1.5 | <0.50 | <0.50 | <0.50 | 90/59 ² |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|--------------|--------------|---------------|----------------------|--|-------------------|----------------|----------------|----------------|----------------|--------------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-2 (cont) | | | | | | | | | | | | |
| 09/30/00 | 3.51 | -1.15 | 4.66 | 0.00 | 0.00 | -- | <50 | <0.50 | 0.82 | <0.50 | 1.1 | 48/50 ² |
| 10/05/00 ^{8,9} | 3.51 | -1.20 | 4.71 | 0.00 | 0.00 | 4,000 ⁷ | -- | -- | -- | -- | -- | -- |
| 12/08/00 | 9.52 | 4.55 | 4.97 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 61.8 |
| 03/03/01 ¹¹ | 9.52 | 6.25 | 3.27 | 0.00 | 0.00 | -- | 310 ¹² | 0.60 | <0.50 | <0.50 | 1.3 | 97 |
| 06/19/01 | 9.52 | 5.47 | 4.05 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 30 |
| 09/05/01 | 9.52 | 4.98 | 4.54 | 0.00 | 0.00 | -- | <50 | <0.50 | 1.2 | <0.50 | <1.5 | 46 |
| 12/10/01 | 9.52 | 6.07 | 3.45 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 22 |
| 03/04/02 | 9.52 | 5.58 | 3.94 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 61 |
| 06/03/02 | 9.52 | 5.44 | 4.08 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 71 |
| 09/14/02 | 9.52 | 4.87 | 4.65 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 77 |
| 12/13/02 | 9.52 | 5.21 | 4.31 | 0.00 | 0.00 | -- | 53 | <0.50 | <0.50 | <0.50 | <1.5 | 44 |
| 03/14/03 | 9.52 | 5.61 | 3.91 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 55 |
| 06/09/03 ¹³ | 9.52 | 5.19 | 4.33 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 67 |
| 09/03/03 ¹³ | 9.52 | 4.59 | 4.93 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 |
| 12/01/03 ¹³ | 9.52 | 5.37 | 4.15 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 72 |
| 03/01/04 ¹³ | 9.52 | 6.40 | 3.12 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 130 |
| 06/02/04 ¹³ | 9.52 | 5.31 | 4.21 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 46 |
| 09/03/04 ¹³ | 9.52 | 5.38 | 4.14 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 69 |
| 12/20/04 | 9.52 | 4.96** | 4.60 | 0.05 | 0.01 ¹⁴ | NOT SAMPLED DUE TO THE PERSENCE OF SPH | | | | -- | -- | -- |
| 03/12/05 ¹³ | 9.52 | 5.62 | 3.90 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 57 |
| 06/28/05 ¹³ | 9.52 | 5.46 | 4.06 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 |
| 09/01/05 | 9.52 | 5.03** | 4.52 | 0.04 | 1.10 ¹⁴ | NOT SAMPLED DUE TO THE PERSENCE OF SPH | | | | -- | -- | -- |
| 12/01/05 ¹³ | 9.52 | 5.51 | 4.01 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 |
| 03/04/06 ¹³ | 9.52 | 5.25 | 4.27 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 14 |
| 06/01/06 ¹³ | 9.52 | 5.12 | 4.40 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 35 |
| 09/01/06 ¹³ | 9.52 | 5.62 | 3.90 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 31 |
| 12/15/06¹³ | 9.52 | 5.64 | 3.88 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 25 |
| MW-3 | | | | | | | | | | | | |
| 10/17/95 ⁵ | 3.08 | -1.34 | 4.42 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 03/29/96 | 3.08 | 0.08 | 3.00 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 26 |
| 06/26/96 | 3.08 | -0.52 | 3.60 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 47 |
| 09/25/96 | 3.08 | -1.06 | 4.14 | 0.00 | 0.00 | -- | <125 | <1.2 | <1.2 | <1.2 | <1.2 | 570 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|-----------------|------------|------------|------------|------------|------------------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-3 (cont) | | | | | | | | | | | | |
| 12/17/96 | 3.08 | -0.12 | 3.20 | 0.00 | 0.00 | -- | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 680 |
| 03/20/97 | 3.08 | -0.22 | 3.30 | 0.00 | 0.00 | -- | <50 | <5.7 | <5.7 | <5.7 | <5.7 | 430 |
| 06/20/97 | 3.08 | -0.78 | 3.86 | 0.00 | 0.00 | -- | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 1,400 |
| 09/09/97 | 3.08 | -1.11 | 4.19 | 0.00 | 0.00 | -- | 76 ⁴ | 22 | <0.5 | <0.5 | <0.5 | 920 |
| 12/12/97 | 3.08 | 0.12 | 2.96 | 0.00 | 0.00 | -- | 52 | 15 | <0.5 | <0.5 | <0.5 | 710 |
| 02/19/98 | 3.08 | 0.86 | 2.22 | 0.00 | 0.00 | -- | <50 | 6.6 | <0.5 | <0.5 | <0.5 | 380 |
| 06/23/98 | 3.08 | -0.17 | 3.25 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 390 |
| 08/31/98 | 3.08 | -0.78 | 3.86 | 0.00 | 0.00 | -- | <50 | 19 | <0.5 | <0.5 | <0.5 | 830 |
| 12/29/98 | 3.08 | -0.45 | 3.53 | 0.00 | 0.00 | -- | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 416 |
| 03/11/99 | 3.08 | -0.27 | 3.35 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 262 |
| 06/24/99 | 3.08 | -0.53 | 3.61 | 0.00 | 0.00 | -- | <50 | 12.8 | <0.5 | <0.5 | <0.5 | 620 |
| 09/29/99 | 3.08 | -0.87 | 3.95 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2,840 |
| 12/08/99 | 3.08 | -0.46 | 3.54 | 0.00 | 0.00 | -- | 73.4 | <0.5 | <0.5 | <0.5 | <0.5 | 1,620 |
| 03/01/00 | 3.08 | 0.65 | 2.43 | 0.00 | 0.00 | -- | <200 | <2.0 | <2.0 | <2.0 | <2.0 | 1,880 |
| 06/19/00 | 3.08 | -0.30 | 3.38 | 0.00 | 0.00 | -- | <250 | 20 | <2.5 | <2.5 | <2.5 | 1,200/920 ² |
| 09/30/00 | 3.08 | -0.92 | 4.00 | 0.00 | 0.00 | -- | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 730/2,100 ² |
| 10/05/00 | 3.08 | -0.94 | 4.02 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 12/08/00 | 9.08 | 5.38 | 3.70 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 1,620 |
| 03/03/01 ¹¹ | 9.08 | 6.84 | 2.24 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1,000 |
| 06/19/01 | 9.08 | 5.37 | 3.71 | 0.00 | 0.00 | -- | <120 | 4.8 | <1.2 | <1.2 | <1.2 | 510 |
| 09/05/01 | 9.08 | 5.04 | 4.04 | 0.00 | 0.00 | -- | 130 | <0.50 | <0.50 | <0.50 | <1.5 | 1,400 |
| 12/10/01 | 9.08 | 6.54 | 2.54 | 0.00 | 0.00 | -- | 130 | <0.50 | <0.50 | <0.50 | <1.5 | 1,000 |
| 03/04/02 | 9.08 | 6.24 | 2.84 | 0.00 | 0.00 | -- | 120 | <0.50 | <0.50 | <0.50 | <1.5 | 720 |
| 06/03/02 | 9.08 | 5.80 | 3.28 | 0.00 | 0.00 | -- | 130 | <0.50 | <0.50 | <0.50 | <1.5 | 710 |
| 09/14/02 | 9.08 | 4.93 | 4.15 | 0.00 | 0.00 | -- | 590 | <20 | <1.0 | <1.0 | <3.0 | 2,600 |
| 12/13/02 | 9.08 | 5.23 | 3.85 | 0.00 | 0.00 | -- | 430 | <0.50 | <0.50 | <0.50 | <1.5 | 2,000 |
| 03/14/03 | 9.08 | 6.09 | 2.99 | 0.00 | 0.00 | -- | 310 | <0.50 | <0.50 | <0.50 | <1.5 | 1,600 |
| 06/09/03 ¹³ | 9.08 | 5.74 | 3.34 | 0.00 | 0.00 | -- | 330 | <0.5 | <0.5 | <0.5 | <0.5 | 1,800 |
| 09/03/03 ¹³ | 9.08 | 5.11 | 3.97 | 0.00 | 0.00 | -- | 720 | <3 | <3 | <3 | <3 | 4,100 |
| 12/01/03 ¹³ | 9.08 | 5.32 | 3.76 | 0.00 | 0.00 | -- | 520 | <1 | <1 | <1 | <1 | 2,400 |
| 03/01/04 ¹³ | 9.08 | 6.97 | 2.11 | 0.00 | 0.00 | -- | 140 | <0.5 | <0.5 | <0.5 | <0.5 | 850 |
| 06/02/04 ¹³ | 9.08 | 5.43 | 3.65 | 0.00 | 0.00 | -- | 220 | <0.5 | <0.5 | <0.5 | <0.5 | 1,500 |
| 09/03/04 ¹³ | 9.08 | 4.07 | 5.01 | 0.00 | 0.00 | -- | 300 | <1 | <1 | <1 | <1 | 1,800 |
| 12/20/04 ¹³ | 9.08 | 4.23 | 4.85 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 86 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|------------------|----------------|----------------|----------------|----------------|---------------------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-3 (cont) | | | | | | | | | | | | |
| 03/12/05 ¹³ | 9.08 | 4.69 | 4.39 | 0.00 | 0.00 | -- | <50 | 0.6 | <0.5 | <0.5 | <0.5 | 110 |
| 06/28/05 ¹³ | 9.08 | 4.52 | 4.56 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 23 |
| 09/01/05 ¹³ | 9.08 | 4.41 | 4.67 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 47 |
| 12/01/05 ¹³ | 9.08 | 4.65 | 4.43 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 19 |
| 03/04/06 ¹³ | 9.08 | 4.76 | 4.32 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 36 |
| 06/01/06 ¹³ | 9.08 | 4.56 | 4.52 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 29 |
| 09/01/06 ¹³ | 9.08 | 4.42 | 4.66 | 0.00 | 0.00 | -- | 75 | <0.5 | <0.5 | <0.5 | <0.5 | 29 |
| 12/15/06¹³ | 9.08 | 5.01 | 4.07 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 14 |
| MW-4 | | | | | | | | | | | | |
| 10/17/95 | 3.48 | -1.60 | 5.08 | 0.00 | 0.00 | -- | <125 | <1.2 | <1.2 | <1.2 | <1.2 | -- |
| 03/29/96 | 3.48 | -1.13 | 4.61 | 0.00 | 0.00 | -- | <1,000 | <10 | <10 | <10 | <10 | 6,700 |
| 06/26/96 | 3.48 | -0.82 | 4.30 | 0.00 | 0.00 | -- | <2,000 | <20 | <20 | <20 | <20 | 7,200 |
| 09/25/96 | 3.48 | -1.85 | 5.33 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 12/17/96 | 3.48 | 0.67 | 2.81 | 0.00 | 0.00 | -- | <2,000 | 120 | <20 | <20 | <20 | 11,000 |
| 03/20/97 | 3.48 | -1.02 | 4.50 | 0.00 | 0.00 | -- | 250 ⁴ | <2.0 | <2.0 | <2.0 | <2.0 | 10,000/8,600 ⁶ |
| 06/20/97 | 3.48 | -2.20 | 5.68 | 0.00 | 0.00 | -- | <2,500 | <25 | <25 | <25 | <25 | 9,300 |
| 09/09/97 | 3.48 | -2.02 | 5.50 | 0.00 | 0.00 | -- | 460 ⁴ | <0.5 | <0.5 | <0.5 | <0.5 | 6,600 |
| 12/12/97 | 3.48 | -1.55 | 5.03 | 0.00 | 0.00 | -- | 430 ⁴ | 120 | <2.5 | <2.5 | <2.5 | 7,800 |
| 02/19/98 | 3.48 | 0.13 | 3.35 | 0.00 | 0.00 | -- | 510 ⁴ | 130 | <0.5 | <0.5 | <0.5 | 6,600 |
| 06/23/98 | 3.48 | -1.50 | 4.98 | 0.00 | 0.00 | -- | 550 ⁴ | <0.5 | <0.5 | <0.5 | <0.5 | 6,800 |
| 08/31/98 | 3.48 | -1.94 | 5.42 | 0.00 | 0.00 | -- | <500 | 450 | <5.0 | <5.0 | <5.0 | 14,000 |
| 12/29/98 | 3.48 | -1.58 | 5.06 | 0.00 | 0.00 | -- | <5,000 | <50 | <50 | <50 | <50 | 16,100 |
| 03/11/99 | 3.48 | -0.30 | 3.78 | 0.00 | 0.00 | -- | 979 | <5.0 | <5.0 | <5.0 | <5.0 | 15,100 |
| 06/24/99 | 3.48 | -0.83 | 4.31 | 0.00 | 0.00 | -- | <2,500 | 715 | <25 | <25 | <25 | 12,400 |
| 09/29/99 | 3.48 | -2.10 | 5.58 | 0.00 | 0.00 | -- | 1,380 | <5.0 | <5.0 | <5.0 | <5.0 | 11,700 |
| 12/08/99 | 3.48 | -1.85 | 5.33 | 0.00 | 0.00 | -- | 318 | <0.5 | <0.5 | <0.5 | <0.5 | 11,100 |
| 03/01/00 | 3.48 | -1.72 | 5.20 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9,940 |
| 06/19/00 | 3.48 | -1.88 | 5.36 | 0.00 | 0.00 | -- | <1,000 | 220 | <10 | <10 | <10 | 7,300/9,500 ² |
| 09/30/00 | 3.48 | -0.29 | 3.77 | 0.00 | 0.00 | -- | 740 ¹ | <2.5 | <2.5 | <2.5 | <2.5 | 6,000/7,800 ² |
| 10/05/00 | 3.48 | -0.38 | 3.86 | 0.00 | 0.00 | -- | -- | -- | -- | -- | -- | -- |
| 12/08/00 | 9.48 | 5.03 | 4.45 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 6,230 |
| 03/03/01 ¹¹ | 9.48 | 5.65 | 3.83 | 0.00 | 0.00 | -- | <250 | <2.5 | <2.5 | <2.5 | <2.5 | 3,600 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|-------------------------------------|--------------|---------------|----------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-4 (cont) | | | | | | | | | | | | |
| 06/19/01 | 9.48 | 6.11 | 3.37 | 0.00 | 0.00 | -- | <500 | 140 | <5.0 | <5.0 | <5.0 | 2,500 |
| 09/05/01 | 9.48 | 5.52 | 3.96 | 0.00 | 0.00 | -- | 400 | <0.50 | <0.50 | <0.50 | <1.5 | 2,800 |
| 12/10/01 | 9.48 | 4.43 | 5.05 | 0.00 | 0.00 | -- | 700 | <0.50 | <0.50 | <0.50 | <1.5 | 3,400 |
| 03/04/02 | 9.48 | 5.81 | 3.67 | 0.00 | 0.00 | -- | 660 | <0.50 | <0.50 | <0.50 | <1.5 | 2,900 |
| 06/03/02 | 9.48 | 4.24 | 5.24 | 0.00 | 0.00 | -- | 610 | <0.50 | <0.50 | <0.50 | <1.5 | 3,000 |
| 09/14/02 | 9.48 | 4.26 | 5.22 | 0.00 | 0.00 | -- | 490 | <10 | <1.0 | <1.0 | <3.0 | 2,400 |
| 12/13/02 | 9.48 | 4.81 | 4.67 | 0.00 | 0.00 | -- | 440 | <0.50 | <0.50 | <0.50 | <1.5 | 2,200 |
| 03/14/03 | 9.48 | 4.84 | 4.64 | 0.00 | 0.00 | -- | 490 | <0.50 | <0.50 | <0.50 | <1.5 | 2,600 |
| 06/09/03 ¹³ | 9.48 | 4.45 | 5.03 | 0.00 | 0.00 | -- | 340 | <0.5 | <0.5 | <0.5 | <0.5 | 1,700 |
| 09/03/03 ¹³ | 9.48 | 3.83 | 5.65 | 0.00 | 0.00 | -- | 320 | <1 | <1 | <1 | <1 | 1,600 |
| 12/01/03 ¹³ | 9.48 | 4.51 | 4.97 | 0.00 | 0.00 | -- | 350 | <1 | <1 | <1 | <1 | 1,700 |
| 03/01/04 ¹³ | 9.48 | 4.80 | 4.68 | 0.00 | 0.00 | -- | 240 | <0.5 | <0.5 | <0.5 | <0.5 | 1,200 |
| 06/02/04 ¹³ | 9.48 | 4.55 | 4.93 | 0.00 | 0.00 | -- | 240 | <0.5 | <0.5 | <0.5 | <0.5 | 1,600 |
| 09/03/04 ¹³ | 9.48 | 4.49 | 4.99 | 0.00 | 0.00 | -- | 270 | <1 | <1 | <1 | <1 | 1,500 |
| 12/20/04 ¹³ | 9.48 | 5.30 | 4.18 | 0.00 | 0.00 | -- | 230 | <3 | <3 | <3 | <3 | 1,900 |
| 03/12/05 ¹³ | 9.48 | 4.16 | 5.32 | 0.00 | 0.00 | -- | 180 | <1 | <1 | <1 | <1 | 1,200 |
| 06/28/05 ¹³ | 9.48 | 4.22 | 5.26 | 0.00 | 0.00 | -- | 180 | <0.5 | <0.5 | <0.5 | <0.5 | 920 |
| 09/01/05 ¹³ | 9.48 | 4.57 | 4.91 | 0.00 | 0.00 | -- | 250 | <1 | <1 | <1 | <1 | 1,500 |
| 12/01/05 ¹³ | 9.48 | 4.60 | 4.88 | 0.00 | 0.00 | -- | 61 | <0.5 | <0.5 | <0.5 | <0.5 | 260 |
| 03/04/06 ¹³ | 9.48 | 4.46 | 5.02 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 80 |
| 06/01/06 ¹³ | 9.48 | 5.25 | 4.23 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 51 |
| 09/01/06 ¹³ | 9.48 | 4.12 | 5.36 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 29 |
| 12/15/06¹³ | 9.48 | 4.54 | 4.94 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 19 |
| MW-5 | | | | | | | | | | | | |
| 10/23/00 ¹⁰ | 8.77 | 4.18 | 4.59 | 0.00 | 0.00 | -- | <50 | <0.500 | <0.500 | <0.500 | <0.500 | 4.34 |
| 12/08/00 | 8.77 | 5.34 | 3.43 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 11.0 |
| 03/03/01 ¹¹ | 8.77 | 6.37 | 2.40 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 24 |
| 06/19/01 | 8.77 | INACCESSIBLE - CAR PARKED OVER WELL | | | | -- | -- | -- | -- | -- | -- | -- |
| 09/05/01 | 8.77 | 5.02 | 3.75 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 31 |
| 12/10/01 | 8.77 | 5.98 | 2.79 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 45 |
| 03/04/02 | 8.77 | 6.25 | 2.52 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 29 |
| 06/03/02 | 8.77 | 5.57 | 3.20 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 40 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-5 (cont) | | | | | | | | | | | | |
| 09/14/02 | 8.77 | 4.92 | 3.85 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 92 |
| 12/13/02 | 8.77 | 5.32 | 3.45 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 32 |
| 03/14/03 | 8.77 | 5.82 | 2.95 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 71 |
| 06/09/03 ¹³ | 8.77 | 5.58 | 3.19 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 79 |
| 09/03/03 ¹³ | 8.77 | 4.98 | 3.79 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 |
| 12/01/03 ¹³ | 8.77 | 5.43 | 3.34 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 52 |
| 03/01/04 ¹³ | 8.77 | 6.29 | 2.48 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 120 |
| 06/02/04 ¹³ | 8.77 | 5.66 | 3.11 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 110 |
| 09/03/04 ¹³ | 8.77 | 3.66 | 5.11 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 80 |
| 12/20/04 ¹³ | 8.77 | 3.67 | 5.10 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 62 |
| 03/12/05 ¹³ | 8.77 | 4.06 | 4.71 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 58 |
| 06/28/05 ¹³ | 8.77 | 3.84 | 4.93 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 64 |
| 09/01/05 ¹³ | 8.77 | 3.85 | 4.92 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 61 |
| 12/01/05 ¹³ | 8.77 | 3.96 | 4.81 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 50 |
| 03/04/06 ¹³ | 8.77 | 3.99 | 4.78 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 49 |
| 06/01/06 ¹³ | 8.77 | 3.88 | 4.89 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 38 |
| 09/01/06 ¹³ | 8.77 | 3.83 | 4.94 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 32 |
| 12/15/06¹³ | 8.77 | 4.09 | 4.68 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 26 |
| MW-6 | | | | | | | | | | | | |
| 10/23/00 ¹⁰ | 11.45 | 4.30 | 7.15 | 0.00 | 0.00 | -- | <50 | <0.500 | <0.500 | <0.500 | <0.500 | 5.96 |
| 12/08/00 | 11.45 | 4.61 | 6.84 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 8.80 |
| 03/03/01 ¹¹ | 11.45 | 5.32 | 6.13 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 9.0 |
| 06/19/01 | 11.45 | 5.65 | 5.80 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 09/05/01 | 11.45 | 6.29 | 5.16 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 12/10/01 | 11.45 | 6.64 | 4.81 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 03/04/02 | 11.45 | 7.29 | 4.16 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 06/03/02 | 11.45 | 5.74 | 5.71 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 09/14/02 | 11.45 | 4.80 | 6.65 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 12/13/02 | 11.45 | 5.06 | 6.39 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 03/14/03 | 11.45 | 4.98 | 6.47 | 0.00 | 0.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 06/09/03 ¹³ | 11.45 | 4.67 | 6.78 | 0.00 | 0.00 | -- | <50 | <0.5 | 0.7 | <0.5 | <0.5 | 1 |
| 09/03/03 ¹³ | 11.45 | 4.37 | 7.08 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|------------------|----------------|----------------|----------------|----------------|----------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-6 (cont) | | | | | | | | | | | | |
| 12/01/03 ¹³ | 11.45 | 7.88 | 3.57 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 03/01/04 ¹³ | 11.45 | 8.27 | 3.18 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 25 |
| 06/02/04 ¹³ | 11.45 | 7.95 | 3.50 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/03/04 ¹³ | 11.45 | 9.28 | 2.17 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 |
| 12/20/04 ¹³ | 11.45 | 5.42 | 6.03 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 |
| 03/12/05 ¹³ | 11.45 | 6.40 | 5.05 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 06/28/05 ¹³ | 11.45 | 9.09 | 2.36 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/01/05 ¹³ | 11.45 | 8.58 | 2.87 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 |
| 12/01/05 ¹³ | 11.45 | 8.55 | 2.90 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 03/04/06 ¹³ | 11.45 | 7.74 | 3.71 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 06/01/06 ¹³ | 11.45 | 8.88 | 2.57 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/01/06 ¹³ | 11.45 | 9.09 | 2.36 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 |
| 12/15/06¹³ | 11.45 | 8.29 | 3.16 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| MW-7 | | | | | | | | | | | | |
| 10/23/00 ¹⁰ | 10.58 | 4.33 | 6.25 | 0.00 | 0.00 | -- | <50 | <0.500 | <0.500 | <0.500 | <0.500 | 1,210 |
| 12/08/00 | 10.58 | 3.35 | 7.23 | 0.00 | 0.00 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 338 |
| 03/03/01 ¹¹ | 10.58 | 4.31 | 6.27 | 0.00 | 0.00 | -- | 72 ¹² | <0.50 | <0.50 | <0.50 | <0.50 | 460 |
| 06/19/01 | 10.58 | 4.76 | 5.82 | 0.00 | 0.00 | -- | 110 ¹ | 18 | <0.50 | <0.50 | <0.50 | 440 |
| 09/05/01 | 10.58 | 4.04 | 6.54 | 0.00 | 0.00 | -- | 180 | <0.50 | <0.50 | <0.50 | <1.5 | 640 |
| 12/10/01 | 10.58 | 5.04 | 5.54 | 0.00 | 0.00 | -- | 110 | <0.50 | <0.50 | <0.50 | <1.5 | 390 |
| 03/04/02 | 10.58 | 3.68 | 6.90 | 0.00 | 0.00 | -- | 220 | 1.1 | <0.50 | 3.0 | <1.5 | 460 |
| 06/03/02 | 10.58 | 4.94 | 5.64 | 0.00 | 0.00 | -- | 130 | <0.50 | <0.50 | <0.50 | <1.5 | 350 |
| 09/14/02 | 10.58 | 3.55 | 7.03 | 0.00 | 0.00 | -- | 120 | <2.0 | <0.50 | <0.50 | <1.5 | 340 |
| 12/13/02 | 10.58 | 4.99 | 5.59 | 0.00 | 0.00 | -- | 57 | <0.50 | <0.50 | <0.50 | <1.5 | 150 |
| 03/14/03 | 10.58 | 4.60 | 5.98 | 0.00 | 0.00 | -- | 77 | <0.50 | <0.50 | <0.50 | <1.5 | 240 |
| 06/09/03 ¹³ | 10.58 | 4.32 | 6.26 | 0.00 | 0.00 | -- | 79 | <0.5 | <0.5 | <0.5 | <0.5 | 210 |
| 09/03/03 ¹³ | 10.58 | 3.72 | 6.86 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 |
| 12/01/03 ¹³ | 10.58 | 5.11 | 5.47 | 0.00 | 0.00 | -- | 58 | <0.5 | <0.5 | <0.5 | <0.5 | 130 |
| 03/01/04 ¹³ | 10.58 | 4.60 | 5.98 | 0.00 | 0.00 | -- | 71 | <0.5 | <0.5 | <0.5 | <0.5 | 180 |
| 06/02/04 ¹³ | 10.58 | 5.77 | 4.81 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 87 |
| 09/03/04 ¹³ | 10.58 | 4.16 | 6.42 | 0.00 | 0.00 | -- | 55 | <0.5 | <0.5 | <0.5 | <0.5 | 140 |
| 12/20/04 ¹³ | 10.58 | 4.36 | 6.22 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 130 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|------------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| MW-7 (cont) | | | | | | | | | | | | |
| 03/12/05 ¹³ | 10.58 | 4.79 | 5.79 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 110 |
| 06/28/05 ¹³ | 10.58 | 5.96 | 4.62 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 30 |
| 09/01/05 ¹³ | 10.58 | 5.80 | 4.78 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 70 |
| 12/01/05 ¹³ | 10.58 | 6.57 | 4.01 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 35 |
| 03/04/06 ¹³ | 10.58 | 4.69 | 5.89 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 49 |
| 06/01/06 ¹³ | 10.58 | 5.48 | 5.10 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 35 |
| 09/01/06 ¹³ | 10.58 | 5.27 | 5.31 | 0.00 | 0.00 | -- | <50 | 0.5 | 5 | <0.5 | 5 | 17 |
| 12/15/06¹³ | 10.58 | 4.69 | 5.89 | 0.00 | 0.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 20 |
| TRIP BLANK | | | | | | | | | | | | |
| 10/17/95 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/29/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | -- |
| 06/26/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 09/25/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 12/17/96 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 03/20/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 06/20/97 | -- | -- | -- | -- | -- | -- | <50 | <2.0 | <2.0 | <2.0 | <2.0 | -- |
| 09/09/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 12/12/97 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 02/19/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 06/23/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 08/31/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 12/29/98 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 |
| 03/11/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 06/24/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 09/29/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 12/08/99 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 |
| 03/01/00 | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 |
| 06/19/00 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 09/30/00 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 10/05/00 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 12/08/00 | -- | -- | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 |
| 03/03/01 ¹¹ | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | SPH | | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) |
|--------------------------|---------------|--------------|--------------|---------------|----------------------|----------------|----------------|------------|-----------------|------------|-----------------|---------------|
| | | | | SPHT (ft.) | Removed (gallons) | | | | | | | |
| TRIP BLANK (cont) | | | | | | | | | | | | |
| 06/19/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 |
| 09/05/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| QA | | | | | | | | | | | | |
| 12/10/01 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 03/04/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 06/03/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 09/14/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 12/13/02 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 03/14/03 | -- | -- | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 |
| 06/09/03 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/03/03 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 12/01/03 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 03/01/04 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 06/02/04 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/03/04 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 12/20/04 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 03/12/05 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 06/28/05 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/01/05 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | 3 ¹⁵ | <0.5 | 2 ¹⁵ | <0.5 |
| 12/01/05 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 03/04/06 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 06/01/06 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 09/01/06 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 12/15/06 ¹³ | -- | -- | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

| | | |
|---|--|------------------------------------|
| TOC = Top of Casing | DTW = Depth to Water | |
| (ft.) = Feet | TPH-D = Total Petroleum Hydrocarbons as Diesel | X = Xylenes |
| GWE = Groundwater Elevation | TPH-G = Total Petroleum Hydrocarbons as Gasoline | MTBE = Methyl tertiary butyl ether |
| SPHT = Separate Phase Hydrocarbon Thickness | B = Benzene | (ppb) = Parts per billion |
| SPH = Separate Phase Hydrocarbons | T = Toluene | -- = Not Measured/Not Analyzed |
| (msl) = Mean sea level | E = Ethylbenzene | QA = Quality Assurance/Trip Blank |

* TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).

** GWE was corrected for the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

¹ Laboratory report indicates gasoline C6-C12.

² MTBE by EPA Method 8260.

³ Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.

⁴ Chromatogram pattern indicates an unidentified hydrocarbon.

⁵ Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.

⁶ Confirmation run.

⁷ Laboratory report indicates unidentified hydrocarbons >C16.

⁸ Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024ppm.

⁹ Laboratory report indicates that Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270 were all less then the reporting limit except for Bis(2-ethylhexyl)phthalate was detected at 14 ppb, which may be a possible contamination.

¹⁰ Data was provided by Delta Environmental Consultants, Inc.

¹¹ Laboratory report indicates sample was analyzed outside the EPA recommended holding time.

¹² Laboratory report indicates unidentified hydrocarbons C6-C12.

¹³ BTEX and MTBE by EPA Method 8260.

¹⁴ Product + Water removed.

¹⁵ Analytical result confirmed.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | ETHANOL (ppb) | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) |
|------------------|--|--------------|---------------|---------------|---------------|---------------|
| MW-1 | | | | | | |
| 06/23/98 | <50,000 | <10,000 | 4,500 | <200 | <200 | <200 |
| 08/31/98 | -- | -- | 17,000 | -- | -- | -- |
| 03/11/99 | -- | -- | 54.1 | -- | -- | -- |
| 06/24/99 | <10,000 | <2,000 | 1,800 | <20 | <20 | 258 |
| 06/19/00 | <500 | <100 | 91 | <2.0 | <2.0 | 11 |
| 09/30/00 | -- | -- | 530 | -- | -- | -- |
| 06/09/03 | -- | -- | 69 | -- | -- | -- |
| 09/03/03 | <50 | -- | 1 | -- | -- | -- |
| 12/01/03 | <50 | -- | 100 | -- | -- | -- |
| 03/01/04 | <50 | -- | 26 | -- | -- | -- |
| 06/02/04 | <50 | -- | 93 | -- | -- | -- |
| 09/03/04 | <50 | -- | 140 | -- | -- | -- |
| 12/20/04 | <50 | -- | 37 | -- | -- | -- |
| 03/12/05 | <50 | -- | 130 | -- | -- | -- |
| 06/28/05 | <50 | -- | 93 | -- | -- | -- |
| 09/01/05 | <50 | -- | 59 | -- | -- | -- |
| 12/01/05 | <50 | -- | 62 | -- | -- | -- |
| 03/04/06 | <50 | -- | 88 | -- | -- | -- |
| 06/01/06 | <50 | -- | 36 | -- | -- | -- |
| 09/01/06 | <50 | -- | 18 | -- | -- | -- |
| 12/15/06 | <50 | -- | 8 | -- | -- | -- |
| MW-2 | | | | | | |
| 06/23/98 | <500 | <100 | 56 | <2.0 | <2.0 | <2.0 |
| 03/11/99 | -- | -- | 101 | -- | -- | -- |
| 06/24/99 | <1,000 | <200 | 52.5 | <2.0 | <2.0 | <2.0 |
| 06/19/00 | <500 | <100 | 59 | <2.0 | <2.0 | 4.0 |
| 09/30/00 | -- | -- | 50 | -- | -- | -- |
| 06/09/03 | -- | -- | 67 | -- | -- | -- |
| 09/03/03 | <50 | -- | 0.9 | -- | -- | -- |
| 12/01/03 | <50 | -- | 72 | -- | -- | -- |
| 03/01/04 | <50 | -- | 130 | -- | -- | -- |
| 06/02/04 | <50 | -- | 46 | -- | -- | -- |
| 09/03/04 | <50 | -- | 69 | -- | -- | -- |
| 12/20/04 | NOT SAMPLED DUE TO THE PERSENCE OF SPH | | | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | ETHANOL (ppb) | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) |
|--------------------|--|--------------|---------------|---------------|---------------|---------------|
| MW-2 (cont) | | | | | | |
| 03/12/05 | <50 | -- | 57 | -- | -- | -- |
| 06/28/05 | <50 | -- | 6 | -- | -- | -- |
| 09/01/05 | NOT SAMPLED DUE TO THE PERSENCE OF SPH | | | | | |
| 12/01/05 | <50 | -- | 3 | -- | -- | -- |
| 03/04/06 | <50 | -- | 14 | -- | -- | -- |
| 06/01/06 | <50 | -- | 35 | -- | -- | -- |
| 09/01/06 | <50 | -- | 31 | -- | -- | -- |
| 12/15/06 | <50 | -- | 25 | -- | -- | -- |
| MW-3 | | | | | | |
| 06/23/98 | <5,000 | <1,000 | 420 | <20 | <20 | 26 |
| 03/11/99 | -- | -- | 580 | -- | -- | -- |
| 06/24/99 | <6,670 | <1,330 | 900 | <13.3 | <13.3 | <13.3 |
| 06/19/00 | 570 | <100 | 920 | <2.0 | <2.0 | 65 |
| 09/30/00 | -- | -- | 2,100 | -- | -- | -- |
| 06/09/03 | -- | -- | 1,800 | -- | -- | -- |
| 09/03/03 | <250 | -- | 4,100 | -- | -- | -- |
| 12/01/03 | <130 | -- | 2,400 | -- | -- | -- |
| 03/01/04 | <50 | -- | 850 | -- | -- | -- |
| 06/02/04 | <50 | -- | 1,500 | -- | -- | -- |
| 09/03/04 | <100 | -- | 1,800 | -- | -- | -- |
| 12/20/04 | <50 | -- | 86 | -- | -- | -- |
| 03/12/05 | <50 | -- | 110 | -- | -- | -- |
| 06/28/05 | <50 | -- | 23 | -- | -- | -- |
| 09/01/05 | <50 | -- | 47 | -- | -- | -- |
| 12/01/05 | <50 | -- | 19 | -- | -- | -- |
| 03/04/06 | <50 | -- | 36 | -- | -- | -- |
| 06/01/06 | <50 | -- | 29 | -- | -- | -- |
| 09/01/06 | <50 | -- | 29 | -- | -- | -- |
| 12/15/06 | <50 | -- | 14 | -- | -- | -- |
| MW-4 | | | | | | |
| 06/23/98 | <50,000 | <10,000 | 11,000 | <200 | <200 | 860 |
| 03/11/99 | -- | -- | 17,600 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | ETHANOL (ppb) | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) |
|--------------------|------------------|--------------|---------------|---------------|---------------|---------------|
| MW-4 (cont) | | | | | | |
| 06/24/99 | <125,000 | <25,000 | 17,000 | <250 | <250 | 2600 |
| 06/19/00 | <25,000 | <5,000 | 9,500 | <100 | <100 | 1,100 |
| 09/30/00 | -- | -- | 7,800 | -- | -- | -- |
| 06/09/03 | -- | -- | 1,700 | -- | -- | -- |
| 09/03/03 | <130 | -- | 1,600 | -- | -- | -- |
| 12/01/03 | <100 | -- | 1,700 | -- | -- | -- |
| 03/01/04 | <50 | -- | 1,200 | -- | -- | -- |
| 06/02/04 | <50 | -- | 1,600 | -- | -- | -- |
| 09/03/04 | <100 | -- | 1,500 | -- | -- | -- |
| 12/20/04 | <250 | -- | 1,900 | -- | -- | -- |
| 03/12/05 | <100 | -- | 1,200 | -- | -- | -- |
| 06/28/05 | <50 | -- | 920 | -- | -- | -- |
| 09/01/05 | <100 | -- | 1,500 | -- | -- | -- |
| 12/01/05 | <50 | -- | 260 | -- | -- | -- |
| 03/04/06 | <50 | -- | 80 | -- | -- | -- |
| 06/01/06 | <50 | -- | 51 | -- | -- | -- |
| 09/01/06 | <50 | -- | 29 | -- | -- | -- |
| 12/15/06 | <50 | -- | 19 | -- | -- | -- |
| MW-5 | | | | | | |
| 10/23/00 | <1,000 | <100 | 4.34 | <2.00 | <2.00 | <2.00 |
| 06/09/03 | -- | -- | 79 | -- | -- | -- |
| 09/03/03 | <50 | -- | 2 | -- | -- | -- |
| 12/01/03 | <50 | -- | 52 | -- | -- | -- |
| 03/01/04 | <50 | -- | 120 | -- | -- | -- |
| 06/02/04 | <50 | -- | 110 | -- | -- | -- |
| 09/03/04 | <50 | -- | 80 | -- | -- | -- |
| 12/20/04 | <50 | -- | 62 | -- | -- | -- |
| 03/12/05 | <50 | -- | 58 | -- | -- | -- |
| 06/28/05 | <50 | -- | 64 | -- | -- | -- |
| 09/01/05 | <50 | -- | 61 | -- | -- | -- |
| 12/01/05 | <50 | -- | 50 | -- | -- | -- |
| 03/04/06 | <50 | -- | 49 | -- | -- | -- |
| 06/01/06 | <50 | -- | 38 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | ETHANOL (ppb) | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) |
|--------------------|------------------|--------------|----------------|---------------|---------------|---------------|
| MW-5 (cont) | | | | | | |
| 09/01/06 | <50 | -- | 32 | -- | -- | -- |
| 12/15/06 | <50 | -- | 26 | -- | -- | -- |
| MW-6 | | | | | | |
| 10/23/00 | <1,000 | <100 | 5.96 | <2.00 | <2.00 | <2.00 |
| 06/09/03 | -- | -- | 1 | -- | -- | -- |
| 09/03/03 | <50 | -- | 0.8 | -- | -- | -- |
| 12/01/03 | <50 | -- | <0.5 | -- | -- | -- |
| 03/01/04 | <50 | -- | 25 | -- | -- | -- |
| 06/02/04 | <50 | -- | <0.5 | -- | -- | -- |
| 09/03/04 | <50 | -- | 0.6 | -- | -- | -- |
| 12/20/04 | <50 | -- | 0.6 | -- | -- | -- |
| 03/12/05 | <50 | -- | <0.5 | -- | -- | -- |
| 06/28/05 | <50 | -- | <0.5 | -- | -- | -- |
| 09/01/05 | <50 | -- | 1 | -- | -- | -- |
| 12/01/05 | <50 | -- | <0.5 | -- | -- | -- |
| 03/04/06 | <50 | -- | <0.5 | -- | -- | -- |
| 06/01/06 | <50 | -- | <0.5 | -- | -- | -- |
| 09/01/06 | <50 | -- | 1 | -- | -- | -- |
| 12/15/06 | <50 | -- | <0.5 | -- | -- | -- |
| MW-7 | | | | | | |
| 10/23/00 | <6,670 | <667 | 1,210 | 13.3 | 13.3 | 199 |
| 06/09/03 | -- | -- | 210 | -- | -- | -- |
| 09/03/03 | <50 | -- | 0.8 | -- | -- | -- |
| 12/01/03 | <50 | -- | 130 | -- | -- | -- |
| 03/01/04 | <50 | -- | 180 | -- | -- | -- |
| 06/02/04 | <50 | -- | 87 | -- | -- | -- |
| 09/03/04 | <50 | -- | 140 | -- | -- | -- |
| 12/20/04 | <50 | -- | 130 | -- | -- | -- |
| 03/12/05 | <50 | -- | 110 | -- | -- | -- |
| 06/28/05 | <50 | -- | 30 | -- | -- | -- |
| 09/01/05 | <50 | -- | 70 | -- | -- | -- |
| 12/01/05 | <50 | -- | 35 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | ETHANOL (ppb) | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) |
|--------------------|------------------|--------------|---------------|---------------|---------------|---------------|
| MW-7 (cont) | | | | | | |
| 03/04/06 | <50 | -- | 49 | -- | -- | -- |
| 06/01/06 | <50 | -- | 35 | -- | -- | -- |
| 09/01/06 | <50 | -- | 17 | -- | -- | -- |
| 12/15/06 | <50 | -- | 20 | -- | -- | -- |

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

| WELL ID/ DATE | TOG (ppb) | Benzene by (EPA 8240) (ppb) | Xylene by (EPA 8240) (ppb) | C-1,2- DCE (ppb) | Carbon Disulfide (ppb) | Vinyl Chloride (ppb) |
|--------------------------|----------------------|--|---|---------------------------------|---------------------------------------|-------------------------------------|
| MW-2 | | | | | | |
| 10/17/95 | <5,000 | -- | -- | 11 | -- | -- |
| 03/29/96 | -- | 11 | 2.5 | 17 | -- | 5.4 |
| 06/26/96 | -- | 11 | <2.0 | 15 | -- | 12 |
| 09/25/96 | -- | -- | -- | -- | -- | -- |
| 12/17/96 | -- | 10 | <2.0 | 2.3 | -- | 5.5 |
| 03/20/97 | -- | -- | -- | <2.0 | -- | 3.2 |
| 06/20/97 | -- | 7.2 | <2.0 | 4.6 | 2.2 | 5.2 |
| 09/09/97 | -- | 11 | <2.0 | <2.0 | <2.0 | <2.0 |
| 12/12/97 | -- | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| 02/19/98 | -- | <3.3 | <3.3 | <3.3 | <3.3 | <3.3 |

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

TOG = Total Oil and Grease

c-1,2-DCE = cis-1,2-Dichloroethene

(ppb) = Parts per billion

-- = Not Analyzed

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------|---------------|--------------|--------------|----------------|--------------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|-----------------|
| MW-1 | | | | | | | | | | | | | | |
| 05/29/97 | 96.61 | 84.41 | 12.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/04/97 | 96.61 | 84.40 | 12.21 | -- | 380 | 58 | 1.2 | 5.4 | 40 | 85 | -- | -- | -- | -- |
| 09/16/97 | 96.61 | 83.84 | 12.77 | -- | 420 | 120 | <0.5 | 19 | 2.7 | 28 | -- | -- | -- | -- |
| 12/17/97 | 96.61 | 85.43 | 11.18 | -- | 210 ¹ | 43 | 0.61 | 11 | 0.61 | 69 | -- | -- | -- | -- |
| 03/18/98 | 96.61 | 84.59 | 12.02 | -- | 210 ¹ | 47 | <0.5 | 8.2 | <0.5 | 92 | -- | -- | -- | -- |
| 06/28/98 | 96.61 | 83.99 | 12.62 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 66 | -- | -- | -- | -- |
| 09/07/98 | 96.61 | 82.32 | 14.29 | -- | <50 | 6.7 | <0.5 | <0.5 | <0.5 | 92 | -- | -- | -- | -- |
| 12/29/98 | 96.61 | 83.18 | 13.43 | -- | <100 | <1.0 | <1.0 | 2.24 | 1.14 | 278 | -- | -- | -- | -- |
| 03/11/99 | 96.61 | 83.80 | 12.81 | -- | 110 | <1.0 | <1.0 | 7.95 | <1.0 | 418 | -- | -- | -- | -- |
| 05/04/99 | 96.61 | 83.85 | 12.76 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/29/99 | 96.61 | 84.06 | 12.55 | -- | 352 | 34.6 | <2.5 | 51 | <2.5 | 780 | -- | -- | -- | -- |
| 09/29/99 | 96.61 | 83.21 | 13.40 | -- | 647 | 167 | <2.5 | 58.6 | 14.8 | 1,570 | -- | -- | -- | -- |
| 12/08/99 | 96.61 | 85.70 | 10.91 | -- | 481 | 121 | 1.16 | 17.9 | 11 | 3,910 | -- | -- | -- | -- |
| 03/01/00 | 96.61 | 85.46 | 11.15 | -- | 2,580 | 481 | 6.84 | 86.6 | 41.9 | 5,460 | -- | -- | -- | -- |
| 06/23/00 | 96.61 | 83.68 | 12.93 | -- | 900 ⁴ | 120 | <5.0 | 22 | 6.7 | 5,400 | -- | -- | -- | -- |
| 09/30/00 | 96.61 | 83.07 | 13.54 | -- | 1,300 ⁴ | 450 | 5.5 | 170 | 11 | 2,000 | -- | -- | -- | -- |
| 12/08/00 | 96.61 | 83.63 | 12.98 | -- | <1,000 | 41.7 | <10.0 | 11.5 | <10.0 | 6,030 | -- | -- | -- | -- |
| 03/01/01 | 96.61 | 84.94 | 11.67 | -- | 340 ⁷ | 36.6 | <0.500 | 10.1 | <0.500 | 3,360 | -- | -- | -- | -- |
| 06/19/01 | 96.61 | 83.94 | 12.67 | -- | 610 ⁴ | 110 | <5.0 | 9.2 | <5.0 | 110 | -- | -- | -- | -- |
| 09/18/01 | 96.61 | 83.48 | 13.13 | -- | 200 | 32 | 0.55 | 3.0 | <1.5 | 1,600 | -- | -- | -- | -- |
| 12/26/01 | 96.61 | 85.14 | 11.47 | -- | 140 | 9.1 | <0.50 | 1.2 | <1.5 | 1,900 | -- | -- | -- | -- |
| 03/06/02 | 97.52 | 86.38 | 11.14 | -- | 93 | 7.0 | <0.50 | 0.72 | <1.5 | 1,000 | -- | -- | -- | -- |
| 06/21/02 | 97.52 | 84.92 | 12.60 | -- | 93 | 8.2 | <0.50 | 1.2 | <1.5 | 1,300 | -- | -- | -- | -- |
| 09/27/02 | 97.52 | 84.38 | 13.14 | -- | 78 | 1.5 | <0.50 | <0.50 | <1.5 | 1,200 | -- | -- | -- | -- |
| 12/26/02 | 97.52 | 87.74 | 9.78 | -- | 86 | 1.7 | <0.50 | <0.50 | <1.5 | 600 | -- | -- | -- | -- |
| 03/28/03 | 97.52 | 85.96 | 11.56 | -- | 190 | 24 | <0.50 | 2.4 | <1.5 | 1,200 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 97.52 | 85.96 | 11.56 | -- | <50 | 3 | <0.5 | <0.5 | <0.5 | 220 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 97.52 | 85.21 | 12.31 | -- | 53 | 3 | <0.5 | <0.5 | <0.5 | 580 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 97.52 | 86.35 | 11.17 | -- | <50 | <0.5 | 0.7 | <0.5 | 0.8 | 410 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 97.52 | 86.09 | 11.43 | -- | 760 | 110 | 2 | 12 | 2 | 460 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 97.52 | 85.40 | 12.12 | -- | 1,400 | 200 | 3 | 7 | 2 | 740 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 97.52 | 85.12 | 12.40 | -- | 920 | 48 | <0.5 | <0.5 | <0.5 | 340 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 97.52 | 86.78 | 10.74 | -- | 190 | 9 | <0.5 | <0.5 | <0.5 | 110 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 97.52 | 87.67 | 9.85 | -- | 120 | 5 | <0.5 | <0.5 | <0.5 | 130 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 97.52 | 85.61 | 11.91 | -- | 110 | 6 | <0.5 | <0.5 | <0.5 | 130 | <50 | -- | -- | -- |
| 09/12/05 ¹¹ | 97.52 | 85.31 | 12.21 | -- | 290 | 10 | <0.5 | <0.5 | <0.5 | 90 | <50 | -- | -- | -- |
| 12/12/05 ¹¹ | 97.52 | 86.50 | 11.02 | -- | 150 | 1 | <0.5 | <0.5 | 0.8 | 53 | <50 | -- | -- | -- |
| 03/13/06 ¹¹ | 97.52 | 87.97 | 9.55 | -- | 82 | 0.8 | <0.5 | <0.5 | <0.5 | 66 | <50 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------------|---------------|--------------|--------------|----------------|--------------------|------------|----------------|----------------|----------------|---------------------------|------------------|-------------------|-------------------|-----------------|
| MW-1 (cont) | | | | | | | | | | | | | | |
| 06/12/06 ¹¹ | 97.52 | 86.52 | 11.00 | -- | 140 | 4 | <0.5 | <0.5 | <0.5 | 65 | <50 | -- | -- | -- |
| 09/11/06 ¹¹ | 97.52 | 85.99 | 11.53 | -- | 210 | 3 | <0.5 | <0.5 | <0.5 | 32 | <50 | -- | -- | -- |
| 12/15/06¹¹ | 97.52 | 88.13 | 9.39 | -- | 190 | 1 | <0.5 | <0.5 | <0.5 | 31 | <50 | -- | -- | -- |
| MW-2 | | | | | | | | | | | | | | |
| 05/29/97 | 96.91 | 83.85 | 13.06 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/04/97 | 96.91 | 83.96 | 12.95 | -- | 1,600 | 120 | 5.9 | 32 | 15 | 2,100 | -- | -- | -- | -- |
| 09/16/97 | 96.91 | 83.92 | 12.99 | -- | 1,100 | 23 | 3.2 | 7.0 | 2.5 | 1,200 | -- | -- | -- | -- |
| 12/17/97 | 96.91 | 84.73 | 12.18 | -- | 7,100 ¹ | 650 | 69 | 610 | 69 | 4,700/2,600 ² | -- | -- | -- | -- |
| 03/18/98 | 96.91 | 84.21 | 12.70 | -- | 5,900 ¹ | 250 | <50 | 98 | <50 | 12,000/7,100 ² | -- | -- | -- | -- |
| 06/28/98 | 96.91 | 83.98 | 12.93 | -- | 4,300 | 400 | <10 | <10 | <10 | 3,000/4,000 ² | -- | -- | -- | -- |
| 09/07/98 | 96.91 | 83.94 | 12.97 | -- | 3,700 | 220 | 5.1 | 38 | 7.6 | 1,300/1,400 ² | -- | -- | -- | -- |
| 12/29/98 | 96.91 | 83.99 | 12.92 | -- | 6,500 | 573 | 26.8 | 131 | 33.9 | 2,660 | -- | -- | -- | -- |
| 03/11/99 | 96.91 | 84.04 | 12.87 | -- | 4,970 | 651 | 30.8 | 60.3 | <5.0 | 2,600 | -- | -- | -- | -- |
| 05/04/99 | 96.91 | 84.05 | 12.86 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/29/99 | 96.91 | 83.98 | 12.93 | -- | 2,030 | 238 | 11.6 | 8.98 | <5.0 | 540 | -- | -- | -- | -- |
| 09/29/99 | 96.91 | 84.02 | 12.89 | -- | 2,000 | 320 | 10.4 | 16.5 | 20.3 | 642 | -- | -- | -- | -- |
| 12/08/99 | 96.91 | 86.18 | 10.73 | -- | 96.8 | 2.74 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/01/00 | 96.91 | 84.31 | 12.60 | -- | <50 | 6.92 | <0.5 | <0.5 | <0.5 | 254 | -- | -- | -- | -- |
| 06/23/00 | 96.91 | 83.98 | 12.93 | -- | 1,700 ⁴ | 490 | 7.5 | <5.0 | 7.7 | 770 | -- | -- | -- | -- |
| 09/30/00 | 96.91 | 83.95 | 12.96 | -- | 2,000 ⁴ | 420 | 14 | <10 | <10 | 380 | -- | -- | -- | -- |
| 12/08/00 | 96.91 | 83.98 | 12.93 | -- | 984 | 54.9 | <2.50 | 4.15 | <2.50 | 306 | -- | -- | -- | -- |
| 03/01/01 | 96.91 | 84.15 | 12.76 | -- | <50.0 | 4.16 | <0.500 | <0.500 | <0.500 | 245 | -- | -- | -- | -- |
| 06/19/01 | 96.91 | 83.23 | 13.68 | -- | 1,700 ⁴ | 250 | 9.2 | <5.0 | 6.9 | 410 | -- | -- | -- | -- |
| 09/18/01 | 96.91 | 83.96 | 12.95 | -- | 1,700 | 42 | 1.9 | 2.0 | 2.9 | 280 | -- | -- | -- | -- |
| 12/26/01 | 96.91 | 83.88 | 13.03 | -- | <50 | 0.50 | <0.50 | <0.50 | <1.5 | 120 | -- | -- | -- | -- |
| 03/06/02 | 97.81 | 84.82 | 12.99 | -- | 670 | 170 | 2.5 | <0.50 | <1.5 | 410 | -- | -- | -- | -- |
| 06/21/02 | 97.81 | 84.10 | 13.71 | -- | 1,800 | 120 | 7.3 | 2.0 | 3.1 | 440 | -- | -- | -- | -- |
| 09/27/02 | 97.81 | 82.51 | 15.30 | -- | 180 | 11 | 1.0 | <0.50 | <1.5 | 4,700 | -- | -- | -- | -- |
| 12/26/02 | 97.81 | 84.81 | 13.00 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 160 | -- | -- | -- | -- |
| 03/28/03 | 97.81 | 84.46 | 13.35 | -- | 580 | 88 | 2.2 | 22 | 12 | 280 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 97.81 | 83.10 | 14.71 | -- | 200 | 1 | 29 | <0.5 | <0.5 | 1,400 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 97.81 | 82.78 | 15.03 | -- | 130 | <1 | <1 | <1 | <1 | 2,400 | <130 | -- | -- | -- |
| 12/15/03 ¹¹ | 97.81 | 84.84 | 12.97 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 63 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 97.81 | 84.79 | 13.02 | -- | <50 | 0.8 | <0.5 | <0.5 | <0.5 | 49 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 97.81 | 82.72 | 15.09 | -- | 60 | <0.5 | <0.5 | <0.5 | <0.5 | 1,900 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 97.81 | 82.46 | 15.35 | -- | 66 | <1 | <1 | <1 | <1 | 2,100 | <130 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------------|---------------|--------------|--------------|---------------------|-------------------|----------------|----------------|----------------|----------------|---------------|------------------|-------------------|-------------------|----------------------|
| MW-2 (cont) | | | | | | | | | | | | | | |
| 12/17/04 ¹¹ | 97.81 | 84.61 | 13.20 | -- | 120 | 7 | <0.5 | <0.5 | 0.7 | 91 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 97.81 | 84.79 | 13.02 | -- | 390 | 69 | 0.8 | 10 | 2 | 74 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 97.81 | 82.87 | 14.94 | -- | <50 | 6 | <0.5 | <0.5 | <0.5 | 10 | <50 | -- | -- | -- |
| 09/12/05 ¹¹ | 97.81 | 82.62 | 15.19 | -- | 77 | <1 | <1 | <1 | <1 | 1,400 | <100 | -- | -- | -- |
| 12/12/05 ¹¹ | 97.81 | 84.32 | 13.49 | -- | 14,000 | 1,500 | 1,100 | 660 | 3,500 | 82 | <250 | -- | -- | -- |
| 03/13/06 ¹¹ | 97.81 | 84.97 | 12.84 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 06/12/06 ¹¹ | 97.81 | 83.19 | 14.62 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 81 | <50 | -- | -- | -- |
| 09/11/06 ¹¹ | 97.81 | 82.59 | 15.22 | -- | 73 | <0.5 | <0.5 | <0.5 | <0.5 | 170 | <50 | -- | -- | -- |
| 12/15/06¹¹ | 97.81 | 84.86 | 12.95 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 | <50 | -- | -- | -- |
| MW-3 | | | | | | | | | | | | | | |
| 05/29/97 | 97.86 | 86.41 | 11.45 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/04/97 ³ | 97.86 | 86.58 | 11.28 | 1200 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | ND | 1.0 | -- |
| 09/16/97 | 97.86 | 85.67 | 12.19 | 2,700 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 12/17/97 | 97.86 | 87.06 | 10.80 | 1,200 ¹ | <50 | 0.9 | 0.53 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/18/98 | 97.86 | 86.98 | 10.88 | 820 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/28/98 | 97.86 | 86.26 | 11.60 | 1,100 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 0.99 | ND | <0.5-<5.0 |
| 09/07/98 | 97.86 | 85.64 | 12.22 | 1,100 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 0.79 | 0.54 | -- |
| 12/29/98 | 97.86 | 86.06 | 11.80 | 1,760 ¹ | 185 | <0.5 | <0.5 | <0.5 | 0.669 | <2.0 | -- | 1.04 | 0.578 | <0.5-<5.0 |
| 03/11/99 | 97.86 | 86.83 | 11.03 | 1440 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | <1.0 | <1.0 | <1.0-<20 |
| 05/04/99 | 97.86 | 86.43 | 11.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/29/99 | 97.86 | 85.71 | 12.15 | 690 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | 0.754 | <0.5 | <0.5-<5.0 |
| 09/29/99 | 97.86 | INACCESSIBLE | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/08/99 | 97.86 | 88.43 | 9.43 | 1,000 ¹ | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | <0.5 | 0.66 | <0.5-<5.0 |
| 03/01/00 | 97.86 | 87.16 | 10.70 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | 0.821 | 0.984 | <0.5-<5.0 |
| 06/23/00 | 97.86 | 85.96 | 11.90 | 2,600 ⁵ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | <2.0 | <2.0 | <0.5-<2.0 |
| 09/30/00 | 97.86 | 85.45 | 12.41 | 1,100 ⁵ | <50 | <0.50 | 0.61 | <0.50 | 0.82 | 2.7 | -- | <2.0 | <2.0 | <0.50-<2.0 |
| 12/08/00 | 97.86 | 85.78 | 12.08 | 870 ⁵ | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | <2.0 | <2.0 | <0.50-<10 |
| 03/01/01 | 97.86 | 87.09 | 10.77 | 1,060 ⁶ | 60.9 ⁷ | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | 0.545 | 0.528 | <0.500-<5.00 |
| 06/19/01 | 97.86 | 85.87 | 11.99 | 120 ⁵ | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | <1.2 | <1.6 | <0.50-<2.0 |
| 09/18/01 | 97.86 | 85.19 | 12.67 | 4,800 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2 ⁸ |
| 12/26/01 | 97.86 | 86.92 | 10.94 | 5,000 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 03/06/02 | 98.78 | 87.20 | 11.58 | 30,000 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 06/21/02 | 98.78 | 86.23 | 12.55 | 3,800 ¹⁰ | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 09/27/02 | 98.78 | 85.93 | 12.85 | 2,000 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 12/26/02 | 98.78 | 87.87 | 10.91 | 3,600 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <2 ⁸ | <1-<2.0 ⁸ |
| 03/28/03 | 98.78 | 86.77 | 12.01 | 2,100 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | <1 ⁸ | <1 ⁸ | <0.8-<2 ⁸ |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------------|---------------|--------------|--------------|---------------------|------------------|----------------|----------------|----------------|----------------|----------------|------------------|--------------------------|----------------------------|----------------------------------|
| MW-3 (cont) | | | | | | | | | | | | | | |
| 06/16/03 ¹¹ | 98.78 | 86.79 | 11.99 | 2,400 | <50 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | -- | <1 ⁸ | 0.8 ⁸ | <0.5-<2 ⁸ |
| 09/15/03 ¹¹ | 98.78 | 86.07 | 12.71 | 4,300 | <50 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <50 | <1 ⁸ | 0.8 ⁸ | <0.8-<2 ⁸ |
| 12/15/03 ¹¹ | 98.78 | 87.23 | 11.55 | 3,200 | <50 | <0.5 | 0.7 | <0.5 | 0.7 | <0.5 | <50 | <1 ⁸ | 0.8 ⁸ | <0.8-<2 ⁸ |
| 03/05/04 ¹¹ | 98.78 | 87.66 | 11.12 | 8,000 | <50 | <0.5 | 0.6 | <0.5 | 0.7 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 06/18/04 ¹¹ | 98.78 | 86.21 | 12.57 | 3,100 | <50 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 09/17/04 ¹¹ | 98.78 | 85.92 | 12.86 | 3,200 | <50 | <0.5 | <0.7 | <0.8 | <1.6 | <0.5 | <50 | <1 ⁸ | <1 ⁸ | <0.8-<2 ⁸ |
| 12/17/04 ¹¹ | 98.78 | 87.63 | 11.15 | 2,800 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 03/14/05 ¹¹ | 98.78 | 88.21 | 10.57 | 1,300 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 06/13/05 ¹¹ | 98.78 | 86.45 | 12.33 | 2,700 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 09/12/05 ¹¹ | 98.78 | 85.89 | 12.89 | 2,000 ¹² | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 12/12/05 ¹¹ | 98.78 | 87.40 | 11.38 | 3,900 ¹² | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 03/13/06 ¹¹ | 98.78 | 88.43 | 10.35 | 2,800 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 06/12/06 ¹¹ | 98.78 | 87.05 | 11.73 | 3,600 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 09/11/06 ¹¹ | 98.78 | 86.42 | 12.36 | 4,000 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1 ⁸ | <0.5 ⁸ | <0.8-<2 ⁸ |
| 12/15/06¹¹ | 98.78 | 86.91 | 11.87 | 3,100 | <50 | <0.5 | <0.5 | <0.5 | <1.0 | <0.5 | <50 | <1⁸ | <0.5⁸ | <0.8-<2⁸ |
| MW-4 | | | | | | | | | | | | | | |
| 05/04/99 | 96.25 | 83.66 | 12.59 | -- | 140 | <0.5 | 0.62 | 0.67 | 2.6 | <2.5 | -- | -- | -- | -- |
| 06/29/99 | 96.25 | 83.64 | 12.61 | -- | 183 | <0.5 | <0.5 | 1.1 | <0.5 | <5.0 | -- | -- | -- | -- |
| 09/29/99 | 96.25 | 83.70 | 12.55 | -- | 64.3 | <0.5 | <0.5 | <0.5 | 1.18 | <2.5 | -- | -- | -- | -- |
| 12/08/99 | 96.25 | 83.81 | 12.44 | -- | 91.2 | 0.589 | <0.5 | 0.52 | <0.5 | 86 | -- | -- | -- | -- |
| 03/01/00 | 96.25 | 84.55 | 11.70 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/23/00 | 96.25 | 84.12 | 12.13 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 09/30/00 | 96.25 | 84.30 | 11.95 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 12/08/00 | 96.25 | 83.85 | 12.40 | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | -- | -- | -- |
| 03/01/01 | 96.25 | INACCESSIBLE | | | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 06/19/01 | 96.25 | 82.83 | 13.42 | -- | 210 ⁷ | 7.6 | 1.4 | <0.50 | <0.50 | 10 | -- | -- | -- | -- |
| 09/18/01 | 96.25 | 83.17 | 13.08 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/01 | 96.25 | 83.36 | 12.89 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/06/02 | 97.14 | 84.06 | 13.08 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 06/21/02 | 97.14 | 83.63 | 13.51 | -- | <50 | <0.50 | 12 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 09/27/02 | 97.14 | 83.47 | 13.67 | -- | 110 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/02 | 97.14 | 84.12 | 13.02 | -- | <50 | <0.50 | 2.6 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/28/03 | 97.14 | 83.71 | 13.43 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 18 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 97.14 | 83.10 | 14.04 | -- | 250 | <0.5 | 31 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 97.14 | 82.93 | 14.21 | -- | 220 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 97.14 | 84.30 | 12.84 | -- | 310 | <0.5 | 21 | <0.5 | 1 | <0.5 | <50 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------------|---------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|------------------|-------------------|-------------------|-----------------|
| MW-4 (cont) | | | | | | | | | | | | | | |
| 03/05/04 ¹¹ | 97.14 | 84.00 | 13.14 | -- | <50 | <0.5 | 0.7 | <0.5 | 0.6 | 5 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 97.14 | 83.14 | 14.00 | -- | 220 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 97.14 | 83.06 | 14.08 | -- | 97 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 97.14 | 83.77 | 13.37 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 97.14 | 83.69 | 13.45 | -- | <50 | <0.5 | 0.8 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 97.14 | 83.53 | 13.61 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 09/12/05 ¹¹ | 97.14 | 83.34 | 13.80 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 12/12/05 ¹¹ | 97.14 | 83.54 | 13.60 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 03/13/06 ¹¹ | 97.14 | 83.95 | 13.19 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 06/12/06 ¹¹ | 97.14 | 83.27 | 13.87 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | -- | -- | -- |
| 09/11/06 ¹¹ | 97.14 | 82.98 | 14.16 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | -- | -- | -- |
| 12/15/06¹¹ | 97.14 | 83.96 | 13.18 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <50 | -- | -- | -- |
| MW-5 | | | | | | | | | | | | | | |
| 03/06/02 ⁹ | 95.71 | 84.31 | 11.40 | -- | 4,900 | 18 | 2.7 | 29 | 9.8 | 290 | -- | -- | -- | -- |
| 06/21/02 | 95.71 | 83.29 | 12.42 | -- | 1,400 | 3.6 | 1.4 | <0.50 | 1.6 | 190 | -- | -- | -- | -- |
| 09/27/02 | 95.71 | 83.00 | 12.71 | -- | 540 | 1.3 | <0.50 | <0.50 | <1.5 | 190 | -- | -- | -- | -- |
| 12/26/02 | 95.71 | 85.55 | 10.16 | -- | 2,600 | 5.0 | 0.86 | 3.6 | 3.7 | 170 | -- | -- | -- | -- |
| 03/28/03 | 95.71 | 84.25 | 11.46 | -- | 920 | 3.8 | <0.50 | 2.1 | 1.7 | 160 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 95.71 | 83.92 | 11.79 | -- | 600 | 3 | 0.9 | 0.7 | 0.9 | 150 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 95.71 | 83.28 | 12.43 | -- | 760 | <0.5 | <0.5 | <0.5 | <0.5 | 180 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 95.71 | 85.01 | 10.70 | -- | 1,200 | 0.7 | 0.5 | 0.6 | 0.8 | 120 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 95.71 | 84.65 | 11.06 | -- | 1,800 | 2 | 0.7 | 0.7 | 2 | 60 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 95.71 | 83.54 | 12.17 | -- | 1,700 | <0.5 | <0.5 | <0.5 | <0.5 | 77 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 95.71 | 83.35 | 12.36 | -- | 1,900 | <0.5 | <0.5 | <0.5 | 0.6 | 73 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 95.71 | 84.91 | 10.80 | -- | 1,200 | 1 | <0.5 | <0.5 | 0.6 | 41 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 95.71 | 85.26 | 10.45 | -- | 1,400 | 9 | <0.5 | <0.5 | <0.5 | 19 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 95.71 | 83.82 | 11.89 | -- | 760 | <0.5 | <0.5 | <0.5 | <0.5 | 16 | <50 | -- | -- | -- |
| 09/12/05 ¹¹ | 95.71 | 83.43 | 12.28 | -- | 610 | <0.5 | <0.5 | <0.5 | <0.5 | 22 | <50 | -- | -- | -- |
| 12/12/05 ¹¹ | 95.71 | 84.63 | 11.08 | -- | 630 | <0.5 | <0.5 | <0.5 | <0.5 | 13 | 63 | -- | -- | -- |
| 03/13/06 ¹¹ | 95.71 | 85.45 | 10.26 | -- | 1,100 | 1 | <0.5 | <0.5 | 0.5 | 9 | <50 | -- | -- | -- |
| 06/12/06 ¹¹ | 95.71 | 83.91 | 11.80 | -- | 460 | <0.5 | <0.5 | <0.5 | <0.5 | 10 | <50 | -- | -- | -- |
| 09/11/06 ¹¹ | 95.71 | 83.30 | 12.41 | -- | 510 | <0.5 | <0.5 | <0.5 | <0.5 | 10 | <50 | -- | -- | -- |
| 12/15/06¹¹ | 95.71 | 85.21 | 10.50 | -- | 1,000 | 0.7 | <0.5 | <0.5 | <0.5 | 6 | <50 | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|------------------------------|---------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|------------------|-------------------|-------------------|-----------------|
| MW-6 | | | | | | | | | | | | | | |
| 03/06/02 ⁹ | 95.84 | 85.67 | 10.17 | -- | 220 | <0.50 | <0.50 | <0.50 | <1.5 | 53 | -- | -- | -- | -- |
| 06/21/02 | 95.84 | 84.86 | 10.98 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 15 | -- | -- | -- | -- |
| 09/27/02 | 95.84 | 84.61 | 11.23 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 11 | -- | -- | -- | -- |
| 12/26/02 | 95.84 | 87.47 | 8.37 | -- | 57 | <0.50 | <0.50 | <0.50 | <1.5 | 19 | -- | -- | -- | -- |
| 03/28/03 | 95.84 | 85.53 | 10.31 | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 11 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | 95.84 | 85.50 | 10.34 | -- | <50 | <0.5 | 0.6 | <0.5 | <0.5 | 5 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | 95.84 | 84.84 | 11.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | -- | -- | -- |
| 12/15/03 ¹¹ | 95.84 | 86.49 | 9.35 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | -- | -- | -- |
| 03/05/04 ¹¹ | 95.84 | 87.04 | 8.80 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 06/18/04 ¹¹ | 95.84 | 85.04 | 10.80 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 09/17/04 ¹¹ | 95.84 | 84.84 | 11.00 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 12/17/04 ¹¹ | 95.84 | 86.32 | 9.52 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | -- | -- | -- |
| 03/14/05 ¹¹ | 95.84 | 86.94 | 8.90 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 | <50 | -- | -- | -- |
| 06/13/05 ¹¹ | 95.84 | 85.37 | 10.47 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | -- | -- | -- |
| 09/12/05 ¹¹ | 95.84 | 85.16 | 10.68 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 12/12/05 ¹¹ | 95.84 | 86.15 | 9.69 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 03/13/06 ¹¹ | 95.84 | 87.16 | 8.68 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | -- | -- | -- |
| 06/12/06 ¹¹ | 95.84 | 85.03 | 10.81 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | -- | -- | -- |
| 09/11/06 ¹¹ | 95.84 | 84.80 | 11.04 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 | <50 | -- | -- | -- |
| 12/15/06¹¹ | 95.84 | 86.82 | 9.02 | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | -- | -- | -- |
| TRIP BLANK | | | | | | | | | | | | | | |
| 06/04/97 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 09/16/97 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 12/17/97 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/18/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/28/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 09/07/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 09/07/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 12/29/98 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- | -- | -- |
| 03/11/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | -- | -- | -- | -- |
| 05/04/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/29/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <5.0 | -- | -- | -- | -- |
| 09/29/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 12/08/99 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 03/01/00 | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | -- | -- | -- | -- |
| 06/23/00 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

| WELL ID/ DATE | TOC* (ft.) | GWE (msl) | DTW (ft.) | TPH-D (ppb) | TPH-G (ppb) | B (ppb) | T (ppb) | E (ppb) | X (ppb) | MTBE (ppb) | ETHANOL (ppb) | 1,2-DCB◆ (ppb) | 1,2-DCA◆ (ppb) | HVOCs◆ (ppb) |
|--------------------------|---------------|--------------|--------------|----------------|----------------|------------|------------|------------|------------|---------------|------------------|-------------------|-------------------|-----------------|
| TRIP BLANK (cont) | | | | | | | | | | | | | | |
| 09/30/00 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 12/08/00 | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | -- | -- | -- |
| 03/01/01 | -- | -- | -- | -- | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | -- | -- | -- | -- |
| 06/19/01 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | -- | -- | -- | -- |
| 09/18/01 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| QA | | | | | | | | | | | | | | |
| 12/26/01 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/06/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 06/21/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 09/27/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 12/26/02 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 03/28/03 | -- | -- | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | -- | -- | -- | -- |
| 06/16/03 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/15/03 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 12/15/03 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 03/05/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 06/18/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/17/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 12/17/04 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 03/14/05 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 06/13/05 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/12/05 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 12/12/05 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 03/13/06 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 06/12/06 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 09/11/06 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |
| 12/15/06 ¹¹ | -- | -- | -- | -- | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | -- | -- | -- | -- |

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

| | | |
|--|--|--|
| TOC = Top of Casing | TPH-G = Total Petroleum Hydrocarbons as Gasoline | 1,2-DCB = 1,2-Dichlorobenzene |
| (ft.) = Feet | B = Benzene | 1,2-DCA = 1,2-Dichloroethane |
| GWE = Groundwater Elevation | T = Toluene | HVOCs = Halogenated Volatile Organic Compounds |
| (msl) = Mean sea level | E = Ethylbenzene | ND = Not Detected |
| DTW = Depth to Water | X = Xylenes | -- = Not Measured/Not Analyzed |
| TPH-D Total Petroleum Hydrocarbons as Diesel | MTBE = Methyl tertiary butyl ether | QA = Quality Assurance/Trip Blank |

* TOC elevations were surveyed in February 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark; a standard city of Oakland disc stamped "SEC 50 STA F" set under a standard casting on the monument line of Camden Street and 72 feet westerly of the monument at Seminary and Camden, (Elevation = 90.63 feet).

◆ Analysis by EPA Method 8010.

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Confirmation run.
- 3 Sample also analyzed for the following: Total Oil & Grease by EPA Method 5520F was ND; Semivolatile Organics by EPA Method 8270B were ND; Volatile Organics by EPA Method 8010B were ND.
- 4 Laboratory report indicates gasoline C6-C12.
- 5 Laboratory report indicates unidentified hydrocarbons >C16.
- 6 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 7 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 8 Volatile Organic Compounds (VOCs) by EPA Method 8260.
- 9 Well development performed.
- 10 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- 11 BTEX and MTBE by EPA Method 8260.
- 12 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.