



Dave Patten
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-7877
drpatten@chevron.com

RECEIVED

By Alameda County Environmental Health 3:32 pm, Dec 15, 2017

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 90076
4265 Foothill Boulevard
Oakland, CA

I have reviewed the attached report titled *Second Semi-Annual 2017 Groundwater Monitoring and Sampling Report*.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by GHD Services Inc, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink, appearing to read "D. Patten".

Dave Patten
Project Manager

Attachment: *Second Semi-Annual 2017 Groundwater Monitoring and Sampling Report*



December 15, 2017

Reference No. 311977

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

**Re: Second Semi-Annual 2017 Groundwater Monitoring
and Sampling Report
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California
Fuel Leak Case No. RO0000427**

Dear Mr. Detterman:


GHD is submitting this *Second Semi-Annual 2017 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company (CEMC). Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California and their third quarter 2017 well monitoring data sheets are included as Attachment A. Eurofins Lancaster Laboratory Environmental, LLCs' Analytical Results report is included as Attachment B. Current and historical groundwater monitoring and sampling data are included in Table 1 and current data are presented on Figure 2.



Please contact Dave Patten of Chevron at (925) 842-7877 or Kiersten Hoey of GHD at (510) 510-3347 if you have any questions or require additional information.

Cordially,

GHD


Kiersten Hoey

KH/cw/32
Encl.


Greg Barclay, PG #6260



Figure 1 Vicinity Map

Figure 2 Groundwater Elevations and Hydrocarbon Concentration Map


Table 1 Groundwater Monitoring and Sampling Data

Attachment A Monitoring Data Package

Attachment B Laboratory Analytical Report

cc: Mr. Dave Patten, Chevron (*electronic copy*)
Mr. Ed Ralston, P66 (*email copy*)
Loi Van Le and Josephine N. Le, Property Owners
1630 High Street LLC, Attn: Asset Management
J. Burns, Red Mountain Group, Inc. (*email and hardcopy*)

Figures



Source: USGS QUAD MAP; OAKLAND EAST, CA, 2015.




CHEVRON-BRANDED SERVICE STATION 90076
 4265 FOOTHILL BOULEVARD
 OAKLAND, CALIFORNIA

311977-95
 Nov 8, 2017

VICINITY MAP

FIGURE 1



BASEMENT PRESENCE BASED ON FIELD OBSERVATIONS



CHEVRON-BRANDED SERVICE STATION 90076
4265 FOOTHILL BOULEVARD
OAKLAND, CALIFORNIA

GROUNDWATER ELEVATION CONTOUR AND
HYDROCARBON CONCENTRATION MAP - SEPTEMBER 22, 2017

311977-95
Nov 8, 2017

FIGURE 2

Table

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|------------|-------|-------|---------|-------|---------------|--------------|--------------|-------|------|-------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-1 | 04/28/1989 | 35.42 | 20.05 | 15.37 | 0.00 | 0.00 | 940 | 30 | 1.3 | 11 | 13 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 08/08/1989 | 35.42 | 24.07 | 11.35 | 0.00 | 0.00 | 820 | 45 | 2.0 | 13 | 13 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/21/1989 | 35.42 | 22.81 | 12.61 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 08/27/1990 | 35.42 | 22.12 | 13.30 | 0.00 | 0.00 | 440 | 15 | 1.0 | 6.0 | 13 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 11/04/1990 | 35.42 | 25.56 | 9.86 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/18/1991 | 35.42 | 21.64 | 13.78 | 0.00 | 0.00 | 74 | 5.6 | 0.6 | 1.9 | 1.3 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/19/1991 | 35.42 | 24.58 | 10.84 | 0.00 | 0.00 | 150 | 7.1 | <0.5 | 2.3 | 3.0 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/20/1991 | 35.42 | 26.17 | 9.25 | 0.00 | 0.00 | 250 | 10 | <0.5 | 3.7 | 1.6 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/18/1992 | 35.42 | 18.25 | 17.17 | 0.00 | 0.00 | 190 | 16 | <0.5 | 8.5 | 3 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 07/14/1992 | 35.42 | 27.61 | 7.81 | 0.00 | 0.00 | 20,000 | 480 | 2,200 | 510 | 2,900 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 10/08/1992 | 35.42 | 24.44 | 10.98 | 0.00 | 0.00 | 360 | 34 | 4.6 | 19 | 12 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 01/08/1993 | 35.42 | 19.68 | 15.74 | 0.00 | 0.00 | 120 | 9.1 | 0.5 | 5.1 | 1.8 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 04/14/1993 | 35.42 | 16.38 | 19.04 | 0.00 | 0.00 | 190 | 74 | 0.6 | 1.0 | 2.0 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 07/16/1993 | 35.42 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 07/27/1993 | 35.42 | 9.39 | 26.03 | 0.00 | 0.00 | 300 | 12 | <0.5 | 5.0 | 2.0 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/21/1993 | 38.41 | 21.42 | 16.99 | 0.00 | 0.00 | 360 | 12 | 1.2 | 5.8 | 3.7 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 01/28/1994 | 38.41 | 19.57 | 18.84 | 0.00 | 0.00 | 370 | 24 | 1.0 | 13 | 4.0 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/17/1994 | 38.41 | 16.85 | 21.56 | 0.00 | 0.00 | 460 | 42 | <0.5 | 6.7 | 3.7 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/16/1994 | 38.41 | 17.83 | 20.58 | 0.00 | 0.00 | 320 | 20 | 0.7 | 8.7 | 3.0 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/22/1994 | 38.41 | 20.26 | 18.15 | 0.00 | 0.00 | 380 | 24 | 0.6 | 8.8 | 1.9 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/15/1994 | 38.41 | 15.82 | 22.59 | 0.00 | 0.00 | 280 | 23 | 7.6 | 7.8 | 13 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/30/1995 | 38.41 | 12.02 | 26.39 | 0.00 | 0.00 | 2,200 | 890 | 8.9 | 15 | <5.0 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/20/1995 | 38.41 | 14.40 | 24.01 | 0.00 | 0.00 | 690 | 140 | <2.0 | 9.4 | 2.8 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/20/1995 | 38.41 | 13.82 | 24.59 | 0.00 | 0.00 | 730 | 27 | 78 | 26 | 130 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/06/1995 | 38.41 | 20.60 | 17.81 | 0.00 | 0.00 | 220 | 16 | <0.5 | 7.2 | 1.7 | 11 | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/21/1996 | 38.41 | 11.65 | 26.76 | 0.00 | 0.00 | 640 | 170 | <2.0 | 6.7 | <2.0 | 35 | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/21/1996 | 38.41 | 14.25 | 24.16 | 0.00 | 0.00 | 640 | 140 | <1.2 | 8.7 | 2.0 | 23 | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|--------------------|-------|-------|-------|-------|---------------------------|---------|----------------------------|-----------------------------|---|--|------------------------------|---------------------|----------------|---------|------|-------------------|------|--|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | | |
| C-1 | 09/06/1996 | 38.41 | 16.75 | 21.66 | 0.00 | 0.00 | 460 | 24 | 0.56 | 10 | 2.4 | 43 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 12/19/1996 | 38.41 | 13.98 | 24.43 | 0.00 | 0.00 | 790 | 120 | 22 | 13 | 19 | <25 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 03/17/1997 | 38.41 | 12.78 | 25.63 | 0.00 | 0.00 | 2,200 | 660 | <10 | 15 | <10 | 110 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 06/11/1997 | 38.41 | 15.16 | 23.25 | 0.00 | 0.00 | 1,500 | 130 | <2.0 | 16 | 3.4 | 130 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 09/17/1997 | 38.41 | 16.94 | 21.47 | 0.00 | 0.00 | 910 | 160 | 23 | 13 | 49 | 180 | - | 1.4 | 8.8 | 101 | 104 | 2.0 | 1.1 | <1.0 | 12 | - | - | - | | |
| C-1 | 12/11/1997 | 38.41 | 13.18 | 25.23 | 0.00 | 0.00 | 2,000 | 270 | 7.0 | 53 | 7.4 | 460 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 03/12/1998 | 38.41 | 9.49 | 28.92 | 0.00 | 0.00 | 3,100 | 1,300 | <20 | 42 | <20 | 760 | - | 1.7 | 3.6 | 171 | 171 | 550 | 3.0 | <1.0 | 6.6 | - | - | - | | |
| C-1 | 06/23/1998 | 38.41 | 10.22 | 28.19 | 0.00 | 0.00 | 1,300 | 650 | 6.9 | 22 | 6.5 | 290 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 09/01/1998 | 38.41 | 16.98 | 21.43 | 0.00 | 0.00 | 270 | 6.0 | <2.5 | <2.5 | <2.5 | 950 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 12/30/1998 | 38.41 | 16.12 | 22.29 | 0.00 | 0.00 | 2,020 | 578 | <5.0 | <5.0 | <5.0 | 1,720 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 03/31/1999 | 38.41 | 13.88 | 24.53 | 0.00 | 0.00 | 2,140 | 776 | 5.89 | <5.0 | 5.15 | 1,170 | - | 6.5 | 1.8 | 99 | 89 | 382 | 2,520 ¹⁴ | 0.418 | 8.23 | - | - | - | | |
| C-1 | 06/14/1999 ¹ | 38.41 | 15.32 | 23.09 | 0.00 | 0.00 | 1,450 | 524 | <5.0 | <5.0 | <5.0 | 1,360 ² /1,150 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 09/30/1999 | 38.41 | 16.11 | 22.30 | 0.00 | 0.00 | 79 | 1.12 | <0.5 | 1.07 | <0.5 | 677 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 12/22/1999 | 38.41 | 15.04 | 23.37 | 0.00 | 0.00 | 501 | 157 | 4.45 | <2.5 | 4.81 | 744 | - | 0.95 | 2.0 | -95 | -128 | 568 | 0.19 | <0.1 | 11 | - | - | - | | |
| C-1 | 03/09/2000 | 38.41 | 7.13 | 31.28 | 0.00 | 0.00 | 3,300 | 2,500 | 28 | 37 | <25 | 1,700 | - | 1.8 | 2.4 | -47 | -38 | 520 | 0.84 | 0.54 | 15 | - | - | - | | |
| C-1 | 06/23/2000 ³ | 38.41 | 12.55 | 25.86 | 0.00 | 0.00 | 2,200 ⁴ | 1,000 | 6.9 | 5.7 | 9.3 | 1,900 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 09/05/2000 ³ | 38.41 | 17.13 | 21.28 | 0.00 | 0.00 | <200 | 8.3 | <2.0 | <2.0 | <2.0 | 1,000 | - | 1.74 | 2.66 | 105 | 59 | 520 | 0.41 | 1.6 | 10 | - | - | - | | |
| C-1 | 12/04/2000 | 38.41 | 16.93 | 21.48 | 0.00 | 0.00 | 1,400 ⁴ | 600 | <5.0 | <5.0 | <5.0 | 1,500 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 03/08/2001 ³ | 38.41 | 7.96 | 30.45 | 0.00 | 0.00 | 2,570 | 1,040 | 7.93 | 12.0 | <5.00 | 1,470 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 06/07/2001 ³ | 38.41 | 12.96 | 25.45 | 0.00 | 0.00 | 750 ⁴ | 220 | 5.6 | 4.8 | 2.6 | 2,500 ⁵ | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 09/13/2001 ³ | 38.41 | 18.50 | 19.91 | 0.00 | 0.00 | 670 ⁶ | <5.0 | <5.0 | <5.0 | <5.0 | 660 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 12/13/2001 ³ | 38.41 | 15.39 | 23.02 | 0.00 | 0.00 | 1,100 | 340 | 2.1 | 0.95 | 7.9 | 630 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 03/08/2002 ³ | 38.41 | 10.06 | 28.35 | 0.00 | 0.00 | 3,600 | 1,400 | 9.5 | 17 | 6.5 | 1,900 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 06/19/2002 ³ | 38.41 | 13.49 | 24.92 | 0.00 | 0.00 | 1,300 | 220 | 3.4 | 2.7 | <3.0 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 09/11/2002 ³ | 38.41 | 17.23 | 21.18 | 0.00 | 0.00 | 400 | 22 | <0.50 | <0.50 | <1.5 | 780 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 12/11/2002 ³ | 38.41 | 18.60 | 19.81 | 0.00 | 0.00 | 180 | 4.2 | <0.50 | 1.1 | <1.5 | 350 | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-1 | 03/11/2003 ³ | 38.41 | 12.60 | 25.81 | 0.00 | 0.00 | 3,500 | 1,100 | 9.1 | 12 | 8.0 | 1,600 | - | - | - | - | - | - | - | - | - | - | - | - | | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|---------------------------|-------|-------|---------|-------|---------------|--------------|-------|------|------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-1 | 06/10/2003 ^{3,7} | 38.41 | 12.68 | 25.73 | 0.00 | 0.00 | 1,600 | 350 | 2 | 3 | 3 | 1,300 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/09/2003 ^{3,7} | 38.41 | 16.75 | 21.66 | 0.00 | 0.00 | 290 | 4 | <1 | 1 | 1 | 710 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/09/2003 ^{7,9} | 38.41 | 17.68 | 20.73 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 200 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/09/2004 ⁷ | 38.41 | 7.80 | 30.61 | 0.00 | 0.00 | 7,100 | 2,000 | 15 | 23 | 10 | 1,100 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/08/2004 ⁷ | 38.41 | 11.12 | 27.29 | 0.00 | 0.00 | 2,300 | 840 | 6 | 5 | 4 | 1,100 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/08/2004 ⁷ | 38.41 | 14.30 | 24.11 | 0.00 | 0.00 | 150 | 110 | 2 | 0.5 | 1 | 730 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/06/2004 ⁷ | 38.41 | 13.26 | 25.15 | 0.00 | 0.00 | 2,100 | 480 | 4 | 2 | 2 | 530 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/07/2005 ⁷ | 38.41 | 6.48 | 31.93 | 0.00 | 0.00 | 4,100 | 1,200 | 9 | 10 | 5 | 1,100 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/06/2005 ⁷ | 38.41 | 8.85 | 29.56 | 0.00 | 0.00 | 3,400 | 990 | 8 | 9 | 5 | 1,100 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/06/2005 ⁷ | 38.41 | 11.42 | 26.99 | 0.00 | 0.00 | 1,100 | 83 | 2 | 0.9 | 1 | 810 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/05/2005 ⁷ | 38.41 | 10.98 | 27.43 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 78 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/06/2006 ⁷ | 38.41 | 7.77 | 30.64 | 0.00 | 0.00 | 3,700 | 880 | 10 | 8 | 7 | 1,300 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/05/2006 ⁷ | 38.41 | 8.90 | 29.51 | 0.00 | 0.00 | 380 | 7 | <0.5 | <0.5 | <0.5 | 960 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/05/2006 ⁷ | 38.41 | 11.09 | 27.32 | 0.00 | 0.00 | 260 | <0.5 | <0.5 | <0.5 | <0.5 | 390 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/04/2006 ⁷ | 38.41 | 10.92 | 27.49 | 0.00 | 0.00 | 270 | 20 | <0.5 | <0.5 | <0.5 | 250 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/05/2007 ⁷ | 38.41 | 9.78 | 28.63 | 0.00 | 0.00 | 2,000 | 370 | 5 | 2 | 2 | 820 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/04/2007 ⁷ | 38.41 | 9.40 | 29.01 | 0.00 | 0.00 | 180 | <0.5 | <0.5 | <0.5 | <0.5 | 320 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/07/2007 ⁷ | 38.41 | 10.55 | 27.86 | 0.00 | 0.00 | 120 | <0.5 | <0.5 | <0.5 | <0.5 | 72 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/06/2007 ⁷ | 38.41 | 12.15 | 26.26 | 0.00 | 0.00 | 170 | <0.5 | <0.5 | <0.5 | <0.5 | 58 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/06/2008 ⁷ | 38.41 | 8.28 | 30.13 | 0.00 | 0.00 | 3,400 | 790 | 8 | 4 | 4 | 610 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/05/2008 ⁷ | 38.41 | 10.11 | 28.30 | 0.00 | 0.00 | 210 | <0.5 | <0.5 | <0.5 | <0.5 | 290 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/03/2008 ⁷ | 38.41 | 12.90 | 25.51 | 0.00 | 0.00 | 130 | <0.5 | <0.5 | <0.5 | <0.5 | 110 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 12/03/2008 ⁷ | 38.41 | 13.85 | 24.56 | 0.00 | 0.00 | 70 | <0.5 | <0.5 | <0.5 | <0.5 | 29 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/04/2009 | 38.41 | 7.65 | 30.76 | 0.00 | 0.00 | 1,400 | 200 | 3 | 0.90 | 2 | 240 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 06/09/2009 ⁷ | 38.41 | 10.52 | 27.81 | 0.00 | 0.00 | 280 | 2 | <0.5 | <0.5 | <0.5 | 230 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/30/2009 ⁷ | 38.41 | 13.84 | 24.57 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 78 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/22/2010 ⁷ | 38.41 | 8.34 | 30.07 | 0.00 | 0.00 | 1,000 | 290 | 4 | 2 | 2 | 99 | <50 | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|------------|--------------------------|--------------|--------------|--------------|-------------|---------------|--------------|--------------|--------------|--------------|--------------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-1 | 09/16/2010 | 38.41 | 12.70 | 25.71 | 0.00 | 0.00 | 170 | <0.5 | <0.5 | <0.5 | <0.5 | 20 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 03/08/2011 | 38.41 | 8.00 | 30.41 | 0.00 | 0.00 | 2,000 | 280 | 5 | 2 | 3 | 74 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 09/28/2011 | 38.41 | 12.13 | 26.28 | 0.00 | 0.00 | 52 J | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 03/08/2012 | 38.41 | 13.02 | 25.39 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 62 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 09/20/2012 | 38.41 | 13.12 | 25.29 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 03/20/2013 | 38.41 | 9.74 | 28.67 | 0.00 | 0.00 | 210 | 18 | 0.6 J | <0.5 | <0.5 | 37 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 09/18/2013 | 38.41 | 12.50 | 25.91 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 03/13/2014 | 38.41 | 12.13 | 26.28 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 09/25/2014 | 38.41 | 14.17 | 24.24 | 0.00 | 0.00 | 430 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 03/10/2015 | 40.69 | 13.29 | 27.40 | 0.00 | 0.00 | 650 | 28 | 0.6 J | <0.5 | <0.5 | 27 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 06/19/2015 | 40.69 | 12.28 | 28.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 09/15/2015 | 40.69 | 16.70 | 23.99 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 13 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 12/22/2015 ¹⁵ | 40.69 | 15.67 | 25.02 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/08/2016 | 40.69 | 9.92 | 30.77 | 0.00 | 0.00 | 1,300 | 180 | 4 | 1 | 2 | 29 | <50 | - | - | - | - | - | - | - | - | - |
| C-1 | 09/30/2016 | 40.69 | 17.51 | 23.18 | 0.00 | 0.00 | 590 | <1 | <1 | <1 | <1 | 18 | <250 | - | - | - | - | - | - | - | - | - |
| C-1 | 12/30/2016 ¹⁵ | 40.69 | 9.73 | 30.96 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-1 | 03/07/2017 | 40.69 | 7.37 | 33.32 | 0.00 | 0.00 | 6,400 | 1,300 | 15 | 10 | 8 J | 120 | <2,500 | - | - | - | - | - | - | - | - | - |
| C-1 | 09/22/2017 | 40.69 | 13.59 | 27.10 | 0.00 | 0.00 | 330 | <1 | <1 | <1 | <1 | 29 | <250 | - | - | - | - | - | - | - | - | - |
| C-2 | 04/28/1989 | 35.18 | 26.44 | 8.74 | 0.00 | 0.00 | 120,000 | 30,000 | 22,000 | 3,000 | 17,000 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 08/08/1989 | 35.18 | 29.90 | 5.29 | 0.01 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/21/1989 | 35.18 | 29.32 | 5.86 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 08/27/1990 | 35.18 | 29.55 | 5.77 | 0.17 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 11/04/1990 | 35.18 | 30.47 | 4.71 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/18/1991 | 35.18 | 28.33 | 6.90 | 0.06 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/19/1991 | 35.18 | 29.39 | 5.84 | 0.06 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/20/1991 | 35.18 | 29.23 | 5.95 | 0.00 | 0.00 | 170,000 | 20,000 | 10,000 | 2,800 | 19,000 | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|--------------|--------|-------|--------|--------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-2 | 03/18/1992 | 35.18 | 13.60 | 21.58 | 0.09 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 07/14/1992 | 35.18 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 10/08/1992 | 35.18 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 01/08/1993 | 35.18 | 24.20 | 10.98 | Sheen | 0.00 | 79,000 | 14,000 | 7,200 | 3,500 | 16,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 04/14/1993 | 35.18 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 07/16/1993 | 35.18 | 30.15 | 5.03 | 0.00 | 0.00 | 2,200 | 440 | 73 | 24 | 350 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/21/1993 | 37.47 | 26.29 | 11.18 | 0.00 | 0.00 | 11,000 | 2,300 | 300 | 270 | 910 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 01/28/1994 | 37.47 | 23.96 | 13.51 | 0.00 | 0.00 | 49,000 | 11,000 | 3,900 | 1,600 | 12,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/17/1994 | 37.47 | 25.99 | 11.48 | 0.00 | 0.00 | 16,000 | 3,300 | 1,000 | 220 | 3,500 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/16/1994 | 37.47 | 23.92 | 13.55 | 0.00 | 0.00 | 20,000 | 4,800 | 1,500 | 520 | 4,300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/22/1994 | 37.47 | 25.62 | 11.85 | 0.00 | 0.00 | 35,000 | 5,600 | 850 | 1,700 | 7,300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/15/1994 | 37.47 | 21.16 | 16.31 | 0.00 | 0.00 | 96,000 | 9,000 | 3,500 | 3,300 | 13,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/30/1995 | 37.47 | 17.18 | 20.29 | 0.00 | 0.00 | 100,000 | 9,400 | 3,700 | 3,900 | 14,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/20/1995 | 37.47 | 18.95 | 18.52 | 0.00 | 0.00 | 93,000 | 6,400 | 1,900 | 2,900 | 11,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/20/1995 | 37.47 | 18.20 | 19.27 | 0.00 | 0.00 | 58,000 | 6,600 | 330 | 1,600 | 5,500 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/06/1995 | 37.47 | 24.76 | 12.71 | 0.00 | 0.00 | 40,000 | 5,000 | 86 | 1,800 | 3,700 | <500 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/21/1996 | 37.47 | 16.17 | 21.30 | 0.00 | 0.13 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/21/1996 | 37.47 | 18.15 | 19.34 | 0.02 | 0.03 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/06/1996 | 37.47 | 21.14 | 16.36 | 0.04 | 0.08 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/19/1996 | 37.47 | 17.55 | 19.94 | 0.03 | 0.05 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/17/1997 | 37.47 | 18.59 | 18.88 | 0.00 | 0.00 | 58,000 | 4,800 | 1,200 | 1,800 | 6,300 | 3,400 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/11/1997 | 37.47 | 21.30 | 16.17 | 0.00 | 0.00 | 40,000 | 5,500 | 720 | 1,400 | 4,100 | 3,100 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/17/1997 | 37.47 | 23.14 | 14.33 | 0.00 | 0.00 | 30,000 | 4,800 | 220 | 1,200 | 1,800 | 3,200 | - | 1.3 | - | 150 | - | 560 | 4.7 | <1.0 | <1.0 | - | - | - | - |
| C-2 | 12/11/1997 | 37.47 | 17.21 | 20.26 | 0.00 | 0.00 | 76,000 | 6,100 | 1,300 | 2,200 | 8,000 | 3,800 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/12/1998 | 37.47 | 14.17 | 23.30 | 0.00 | 0.00 | 45,000 | 6,000 | 1,400 | 1,800 | 5,900 | 2,700 | - | 1.1 | 1.1 | 176 | 174 | 420 | 3.5 | <1.0 | <1.0 | - | - | - | - |
| C-2 | 06/23/1998 ³ | 37.47 | 14.82 | 22.65 | 0.00 | 0.00 | 1,100,000 | 6,800 | 5,100 | 13,000 | 38,000 | <1,000 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/01/1998 | 37.47 | 21.78 | 15.69 | 0.00 | 0.00 | 9,700 | 300 | 8.2 | 6.2 | 250 | 3,700 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|---------------------------|-------|-------|---------------------|-------|---------------|---------------------|-------|-------|-------|-------|--------------------------|---------|----------------------------|-----------------------------|---|--|------------------------------|---------------------|----------------|---------|-------------------|------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-2 | 12/30/1998 | 37.47 | 21.86 | 15.61 | 0.00 | 0.00 | 110,000 | 4,790 | 1,300 | 841 | 5,570 | 2,420 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-2 | 03/31/1999 | 37.47 | 16.90 | 20.57 | 0.00 | 0.00 | 48,000 | 4,800 | 1,110 | 1,520 | 5,450 | 2,160 | - | 1.5 | 1.6 | 151 | 157 | 456 | 2,100 ¹⁴ | 0.118 | 19.7 | - | - | | |
| C-2 | 06/14/1999 ¹ | 37.47 | 20.15 | 17.32 | Sheen | 0.00 | 56,400 | 5,380 | 671 | 1,300 | 3,960 | 2,480/2,630 ² | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 09/30/1999 | 37.47 | 22.97 | 14.50 | 0.00 | 0.00 | 22,100 | 623 | <100 | 529 | 1,250 | 2,430 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 12/22/1999 | 37.47 | 21.00 | 16.47 | 0.00 | 0.00 | 10,200 | 1,750 | 102 | 222 | 963 | 1,980 | - | 0.6 | 0.65 | -90 | -84 | 782 | 1.0 | 5.34 | 5.38 | - | - | | |
| C-2 | 03/09/2000 | 37.47 | 12.20 | 25.27 | 0.00 | 0.00 | 26,000 | 4,800 | 930 | 1,200 | 4,400 | 1,800 | - | 1.0 | 1.6 | -68 | -70 | 450 | 0.31 | <0.1 | 0.39 | - | - | | |
| C-2 | 06/23/2000 ³ | 37.47 | 18.94 | 18.53 | 0.00 | 0.00 | 29,000 ⁴ | 3,400 | 360 | 440 | 2,500 | 2,800 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 09/05/2000 ³ | 37.47 | 20.46 | 17.01 | 0.00 | 0.00 | 35,000 ⁴ | 3,800 | 54 | 980 | 750 | 5,200 | - | 1.31 | 1.85 | 65 | 44 | 690 | 0.34 | <1.0 | <1.0 | - | - | | |
| C-2 | 12/04/2000 | 37.47 | 20.93 | 16.54 | 0.00 | 0.00 | 16,000 ⁴ | 2,500 | 120 | 360 | 1,100 | 2,100 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 03/08/2001 ³ | 37.47 | 16.94 | 20.53 | 0.00 | 0.00 | 42,300 | 3,930 | 828 | 2,010 | 5,180 | 1,660 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 06/07/2001 ³ | 37.47 | 19.34 | 18.13 | 0.00 | 0.00 | 15,000 ⁴ | 3,400 | 150 | 700 | 1,300 | 1,900 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 09/13/2001 ³ | 37.47 | 22.19 | 15.28 | 0.00 | 0.00 | 9,600 | 1,200 | <50 | 120 | 160 | 2,200 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 12/13/2001 ³ | 37.47 | 17.60 | 19.87 | 0.00 | 0.00 | 33,000 | 3,200 | 430 | 1,300 | 3,700 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 03/08/2002 ³ | 37.47 | 14.29 | 23.18 | 0.00 | 0.00 | 26,000 | 2,900 | 390 | 1,200 | 2,800 | 1,100 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 06/19/2002 ³ | 37.47 | 19.11 | 18.36 | 0.00 | 0.00 | 19,000 | 3,000 | 100 | 720 | 1,100 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 09/11/2002 ³ | 37.47 | 20.68 | 16.79 | 0.00 | 0.00 | 10,000 | 1,400 | 23 | 120 | 78 | 1,800 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 12/11/2002 ³ | 37.47 | 22.11 | 15.36 | 0.00 | 0.00 | 8,700 | 1,300 | 24 | 100 | 250 | 1,900 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 03/11/2003 ³ | 37.47 | 14.61 | 22.86 | 0.00 | 0.00 | 23,000 | 2,000 | 280 | 1,100 | 2,100 | 990 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 06/10/2003 ^{3,7} | 37.47 | 17.11 | 20.36 | 0.00 | 0.00 | 14,000 | 1,300 | 91 | 450 | 720 | 480 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 09/09/2003 ^{3,7} | 37.47 | 21.14 | 16.33 | 0.00 | 0.00 | 6,800 | 1,100 | 9 | 83 | 47 | 1,300 | <200 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 12/09/2003 ⁷ | 37.47 | 19.20 | 18.27 | 0.00 | 0.00 | 22,000 | 1,100 | 120 | 570 | 1,000 | 460 | <250 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 03/09/2004 ⁷ | 37.47 | 11.82 | 25.65 | 0.00 | 0.00 | 24,000 | 1,800 | 420 | 820 | 2,100 | 480 | <250 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 06/08/2004 ⁷ | 37.47 | 16.42 | 21.05 | 0.00 | 0.00 | 1,200 | 180 | 5 | 1 | 10 | 170 | <50 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 09/08/2004 ⁷ | 37.47 | 13.16 | 24.32 ^{**} | 0.01 | 0.00 | 16,000 | 340 | 13 | 290 | 200 | 170 | <250 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 12/06/2004 ⁷ | 37.47 | 14.12 | 23.36 ^{**} | 0.01 | 0.00 | 13,000 | 730 | 130 | 340 | 570 | 280 | <100 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 03/07/2005 ⁷ | 37.47 | 10.57 | 26.91 ^{**} | 0.01 | 0.00 | 18,000 | 2,200 | 470 | 770 | 2,000 | 420 | <250 | - | - | - | - | - | - | - | - | - | - | | |
| C-2 | 06/06/2005 ⁷ | 37.47 | 12.69 | 24.78 | 0.00 | 0.00 | 9,800 | 940 | 79 | 300 | 490 | 200 | <100 | - | - | - | - | - | - | - | - | - | - | | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|----------------------|---------------------|-------------------|-------------------|---------------------|-------------------|--------------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-2 | 09/06/2005 ⁷ | 37.47 | 14.78 | 22.69 | 0.00 | 0.00 | 9,300 | 380 | 8 | 89 | 76 | 170 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/05/2005 ⁷ | 37.47 | 14.22 | 23.25 | 0.00 | 0.00 | 8,300 | 190 | 8 | 68 | 67 | 56 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/06/2006 ⁷ | 37.47 | 9.74 | 27.73 | 0.00 | 0.00 | 1,900 | 41 | 5 | 13 | 43 | 6 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/05/2006 ⁷ | 37.47 | 9.75 | 27.72 | 0.00 | 0.00 | 8,800 | 680 | 99 | 200 | 460 | 170 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/05/2006 ⁷ | 37.47 | 11.96 | 25.51 | 0.00 | 0.00 | 8,200 | 1,200 | 24 | 170 | 65 | 65 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/04/2006 ⁷ | 37.47 | 12.43 | 25.04 | 0.00 | 0.00 | 9,500 | 1,800 | 38 | 140 | 94 | 94 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/05/2007 ⁷ | 37.47 | 10.61 | 26.86 | 0.00 | 0.00 | 15,000 ¹¹ | 1,900 ¹¹ | 300 ¹¹ | 570 ¹¹ | 1,300 ¹¹ | 250 ¹¹ | <250 ¹¹ | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/04/2007 ⁷ | 37.47 | 10.34 | 27.13 | 0.00 | 0.00 | 6,200 | 410 | 16 | 76 | 100 | 110 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/07/2007 ⁷ | 37.47 | 11.65 | 25.82 | 0.00 | 0.00 | 6,400 | 240 | 6 | 71 | 82 | 67 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/06/2007 ⁷ | 37.47 | 18.40 | 19.07 | 0.00 | 0.00 | 7,300 | 200 | 12 | 47 | 79 | 56 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/06/2008 ⁷ | 37.47 | 9.47 | 28.00 | 0.00 | 0.00 | 18,000 | 2,400 | 340 | 850 | 1,600 | 260 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/05/2008 ⁷ | 37.47 | 11.07 | 26.40 | 0.00 | 0.00 | 5,800 | 530 | 18 | 47 | 80 | 100 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/03/2008 ⁷ | 37.47 | 13.20 | 24.27 | 0.00 | 0.00 | 5,600 | 340 | 10 | 81 | 48 | 83 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/03/2008 ⁷ | 37.47 | 14.61 | 22.86 | 0.00 | 0.00 | 9,600 | 1,100 | 58 | 250 | 210 | 220 | <130 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/04/2009 | 37.47 | 11.69 | 25.78 | 0.00 | 0.00 | 9,200 | 640 | 94 | 250 | 670 | 73 | <130 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/09/2009 ⁷ | 37.47 | 11.27 | 20.20 | 0.00 | 0.00 | 9,100 | 590 | 20 | 77 | 45 | 110 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/30/2009 ⁷ | 37.47 | 16.54 | 20.93 | 0.00 | 0.00 | 7,800 | 290 | 9 | 11 | 24 | 200 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/22/2010 ⁷ | 37.47 | 9.63 | 27.84 | 0.00 | 0.00 | 14,000 | 990 | 120 | 460 | 750 | 120 | <130 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/16/2010 | 37.47 | 12.90 | 24.57 | 0.00 | 0.00 | 7,400 | 170 | 8 | 52 | 35 | 29 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/08/2011 | 37.47 | 8.12 | 29.35 | 0.00 | 0.00 | 6,600 | 830 | 58 | 280 | 330 | 75 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/28/2011 | 37.47 | 14.86 | 22.61 | 0.00 | 0.00 | 7,200 | 320 | 10 | 83 | 52 | 50 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/08/2012 | 37.47 | 12.22 | 25.25 | 0.00 | 0.00 | 7,300 | 570 | 44 | 180 | 260 | 40 | <500 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/20/2012 | 37.47 | 13.06 | 24.41 | 0.00 | 0.00 | 6,800 | 260 | 6 | 36 | 170 | 69 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/20/2013 | 37.47 | 12.71 | 24.76 | 0.00 | 0.00 | 8,100 | 500 | 17 | 61 | 63 | 48 | <130 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/18/2013 | 37.47 | 14.90 | 22.57 | 0.00 | 0.00 | 15,000 | 230 | 13 | 150 | 290 | 42 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/13/2014 | 37.47 | 12.45 | 25.02 | 0.00 | 0.00 | 13,000 | 640 | 41 | 230 | 180 | 45 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/25/2014 | 37.47 | 17.95 | 19.52 | 0.00 | 0.00 | 4,800 | 69 | 2 | 3 | 17 | 47 | <50 | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|------------|--------------------------|--------------|--------------|--------------|-------------|---------------|--------------|------------|----------|-----------|------------|----------------|----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-2 | 03/10/2015 | 40.05 | 17.04 | 23.01 | 0.00 | 0.00 | 14,000 | 480 | 22 | 120 | 120 | 40 | <500 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 06/19/2015 | 40.05 | 16.83 | 23.22 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/15/2015 | 40.05 | 17.69 | 22.36 | 0.00 | 0.00 | 6,100 | 75 | <3 | <3 | 5 | 30 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/22/2015 | 40.05 | 15.00 | 25.05 | 0.00 | 0.00 | 7,700 | 270 | 10 | 67 | 32 | 24 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/08/2016 | 40.05 | 11.91 | 28.14 | 0.00 | 0.00 | 9,700 | 540 | 27 | 140 | 140 | 37 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/30/2016 | 40.05 | 14.39 | 25.66 | 0.00 | 0.00 | 5,100 | 120 | 5 | 25 | 22 | 12 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 12/30/2016 ¹⁵ | 40.05 | 11.96 | 28.09 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 03/07/2017 | 40.05 | 9.61 | 30.44 | 0.00 | 0.00 | 9,500 | 630 | 25 | 120 | 99 | 41 | <2,500 | - | - | - | - | - | - | - | - | - | - | - |
| C-2 | 09/22/2017 | 40.05 | 15.31 | 24.74 | 0.00 | 0.00 | 8,800 | 200 | 9 | 43 | 190 | 24 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 04/28/1989 | 35.28 | 28.00 | 7.28 | 0.00 | 0.00 | <500 | 1.7 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 08/08/1989 | 35.28 | 30.00 | 5.28 | 0.00 | 0.00 | <500 | 1.0 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/21/1989 | 35.28 | 30.53 | 4.75 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 08/27/1990 | 35.28 | 29.68 | 5.60 | 0.00 | 0.00 | <50 | <0.3 | <0.3 | <0.3 | <0.6 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 11/04/1990 | 35.30 | 30.36 | 4.94 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/18/1991 | 35.30 | 28.46 | 6.84 | 0.00 | 0.00 | 52 | 1.1 | <0.5 | <0.5 | 1.2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/19/1991 | 35.30 | 29.33 | 5.97 | 0.00 | 0.00 | 73 | 1.2 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/20/1991 | 35.30 | 29.77 | 5.53 | 0.00 | 0.00 | <50 | 0.7 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/18/1992 | 35.30 | 25.75 | 9.55 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 07/14/1992 | 35.30 | 27.87 | 7.43 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 10/08/1992 | 35.30 | 28.55 | 6.75 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 01/08/1993 | 35.30 | 25.85 | 9.45 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 04/14/1993 | 35.30 | 23.96 | 11.34 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 07/16/1993 | 35.30 | 25.64 | 9.66 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/21/1993 | 38.37 | 26.22 | 12.15 | 0.00 | 0.00 | <50 | 0.7 | <0.5 | <0.5 | <0.8 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 01/28/1994 | 38.37 | 25.66 | 12.71 | 0.00 | 0.00 | <50 | 2.0 | <0.5 | <0.5 | 1.0 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/17/1994 | 38.37 | 24.95 | 13.42 | 0.00 | 0.00 | <50 | 2.8 | <0.5 | 0.6 | 1.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|------------|-------|-------|---------|-------|---------------|-----------------|-------|-------|-------|-------|----------------|---------|----------------------------|-----------------------------|---|--|---|--------------------|----------------|---------|-------------------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO ₃) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-3 | 06/16/1994 | 38.37 | 24.31 | 14.06 | 0.00 | 0.00 | <50 | 1.4 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/22/1994 | 38.37 | 25.04 | 13.33 | 0.00 | 0.00 | <50 | 0.6 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/15/1994 | 38.37 | 22.22 | 16.15 | 0.00 | 0.00 | <50 | 2.6 | 1.7 | 0.82 | 4.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/30/1995 | 38.37 | 18.42 | 19.95 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/20/1995 | 38.37 | 19.79 | 18.58 | 0.00 | 0.00 | 110 | 2.2 | <0.5 | <0.5 | 1.2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/20/1995 | 38.37 | 18.95 | 19.42 | 0.00 | 0.00 | 560 | 21 | 80 | 23 | 120 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/06/1995 | 38.37 | 24.16 | 14.21 | 0.00 | 0.00 | <50 | 0.73 | <0.5 | <0.5 | 0.67 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/21/1996 | 38.37 | 17.85 | 20.52 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/21/1996 | 38.37 | 19.78 | 18.59 | 0.00 | 0.00 | 57 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/06/1996 | 38.37 | 21.63 | 16.74 | 0.00 | 0.00 | <50 | 0.9 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/19/1996 | 38.37 | 22.30 | 16.07 | 0.00 | 0.00 | 310 | 36 | 33 | 6.5 | 28 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/17/1997 | 38.37 | 18.95 | 19.42 | 0.00 | 0.00 | 54 | 1.1 | <0.5 | <0.5 | 0.76 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/11/1997 | 38.37 | 21.15 | 17.22 | 0.00 | 0.00 | 120 | 1.1 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/17/1997 | 38.37 | 22.41 | 15.96 | 0.00 | 0.00 | 240 | 19 | 19 | 6.6 | 40 | 13 | - | 2.1 | 0.8 | 59 | 67 | 340 | 0.012 | 100 | 33 | - | - | - |
| C-3 | 12/11/1997 | 38.37 | 22.26 | 16.11 | 0.00 | 0.00 | <50 | 1.8 | <0.5 | <0.5 | 0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/12/1998 | 38.37 | 18.35 | 20.02 | 0.00 | 0.00 | 72 | 6.3 | <0.5 | 0.64 | 3.1 | 2.6 | - | 2.8 | 2.5 | 165 | 163 | 260 | 0.14 | 88 | 32 | - | - | - |
| C-3 | 06/23/1998 | 38.37 | 19.04 | 19.33 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/01/1998 | 38.37 | 19.97 | 18.40 | 0.00 | 0.00 | 200 | 6.8 | 0.31 | 0.52 | 2.0 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/30/1998 | 38.37 | 21.31 | 17.06 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/31/1999 | 38.37 | 17.77 | 20.60 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12.6 | - | 4.1 | 3.3 | 101 | 89 | 256 | <500 ¹⁴ | 18.4 | 72 | - | - | - |
| C-3 | 06/14/1999 | 38.37 | 18.25 | 20.12 | 0.00 | 0.00 | <50 | <0.5 | 0.75 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/30/1999 | 38.37 | 21.19 | 17.18 | 0.00 | 0.00 | 79.2 | 3.04 | 0.794 | <0.5 | 1.04 | 6.17 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/22/1999 | 38.37 | 22.32 | 16.05 | 0.00 | 0.00 | <50 | 1.53 | 1.08 | <0.5 | 0.66 | 12 | - | 0.98 | 1.48 | 69 | 107 | 402 | 0.013 | 67.7 | 37.6 | - | - | - |
| C-3 | 03/09/2000 | 38.37 | 17.10 | 21.27 | 0.00 | 0.00 | 99 | 6.9 | 0.8 | 0.89 | 3.8 | 12 | - | 3.3 | 1.6 | 110 | 97 | 390 | 0.12 | 60 | 38 | - | - | - |
| C-3 | 06/23/2000 | 38.37 | 19.15 | 19.22 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/05/2000 | 38.37 | 20.84 | 17.53 | 0.00 | 0.00 | 52 ⁴ | 4.3 | <0.50 | <0.50 | 0.93 | 29 | - | 3.79 | 2.53 | 202 | 203 | 430 | 0.011 | 52 | 40 | - | - | - |
| C-3 | 12/04/2000 | 38.37 | 21.20 | 17.17 | 0.00 | 0.00 | 70 ⁴ | 4.0 | <0.50 | <0.50 | 0.71 | 25 | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|------------------|--------------|--------|--------|--------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-3 | 03/08/2001 | 38.37 | 17.67 | 20.70 | 0.00 | 0.00 | <50.0 | 0.873 | <0.500 | <0.500 | <0.500 | 3.24 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/07/2001 | 38.37 | 18.90 | 19.47 | 0.00 | 0.00 | 140 ⁴ | 16 | 0.67 | 1.4 | 3.8 | 30 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/13/2001 | 38.37 | 21.01 | 17.36 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/13/2001 | 38.37 | 19.80 | 18.57 | 0.00 | 0.00 | <50 | 1.2 | <0.50 | <0.50 | <1.5 | 15 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/08/2002 | 38.37 | 17.78 | 20.59 | 0.00 | 0.00 | 82 | 5.4 | <0.50 | <0.50 | <1.5 | 68 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/19/2002 | 38.37 | 18.40 | 19.97 | 0.00 | 0.00 | 74 | 2.1 | <0.50 | <0.50 | <1.5 | 77 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/11/2002 | 38.37 | 20.17 | 18.20 | 0.00 | 0.00 | 110 | 4.7 | <0.50 | <0.50 | <1.5 | 76 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/11/2002 | 38.37 | 21.75 | 16.62 | 0.00 | 0.00 | 79 | 1.5 | <0.50 | <0.50 | <1.5 | 96 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/11/2003 | 38.37 | 19.07 | 19.30 | 0.00 | 0.00 | <50 | 2.1 | <0.50 | <0.50 | <1.5 | 18 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/10/2003 ⁷ | 38.37 | 19.08 | 19.29 | 0.00 | 0.00 | 86 | 2 | <0.5 | <0.5 | <0.5 | 93 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/09/2003 ⁷ | 38.37 | 20.70 | 17.67 | 0.00 | 0.00 | <50 | 2 | <0.5 | <0.5 | <0.5 | 160 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 12/09/2003 ⁷ | 38.37 | 21.05 | 17.32 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 03/09/2004 ⁷ | 38.37 | 16.25 | 22.12 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 06/08/2004 ⁷ | 38.37 | 18.50 | 19.87 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 09/08/2004 ⁷ | 38.37 | 20.01 | 18.36 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 22 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 12/06/2004 ⁷ | 38.37 | 19.30 | 19.07 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 03/07/2005 ⁷ | 38.37 | 18.02 | 20.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 06/06/2005 ⁷ | 38.37 | 19.08 | 19.29 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 09/06/2005 ⁷ | 38.37 | 18.15 | 20.22 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 12/05/2005 ⁷ | 38.37 | 17.85 | 20.52 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 03/06/2006 ⁷ | 38.37 | 17.93 | 20.44 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 06/05/2006 ⁷ | 38.37 | 15.35 | 23.02 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 65 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 09/05/2006 ⁷ | 38.37 | 18.42 | 19.95 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 12/04/2006 ⁷ | 38.37 | 18.29 | 20.08 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 03/05/2007 ⁷ | 38.37 | 14.74 | 23.63 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 06/04/2007 ⁷ | 38.37 | 15.68 | 22.69 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-3 | 09/07/2007 ⁷ | 38.37 | 18.51 | 19.86 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|------------|--------------------------|--------------|--------------|--------------|-------------|---------------|----------------|--------------|--------------|--------------|--------------|----------------|----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|----------|-------------------|----------|----------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-3 | 12/06/2007 ⁷ | 38.37 | 19.41 | 18.96 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/06/2008 ⁷ | 38.37 | 15.95 | 22.42 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/05/2008 ⁷ | 38.37 | 17.48 | 20.89 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/03/2008 ⁷ | 38.37 | 18.98 | 19.39 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/03/2008 ⁷ | 38.37 | 20.18 | 18.19 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/04/2009 | 38.37 | 16.52 | 21.85 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/09/2009 ⁷ | 38.37 | 17.62 | 26.82 | 0.00 | 0.00 | 140 | <0.5 | <0.5 | <0.5 | <0.5 | 240 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/30/2009 ⁷ | 38.37 | 19.83 | 18.54 | 0.00 | 0.00 | 120 | <0.5 | <0.5 | <0.5 | <0.5 | 130 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/22/2010 ⁷ | 38.37 | 16.84 | 21.53 | 0.00 | 0.00 | <50 | 0.6 J | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/16/2010 | 38.37 | 19.92 | 18.45 | 0.00 | 0.00 | 80 J | <0.5 | <0.5 | <0.5 | <0.5 | 390 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/08/2011 | 38.37 | 16.10 | 22.27 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/28/2011 | 38.37 | 18.76 | 19.61 | 0.00 | 0.00 | 100 | 0.8 J | <0.5 | <0.5 | 0.5 J | 300 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/08/2012 | 38.37 | 19.24 | 19.13 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 170 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/20/2012 | 38.37 | 20.17 | 18.20 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/20/2013 | 38.37 | 19.17 | 19.20 | 0.00 | 0.00 | 74 J | <0.5 | <0.5 | <0.5 | <0.5 | 400 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/18/2013 | 38.37 | 19.90 | 18.47 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/13/2014 | 38.37 | 19.00 | 19.37 | 0.00 | 0.00 | 87 J | <0.5 | <0.5 | <0.5 | <0.5 | 140 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/25/2014 | 38.37 | 21.72 | 16.65 | 0.00 | 0.00 | 89 J | <0.5 | <0.5 | <0.5 | <0.5 | 360 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/10/2015 | 40.62 | 21.16 | 19.46 | 0.00 | 0.00 | 76 J | <0.5 | <0.5 | <0.5 | <0.5 | 54 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 06/19/2015 | 40.62 | 20.83 | 19.79 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/15/2015 | 40.62 | 21.86 | 18.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 390 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/22/2015 ¹⁵ | 40.62 | 21.71 | 18.91 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/08/2016 | 40.62 | 19.65 | 20.97 | 0.00 | 0.00 | 55 J | <0.5 | <0.5 | <0.5 | <0.5 | 290 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/30/2016 | 40.62 | 22.02 | 18.60 | 0.00 | 0.00 | 69 J | <1 | <1 | <1 | <1 | 320 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 12/30/2016 ¹⁵ | 40.62 | 19.34 | 21.28 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 03/07/2017 | 40.62 | 14.00 | 26.62 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | 8 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-3 | 09/22/2017 | 40.62 | 21.70 | 18.92 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|------------|-------|-------|---------|-------|---------------|--------------|--------|-------|-------|-------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|------------------|----------------|---------|------|-------------------|---|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | | |
| C-4 | 01/12/1989 | 33.45 | 29.49 | 3.96 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 04/12/1989 | 33.45 | 27.44 | 6.01 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 04/28/1989 | 33.45 | 29.49 | 3.96 | 0.00 | 0.00 | 20,000 | 6,300 | 550 | 230 | 1,500 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 08/08/1989 | 33.45 | 29.55 | 3.90 | 0.00 | 0.00 | 8,000 | 7,500 | 340 | 88 | 1,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/21/1989 | 33.45 | 30.02 | 3.43 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 08/27/1990 | 33.48 | 29.02 | 4.46 | 0.00 | 0.00 | 26,000 | 10,000 | 280 | 410 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 11/04/1990 | 33.48 | 29.81 | 3.67 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/18/1991 | 33.48 | 27.45 | 6.03 | 0.00 | 0.00 | 34,000 | 14,000 | 410 | 450 | 1,300 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/19/1991 | 33.48 | 28.65 | 4.83 | 0.00 | 0.00 | 16,000 | 7,400 | 90 | 110 | 460 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/20/1991 | 33.48 | 28.84 | 4.64 | 0.00 | 0.00 | 24,000 | 12,000 | 120 | 260 | 740 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/18/1992 | 33.48 | 24.43 | 11.05 | 0.00 | 0.00 | 48,000 | 6,000 | 1,300 | 1,300 | 2,400 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 07/14/1992 | 33.48 | 26.89 | 6.59 | 0.00 | 0.00 | 40,000 | 14,000 | 920 | 550 | 2,400 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 10/08/1992 | 33.48 | 27.79 | 5.69 | 0.00 | 0.00 | 29,000 | 13,000 | 190 | 110 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 01/08/1993 | 33.48 | 23.50 | 9.98 | 0.00 | 0.00 | 25,000 | 7,000 | 630 | 860 | 1,800 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 04/14/1993 | 33.48 | 21.13 | 12.35 | 0.00 | 0.00 | 27,000 | 6,300 | 1,000 | 900 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 07/16/1993 | 33.48 | 23.96 | 9.52 | 0.00 | 0.00 | 28,000 | 7,800 | 1,100 | 830 | 2,100 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/21/1993 | 36.49 | 25.51 | 10.98 | 0.00 | 0.00 | 30,000 | 9,600 | 130 | 390 | 1,300 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 01/28/1994 | 36.49 | 23.31 | 13.18 | 0.00 | 0.00 | 18,000 | 7,800 | 440 | 260 | 1,200 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/17/1994 | 36.49 | 21.35 | 15.14 | 0.00 | 0.00 | 32,000 | 7,800 | 820 | 820 | 1,800 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/16/1994 | 36.49 | 22.50 | 13.99 | 0.00 | 0.00 | 25,000 | 7,600 | 710 | 600 | 1,800 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/22/1994 | 36.49 | 23.93 | 12.56 | 0.00 | 0.00 | 25,000 | 7,800 | 140 | 600 | 1,100 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/15/1994 | 36.49 | 19.02 | 17.47 | 0.00 | 0.00 | 38,000 | 7,600 | 460 | 1,200 | 2,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/30/1995 | 36.49 | 14.86 | 21.63 | 0.00 | 0.00 | 41,000 | 8,700 | 1,600 | 1,800 | 3,000 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/20/1995 | 36.49 | 16.90 | 19.59 | 0.00 | 0.00 | 29,000 | 6,000 | 890 | 960 | 1,800 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/20/1995 | 36.49 | 16.20 | 20.29 | 0.00 | 0.00 | 12,000 | 6,900 | 510 | 290 | 1,300 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/06/1995 | 36.49 | 23.12 | 13.37 | 0.00 | 0.00 | 13,000 | 3,900 | 42 | 30 | 250 | <250 | - | - | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|------------------|--------|-------|-------|-------|-----------------------|---------|----------------------------|-----------------------------|---|--|------------------------------|---------------------|----------------|---------|-------------------|------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-4 | 03/21/1996 | 36.49 | 14.10 | 22.39 | 0.00 | 0.00 | 39,000 | 4,800 | 640 | 1,000 | 1,800 | <1,000 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/21/1996 | 36.49 | 16.95 | 19.54 | 0.00 | 0.00 | 26,000 | 4,400 | 640 | 960 | 1,800 | 2,000 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/06/1996 | 36.49 | 20.13 | 16.36 | 0.00 | 0.00 | 23,000 | 500 | 200 | 230 | 1,000 | 3,100 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/19/1996 | 36.49 | 16.92 | 19.57 | 0.00 | 0.00 | 23,000 | 4,900 | 320 | 1,100 | 2,000 | <250 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/17/1997 | 36.49 | 17.40 | 19.09 | 0.00 | 0.00 | 30,000 | 5,800 | 700 | 1,400 | 2,200 | 1,700 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/11/1997 | 36.49 | 18.34 | 18.15 | 0.00 | 0.00 | 29,000 | 4,400 | 520 | 790 | 1,800 | 2,000 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/17/1997 | 36.49 | 21.46 | 15.03 | 0.00 | 0.00 | 17,000 | 4,300 | 140 | 940 | 1,100 | 4,600 | - | 0.6 | 0.2 | 102 | 107 | 540 | 5.9 | <1.0 | <1.0 | <1.0 | <1.0 | | |
| C-4 | 12/11/1997 | 36.49 | 16.65 | 19.84 | 0.00 | 0.00 | 12,000 | 2,500 | 130 | 300 | 1,000 | 1,400 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/12/1998 | 36.49 | 16.59 | 19.90 | 0.00 | 0.00 | 46,000 | 11,000 | 1,500 | 2,300 | 5,000 | 3,400 | - | 1.5 | 2.6 | 173 | 175 | 550 | 1.3 | <1.0 | <1.0 | <1.0 | <1.0 | | |
| C-4 | 06/23/1998 ³ | 36.49 | 17.02 | 19.47 | 0.00 | 0.00 | 27,000 | 1,600 | 160 | 180 | 690 | 100 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/01/1998 | 36.49 | 21.45 | 15.04 | 0.00 | 0.00 | 520 | 14 | 2.3 | <0.5 | 4.8 | 61 | - | 14 | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/30/1998 | 36.49 | 21.42 | 15.07 | 0.00 | 0.00 | 122 | 14.1 | 1.86 | <1.0 | 3.61 | 349 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/31/1999 | 36.49 | 15.20 | 21.29 | 0.00 | 0.00 | 20,300 | 4,450 | 443 | 1,000 | 2,130 | 1,320 | - | 1.8 | 2.2 | 170 | 176 | 492 | 1.560 ¹⁴ | 0.191 | <1.0 | <1.0 | <1.0 | | |
| C-4 | 06/14/1999 ¹ | 36.49 | 21.80 | 14.69 | 0.00 | 0.00 | 1,820 | 183 | 7.14 | 36.7 | 56.5 | 280 ⁷ /291 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/30/1999 | 36.49 | 19.81 | 16.68 | 0.00 | 0.00 | 1,030 | 11.6 | 2.14 | 29.2 | 68.7 | 91.5 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/22/1999 | 36.49 | 20.27 | 16.22 | 0.00 | 0.00 | 217 | 4.45 | 0.765 | 2.82 | 8.21 | 70.2 | - | 6.8 | 5.68 | -25 | 14 | 739 | 0.87 | 1.85 | 39.6 | 39.6 | 39.6 | | |
| C-4 | 03/09/2000 | 36.49 | 13.36 | 23.13 | 0.00 | 0.00 | 8,300 | 2,600 | 270 | 510 | 1,400 | 650 | - | 1.1 | 1.9 | -13 | -39 | 530 | <0.01 | <0.1 | 4.5 | 4.5 | 4.5 | | |
| C-4 | 06/23/2000 ³ | 36.49 | 19.40 | 17.09 | 0.00 | 0.00 | 55 ⁴ | 1.2 | <0.50 | <0.50 | <0.50 | 250 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/05/2000 ³ | 36.49 | 21.43 | 15.06 | 0.00 | 0.00 | 110 ⁴ | 5.4 | <0.50 | <0.50 | 1.1 | 52 | - | 2.22 | 2.02 | 105 | 138 | 530 | <0.010 | <1.0 | 29 | 29 | 29 | | |
| C-4 | 12/04/2000 | 36.49 | 21.78 | 14.71 | 0.00 | 0.00 | <50 | <0.50 | 0.56 | <0.50 | 1.1 | 22 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/08/2001 ³ | 36.49 | 16.62 | 19.87 | 0.00 | 0.00 | 9,080 | 2,260 | 229 | 395 | 1,060 | 718 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/07/2001 ³ | 36.49 | 19.60 | 16.89 | 0.00 | 0.00 | 800 ⁴ | 75 | 4.3 | 22 | 33 | 340 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/13/2001 ³ | 36.49 | 21.71 | 14.78 | 0.00 | 0.00 | <50 | 0.68 | <0.50 | <0.50 | <0.50 | 18 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 12/13/2001 ³ | 36.49 | 17.95 | 18.54 | 0.00 | 0.00 | 5,800 | 1,400 | 43 | 21 | 470 | 540 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 03/08/2002 ³ | 36.49 | 16.78 | 19.71 | 0.00 | 0.00 | 7,000 | 1,300 | 67 | 280 | 390 | 610 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 06/19/2002 ³ | 36.49 | 18.80 | 17.69 | 0.00 | 0.00 | 3,100 | 130 | 6.5 | 29 | 55 | 250 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-4 | 09/11/2002 ³ | 36.49 | 20.30 | 16.19 | 0.00 | 0.00 | 820 | 6.2 | 1.0 | 2.2 | 2.5 | 26 | - | - | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|---------------------------|-------|-------|---------|-------|---------------|--------------|--------------|-------|-------|------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-4 | 12/11/2002 ³ | 36.49 | 21.97 | 14.52 | 0.00 | 0.00 | <50 | 0.74 | <0.50 | <0.50 | <1.5 | 9.3 | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/11/2003 ³ | 36.49 | 18.39 | 18.10 | 0.00 | 0.00 | 5,500 | 490 | 12 | 100 | 210 | 330 | - | - | - | - | - | - | - | - | - | - |
| C-4 | 06/10/2003 ^{3,7} | 36.49 | 18.75 | 17.74 | 0.00 | 0.00 | 3,300 | 370 | 15 | 120 | 200 | 200 | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/09/2003 ^{3,7} | 36.49 | 20.79 | 15.70 | 0.00 | 0.00 | 690 | 8 | 0.8 | 5 | 5 | 30 | <50 | - | - | - | - | - | - | - | - | - |
| C-4 | 12/09/2003 ^{7,9} | 36.49 | 20.30 | 16.19 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 57 | <50 | - | - | - | - | - | - | - | - | - |
| C-4 | 03/09/2004 ⁷ | 36.49 | 13.46 | 23.03 | 0.00 | 0.00 | 15,000 | 1,600 | 73 | 520 | 460 | 230 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 06/08/2004 ⁷ | 36.49 | 17.02 | 19.47 | 0.00 | 0.00 | 550 | 120 | 2 | 0.7 | 5 | 93 | <50 | - | - | - | - | - | - | - | - | - |
| C-4 | 09/08/2004 ⁷ | 36.49 | 17.58 | 18.91 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 37 | <50 | - | - | - | - | - | - | - | - | - |
| C-4 | 12/06/2004 ⁷ | 36.49 | 16.78 | 19.71 | 0.00 | 0.00 | 7,000 | 1,600 | 39 | 230 | 260 | 180 | <50 | - | - | - | - | - | - | - | - | - |
| C-4 | 03/07/2005 ⁷ | 36.49 | 12.16 | 24.33 | 0.00 | 0.00 | 9,500 | 2,100 | 67 | 330 | 160 | 170 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 06/06/2005 ⁷ | 36.49 | 13.63 | 22.86 | 0.00 | 0.00 | 7,700 | 2,000 | 39 | 280 | 130 | 130 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 09/06/2005 ⁷ | 36.49 | 15.70 | 20.79 | 0.00 | 0.00 | 3,600 | 830 | 10 | 79 | 21 | 110 | <50 | - | - | - | - | - | - | - | - | - |
| C-4 | 12/05/2005 ⁷ | 36.49 | 16.45 | 20.04 | 0.00 | 0.00 | 4,400 | 1,000 | 11 | 80 | 23 | 120 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 03/06/2006 ⁷ | 36.49 | 12.95 | 23.54 | 0.00 | 0.00 | 10,000 | 2,400 | 92 | 240 | 170 | 130 | <500 | - | - | - | - | - | - | - | - | - |
| C-4 | 06/05/2006 ⁷ | 36.49 | 11.02 | 25.47 | 0.00 | 0.00 | 16,000 | 3,300 | 160 | 350 | 370 | 150 | <500 | - | - | - | - | - | - | - | - | - |
| C-4 | 09/05/2006 ⁷ | 36.49 | 12.60 | 23.89 | 0.00 | 0.00 | 9,600 | 1,400 | 29 | 200 | 78 | 81 | <100 | - | - | - | - | - | - | - | - | - |
| C-4 | 12/04/2006 ⁷ | 36.49 | 13.20 | 23.29 | 0.00 | 0.00 | 13,000 | 1,800 | 40 | 150 | 99 | 100 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 03/05/2007 ⁷ | 36.49 | 10.65 | 25.84 | 0.00 | 0.00 | 11,000 | 2,800 | 58 | 230 | 270 | 100 | <500 | - | - | - | - | - | - | - | - | - |
| C-4 | 06/04/2007 ⁷ | 36.49 | 11.54 | 24.95 | 0.00 | 0.00 | 13,000 | 3,500 | 87 | 300 | 230 | 94 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 09/07/2007 ⁷ | 36.49 | 12.50 | 23.99 | 0.00 | 0.00 | 5,100 | 1,000 | 24 | 70 | 43 | 39 | <130 | - | - | - | - | - | - | - | - | - |
| C-4 | 12/06/2007 ⁷ | 36.49 | 12.42 | 24.07 | 0.00 | 0.00 | 9,900 | 2,000 | 65 | 210 | 210 | 74 | <130 | - | - | - | - | - | - | - | - | - |
| C-4 | 03/06/2008 ⁷ | 36.49 | 10.14 | 26.35 | 0.00 | 0.00 | 17,000 | 3,500 | 210 | 510 | 510 | 77 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 06/05/2008 ⁷ | 36.49 | 11.58 | 24.91 | 0.00 | 0.00 | 12,000 | 3,500 | 120 | 300 | 240 | 76 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 09/03/2008 ⁷ | 36.49 | 12.47 | 24.02 | 0.00 | 0.00 | 13,000 | 3,400 | 72 | 210 | 130 | 73 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 12/03/2008 ⁷ | 36.49 | 14.08 | 22.41 | 0.00 | 0.00 | 12,000 | 2,600 | 55 | 200 | 160 | 60 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 03/04/2009 | 36.49 | 12.48 | 24.01 | 0.00 | 0.00 | 14,000 | 2,500 | 78 | 350 | 340 | 58 | <250 | - | - | - | - | - | - | - | - | - |
| C-4 | 06/09/2009 ⁷ | 36.49 | 11.55 | 24.94 | 0.00 | 0.00 | 13,000 | 2,500 | 69 | 260 | 140 | 55 | <100 | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|------------|--------------------------|--------------|--------------|--------------|-------------|---------------|--------------|------------|-----------|----------|-----------|----------------|------------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-4 | 09/30/2009 ⁷ | 36.49 | 12.25 | 24.24 | 0.00 | 0.00 | 10,000 | 1,900 | 40 | 140 | 87 | 44 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/22/2010 ⁷ | 36.49 | 10.37 | 26.12 | 0.00 | 0.00 | 13,000 | 2,500 | 74 | 260 | 260 | 46 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/16/2010 | 36.49 | 11.75 | 24.74 | 0.00 | 0.00 | 9,700 | 1,300 | 33 | 160 | 120 | 27 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/08/2011 | 36.49 | 9.90 | 26.59 | 0.00 | 0.00 | 9,200 | 1,900 | 42 | 190 | 130 | 24 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/28/2011 | 36.49 | 10.83 | 25.66 | 0.00 | 0.00 | 8,200 | 1,300 | 24 | 94 | 65 | 25 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/08/2012 | 36.49 | 13.74 | 22.75 | 0.00 | 0.00 | 8,800 | 1,600 | 36 | 130 | 90 | 21 | <500 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/20/2012 | 36.49 | 12.10 | 24.39 | 0.00 | 0.00 | 10,000 | 1,300 | 34 | 150 | 95 | 17 | <500 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/20/2013 | 36.49 | 8.97 | 27.52 | 0.00 | 0.00 | 6,300 | 1,300 | 33 | 110 | 60 | 20 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/18/2013 | 36.49 | 9.73 | 26.76 | 0.00 | 0.00 | 6,900 | 740 | 15 | 65 | 57 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/13/2014 | 36.49 | 9.97 | 26.52 | 0.00 | 0.00 | 10,000 | 1,400 | 40 | 150 | 84 | 13 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/25/2014 | 36.49 | 12.00 | 24.49 | 0.00 | 0.00 | 6,400 | 1,300 | 19 | 34 | 31 | 18 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/10/2015 | 38.69 | 11.42 | 27.27 | 0.00 | 0.00 | 8,800 | 1,400 | 30 | 99 | 50 | 13 J | <1,000 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 06/19/2015 | 38.69 | 11.78 | 26.91 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/15/2015 | 38.69 | 12.10 | 26.59 | 0.00 | 0.00 | 8,200 | 730 | 12 | 42 | 29 | 7 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 12/22/2015 | 38.69 | 11.66 | 27.03 | 0.00 | 0.00 | 7,600 | 490 | 11 | 49 | 37 | 7 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/08/2016 | 38.69 | 9.22 | 29.47 | 0.00 | 0.00 | 6,300 | 910 | 19 | 15 | 38 | 9 J | <500 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/30/2016 | 38.69 | 13.52 | 25.17 | 0.00 | 0.00 | 5,100 | 730 | 13 | 13 | 18 | 9 J | <2,500 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 12/30/2016 ¹⁵ | 38.69 | 9.78 | 28.91 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 03/07/2017 | 38.69 | 7.79 | 30.90 | 0.00 | 0.00 | 9,900 | 1,300 | 39 | 85 | 100 | 9 J | <2,500 | - | - | - | - | - | - | - | - | - | - | - |
| C-4 | 09/22/2017 | 38.69 | 10.93 | 27.76 | 0.00 | 0.00 | 6,400 | 680 | 15 | 9 | 19 | 8 | <1,300 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 08/27/1990 | 35.50 | 29.83 | 5.67 | 0.00 | 0.00 | <50 | <0.3 | <0.3 | <0.3 | <0.6 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 11/14/1990 | 35.50 | 30.56 | 4.94 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/18/1991 | 35.50 | 28.52 | 6.98 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/19/1991 | 35.50 | 29.51 | 5.99 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/20/1991 | 35.50 | 29.96 | 5.54 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/18/1992 | 35.50 | 25.92 | 9.58 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-5 | 07/14/1992 | 35.50 | 28.00 | 7.50 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 10/08/1992 | 35.50 | 28.65 | 6.85 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 01/08/1993 | 35.50 | 26.02 | 9.48 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 04/14/1993 | 35.50 | 24.04 | 11.46 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 07/16/1993 | 35.50 | 25.21 | 10.29 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/21/1993 | 38.50 | 26.36 | 12.14 | 0.00 | 0.00 | 60 | 10 | 8.1 | 1.9 | 9.4 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 01/28/1994 | 38.50 | 25.90 | 12.60 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/17/1994 | 38.50 | 24.50 | 14.00 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/16/1994 | 38.50 | 24.40 | 14.10 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/22/1994 | 38.50 | 25.16 | 13.34 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/15/1994 | 38.50 | 22.89 | 15.61 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/30/1995 | 38.50 | 18.54 | 19.96 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/20/1995 | 38.50 | 20.13 | 18.37 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/20/1995 | 38.50 | 24.34 | 14.16 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/06/1995 | 38.50 | 24.10 | 14.40 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/21/1996 | 38.50 | 18.40 | 20.10 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/06/1996 | 38.50 | 21.90 | 16.60 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/21/1996 | 38.50 | 20.27 | 18.23 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8.7 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/19/1996 | 38.50 | 21.15 | 17.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/17/1997 | 38.50 | 19.84 | 18.66 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/11/1997 | 38.50 | 21.60 | 16.90 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/17/1997 ¹² | 38.50 | 27.83 | 10.67 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/11/1997 | 38.50 | 21.00 | 17.50 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/12/1998 | 38.50 | 16.42 | 22.08 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | 1.7 | 1.9 | 70 | 169 | 210 | 0.074 | 69 | 74 | - | - |
| C-5 | 06/23/1998 | 38.50 | 16.98 | 21.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/01/1998 | 38.50 | 20.42 | 18.08 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/30/1998 | 38.50 | 20.79 | 17.71 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------|--------|--------|--------|--------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------------|----------------|---------|-------------------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-5 | 03/31/1999 | 38.50 | 17.05 | 21.45 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 15 | - | 12.8 | 6.7 | 92 | 97 | 254 | <500 ¹⁴ | 16.7 | 69.7 | | | |
| C-5 | 06/14/1999 | 38.50 | 17.48 | 21.02 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/30/1999 | 38.50 | 18.73 | 19.77 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 12/22/1999 | 38.50 | 22.18 | 16.32 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 03/09/2000 | 38.50 | 16.98 | 21.52 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 0.87 | 3.5 | - | 2.8 | 3.6 | 120 | 118 | 230 | 0.39 | 60 | 74 | | | |
| C-5 | 06/23/2000 ¹² | 38.50 | 19.65 | 18.85 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/05/2000 | 38.50 | 20.47 | 18.03 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 12/04/2000 | 38.50 | 21.46 | 17.04 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 03/08/2001 | 38.50 | 17.53 | 20.97 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | 5.15 | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 06/07/2001 ¹² | 38.50 | 19.50 | 19.00 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/13/2001 ¹² | 38.50 | 21.43 | 17.07 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 12/13/2001 ¹² | 38.50 | 19.84 | 18.66 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 03/08/2002 | 38.50 | 18.18 | 20.32 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 3.5 | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 06/19/2002 ¹² | 38.50 | 18.88 | 19.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/11/2002 ¹² | 38.50 | 20.56 | 17.94 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 12/11/2002 ¹² | 38.50 | 21.82 | 16.68 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 03/11/2003 | 38.50 | 18.96 | 19.54 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | 3.2 | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 06/10/2003 ¹² | 38.50 | 18.87 | 19.63 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/09/2003 ¹² | 38.50 | 20.68 | 17.82 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 12/09/2003 ¹² | 38.50 | 20.25 | 18.25 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 03/09/2004 ⁷ | 38.50 | 16.68 | 21.82 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 06/08/2004 ¹² | 38.50 | 19.34 | 19.16 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/08/2004 ¹² | 38.50 | 20.10 | 18.40 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 12/06/2004 ¹² | 38.50 | 19.75 | 18.75 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 03/07/2005 ⁷ | 38.50 | 18.15 | 20.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 06/06/2005 ¹² | 38.50 | 19.36 | 19.14 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-5 | 09/06/2005 ¹² | 38.50 | 18.26 | 20.24 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------|------|-------|-------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-5 | 12/05/2005 ¹² | 38.50 | 17.91 | 20.59 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/06/2006 ⁷ | 38.50 | 18.20 | 20.30 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/05/2006 ¹² | 38.50 | 15.87 | 22.63 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/05/2006 ¹² | 38.50 | 18.78 | 19.72 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/04/2006 ¹² | 38.50 | 18.71 | 19.79 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/05/2007 ⁷ | 38.50 | 16.27 | 22.23 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/04/2007 ¹² | 38.50 | 16.27 | 22.23 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/07/2007 ¹² | 38.50 | 18.91 | 19.59 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/06/2007 ¹² | 38.50 | 19.35 | 19.15 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/06/2008 ⁷ | 38.50 | 15.84 | 22.66 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/05/2008 ¹² | 38.50 | 17.41 | 21.09 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/03/2008 ¹² | 38.50 | 19.31 | 19.19 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/03/2008 ¹² | 38.50 | 20.41 | 18.09 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/04/2009 | 38.50 | 16.41 | 22.09 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 06/09/2009 ⁷ | 38.50 | 18.33 | 12.17 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/30/2009 ⁷ | 38.50 | 19.95 | 18.55 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/22/2010 ⁷ | 38.50 | 16.34 | 22.16 | 0.00 | 0.00 | <50 | 1 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/16/2010 ¹² | 38.50 | 19.20 | 19.30 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/08/2011 ¹² | 38.50 | 16.80 | 21.70 | 0.00 | 0.00 | 110 | 3 | <0.5 | 2 | 2 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/28/2011 ¹² | 38.50 | 9.41 | 29.09 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/08/2012 ¹² | 38.50 | 20.00 | 18.50 | 0.00 | 0.00 | 96 J | 10 | 0.7 J | 3 | 3 | 34 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/20/2012 ¹² | 38.50 | 20.22 | 18.28 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/20/2013 | 38.50 | 18.23 | 20.27 | 0.00 | 0.00 | <50 | 6 | <0.5 | 1 | <0.5 | 13 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/18/2013 ¹² | 38.50 | 20.29 | 18.21 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/13/2014 ¹² | 38.50 | 20.26 | 18.24 | 0.00 | 0.00 | 64 J | 4 | <0.5 | 0.5 J | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/25/2014 ¹² | 38.50 | 21.09 | 17.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/10/2015 | 41.11 | 20.35 | 20.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|------------|--------------------------|--------------|--------------|--------------|-------------|---------------|--------------|-------|------|-------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|------------------|----------------|---------|------|-------------------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-5 | 06/19/2015 | 41.11 | 20.63 | 20.48 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/15/2015 | 41.11 | 21.30 | 19.81 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/22/2015 ¹² | 41.11 | 21.04 | 20.07 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/08/2016 | 41.11 | 18.98 | 22.13 | 0.00 | 0.00 | 81 J | 3 | <0.5 | 0.7 J | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/29/2016 ¹² | 41.11 | 21.48 | 19.63 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 12/30/2016 ¹² | 41.11 | 18.31 | 22.80 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 03/07/2017 | 41.11 | 15.91 | 25.20 | 0.00 | 0.00 | 56 J | 0.9 J | <1 | <1 | <1 | 5 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-5 | 09/22/2017 | 41.11 | 23.49 | 17.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 08/27/1990 | 32.40 | 44.11 | -11.71 | 0.00 | 0.00 | 7,200 | 2,100 | 6.0 | 41 | 300 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 11/14/1990 | 32.40 | 44.03 | -11.63 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/18/1991 | 32.40 | 43.49 | -11.09 | 0.00 | 0.00 | 4,400 | 2,500 | 18 | 160 | 77 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/19/1991 | 32.40 | 34.32 | -1.92 | 0.00 | 0.00 | 3,100 | 1,600 | 8.3 | 73 | 8.0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/20/1991 | 32.40 | 41.35 | -8.95 | 0.00 | 0.00 | 4,400 | 1,300 | 3.2 | 74 | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/18/1992 | 32.40 | 40.69 | -8.29 | 0.00 | 0.00 | 9,800 | 3,200 | 34 | 250 | 500 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 07/14/1992 | 32.40 | 38.89 | -6.49 | 0.00 | 0.00 | 6,500 | 2,200 | 100 | 96 | 240 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 10/08/1992 | 32.40 | 38.67 | -6.27 | 0.00 | 0.00 | 1,800 | 1,000 | 3.1 | 15 | 41 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 01/08/1993 | 32.40 | 37.81 | -5.41 | 0.00 | 0.00 | 5,200 | 1,600 | 6.8 | 63 | 120 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 04/14/1993 | 32.40 | 34.70 | -2.30 | 0.00 | 0.00 | 11,000 | 1,800 | 13 | 110 | 200 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 07/16/1993 | 32.40 | 33.87 | -1.47 | 0.00 | 0.00 | 4,800 | 820 | 10 | 41 | 57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/21/1993 | 35.40 | 33.98 | 1.42 | 0.00 | 0.00 | 4,100 | 1,200 | <50 | 75 | 130 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 01/28/1994 | 35.40 | 33.86 | 1.54 | 0.00 | 0.00 | 3,100 | 930 | 14 | 40 | 34 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/17/1994 | 35.40 | 32.31 | 3.09 | 0.00 | 0.00 | 5,100 | 950 | 18 | 61 | 83 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/16/1994 | 35.40 | 31.50 | 3.90 | 0.00 | 0.00 | 3,800 | 970 | 6.4 | 52 | 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/22/1994 | 35.40 | 31.22 | 4.18 | 0.00 | 0.00 | 4,100 | 980 | 7.8 | 43 | 48 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/15/1994 | 35.40 | 31.40 | 4.00 | 0.00 | 0.00 | 5,000 | 1,400 | <20 | 73 | 61 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/30/1995 | 35.40 | 26.38 | 9.02 | 0.00 | 0.00 | 5,500 | 1,700 | <13 | 120 | 97 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|--------------------|------|------|-------|-------|----------------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------------|----------------|---------|-------------------|------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-6 | 06/20/1995 | 35.40 | 25.01 | 10.39 | 0.00 | 0.00 | 1,700 | 470 | <10 | 29 | 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/20/1995 | 35.40 | 24.05 | 11.35 | 0.00 | 0.00 | 3,500 | 770 | <5.0 | 45 | 17 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/06/1995 | 35.40 | 28.12 | 7.28 | 0.00 | 0.00 | 3,100 | 710 | <10 | 41 | 20 | <50 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/21/1996 | 35.40 | 23.12 | 12.28 | 0.00 | 0.00 | 1,400 | 330 | <2.5 | 15 | 8.1 | 19 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 06/21/1996 | 35.40 | 23.50 | 11.90 | 0.00 | 0.00 | 2,200 | 560 | <5.0 | 18 | <5.0 | 77 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/06/1996 | 35.40 | 24.83 | 10.57 | 0.00 | 0.00 | 2,800 | 720 | <10 | 13 | <10 | 160 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/19/1996 | 35.40 | 24.50 | 10.90 | 0.00 | 0.00 | 830 | 320 | <2.5 | <2.5 | <2.5 | 14 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/17/1997 | 35.40 | 22.59 | 12.81 | 0.00 | 0.00 | 2,200 | 500 | <10 | 25 | <10 | <50 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 06/11/1997 | 35.40 | 23.76 | 11.64 | 0.00 | 0.00 | 3,000 | 570 | <5.0 | 29 | 10 | 220 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/17/1997 | 35.40 | 24.74 | 10.66 | 0.00 | 0.00 | 1,400 | 330 | <5.0 | <5.0 | <5.0 | 76 | - | 1.5 | 1.2 | -57 | -48 | 620 | 1.1 | <1.0 | 18 | - | - | - | |
| C-6 | 12/11/1997 | 35.40 | 24.65 | 10.75 | 0.00 | 0.00 | 1,600 | 230 | <5.0 | 7.3 | 6.4 | 46 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/12/1998 | 35.40 | 27.12 | 8.28 | 0.00 | 0.00 | 980 | 300 | <5.0 | 15 | 12 | 49 | - | 14.1 | 11.3 | 173 | 174 | 200 | 0.11 | 14 | 14 | - | - | - | |
| C-6 | 06/23/1998 ³ | 35.40 | 27.92 | 7.48 | 0.00 | 0.00 | 220 | 35 | <0.5 | 2.5 | 1.1 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/01/1998 | 35.40 | 31.60 | 3.80 | 0.00 | 0.00 | 1,800 | 370 | 2.8 | 19 | 5 | 44 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/30/1998 | 35.40 | 31.82 | 3.58 | 0.00 | 0.00 | 1,600 | 244 | <1.0 | 8.53 | <1.0 | 54.9 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/31/1999 | 35.40 | 26.06 | 9.34 | 0.00 | 0.00 | 741 | 92.2 | <1.0 | 6.60 | <1.0 | 27.9 | - | 9.8 | 8.4 | 162 | 168 | 534 | <500 ¹⁴ | 0.849 | 45.3 | - | - | - | |
| C-6 | 06/14/1999 ¹ | 35.40 | 29.68 | 5.72 | 0.00 | 0.00 | 434 | 110 | <1.0 | 5.76 | 1.46 | 13/6.96 ² | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/30/1999 | 35.40 | 23.06 | 12.34 | 0.00 | 0.00 | 481 | 92.7 | <1.0 | 3.69 | <1.0 | 32.9 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/22/1999 | 35.40 | 22.55 | 12.85 | 0.00 | 0.00 | 1,310 | 158 | 2.16 | 5.5 | 1.41 | 113 | - | 1.02 | 1.22 | -65 | -60 | 614 | 0.36 | 0.421 | 32 | - | - | - | |
| C-6 | 03/09/2000 | 35.40 | 20.03 | 15.37 | 0.00 | 0.00 | 470 | 120 | 0.74 | 5.0 | 2.5 | 36 | - | 5.4 | 1.6 | -113 | -35 | 540 | 0.26 | 0.14 | 24 | - | - | - | |
| C-6 | 06/23/2000 ³ | 35.40 | 22.15 | 13.25 | 0.00 | 0.00 | 1,700 ⁴ | 210 | <5.0 | <5.0 | 5.8 | 64 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/05/2000 ³ | 35.40 | 27.05 | 8.35 | 0.00 | 0.00 | 740 ⁴ | 99 | 0.60 | 5.1 | 2.2 | 80 | - | 1.90 | 2.73 | 45 | 31 | 550 | 0.18 | <1.0 | 38 | - | - | - | |
| C-6 | 12/04/2000 | 35.40 | 25.15 | 10.25 | 0.00 | 0.00 | 450 ⁴ | 31 | 0.71 | <0.50 | <0.50 | 54 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/08/2001 ³ | 35.40 | 23.84 | 11.56 | 0.00 | 0.00 | 1,550 | 228 | 3.93 | 19.9 | 32.5 | 46.2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 06/07/2001 ³ | 35.40 | 25.73 | 9.67 | 0.00 | 0.00 | 360 ⁴ | 21 | 1.8 | 2.4 | 3.8 | 100 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/13/2001 ³ | 35.40 | 23.80 | 11.60 | 0.00 | 0.00 | 950 | 180 | <5.0 | 5.9 | <5.0 | 170 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/13/2001 ³ | 35.40 | 25.19 | 10.21 | 0.00 | 0.00 | 2,000 | 170 | 0.86 | 6.4 | 4.1 | 77 | - | - | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|---------------------------|-------|-------|---------|-------|---------------|--------------|------|-------|-------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-6 | 03/08/2002 ³ | 35.40 | 21.08 | 14.32 | 0.00 | 0.00 | 600 | 33 | 0.91 | 1.8 | <1.5 | 90 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/19/2002 ³ | 35.40 | 24.62 | 10.78 | 0.00 | 0.00 | 370 | 11 | <0.50 | <0.50 | <1.5 | 88 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/11/2002 ³ | 35.40 | 29.00 | 6.40 | 0.00 | 0.00 | 490 | 16 | 0.50 | <0.50 | <1.5 | 120 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/11/2002 ³ | 35.40 | 24.18 | 11.22 | 0.00 | 0.00 | 430 | 17 | <0.50 | <0.50 | <1.5 | 100 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/11/2003 ³ | 35.40 | 27.70 | 7.70 | 0.00 | 0.00 | 410 | 8.8 | 0.88 | <0.50 | <1.5 | 120 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/10/2003 ^{3,7} | 35.40 | 21.60 | 13.80 | 0.00 | 0.00 | 460 | 10 | <0.5 | <0.5 | <0.5 | 100 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/09/2003 ¹³ | 35.40 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/09/2003 ^{7,9} | 35.40 | 25.89 | 9.51 | 0.00 | 0.00 | 1,700 | 69 | <0.5 | 3 | 0.6 | 83 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/09/2004 ⁷ | 35.40 | 19.51 | 15.89 | 0.00 | 0.00 | 6,800 | 280 | 1 | 10 | 4 | 96 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/08/2004 ⁷ | 35.40 | 20.83 | 14.57 | 0.00 | 0.00 | 560 | 13 | <0.5 | <0.5 | 0.5 | 68 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/08/2004 ⁷ | 35.40 | 21.88 | 13.52 | 0.00 | 0.00 | 290 | 16 | <0.5 | <0.5 | <0.5 | 50 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/06/2004 ⁷ | 35.40 | 21.34 | 14.06 | 0.00 | 0.00 | 290 | 18 | <0.5 | 0.5 | <0.5 | 44 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/07/2005 ⁷ | 35.40 | 18.27 | 17.13 | 0.00 | 0.00 | 2,500 | 150 | 0.7 | 5 | 2 | 71 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/06/2005 ⁷ | 35.40 | 18.52 | 16.88 | 0.00 | 0.00 | 1,900 | 110 | <1 | 3 | 2 | 59 | <100 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/06/2005 ⁷ | 35.40 | 20.38 | 15.02 | 0.00 | 0.00 | 800 | 16 | <0.5 | 0.5 | 0.6 | 51 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/05/2005 ⁷ | 35.40 | 20.06 | 15.34 | 0.00 | 0.00 | 540 | 15 | <0.5 | <0.5 | 0.6 | 45 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/06/2006 ⁷ | 35.40 | 18.76 | 16.64 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/05/2006 ⁷ | 35.40 | 17.80 | 17.60 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/05/2006 ⁷ | 35.40 | 20.00 | 15.40 | 0.00 | 0.00 | 1,200 | 17 | <0.5 | 0.7 | 0.8 | 29 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/04/2006 ⁷ | 35.40 | 20.91 | 14.49 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/05/2007 ⁷ | 35.40 | 18.95 | 16.45 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/04/2007 ⁷ | 35.40 | 18.36 | 17.04 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/07/2007 ⁷ | 35.40 | 21.05 | 14.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 12/06/2007 ⁷ | 35.40 | 21.87 | 13.53 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 03/06/2008 ⁷ | 35.40 | 21.68 | 13.72 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 06/05/2008 ⁷ | 35.40 | 21.25 | 14.15 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-6 | 09/03/2008 ⁷ | 35.40 | 21.40 | 14.00 | 0.00 | 0.00 | 56 | 0.8 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|------------|--------------------------|--------------|--------------|--------------|-------------|---------------|--------------|--------------|--------------|--------------|--------------|----------------|----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-6 | 12/03/2008 ⁷ | 35.40 | 22.18 | 13.22 | 0.00 | 0.00 | 120 | 2 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/04/2009 | 25.40 | 21.82 | 13.58 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 06/09/2009 ⁷ | 35.40 | 20.33 | 25.07 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 1 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/30/2009 ⁷ | 35.40 | 21.72 | 13.68 | 0.00 | 0.00 | 790 J | 1 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/22/2010 ⁷ | 35.40 | 18.30 | 17.10 | 0.00 | 0.00 | 270 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/16/2010 | 35.40 | 20.92 | 14.48 | 0.00 | 0.00 | 210 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/08/2011 | 35.40 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/28/2011 | 35.40 | 20.69 | 14.71 | 0.00 | 0.00 | 59 J | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/08/2012 | 35.40 | 21.23 | 14.17 | 0.00 | 0.00 | 1,700 | 2 | <0.5 | <0.5 | 0.8 J | 6 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/20/2012 | 35.40 | 21.76 | 13.64 | 0.00 | 0.00 | 2,700 | 2 | <0.5 | <0.5 | <0.5 | 10 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/20/2013 | 35.40 | 19.79 | 15.61 | 0.00 | 0.00 | 120 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/18/2013 | 35.40 | 21.68 | 13.72 | 0.00 | 0.00 | 1,700 | 1 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/13/2014 | 35.40 | 21.10 | 14.30 | 0.00 | 0.00 | 120 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/25/2014 | 35.40 | 22.67 | 12.73 | 0.00 | 0.00 | 100 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/10/2015 | 37.94 | 21.81 | 16.13 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 06/19/2015 | 37.94 | 22.36 | 15.58 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/15/2015 | 37.94 | 23.18 | 14.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/22/2015 | 37.94 | 22.78 | 15.16 | 0.00 | 0.00 | 62 J | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/08/2016 | 37.94 | 20.54 | 17.40 | 0.00 | 0.00 | 180 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/29/2016 ¹³ | 37.94 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 12/30/2016 | 37.94 | 20.73 | 17.21 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 03/07/2017 | 37.94 | 17.78 | 20.16 | 0.00 | 0.00 | 360 | 2 | <1 | <1 | <1 | 3 | <250 | - | - | - | - | - | - | - | - | - | - | |
| C-6 | 09/22/2017 | 37.94 | 22.70 | 15.24 | 0.00 | 0.00 | 1,800 | <1 | <1 | <1 | <1 | 3 | <250 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 08/27/1990 | 32.17 | 44.23 | -12.06 | 0.00 | 0.00 | 110 | 26 | 0.8 | 4.0 | 6.0 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 11/14/1990 | 32.17 | 44.11 | -11.94 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/18/1991 | 32.17 | 42.05 | -9.88 | 0.00 | 0.00 | 23,000 | 5,700 | 420 | 1,000 | 2,800 | - | - | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|------------|-------|-------|---------|-------|---------------|--------------|--------------|------|-------|-------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-7 | 09/19/1991 | 32.17 | 41.72 | -9.55 | 0.00 | 0.00 | 26,000 | 4,600 | 330 | 970 | 2,400 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 12/20/1991 | 32.17 | 41.67 | -9.50 | 0.00 | 0.00 | 33,000 | 5,500 | 270 | 1,000 | 2,100 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/18/1992 | 32.17 | 41.20 | -9.03 | 0.00 | 0.00 | 27,000 | 5,800 | 410 | 1,300 | 3,300 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 07/14/1992 | 32.17 | 39.77 | -7.60 | 0.00 | 0.00 | 46,000 | 12,000 | 720 | 1,700 | 4,600 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 10/08/1992 | 32.17 | 39.14 | -6.97 | 0.00 | 0.00 | 22,000 | 6,800 | 370 | 1,300 | 3,200 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 01/08/1993 | 32.17 | 38.50 | -6.33 | 0.00 | 0.00 | 36,000 | 7,600 | 540 | 1,700 | 4,200 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 04/14/1993 | 32.17 | 35.93 | -3.76 | 0.00 | 0.00 | 23,000 | 3,100 | 450 | 670 | 1,900 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 07/16/1993 | 32.17 | 35.38 | -3.21 | 0.00 | 0.00 | 19,000 | 3,200 | 330 | 550 | 1,800 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/21/1993 | 35.19 | 35.46 | -0.27 | 0.00 | 0.00 | 17,000 | 2,700 | 160 | 410 | 760 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 01/28/1994 | 35.19 | 35.45 | -0.26 | 0.00 | 0.00 | 14,000 | 1,800 | 210 | 390 | 1,000 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/17/1994 | 35.19 | 33.24 | 1.95 | 0.00 | 0.00 | 17,000 | 1,600 | 210 | 410 | 1,200 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 06/16/1994 | 35.19 | 33.07 | 2.12 | 0.00 | 0.00 | 12,000 | 1,600 | 180 | 410 | 1,200 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/22/1994 | 35.19 | 32.74 | 2.45 | 0.00 | 0.00 | 10,000 | 1,700 | 110 | 320 | 580 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 12/15/1994 | 35.19 | 31.92 | 3.27 | 0.00 | 0.00 | 10,000 | 1,200 | 120 | 280 | 710 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/30/1995 | 35.19 | 27.60 | 7.59 | 0.00 | 0.00 | 4,600 | 460 | 73 | 160 | 460 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 06/20/1995 | 35.19 | 27.87 | 7.32 | 0.00 | 0.00 | 26,000 | 4,400 | 450 | 900 | 2,400 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/20/1995 | 35.19 | 28.08 | 7.11 | 0.00 | 0.00 | 9,400 | 610 | 81 | 250 | 800 | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 12/06/1995 | 35.19 | 30.62 | 4.57 | 0.00 | 0.00 | 1,200 | 110 | 12 | 25 | 71 | 34 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/21/1996 | 35.19 | 27.85 | 7.34 | 0.00 | 0.00 | 17,000 | 1,300 | 160 | 410 | 1,300 | <100 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/06/1996 | 35.19 | 28.35 | 6.84 | 0.00 | 0.00 | 15,000 | 3,400 | <50 | 460 | 850 | <250 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 12/19/1996 | 35.19 | 29.11 | 6.08 | 0.00 | 0.00 | 530 | 9 | 0.5 | 0.85 | 3.4 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/17/1997 | 35.19 | 27.14 | 8.05 | 0.00 | 0.00 | 4,600 | 310 | 46 | 110 | 310 | 98 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 06/11/1997 | 35.19 | 28.05 | 7.14 | 0.00 | 0.00 | 420 | 15 | <0.5 | 3.3 | 5.1 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/17/1997 | 35.19 | 29.00 | 6.19 | 0.00 | 0.00 | 1,400 | 120 | 11 | 31 | 84 | 54 | - | 0.6 | 0.4 | 126 | 115 | 600 | 4.8 | <1.0 | 18 | |
| C-7 | 12/11/1997 | 35.19 | 29.26 | 5.93 | 0.00 | 0.00 | 210 | 10 | <0.5 | 0.97 | 1.6 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/12/1998 | 35.19 | 24.92 | 10.27 | 0.00 | 0.00 | 68 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | 2.2 | 2.1 | 167 | 167 | 460 | 0.16 | <1.0 | 29 | |
| C-7 | 06/23/1998 | 35.19 | 25.30 | 9.89 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|---------------------|-------|-------|-------|-------|------------------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------------|----------------|---------|-------------------|------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-7 | 09/01/1998 | 35.19 | 26.27 | 8.92 | 0.00 | 0.00 | 570 | 24 | 1.4 | 8.4 | 22 | 24 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/30/1998 | 35.19 | 26.52 | 8.67 | 0.00 | 0.00 | <50 | 4.85 | 1.26 | <0.5 | 1.29 | 167 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/31/1999 | 35.19 | 24.76 | 10.43 | 0.00 | 0.00 | 53.1 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | 2.0 | 1.8 | 137 | 135 | 486 | <500 ¹⁴ | <0.1 | 29.4 | - | - | - | |
| C-7 | 06/14/1999 ¹ | 35.19 | 25.44 | 9.75 | 0.00 | 0.00 | 109 | 4.43 | <0.5 | <0.5 | <0.5 | <2.5/<2.0 ² | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/30/1999 | 35.19 | 26.87 | 8.32 | 0.00 | 0.00 | 2,400 | 282 | 26.3 | 120 | 236 | 126 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/22/1999 | 35.19 | 27.77 | 7.42 | 0.00 | 0.00 | 3,840 | 162 | 18.1 | 44.7 | 85.3 | 141 | - | 1.8 | 1.5 | 20 | -60 | 400 | 1.6 | 0.434 | 16.9 | - | - | - | |
| C-7 | 03/09/2000 | 35.19 | 25.57 | 9.62 | 0.00 | 0.00 | 13,000 | 2,700 | 110 | 700 | 1,500 | <130 | - | 0.7 | 2.5 | 10 | -13 | 610 | 2.1 | <0.1 | 5.5 | - | - | - | |
| C-7 | 06/23/2000 | 35.19 | 25.66 | 9.53 | 0.00 | 0.00 | 190 ⁴ | 3.4 | <0.50 | <0.50 | 1.6 | 7.3 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/05/2000 | 35.19 | 26.75 | 8.44 | 0.00 | 0.00 | 4,200 ⁴ | 330 | 26 | 120 | 200 | 190 | - | 1.77 | 1.46 | 133 | 46 | 590 | 1.8 | <1.0 | 12 | - | - | - | |
| C-7 | 12/04/2000 | 35.19 | 27.16 | 8.03 | 0.00 | 0.00 | 2,600 ⁴ | 550 | <5.0 | 73 | 62 | <25 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/08/2001 | 35.19 | 25.43 | 9.76 | 0.00 | 0.00 | 1,180 | 39.2 | 2.41 | 15.5 | 30.8 | 10.3 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/07/2001 | 35.19 | 25.39 | 9.80 | 0.00 | 0.00 | 2,600 ⁴ | 440 | 14 | 110 | 130 | 56 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/13/2001 | 35.19 | 26.61 | 8.58 | 0.00 | 0.00 | 23,000 ⁵ | 670 | <100 | 150 | 210 | <500 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/13/2001 | 35.19 | 26.69 | 8.50 | 0.00 | 0.00 | 2,400 | 160 | 5.8 | 42 | 54 | <10 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/08/2002 | 35.19 | 24.80 | 10.39 | 0.00 | 0.00 | 3,900 | 380 | 21 | 110 | 160 | <20 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/19/2002 | 35.19 | 27.41 | 7.78 | 0.00 | 0.00 | 3,600 | 440 | 8.5 | 87 | 73 | <10 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/11/2002 | 35.19 | 25.78 | 9.41 | 0.00 | 0.00 | 11,000 | 1,800 | 18 | 360 | 380 | <10 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/11/2002 | 35.19 | 30.75 | 4.44 | 0.00 | 0.00 | 6,000 | 1,100 | 9.3 | 190 | 190 | <10 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/11/2003 | 35.19 | 26.90 | 8.29 | 0.00 | 0.00 | 4,900 | 940 | 13 | 150 | 160 | <25 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/10/2003 ⁷ | 35.19 | 30.91 | 4.28 | 0.00 | 0.00 | 3,100 | 500 | 7 | 83 | 77 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/09/2003 ⁷ | 35.19 | 31.81 | 3.38 | 0.00 | 0.00 | 3,900 | 310 | 9 | 110 | 130 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/09/2003 ⁷ | 35.19 | 28.45 | 6.74 | 0.00 | 0.00 | 170 | 0.8 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/09/2004 ⁷ | 35.19 | 24.46 | 10.73 | 0.00 | 0.00 | 80 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/08/2004 ⁷ | 35.19 | 26.96 | 8.23 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/08/2004 ⁷ | 35.19 | 25.20 | 9.99 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/06/2004 ⁷ | 35.19 | 24.91 | 10.28 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/07/2005 ⁷ | 35.19 | 23.43 | 11.76 | 0.00 | 0.00 | 590 | 9 | 0.7 | 4 | 6 | 7 | <50 | - | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|--------------|------|-------|------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-7 | 06/06/2005 ⁷ | 35.19 | 21.88 | 13.31 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/06/2005 ⁷ | 35.19 | 23.59 | 11.60 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/05/2005 ⁷ | 35.19 | 23.75 | 11.44 | 0.00 | 0.00 | <50 | 0.6 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/06/2006 ⁷ | 35.19 | 21.39 | 13.80 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/05/2006 ⁷ | 35.19 | 20.41 | 14.78 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/05/2006 ⁷ | 35.19 | 22.81 | 12.38 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/04/2006 ⁷ | 35.19 | 23.35 | 11.84 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/05/2007 ⁷ | 35.19 | 22.72 | 12.47 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/04/2007 ⁷ | 35.19 | 20.95 | 14.24 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/07/2007 ⁷ | 35.19 | 23.48 | 11.71 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/06/2007 ⁷ | 35.19 | 24.32 | 10.87 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/06/2008 ⁷ | 35.19 | 23.29 | 11.90 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/05/2008 ⁷ | 35.19 | 23.27 | 11.92 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/03/2008 ⁷ | 35.19 | 24.61 | 10.58 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 12/03/2008 ⁷ | 35.19 | 25.22 | 9.97 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/04/2009 | 35.19 | 23.55 | 11.64 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 06/09/2009 ⁷ | 35.19 | 23.45 | 11.74 | 0.00 | 0.00 | 3,300 J | 12 | 3 | 60 | 120 | 11 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/30/2009 ⁷ | 35.19 | 24.85 | 10.34 | 0.00 | 0.00 | 260 | <0.5 | <0.5 | <0.5 | <0.5 | 13 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/22/2010 ⁷ | 35.19 | 22.39 | 12.80 | 0.00 | 0.00 | 2,800 | 150 | 4 | 79 | 120 | 11 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/16/2010 | 35.19 | 24.00 | 11.19 | 0.00 | 0.00 | 1,900 | 30 | 1 | 28 | 55 | 9 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/08/2011 | 35.19 | 21.16 | 14.03 | 0.00 | 0.00 | 4,200 | 620 | 5 | 190 | 140 | 5 | <100 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/28/2011 | 35.19 | 23.81 | 11.38 | 0.00 | 0.00 | 4,500 | 670 | 5 | 170 | 110 | 5 | <100 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/08/2012 | 35.19 | 24.00 | 11.19 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/20/2012 | 35.19 | 24.72 | 10.47 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/20/2013 | 35.19 | 23.59 | 11.60 | 0.00 | 0.00 | 1,700 | 24 | 2 | 37 | 76 | 8 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 09/18/2013 | 35.19 | 25.00 | 10.19 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - | - | - | - | - | - | |
| C-7 | 03/13/2014 | 35.19 | 24.90 | 10.29 | 0.00 | 0.00 | 2,700 | 38 | 0.6 J | 19 | 19 | 9 | <50 | - | - | - | - | - | - | - | - | - | - | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|------------|--------------------------|--------------|--------------|-------------|-------------|---------------|--------------|--------------|--------------|--------------|--------------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-7 | 09/25/2014 | 35.19 | 25.75 | 9.44 | 0.00 | 0.00 | 1,300 | 15 | 0.5 J | 15 | 27 | 8 | <50 | - | - | - | - | - | - | - | - | - |
| C-7 | 03/10/2015 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 06/19/2015 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/15/2015 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 12/22/2015 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/08/2016 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/29/2016 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 12/30/2016 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 03/07/2017 ¹³ | 35.19 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-7 | 09/22/2017 | 35.19 | 26.10 | 9.09 | 0.00 | 0.00 | 65 J | <1 | <1 | <1 | <1 | 8 | <250 | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | | | | | | | | | | | |
| C-8 | 11/14/1990 | 30.68 | 43.29 | -12.61 | 0.00 | 0.00 | <50 | <0.3 | <0.3 | <0.3 | <0.6 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/18/1991 | 30.68 | 42.62 | -11.94 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/19/1991 | 30.68 | 41.72 | -11.04 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/20/1991 | 30.68 | 40.98 | -10.30 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/18/1992 | 30.68 | 40.02 | -9.34 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 07/14/1992 | 30.68 | 39.02 | -8.34 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 10/08/1992 | 30.68 | 38.68 | -8.00 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 1.1 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 01/08/1993 | 30.68 | 38.07 | -7.39 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 04/14/1993 | 30.68 | 35.99 | -5.31 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 07/16/1993 | 30.68 | 35.32 | -4.64 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/21/1993 | 34.68 | 35.30 | -0.62 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.8 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 01/28/1994 | 34.68 | 35.61 | -0.93 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/17/1994 | 34.68 | 34.37 | 0.31 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/16/1994 | 34.68 | 33.36 | 1.32 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/22/1994 | 34.68 | 32.82 | 1.86 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/15/1994 | 34.68 | 32.36 | 2.32 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------|--------------|--------|--------|--------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-8 | 03/30/1995 | 34.68 | 29.24 | 5.44 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/20/1995 | 34.68 | 28.34 | 6.34 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/20/1995 | 34.68 | 29.48 | 5.20 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/06/1995 | 34.68 | 30.92 | 3.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/21/1996 | 34.68 | 28.65 | 6.03 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/21/1996 | 34.68 | 27.90 | 6.78 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/06/1996 | 34.68 | 28.70 | 5.98 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/19/1996 | 34.68 | 29.70 | 4.98 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/17/1997 | 34.68 | 27.76 | 6.92 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/11/1997 | 34.68 | 28.81 | 5.87 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/17/1997 ¹² | 34.68 | 29.36 | 5.32 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/11/1997 | 34.68 | 29.80 | 4.88 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/12/1998 | 34.68 | 25.73 | 8.95 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2.6 | - | 1.0 | 1.1 | 171 | 169 | 110 | 0.16 | 7.4 | 8.2 | |
| C-8 | 06/23/1998 | 34.68 | 26.30 | 8.38 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/01/1998 | 34.68 | 26.51 | 8.17 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/30/1998 | 34.68 | 26.89 | 7.79 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/31/1999 | 34.68 | 26.36 | 8.32 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 11.8 | - | 1.8 | 1.5 | 149 | 132 | 264 | <500 ¹⁴ | 17 | 71 | |
| C-8 | 06/14/1999 | 34.68 | 26.03 | 8.65 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/30/1999 | 34.68 | 27.28 | 7.40 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/22/1999 | 34.68 | 28.20 | 6.48 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/09/2000 | 34.68 | 26.33 | 8.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 1.8 | <2.5 | - | 2.7 | 3.3 | 141 | 160 | 270 | 0.24 | 29 | 35 | |
| C-8 | 06/23/2000 ¹² | 34.68 | 26.19 | 8.49 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/05/2000 | 34.68 | 26.97 | 7.71 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/04/2000 | 34.68 | 27.42 | 7.26 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/08/2001 | 34.68 | 26.10 | 8.58 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/07/2001 ¹² | 34.68 | 25.79 | 8.89 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/13/2001 ¹² | 34.68 | 26.81 | 7.87 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------|-------|-------|-------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-8 | 12/13/2001 ¹² | 34.68 | 27.16 | 7.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/08/2002 | 34.68 | 25.30 | 9.38 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/19/2002 ¹² | 34.68 | 24.93 | 9.75 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/11/2002 ¹² | 34.68 | 25.92 | 8.76 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/11/2002 ¹² | 34.68 | 27.31 | 7.37 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/11/2003 | 34.68 | 25.79 | 8.89 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/10/2003 ¹² | 34.68 | 25.28 | 9.40 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/09/2003 ¹² | 34.68 | 26.11 | 8.57 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/09/2003 ¹² | 34.68 | 28.51 | 6.17 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/09/2004 ⁷ | 34.68 | 23.98 | 10.70 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/08/2004 ¹² | 34.68 | 25.27 | 9.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/08/2004 ¹² | 34.68 | 25.83 | 8.85 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/06/2004 ¹² | 34.68 | 25.06 | 9.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/07/2005 ⁷ | 34.68 | 23.35 | 11.33 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/06/2005 ¹² | 34.68 | 22.84 | 11.84 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/06/2005 ¹² | 34.68 | 24.91 | 9.77 | 0.00 | 0.00 | - | - | - | 24.91 | 9.77 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/05/2005 ¹² | 34.68 | 24.16 | 10.52 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/06/2006 ⁷ | 34.68 | 22.55 | 12.13 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/05/2006 ¹² | 34.68 | 21.60 | 13.08 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/05/2006 ¹² | 34.68 | 23.75 | 10.93 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/04/2006 ¹² | 34.68 | 23.97 | 10.71 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/05/2007 ⁷ | 34.68 | 23.05 | 11.63 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/04/2007 ¹² | 34.68 | 22.11 | 12.57 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/07/2007 ¹² | 34.68 | 24.07 | 10.61 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/06/2007 ¹² | 34.68 | 24.38 | 10.30 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/06/2008 ⁷ | 34.68 | 23.36 | 11.32 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/05/2008 ¹² | 34.68 | 23.06 | 11.62 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | |
|------------|--------------------------|--------------|--------------|-------------|-------------|---------------|--------------|-------|------|------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|-------------------|------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-8 | 09/03/2008 ¹² | 34.68 | 24.93 | 9.75 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/03/2008 ¹² | 34.68 | 25.70 | 8.98 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/04/2009 | 34.68 | 23.98 | 10.70 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/09/2009 ¹² | 34.68 | 23.85 | 12.83 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/30/2009 ¹² | 34.68 | 25.40 | 9.28 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/22/2010 | 34.68 | - | - | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/16/2010 ¹² | 34.68 | 24.34 | 10.34 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/08/2011 ¹² | 34.68 | 21.42 | 13.26 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/28/2011 ¹² | 34.68 | 23.27 | 11.41 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/08/2012 ¹² | 34.68 | 24.22 | 10.46 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/20/2012 ¹² | 34.68 | 25.01 | 9.67 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/20/2013 | 34.68 | 23.93 | 10.75 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/18/2013 ¹² | 34.68 | 25.19 | 9.49 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/13/2014 ¹² | 34.68 | 25.01 | 9.67 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/25/2014 ¹² | 34.68 | 25.87 | 8.81 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/10/2015 | 37.22 | 25.06 | 12.16 | 0.00 | 0.00 | <50 | 1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 06/19/2015 | 37.22 | 25.03 | 12.19 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/15/2015 | 37.22 | 26.11 | 11.11 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/22/2015 ¹⁵ | 37.22 | 26.78 | 10.44 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/08/2016 | 37.22 | 25.23 | 11.99 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/30/2016 | 37.22 | 26.86 | 10.36 | 0.00 | 0.00 | <100 | 0.9 J | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 12/30/2016 ¹⁵ | 37.22 | 25.59 | 11.63 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 03/07/2017 | 37.22 | 22.93 | 14.29 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - |
| C-8 | 09/22/2017 | 37.22 | 30.33 | 6.89 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 08/13/1996 | - | 28.27 | - | 0.00 | 0.00 | ND | ND | ND | ND | ND | ND | ND | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/06/1996 | - | 28.47 | - | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|--------------------------|-------|-------|---------|-------|---------------|--------------|--------|--------|--------|--------|----------------|---------|----------------------------|-----------------------------|---|--|---|--------------------|----------------|---------|------|-------------------|--|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO ₃) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | | |
| C-9 | 12/19/1996 | 30.68 | 29.29 | 1.39 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/17/1997 | 30.68 | 27.57 | 3.11 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 06/11/1997 | 30.68 | 28.27 | 2.41 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 09/17/1997 ¹² | 30.68 | 28.63 | 2.05 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 12/11/1997 | 30.68 | 29.43 | 1.25 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/12/1998 | 30.68 | 25.62 | 5.06 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | 2.5 | 2.5 | 172 | 168 | 230 | 0.048 | 59 | 58 | - | | | |
| C-9 | 06/23/1998 | 30.68 | 26.15 | 4.53 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 09/01/1998 | 30.68 | 26.38 | 4.30 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 12/30/1998 | 30.68 | 26.75 | 3.93 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/31/1999 | 30.68 | 25.33 | 5.35 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12.5 | - | 2.1 | 2.3 | 154 | 142 | 236 | <500 ¹⁴ | 18 | 72.7 | - | | | |
| C-9 | 06/14/1999 | 30.68 | 26.52 | 4.16 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 09/30/1999 | 30.68 | 26.79 | 3.89 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 12/22/1999 | 30.68 | 27.69 | 2.99 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/09/2000 | 30.68 | 26.04 | 4.64 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 0.75 | <2.5 | - | 2.5 | 3.7 | 108 | 138 | 190 | 0.79 | 100 | 73 | - | | | |
| C-9 | 06/23/2000 | 30.68 | 25.85 | 4.83 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 09/05/2000 | 30.68 | 26.69 | 3.99 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 12/04/2000 | 30.68 | 27.07 | 3.61 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/08/2001 | 30.68 | 25.75 | 4.93 | 0.00 | 0.00 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 06/07/2001 ¹² | 30.68 | 25.50 | 5.18 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 09/13/2001 ¹² | 30.68 | 26.55 | 4.13 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 12/13/2001 ¹² | 30.68 | 26.77 | 3.91 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/08/2002 | 30.68 | 25.00 | 5.68 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 06/19/2002 ¹² | 30.68 | 24.67 | 6.01 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 09/11/2002 ¹² | 30.68 | 25.70 | 4.98 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 12/11/2002 ¹² | 30.68 | 27.07 | 3.61 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 03/11/2003 | 30.68 | 24.48 | 6.20 | 0.00 | 0.00 | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | | |
| C-9 | 06/10/2003 ¹² | 30.68 | 25.00 | 5.68 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | | |
|----------|--------------------------|------------------|-------|------------------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-9 | 09/09/2003 ¹² | 30.68 | 25.80 | 4.88 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/09/2003 ¹² | 30.68 | 28.22 | 2.46 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/09/2004 ⁷ | 30.68 | 23.86 | 6.82 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/08/2004 ¹² | -- ¹⁰ | 25.21 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/08/2004 ¹² | -- ¹⁰ | 25.61 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/06/2004 ¹² | -- ¹⁰ | 24.77 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/07/2005 ⁷ | -- ¹⁰ | 23.18 | -- ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/06/2005 ¹² | -- ¹⁰ | 22.65 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/06/2005 ¹² | -- ¹⁰ | 24.58 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/05/2005 ¹² | -- ¹⁰ | 23.80 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/06/2006 ⁷ | -- ¹⁰ | 22.44 | -- ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/05/2006 ¹² | -- ¹⁰ | 21.54 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/05/2006 ¹² | -- ¹⁰ | 23.49 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/04/2006 ¹² | -- ¹⁰ | 23.72 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/05/2007 ⁷ | -- ¹⁰ | 22.97 | -- ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/04/2007 ¹² | -- ¹⁰ | 21.89 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/07/2007 ¹² | -- ¹⁰ | 23.76 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/06/2007 ¹² | -- ¹⁰ | 24.17 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/06/2008 ⁷ | -- ¹⁰ | 23.18 | -- ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/05/2008 ¹² | -- ¹⁰ | 23.11 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/03/2008 ¹² | -- ¹⁰ | 24.91 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/03/2008 ¹² | -- ¹⁰ | 25.51 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/04/2009 | -- ¹⁰ | 23.92 | -- ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/09/2009 ¹² | -- ¹⁰ | 23.68 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/30/2009 ¹² | -- ¹⁰ | 25.41 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/22/2010 ⁷ | -- ¹⁰ | 22.37 | -- ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/16/2010 ¹² | -- ¹⁰ | 24.30 | -- ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | | |
|------------|---------------------------|------------------|--------------|------------------|-------------|---------------|----------------|--------------|--------------|--------------|--------------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-9 | 03/08/2011 ¹² | .. ¹⁰ | 21.71 | .. ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/28/2011 ¹² | .. ¹⁰ | 23.36 | .. ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/08/2012 ¹² | .. ¹⁰ | 24.44 | .. ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/20/2012 ¹² | .. ¹⁰ | 24.92 | .. ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/20/2013 | .. ¹⁰ | 23.36 | .. ¹⁰ | 0.00 | 0.00 | 190 | 7 | <0.5 | 2 | 2 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/18/2013 ¹² | .. ¹⁰ | 25.37 | .. ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/13/2014 ¹² | .. ¹⁰ | 24.82 | .. ¹⁰ | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/25/2014 ¹² | .. ¹⁰ | 25.92 | .. ¹⁰ | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/10/2015 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 06/19/2015 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/15/2015 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/22/2015 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/08/2016 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/30/2016 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 12/30/2016 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 03/07/2017 ¹³ | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-9 | 09/22/2017 | .. ¹⁰ | 26.47 | .. ¹⁰ | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 09/09/2003 ^{7,8} | - | 17.18 | - | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | 0.5 | 14 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 12/09/2003 ⁷ | - | 14.24 | - | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 03/09/2004 ⁷ | 38.37 | 9.70 | 28.67 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 15 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 06/08/2004 ⁷ | 38.37 | 11.70 | 26.67 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 44 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 09/08/2004 ⁷ | 38.37 | 13.00 | 25.37 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 12/06/2004 ⁷ | 38.37 | 12.53 | 25.84 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 3 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 03/07/2005 ⁷ | 38.38 | 7.84 | 30.54 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 140 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 06/06/2005 ⁷ | 38.38 | 9.62 | 28.76 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 390 | <50 | - | - | - | - | - | - | - | - | - | - |
| C-10 | 09/06/2005 ⁷ | 38.39 | 11.58 | 26.81 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 190 | <50 | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|-------------------------|-------|-------|---------|-------|---------------|--------------|--------------|------|------|------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| C-10 | 12/05/2005 ⁷ | 38.39 | 10.88 | 27.51 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 67 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/06/2006 ⁷ | 38.39 | 7.37 | 31.02 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 280 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 06/05/2006 ⁷ | 38.39 | 9.25 | 29.14 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 280 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/05/2006 ⁷ | 38.39 | 10.38 | 28.01 | 0.00 | 0.00 | <50 | 3 | 3 | 2 | 16 | 63 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 12/04/2006 ⁷ | 38.39 | 10.65 | 27.74 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 93 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/05/2007 ⁷ | 38.39 | 8.97 | 29.42 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 100 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 06/04/2007 ⁷ | 38.39 | 9.80 | 28.59 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 48 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/07/2007 ⁷ | 38.39 | 11.20 | 27.19 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 18 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 12/06/2007 ⁷ | 38.39 | 10.53 | 27.86 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 19 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/06/2008 ⁷ | 38.39 | 8.75 | 29.64 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 43 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 06/05/2008 ⁷ | 38.39 | 9.95 | 28.44 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 25 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/03/2008 ⁷ | 38.39 | 11.41 | 26.98 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 12/03/2008 ⁷ | 38.39 | 11.26 | 27.13 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 8 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/04/2009 | 38.39 | 7.16 | 31.23 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 06/09/2009 ⁷ | 38.39 | 9.66 | 28.73 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 30 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/30/2009 ⁷ | 38.39 | 10.92 | 27.47 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 9 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/22/2010 ⁷ | 38.39 | 7.47 | 30.92 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 17 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/16/2010 | 38.39 | 10.17 | 28.22 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 12 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/08/2011 | 38.39 | 8.50 | 29.89 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 7 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/28/2011 | 38.39 | 10.02 | 28.37 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 6 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/08/2012 | 38.39 | 12.80 | 25.59 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 5 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/20/2012 | 38.39 | 10.94 | 27.45 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.8 J | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/20/2013 | 38.39 | 9.29 | 29.10 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 4 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/18/2013 | 38.39 | 10.00 | 28.39 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/13/2014 | 38.39 | 9.10 | 29.29 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 09/25/2014 | 38.39 | 10.29 | 28.10 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.9 J | <50 | - | - | - | - | - | - | - | - | - |
| C-10 | 03/10/2015 | 40.96 | 9.30 | 31.66 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 2 | <50 | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|-------------|--------------------------|--------------|--------------|--------------|-------------|---------------|----------------|--------------|--------------|--------------|--------------|----------------|----------------|----------------------------|-----------------------------|---|--|------------------------------|------------------|----------------|---------|------|-------------------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| C-10 | 06/19/2015 | 40.96 | 10.00 | 30.96 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 09/15/2015 | 40.96 | 10.89 | 30.07 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 J | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 12/22/2015 ¹⁵ | 40.96 | 8.08 | 32.88 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 03/08/2016 | 40.96 | 7.22 | 33.74 | 0.00 | 0.00 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | 0.7 J | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 09/29/2016 | 40.96 | 11.05 | 29.91 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 12/30/2016 ¹⁵ | 40.96 | 7.97 | 32.99 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 03/07/2017 | 40.96 | 7.28 | 33.68 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | 2 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-10 | 09/22/2017 | 40.96 | 10.37 | 30.59 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | 2 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 03/10/2015 | 36.79 | 9.95 | 26.84 | 0.00 | 0.00 | 310 | 56 | 1 | 1 | 0.9 J | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 06/19/2015 | 36.79 | 12.43 | 24.36 | 0.00 | 0.00 | 1,000 | 180 | 15 | 34 | 8 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 09/15/2015 | 36.79 | 15.88 | 20.91 | 0.00 | 0.00 | 1,300 | 170 | 3 | 12 | 2 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 12/22/2015 | 36.79 | 16.58 | 20.21 | 0.00 | 0.00 | 420 | 15 | 0.5 J | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 03/08/2016 | 36.79 | 13.00 | 23.79 | 0.00 | 0.00 | 280 | 27 | 1 | 2 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 09/30/2016 | 36.79 | 15.78 | 21.01 | 0.00 | 0.00 | 190 | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 12/30/2016 ¹⁵ | 36.79 | 14.97 | 21.82 | 0.00 | 0.00 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 03/07/2017 | 36.79 | 12.98 | 23.81 | 0.00 | 0.00 | 240 | 5 | <1 | 2 | 1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-11 | 09/22/2017 | 36.79 | 15.54 | 21.25 | 0.00 | 0.00 | 92 J | <1 | <1 | <1 | <1 | <1 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-13 | 03/08/2016 | 42.02 | 12.21 | 29.81 | 0.00 | 0.00 | <50 | <0.5 | 6 | <0.5 | 1 | 31 | <50 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-13 | 09/30/2016 | 42.02 | 12.93 | 29.09 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | 35 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-13 | 12/30/2016 | 42.02 | 9.61 | 32.41 | 0.00 | 0.00 | <100 | <1 | <1 | <1 | <1 | 1 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-13 | 03/07/2017 | 42.02 | 5.26 | 36.76 | 0.00 | 0.00 | 67 J | 2 | <1 | 1 | 0.9 J | 5 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| C-13 | 09/22/2017 | 42.02 | 11.83 | 30.19 | 0.00 | 0.00 | <100 | 1 J | <1 | <1 | <1 | 32 | <250 | - | - | - | - | - | - | - | - | - | - | - | - |
| QA | 12/13/2001 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/08/2002 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|----------|-------------------------|-----|-----|---------|-------|---------------|--------------|--------------|-------|-------|------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| QA | 06/19/2002 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/11/2002 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/11/2002 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/11/2003 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <1.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 06/10/2003 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/09/2003 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/09/2003 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/09/2004 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 06/08/2004 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/08/2004 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/06/2004 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/07/2005 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 06/06/2005 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/06/2005 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/05/2005 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/06/2006 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 06/05/2006 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/05/2006 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/04/2006 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/05/2007 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 06/04/2007 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/07/2007 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/06/2007 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/06/2008 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 06/05/2008 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 09/03/2008 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |
| QA | 12/03/2008 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | | |
|------------|-------------------------|-----|-----|---------|-------|---------------|----------------|--------------|--------------|--------------|--------------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| QA | 06/09/2009 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/30/2009 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/22/2010 ⁷ | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/16/2010 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <50 | - | - | - | - | - | - | - | - | - | - |
| QA | 03/08/2011 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/28/2011 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/08/2012 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/20/2012 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/20/2013 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/18/2013 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/13/2014 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/25/2014 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/10/2015 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 06/19/2015 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/15/2015 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 12/22/2015 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/08/2016 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/29/2016 | - | - | - | - | - | <100 | <1 | <1 | <1 | <1 | <1 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 12/30/2016 | - | - | - | - | - | <100 | <1 | <1 | <1 | <1 | <1 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 03/07/2017 | - | - | - | - | - | <100 | <1 | <1 | <1 | <1 | <1 | - | - | - | - | - | - | - | - | - | - | - |
| QA | 09/22/2017 | - | - | - | - | - | <100 | <1 | <1 | <1 | <1 | <1 | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 04/28/1989 | - | - | - | - | - | <500 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 08/08/1989 | - | - | - | - | - | <500 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 08/27/1990 | - | - | - | - | - | <50 | <0.3 | <0.3 | <0.3 | <0.6 | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 11/14/1990 | - | - | - | - | - | <50 | <0.3 | <0.3 | <0.3 | <0.6 | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/18/1991 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|------------|------------|-----|-----|---------|-------|---------------|--------------|------|------|------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|------------------|----------------|---------|------|-------------------|------|---|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | |
| Trip Blank | 09/19/1991 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/20/1991 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/18/1992 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 07/14/1992 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 10/08/1992 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 01/08/1993 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 04/14/1993 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 07/16/1993 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/21/1993 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 01/28/1994 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/17/1994 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/16/1994 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/22/1994 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/15/1994 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/30/1995 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/20/1995 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/20/1995 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/06/1995 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/21/1996 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/21/1996 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/06/1996 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/19/1996 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/17/1997 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/11/1997 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/17/1997 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/11/1997 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/12/1998 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - | - | - | - |

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | PRIMARY VOCS | | | | | ADDITIONAL VOCS | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | | | |
|------------|------------|-----|-----|---------|-------|---------------|--------------|--------------|--------|--------|--------|----------------|-----------------|----------------------------|-----------------------------|---|--|------------------------------|--------------|----------------|---------|------|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L |
| Trip Blank | 06/23/1998 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/01/1998 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/30/1998 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/31/1999 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.0 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/14/1999 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/22/1999 | - | - | - | - | - | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/23/2000 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/05/2000 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 12/04/2000 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 03/08/2001 | - | - | - | - | - | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 06/07/2001 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - |
| Trip Blank | 09/13/2001 | - | - | - | - | - | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | - | - | - | - | - | - | - | - | - | - |

Abbreviations and Notes:

- TOC = Top of casing
- DTW = Depth to water
- GWE = Groundwater elevation
- (ft-amsl) = Feet above mean sea level
- ft = Feet
- µg/L = Micrograms per liter
- TPH-GRO = Total petroleum hydrocarbons - gasoline range organics
- VOCS = Volatile Organic Compounds
- B = Benzene
- T = Toluene
- E = Ethylbenzene
- X = Xylene

Table 1
Groundwater Monitoring and Sampling Data
Chevron Service Station 90076
4265 Foothill Boulevard
Oakland, California

| Location | Date | TOC | DTW | GWE | LNAPL | LNAPL REMOVED | HYDROCARBONS | | | | | PRIMARY VOCS | | | | | ADDITIONAL VOCS | | FIELD PARAMETERS | | | | GENERAL CHEMISTRY | | |
|----------|------|-----|---------|-----|---------|---------------|--------------|------|------|------|------|----------------|---------|----------------------------|-----------------------------|---|--|------------------------------|------------------|----------------|---------|------|-------------------|--|--|
| | | | | | | | TPH-GRO | B | T | E | X | MTBE by SW8260 | ETHANOL | Dissolved oxygen, prepurge | Dissolved oxygen, postpurge | Oxidation reduction potential, prepurge | Oxidation reduction potential, postpurge | Alkalinity, total (as CaCO3) | Ferrous iron | Nitrate (as N) | Sulfate | | | | |
| Units | ft | ft | ft-amsl | ft | gallons | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | millivolts | millivolts | µg/L | µg/L | µg/L | µg/L | | |

MTBE = Methyl tert-butyl ether

-- = Not available or not applicable

<x = Not detected above laboratory method detection limit

J = Estimated value between method detection limit and laboratory reporting limit

- * TOC elevation for C-10 was surveyed on September 26, 2003, by Virgil Chavez Land Surveying. The benchmark for this survey was a City of Oakland No. 1589, a cut square in the sidewalk at the mid-return at the west corner of High Street and Foothill Blvd., (Benchmark Elevation = 38.54 feet, NGVD 29).
- ** GWE corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPL x 0.80)].
- 1 Confirmation run.
- 2 Sample was analyzed past hold-time, the results should be considered as estimated.
- 3 ORC present in well.
- 4 Laboratory report indicates gasoline C6-C12.
- 5 Laboratory report indicates sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
- 6 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
- 7 BTEX and MTBE by EPA Method 8260.
- 8 Well development performed.
- 9 ORC removed from well.
- 10 TOC has been altered; unable to determine an accurate GWE.
- 11 Laboratory confirmed result.
- 12 Sampled annually.
- 13 Inaccessible
- 14 Analyzed in part per billion (ppb)
- 15 Sampled semi-annually

Attachment A Monitoring Data Package

WELL GAUGING DATA

Project # 170922-ND1 Date 9/22/17 Client GHD

Site 4265 Foothill Blvd. - Oakland, CA

| Well ID | Time | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or (TOC) | |
|---------|------|-----------------|--------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|----------------------------|-----|
| C-1 | 0852 | 3 | | | | | 13.59 | 37.80 | ↓ | |
| C-2 | 0901 | 3 | odor | | | | 15.31 | 36.33 | | |
| C-3 | 0846 | 3 | | | | | 21.70 | 39.20 | | |
| C-4 | 0907 | 3 | | | | | 10.93 | 36.40 | | |
| C-5 | 0911 | 2 | | | | | 23.49 | 44.10 | | G.O |
| C-6 | 0855 | 2 | | | | | 22.70 | 53.46 | | |
| C-7 | 0947 | 2 | | | | | 26.10 | 50.83 | | |
| C-8 | 0920 | 2 | | | | | 30.33 | 56.00 | | G.O |
| C-9 | 0943 | 2 | | | | | 26.47 | 45.30 | | |
| C-10 | 0842 | 2 | | | | | 10.37 | 29.87 | | |
| C-11 | 0930 | 2 | | | | | 15.54 | 19.55 | | |
| C-13 | 0938 | 2 | | | | | 11.83 | 18.96 | | ↓ |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: Sunny, clear | Ambient Air Temperature: 75° |
| Well I.D.: C-1 | Well Diameter: 2 (3) 4 6 8 |
| Total Well Depth: 37.80 | Depth to Water: 13.59 |
| Depth to Free Product: — | Thickness of Free Product (feet): — |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.43 | |

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 9.0 | (Gals.) X | 3 | = | 27.0 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|------------------|------|------------------|------------------|---------------|--------------|
| 1233 | 74.2 | 6.79 | 1046 | 9 | 9.0 | |
| 1237 | 73.9 | 6.71 | 1077 | 9 | 18.0 | |
| 1238 | Well dewatered @ | | | | 22.0 | |
| 1325 | 74.7 | 6.55 | 1133 | 7 | GRAB | |

Did well dewater? Yes No ^(ND) Gallons actually evacuated: 22.0

Sampling Date: 9/22/17 Sampling Time: 1330 Depth to Water: 13.29

Sample I.D.: C-1-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: Sunny, clear | Ambient Air Temperature: 79° |
| Well I.D.: C-2 | Well Diameter: 2 (3) 4 6 8 ____ |
| Total Well Depth: 36.33 | Depth to Water: 15.31 |
| Depth to Free Product: - | Thickness of Free Product (feet): - |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.51 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

| | | |
|----------------|-------------------|-------------------|
| 7.70 (Gals.) X | 3 | = 23.4 Gals. |
| I Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|-----------------------|------------------|---------------|--------------|
| 1249 | 16.1 | 6.49 | 752 | 19 | 7.9 | odor |
| 1250 | | well | dewatered | | 14.0 | |
| 1415 | 75.6 | 6.70 | 818 | 10 | GRAB | |

Did well dewater? (Yes) No Gallons actually evacuated: 17.0

Sampling Date: 9/22/17 Sampling Time: 1420 Depth to Water: 19.20

Sample I.D.: C-2-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: Sunny, clear | Ambient Air Temperature: 75° |
| Well I.D.: C-3 | Well Diameter: 2 (3) 4 6 8 ____ |
| Total Well Depth: 39.20 | Depth to Water: 21.70 |
| Depth to Free Product: - | Thickness of Free Product (feet): - |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 25.20 | |

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 6.5 | (Gals.) X | 3 | = | 19.5 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|-----------------------|------------------|---------------|--------------|
| 1157 | 73.0 | 6.93 | 513 | 21 | 6.5 | |
| 1202 | 73.2 | 6.79 | 708 | 40 | 13.0 | |
| 1206 | 73.2 | 6.70 | 779 | 20 | 19.5 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 19.5

Sampling Date: 9/22/17 Sampling Time: 1215 Depth to Water: 25.00

Sample I.D.: C-3-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See WC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 170922-NDI | Station #: 9-0076 |
| Sampler: 5D | Date: 9/22/17 |
| Weather: Clear | Ambient Air Temperature: 75 F |
| Well I.D.: C-4 | Well Diameter: 2 (3) 4 6 8 |
| Total Well Depth: 36.40 | Depth to Water: 10.93 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.02 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 9.5 | (Gals.) X | 3 | = | 28.5 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | (0.37) | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|----------------------|------------------|------------------|---------------|--------------|
| 1319 | 72.4 | 7.22 | 734 | 25 | 10.0 | |
| | | Dewatered @ 11.5 Gal | | | | |
| | | | | | | |
| 1520 | 72.9 | 6.98 | 755 | 17 | — | |

Did well dewater? (Yes) No Gallons actually evacuated: 11.5

Sampling Date: 9/22/17 Sampling Time: 1520 Depth to Water: 19.56 (>2hrs)

Sample I.D.: C-4-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: clear, sunny | Ambient Air Temperature: 70° |
| Well I.D.: C-6 | Well Diameter: (2) 3 4 6 8 ____ |
| Total Well Depth: 53.46 | Depth to Water: 22.70 |
| Depth to Free Product: - | Thickness of Free Product (feet): - |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 28.85 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 5.0 | (Gals.) X | 3 | = | 15.0 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS of <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|---|
| 1050 | 70.5 | 6.62 | 909 | 426 | 5.0 | |
| 1054 | 70.9 | 6.59 | 921 | 319 | 10.0 | |
| 1058 | 70.9 | 6.57 | 933 | 280 | 15.0 | |
| | | | | | | |
| | | | | | | out of clean to dirty due to traffic restrictions |

Did well dewater? Yes No Gallons actually evacuated: 15.0

Sampling Date: 9/22/17 Sampling Time: 1105 Depth to Water: 27.69

Sample I.D.: C-6-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see WOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: clear, sunny | Ambient Air Temperature: 70° |
| Well I.D.: C-7 | Well Diameter: (2) 3 4 6 8 ____ |
| Total Well Depth: 50.83 | Depth to Water: 26.10 |
| Depth to Free Product: | Thickness of Free Product (feet): — |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 31.05 | |

Purge Method:

Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 4 | (Gals.) X | 3 | = | 12 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|-----------------------|------------------|---------------|--------------|
| 1018 | 70.4 | 6.76 | 1021 | 219 | 4.0 | |
| 1021 | 70.8 | 6.70 | 1204 | 197 | 8.0 | |
| 1024 | 70.9 | 6.68 | 1256 | 188 | 12.0 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 12.0

Sampling Date: 9/22/17 Sampling Time: 1035 Depth to Water: 29.20

Sample I.D.: C-7-W-172204 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: (See) See WOC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: clear, sunny | Ambient Air Temperature: 75° |
| Well I.D.: C-9 | Well Diameter: (2) 3 4 6 8 ____ |
| Total Well Depth: 45.30 | Depth to Water: 26.47 |
| Depth to Free Product: — | Thickness of Free Product (feet): — |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 30.24 | |

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 3 | (Gals.) X | 3 | = | 9 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 1111 | 72.2 | 6.67 | 712 | >1000 | 3.0 | |
| 1114 | 72.5 | 6.50 | 759 | >1000 | 6.0 | |
| 1118 | 72.6 | 6.44 | 779 | >1000 | 9.0 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes (No) Gallons actually evacuated: 9.0

Sampling Date: 9/22/17 Sampling Time: 1125 Depth to Water: 29.89

Sample I.D.: C-9-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See cor

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|--------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: Sunny, clear | Ambient Air Temperature: 75° |
| Well I.D.: C-10 | Well Diameter: <u>2</u> 3 4 6 8 ____ |
| Total Well Depth: 29.87 | Depth to Water: 10.37 |
| Depth to Free Product: — | Thickness of Free Product (feet): — |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14.27 | |

Purge Method:

- Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 3.1 | (Gals.) X | 3 | = | 9.3 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 1133 | 72.3 | 6.83 | 818 | 90 | 3.1 | |
| 1136 | 72.5 | 6.76 | 792 | 62 | 6.2 | |
| 1140 | 72.5 | 6.75 | 779 | 65 | 9.3 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 9.3

Sampling Date: 9/22/17 Sampling Time: 1145 Depth to Water: 13.60

Sample I.D.: C-10-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-------------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: ND | Date: 9/22/17 |
| Weather: Clear, Sunny 70° | Ambient Air Temperature: 70° |
| Well I.D.: C-11 | Well Diameter: (2) 3 4 6 8 ____ |
| Total Well Depth: 19.55 | Depth to Water: 15.54 |
| Depth to Free Product: — | Thickness of Free Product (feet): — |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.34 | |

Purge Method: Bailer Waterra Disposable Bailer Extraction Port
 Disposable Bailer Peristaltic Extraction Pump Dedicated Tubing
 Positive Air Displacement Extraction Pump
 Electric Submersible Other _____

Sampling Method: Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 0.65 | (Gals.) X | 3 | = | 1.9 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|------------------|------------------|---------------|--|
| 0958 | 69.9 | 7.16 | 1634 | 47 | 0.6 | |
| 1000 | 70.2 | 7.10 | 1720 | 319 | 1.2 | |
| 1003 | 70.2 | 7.08 | 1751 | 324 | 1.9 | |
| | | | | | | |
| | | | | | | cut of clean to dirty due to traffic restriction |

Did well dewater? Yes No Gallons actually evacuated: 2.0

Sampling Date: 9/22/17 Sampling Time: 1010 Depth to Water: 16.25

Sample I.D.: C-11-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: (See) See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON (Nor. Cal) WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 170922-ND1 | Station #: 9-0076 |
| Sampler: SD | Date: 9/22/17 |
| Weather: Clear | Ambient Air Temperature: 75°F |
| Well I.D.: C-13 | Well Diameter: (2) 3 4 6 8 |
| Total Well Depth: 18.96 | Depth to Water: 11.83 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.25 | |

Purge Method: Bailer Watera Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing
 Other: _____

1.2 (Gals.) X 3 = 3.6 Gals.
 1 Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|------------------|------------------|-----------------|--------------|
| 1324 | 71.4 | 6.73 | 948 | 76 | 1.25 3.6 (2) | |
| 1326 | 72.0 | 6.70 | 908 | 49 | 2.5 | |
| 1328 | 72.6 | 6.66 | 896 | 42 | 3.75 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 3.75

Sampling Date: 9/22/17 Sampling Time: 1530 Depth to Water: 13.09

Sample I.D.: C-13-W-172209 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:


| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 2 of 2

Chevron Site Number: 90076
 Chevron Site Global ID: T0600100339
 Chevron Site Address: 4265 Foothill Blvd., Oakland, CA
 Chevron PM: Dave Patten
 Chevron PM Phone No.: (925) 842-7877
 Retail and Terminal Business Unit (RTBU) Job
 Construction/Retail Job

Chevron Consultant: GHD
 Address: 5900 Hollis St., Ste A, Emeryville, CA, 94608
 Consultant Contact: Kiersten Hoey
 Consultant Phone No. 510-420-3347
 Consultant Project No. 170922-ND1
 Sampling Company: Blaine Tech Services
 Sampled By (Print): Nicholas Drachenberg
 Sampler Signature: 

ANALYSES REQUIRED



| | | ANALYSES REQUIRED | | | | | | | | | | Preservation Codes | | | | |
|-----------------|-------------------------------------|-----------------------|-------------------------------------|------------|--------------------------|-----------|--------------------------|--|--|--|--|--------------------|--|--|--|--|
| EPA 8260B/GC/MS | <input checked="" type="checkbox"/> | MIBEX | <input checked="" type="checkbox"/> | OXYGENATES | <input type="checkbox"/> | HVOC | <input type="checkbox"/> | | | | | | | | | H = HCL T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other |
| TPH-G | <input type="checkbox"/> | BTEX | <input checked="" type="checkbox"/> | DRO | <input type="checkbox"/> | HC SCREEN | <input type="checkbox"/> | | | | | | | | | |
| EPA 8015B | <input checked="" type="checkbox"/> | GRO | <input checked="" type="checkbox"/> | ORO | <input type="checkbox"/> | HC SCREEN | <input type="checkbox"/> | | | | | | | | | Special Instructions Must meet lowest detection limits possible for 8260 compounds. |
| EPA 8021B | <input type="checkbox"/> | BTEX | <input type="checkbox"/> | MTBE | <input type="checkbox"/> | | | | | | | | | | | |
| EPA 6010 | <input type="checkbox"/> | Ca, Fe, K, Mg, Mn, Na | | | | | | | | | | | | | | Notes/Comments |
| EPA 6010/7000 | <input type="checkbox"/> | TITLE 22 METALS | <input type="checkbox"/> | TLC | <input type="checkbox"/> | STLC | <input type="checkbox"/> | | | | | | | | | |
| EPA 150.1 | <input type="checkbox"/> | PH | | | | | | | | | | | | | | |
| SM2510B | <input type="checkbox"/> | SPECIFIC CONDUCTIVITY | | | | | | | | | | | | | | |
| EPA 418.1 | <input type="checkbox"/> | TRPH | <input type="checkbox"/> | | | | | | | | | | | | | |
| EPA 8260 | <input type="checkbox"/> | ETHANOL | | | | | | | | | | | | | | |
| EPA 8015 | <input type="checkbox"/> | TPH-D | <input type="checkbox"/> | | | | | | | | | | | | | |

Charge Code: NWRTB-0098247-0-OML
 NWRTB 00SITE NUMBER-0- WBS
(WBS ELEMENTS:
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L
THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.

Lancaster Laboratories
 Lancaster, PA
 Lab Contact: Amek Carter
 2425 New Holland Pike,
 Lancaster, PA 17601
 Phone No:
 (717)656-2300

| Other Lab | Temp. Blank Check Time | Temp. |
|-----------|------------------------|-------|
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |
| _____ | _____ | _____ |

| SAMPLE ID | | | | Sample Time | # of Containers | Container Type |
|------------------|--------|-----------|---------------|-------------|-----------------|----------------|
| Field Point Name | Matrix | Top Depth | Date (yymmdd) | | | |
| QA | T | | 170922 | 0700 | 2 | HCL VOA |
| C-1 | WG | | ↓ | 1330 | 6 | ↓ |
| C-2 | WG | | | 1420 | 6 | |
| C-3 | WG | | | 1215 | 6 | |
| C-4 | WG | | | 1570 | 6 | |
| C-6 | WG | | | 1105 | 6 | |
| C-7 | WG | | | 1035 | 6 | |
| C-9 | WG | | | 1125 | 6 | |
| C-10 | WG | | | 1145 | 6 | |
| C-11 | WG | | | 1010 | 6 | |

| | | | | | |
|---|---------------------|----------------------------------|--|---------------------------|----------------------------------|
| Relinquished By:  | Company: <u>BTS</u> | Date/Time: <u>9/22/17 @ 1620</u> | Relinquished To:  | Company: <u>(S.C) BTS</u> | Date/Time: <u>9/22/17 @ 1620</u> |
| Relinquished By: | Company: | Date/Time: | Relinquished To: | Company: | Date/Time: |
| Relinquished By: | Company: | Date/Time: | Relinquished To: | Company: | Date/Time: |

Turnaround Time:
 Standard: 24 Hours 48 hours 72
 Hours Other
 Sample Integrity: (Check by lab on arrival)
 Intact: _____ On Ice: _____ Temp: _____
 COC # _____

WELLHEAD INSPECTION CHECKLIST

Client BHD Date 9/22/17

Site Address 4265 Foothill Blvd. - Oakland, CA

Job Number 170922-ND1 Technician ND

| Well ID | Well Inspected - No Corrective Action Required | Water Bailed From Wellbox | Wellbox Components Cleaned | Cap Replaced | Lock Replaced | Other Action Taken (explain below) | Well Not Inspected (explain below) | Repair Order Submitted |
|---------|--|---------------------------|----------------------------|--------------|---------------|------------------------------------|------------------------------------|------------------------|
| C-1 | X | | | | | | | |
| C-2 | | | | | | X | | |
| C-3 | | | | | | X | | |
| C-4 | | | | | | X | | |
| C-5 | | | | | | X | | |
| C-6 | X | | | | | | | |
| C-7 | X | | | | | | | |
| C-8 | X | | | | | | | |
| C-9 | | | | | | X | | |
| C-10 | X | | | | | | | |
| C-11 | X | | | | | | | |
| C-13 | X | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTES: C-2: -2/2 bolts
C-4: 3/2 boltz stripped
C-3: 1/2 bolts stripped, 1/2 bolts missing
C-5: 2/2 tabs stripped
C-9: -2/2 boltz, -2/2 tabs

109

SOURCE RECORD **BILL OF LADING**

FOR PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR AND HAULED TO THEIR FACILITY IN SAN JOSE, CALIFORNIA FOR TEMPORARILY HOLDING PENDING TRANSPORT BY OTHERS TO FINAL DESTINATION.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BLAINE TECH), 1680 Rogers Ave. San Jose CA (408) 573-0555). BLAINE TECH. is authorized by Chevron Environmental Management Company (CHEVRON EMC) to recover, collect, apportion into loads, and haul the purgewater that is drawn from weils at the CHEVRON EMC facility indicated below and to deliver that purgewater to BLAINE TECH for temporarily holding. Transport routing of the purgewater may be direct from one CHEVRON EMC facility to BLAINE TECH; from one CHEVRON EMC facility to BLAINE TECH via another CHEVRON EMC facility; or any combination thereof. The well purgewater is and remains the property of CHEVRON EMC.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-0076 David Patten
 CHEVRON # _____ Chevron Engineer
 4265 Foothill Blvd, - Oakland, CA
 street number street name city state

| WELL I.D. | GALS. | WELL I.D. | GALS. |
|--------------------------------------|-----------------|---------------|-------|
| C-1 | 22 | C-9 | 9.0 |
| C-2 | 14 | C-10 | 9.3 |
| C-3 | 19.5 | C-11 | 2.0 |
| C-4 | 11.5 | C-13 | 5 |
| C-5 | 11.5 | | |
| C-6 | 15 | | |
| C-7 | 12 | | |
| | | | |
| added equip. | | any other | |
| rinse water | 5 | adjustments | |
| TOTAL GALS. RECOVERED | 125 | loaded onto | |
| | 170922-N101 | BTS vehicle # | 98 |
| BTS event # | time | date | |
| | 1430 | 9 / 22 / 17 | |
| Transporter signature _____ | | | |
| ***** | | | |
| REC'D AT | time | date | |
| | 1500 | 9/22/17 | |
| Unloaded/received by signature _____ | | | |

Permit To Work

for Chevron EMC Sites

Client: GHD Date 9/22/17
 Site Address: 4265 Foothill Blvd. - Oakland, CA
 Job Number: 170922-NDL Technician(s): ND

Pre-Job Safety Review

| | |
|---|--|
| 1. JMP reviewed, site restrictions and parking/access issues addressed. | Reviewed: <input checked="" type="checkbox"/> |
| 2. Special Permit Required Task Review | |
| Are there any conditions or tasks that would require: | |
| | Yes No |
| Confined space entry | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Working at height | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Lock-out/Tag-out | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Excavations greater than 4 feet deep | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Excavations within 3 feet of a buried active electrical line or product piping or within 10 feet of a high pressure gas line. | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Use of overhead equipment within 15 feet of an overhead electrical power line or pole supporting one | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Hot work | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| <p>If "Yes" was the answer to any of the Special Permit Required Tasks above, the Project Manager will contact the client and arrange to modify the Scope of Work so that the Special Permit Required Tasks are not required to be performed by Blaine Tech Services employees.</p> | |
| 3. Is a Traffic Control Permit required for today's work? | |
| | Yes No |
| | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| If so is it in the folder? | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Is it current? | <input type="checkbox"/> <input checked="" type="checkbox"/> |
| Do you understand the Traffic Control Plan and what equipment you will need? | <input type="checkbox"/> <input checked="" type="checkbox"/> |

On site Pre-Job Safety Review

| | |
|---|-------------------------------------|
| 1. Reviewed and signed the site specific HASP. | <input checked="" type="checkbox"/> |
| 2. Route to hospital understood. | <input checked="" type="checkbox"/> |
| 3. Reviewed "Groundwater Monitoring Well Sampling General Job Safety Analysis included in the HASP. | <input checked="" type="checkbox"/> |
| 4. Exceptional circumstances today that are not covered by the HASP, JSA or JMP have been addressed and mitigated. | <input checked="" type="checkbox"/> |
| 5. Understands procedure to follow, if site circumstances change, to address new site hazards. | <input checked="" type="checkbox"/> |
| 6. There are no unexpected conditions which would make your task a Special Permit Required Task. If there is, contact your Project Manager. | <input checked="" type="checkbox"/> |
| 7. All site hazards have been communicated to all necessary onsite personnel during tailgate safety meeting. | <input checked="" type="checkbox"/> |
| 8. After lunch tailgate safety meeting refresher conducted. | <input checked="" type="checkbox"/> |
| If Checklist Task cannot be completed, explain: | |

Permit To Work Authority: Nicholas Duchoway Title Date 9/22/17 Time 0830

Attachment B Laboratory Analytical Report

ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Report Date: September 30, 2017

Project: 90076

Account #: 10991
Group Number: 1854382
PO Number: 0015229872
Release Number: HORNE
State of Sample Origin: CA

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To GHD
Electronic Copy To Blaine Tech Services, Inc.
Electronic Copy To Chevron

Attn: Kiersten Hoey
Attn: Ross Mikovich
Attn: Report Contact

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

SAMPLE INFORMATION

| <u>Client Sample Description</u> | <u>Collection Information</u> | <u>ELLE#</u> |
|----------------------------------|-------------------------------|--------------|
| QA-T-170922 NA Water | 09/22/2017 07:00 | 9226002 |
| C-1-W-170922 NA Water | 09/22/2017 13:30 | 9226003 |
| C-2-W-170922 NA Water | 09/22/2017 14:20 | 9226004 |
| C-3-W-170922 NA Water | 09/22/2017 12:15 | 9226005 |
| C-4-W-170922 NA Water | 09/22/2017 15:20 | 9226006 |
| C-6-W-170922 NA Water | 09/22/2017 11:05 | 9226007 |
| C-7-W-170922 NA Water | 09/22/2017 10:35 | 9226008 |
| C-9-W-170922 NA Water | 09/22/2017 11:25 | 9226009 |
| C-10-W-170922 NA Water | 09/22/2017 11:45 | 9226010 |
| C-11-W-170922 NA Water | 09/22/2017 10:10 | 9226011 |
| C-13-W-170922 NA Water | 09/22/2017 15:30 | 9226012 |

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Sample Description: QA-T-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226002
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 07:00

Chevron

Submitted: 09/23/2017 10:00

6001 Bollinger Canyon Rd L4310

Reported: 09/30/2017 08:20

San Ramon CA 94583

FBOQA

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10945 | Benzene | 71-43-2 | N.D. | ug/l 0.5 | ug/l 1 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | ug/l 50 | ug/l 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE | SW-846 8260B | 1 | F172701AA | 09/27/2017 11:24 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 11:24 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 12:43 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 12:43 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-1-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226003
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 13:30 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC1

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 29 | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 330 | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 14:17 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 14:17 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 16:24 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 16:24 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-2-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226004
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 14:20 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC2

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | 200 | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | 43 | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 24 | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | 9 | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | 190 | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 8,800 | 250 | 500 | 5 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 14:39 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 14:39 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 21:00 | Brett W Kenyon | 5 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 21:00 | Brett W Kenyon | 5 |

*=This limit was used in the evaluation of the final result

Sample Description: C-3-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226005
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 12:15 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC3

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 15:00 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 15:00 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 17:19 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 17:19 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-4-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226006
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 15:20 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC4

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | 680 | 3 | 5 | 5 |
| 10945 | Ethanol | 64-17-5 | N.D. | 250 | 1,300 | 5 |
| 10945 | Ethylbenzene | 100-41-4 | 9 | 3 | 5 | 5 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 8 | 3 | 5 | 5 |
| 10945 | Toluene | 108-88-3 | 15 | 3 | 5 | 5 |
| 10945 | Xylene (Total) | 1330-20-7 | 19 | 3 | 5 | 5 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 6,400 | 250 | 500 | 5 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 18:59 | Anthony H Downey | 5 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 18:59 | Anthony H Downey | 5 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 21:28 | Brett W Kenyon | 5 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 21:28 | Brett W Kenyon | 5 |

*=This limit was used in the evaluation of the final result

Sample Description: C-6-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226007
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 11:05 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC6

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 3 | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 1,800 | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 15:22 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 15:22 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 17:47 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 17:47 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-7-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226008
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 10:35 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC7

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10945 | Benzene | 71-43-2 | N.D. | ug/l 0.5 | ug/l 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 8 | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 65 J | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 15:44 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 15:44 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 18:14 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 18:14 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-9-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226009
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 11:25 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBOC9

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 16:05 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 16:05 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17270A20A | 09/27/2017 18:42 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17270A20A | 09/27/2017 18:42 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-10-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226010
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 11:45 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBO10

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | ug/l | ug/l | ug/l | |
| 10945 | Benzene | 71-43-2 | N.D. | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 2 | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | ug/l | ug/l | ug/l | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 16:27 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 16:27 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17271A20A | 09/28/2017 13:02 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17271A20A | 09/28/2017 13:02 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-11-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226011
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 10:10 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBO11

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10945 | Benzene | 71-43-2 | N.D. | ug/l 0.5 | ug/l 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | 92 J | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 16:48 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 16:48 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17271A20A | 09/28/2017 13:30 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17271A20A | 09/28/2017 13:30 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: C-13-W-170922 NA Water
Facility #90076 BTST
4265 Foothill Blvd-Oakland T0600100339

ELLE Sample # WW 9226012
ELLE Group # 1854382
Account # 10991

Project Name: 90076

Collected: 09/22/2017 15:30 by ND

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 09/23/2017 10:00

Reported: 09/30/2017 08:20

FBO13

| CAT No. | Analysis Name | CAS Number | Result | Method Detection Limit* | Limit of Quantitation | Dilution Factor |
|-------------------------------------|-----------------------------|------------|--------|-------------------------|-----------------------|-----------------|
| GC/MS Volatiles SW-846 8260B | | | | | | |
| 10945 | Benzene | 71-43-2 | 1 J | 0.5 | 1 | 1 |
| 10945 | Ethanol | 64-17-5 | N.D. | 50 | 250 | 1 |
| 10945 | Ethylbenzene | 100-41-4 | N.D. | 0.5 | 1 | 1 |
| 10945 | Methyl Tertiary Butyl Ether | 1634-04-4 | 32 | 0.5 | 1 | 1 |
| 10945 | Toluene | 108-88-3 | N.D. | 0.5 | 1 | 1 |
| 10945 | Xylene (Total) | 1330-20-7 | N.D. | 0.5 | 1 | 1 |
| GC Volatiles SW-846 8015B | | | | | | |
| 01728 | TPH-GRO N. CA water C6-C12 | n.a. | N.D. | 50 | 100 | 1 |

Sample Comments

CA ELAP Lab Certification No. 2792

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|----------------------------|--------------|--------|-----------|------------------------|------------------|-----------------|
| 10945 | BTEX/MTBE/ETOH Water | SW-846 8260B | 1 | F172701AA | 09/27/2017 17:10 | Anthony H Downey | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F172701AA | 09/27/2017 17:10 | Anthony H Downey | 1 |
| 01728 | TPH-GRO N. CA water C6-C12 | SW-846 8015B | 1 | 17271A20A | 09/28/2017 13:57 | Brett W Kenyon | 1 |
| 01146 | GC VOA Water Prep | SW-846 5030B | 1 | 17271A20A | 09/28/2017 13:57 | Brett W Kenyon | 1 |

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Chevron
Reported: 09/30/2017 08:20

Group Number: 1854382

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

| Analysis Name | Result | MDL** | LOQ |
|-----------------------------|-----------------------------------|-------|------|
| | ug/l | ug/l | ug/l |
| Batch number: F172701AA | Sample number(s): 9226002-9226012 | | |
| Benzene | N.D. | 0.5 | 1 |
| Ethanol | N.D. | 50 | 250 |
| Ethylbenzene | N.D. | 0.5 | 1 |
| Methyl Tertiary Butyl Ether | N.D. | 0.5 | 1 |
| Toluene | N.D. | 0.5 | 1 |
| Xylene (Total) | N.D. | 0.5 | 1 |
| Batch number: 17270A20A | Sample number(s): 9226002-9226009 | | |
| TPH-GRO N. CA water C6-C12 | N.D. | 50 | 100 |
| Batch number: 17271A20A | Sample number(s): 9226010-9226012 | | |
| TPH-GRO N. CA water C6-C12 | N.D. | 50 | 100 |

LCS/LCSD

| Analysis Name | LCS Spike Added | LCS Conc | LCSD Spike Added | LCSD Conc | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Max |
|-----------------------------|-----------------------------------|----------|------------------|-----------|----------|-----------|-----------------|-----|---------|
| | ug/l | ug/l | ug/l | ug/l | | | | | |
| Batch number: F172701AA | Sample number(s): 9226002-9226012 | | | | | | | | |
| Benzene | 20 | 20.18 | | | 101 | | 78-120 | | |
| Ethanol | 500 | 582.41 | | | 116 | | 52-157 | | |
| Ethylbenzene | 20 | 18.64 | | | 93 | | 78-120 | | |
| Methyl Tertiary Butyl Ether | 20 | 22.33 | | | 112 | | 75-120 | | |
| Toluene | 20 | 19.69 | | | 98 | | 80-120 | | |
| Xylene (Total) | 60 | 54.8 | | | 91 | | 80-120 | | |
| | ug/l | ug/l | ug/l | ug/l | | | | | |
| Batch number: 17270A20A | Sample number(s): 9226002-9226009 | | | | | | | | |
| TPH-GRO N. CA water C6-C12 | 1100 | 1047.69 | 1100 | 1080.57 | 95 | 98 | 80-120 | 3 | 30 |
| Batch number: 17271A20A | Sample number(s): 9226010-9226012 | | | | | | | | |
| TPH-GRO N. CA water C6-C12 | 1100 | 989.69 | 1100 | 1000.74 | 90 | 91 | 80-120 | 1 | 30 |

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron
Reported: 09/30/2017 08:20

Group Number: 1854382

MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

| Analysis Name | Unspiked Conc ug/l | MS Spike Added ug/l | MS Conc ug/l | MSD Spike Added ug/l | MSD Conc ug/l | MS %Rec | MSD %Rec | MS/MSD Limits | RPD | RPD Max |
|-----------------------------|-----------------------------------|---------------------|----------------|----------------------|---------------|---------|----------|---------------|-----|---------|
| Batch number: F172701AA | Sample number(s): 9226002-9226012 | | UNSPK: P225975 | | | | | | | |
| Benzene | N.D. | 20 | 22.32 | 20 | 22.32 | 112 | 112 | 78-120 | 0 | 30 |
| Ethanol | N.D. | 500 | 489.13 | 500 | 552.2 | 98 | 110 | 52-157 | 12 | 30 |
| Ethylbenzene | N.D. | 20 | 20.67 | 20 | 21.32 | 103 | 107 | 78-120 | 3 | 30 |
| Methyl Tertiary Butyl Ether | 1.38 | 20 | 24.58 | 20 | 24.5 | 116 | 116 | 75-120 | 0 | 30 |
| Toluene | N.D. | 20 | 21.54 | 20 | 21.99 | 108 | 110 | 80-120 | 2 | 30 |
| Xylene (Total) | N.D. | 60 | 60.01 | 60 | 62.03 | 100 | 103 | 80-120 | 3 | 30 |

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report. For dual column analyses, the surrogate (at least one surrogate for multi-surrogate tests) must be within the acceptance limits on at least one of the two columns.

Analysis Name: BTEX/MTBE/ETOH Water
Batch number: F172701AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 9226002 | 102 | 102 | 102 | 95 |
| 9226003 | 100 | 101 | 101 | 99 |
| 9226004 | 100 | 98 | 102 | 110 |
| 9226005 | 102 | 104 | 101 | 96 |
| 9226006 | 100 | 101 | 102 | 95 |
| 9226007 | 100 | 99 | 102 | 99 |
| 9226008 | 101 | 102 | 101 | 95 |
| 9226009 | 102 | 103 | 101 | 95 |
| 9226010 | 101 | 103 | 102 | 97 |
| 9226011 | 102 | 100 | 102 | 97 |
| 9226012 | 104 | 105 | 102 | 96 |
| Blank | 102 | 103 | 100 | 96 |
| LCS | 102 | 104 | 102 | 100 |
| MS | 101 | 105 | 101 | 99 |
| MSD | 100 | 105 | 103 | 98 |
| Limits: | 80-120 | 80-120 | 80-120 | 80-120 |

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 17270A20A

| | Trifluorotoluene-F |
|---------|--------------------|
| 9226002 | 90 |
| 9226003 | 95 |
| 9226004 | 112 |

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

Quality Control Summary

Client Name: Chevron
Reported: 09/30/2017 08:20

Group Number: 1854382

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report. For dual column analyses, the surrogate (at least one surrogate for multi-surrogate tests) must be within the acceptance limits on at least one of the two columns.

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 17270A20A

| | Trifluorotoluene-F |
|---------|--------------------|
| 9226005 | 91 |
| 9226006 | 103 |
| 9226007 | 122 |
| 9226008 | 89 |
| 9226009 | 90 |
| Blank | 90 |
| LCS | 98 |
| LCSD | 98 |

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 17271A20A

| | Trifluorotoluene-F |
|---------|--------------------|
| 9226010 | 89 |
| 9226011 | 91 |
| 9226012 | 89 |
| Blank | 89 |
| LCS | 96 |
| LCSD | 97 |

Limits: 63-135

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 2 of 2

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------|-----------|--------------------|---|-----------------|----------------------------------|---|--|--------------------------------|--|-------------------------------|--|------------------------------|------------------------------|------------------------------------|--|-------------------------------|--|--|------------------------------|-------------------------------|---|---|----------------------------------|--|--|---------------------|--|----------------|--|--|--|--|--|
| Chevron Site Number: <u>90076</u> Chevron Site Global ID: <u>T0600100339</u> Chevron Site Address: <u>4265 Foothill Blvd., Oakland, CA</u> Chevron PM: <u>Dave Patten</u> Chevron PM Phone No.: <u>(925) 842-7877</u> <input checked="" type="checkbox"/> Retail and Terminal Business Unit (RTBU) Job <input checked="" type="checkbox"/> Construction/Retail Job | | | | Chevron Consultant: <u>GHD</u> Address: <u>5900 Hollis St., Ste A, Emeryville, CA, 94608</u> Consultant Contact: <u>Kiersten Hoey</u> Consultant Phone No. <u>510-420-3347</u> Consultant Project No. <u>170922-ND1</u> Sampling Company: <u>Blaine Tech Services</u> Sampled By (Print): <u>Nicholas Drachenberg</u> Sampler Signature: | | | | ANALYSES REQUIRED | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Charge Code: NWRTB-0098247-0-OML NWRTB 00SITE NUMBER-0- WBS (WBS ELEMENTS: SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY. | | | | Lancaster Laboratories <input checked="" type="checkbox"/> Lancaster, PA Lab Contact: <u>Amek Carter</u> 2425 New Holland Pike, Lancaster, PA 17601 Phone No: (717)656-2300 | | | | Other Lab _____ _____ _____ _____ _____ | | Temp. Blank Check Time Temp. _____ _____ _____ _____ _____ | | Preservation Codes H = HCL T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other 10991 1854382 9226002-12 Special Instructions Must meet lowest detection limits possible for 8260 compounds. | | | | | | | | | | | | | | | | | | | | | | |
| SAMPLE ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Field Point Name | Matrix | Top Depth | Date (yyymmdd) | Sample Name | # of Containers | Container Type | EPA 8260B/GC/MS TEH-G <input type="checkbox"/> | BTEX <input type="checkbox"/> | MITBE <input type="checkbox"/> | OXYGENATES <input type="checkbox"/> | HVOC <input type="checkbox"/> | EPA 8015B GRO <input checked="" type="checkbox"/> | DRO <input type="checkbox"/> | ORO <input type="checkbox"/> | HC SCREEN <input type="checkbox"/> | EPA 8021B BTEX <input type="checkbox"/> | MTBE <input type="checkbox"/> | EPA 6010 Ca, Fe, K, Mg, Mn, Na | EPA6010/7000 TITLE 22 METALS <input type="checkbox"/> | TLC <input type="checkbox"/> | STLC <input type="checkbox"/> | EPA150.1 PH <input type="checkbox"/> | EPA310.1 ALKALINITY <input type="checkbox"/> | SM2510B SPECIFIC CONDUCTIVITY | EPA 418.1 TRPH <input type="checkbox"/> | EPA 413.1 OIL & GREASE <input type="checkbox"/> | EPA 8260 ETHANOL | EPA 8015 TPH-D <input type="checkbox"/> | Notes/Comments | | | | | |
| QA | T | | 170922 | 0700 | 2 | HCL VOA | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-1 | WG | | | 1330 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-2 | WG | | | 1420 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-3 | WG | | | 1215 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-4 | WG | | | 1520 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-6 | WG | | | 1105 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-7 | WG | | | 1035 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-9 | WG | | | 1125 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-10 | WG | | | 1145 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C-11 | WG | | | 1010 | 6 | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished By | | | Company <u>BTS</u> | | | Date/Time: <u>9/22/17 @ 1620</u> | | | Relinquished To | | | Company <u>(S.C) BTS</u> | | | Date/Time: <u>9/22/17 @ 1620</u> | | | Turnaround Time: Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> Other <input type="checkbox"/> | | | | | | | | | | | | | | | | |
| Relinquished By | | | Company <u>BTT</u> | | | Date/Time: <u>9/22/17 @ 1700</u> | | | Relinquished To _____ | | | Company _____ | | | Date/Time _____ | | | Sample Integrity: (Check by lab on arrival) Intact: <input checked="" type="checkbox"/> On Ice: <input checked="" type="checkbox"/> Temp: <u>4.6°C</u> | | | | | | | | | | | | | | | | |
| Relinquished By | | | Company _____ | | | Date/Time _____ | | | Relinquished To | | | Company <u>BTT</u> | | | Date/Time: <u>9-23-17 1000</u> | | | COC # _____ | | | | | | | | | | | | | | | | |



Client: Chevron

Delivery and Receipt Information

| | | | |
|---------------------------|---------------|---------------------|-------------------------|
| Delivery Method: | <u>Fed Ex</u> | Arrival Timestamp: | <u>09/23/2017 10:00</u> |
| Number of Packages: | <u>1</u> | Number of Projects: | <u>1</u> |
| State/Province of Origin: | <u>CA</u> | | |

Arrival Condition Summary

| | | | |
|--------------------------------------|-----|-------------------------------------|-----|
| Shipping Container Sealed: | Yes | Sample IDs on COC match Containers: | Yes |
| Custody Seal Present: | No | Sample Date/Times match COC: | Yes |
| Samples Chilled: | Yes | VOA Vial Headspace \geq 6mm: | N/A |
| Paperwork Enclosed: | Yes | Total Trip Blank Qty: | 2 |
| Samples Intact: | Yes | Trip Blank Type: | HCl |
| Missing Samples: | No | Air Quality Samples Present: | No |
| Extra Samples: | No | | |
| Discrepancy in Container Qty on COC: | No | | |

Unpacked by Melvin Sanchez (8943) at 14:40 on 09/23/2017

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

| <u>Cooler #</u> | <u>Thermometer ID</u> | <u>Corrected Temp</u> | <u>Therm. Type</u> | <u>Ice Type</u> | <u>Ice Present?</u> | <u>Ice Container</u> | <u>Elevated Temp?</u> |
|-----------------|-----------------------|-----------------------|--------------------|-----------------|---------------------|----------------------|-----------------------|
| 1 | 32170023 | 4.6 | IR | Wet | Y | Loose/Bag | N |

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

| | | | |
|-------------------------|--|-----------------|-------------------------------|
| BMQL | Below Minimum Quantitation Level | mg | milligram(s) |
| C | degrees Celsius | mL | milliliter(s) |
| cfu | colony forming units | MPN | Most Probable Number |
| CP Units | cobalt-chloroplatinate units | N.D. | non-detect |
| F | degrees Fahrenheit | ng | nanogram(s) |
| g | gram(s) | NTU | nephelometric turbidity units |
| IU | International Units | pg/L | picogram/liter |
| kg | kilogram(s) | RL | Reporting Limit |
| L | liter(s) | TNTC | Too Numerous To Count |
| lb. | pound(s) | µg | microgram(s) |
| m3 | cubic meter(s) | µL | microliter(s) |
| meq | milliequivalents | umhos/cm | micromhos/cm |
| < | less than | | |
| > | greater than | | |
| ppm | parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas. | | |
| ppb | parts per billion | | |
| Dry weight basis | Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis. | | |

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Data Qualifiers

| Qualifier | Definition |
|----------------|---|
| C | Result confirmed by reanalysis |
| D1 | Indicates for dual column analyses that the result is reported from column 1 |
| D2 | Indicates for dual column analyses that the result is reported from column 2 |
| E | Concentration exceeds the calibration range |
| J (or G, I, X) | Estimated value \geq the Method Detection Limit (MDL or DL) and $<$ the Limit of Quantitation (LOQ or RL) |
| P | Concentration difference between the primary and confirmation column $>40\%$. The lower result is reported. |
| U | Analyte was not detected at the value indicated |
| V | Concentration difference between the primary and confirmation column $>100\%$. The reporting limit is raised due to this disparity and evident interference. |
| W | The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L. |
| Z | Laboratory Defined - see analysis report |

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.