



GETTLER-RYAN INC.

TRANSMITTAL

RECEIVED

1:47 pm, Oct 09, 2007

Alameda County
Environmental Health

October 8, 2007

G-R #385242

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Satya Sinha
Chevron Environmental
Management Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-0917
5280 Hopyard Road
Pleasanton, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	October 3, 2007	Groundwater Monitoring and Sampling Report Third Quarter Event of August 30, 2007

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 22, 2007**, at which time the final report will be distributed to the following:

- cc: Mr. Dan Christopoulos, Christopoulos Properties, 43 Panoramic Way, Walnut Creek, CA 94595-1605
Lamorinda Development and Investment, 89 Davis Road, Suite 160, Orinda, CA 94563
- Mr. Bill Hurtido, Accor North America, 4001 International Parkway, Carrollton, TX 75007
- Mr. Jerry Wickham, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (No Hard Copy-UPLOAD TO ALAMEDA CO.)

Enclosures

trans/9-0917-SS



Satya P. Sinha
Project Manager
Retail and Terminal
Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road,
Room K2256
San Ramon, CA 94583
Tel (925) 842-9876
Fax (925) 842-8370
satyasinha@chevron.com

October 8, 2007

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RE: Chevron Service Station # 9-0917

Address 5280 Hopyard Road, Pleasanton, California


I have reviewed the attached routine groundwater monitoring report dated October 8, 2007.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b) (1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,


Satya P. Sinha

Attachment: Report



GETTLER-RYAN INC.

October 3, 2007
G-R Job #385242

Mr. Satya Sinha
Chevron Environmental Management Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Third Quarter Event of August 30, 2007
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

Dear Mr. Sinha:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Dissolved Oxygen Concentrations
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0917
 5280 Hopyard Road
 Pleasanton, California

FIGURE

1

PROJECT NUMBER
 385242

REVIEWED BY

DATE
 August 30, 2007

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4									
09/16/91	327.28	317.69	9.59	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/92	327.28	317.79	9.49	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/92	327.28	318.39	8.89	<50	<0.5	<0.5	<0.5	<0.5	--
06/05/92	327.28	318.06	9.22	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/92	327.28	317.93	9.35	<50	<0.5	<0.5	<0.5	<0.5	--
12/30/92	327.28	319.00	8.28	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/93	327.28	319.03	8.25	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/93	327.28	318.12	9.16	--	--	--	--	--	--
07/25/93	327.28	318.18	9.10	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	327.28	318.58	8.70	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	327.28	317.38	9.90	<50	<0.5	<0.5	<0.5	0.5	--
03/21/94	327.28	318.03	9.25	<50	1.0	2.0	0.5	1.9	--
06/07/94	327.28	318.23	9.05	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/94	327.28	318.31	8.97	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/94	327.28	318.06	9.22	<50	<0.5	1.1	0.8	2.7	--
03/06/95	327.28	318.26	9.02	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/95	327.28	318.47	8.81	170	<0.5	<0.5	<0.5	<0.5	--
09/14/95	327.28	318.00	9.28	<50	1.0	<0.5	1.6	<0.5	--
12/16/95	327.28	319.42	7.86	<50	<0.5	<0.5	<0.5	<0.5	150
03/28/96	327.28	318.94	8.34	<50	<0.5	<0.5	<0.5	<0.5	53
06/28/96	327.28	318.79	8.49	70	<0.5	<0.5	<0.5	<0.5	92
09/26/96	327.28	318.84	8.44	--	--	--	--	--	--
12/30/96	327.28	319.10	8.18	<50	<0.5	<0.5	<0.5	<0.5	100
03/13/97	327.28	318.43	8.85	--	--	--	--	--	--
06/30/97	327.28	318.79	8.49	260	<0.5	<0.5	<0.5	<0.5	330
09/30/97	326.93	318.32	8.61	--	--	--	--	--	--
12/31/97	326.93	318.40	8.53	<50	<0.5	<0.5	<0.5	<0.5	170
04/02/98	326.93	317.98	8.95	--	--	--	--	--	--
06/29/98	326.93	318.21	8.72	<50	<0.5	<0.5	<0.5	<0.5	150
09/16/98	326.93	317.59	9.34	--	--	--	--	--	--
12/23/98	326.93	318.18	8.75	<50	<0.5	<0.5	<0.5	<0.5	210
03/26/99	326.93	317.79	9.14	<100	<1.0	<1.0	<1.0	<1.0	303
06/25/99	326.93	317.72	9.21	<50	<0.5	<0.5	<0.5	<0.5	228/237 ¹
09/16/99	326.93	317.01	9.92	--	--	--	--	--	--
12/15/99	326.93	318.32	8.61	<50	<0.5	<0.5	<0.5	<0.5	310
03/07/00	326.93	318.59	8.34	--	--	--	--	--	--
06/19/00	326.93	318.84	8.09	<50	<0.50	<0.50	<0.50	<0.50	370

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)									
09/18/00	326.93	318.21	8.72	<50.0	<0.500	<0.500	<0.500	<0.500	326
12/01/00	326.93	318.03	8.90	<50.0	<0.500	<0.500	<0.500	<0.500	478
03/13/01	326.93	318.96	7.97	<50.0	<0.500	<0.500	<0.500	<0.500	9.53
06/01/01	326.93	318.62	8.31	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	326.94	318.49	8.45	<50	<0.50	<0.50	<0.50	<1.5	400
12/05/01	326.94	319.44	7.50	<50	<0.50	<0.50	<0.50	<1.5	350
03/26/02	326.94	318.96	7.98	<50	<0.50	<0.50	<0.50	<1.5	340
06/14/02	326.94	319.10	7.84	<50	<0.50	<0.50	<0.50	<1.5	290
09/20/02	326.94	319.66	7.28	<50	<0.50	<0.50	<0.50	<1.5	420
12/12/02	326.94	320.18	6.76	<50	<0.50	<0.50	<0.50	<1.5	43/42 ⁷
03/07/03	326.94	320.78	6.16	<50	<0.50	<0.50	<0.50	<1.5	550/430 ⁷
06/06/03 ⁹	326.94	321.33	5.61	<50	<0.5	<0.5	<0.5	<0.5	3
09/05/03 ⁹	326.94	319.29	7.65	<50	<0.5	<0.5	<0.5	<0.5	11
12/15/03 ⁹	326.94	319.63	7.31	<50	<0.5	<0.5	<0.5	<0.5	5
03/15/04 ⁹	326.94	319.02	7.92	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	326.94	318.69	8.25	<50	<0.5	<0.5	<0.5	<0.5	17
09/02/04 ⁹	326.94	319.55	7.39	<50	<0.5	<0.5	<0.5	<0.5	0.5
11/30/04 ⁹	326.94	319.66	7.28	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	326.94	321.03	5.91	<50	<0.5	<0.5	<0.5	<0.5	0.7
06/29/05 ⁹	326.94	321.67	5.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	326.94	321.24	5.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/06/05	326.94	320.81	6.13	SAMPLED ANNUALLY	--	--	--	--	--
03/10/06 ⁹	326.94	319.59	7.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06	326.94	319.09	7.85	SAMPLED ANNUALLY	--	--	--	--	--
09/05/06	326.94	319.00	7.94	SAMPLED ANNUALLY	--	--	--	--	--
12/01/06	326.94	318.88	8.06	SAMPLED ANNUALLY	--	--	--	--	--
02/26/07 ⁹	326.94	319.05	7.89	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/01/07	326.94	319.07	7.87	SAMPLED ANNUALLY	--	--	--	--	--
08/30/07	326.94	319.05	7.89	SAMPLED ANNUALLY	--	--	--	--	--
MW-5									
09/16/91	327.82	317.76	10.06	12,000	4,000	29	1,600	92	--
01/22/92	327.82	317.24	10.58	44,000	2,000	320	5,700	2,400	--
03/26/92	327.82	318.64	9.18	39,000	3,200	210	5,700	2,400	--
06/05/92	327.82	317.92	9.90	28,000	3,800	140	4,000	2,000	--
09/23/92	327.82	317.85	9.97	40,000	2,000	290	2,900	1,800	--
12/30/92	327.82	319.02	8.80	44,000	9,000	190	3,100	1,600	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)									
03/22/93	327.82	318.49	9.33	43,000	6,500	170	2,400	2,400	--
06/14/93	327.82	318.04	9.78	--	--	--	--	--	--
07/25/93	327.82	318.10	9.72	43,000	550	45	2,700	1,100	--
09/23/93	327.82	318.40	9.42	44,000	14,000	640	3,700	1,800	--
12/28/93	327.82	318.15	9.67	56,000	12,000	590	4,100	1,600	--
03/21/94	327.82	318.11	9.71	48,000	12,000	600	4,700	1,600	--
06/07/94	327.82	318.10	9.72	42,000	13,000	480	3,700	1,200	--
10/07/94	327.82	318.27	9.55	15,000	1,100	41	950	34	--
12/29/94	327.82	317.90	9.92	45,000	12,000	460	3,600	1,400	--
03/06/95	327.82	318.50	9.32	40,000	9,700	210	3,500	700	--
06/14/95	327.82	318.41	9.41	42,000	8,000	170	3,700	640	--
09/14/95	327.82	317.30	10.52	26,000	4,100	85	2,000	270	--
12/16/95	327.82	319.48	8.34	35,000	7,300	<0.5	2,900	420	<500
03/28/96	327.82	318.09	9.73	30,000	5,200	160	3,500	600	<250
06/28/96	327.82	318.37	9.45	26,000	4,300	60	2,100	200	680
09/26/96	327.82	317.95	9.87	15,000	2,700	59	1,300	140	400
12/30/96	327.82	318.82	9.00	34,000	4,600	120	2,800	660	310
03/13/97	327.82	318.33	9.49	13,000	1,900	34	1,300	220	76
06/30/97	327.82	318.19	9.63	11,000	1,800	19	84	94	160
10/01/97	327.82	318.08	9.74	27,000	4,700	120	3,700	330	310
12/31/97	327.82	318.34	9.48	34,000	8,000	130	3,400	3,900	<500
04/02/98	327.82	317.44	10.38	27,000	4,600	65	3,400	270	270
06/29/98	327.82	317.79	10.03	16,000	3,000	<50	1,800	220	290
09/16/98	327.82	318.84	8.98	9,700	2,700	52	1,400	210	<250
12/23/98	327.82	318.00	9.82	5,100	1,600	18	570	39	130
03/26/99 ²	327.82	318.26	9.56	25,800	4,410	58.4	2,550	57.2	137
06/25/99	327.82	INACCESSIBLE	--	--	--	--	--	--	--
09/16/99	327.82	317.51	10.31	8,850	1,310	20.3	802	120	155
12/15/99	327.82	317.52	10.30	10,000	2,800	33	1,600	160	250
03/07/00	327.82	318.29	9.53	18,700	3,830	95.6	1,900	305	309
06/19/00 ³	327.82	318.90	8.92	1,000 ⁴	290	3.4	<1.0	14	52
09/18/00 ^{3,6}	327.82	318.18	9.64	924 ⁵	205	<5.00	<5.00	<5.00	83.1
12/01/00 ³	327.82	318.05	9.77	<50.0	0.878	<0.500	<0.500	<0.500	<5.00
03/13/01 ³	327.82	318.67	9.15	333	55.0	0.803	21.8	1.44	2.07
06/01/01 ³	327.82	317.71	10.11	130 ⁴	36	<0.50	<0.50	<0.50	7.8/<2.0 ⁷
09/07/01 ⁸	327.82	318.43	9.39	2,600	330	<10	200	12	14
12/05/01	327.82	319.57	8.25	25,000	730	36	2,900	650	<25

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)									
03/26/02	327.82	319.44	8.38	25,000	1,500	31	2,100	400	<100
06/14/02	327.82	320.18	7.64	27,000	900	52	2,400	320	<50
09/20/02	327.82	320.45	7.37	26,000	450	50	2,400	1,100	<100
12/12/02	327.82	320.33	7.49	23,000	260	32	1,900	1,100	<50/<2 ⁷
03/07/03	327.82	320.38	7.44	21,000	270	39	2,000	1,100	<25/<1 ⁷
06/06/03 ⁹	327.82	321.10	6.72	1,700	22	3	190	140	<0.5
09/05/03 ⁹	327.82	318.90	8.92	20,000	170	23	1,200	1,100	<2
12/15/03 ⁹	327.82	319.47	8.35	22,000	240	23	1,300	970	<1
03/15/04 ⁹	327.82	318.80	9.02	17,000	150	20	1,400	790	<1
06/14/04 ⁹	327.82	319.45	8.37	15,000	100	12	1,300	730	<1
09/02/04 ⁹	327.82	319.92	7.90	12,000	81	12	960	600	<3
11/30/04 ⁹	327.82	319.62	8.20	13,000	54	8	750	280	<1
03/11/05 ⁹	327.82	320.41	7.41	11,000	50	5	810	120	<1
06/29/05 ⁹	327.82	320.07	7.75	10,000	58	5	600	75	<0.5
09/14/05 ⁹	327.82	320.26	7.56	11,000	49	4	660	49	<0.5
12/06/05 ⁹	327.82	320.09	7.73	6,500	26	2	210	21	<0.5
03/10/06 ⁹	327.82	319.46	8.36	7,500	45	2	420	13	<0.5
06/06/06 ⁹	327.82	318.82	9.00	8,000	40	1	340	6	<0.5
09/05/06 ⁹	327.82	319.06	8.76	8,200	28	1	340	2	<0.5
12/01/06 ⁹	327.82	319.02	8.80	6,400	26	1	360	3	0.5
02/26/07 ⁹	327.82	319.98	7.84	7,500	26	<0.5	370	3	<0.5
06/01/07 ⁹	327.82	318.78	9.04	6,000	24	1	330	3	<0.5
08/30/07⁹	327.82	318.31	9.51	6,200	24	1	260	3	<0.5
MW-6									
09/16/91	328.48	317.87	10.61	6,200	1,300	3.9	550	78	--
01/22/92	328.48	318.18	10.30	18,000	2,800	48	2,000	440	--
03/26/92	328.48	318.98	9.50	21,000	3,300	17	2,100	300	--
06/05/92	328.48	318.14	10.34	14,000	2,800	9.2	1,800	270	--
09/23/92	328.48	317.92	10.56	19,000	1,000	40	1,200	230	--
12/30/92	328.48	318.71	9.75	15,000	1,100	<5.0	1,000	77	--
03/22/93	328.48	319.21	9.27	15,000	1,300	10	770	220	--
06/14/93	328.48	318.33	10.15	--	--	--	--	--	--
07/25/93	328.48	318.23	10.25	6,400	630	<2.5	440	6.0	--
09/23/93	328.48	318.31	10.17	9,500	1,000	23	690	110	--
12/28/93	328.48	317.96	10.52	11,000	890	31	730	48	--
03/21/94	328.48	318.20	10.28	5,700	380	10	270	22	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)									
06/07/94	328.48	318.20	10.28	5,300	600	4.4	370	26	--
10/07/94	328.48	318.06	10.42	2,600	270	<5.0	110	<5.0	--
12/29/94	328.48	318.23	10.25	4,500	560	6.2	360	<5.0	--
03/06/95	328.48	319.12	9.36	4,100	480	15	290	20	--
06/14/95	328.48	318.37	10.11	2,800	180	6.9	110	6.6	--
09/14/95	328.48	318.21	10.27	3,100	370	<0.5	250	<0.5	--
12/16/95	328.48	319.21	9.27	1,900	210	<0.5	76	<0.5	<13
03/28/96	328.48	319.13	9.35	1,000	120	<0.5	64	<0.5	<5.0
06/28/96	328.48	318.70	9.78	950	110	0.8	44	<0.5	22
09/26/96	328.48	319.02	9.46	1,100	120	1.6	48	<0.5	17
12/30/96	328.48	319.45	9.03	3,200	260	2.3	120	<0.5	23
03/13/97	328.48	318.76	9.72	2,000	250	<0.5	110	<0.5	<5.0
06/30/97	328.48	318.81	9.67	470	<0.5	1.2	<0.5	<0.5	<5.0
10/01/97	327.82	318.53	9.29	1,500	120	3.4	27	<0.5	20
12/31/97	327.82	317.61	10.21	1,500	79	<2.5	28	<2.5	<12
04/02/98	327.82	318.86	8.96	760	48	2.3	9.9	<1.0	15
06/29/98	327.82	318.45	9.37	340	29	<2.5	7.1	<2.5	18
09/16/98	327.82	318.60	9.22	340	18	1.4	5.6	<1.0	18
12/23/98	327.82	317.51	10.31	390	5.4	1.2	0.58	1.2	15
03/26/99 ²	327.82	317.91	9.91	1,310	132	18.5	38.5	1.88	19.1
06/25/99	327.82	317.50	10.32	856	37.4	5.2	10.7	<0.5	<2.0/<5.0 ¹
09/16/99	327.82	317.28	10.54	<50	1.19	<0.5	<0.5	<0.5	<5.0
12/15/99	327.82	319.33	8.49	1,400	110	<5.0	35	<5.0	37
03/07/00	327.82	318.60	9.22	1,200	97.9	2.16	44.8	<1.25	26
06/19/00 ³	327.82	318.42	9.40	160 ¹	1.4	0.73	5.4	2.4	7.9
09/18/00 ^{3,6}	327.82	317.74	10.08	234 ⁵	<0.500	1.72	<0.500	<0.500	<5.00
12/01/00 ³	327.82	317.56	10.26	79.5 ⁵	1.74	<0.500	<0.500	<0.500	<5.00
03/13/01 ³	327.82	318.53	9.29	180	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01 ³	327.82	317.24	10.58	280 ⁴	4.1	0.62	<0.50	<0.50	25/<2.0 ⁷
09/07/01 ⁸	327.83	317.92	9.91	1,200	70	<0.50	42	1.9	<2.5
12/05/01	327.83	319.02	8.81	1,600	45	<2.0	26	<1.5	<2.5
03/26/02	327.83	318.90	8.93	590	6.0	<0.50	<0.50	<1.5	<2.5
06/14/02	327.83	318.97	8.86	740	15	<0.50	<0.50	<1.5	<2.5
09/20/02	327.83	319.83	8.00	770	9.8	1.9	0.71	<1.5	<2.5
12/12/02	327.83	319.83	8.00	780	5.7	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	327.83	320.05	7.78	1,100	130	<0.50	19	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	327.83	320.79	7.04	61	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	327.83	318.79	9.04	390	<0.5	<0.5	<0.5	<0.5	0.9

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6 (cont)									
12/15/03 ⁹	327.83	319.24	8.59	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	327.83	318.92	8.91	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	327.83	318.62	9.21	700	<0.5	<0.5	<0.5	<0.5	19
09/02/04 ⁹	327.83	319.14	8.69	610	<0.5	<0.5	<0.5	<0.5	15
11/30/04 ⁹	327.83	319.28	8.55	290	0.9	<0.5	<0.5	<0.5	14
03/11/05 ⁹	327.83	320.57	7.26	720	<0.5	<0.5	<0.5	<0.5	56
06/29/05 ⁹	327.83	320.72	7.11	370	<0.5	<0.5	<0.5	<0.5	22
09/14/05 ⁹	327.83	320.51	7.32	310	<0.5	<0.5	<0.5	<0.5	8
12/06/05 ⁹	327.83	320.21	7.62	190	<0.5	<0.5	<0.5	<0.5	4
03/10/06 ⁹	327.83	319.40	8.43	110	<0.5	<0.5	<0.5	<0.5	4
06/06/06 ⁹	327.83	318.59	9.24	510	<0.5	<0.5	<0.5	<0.5	5
09/05/06 ⁹	327.83	318.47	9.36	290	<0.5	<0.5	<0.5	<0.5	4
12/01/06 ⁹	327.83	318.22	9.61	230	<0.5	<0.5	<0.5	<0.5	4
02/26/07 ⁹	327.83	318.97	8.86	<50	<0.5	<0.5	<0.5	<0.5	3
06/01/07 ⁹	327.83	318.60	9.23	630	<0.5	<0.5	<0.5	<0.5	4
08/30/07⁹	327.83	318.41	9.42	210	<0.5	<0.5	<0.5	<0.5	3
MW-7									
06/17/97	326.37	318.32	8.05	ND	ND	ND	ND	ND	ND
09/30/97	326.37	318.78	7.59	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	326.37	318.49	7.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	326.37	319.06	7.31	<50	2.6	<0.5	<0.5	<0.5	<2.5
06/29/98	326.37	318.39	7.98	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	326.37	318.55	7.82	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	326.37	318.37	8.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	326.37	318.43	7.94	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/25/99	326.37	318.65	7.72	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	326.37	317.61	8.76	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	326.37	318.42	7.95	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	326.37	319.38	6.99	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	326.37	318.64	7.73	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00 ⁶	326.37	318.21	8.16	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	326.37	317.06	9.31	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	326.37	318.65	7.72	<50.0	<0.500	<0.500	<0.500	<0.500	1.10
06/01/01	326.37	318.40	7.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	326.37	318.61	7.76	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	326.37	318.99	7.38	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-7 (cont)									
03/26/02	326.37	318.96	7.41	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	326.37	318.85	7.52	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	326.37	319.65	6.72	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	326.37	319.18	7.19	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	326.37	319.48	6.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	326.37	319.62	6.75	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	326.37	318.75	7.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	326.37	319.16	7.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	326.37	318.48	7.89	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	326.37	318.56	7.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	326.37	318.59	7.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	326.37	318.67	7.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	326.37	320.14	6.23	<50	<0.5	<0.5	<0.5	<0.5	0.7
06/29/05 ⁹	326.37	319.84	6.53	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	326.37	319.69	6.68	<50	<0.5	<0.5	<0.5	<0.5	11
12/06/05 ⁹	326.37	319.34	7.03	<50	<0.5	<0.5	<0.5	<0.5	12
03/10/06 ⁹	326.37	319.27	7.10	<50	<0.5	<0.5	<0.5	<0.5	8
06/06/06 ⁹	326.37	318.60	7.77	<50	<0.5	<0.5	<0.5	<0.5	9
09/05/06 ⁹	326.37	318.55	7.82	<50	<0.5	<0.5	<0.5	<0.5	6
12/01/06 ⁹	326.37	318.32	8.05	<50	<0.5	<0.5	<0.5	<0.5	2
02/26/07 ⁹	326.37	318.89	7.48	<50	<0.5	<0.5	<0.5	<0.5	3
06/01/07 ⁹	326.37	318.74	7.63	<50	<0.5	<0.5	<0.5	<0.5	2
08/30/07⁹	326.37	318.44	7.93	<50	<0.5	<0.5	<0.5	<0.5	1
MW-8									
06/17/97	325.89	318.15	7.74	ND	ND	ND	ND	ND	ND
09/30/97	325.89	318.16	7.73	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	325.89	318.27	7.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	325.89	318.48	7.41	<50	<0.5	1.3	0.67	3.5	<2.5
06/29/98	325.89	317.98	7.91	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	325.89	318.42	7.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	325.89	318.28	7.61	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	325.89	316.81	9.08	<50	<0.5	<0.5	<0.5	<0.5	5.01
06/25/99	325.89	315.94	9.95	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	325.89	316.00	9.89	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	325.89	317.14	8.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	325.89	317.11	8.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-8 (cont)									
06/19/00	325.89	318.34	7.55	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	325.89	317.64	8.25	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	325.89	317.45	8.44	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	325.89	318.32	7.57	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01	325.89	317.97	7.92	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	325.89	318.11	7.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	325.89	318.57	7.32	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	325.89	318.18	7.71	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	325.89	318.24	7.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	325.89	318.53	7.36	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	325.89	319.00	6.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	325.89	318.94	6.95	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	325.89	319.09	6.80	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	325.89	317.24	8.65	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	325.89	317.62	8.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	325.89	318.64	7.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	325.89	318.03	7.86	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	325.89	318.05	7.84	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	325.89	318.16	7.73	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	325.89	319.46	6.43	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	325.89	317.50	8.39	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	325.89	318.58	7.31	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/06/05	325.89	318.78	7.11	SAMPLED ANNUALLY	--	--	--	--	--
03/10/06 ⁹	325.89	318.77	7.12	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06	325.89	318.45	7.44	SAMPLED ANNUALLY	--	--	--	--	--
09/05/06	325.89	318.08	7.81	SAMPLED ANNUALLY	--	--	--	--	--
12/01/06	325.89	318.55	7.34	SAMPLED ANNUALLY	--	--	--	--	--
02/26/07 ⁹	325.89	318.70	7.19	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/01/07	325.89	318.38	7.51	SAMPLED ANNUALLY	--	--	--	--	--
08/30/07	325.89	317.92	7.97	SAMPLED ANNUALLY	--	--	--	--	--
MW-9									
06/20/97	325.73	317.88	7.85	ND	ND	ND	ND	ND	ND
10/01/97	325.73	318.10	7.63	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/31/97	325.73	318.53	7.20	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	325.73	318.52	7.21	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/98	325.73	315.31	10.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-9 (cont)									
09/16/98	325.73	315.99	9.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	325.73	317.59	8.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	325.73	317.62	8.11	<50	<0.5	<0.5	<0.5	<0.5	<2.0
06/25/99	325.73	318.28	7.45	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	325.73	316.87	8.86	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	325.73	317.93	7.80	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	325.73	318.37	7.36	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	325.73	318.39	7.34	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	325.73	317.61	8.12	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	325.73	317.46	8.27	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
03/13/01	325.73	318.34	7.39	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500
06/01/01	325.73	317.92	7.81	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ⁷
09/07/01	325.73	317.55	8.18	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	325.73	318.58	7.15	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	325.73	318.47	7.26	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	325.73	318.62	7.11	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	325.73	318.74	6.99	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	325.73	318.92	6.81	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
03/07/03	325.73	318.95	6.78	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁷
06/06/03 ⁹	325.73	319.09	6.64	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	325.73	318.30	7.43	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	325.73	318.65	7.08	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	325.73	318.43	7.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	325.73	318.28	7.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	325.73	318.48	7.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	325.73	318.62	7.11	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	325.73	319.44	6.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	325.73	319.11	6.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05	325.73	INACCESSIBLE - VEHICLE PARKED OVER WELL							
12/06/05	325.73	318.75	6.98	SAMPLED ANNUALLY		--	--	--	--
03/10/06 ⁹	325.73	318.72	7.01	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06	325.73	318.27	7.46	SAMPLED ANNUALLY		--	--	--	--
09/05/06	325.73	318.24	7.49	SAMPLED ANNUALLY		--	--	--	--
12/01/06	325.73	318.11	7.62	SAMPLED ANNUALLY		--	--	--	--
02/26/07 ⁹	325.73	318.44	7.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/01/07	325.73	318.22	7.51	SAMPLED ANNUALLY		--	--	--	--
08/30/07	325.73	318.06	7.67	SAMPLED ANNUALLY		--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1									
07/12/89	326.48	--	--	100	<0.5	<0.5	6.0	<0.5	--
08/02/89	326.48	318.38	8.10	--	--	--	--	--	--
10/24/89	326.48	318.97	7.51	<50	1.0	<0.5	13	<0.5	--
03/12/90	326.48	318.07	8.41	140	0.8	<0.5	1.0	<0.5	--
03/26/90	326.48	318.34	8.14	--	--	--	--	--	--
06/22/90	326.48	318.17	8.31	<50	<0.5	<0.5	<0.5	<0.5	--
09/11/90	326.48	318.35	8.14	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	326.48	318.34	8.02	77	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
MW-2									
07/17/89	327.53	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/02/89	327.53	318.48	9.05	--	--	--	--	--	--
10/24/89	327.53	318.29	9.24	<50	<0.5	<0.5	<0.5	<0.5	--
03/12/90	327.53	317.46	10.07	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/90	327.53	317.48	10.05	--	--	--	--	--	--
06/22/90	327.53	317.48	10.05	<50	<0.5	<0.5	<0.5	<0.5	--
09/11/90	327.53	317.85	9.68	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	327.53	318.30	9.23	<50	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
MW-3									
07/17/89	326.47	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/02/89	326.47	318.32	8.15	--	--	--	--	--	--
10/24/89	326.47	318.88	7.59	<50	<0.5	<0.5	<0.5	<0.5	--
03/12/90	326.47	318.00	8.47	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/90	326.47	317.64	8.83	--	--	--	--	--	--
06/22/90	326.47	317.64	8.83	<50	0.4	<0.5	0.8	<0.5	--
09/11/90	326.47	318.06	8.41	<50	<0.5	<0.5	<0.5	<0.5	--
04/18/91	326.47	318.49	7.98	<50	<0.5	<0.5	<0.5	<0.5	--
ABANDONED									
BAILER BLANK									
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/25/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK									
06/22/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
09/16/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
01/22/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/26/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/05/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/30/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/25/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/23/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/28/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/21/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
10/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/06/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/14/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/14/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/13/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/30/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/01/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/31/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/29/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/16/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/23/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/26/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
09/16/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/15/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/07/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/18/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00
12/01/00	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA(cont)									
03/13/01	--	--	--	<50.0	<0.500	1.61	<0.500	0.593	<0.500
06/01/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/07/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/26/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/20/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/12/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/07/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/06/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/15/03 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/15/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/14/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/02/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/30/04 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/11/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/29/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/14/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/06/05 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/10/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/06/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/05/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/01/06 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/26/07 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
06/01/07 ⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/30/07⁹	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled by reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

¹ Confirmation run.

² ORC installed.

³ ORC present in well.

⁴ Laboratory report indicates gasoline C6-C12.

⁵ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁶ Laboratory report indicates insufficient preservative to reduce sample pH to less than 2. Sample was analyzed within 14 days, but beyond the seventh day recommended for Benzene, Toluene, Xylenes, and Ethylbenzene.

⁷ MTBE by EPA Method 8260.

⁸ Removed ORC from well.

⁹ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-4	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	42	<2	<2	<2	<2	<2
	03/07/03	--	<5	430	<0.5	<0.5	3	<0.5	<0.5
	06/06/03	--	--	3	--	--	--	--	--
	09/05/03	<50	--	11	--	--	--	--	--
	12/15/03	<50	--	5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	17	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	0.7	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/06/05	SAMPLED ANNUALLY		--	--	--	--	--	--
	03/10/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
02/26/07	<50	<2	<0.5	<0.5	<0.5	<0.5	--	--	
MW-5	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<10	<1	<1	<1	<1	<1	<1
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<200	--	<2	--	--	--	--	--
	12/15/03	<130	--	<1	--	--	--	--	--
	03/15/04	<130	<13	<1	<1	<1	<1	--	--
	06/14/04	<100	<10	<1	<1	<1	<1	--	--
	09/02/04	<250	<25	<3	<3	<3	<3	--	--
	11/30/04	<130	<13	<1	<1	<1	<1	--	--
	03/11/05	<100	<10	<1	<1	<1	<1	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/06/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/10/06	<50	13	<0.5	<0.5	<0.5	<0.5	--	--
	06/06/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/05/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/01/06	<50	<5	0.5	<0.5	<0.5	<0.5	--	--
	02/26/07	<50	<2	<0.5	<0.5	<0.5	<0.5	--	--
	06/01/07	<50	<2	<0.5	<0.5	<0.5	<0.5	--	--
08/30/07	<50	<2	<0.5	<0.5	<0.5	<0.5	--	--	

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-6	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	4	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	1	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	0.9	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	19	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	15	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	14	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	56	<0.5	<0.5	3	--	--
	06/29/05	<50	<5	22	<0.5	<0.5	0.8	--	--
	09/14/05	<50	<5	8	<0.5	<0.5	<0.5	--	--
	12/06/05	<50	<5	4	<0.5	<0.5	<0.5	--	--
	03/10/06	<50	<5	4	<0.5	<0.5	<0.5	--	--
	06/06/06	<50	<5	5	<0.5	<0.5	<0.5	--	--
	09/05/06	<50	<5	4	<0.5	<0.5	<0.5	--	--
	12/01/06	<50	<5	4	<0.5	<0.5	<0.5	--	--
	02/26/07	<50	<2	3	<0.5	<0.5	<0.5	--	--
06/01/07	<50	<2	4	<0.5	<0.5	<0.5	--	--	
08/30/07	<50	<2	3	<0.5	<0.5	<0.5	--	--	
MW-7	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	0.7	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	11	<0.5	<0.5	<0.5	--	--
	12/06/05	<50	<5	12	<0.5	<0.5	<0.5	--	--
03/10/06	<50	<5	8	<0.5	<0.5	<0.5	--	--	
06/06/06	<50	<5	9	<0.5	<0.5	<0.5	--	--	

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-7 (cont)	09/05/06	<50	<5	6	<0.5	<0.5	<0.5	--	--
	12/01/06	<50	<5	2	<0.5	<0.5	<0.5	--	--
	02/26/07	<50	<2	3	<0.5	<0.5	<0.5	--	--
	06/01/07	<50	<2	2	<0.5	<0.5	<0.5	--	--
	08/30/07	<50	<2	1	<0.5	<0.5	<0.5	--	--
MW-8	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	12/06/05	SAMPLED ANNUALLY		--	--	--	--	--	--
	03/10/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
02/26/07	<50	<2	<0.5	<0.5	<0.5	<0.5	--	--	
MW-9	06/01/01	--	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	12/12/02	--	<100	<2	<2	<2	<2	<2	<2
	03/07/03	--	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	06/06/03	--	--	<0.5	--	--	--	--	--
	09/05/03	<50	--	<0.5	--	--	--	--	--
	12/15/03	<50	--	<0.5	--	--	--	--	--
	03/15/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/14/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/02/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	11/30/04	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	03/11/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	06/29/05	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	09/14/05	INACCESSIBLE - VEHICLE PARKED OVER WELL		--	--	--	--	--	--
	12/06/05	SAMPLED ANNUALLY		--	--	--	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Chevron Service Station #9-0917
 5280 Hopyard Road
 Pleasanton, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-9 (cont)	03/10/06	<50	<5	<0.5	<0.5	<0.5	<0.5	--	--
	02/26/07	<50	<2	<0.5	<0.5	<0.5	<0.5	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide/1,2-Dibromoethane
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	D.O. Pre-Purge (mg/L)	D.O. Post-Purge (mg/L)
MW-4	09/07/01	1.96	--
	12/05/01	1.96	--
	03/26/02	2.10	--
	06/14/02	3.10	--
	09/20/02	2.30	--
	12/12/02	2.10	--
	03/07/03	0.40	--
	06/06/03	2.10	--
	09/05/03	2.00	--
	12/15/03	2.46	--
	03/15/04	1.20	--
	06/14/04	1.80	--
	09/02/04	1.60	--
	11/30/04	1.80	--
	03/11/05	2.30	--
	06/29/05	2.40	--
09/14/05	2.70	--	
03/10/06	2.20	--	
02/26/07	2.60	--	
MW-5	06/19/00	9.65	--
	09/18/00	3.59	--
	12/01/00	3.76	--
	03/13/01	3.59	--
	06/01/01	3.36	--
	09/07/01	4.02	--
	12/05/01	1.04	--
	03/26/02	1.00	--
	06/14/02	0.90	--
	09/20/02	1.00	--
	12/12/02	1.10	--
	03/07/03	0.10	--
	06/06/03	0.80	--
	09/05/03	1.00	--
	12/15/03	1.78	--
	03/15/04	1.60	--
	06/14/04	2.40	--
	09/02/04	1.90	--
	11/30/04	2.00	--
	03/11/05	2.30	--
	06/29/05	1.90	--
	09/14/05	1.60	--
	12/06/05	2.10	--
03/10/06	1.80	--	
06/06/06	1.10	--	
09/05/06	1.70	--	
12/01/06	1.90	--	
02/26/07	2.20	--	
06/01/07	1.9	--	
08/30/07	2.3	--	

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	D.O. Pre-Purge (mg/L)	D.O. Post-Purge (mg/L)
MW-6	06/19/00	5.88	--
	09/18/00	4.81	--
	12/01/00	4.27	--
	03/13/01	4.12	--
	06/01/01	3.84	--
	09/07/01	4.26	--
	12/05/01	1.26	--
	03/26/02	1.30	--
	06/14/02	1.40	--
	09/20/02	1.30	--
	12/12/02	1.40	--
	03/07/03	0.90	--
	06/06/03	1.20	--
	09/05/03	1.30	--
	12/15/03	1.91	--
	03/15/04	1.40	--
	06/14/04	1.50	--
	09/02/04	1.70	--
	11/30/04	1.80	--
	03/11/05	2.30	--
	06/29/05	1.50	--
	09/14/05	0.70	--
	12/06/05	1.60	--
	03/10/06	1.60	--
	06/06/06	0.60	--
	09/05/06	1.20	--
	12/01/06	1.40	--
	02/26/07	1.50	--
06/01/07	1.3	--	
08/30/07	1.6	--	
MW-7	09/07/01	2.04	--
	12/05/01	1.84	--
	03/26/02	2.00	--
	06/14/02	2.00	--
	09/20/02	2.10	--
	12/12/02	2.00	--
	03/07/03	0.10	--
	06/06/03	1.50	--
	09/05/03	1.80	--
	12/15/03	3.02	--
	03/15/04	1.70	--
	06/14/04	1.10	--
	09/02/04	1.00	--
	11/30/04	0.90	--
	03/11/05	2.40	--
	06/29/05	2.20	--
	09/14/05	1.70	--
	12/06/05	2.00	--
	03/10/06	2.20	--
	06/06/06	0.90	--
09/05/06	0.93	--	

Table 3
Dissolved Oxygen Concentrations
Chevron Service Station #9-0917
5280 Hopyard Road
Pleasanton, California

WELL ID	DATE	D.O. Pre-Purge (mg/L)	D.O. Post-Purge (mg/L)
MW-7(cont)	12/01/06	1.12	--
	02/26/07	0.97	--
	06/01/07	1.1	--
	08/30/07	1.3	--
MW-8	09/07/01	2.17	--
	12/05/01	2.10	--
	03/26/02	2.10	--
	06/14/02	2.00	--
	09/20/02	2.10	--
	12/12/02	2.20	--
	03/07/03	0.60	--
	06/06/03	1.70	--
	09/05/03	2.00	--
	12/15/03	2.93	--
	03/15/04	1.30	--
	06/14/04	1.60	--
	09/02/04	1.20	--
	11/30/04	1.30	--
	03/11/05	1.60	--
	06/29/05	1.20	--
	09/14/05	1.60	--
03/10/06	1.50	--	
02/26/07	1.90	--	
MW-9	09/07/01	1.72	--
	12/05/01	2.21	--
	03/26/02	2.20	--
	06/14/02	1.90	--
	09/20/02	2.00	--
	12/12/02	2.10	--
	03/07/03	0.60	--
	06/06/03	1.80	--
	09/05/03	1.90	--
	12/15/03	3.15	--
	03/15/04	1.80	--
	06/14/04	1.00	--
	09/02/04	1.10	--
	11/30/04	1.20	--
	03/11/05	0.20	--
06/29/05	1.60	--	
09/14/05	INACCESSIBLE - VEHICLE PARKED OVER WELL		
03/10/06	1.40	--	
02/26/07	1.70	--	

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hill, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0917 Job Number: 385242
 Site Address: 5280 Hopyard Road Event Date: 8/30/07 (inclusive)
 City: Pleasanton, CA Sampler: RJE

Well ID: MW-5 Date Monitored: 8/30/07 Well Condition: see wcss

Well Diameter: 2 in.
 Total Depth: 24.02 ft.
 Depth to Water: 9.51 ft.
14.51 x VF .17 = 2.4 x3 case volume = Estimated Purge Volume: 7.4 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0810 Weather Conditions: Sunny
 Sample Time/Date: 0840 8/30/07 Water Color: Cloudy Odor: yes
 Purging Flow Rate: .5 gpm. Sediment Description: light
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>0816</u>	<u>2.5</u>	<u>7.33</u>	<u>760</u>	<u>20.6</u>	<u>PRE: 2.3</u>	
<u>0822</u>	<u>5</u>	<u>7.28</u>	<u>773</u>	<u>20.8</u>		
<u>0829</u>	<u>7.5</u>	<u>7.24</u>	<u>786</u>	<u>21.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0917
 Site Address: 5280 Hopyard Road
 City: Pleasanton, CA

Job Number: 385242
 Event Date: 8/30/07 (inclusive)
 Sampler: Kyle E

Well ID: MW-6 Date Monitored: 8/30/07 Well Condition: See well
 Well Diameter: 2 in.
 Total Depth: 25.12 ft.
 Depth to Water: 9.42 ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

15.70 x VF .17 = 2.6 x3 case volume= Estimated Purge Volume: 8 gal.
 Check if water column is less that 0.50 ft.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0852 Weather Conditions: Sunny
 Sample Time/Date: 0923 18/30/07 Water Color: Cloudy Odor: yes
 Purging Flow Rate: .5 gpm. Sediment Description: light
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0857</u>	<u>2.5</u>	<u>7.66</u>	<u>647</u>	<u>21.3</u>	<u>PRE: 1.6</u>	
<u>0903</u>	<u>5</u>	<u>7.58</u>	<u>661</u>	<u>21.6</u>		
<u>0911</u>	<u>8</u>	<u>7.52</u>	<u>672</u>	<u>21.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>6</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)

COMMENTS: _____

Add/Replaced Lock: 1 Add/Replaced Plug: 1 Size: 2"



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0917 Job Number: 385242
 Site Address: 5280 Hopyard Road Event Date: 8/30/07 (inclusive)
 City: Pleasanton, CA Sampler: KJE

Well ID: MW-7 Date Monitored: 8/30/07 Well Condition: SEEWSS
 Well Diameter: 2 in.
 Total Depth: 20.04 ft.
 Depth to Water: 7.93 ft.
 Volume Factor (VF) table:

3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

 12.11 x VF 117 = 2 x3 case volume = Estimated Purge Volume: 6 gal.

Check if water column is less than 0.50 ft.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0932 Weather Conditions: Sunny
 Sample Time/Date: 0956 8/30/07 Water Color: Cloudy Odor: no
 Purging Flow Rate: .5gpm. Sediment Description: light
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0936</u>	<u>2</u>	<u>7.28</u>	<u>484</u>	<u>22.5</u>	<u>PRE: 1.3</u>	
<u>0940</u>	<u>4</u>	<u>7.20</u>	<u>497</u>	<u>22.8</u>		
<u>0944</u>	<u>6</u>	<u>7.16</u>	<u>510</u>	<u>23.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0917 Job Number: 385242
 Site Address: 5280 Hopyard Road Event Date: 8/30/07 (inclusive)
 City: Pleasanton, CA Sampler: KYEE

Well ID: MW-8 Date Monitored: 8/30/07 Well Condition: seewcss
 Well Diameter: 2 in.
 Total Depth: 20.36 ft.
 Depth to Water: 7.97 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.
 Check if water column is less that 0.50 ft.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
					PRE:	

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL(8260)

COMMENTS: _____
 Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



Analysis Report

2425 New Holland Pike, PO Box 12425 Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2661 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED
GETTLER-RYAN INC
GENERAL CONTRACTORS

SAMPLE GROUP

The sample group for this submittal is 1054095. Samples arrived at the laboratory on Friday, August 31, 2007. The PO# for this group is 0015019052 and the release number is SINHA.

Client Description

QA-T-070830 NA Water
MW-5-W-070830 Grab Water
MW-6-W-070830 Grab Water
MW-7-W-070830 Grab Water

Lancaster Labs Number

5143019
5143020
5143021
5143022

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717 656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script, appearing to read "Christine Dulongy".

Christine Dulongy
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 5143019

QA-T-070830 NA Water
 Facility# 90917 Job# 385242 GRD
 5280 Hopyard-Pleasanton T0600100345 QA
 Collected: 08/30/2007

Account Number: 10904

Submitted: 08/31/2007 09:55
 Reported: 09/13/2007 at 15:11
 Discard: 10/14/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

PL-TB
 I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	09/04/2007	09:53	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/07/2007	15:13	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/04/2007	09:53	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/07/2007	15:13	Anita M Dale	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 5143020

MW-5-W-070830 Grab Water
Facility# 90917 Job# 385242 GRD
5280 Hopyard-Pleasanton T0600100345 MW-5
Collected: 08/30/2007 08:40 by KE

Account Number: 10904

Submitted: 08/31/2007 09:55
Reported: 09/13/2007 at 15:11
Discard: 10/14/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

PL-M5
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	6,200.	250.	ug/l	5
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	2.	ug/l	1
05401	Benzene	71-43-2	24.	0.5	ug/l	1
05407	Toluene	108-88-3	1.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	260.	5.	ug/l	10
06310	Xylene (Total)	1330-20-7	3.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	09/04/2007 15:16	K. Robert Caulfeild-James	5
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/08/2007 02:19	Michael A Ziegler	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/08/2007 02:42	Michael A Ziegler	10
01146	GC VOA Water Prep	SW-846 5030B	1	09/04/2007 15:16	K. Robert Caulfeild-James	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/08/2007 02:19	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	09/08/2007 02:42	Michael A Ziegler	10



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5143021

MW-6-W-070830 Grab Water
Facility# 90917 Job# 385242 GRD
5280 Hopyard-Pleasanton T0600100345 MW-6
Collected:08/30/2007 09:23 by KE

Account Number: 10904

Submitted: 08/31/2007 09:55
Reported: 09/13/2007 at 15:11
Discard: 10/14/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

PL-M6
I 5E w


CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	210.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	3.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	2.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1
Preservation requirements were not met. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 6.						

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis			Analyst	Dilution Factor
			Trial#	Date and Time			
01728	TPH-GRO - Waters	SW-846 8015B modified	1	09/05/2007 11:18		K. Robert Caulfeild-James	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/08/2007 03:05		Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/05/2007 11:18		K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/08/2007 03:05		Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 2

Lancaster Laboratories Sample No. WW 5143021

MW-6-W-070830 Grab Water
Facility# 90917 Job# 385242 GRD
5280 Hopyard-Pleasanton T0600100345 MW-6
Collected: 08/30/2007 09:23 by KE

Account Number: 10904

Submitted: 08/31/2007 09:55
Reported: 09/13/2007 at 15:11
Discard: 10/14/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

PL-M6



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW 5143022**

MW-7-W-070830 Grab Water
 Facility# 90917 Job# 385242 GRD
 5280 Hopyard-Pleasanton T0600100345 MW-7
 Collected: 08/30/2007 09:56 by KE

Account Number: 10904

Submitted: 08/31/2007 09:55
 Reported: 09/13/2007 at 15:11
 Discard: 10/14/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

PL-M7
 I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
<p>The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 4.</p>						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	2.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	09/05/2007 11:47	K. Robert Caulfeild-James	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	09/08/2007 03:28	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/05/2007 11:47	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/08/2007 03:28	Michael A Ziegler	1

Quality Control Summary

 Client Name: Chevron
 Reported: 09/13/07 at 03:11 PM

Group Number: 1054095

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 07246A08A TPH-GRO - Waters	N.D.	50.	5143019-5143020 ug/l	89	121	75-135	30	30
Batch number: 07247A08A TPH-GRO - Waters	N.D.	50.	5143021-5143022 ug/l	122	119	75-135	2	30
Batch number: D072502AA Methyl Tertiary Butyl Ether	N.D.	0.5	5143019 ug/l	95		73-119		
Benzene	N.D.	0.5	ug/l	93		78-119		
Toluene	N.D.	0.5	ug/l	93		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	93		83-113		
Batch number: D072503AA Ethanol	N.D.	50.	5143020-5143022 ug/l	136		31-166		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	93		73-119		
di-Isopropyl ether	N.D.	0.5	ug/l	88		70-123		
Ethyl t-butyl ether	N.D.	0.5	ug/l	84		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	79		79-113		
t-Butyl alcohol	N.D.	2.	ug/l	86		74-117		
Benzene	N.D.	0.5	ug/l	89		78-119		
Toluene	N.D.	0.5	ug/l	91		85-115		
Ethylbenzene	N.D.	0.5	ug/l	90		82-119		
Xylene (Total)	N.D.	0.5	ug/l	90		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 07246A08A TPH-GRO - Waters	93		5143019-5143020 UNSPK: P141828 63-154						
Batch number: 07247A08A TPH-GRO - Waters	130	129	5143021-5143022 UNSPK: P142838 63-154	1	30				
Batch number: D072502AA Methyl Tertiary Butyl Ether	98	95	5143019 UNSPK: P142974 69-127	2	30				
Benzene	99	98	83-128	1	30				
Toluene	101	98	83-127	3	30				
Ethylbenzene	102	101	82-129	0	30				
Xylene (Total)	99	99	82-130	1	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 09/13/07 at 03:11 PM

Group Number: 1054095

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: D072503AA	Sample number(s): 5143020-5143022 UNSPK: P142967								
Ethanol	109	103	32-164	5	30				
Methyl Tertiary Butyl Ether	91	95	69-127	4	30				
di-Isopropyl ether	90	93	68-129	4	30				
Ethyl t-butyl ether	85	89	78-119	5	30				
t-Amyl methyl ether	79	84	72-125	6	30				
t-Butyl alcohol	79	88	70-121	7	30				
Benzene	94	98	83-128	4	30				
Toluene	98	99	83-127	1	30				
Ethylbenzene	96	97	82-129	1	30				
Xylene (Total)	94	97	82-130	3	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: TPH-GRO - Waters
 Batch number: 07246A08A
 Trifluorotoluene-F

5143019	96
5143020	122
Blank	98
LCS	98
LCSD	99
MS	98

Limits: 63-135

 Analysis Name: TPH-GRO - Waters
 Batch number: 07247A08A
 Trifluorotoluene-F

5143021	98
5143022	97
Blank	94
LCS	97
LCSD	97
MS	100
MSD	98

Limits: 63-135

 Analysis Name: BTEX+MTEE by 8260B
 Batch number: D072502AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5143019	92	86	94	94
Blank	92	88	95	96

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 09/13/07 at 03:11 PM

Group Number: 1054095

Surrogate Quality Control

	93	87	95	99
LCS	93	87	95	99
MS	91	90	94	98
MSD	92	86	92	96
Limits:	80-116	77-113	80-113	78-113
Analysis Name: BTEX+5 Oxygenates+ETOH				
Batch number: D072503AA				
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5143020	90	85	96	95
5143021	94	87	100	94
5143022	92	87	96	91
Blank	89	83	95	91
LCS	86	82	93	91
MS	89	85	94	92
MSD	95	88	99	97
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.