



October 13, 2000

Mr. Larry Seto
ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY
ENVIRONMENTAL PROTECTION (LOP)
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

**RE: Third Quarter Groundwater Monitoring/
Free Product Removal Progress
ARAMARK Uniform Services, Inc.
330 Chestnut Street, Oakland, California**

Dear Mr. Seto:

This letter summarizes groundwater monitoring activities conducted at the above referenced facility by RMT, Inc. (RMT), on behalf of ARAMARK Uniform Services, Inc. (ARAMARK), during the third quarter 2000 period. A site plan showing the locations of the groundwater monitoring wells is presented as Attachment A.

In a letter dated September 13, 2000, the Alameda County Health Care Services Agency (ACHCSA) authorized ARAMARK's request to reduce the sampling frequency of monitoring well RAO-3 from quarterly to semi-annually.

A groundwater sample was collected from monitoring well RAO-3 on September 14, 2000. Prior to sampling, monitoring well RAO-3 was purged using a single use disposable polyethylene bailer. A minimum of three well casing volumes was extracted before collecting the groundwater sample. The temperature, pH, and conductivity of the extracted groundwater were measured and recorded at least once per well casing volume removed (Attachment B). After well RAO-3 had recharged to within 80 percent of its pre-purge volume, a groundwater sample was collected utilizing a disposable polyethylene bailer equipped with a polyethylene stopcock, and dispensed directly into appropriate laboratory prepared containers. Samples collected were stored on ice pending transport to a commercial independent California-certified laboratory according to US EPA protocol, including chain-of-custody procedures. Groundwater sample collection data are presented in Appendix B



*Integrated
Environmental
Solutions*

6065 Bristol Parkway, 2nd Floor
Culver City, CA 90230-6601
Telephone: 310-645-6970
Fax: 310-645-6971

ENVIRONMENTAL
PROTECTION
00 OCT 16 AM 9:47

October 13, 2000

Mr. Larry Seto
ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RE: **ARAMARK Uniform Services, Inc.**
330 Chestnut Street
Oakland, California

Dear Mr. Seto:

Please find attached one copy of the Third Quarter 2000 Groundwater Monitoring Report for the above referenced facility.

If you have any questions or comments about the attached report, please feel free to contact me at (310) 645-6970 or David B. McKenzie at (312) 575 0200.

Sincerely,

RMT, Inc.

Tariq Ahmad
Technical Manager

cc: Mr. Samuel J. Niemann, The Wetlands Company (2)
Mr. Phil Krejci, ARAMARK Uniform Services, Inc. (without attachments)
Mr. David B. McKenzie, RMT, Inc.

Groundwater samples collected were chemically analyzed to detect the presence of total petroleum hydrocarbons as diesel (TPH-D) using US EPA SW-846 Method 8015M. In addition, the samples were also analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX) using US EPA SW-846 Method 8020. The results of the chemical analyses are summarized in Table 1 and a copy of the laboratory report is included as Attachment C. All chemical analyses were performed by American Analytics of Chatsworth, California.

Table 1
Chemical Analyses of Groundwater (Former Diesel Fuel UST Area)

Sample Location	Sampling Date	Parameter (ug/L)				
		Benzene	Toluene	Ethylbenzene	Xylenes	TPH-D
RAO-3	09-14-00	<0.5	<0.5	0.62	<1	2,700
	02-02-00	<0.5	<0.5	<0.5	<1	10,000
	10-05-99	<0.5	<0.5	0.67	5.2	950
	07-30-99	<0.3	<0.3	0.46	<0.6	4,900
	04-07-99 ^a	—	—	—	—	—
	01-14-99	0.30	<0.3	<0.3	<0.6	1,900
	08-28-98 ^a	—	—	—	—	—
	01-17-98 ^a	—	—	—	—	—
	10-17-97	0.79	<0.3	3.6	3.5	46,000
	11-15-96	0.33	<0.3	0.61	<0.6	24,000
	08-06-96	0.45	<0.3	<0.3	<0.6	11,000
	05-10-96	1.8	<0.3	3.0	5.5	2,000,000
02-01-96	16	<0.5	55	<0.5	1,700,000	
Blank	09-14-00	<0.5	<0.5	<0.5	<1	—

a: Free product sheen identified

—: Not Analyzed

Free product was not identified in monitoring well RAO-3 during the third quarter 2000 period. Since inception of free product collection activities (December 1992), approximately 2.50 gallons (9,462 mL) of free product have been recovered to date using the passive product recovery canister. A summary of product recovery operations is presented in Attachment D.

If you have any questions regarding this summary of activities, please feel free to contact me at (310) 645-6970 or Dave McKenzie at (734) 971-7080.

Sincerely,

RMT, Inc.

A handwritten signature in black ink, appearing to read 'Tariq Ahmad', written over a horizontal line.

Tariq Ahmad
Technical Manager

Attachments: Attachment A - Site Plan
 Attachment B - Groundwater Sample Collection Data
 Attachment C - Laboratory Report
 Attachment D - Product Recovery Activities

cc: Phil Krejci, ARAMARK Uniform Services
 Samuel J. Niemann, The Wetlands Company (2)

ATTACHMENT A

SITE PLAN

ATTACHMENT B
GROUNDWATER COLLECTION DATA

GROUNDWATER SAMPLE COLLECTION DATA

Project Name:	Aramark - Oakland
Sampling Date	September 14, 2000
Sampled By:	Tariq Ahmad

Monitoring Well	Purge Number	Volume (Gal)	Temp (°F)	pH	Turbidity (NTU)	Cond. (uS/cm)	DTW (ft)
RAO-3	1	1	79.0	6.8	--	115	7.82
	2	3	71.2	7.9	--	109	
	3	6	70.0	6.9	--	102	

*Turbidity meter malfunctioned.

Gal - gallons

°F - degrees Fahrenheit

NTU - nephelometric turbidity units

uS/cm - microsiemens per centimeter

ft - feet

Temp - temperature

Cond. - conductivity

DTW - depth to water

ATTACHMENT C
LABORATORY REPORT



LABORATORY ANALYSIS RESULTS

Client: RMT, Inc.
Project No.: 12013.17
Project Name: Aramark-Oakland
Sample Matrix: Water
Method: EPA 8020 (BTEX)

AA Project No.: A39450
Date Received: 09/26/00
Date Reported: 09/29/00
Units: ug/L

Date Sampled:	09/14/00	09/14/00	
Date Analyzed:	09/28/00	09/28/00	
AA ID No.:	111994	111995	
Client ID No.:	RAO-3	Blank	MRL
Compounds:			
Benzene	<0.5	<0.5	0.5
Ethylbenzene	0.62	<0.5	0.5
Toluene	<0.5	<0.5	0.5
Xylenes	<1	<1	1

MRL: Method Reporting Limit

George Havalias
George Havalias
Laboratory Director



LABORATORY QA/QC REPORT

Client: RMT, Inc.
Project Name: Aramark-Oakland
Method: EPA 8020 (BTEX)
Sample ID: Matrix Spike
Concentration: 20 ug/L

AA ID No.: 111995
Project No.: 12013.17
AA Project No.: A39450
Date Analyzed: 09/28/00
Date Reported: 09/29/00

Compounds	Result (ug/L)	Spike Recovery (%)	Dup. Result (ug/L)	Spike/Dup. Recovery (%)	RPD (%)	Accept.Rec. Range (%)
Benzene	18.97	95	18.8	94	1	65 - 135
Ethylbenzene	18.68	93	19.1	96	3	77 - 123
Toluene	17.64	88	18.1	91	3	66 - 134
Xylenes	17.77	89	18.1	91	2	73 - 127

George Havalias
George Havalias
Laboratory Director



LABORATORY ANALYSIS RESULTS

Client: RMT, Inc.
Project No.: 12013.17
Project Name: Aramark-Oakland
Sample Matrix: Water
Method: EPA 8015M (Diesel Range Org.)

AA Project No.: A39450
Date Received: 09/26/00
Date Reported: 09/28/00
Units: mg/L

AA I.D. No.	Client I.D. No.	Date Sampled	Date Extracted	Date Analyzed	Results	MRL
111994	RAO-3	09/14/00	09/27/00	09/27/00	2.7	1

MRL: Method Reporting Limit

George Havalias
George Havalias
Laboratory Director



LABORATORY QA/QC REPORT

Client: RMT, Inc.
Project Name: Aramark-Oakland
Method: EPA 8015M (Diesel Range Org.)
Sample ID: Matrix Spike
Concentration: 20 mg/L

AA ID No.: 111994
Project No.: 12013.17
AA Project No.: A39450
Date Analyzed: 09/27/00
Date Reported: 09/28/00

Compounds	Result (mg/L)	Spike Recovery (%)	Dup. Result (mg/L)	Spike/Dup. Recovery (%)	RPD (%)	Accept.Rec. Range (%)
Diesel Range Organics	22.3	112	22.8	114	2	19 - 181

George Havalias
George Havalias
Laboratory Director



AMERICAN ANALYTICS CHAIN-OF-CUSTODY RECORD

9765 ETON AVE., CHATSWORTH, CA 91311

Tel: 818-998-5547 FAX: 818-998-7258

DATE: _____

PAGE 1 OF 1

AA Client <u>RMT, INC</u>						Phone <u>310 645 6970</u>		Sampler's Name <u>TARIQ AHMAD</u>		
Project Manager <u>TARIQ AHMAD</u>						P.O. No.		Sampler's Signature		
Project Name <u>ARRIMARK - OAKLAND</u>						Project No. <u>12013.17</u>		Project Manager's Signature		
Job Name _____ and Address _____						ANALYSIS REQUIRED (Test Name)				Special Test Requirements / Comments i.e., - Turnaround Time, Detection Limits, Data Package.)
						<div style="transform: rotate(-45deg); display: inline-block;">TPH-D 8015M</div> <div style="transform: rotate(-45deg); display: inline-block;">BTEX 8020</div>				
Client's ID	AA ID#	Date	Time	Sample Type	Number of Containers					
<u>RAC-3</u>	<u>111994</u>	<u>9/14/06</u>	<u>2pm</u>	<u>WATER</u>	<u>3</u>	X	X			
<u>BLANK</u>	<u>111915</u>	<u>9/14/06</u>	<u>-</u>	<u> </u>	<u>1</u>	X	X			
SAMPLE INTEGRITY TO BE FILLED IN BY RECEIVING LAB						Relinquished by:	Date	Time	Received by:	
Samples Intact Yes <u> </u> No <u> </u>							<u>9/26/06</u>	<u>1510</u>		
Samples Properly Cooled Yes <u> </u> No <u> </u>						Relinquished by:	Date	Time	Received by:	
Samples Accepted Yes <u> </u> No <u> </u>						Relinquished by:	Date	Time	Received by:	
If Not Why _____						Relinquished by:	Date	Time	Received by:	
AA Project No <u>A 39450</u>						Relinquished by:	Date	Time	Received by:	

2 DAY
 TURN-AROUND-
 TIME

ATTACHMENT D
PRODUCT RECOVERY ACTIVITIES

**Product Recovery Activities
Well RAO-3**

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
12-03-92	0	20	8.65	8.67	0.02
12-04-92	0	0	0	8.63	0.00
12-08-92	18	0	8.52	8.52	0.00
12-09-92	10	0	8.24	8.24	0.00
12-10-92	0	3	0	8.02	0.00
12-14-92	30	200	8.28	8.29	0.01
12-15-92	0	0	0	8.32	0.00
12-16-92	0	0	0	8.52	0.00
12-18-92	18	0	8.63	8.66	0.03
12-21-92	10	0	8.39	8.42	0.03
12-22-92	20	30	8.56	8.58	0.02
12-23-92	18	0	8.35	8.37	0.02
12-24-92	22	0	8.42	8.53	0.11
12-28-92	15	0	8.53	8.64	0.01
12-29-92	20	0	8.58	8.60	0.02
12-30-92	18	0	8.22	8.24	0.02
01-04-93	23	18	8.45	8.47	0.02
01-05-93	12	0	8.28	8.30	0.02
01-06-93	10	0	8.05	8.48	0.43
01-07-93	8	0	8.64	8.66	0.02
01-08-93	3	10	8.36	8.37	0.01
01-11-93	8	0	8.02	8.16	0.14
01-12-93	13	8	7.68	8.06	0.38
01-13-93	45	0	7.64	8.04	0.40
01-14-93	40	0	8.00	8.32	0.32
01-15-93	40	0	7.98	8.30	0.32
01-18-93	48	0	8.00	8.11	0.11
01-19-93	50	0	8.00	8.22	0.22
01-20-93	44	0	8.00	8.02	0.02
01-21-93	5	40	7.84	8.00	0.16
01-22-93	450	42	7.74	7.98	0.24
02-04-93	25	500	7.99	8.45	0.46
03-25-93	380	70	8.11	8.20	0.09
04-09-93	500	18	8.11	8.20	0.09
04-23-93	210	60	7.49	7.51	0.02
05-03-93	560	90	8.54	8.58	0.04
05-11-93	38	114	8.35	8.45	0.10
05-20-93	1	0	8.39	8.42	0.03
06-02-93	5	65	8.37	8.41	0.04

Product Recovery Activities

Well RAO-3

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
06-18-93	100	0	8.46	8.57	0.14
07-09-93	150	0	8.20	8.25	0.05
11-11-93	40	80	7.98	7.91	0.07
12-10-93	20	25	8.62	8.59	0.03
01-29-94	0	0	0	8.76	0.00
03-10-94	0	0	0	8.63	0.00
05-03-94	1,976	658	8.93	9.15	0.22
06-17-94	6	565	8.85	8.85	0.00
06-21-94	1	540	8.50	8.52	0.02
06-28-94	5	400	8.69	8.71	0.01
07-08-94	26	500	8.61	8.61	0.00
07-14-94	0	400	0	8.73	0.00
07-20-94	20	500	8.60	8.62	0.02
07-26-94	60	560	8.68	8.71	0.03
08-02-94	21	500	8.46	8.50	0.04
08-12-94	30	640	7.74	7.79	0.05
08-18-94	0	550	0	9.24	0.00
08-25-94	0	550	0	8.78	0.00
08-31-94	0	550	0	8.74	0.00
09-09-94	150	375	7.74	7.76	0.02
09-15-94	0	525	8.93	8.93	0.00
09-22-94	5	305	8.97	8.99	0.02
09-30-94	0	420	0	8.86	0.00
10-07-94	0	550	0	8.74	0.00
10-14-94	0	520	0	8.80	0.00
10-21-94	0	520	0	8.88	0.00
10-28-94	0	525	0	8.90	0.00
11-04-94	0	550	0	8.00	0.00
11-09-94	0	520	0	7.99	0.00
11-18-94	80	430	8.05	8.15	0.10
11-25-94	130	300	8.00	7.99	0.01
11-30-94	30	260	7.94	7.95	0.01
12-09-94	30	480	8.03	8.07	0.04
12-16-94	30	120	7.96	7.99	0.03
12-22-94	20	500	8.06	8.09	0.03
12-29-94	80	360	7.71	7.73	0.02
01-06-95	25	500	7.57	7.60	0.03
01-13-95	50	70	7.55	7.54	0.01
01-20-95	5	510	7.53	7.54	0.01
01-26-95	30	500	7.38	7.41	0.03

Product Recovery Activities

Well RAO-3

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
01-31-95	30	320	7.47	7.48	0.01
02-09-95	20	210	7.63	7.63	0.00
02-14-95	20	175	7.62	7.64	0.02
02-24-95	30	310	7.85	7.89	0.04
03-03-95	20	340	7.75	7.78	0.03
03-09-95	30	510	7.31	7.34	0.03
03-17-95	10	510	7.28	7.29	0.01
03-24-95	15	485	7.23	7.24	0.01
03-31-95	15	475	7.47	7.48	0.01
04-07-95	35	285	7.61	7.62	0.01
04-14-95	20	280	7.68	7.69	0.01
04-21-95	20	290	7.75	7.73	0.02
04-28-95	40	420	7.65	7.68	0.03
05-06-95	20	360	7.70	7.71	0.01
05-12-95	20	390	7.70	7.70	0.00
05-19-95	10	370	7.90	7.90	0.00
05-26-95	10	380	7.80	7.80	0.00
06-02-95	0	240	0	7.86	0.00
06-09-95	0	330	0	7.80	0.00
06-16-95	0	170	0	7.87	0.00
06-23-95	0	300	0	7.99	0.00
06-30-95	0	300	0	7.88	0.00
07-07-95	0	280	0	7.82	0.00
07-14-95	0	290	0	7.86	0.00
07-21-95	0	540	0	7.90	0.00
07-28-95	0	500	0	7.92	0.00
08-04-95	0	480	0	7.86	0.00
08-11-95	0	530	0	7.88	0.00
08-18-95	0	520	0	7.86	0.00
08-25-95	0	500	0	7.90	0.00
09-05-95	0	310	0	8.15	0.00
09-12-95	0	400	0	8.10	0.00
09-19-95	0	390	0	8.20	0.00
09-26-95	0	380	0	8.25	0.00
10-03-95	0	385	0	8.15	0.00
10-10-95	0	230	0	8.42	0.00
10-17-95	0	240	0	8.39	0.00
10-24-95	0	250	0	8.40	0.00
10-31-95	0	255	0	8.41	0.00
11-07-95	0	260	0	8.42	0.00

Product Recovery Activities

Well RAO-3

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
11-14-95	0	400	0	8.43	0.00
11-21-95	0	420	0	8.48	0.00
11-28-95	0	480	0	8.50	0.00
12-05-95	0	400	0	8.55	0.00
12-15-95	0	550	0	8.40	0.00
12-22-95	0	490	0	8.36	0.00
12-29-95	0	570	0	7.85	0.00
01-05-96	0	560	0	7.82	0.00
01-12-96	0	480	0	7.52	0.00
01-19-96	0	460	0	7.54	0.00
01-26-96	0	450	0	7.53	0.00
02-01-96	400	1000	7.03	7.12	0.09
02-09-96	275	480	7.34	7.36	0.02
02-16-96	75	400	7.35	7.37	0.02
02-23-96	100	360	7.33	7.36	0.03
03-01-96	100	350	7.32	7.34	0.02
03-08-96	90	360	7.34	7.36	0.02
03-15-96	95	355	7.35	7.37	0.02
03-22-96	90	360	7.33	7.35	0.02
03-29-96	80	350	7.34	7.36	0.02
04-05-96	90	355	7.44	7.47	0.03
04-12-96	70	360	7.48	7.50	0.02
04-19-96	75	350	7.58	7.60	0.02
04-26-96	60	500	7.74	7.75	0.01
05-03-96	50	460	7.75	7.76	0.01
05-10-96	0	100	0	7.76	0
05-17-96	0	480	0	7.78	0
05-24-96	0	490	0	7.90	0
05-31-96	10	495	7.60	7.60	0
06-08-96	0	490	0	7.72	0
06-14-96	10	490	7.72	7.72	0
06-21-96	0	480	0	7.74	0
06-28-96	0	490	0	7.76	0
07-05-96	0	485	0	7.75	0
07-12-96	0	495	0	7.76	0
07-19-96	10	400	7.90	7.90	0
07-26-96	0	425	0	7.85	0
08-02-96	0	420	0	7.90	0
08-16-96	0	430	0	7.82	0
08-30-96	0	450	0	7.80	0

**Product Recovery Activities
Well RAO-3**

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
09-13-96	10	550	8.15	8.15	0
09-27-96	0	500	0	8.20	0
10-11-96	0	525	8.30	8.30	0
10-25-96	5	545	8.28	8.28	0
11-08-96	0	500	0	8.26	0
11-22-96	0	525	0	8.10	0
12-06-96	0	500	0	8.20	0
12-23-96	0	540	0	7.92	0
01-03-97	10	510	7.46	7.46	0
01-16-97	50	500	7.36	7.38	0.02
01-31-97	240	250	7.13	7.17	0.04
02-14-97	100	300	7.25	7.26	0.01
02-28-97	90	350	7.26	7.27	0.01
03-14-97	100	470	7.72	7.74	0.02
03-28-97	90	480	7.74	7.76	0.02
04-11-97	80	490	7.82	7.83	0.01
04-25-97	0	400	0	7.90	0
05-09-97	0	450	0	7.92	0
05-23-97	0	400	0	7.94	0
06-06-97	10	490	7.77	7.77	0
06-20-97	10	520	8.04	8.04	0
07-03-97	10	170	7.95	7.95	0
07-18-97	0	490	0	8.10	0
08-01-97	0	495	0	8.20	0
08-15-97	0	480	0	8.30	0
08-29-97	0	490	0	8.40	0
09-11-97	0	290	0	8.15	0
09-26-97	0	505	0	8.09	0
10-10-97	0	100	0	8.19	0
10-24-97	0	250	0	8.24	0
11-07-97	0	540	0	8.21	0
11-21-97	0	550	0	7.60	0
12-05-97	0	560	0	7.22	0
12-19-97	0	500	0	7.24	0
01-02-98	50	520	7.00	7.00	0
01-16-98	40	540	7.00	7.00	0
01-30-98	40	530	7.20	7.20	0
02-13-98	50	500	7.10	7.10	0
02-27-98	220	510	6.99	6.99	0
03-13-98	120	300	6.96	6.96	0

Product Recovery Activities

Well RAO-3

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
07-06-98	10	520	7.20	7.20	0
07-24-98	5	495	7.30	7.30	0
08-07-98	0	300	0	7.40	0
08-21-98	0	250	0	7.45	0
09-04-98	0	100	0	7.46	0
09-18-98	0	300	0	7.44	0
10-12-98	0	370	0	7.75	0
10-16-98	0	220	0	7.40	0
10-30-98	0	240	0	7.60	0
11-13-98	0	250	0	7.62	0
11-27-98	0	260	0	7.61	0
12-11-98	0	210	0	7.90	0
12-28-98	0	100	0	8.16	0
01-11-99	0	100	0	8.36	0
01-25-99	0	240	0	8.60	0
02-09-99	0	210	0	8.18	0
02-26-99	0	320	0	8.19	0
03-12-99	0	460	0	8.00	0
03-26-99	0	500	0	7.80	0
04-07-99	5	510	7.84	7.84	0
04-12-99	10	520	7.80	7.80	0
04-23-99	25	500	7.40	7.40	0
05-07-99	15	520	7.80	7.80	0
05-21-99	10	500	7.80	7.80	0
06-04-99	10	520	7.75	7.75	0
06-18-99	15	500	7.70	7.70	0
07-02-99	10	520	7.40	7.40	0
07-16-99	5	500	7.80	7.80	0
07-30-99	0	500	0	7.75	0
08-13-99	0	475	0	7.78	0
08-27-99	0	490	0	7.77	0
09-13-99	0	500	0	8.00	0
09-30-99	0	480	0	8.10	0
10-15-99	0	500	0	8.30	0
10-29-99	0	470	0	8.20	0
11-12-99	0	480	0	8.16	0
11-26-99	0	500	0	8.12	0
12-10-99	0	470	0	8.18	0
12-23-99	0	480	0	8.14	0
01-06-00	0	500	0	8.12	0

**Product Recovery Activities
Well RAO-3**

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
01-20-00	0	480	0	8.20	0
02-03-00	0	400	0	7.60	0
02-23-00	0	500	0	7.03	0
03-10-00	10	500	7.08	7.08	0
03-27-00	20	510	7.75	7.75	0
04-03-00	15	480	7.60	7.60	0
04-17-00	20	410	8.00	8.00	0
05-01-00	15	380	7.40	7.40	0
05-15-00	5	275	7.47	7.47	0
05-30-00	0	320	0	7.45	0
06-12-00	0	110	0	7.58	0
06-26-00	0	90	0	7.56	0
07-16-00	0	240	0	7.38	0
07-24-00	0	360	0	7.58	0
08-07-00	0	425	0	7.80	0
08-21-00	0	400	0	7.60	0
09-12-00	0	500	0	7.82	0
09-25-00	0	530	0	7.78	0
Total to Date	9,462				