



76 Broadway
Sacramento, California 95818

April 25, 2007

Ms. Donna Drogos
Alameda County Health Agency
1131 Harbor Bay Parkway
Alameda, California 94502

Re: **Report Transmittal
Quarterly Report
First Quarter – 2007
76 Service Station #0843
1629 Webster Street
Alameda, CA**

Dear Ms. Drogos:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact

Shelby S. Lathrop (Contractor)
ConocoPhillips
Risk Management & Remediation
76 Broadway
Sacramento, CA 95818
Phone: 916-558-7609
Fax: 916-558-7639

Sincerely,

Thomas Kosel
Risk Management & Remediation

Attachment

RECEIVED

2:30 pm, Jul 24, 2007

Alameda County
Environmental Health

April 26, 2007

Ms. Donna Drogos
Alameda County Health Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

**Re: Quarterly Summary Report – First Quarter 2007
And Sensitive Receptor Survey**
Delta Project No. C10-2349-131

Dear Ms. Drogos:

On behalf of ConocoPhillips (COP), Delta Consultants (Delta) is forwarding the quarterly summary report for the following location:

Service Station

76 Service Station No. 0843


Location

1629 Webster Street
Alameda, California

Sincerely,
Delta Consultants



Dennis S. Dettloff, P.G.
Senior Project Manager
California Registered Professional Geologist No. 7480



Forward: TRC - Quarterly Monitoring Report

cc: Ms. Shelby Lathrop, ConocoPhillips (electronic copy)

QUARTERLY SUMMARY REPORT
Sensitive Receptor Survey
First Quarter 2007
76 Service Station No. 0843
1629 Webster Street
Alameda, California

PREVIOUS ASSESSMENT

June 1998 - Tosco Marketing Company (Tosco, now ConocoPhillips) removed two 10,000-gallon gasoline underground storage tanks (USTs), one 550-gallon used oil UST, product lines, and dispensers. Two holes approximately ¾-inch in diameter were observed in the used oil tank during removal. Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, dispensers, and product lines during the UST removal activities.

March 1999 - Four soil borings (B1 through B4) were advanced at the site and converted to monitor wells MW-1 through MW-4. Groundwater was encountered from 8 to 15 feet below ground surface (bgs). Static water was observed at depths ranging from 4 and 6 feet bgs subsequent to well installation.

December 1999 - Two off-site soil borings (B5 and B6) were advanced and subsequently converted to monitor wells MW-5 and MW-6. Groundwater was initially present at approximately 10 feet below bgs. Static water was observed at a depth of approximately 7 feet bgs subsequent to well installation.

March 2001 - An underground utility survey was conducted to identify and locate underground utilities beneath and in the vicinity of the site that could provide potential preferential pathways for groundwater flow.

May 2001 - Five direct-push soil borings (GP-1 through GP-5) were advanced to evaluate whether underground utilities in the vicinity of the site are providing preferential pathways for groundwater flow and the migration of dissolved phase hydrocarbons. The results of the investigation indicated insufficient evidence that underground utility lines were providing preferential pathways for the off-site migration of dissolved phase hydrocarbons.

December 2001 - Twelve direct-push soil borings (GP-6 through GP-17) were advanced to further assess the extent of residual hydrocarbons in the vadose zone beneath the site. The results of the investigation indicated that the extent of the residual hydrocarbon impact reported in the previous investigations was limited.

December 2002 - One on-site monitoring well (MW-2) was destroyed during remedial excavation of hydrocarbon-impacted soil. Prior to destruction, monitoring well MW-2 was located near the former eastern dispenser island. During the remedial excavation, monitoring well MW-2 was replaced with on-site backfill monitoring well MW-2A. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern dispenser island.

September 2003 - *A Request and Work Plan for Closure* prepared by ERI was submitted to the Alameda County Health Care Services Agency, dated September 10, 2003. The

report summarized why no further action is needed for the site; the report also included plans to destroy the existing wells upon regulatory acceptance for no further action. Closure was not granted.

June 2004 – A work plan was submitted for two monitor wells down-gradient of MW-5.

May 2005 – A work plan titled *Work Plan Addendum – Site Assessment Activity* dated May 17, 2005 was prepared by ATC Associates Inc. (ATC) for the installation of two off-site monitor wells.

September 2005 – A work plan was prepared by ATC titled *Work Plan Subsurface Investigation*, for the installation of one on-site monitor well.

September 2005 – Site environmental consulting responsibilities were transferred to Delta.

SENSITIVE RECEPTORS

June/July 2002 - A groundwater receptor survey was conducted. Three irrigation wells are located within a one-half mile radius of the site. The wells are located approximately 1,980 feet west and 2,245 feet southwest of the site, cross-gradient and up-gradient of the site.

November 2006 – A survey entailing a visit to the DWR office in Sacramento was conducted to examine well log records and to identify domestic wells within the survey area. The DWR survey provided 15 potential receptors within one mile of the site; one domestic well located 0.5 mile southwest of the site; one domestic/irrigation well located 0.7 mile southeast of the site; 11 irrigation wells with three located 0.1 mile northwest, west, and southeast of the site; and two industrial wells located 0.3 mile southwest and 0.9 mile northeast of the site.

The 2006 sensitive receptor survey data are presented as Attachment A.

GROUNDWATER MONITORING AND SAMPLING

Quarterly groundwater monitoring and sampling was initiated in March 1999. During the most recent groundwater monitoring and sampling event conducted on February 23, 2007, depth to groundwater ranged from 4.47 feet (MW-5) to 6.40 feet (MW-1) below top of casing (TOC). The groundwater flow direction was interpreted to be to the northwest at a gradient of 0.015 foot per foot (ft/ft). Historic groundwater flow directions are shown on a rose diagram presented as Attachment B.

Maximum dissolved petroleum hydrocarbon concentrations in the groundwater were reported as follows: total petroleum hydrocarbons with gasoline distinction (TPH-G) (1,300 micrograms per liter ($\mu\text{g/L}$) in MW-1), and MTBE (1,700 $\mu\text{g/L}$ in MW-1). Benzene was not reported above the laboratories indicated reporting limits in all the samples that were collected during the February 2007 groundwater sampling event.

REMEDIATION STATUS

Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, dispensers, and product lines during the June 1998 UST removal activities. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern island during the December 2002 excavation.

CHARACTERIZATION STATUS

Based on the most recent (February 23, 2007) and historic groundwater analytical data, MTBE and other dissolved gasoline constituents appear to be adequately defined pending further directives from the lead regulatory agency.

Analytical data from groundwater samples collected from the Shell service station located approximately 75 feet south (up-gradient) of the site indicate that TPH-G and MTBE are present in the groundwater and it appears that MW-1 is showing petroleum hydrocarbon impact from the off-site migration of these constituents onto the site.

RECENT CORRESPONDENCE

No recent correspondence was documented during this reporting period.

THIS QUARTER ACTIVITIES (First Quarter 2007)

1. TRC conducted the quarterly monitoring and sampling activities at the site.
2. On January 24, 2007, Delta submitted a workplan for the advancement of one soil boring and the installation of three ozone injection wells at the site. To date, no comments have been received on this document. A letter will be submitted shortly to document initiation of work in accordance with CCR Title 23, Section 2722 (e).

WASTE DISPOSAL SUMMARY

No waste was disposed of from the site during this reporting period.

NEXT QUARTER ACTIVITIES (Second Quarter 2007)


1. TRC will conduct quarterly groundwater monitoring and sampling activities at the site.
2. Delta will initiate work as outlined in the January 24, 2007 workplan.

CONSULTANT: Delta Consultants

Attachment A – Sensitive Receptor Survey Data

Attachment B – Historic Groundwater Flow Directions

Attachment A
Sensitive Receptor Survey Data



0 1000 FT 2000 FT
SCALE: 1 : 24,000




FIGURE 1

SITE LOCATOR SENSITIVE RECEPTOR
MAP

76 STATION NO. 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

PROJECT NO. C100-843	DRAWN BY JH 12/12/06
FILE NO. Site Locator 0843	PREPARED BY JH
REVISION NO.	REVIEWED BY



Table 1
 One-Mile Agency Receptor Survey
 ConocoPhillips Station No.0843
 1629 Webster Street, Alameda, California

DWR ¹ Well No.	Address	City	State	Zip	Owner	Well Type	Distance from Site (miles)	Direction Relative to Site	
1-	2S/4W-2R1	Marina Village, off Sherman St.	Alameda	CA		Vintage Properties	Irrigation	0.7	NE
2-	2S/4W-10H2	424 Santa Clara Ave.	Alameda	CA	94501	Richard F. Fawcett	Domestic	0.5	SW
3-	2S/4W-10B1	132 Haight Ave.	Alameda	CA	94501	Idella E. McManus	Irrigation	0.7	W
4-	2S/4W-10G1	314 Santa Clara Ave.	Alameda	CA	94501	James GoLightly	Irrigation	0.6	SW
5-	2S/4W-10H3	462 Santa Clara Ave.	Alameda	CA		PG&E	Catholic protection	0.4	SW
6-	2S/4W-10H1	447 Taylor Avenue	Alameda	CA	94501	A.E. Bryant	Irrigation	0.5	SW
7-	2S/4W-11M1	645 Central	Alameda	CA		Paul Merrett	Industrial	0.3	SW
8-	2S/4W-11A1	Pacific Ave. east of Chapin	Alameda	CA		PG&E	Catholic protection	0.5	E
9-	2S/4W-11H1	Santa Clara east of Verdi St.	Alameda	CA		PG&E	Catholic protection	0.6	SE
10-	2S/4W-11K2?	920 Centennial Ave.	Alameda	CA		Lawrence Picetti	Irrigation	0.5	SE
11-	2S/4W-11J2	1036 San Antonio Ave.	Alameda	CA	94501	Grover A. Chessmore	Domestic/Irrigation	0.7	SE
12-	2S/4W-11J3	1236 St. Charles	Alameda	CA	94501	Frank Weeden	Irrigation	0.8	SE
13-	2S/4W-11J4	1224 Bay St.	Alameda	CA	94501	Richard Bartalini	Irrigation	0.8	SE
14-	2S/4W-11D1	603 Pacific Ave.	Alameda	CA	94501	H.W. Moore	Irrigation	0.1	NW
15-	2S/4W-11E1	1614 6th St.	Alameda	CA	94501	Daniel C. Robinson	Irrigation	0.1	W
16-	2S/4W-11J1	1205 Bay St.	Alameda	CA	94501	W.E. Lyons	Irrigation	0.9	SE
17-	2S/4W-11Q1	900 Otis Drive	Alameda	CA		Chevron USA, Inc.	Dewatering	0.7	SE
18-	2S/4W-12M1	1401 F. Cottage St.	Alameda	CA	94501	Central West Homeowners	Irrigation	1.0	SE
19-	2S/4W-12D2	1521 Buena Vista	Alameda	CA	94501	Alameda Liquid Bulk Terminal	Industrial	0.9	NE
² 20-	2S/4W-3E1	Alameda Naval Air Station west side of Main Street	Alameda	CA		U.S. Navy			
² 21-	2S/4W-5A1	Naval Air Station (old PAA)	Alameda	CA					
² 22-	2S/4W-3E3	B Avenue, Building 17	Alameda	CA	94501	U.S. Naval Air Station	Catholic protection		
² 23-	2S/4W-1D1	Embarcadero rail crossing (25' from rr, 300 yds from Emb.)	Oakland	CA		Union Pacific Railroad	Catholic protection		


DWR: Department of Water Resources

¹ Well Locations shown on Figure 1.

² Specific address cannot be located on map.

Attachment B
Historic Groundwater Flow Directions

Historic Groundwater Flow Directions
ConocoPhillips Site No. 0843
1629 Webster Street
Alameda, California



Groundwater Flow Direction

Legend
Concentric circles represent
quarterly monitoring events
First Quarter 1999 through First
Quarter 2007
31 data points shown



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

DATE: April 2, 2007

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MS. SHELBY LATHROP

SITE: FORMER 76 STATION 0843
1629 WEBSTER STREET
ALAMEDA, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2007

Dear Ms. Lathrop:

Please find enclosed our Quarterly Monitoring Report for Former 76 Station 0843, located at 1629 Webster Street, Alameda, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan".

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Environmental Consultants, Inc. (2 copies)

Enclosures
20-0400/0843R15.QMS

**QUARTERLY MONITORING REPORT
JANUARY THROUGH MARCH 2007**

Former 76 Station 0843
1629 Webster Street
Alameda, California

Prepared For:

Ms. Shelby Lathrop
ConocoPhillips Company
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations
March 28, 2007



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Coordinated Event Data	<i>Shell Service Station</i> Well Concentrations
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map Figure 6: Dissolved-Phase TBA Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 02/23/07 Groundwater Sampling Field Notes – 02/23/07
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
January 2007 through March 2007
Former 76 Station 0843
1629 Webster Street
Alameda, CA

Project Coordinator: **Shelby Lathrop**
Telephone: **916-558-7609**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **02/23/07**

Sample Points

Groundwater wells: **4 onsite, 2 offsite** Wells gauged: **6** Wells sampled: **6**
Purging method: **Bailer/submersible pump**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Wells with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **4.47 feet** Maximum: **6.4 feet**
Average groundwater elevation (relative to available local datum): **9.29 feet**
Average change in groundwater elevation since previous event: **0.78 feet**
Interpreted groundwater gradient and flow direction:
Current event: **0.015 ft/ft, northwest**
Previous event: **0.025 ft/ft, northwest (11/22/06)**

Selected Laboratory Results

Wells with detected **Benzene**: **0** Wells above MCL (1.0 µg/l): **n/a**
Maximum reported benzene concentration: **n/a**
Wells with **TPH-G by GC/MS** **2** Maximum: **1,300 µg/l (MW-1)**
Wells with **MTBE 8260B** **4** Maximum: **1,700 µg/l (MW-1)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation - Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for Former 76 Station 0843 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2
Site: Former 76 Station 0843

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 1a	Well/ Date	TBA	Ethanol (8260B)	DIPE	ETBE	TAME								

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 2a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME						

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
February 23, 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1	(Screen Interval in feet: 4.5-20.5)													
02/23/07	16.18	6.40	0.00	9.78	0.65	--	1300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1700	
MW-2A	(Screen Interval in feet: 5-11.5)													
02/23/07	15.56	6.05	0.00	9.51	0.55	--	ND<50	ND<0.50	0.66	ND<0.50	1.1	--	0.72	
MW-3	(Screen Interval in feet: 5.0-20.0)													
02/23/07	15.11	5.72	0.00	9.39	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
MW-4	(Screen Interval in feet: 5.0-20.5)													
02/23/07	15.17	5.61	0.00	9.56	0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
MW-5	(Screen Interval in feet: 5-20)													
02/23/07	13.34	4.47	0.00	8.87	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.53	--	ND<0.50	
MW-6	(Screen Interval in feet: 5-20)													
02/23/07	14.08	5.44	0.00	8.64	0.72	--	190	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	410	

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA	Ethanol (8260B)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-1					
02/23/07	ND<100	ND<2500	ND<5.0	ND<5.0	ND<5.0
MW-2A					
02/23/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
MW-3					
02/23/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
MW-4					
02/23/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
MW-5					
02/23/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
MW-6					
02/23/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 (Screen Interval in feet: 4.5-20.5)														
03/05/99	16.18	--	--	--	--	86.6	--	ND	2.04	ND	4.06	--	23.9	
06/03/99	16.18	6.24	0.00	9.94	--	ND	--	ND	ND	ND	ND	ND	ND	
09/02/99	16.18	7.19	0.00	8.99	-0.95	ND	--	ND	ND	ND	ND	ND	ND	
12/14/99	16.18	8.07	0.00	8.11	-0.88	ND	--	ND	ND	ND	ND	ND	--	
03/14/00	16.18	5.47	0.00	10.71	2.60	ND	--	ND	ND	ND	ND	ND	--	
05/31/00	16.18	6.22	0.00	9.96	-0.75	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	16.18	6.82	0.00	9.36	-0.60	ND	--	ND	ND	ND	ND	ND	--	
12/01/00	16.18	7.54	0.00	8.64	-0.72	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	16.18	5.73	0.00	10.45	1.81	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	16.18	6.43	0.00	9.75	-0.70	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	16.18	7.12	0.00	9.06	-0.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	16.18	6.89	0.00	9.29	0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	16.18	5.61	0.00	10.57	1.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	16.18	5.71	0.00	10.47	-0.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	16.18	--	--	--	--	--	--	--	--	--	--	--	--	Not monitored/sampled
12/12/02	16.18	7.80	0.00	8.38	--	--	--	--	--	--	--	--	--	No longer sampled
03/13/03	16.18	5.94	0.00	10.24	1.86	--	--	--	--	--	--	--	--	
06/12/03	16.18	6.10	0.00	10.08	-0.16	--	--	--	--	--	--	--	--	
09/12/03	16.18	6.65	0.00	9.53	-0.55	--	--	--	--	--	--	--	--	
12/31/03	16.18	5.74	0.00	10.44	0.91	--	--	--	--	--	--	--	--	Monitored Only
02/12/04	16.18	6.02	0.00	10.16	-0.28	--	--	--	--	--	--	--	--	Monitored Only
06/07/04	16.18	6.61	0.00	9.57	-0.59	--	--	--	--	--	--	--	--	Monitored Only
09/17/04	16.18	7.58	0.00	8.60	-0.97	--	--	--	--	--	--	--	--	Sampled Annually

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
12/11/04	16.18	6.49	0.00	9.69	1.09	--	--	--	--	--	--	--	--	Sampled Annually
03/15/05	16.18	5.28	0.00	10.90	1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
05/17/05	16.18	5.83	0.00	10.35	-0.55	--	--	--	--	--	--	--	--	Sampled annually
07/27/05	16.18	6.52	0.00	9.66	-0.69	--	--	--	--	--	--	--	--	Sampled Annually
11/23/05	16.18	7.28	0.00	8.90	-0.76	--	--	--	--	--	--	--	--	Sampled annually
02/24/06	16.18	6.60	0.00	9.58	0.68	--	910	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5100	
05/30/06	16.18	6.48	0.00	9.70	0.12	--	--	--	--	--	--	--	--	Sampled Q1 only
08/30/06	16.18	9.51	0.00	6.67	-3.03	--	--	--	--	--	--	--	--	Sampled Q1 only
11/22/06	16.18	7.05	0.00	9.13	2.46	--	220	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	420	
02/23/07	16.18	6.40	0.00	9.78	0.65	--	1300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1700	
MW-2 (Screen Interval in feet: 4.5-20.5)														
03/05/99	15.57	--	0.00	--	--	34400	--	2070	7710	2340	8240	--	8460	
06/03/99	15.57	5.96	0.00	9.61	--	51200	--	1820	7570	2510	7320	6460	8800	
09/02/99	15.57	6.85	0.00	8.72	-0.89	17000	--	1000	3100	1400	3700	4000	3720	
12/14/99	15.57	7.65	0.00	7.92	-0.80	83000	--	3000	22000	4500	17000	9100	11000	
03/14/00	15.57	5.26	0.00	10.31	2.39	31000	--	1600	4600	2300	7300	5700	8700	
05/31/00	15.57	5.60	0.00	9.97	-0.34	9970	--	598	1030	487	2060	2500	1670	
08/29/00	15.57	6.35	0.00	9.22	-0.75	7900	--	390	1500	280	1900	1800	1300	
12/01/00	15.57	7.06	0.00	8.51	-0.71	87500	--	1860	17400	5590	19400	6220	3790	
03/17/01	15.57	5.98	0.00	9.59	1.08	4310	--	371	59.0	280	682	321	433	
05/23/01	15.57	6.97	0.00	8.60	-0.99	45400	--	374	4490	2790	10900	ND	406	
09/24/01	15.57	7.56	0.00	8.01	-0.59	76000	--	430	13000	4700	18000	ND<2000	480	
12/10/01	15.57	6.52	0.00	9.05	1.04	82000	--	320	9100	4400	16000	ND<2500	270	
03/11/02	15.57	5.51	0.00	10.06	1.01	14000	--	75	1400	1100	3600	ND<250	150	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
06/07/02	15.57	5.73	0.00	9.84	-0.22	14000	--	120	1200	1400	4700	540	200	
09/03/02	15.57	6.81	0.00	8.76	-1.08	10000	--	150	1200	610	2800	510	460	
12/12/02	15.57	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed, replaced with MW-2A
MW-2a (Screen Interval in feet: 5-11.5)														
12/12/02	15.56	7.45	0.00	8.11	--	3400	--	80	260	210	1000	380	400	
03/13/03	--	5.85	0.00	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	1.8	2.4	2.4	
06/12/03	--	6.08	0.00	--	--	ND<50	--	0.59	0.69	ND<0.50	1.2	6.0	4.7	
09/12/03	15.56	6.54	0.00	9.02	--	--	120	1.8	4.2	6.1	20	--	6.6	
12/31/03	15.56	5.63	0.00	9.93	0.91	88	--	0.79	1.8	3.6	14	ND<5.0	2.9	
02/12/04	15.56	5.68	0.00	9.88	-0.05	160	--	2.6	4.8	13	48	7.2	7.9	
06/07/04	15.56	6.21	0.00	9.35	-0.53	94	--	0.80	1.2	2.1	9.1	4.5	3.7	
09/17/04	15.56	7.16	0.00	8.40	-0.95	--	230	3.5	6.1	13	41	--	83	
12/11/04	15.56	5.84	0.00	9.72	1.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
03/15/05	15.56	5.52	0.00	10.04	0.32	--	92	0.84	1.7	2.4	9.8	--	ND<10	
05/17/05	15.56	5.55	0.00	10.01	-0.03	--	54	2.1	1.7	1.9	7.0	--	2.9	
07/27/05	15.56	6.16	0.00	9.40	-0.61	--	ND<50	0.66	1.1	1.3	4.2	--	3.7	
11/23/05	15.56	6.88	0.00	8.68	-0.72	--	120	1.3	2.8	7.8	30	--	10	
02/24/06	15.56	5.79	0.00	9.77	1.09	--	84	0.51	1.2	4.2	16	--	7.2	
05/30/06	15.56	5.62	0.00	9.94	0.17	--	69	0.90	2.2	3.7	14	--	4.1	
08/30/06	15.56	6.38	0.00	9.18	-0.76	--	77	ND<0.50	0.50	1.0	3.3	--	2.5	
11/22/06	15.56	6.60	0.00	8.96	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	2.2	--	0.59	
02/23/07	15.56	6.05	0.00	9.51	0.55	--	ND<50	ND<0.50	0.66	ND<0.50	1.1	--	0.72	
MW-3 (Screen Interval in feet: 5.0-20.0)														

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3 continued														
03/05/99	15.11	--	0.00	--	--	135	--	ND	ND	ND	4.84	--	2.46	
06/03/99	15.11	5.57	0.00	9.54	--	ND	--	ND	ND	ND	ND	5.23	12.7	
09/02/99	15.11	6.50	0.00	8.61	-0.93	ND	--	ND	ND	ND	ND	13	11	
12/14/99	15.11	7.28	0.00	7.83	-0.78	ND	--	ND	ND	ND	ND	ND	--	
03/14/00	15.11	4.87	0.00	10.24	2.41	ND	--	ND	ND	ND	ND	7.2	6.3	
05/31/00	15.11	5.58	0.00	9.53	-0.71	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	15.11	6.06	0.00	9.05	-0.48	ND	--	ND	ND	ND	ND	ND	ND	
12/01/00	15.11	6.76	0.00	8.35	-0.70	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	15.11	5.09	0.00	10.02	1.67	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	15.11	5.72	0.00	9.39	-0.63	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	15.11	6.34	0.00	8.77	-0.62	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	15.11	6.31	0.00	8.80	0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	15.11	5.15	0.00	9.96	1.16	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	15.11	5.45	0.00	9.66	-0.30	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/02	15.11	7.15	0.00	7.96	-1.70	--	--	--	--	--	--	--	--	No longer sampled
03/13/03	15.11	5.37	0.00	9.74	1.78	--	--	--	--	--	--	--	--	
06/12/03	15.11	5.51	0.00	9.60	-0.14	--	--	--	--	--	--	--	--	
09/12/03	15.11	6.03	0.00	9.08	-0.52	--	--	--	--	--	--	--	--	
12/31/03	15.11	5.62	0.00	9.49	0.41	--	--	--	--	--	--	--	--	Monitored Only
02/12/04	15.11	5.51	0.00	9.60	0.11	--	--	--	--	--	--	--	--	Monitored Only
06/07/04	15.11	5.92	0.00	9.19	-0.41	--	--	--	--	--	--	--	--	Monitored Only
09/17/04	15.11	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate
12/11/04	15.11	5.94	0.00	9.17	--	--	--	--	--	--	--	--	--	Sampled Annually
03/11/05	15.11	4.76	0.00	10.35	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
05/17/05	15.11	5.23	0.00	9.88	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	15.11	5.81	0.00	9.30	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	15.11	6.60	0.00	8.51	-0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/24/06	15.11	5.37	0.00	9.74	1.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
05/30/06	15.11	5.08	0.00	10.03	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.92	
08/30/06	15.11	5.52	0.00	9.59	-0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.51	
11/22/06	15.11	6.38	0.00	8.73	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.94	
02/23/07	15.11	5.72	0.00	9.39	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
MW-4 (Screen Interval in feet: 5.0-20.5)														
03/05/99	15.17	--	0.00	--	--	ND	--	ND	ND	ND	2.44	--	25.2	
06/03/99	15.17	5.45	0.00	9.72	--	ND	--	ND	ND	ND	ND	ND	3.96	
09/02/99	15.17	6.48	0.00	8.69	-1.03	ND	--	ND	ND	ND	ND	23	27	
12/14/99	15.17	7.27	0.00	7.90	-0.79	ND	--	ND	ND	ND	ND	200	270	
03/14/00	15.17	4.67	0.00	10.50	2.60	ND	--	ND	ND	ND	ND	46	49	
05/31/00	15.17	5.48	0.00	9.69	-0.81	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	15.17	6.10	0.00	9.07	-0.62	ND	--	ND	ND	ND	ND	6.1	3.2	
12/01/00	15.17	6.79	0.00	8.38	-0.69	ND	--	ND	ND	ND	ND	152	101	
03/17/01	15.17	5.01	0.00	10.16	1.78	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	15.17	5.78	0.00	9.39	-0.77	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	15.17	6.42	0.00	8.75	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	15.17	6.41	0.00	8.76	0.01	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1700	1300	
03/11/02	15.17	5.05	0.00	10.12	1.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	15.17	5.42	0.00	9.75	-0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	15.17	6.50	0.00	8.67	-1.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
12/12/02	15.17	7.18	0.00	7.99	-0.68	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.9	3.3	
03/13/03	15.17	5.42	0.00	9.75	1.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
06/12/03	15.17	5.60	0.00	9.57	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
09/12/03	15.17	6.07	0.00	9.10	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/03	15.17	5.63	0.00	9.54	0.44	750	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	790	--	
02/12/04	15.17	5.26	0.00	9.91	0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/04	15.17	5.82	0.00	9.35	-0.56	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
09/17/04	15.17	6.86	0.00	8.31	-1.04	--	56	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
12/11/04	15.17	6.01	0.00	9.16	0.85	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	380	
03/11/05	15.17	4.61	0.00	10.56	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	15.17	4.93	0.00	10.24	-0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	15.17	5.74	0.00	9.43	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	15.17	6.59	0.00	8.58	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	23	
02/24/06	15.17	5.19	0.00	9.98	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.7	
05/30/06	15.17	5.07	0.00	10.10	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/30/06	15.17	6.02	0.00	9.15	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/06	15.17	6.37	0.00	8.80	-0.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	16	
02/23/07	15.17	5.61	0.00	9.56	0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
MW-5 (Screen Interval in feet: 5-20)														
12/14/99	13.34	6.45	0.00	6.89	--	ND	--	ND	ND	ND	ND	3.5	3.8	
03/14/00	13.34	4.46	0.00	8.88	1.99	ND	--	ND	ND	ND	ND	ND	--	
05/31/00	13.34	5.18	0.00	8.16	-0.72	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	13.34	5.46	0.00	7.88	-0.28	ND	--	ND	ND	ND	ND	ND	--	
12/01/00	13.34	5.95	0.00	7.39	-0.49	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-5 continued														
03/17/01	13.34	5.36	0.00	7.98	0.59	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	13.34	5.09	0.00	8.25	0.27	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	13.34	5.58	0.00	7.76	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	13.34	5.51	0.00	7.83	0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	13.34	4.70	0.00	8.64	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
09/03/02	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
12/12/02	13.34	6.42	0.00	6.92	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
03/13/03	13.34	5.12	0.00	8.22	1.30	ND<50	--	ND<0.50	0.54	ND<0.50	ND<0.50	ND<2.0	--	
06/12/03	13.34	5.24	0.00	8.10	-0.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
09/12/03	13.34	5.53	0.00	7.81	-0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/03	13.34	5.11	0.00	8.23	0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
02/12/04	13.34	5.02	0.00	8.32	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/04	13.34	5.35	0.00	7.99	-0.33	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
09/17/04	13.34	6.10	0.00	7.24	-0.75	--	--	--	--	--	--	--	--	
12/11/04	13.34	5.53	0.00	7.81	0.57	--	--	--	--	--	--	--	--	Sampled Annually
03/11/05	13.34	4.96	0.00	8.38	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	Sampled Annually
05/17/05	13.34	5.04	0.00	8.30	-0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	13.34	5.31	0.00	8.03	-0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	13.34	5.86	0.00	7.48	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/24/06	13.34	5.08	0.00	8.26	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/30/06	13.34	5.01	0.00	8.33	0.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/30/06	13.34	5.65	0.00	7.69	-0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/06	13.34	5.82	0.00	7.52	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
March 1999 Through February 2007
Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
02/23/07	13.34	4.47	0.00	8.87	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.53	--	ND<0.50	
MW-6 (Screen Interval in feet: 5-20)														
12/14/99	14.08	6.64	0.00	7.44	--	ND	--	ND	ND	ND	ND	11000	18000	
03/14/00	14.08	4.72	0.00	9.36	1.92	ND	--	ND	ND	ND	ND	19000	21000	
05/31/00	14.08	5.28	0.00	8.80	-0.56	ND	--	ND	ND	ND	ND	13200	--	
08/29/00	14.08	5.39	0.00	8.69	-0.11	ND	--	ND	ND	ND	ND	270	400	
12/01/00	14.08	6.11	0.00	7.97	-0.72	ND	--	ND	ND	ND	ND	6330	3640	
03/17/01	14.08	6.02	0.00	8.06	0.09	18700	--	2950	989	1040	3000	10200	11500	
05/23/01	14.08	5.82	0.00	8.26	0.20	ND	--	ND	ND	ND	ND	4660	--	
09/24/01	14.08	6.59	0.00	7.49	-0.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	190	
12/10/01	14.08	6.50	0.00	7.58	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	3200	2400	
03/11/02	14.08	4.81	0.00	9.27	1.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	92	120	
06/07/02	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
09/03/02	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
12/12/02	14.08	6.51	0.00	7.57	--	590	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1500	6200	
03/13/03	14.08	5.20	0.00	8.88	1.31	1600	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4900	4100	
D 03/13/03	14.08	5.20	0.00	8.88	1.31	--	--	--	--	--	--	--	5100	
06/12/03	14.08	5.38	0.00	8.70	-0.18	1600	--	ND<10	ND<10	ND<10	ND<10	5200	3700	
09/12/03	14.08	6.29	0.00	7.79	-0.91	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310	
12/31/03	14.08	5.38	0.00	8.70	0.91	3300	--	ND<25	ND<25	ND<25	ND<25	3800	--	
02/12/04	14.08	5.06	0.00	9.02	0.32	1100	--	ND<10	ND<10	ND<10	ND<10	1900	2800	
06/07/04	14.08	5.45	0.00	8.63	-0.39	2500	--	ND<3	ND<3	ND<3	ND<6	3200	2900	
09/17/04	14.08	6.20	0.00	7.88	-0.75	--	1300	ND<10	ND<10	ND<10	ND<20	--	2000	
12/11/04	14.08	5.60	0.00	8.48	0.60	--	1800	ND<10	ND<10	ND<10	ND<20	--	2700	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
 March 1999 Through February 2007
 Former 76 Station 0843

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
03/11/05	14.08	4.71	0.00	9.37	0.89	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	2500	
05/17/05	14.08	4.98	0.00	9.10	-0.27	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2200	
07/27/05	14.08	5.48	0.00	8.60	-0.50	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1100	
11/23/05	14.08	6.01	0.00	8.07	-0.53	--	590	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1700	
02/24/06	14.08	5.12	0.00	8.96	0.89	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	990	
05/30/06	14.08	5.04	0.00	9.04	0.08	--	ND<1200	ND<12	ND<12	ND<12	ND<25	--	560	
08/30/06	14.08	7.01	0.00	7.07	-1.97	--	930	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	820	
11/22/06	14.08	6.16	0.00	7.92	0.85	--	690	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	620	
02/23/07	14.08	5.44	0.00	8.64	0.72	--	190	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	410	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)
MW-1							
09/02/99	ND	ND	--	--	ND	ND	ND
03/15/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	62	ND<250	--	--	ND<0.50	ND<0.50	5.5
11/22/06	74	ND<250	--	--	ND<0.50	ND<0.50	0.51
02/23/07	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
MW-2							
09/02/99	ND	ND	--	--	ND	ND	ND
12/14/99	ND	ND	ND	ND	ND	ND	ND
03/14/00	1300	ND	ND	ND	ND	ND	ND
05/31/00	ND	ND	ND	ND	ND	ND	ND
08/29/00	250	ND	ND	ND	ND	ND	ND
12/01/00	ND	ND	ND	ND	ND	ND	ND
03/17/01	ND	ND	ND	ND	14.8	ND	ND
05/23/01	ND	ND	ND	ND	ND	ND	ND
09/24/01	ND<5000	ND<50000000	ND<100	ND<100	ND<100	ND<100	ND<100
12/10/01	ND<500	ND<12000000	ND<25	ND<25	ND<25	ND<25	ND<25
03/11/02	ND<1000	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20
06/07/02	ND<1000	ND<2000000	ND<25	ND<25	ND<25	ND<25	ND<25
09/03/02	ND<1000	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20
MW-2a							
12/12/02	ND<100	ND<500000	ND<2.0	2.3	ND<2.0	ND<2.0	ND<2.0
03/13/03	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/12/03	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/12/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
12/31/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-2A continued							
02/12/04	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/07/04	ND<12	ND<800	ND<0.5	ND<0.5	ND<1	ND<1	ND<1
09/17/04	6.7	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50
12/11/04	ND<5.0	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50
03/15/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
MW-3							
09/02/99	ND	ND	--	--	ND	ND	ND
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
MW-4							
09/02/99	ND	ND	--	--	ND	ND	ND

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-4 continued							
12/10/01	ND<290	ND<7100000	ND<14	ND<14	ND<14	ND<14	ND<14
12/12/02	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/12/03	--	ND<500	--	--	--	--	--
09/17/04	ND<5.0	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50
12/11/04	ND<25	ND<250	--	--	ND<5.0	ND<2.5	ND<2.5
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
MW-5							
09/12/03	--	ND<500	--	--	--	--	--
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	59	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
Former 76 Station 0843

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-6 continued							
03/17/01	ND	ND	ND	219	ND	ND	ND
09/24/01	ND<100	ND<1000000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
12/10/01	ND<500	ND<12000000	ND<25	ND<25	ND<25	ND<25	ND<25
03/11/02	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
12/12/02	ND<10000	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200
03/13/03	ND<5000	ND<25000000	ND<100	ND<100	ND<100	ND<100	ND<100
06/12/03	ND<2000	ND<10000000	ND<40	ND<40	ND<40	ND<40	ND<40
09/12/03	--	ND<2500	--	--	--	--	--
02/12/04	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40
06/07/04	ND<200	ND<8000	ND<5	ND<5	ND<10	ND<10	ND<10
09/17/04	ND<100	ND<1000	--	--	ND<20	ND<10	ND<10
12/11/04	ND<100	ND<1000	--	--	ND<20	ND<10	ND<10
03/11/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10
05/17/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10
07/27/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	1.0
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	0.68
05/30/06	ND<250	ND<6200	--	--	ND<12	ND<12	ND<12
08/30/06	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
11/22/06	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50

COORDINATED EVENT DATA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
S-2	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.73	7.60	12.13
S-2	11/22/2005	996	0.630	0.500	0.500	3.10	406	<0.500	<0.500	0.570	18.0	NA	NA	NA	19.73	7.70	12.03
S-2	02/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	2.0	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	19.73	6.29	13.44
S-2	05/30/2006	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.73	6.14	13.59
S-2	08/30/2006	420	<0.500	<0.500	<0.500	<0.500	4.42	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.73	7.18	12.55
S-2	11/22/2006	110	<0.50	<0.50	<0.50	<1.0	62	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	19.73	7.55	12.18
S-2	02/23/2007	140	<0.50	<0.50	<0.50	<1.0	110	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	19.73	6.77	12.96
S-3	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.14	7.01	12.13
S-3	11/22/2005	3,900	<0.500	<0.500	<0.500	0.900	3,730	<0.500	<0.500	3.44	26.0	NA	NA	NA	19.14	7.15	11.99
S-3	02/24/2006	580 b	<0.50	<0.50	<0.50	<0.50	360	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	19.14	5.95	13.19
S-3	05/30/2006	<50.0	<0.500	<0.500	<0.500	0.510	52.2	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.14	5.85	13.29
S-3	08/30/2006	2,910	<0.500	<0.500	<0.500	<0.500	882	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.14	6.71	12.43
S-3	11/22/2006	240	<0.50	<0.50	<0.50	<1.0	150	<2.0	<2.0	<2.0	30	NA	NA	NA	19.14	7.05	12.09
S-3	02/23/2007	78	<0.50	<0.50	<0.50	<1.0	78	<2.0	<2.0	<2.0	5.4	NA	NA	NA	19.14	6.30	12.84
S-4	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.16	6.00	12.16
S-4	11/22/2005	4,570	<0.500	<0.500	<0.500	0.660	3,450	<0.500	<0.500	3.57	26.0	NA	NA	NA	18.16	6.10	12.06
S-4	02/24/2006	2,200 b	<0.50	<0.50	<0.50	<0.50	1,400	<0.50	<0.50	1.4	13 c	NA	NA	NA	18.16	5.09	13.07
S-4	05/30/2006	1,100	<0.500	<0.500	<0.500	<0.500	1,060	<0.500	<0.500	1.04	87.5	NA	NA	NA	18.16	5.00	13.16
S-4	08/30/2006	3,170	<0.500	<0.500	<0.500	<0.500	1,000	<0.500	<0.500	0.850	120	NA	NA	NA	18.16	5.81	12.35
S-4	11/22/2006	520	<0.50	<0.50	<0.50	<1.0	480	<2.0	<2.0	<2.0	5.2	NA	NA	NA	18.16	5.93	12.23
S-4	02/23/2007	180	<0.50	<0.50	<0.50	<1.0	130	<2.0	<2.0	<2.0	9.6	NA	NA	NA	18.16	5.40	12.76
S-4B	08/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.78	6.14	12.64
S-4B	08/30/2006	3,630	<0.500	<0.500	5.32	<0.500	1,130	<0.500	<0.500	1.47	643	NA	NA	NA	18.78	6.32	12.46
S-4B	11/22/2006	620	<0.50	<0.50	0.66	<1.0	580	<2.0	<2.0	<2.0	680	NA	NA	NA	18.78	6.46	12.32
S-4B	02/23/2007	230	<1.0	<1.0	<1.0	<2.0	190	<4.0	<4.0	<4.0	450	NA	NA	NA	18.78	6.64	12.14

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------

S-5	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.68	6.33	12.35
S-5	11/22/2005	1,010	0.900	<0.500	1.79	4.91	302	<0.500	<0.500	<0.500	397	NA	NA	NA	18.68	6.44	12.24
S-5	02/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	19	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	18.68	5.44	13.24
S-5	05/30/2006	2,000	4.13	0.670	<0.500	3.28	143	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	18.68	5.33	13.35
S-5	08/30/2006	1,380	<0.500	<0.500	1.43	<0.500	211	<0.500	<0.500	<0.500	106	NA	NA	NA	18.68	6.16	12.52
S-5	11/22/2006	82	<0.50	<0.50	<0.50	<1.0	28	<2.0	<2.0	<2.0	13	NA	NA	NA	18.68	6.28	12.40
S-5	02/23/2007	<50	<0.50	<0.50	<0.50	<1.0	1.2	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	18.68	5.68	13.00

S-6	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.32	6.36	12.96
S-6	11/22/2005	15,800	5.14	0.690	32.1	934	<0.500	<0.500	<0.500	<0.500	14.2	NA	NA	NA	19.32	6.53	12.79
S-6	01/19/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.32	5.50	13.82
S-6	02/24/2006	7,900 b	4.4	<1.5	260	380	<1.5	<1.5	<1.5	<1.5	<7.0	NA	NA	NA	19.32	5.76	13.56
S-6	05/30/2006	4,170	4.98	<0.500	76.6	44.2	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.32	5.68	13.64
S-6	08/30/2006	16,400	10.7	<0.500	353	292	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.32	6.38	12.94
S-6	11/22/2006	6,900	7.7	<2.5	250	450	<2.5	<10	<10	<10	<25	NA	NA	NA	19.32	6.62	12.70
S-6	02/23/2007	7,900	4.4	<2.5	400	940	<2.5	<10	<10	<10	<25	NA	NA	NA	19.32	6.06	13.26

S-7	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.44	6.76	12.68
S-7	11/22/2005	51,100	2,680	2,980	969	6,360	1.49	<0.500	<0.500	<0.500	53.3	NA	NA	NA	19.44	6.88	12.56
S-7	02/24/2006	22,000 b/25,000 d	1,700	1,200	1,200	2,800	<2.5	<2.5	<2.5	<2.5	58	NA	NA	NA	19.44	5.73	13.71
S-7	05/30/2006	35,600	1,720	641	1,600	3,630	2.83	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.44	5.61	13.83
S-7	08/30/2006	83,900	5,060	62.5	1,640	4,010	2.38	<0.500	<0.500	<0.500	43.4	NA	NA	NA	19.44	6.43	13.01
S-7	11/22/2006	13,000	4,300	27	710	1,900	<2.5	<10	<10	<10	54	NA	NA	NA	19.44	6.68	12.76
S-7	02/23/2007	15,000	2,000	43	1,100	3,300	<12	<50	<50	<50	<120	NA	NA	NA	19.44	5.82	13.62

S-8	08/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	20.11	7.02	13.09
S-8	08/30/2006	90,600	5,150	28.2	3,230	4,450	4.30	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	20.11	7.19	12.92

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
S-8	11/22/2006	41,000	4,900	58	3,300	7,200	2.6	<10	<10	<10	<25	NA	NA	NA	20.11	7.48	12.63
S-8	02/23/2007	28,000	2,900	28	2,900	4,900	<25	<100	<100	<100	<250	NA	NA	NA	20.11	6.73	13.38
S-9	08/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.60	6.93	12.67
S-9	08/30/2006	162,000	3,620	5,040	3,810	22,500	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.60	6.52	13.08
S-9	11/22/2006	47,000	2,100	840	3,000	12,000	<2.5	<10	<10	<10	<25	NA	NA	NA	19.60	6.78	12.82
S-9	02/23/2007	18,000	890	120	1,800	3,600	<12	<50	<50	<50	<120	NA	NA	NA	19.60	6.13	13.47
TBW-E	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.31	NA
TBW-E	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.01	NA
TBW-E	12/07/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.32	NA
TBW-E	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.55	NA
TBW-E	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.95	NA
TBW-E	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.47	NA
TBW-N	11/23/2004	83,000	640	27,000	1,700	20,000	2,300	<400	<400	<400	1,300	<100	<100	<10,000	NA	5.64	NA
TBW-N	12/01/2004	160,000	700	31,000	2,300	24,000	2,900	<400	<400	<400	1,200	<100	<100	<10,000	NA	6.35	NA
TBW-N	12/07/2004	130,000	590	29,000	2,300	24,000	2,700	<400	<400	<400	1,300	<100	<100	<10,000	NA	5.65	NA
TBW-N	12/15/2004	120,000	420	26,000	2,000	22,000	3,300	<400	<400	<400	<1,000	<100	<100	<10,000	NA	5.85	NA
TBW-N	12/23/2004	100,000	220	23,000	1,900	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	NA	5.30	NA
TBW-N	12/27/2004	110,000	470	26,000	2,300	22,000	1,800	<400	<400	<400	<1,000	<100	<100	<10,000	NA	7.80	NA
TBW-N	01/17/2005	86,000	330	22,000	2,200	21,000	1,600	<400	<400	<400	1,600	<100	<100	<10,000	NA	6.59	NA
TBW-N	02/04/2005	97,000	290	23,000	1,800	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	NA	4.50	NA
TBW-N	03/02/2005	94,000	360	24,000	2,000	19,000	1,200	<400	<400	<400	<1,000	<100	<100	<10,000	NA	4.11	NA
TBW-N	04/12/2005	27,000	130	9,300	1,100	8,700	1,400	<100	<100	<20	390	<25	<25	<2,500	NA	4.08	NA
TBW-N	05/13/2005	42,000	130	8,700	1,500	12,000	1,400	<100	<100	<100	440	<25	<25	<2,500	NA	4.45	NA
TBW-N	06/10/2005	46,000	63	5,500	1,300	11,000	500	<100	<100	<100	<250	<25	<25	<2,500	NA	4.97	NA
TBW-N	07/15/2005	48,000	88	8,400	1,300	9,500	660	<100	<100	<100	310	<25	<25	<2,500	NA	5.18	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
TBW-N	08/17/2005 a	36,000	85	8,500	1,200	11,000	510	<200	<200	<200	<500	<50	<50	<5,000	18.08	5.28	12.80
TBW-N	09/15/2005	20,000	59	2,400	730	9,300	600	<40	<40	<40	500	NA	NA	<1,000	18.08	5.92	12.16
TBW-N	10/17/2005	59,000	58	4,900	1,200	16,000	490	<100	<100	<100	<250	<25	<25	<2,500	18.08	5.96	12.12
TBW-N	11/22/2005	105,000	41.3	8,750	1,550	18,300	443	<0.500	<0.500	<0.500	248	<0.500	<0.500	<50.0	18.08	5.82	12.26
TBW-N	12/09/2005	65,900	43.4	5,110	1,110	13,500	493	<0.500	<0.500	<0.500	259	<0.500	<0.500	<50.0	18.08	5.60	12.48
TBW-N	01/05/2006	80,100	33.8	4,910	1,620	19,400	410	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.44	13.64
TBW-N	02/24/2006	56,000 b/60,000 d	15	2,700	1,000	12,000	270	<15	<15	<15	180	<15	<15	<150	18.08	4.67	13.41
TBW-N	03/08/2006	60,200	23.4	3,820	1,370	16,500	293	<0.500	<0.500	<0.500	93.8	<0.500	<0.500	<50.0	18.08	4.18	13.90
TBW-N	04/13/2006	73,000	21.8	2,900	1,220	14,600	277	<0.500	<0.500	<0.500	68.5	<0.500	<0.500	<500	18.08	3.49	14.59
TBW-N	05/30/2006	59,300	18.7	1,170	1,800	10,200	119 e	<0.500	<0.500	<0.500	<10.0	0.860	<0.500	<50.0	18.08	4.52	13.56
TBW-N	06/05/2006	83,700	16.0	1,510	2,090	11,400	146 e	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.55	13.53
TBW-N	07/19/2006	80,100	16.4	632	1,550	13,900	85.7	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.99	13.09
TBW-N	08/30/2006	52,700	18.2	747	1,900	13,400	82.9	<5.00	<5.00	<5.00	<100	<5.00	<5.00	<500	18.08	5.47	12.61
TBW-N	09/06/2006	77,500	21.3	1,100	1,650	11,800	116	<0.500	<0.500	<0.500	12.4	<0.500	<0.500	<50.0	18.08	5.39	12.69
TBW-N	10/13/2006	33,000	22	1,300	1,700	27,000	160	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.57	12.51
TBW-N	11/22/2006	36,000	18	680	1,200	14,000	110	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.65	12.43
TBW-N	12/12/2006	34,000	<25	330	1,400	11,000	89	<25	<25	<25	<1,000	<25	<25	<5,000	18.08	5.34	12.74
TBW-N	01/05/2007	26,000 g	16	450	1,400	13,000 f	96	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.23	12.85
TBW-N	02/23/2007	41,000	<25	400	1,500	15,000	120	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.96	13.12
TBW-S	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.18	NA
TBW-S	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.87	NA
TBW-S	12/07/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.15	NA
TBW-S	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.38	NA
TBW-S	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.81	NA
TBW-S	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.35	NA
TBW-W	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.14	NA

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
TBW-W	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.86	NA
TBW-W	12/07/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.13	NA
TBW-W	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.37	NA
TBW-W	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.79	NA
TBW-W	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.32	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8260B.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol or tertiary butanol, analyzed by EPA Method 8260B

1,2-DCA = 1,2-Dichloroethane, analyzed by EPA Method 8260B

EDB = Ethylene Dibromide, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

NA = Not applicable

WELL CONCENTRATIONS
Shell Service Station
1601 Webster Street
Alameda, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------

Notes:

- a = Extracted out of holding time.
- b = Result with a carbon range of C4-C12.
- c = Result may be biased slightly high. See lab report case narrative.
- d = Result with a carbon range of C6-C12.
- e = Secondary ion abundances were outside method requirements. Identification based on analytical judgement.
- f = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.
- g = Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was below the acceptance limits. A low bias to sample results is indicated.

Ethanol analyzed by EPA Method 8260B.



Well TBW-N surveyed September 1, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-2 through S-7 surveyed on November 30, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-4B and S-7 through S-9 surveyed on August 17, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.

FIGURES


PS = 1:1L:\VICINITY MAP S\0843VM.DWG Feb 08, 2007 - 8:53am bschmidt



SCALE 1:24,000



SOURCE:
United States Geological Survey
7.5 Minute Topographic Map:
Oakland West Quadrangle




VICINITY MAP

Former 76 Station 0843
1629 Webster Street
Alameda, California



FIGURE 1



LEGEND

- MW-6 ⊕ Former 76 Monitoring Well with Groundwater Elevation (feet)
- S-9 ⊕ Shell Service Station Monitoring Well with Groundwater Elevation (feet)
- TBW-N ⊕ Shell Tank Backfill Monitoring Well with Groundwater Elevation (feet)
- 13.00 — Groundwater Elevation Contour
- ➔ General Direction of Groundwater Flow

NOTES:
 Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank. Shell Service Station data provided by Blaine Tech.

GROUNDWATER ELEVATION CONTOUR MAP
February 23, 2007

Former 76 Station 0843
 1629 Webster Street
 Alameda, California





FIGURE 2



LEGEND

- MW-6 Former 76 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)
- S-9 Shell Service Station Monitoring Well
- TBW-N Shell Tank Backfill Monitoring Well
- 10,000- Dissolved-Phase TPH-G (GC/MS) Contour ($\mu\text{g/l}$)

NOTES:


Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Shell Service Station data provided by Blaine Tech.

**DISSOLVED-PHASE
TPH-G (GC/MS)
CONCENTRATIONS MAP
February 23, 2007**

Former 76 Station 0843
1629 Webster Street
Alameda, California



FIGURE 3



LEGEND

- MW-6 ⊕ Former 76 Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g}/\text{l}$)
- S-9 ⊕ Shell Service Station Monitoring Well
- TBW-N ⊕ Shell Tank Backfill Monitoring Well
- 1,000- Dissolved-Phase Benzene Contour ($\mu\text{g}/\text{l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. $\mu\text{g}/\text{l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Shell Service Station data provided by Blaine Tech.

DISSOLVED-PHASE BENZENE CONCENTRATIONS MAP
February 23, 2007

Former 76 Station 0843
1629 Webster Street
Alameda, California






FIGURE 4



LEGEND

- MW-6 ⊕ Former 76 Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g}/\text{l}$)
- s-9 ⊕ Shell Service Station Monitoring Well
- TBW-N ⊕ Shell Tank Backfill Monitoring Well
- 1,000- Dissolved-Phase MTBE Contour ($\mu\text{g}/\text{l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. $\mu\text{g}/\text{l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Dashes indicate contour based on non-detect at elevated detection limit. Shell Service Station data provided by Blaine Tech. Results obtained using EPA Method 8260B.

DISSOLVED-PHASE MTBE CONCENTRATIONS MAP
February 23, 2007

Former 76 Station 0843
1629 Webster Street
Alameda, California





FIGURE 5



LEGEND

- MW-6 Former 76 Monitoring Well with Dissolved-Phase TBA Concentration ($\mu\text{g}/\text{l}$)
- S-9 Shell Service Station Monitoring Well
- TBW-N Shell Tank Backfill Monitoring Well
- 100 Dissolved-Phase TBA Contour ($\mu\text{g}/\text{l}$)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TBA = tertiary butyl alcohol. $\mu\text{g}/\text{l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Dashes indicate contour based on non-detect at elevated detection limit. Shell Service Station data provided by Blaine Tech. Results obtained using EPA Method 8260B.

DISSOLVED-PHASE TBA CONCENTRATIONS MAP
February 23, 2007

Former 76 Station 0843
 1629 Webster Street
 Alameda, California





FIGURE 6


GRAPHS

Groundwater Elevations vs. Time
Former 76 Station 0843










Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
Former 76 Station 0843



Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time Former 76 Station 0843



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

GROUNDWATER SAMPLING FIELD NOTES

Technician: Rick R.

Site: 0843

Project No.: 41060001

Date: 2/23/07

Well No. MW-5

Purge Method: Sub

Depth to Water (feet): 4.47

Depth to Product (feet):

Total Depth (feet) 20.07

LPH & Water Recovered (gallons):

Water Column (feet): 15.60

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 7.59

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
0904			2	356.6	14.3	8.01			
	0907		4	519.8	14.4	7.65			
			6	553.6	15.0	7.38			
Static at Time Sampled			Total Gallons Purged		Sample Time				
7.50			6		0912				
Comments:									

Well No. MW-2A

Purge Method: HB

Depth to Water (feet): 6.05

Depth to Product (feet):

Total Depth (feet) 10.46

LPH & Water Recovered (gallons):

Water Column (feet): 4.41

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 6.93

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
1035			1	334.1	13.6	10.18			
	1038		2	334.7	14.1	10.77			
			3	335.1	15.02	10.93			
Static at Time Sampled			Total Gallons Purged		Sample Time				
6.87			3		1040				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Rick R

Site: 0843

Project No.: 41060001

Date: 2/23/07

Well No. MW-3

Purge Method: Sub

Depth to Water (feet): 5.72

Depth to Product (feet):

Total Depth (feet) 19.83

LPH & Water Recovered (gallons):

Water Column (feet): 14.11

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 8.54

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F.°C)	pH	D.O.	ORP	Turbidity
<u>0926</u>			<u>2</u>	<u>780.5</u>	<u>13.7</u>	<u>6.57</u>			
			<u>4</u>	<u>766.7</u>	<u>14.9</u>	<u>6.56</u>			
	<u>0929</u>		<u>6</u>	<u>762.1</u>	<u>15.7</u>	<u>6.57</u>			
Static at Time Sampled			Total Gallons Purged		Sample Time				
<u>8.50</u>			<u>6</u>		<u>0935</u>				
Comments:									

Well No. MW-4

Purge Method: Sub

Depth to Water (feet): 5.61

Depth to Product (feet):

Total Depth (feet) 19.40

LPH & Water Recovered (gallons):

Water Column (feet): 13.79

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 8.32

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F.°C)	pH	D.O.	ORP	Turbidity
<u>0942</u>			<u>2</u>	<u>1305</u>	<u>16.5</u>	<u>6.99</u>			
			<u>4</u>	<u>1312</u>	<u>16.8</u>	<u>7.09</u>			
	<u>0945</u>		<u>6</u>	<u>1303</u>	<u>17.0</u>	<u>7.13</u>			
Static at Time Sampled			Total Gallons Purged		Sample Time				
<u>8.01</u>			<u>6</u>		<u>0956</u>				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Rick R.

Site: 0843

Project No.: 41060001

Date: 2/23/07

Well No. MW-1

Purge Method: Sub

Depth to Water (feet): 6.40

Depth to Product (feet):

Total Depth (feet) 19.79

LPH & Water Recovered (gallons):

Water Column (feet): 13.39

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.08

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
1018			2	336.2	12.7	8.43			
			4	331.7	14.0	8.02			
	1020		6	311.0	14.6	7.78			
Static at Time Sampled			Total Gallons Purged		Sample Time				
8.91			6		1025				
Comments:									

Well No. MW-6

Purge Method: Sub

Depth to Water (feet): 5.44

Depth to Product (feet):

Total Depth (feet) 20.08

LPH & Water Recovered (gallons):

Water Column (feet): 14.64

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 8.37

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F/C)	pH	D.O.	ORP	Turbidity
1045			2	324.5	11.1	9.21			
			4	359.8	14.1	8.91			
	1047		6	387.5	15.3	8.79			
Static at Time Sampled			Total Gallons Purged		Sample Time				
9:35			6		1052				
Comments:									

Date of Report: 03/05/2007


Anju Farfan

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302


RE: 0843
BC Work Order: 0702333

Enclosed are the results of analyses for samples received by the laboratory on 02/23/2007 19:10. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Vanessa Hooker
Client Service Rep



Authorized Signature



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 0843
Project Number: [none]
Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Sampling Date:	Sample Depth:	Sample Matrix:	Delivery Work Order:	Global ID:	Matrix:	Sample QC Type (SACode):	Cooler ID:
0702333-01	COC Number:	---		02/23/2007 19:10	02/23/2007 09:12	---	Water		T0600102263	W	CS	
	Project Number:	0843										
	Sampling Location:	MW-5										
	Sampling Point:	MW-5										
	Sampled By:	Rick R. of TRCI										
0702333-02	COC Number:	---		02/23/2007 19:10	02/23/2007 10:40	---	Water		T0600102263	W	CS	
	Project Number:	0843										
	Sampling Location:	MW-2A										
	Sampling Point:	MW-2A										
	Sampled By:	Rick R. of TRCI										
0702333-03	COC Number:	---		02/23/2007 19:10	02/23/2007 09:35	---	Water		T0600102263	W	CS	
	Project Number:	0843										
	Sampling Location:	MW-3										
	Sampling Point:	MW-3										
	Sampled By:	Rick R. of TRCI										
0702333-04	COC Number:	---		02/23/2007 19:10	02/23/2007 09:50	---	Water		T0600102263	W	CS	
	Project Number:	0843										
	Sampling Location:	MW-4										
	Sampling Point:	MW-4										
	Sampled By:	Rick R. of TRCI										
0702333-05	COC Number:	---		02/23/2007 19:10	02/23/2007 10:25	---	Water		T0600102263	W	CS	
	Project Number:	0843										
	Sampling Location:	MW-1										
	Sampling Point:	MW-1										
	Sampled By:	Rick R. of TRCI										



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 0843
Project Number: [none]
Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
0702333-06	COC Number:	---	Receive Date: 02/23/2007 19:10
	Project Number:	0843	Sampling Date: 02/23/2007 10:52
	Sampling Location:	MW-6	Sample Depth: ---
	Sampling Point:	MW-6	Sample Matrix: Water
	Sampled By:	Rick R. of TRCI	Delivery Work Order:
			Global ID: T0600102263
			Matrix: W
			Sample QC Type (SACode): CS
			Cooler ID:

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0702333-01		Client Sample Name: 0843, MW-5, MW-5, 2/23/2007 9:12:00AM, Rick R.											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quais
Benzene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Toluene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Total Xylenes	0.53	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463	ND	
1,2-Dichloroethane-d4 (Surrogate)	95.9	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463		
Toluene-d8 (Surrogate)	98.7	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 20:00	MWB	MS-V9	1	BQB1463		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0702333-02												
Client Sample Name:	0843, MW-2A, MW-2A, 2/23/2007 10:40:00AM, Rick R.												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Methyl t-butyl ether	0.72	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Toluene	0.66	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Total Xylenes	1.1	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463	ND	A53
1,2-Dichloroethane-d4 (Surrogate)	95.7	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463		
Toluene-d8 (Surrogate)	98.8	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 20:26	MWB	MS-V9	1	BQB1463		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0702333-03		Client Sample Name: 0843, MW-3, MW-3, 2/23/2007 9:35:00AM, Rick R.											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Methyl t-butyl ether	0.61	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Toluene	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463	ND	
1,2-Dichloroethane-d4 (Surrogate)	97.4	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463		
Toluene-d8 (Surrogate)	95.2	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463		
4-Bromofluorobenzene (Surrogate)	98.7	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	02/28/07 23:52	MWB	MS-V9	1	BQB1463		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0702333-04		Client Sample Name: 0843, MW-4, MW-4, 2/23/2007 9:50:00AM, Rick R.											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Toluene	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463	ND	
1,2-Dichloroethane-d4 (Surrogate)	98.0	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463		
Toluene-d8 (Surrogate)	96.5	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463		
4-Bromofluorobenzene (Surrogate)	95.7	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 00:17	MWB	MS-V9	1	BQB1463		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0702333-05		Client Sample Name: 0843, MW-1, MW-1, 2/23/2007 10:25:00AM, Rick R.												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Ethylbenzene	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Methyl t-butyl ether	1700	ug/L	10		EPA-8260	02/28/07	03/01/07 20:50	MWB	MS-V9	20	BQB1463	ND	A01	
Toluene	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Total Xylenes	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
t-Amyl Methyl ether	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
t-Butyl alcohol	ND	ug/L	100		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Diisopropyl ether	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Ethanol	ND	ug/L	2500		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Ethyl t-butyl ether	ND	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01	
Total Purgeable Petroleum Hydrocarbons	1300	ug/L	500		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463	ND	A01,A53	
1,2-Dichloroethane-d4 (Surrogate)	84.5	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 20:50	MWB	MS-V9	20	BQB1463			
1,2-Dichloroethane-d4 (Surrogate)	93.6	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463			
Toluene-d8 (Surrogate)	98.9	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463			
Toluene-d8 (Surrogate)	93.7	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 20:50	MWB	MS-V9	20	BQB1463			
4-Bromofluorobenzene (Surrogate)	98.7	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 20:50	MWB	MS-V9	20	BQB1463			
4-Bromofluorobenzene (Surrogate)	97.8	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 04:11	MWB	MS-V9	10	BQB1463			

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0702333-06		Client Sample Name: 0843, MW-6, MW-6, 2/23/2007 10:52:00AM, Rick R.											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Methyl t-butyl ether	410	ug/L	5.0		EPA-8260	02/28/07	03/01/07 04:38	MWB	MS-V9	10	BQB1469	ND	A01
Toluene	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Ethanol	ND	ug/L	250		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	
Total Purgeable Petroleum Hydrocarbons	190	ug/L	50		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469	ND	A53
1,2-Dichloroethane-d4 (Surrogate)	95.5	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 04:38	MWB	MS-V9	10	BQB1469		
1,2-Dichloroethane-d4 (Surrogate)	95.2	%	76 - 114 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469		
Toluene-d8 (Surrogate)	96.5	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469		
Toluene-d8 (Surrogate)	97.8	%	88 - 110 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 04:38	MWB	MS-V9	10	BQB1469		
4-Bromofluorobenzene (Surrogate)	98.3	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 04:38	MWB	MS-V9	10	BQB1469		
4-Bromofluorobenzene (Surrogate)	99.3	%	86 - 115 (LCL - UCL)		EPA-8260	02/28/07	03/01/07 19:03	MWB	MS-V9	1	BQB1469		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab
Benzene	BQB1463	Matrix Spike	0701337-29	0	26.140	25.000	ug/L		105		70 - 130
		Matrix Spike Duplicate	0701337-29	0	25.660	25.000	ug/L	1.9	103	20	70 - 130
Toluene	BQB1463	Matrix Spike	0701337-29	0	23.690	25.000	ug/L		94.8		70 - 130
		Matrix Spike Duplicate	0701337-29	0	23.150	25.000	ug/L	2.3	92.6	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BQB1463	Matrix Spike	0701337-29	ND	9.7000	10.000	ug/L		97.0		76 - 114
		Matrix Spike Duplicate	0701337-29	ND	9.4000	10.000	ug/L		94.0		76 - 114
Toluene-d8 (Surrogate)	BQB1463	Matrix Spike	0701337-29	ND	9.7800	10.000	ug/L		97.8		88 - 110
		Matrix Spike Duplicate	0701337-29	ND	9.7400	10.000	ug/L		97.4		88 - 110
4-Bromofluorobenzene (Surrogate)	BQB1463	Matrix Spike	0701337-29	ND	11.040	10.000	ug/L		110		86 - 115
		Matrix Spike Duplicate	0701337-29	ND	10.440	10.000	ug/L		104		86 - 115
Benzene	BQB1469	Matrix Spike	0702108-06	0	27.060	25.000	ug/L		108		70 - 130
		Matrix Spike Duplicate	0702108-06	0	24.900	25.000	ug/L	8.1	99.6	20	70 - 130
Toluene	BQB1469	Matrix Spike	0702108-06	0	24.780	25.000	ug/L		99.1		70 - 130
		Matrix Spike Duplicate	0702108-06	0	23.350	25.000	ug/L	5.9	93.4	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BQB1469	Matrix Spike	0702108-06	ND	9.4700	10.000	ug/L		94.7		76 - 114
		Matrix Spike Duplicate	0702108-06	ND	9.3000	10.000	ug/L		93.0		76 - 114
Toluene-d8 (Surrogate)	BQB1469	Matrix Spike	0702108-06	ND	9.6500	10.000	ug/L		96.5		88 - 110
		Matrix Spike Duplicate	0702108-06	ND	9.4200	10.000	ug/L		94.2		88 - 110
4-Bromofluorobenzene (Surrogate)	BQB1469	Matrix Spike	0702108-06	ND	10.440	10.000	ug/L		104		86 - 115
		Matrix Spike Duplicate	0702108-06	ND	10.510	10.000	ug/L		105		86 - 115

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BQB1463	BQB1463-BS1	LCS	25.600	25.000	0.50	ug/L	102		70 - 130		
Toluene	BQB1463	BQB1463-BS1	LCS	23.480	25.000	0.50	ug/L	93.9		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BQB1463	BQB1463-BS1	LCS	9.4000	10.000		ug/L	94.0		76 - 114		
Toluene-d8 (Surrogate)	BQB1463	BQB1463-BS1	LCS	9.7600	10.000		ug/L	97.6		88 - 110		
4-Bromofluorobenzene (Surrogate)	BQB1463	BQB1463-BS1	LCS	10.360	10.000		ug/L	104		86 - 115		
Benzene	BQB1469	BQB1469-BS1	LCS	25.040	25.000	0.50	ug/L	100		70 - 130		
Toluene	BQB1469	BQB1469-BS1	LCS	23.180	25.000	0.50	ug/L	92.7		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BQB1469	BQB1469-BS1	LCS	9.8600	10.000		ug/L	98.6		76 - 114		
Toluene-d8 (Surrogate)	BQB1469	BQB1469-BS1	LCS	9.6400	10.000		ug/L	96.4		88 - 110		
4-Bromofluorobenzene (Surrogate)	BQB1469	BQB1469-BS1	LCS	10.450	10.000		ug/L	104		86 - 115		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
Toluene	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
Total Xylenes	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
t-Amyl Methyl ether	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BQB1463	BQB1463-BLK1	ND	ug/L	10		
Diisopropyl ether	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
Ethanol	BQB1463	BQB1463-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BQB1463	BQB1463-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BQB1463	BQB1463-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQB1463	BQB1463-BLK1	95.8	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQB1463	BQB1463-BLK1	94.9	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQB1463	BQB1463-BLK1	106	%	86 - 115 (LCL - UCL)		
Benzene	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		
Toluene	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		
Total Xylenes	BQB1469	BQB1469-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BQB1469	BQB1469-BLK1	ND	ug/L	10		
Diisopropyl ether	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		
Ethanol	BQB1469	BQB1469-BLK1	ND	ug/L	1000		
Ethyl t-butyl ether	BQB1469	BQB1469-BLK1	ND	ug/L	0.50		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

Project: 0843
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Total Purgeable Petroleum Hydrocarbons	BQB1469	BQB1469-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQB1469	BQB1469-BLK1	93.2	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQB1469	BQB1469-BLK1	95.3	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQB1469	BQB1469-BLK1	98.5	%	86 - 115 (LCL - UCL)		

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 0843
Project Number: [none]
Project Manager: Anju Farfan

Reported: 03/05/2007 14:22

Notes And Definitions

MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference
A01 PQL's and MDL's are raised due to sample dilution.
A53 Chromatogram not typical of gasoline.

Submission #: 07-07333

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery BC Lab Field Service Other (Specify)

SHIPPING CONTAINER

Ice Chest None Box Other (Specify)

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Intact? Yes No Intact? Yes No Comments:

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO

Ice Chest ID: 6/6 Temperature: 2.9 °C Thermometer ID: 48

Emissivity: 0.95 Container: 109

Date/Time: 2/23/7 Analyst Init: [Signature]

Table with columns for Sample Containers and Sample Numbers (1-10). Rows include various test types like General Mineral/Physical, Inorganic Chemical Metals, etc. Handwritten 'A.3' is present in the first few columns of several rows.

Comments: Sample Numbering Completed By: [Signature] Date/Time: 2/23/7 2:00

BC LABORATORIES, INC.

4100 Atlas Court □ Bakersfield, CA 93308
(661) 327-4911 □ FAX (661) 327-1918

CHAIN OF CUSTODY

#07-02333

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/ oxygenates	BTEX/MTBE/OXYS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS	Turnaround Time Requested
Address: 1629 WEBSTER ST		21 Techology Drive Irvine, CA 92618-2302 Attn: Anju Farfan										
City: ALAMEDA		4-digit site#: 0843 Workorder # 02807-450693620										
State: CA Zip:		Project #: 41060001/FA20										
Conoco Phillips Mgr: THOMAS ROSET		Sampler Name: Rick R.										
Lab#	Sample Description	Field Point Name	Date & Time Sampled									
		MW-5 -1	2/23/07-0912	GW					X	X	X	STD
		MW-2A -2	1040									
		MW-3 -3	0935									
		MW-4 -4	0950									
		MW-1 -5	1025									
		MW-6 -6	1052									

CHK BY DISTRIBUTION
 SUB-OUT

Comments: GLOBAL ID: T0600102263	Relinquished by: (Signature) 	Received by: 	Date & Time 2/23/07 1200
	Relinquished by: (Signature) Rick R. 2/23/07	Received by: 	Date & Time 2-23-07 1500
	Relinquished by: (Signature) 2-23-07 1910	Received by: 	Date & Time 2/23/07 1910

(A) = ANALYSIS (C) = CONTAINER (P) = PRESERVATIVE

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring wells was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.