

  
76 Broadway  
Sacramento, California 95818

**RECEIVED**

2:26 pm, Oct 25, 2007

Alameda County  
Environmental Health

October 22, 2007

Ms. Donna Drogos  
Alameda County Health Agency  
1131 Harbor Bay Parkway  
Alameda, California 94502

**Re: Quarterly Summary Report – Third Quarter 2007  
And Sensitive Receptor Survey**

76 Service Station No. 0843  
1629 Webster Street  
Alameda, California

Dear Ms. Drogos:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (916) 558-7612.

Sincerely,



Bill Borgh  
Site Manager – Risk Management and Remediation

Attachment

October 22, 2007

Ms. Donna Drogos  
Alameda County Health Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502

**Re: Quarterly Summary Report – Third Quarter 2007  
And Sensitive Receptor Survey**  
Delta Project No. C10-2349-131

Dear Ms. Drogos:



On behalf of ConocoPhillips Company (COP), Delta Environmental Consultants, Inc. (Delta) is submitting the third quarter 2007 Quarterly Summary Report and forwarding a copy of TRC's *Quarterly Monitoring Report, July through September 2007*, dated September 28, 2007, for the following location:

**Service Station**

76 Service Station No. 0843

**Location**

1629 Webster Street  
Alameda, California

Sincerely,  
**Delta Consultants, Inc.**

A handwritten signature in black ink that reads "Dennis S. Dettloff".

Dennis S. Dettloff, P.G.  
Senior Project Manager  
California Registered Professional Geologist No. 7480



cc: Mr. William Borgh, ConocoPhillips (electronic copy)

**QUARTERLY SUMMARY REPORT**  
**Sensitive Receptor Survey**  
**Third Quarter 2007**  
**76 Service Station No. 0843**  
**1629 Webster Street**  
**Alameda, California**

**PREVIOUS ASSESSMENT**

June 1998 - Tosco Marketing Company (Tosco, now ConocoPhillips) exhumed and removed two 10,000-gallon gasoline underground storage tanks (USTs), one 550-gallon used oil UST, product lines, and fuel dispensers. Two holes approximately  $\frac{3}{4}$ -inch in diameter were observed in the used oil tank during removal. Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, fuel dispensers, and product lines during the UST removal activities.

March 1999 - Four soil borings (B1 through B4) were advanced at the site and converted to monitor wells MW-1 through MW-4. Groundwater was encountered from 8 to 15 feet below ground surface (bgs). Static groundwater was observed at depths ranging from 4 and 6 feet bgs subsequent to well installation.

December 1999 - Two off-site soil borings (B5 and B6) were advanced and subsequently converted to monitor wells MW-5 and MW-6. Groundwater was initially present at approximately 10 feet below bgs. Static groundwater was observed at a depth of approximately 7 feet bgs subsequent to well installation.

March 2001 - An underground utility survey was conducted to identify and locate underground utilities beneath and in the vicinity of the site that could provide potential preferential pathways for groundwater flow.

May 2001 - Five direct-push soil borings (GP-1 through GP-5) were advanced to evaluate whether underground utilities in the vicinity of the site are providing preferential pathways for groundwater flow and the migration of dissolved phase hydrocarbons. The results of the investigation indicated insufficient evidence that underground utility lines were providing preferential pathways for the off-site migration of dissolved phase hydrocarbons.

December 2001 - Twelve direct-push soil borings (GP-6 through GP-17) were advanced to further assess the extent of residual hydrocarbons in the vadose zone beneath the site. The results of the investigation indicated that the extent of the residual hydrocarbon impact reported in the previous investigations was limited.

December 2002 - One on-site monitoring well (MW-2) was destroyed during remedial excavation of hydrocarbon-impacted soil. Prior to destruction, monitoring well MW-2 was located near the former eastern dispenser island. During the remedial excavation, monitoring well MW-2 was replaced with on-site backfill monitoring well MW-2A. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern dispenser island.

September 2003 - A *Request and Work Plan for Closure* prepared by ERI was submitted to the Alameda County Health Care Services Agency, dated September 10, 2003.

The report summarized why no further action is needed for the site; the report also included plans to destroy the existing wells upon regulatory acceptance for no further action. Closure was not granted.

June 2004 – A work plan was submitted for the installation of two additional monitor wells down-gradient of MW-5.

May 2005 – A work plan titled *Work Plan Addendum – Site Assessment Activity* dated May 17, 2005 was prepared by ATC Associates Inc. (ATC) for the installation of two off-site monitor wells.

September 2005 – A work plan was prepared by ATC titled *Work Plan Subsurface Investigation*, for the installation of one on-site monitor well.

September 2005 – Site environmental consulting responsibilities were transferred to Delta.

## **SENSITIVE RECEPTORS**

June/July 2002 - A groundwater receptor survey was conducted. Three irrigation wells were located within a one-half mile radius of the site. The wells are located approximately 1,980 feet west and 2,245 feet southwest of the site, cross-gradient and up-gradient of the site.

November 2006 – A survey entailing a visit to the DWR office in Sacramento was conducted to examine well log records and to identify domestic wells within the survey area. The DWR survey provided 15 potential receptors within one mile of the site; one domestic well located 0.5 mile southwest of the site; one domestic/irrigation well located 0.7 mile southeast of the site; 11 irrigation wells with three located 0.1 mile northwest, west, and southeast of the site; and two industrial wells located 0.3 miles southwest and 0.9 mile northeast of the site.

The 2006 sensitive receptor survey data are presented as Attachment A.

## **GROUNDWATER MONITORING AND SAMPLING**

Quarterly groundwater monitoring and sampling was initiated in March 1999. During the most recent groundwater monitoring and sampling event conducted on August 10, 2007, depth to groundwater ranged from 6.05 feet (MW-5) to 7.64 feet (MW-3) below top of casing (TOC). The groundwater flow direction was interpreted to be to the northwest with a gradient of 0.01 foot per foot (ft/ft) as compared to the previous quarterly sampling event when the groundwater flow direction was interpreted to be to the north at a gradient of 0.02 ft/ft. Historic groundwater flow directions are shown on a rose diagram presented as Attachment B.

### **Chemicals of Concern:**

- **TPHg:** TPHg was reported above the laboratories indicated reporting limit in monitoring wells MW-1 and MW-6 at 4,100 µg/L and 390 µg/L, respectively. However, the notes in the analytical report indicate that the total purgeable

petroleum hydrocarbons (TPPH) in monitoring wells MW-1 and MW-6 does not exhibit a "gasoline" pattern and that the TPPH is entirely due to MTBE.

- **Benzene:** Benzene was not reported above the laboratories indicated reporting limits in any of the groundwater samples collected during the third quarter 2007 event.
- **MTBE:** MTBE was reported above the laboratories indicated reporting limits in monitoring wells MW-1 and MW-6 at 4,300 µg/L and 660 µg/L, respectively.

With the exception of ethyl-benzene and total xylenes found in the groundwater sample collected from monitoring well MW-2 at 1.6 µg/L and 3.9 µg/L, respectively and the constituents listed above, all other constituents tested were below the laboratories indicated reporting limits during this recent quarterly sampling event.

### **REMEDIATION STATUS**

Approximately 338 tons of hydrocarbon impacted soil and backfill were removed from beneath the former USTs, fuel dispensers, and product lines during the June 1998 UST removal activities. Approximately 292 tons of hydrocarbon-impacted soil was removed from beneath the former eastern island during the December 2002 excavation.

### **CHARACTERIZATION STATUS**

Based on the most recent (August 10, 2007) and historic groundwater analytical data, MTBE and other dissolved gasoline constituents appear to be adequately defined pending further directives from the lead regulatory agency.

Analytical data from groundwater samples collected from the Shell service station located approximately 75 feet south (up-gradient) of the site indicate that TPHg and MTBE are present in the groundwater and it appears that MW-1 is showing petroleum hydrocarbon impact from the off-site migration of these constituents onto the site.

### **RECENT CORRESPONDENCE**

No recent correspondence was documented during this reporting period.

### **THIS QUARTER ACTIVITIES (Third Quarter 2007)**

1. TRC conducted the quarterly monitoring and sampling activities at the site.
2. On January 24, 2007, Delta submitted a workplan for the advancement of one soil boring and the installation of three ozone injection wells at the site. To date, no comments have been received on this document. Remediation measures are pending the receipt and review of ACHA comments to the proposed work plan.

### **WASTE DISPOSAL SUMMARY**

No waste was disposed of from the site during this reporting period.

**NEXT QUARTER ACTIVITIES (Fourth Quarter 2007)**

1. TRC will conduct quarterly groundwater monitoring and sampling activities at the site.
2. Delta will schedule the soil boring and installation of the three ozone injection wells upon approval of the January 24, 2007 work plan.

**CONSULTANT:** Delta Consultants, Inc.


Attachment A – Sensitive Receptor Survey Data

Attachment B – Historic Groundwater Flow Directions

**Attachment A**  
**Sensitive Receptor Survey Data**

**Attachment B**  
**Historic Groundwater Flow Directions**





0 1000 FT 2000 FT  
SCALE: 1 : 24,000



FIGURE 1

SITE LOCATOR SENSITIVE RECEPTOR MAP

76 STATION NO. 0843  
1629 WEBSTER STREET  
ALAMEDA, CALIFORNIA

PROJECT NO. C100-843	DRAWN BY JH 12/12/06
FILE NO. Site Locator 0843	PREPARED BY JH
REVISION NO.	REVIEWED BY



SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC MAP, OAKLAND WEST QUADRANGLE, 1996

**Table 1**  
 One-Mile Agency Receptor Survey  
 ConocoPhillips Station No.0843  
 1629 Webster Street, Alameda, California

DWR <sup>1</sup> Well No.	Address	City	State	Zip	Owner	Well Type	Distance from Site (miles)	Direction Relative to Site	
1-	2S/4W-2R1	Marina Village, off Sherman St.	Alameda	CA		Vintage Properties	Irrigation	0.7	NE
2-	2S/4W-10H2	424 Santa Clara Ave.	Alameda	CA	94501	Richard F. Fawcett	Domestic	0.5	SW
3-	2S/4W-10B1	132 Haight Ave.	Alameda	CA	94501	Idella E. McManus	Irrigation	0.7	W
4-	2S/4W-10G1	314 Santa Clara Ave.	Alameda	CA	94501	James GoLightly	Irrigation	0.6	SW
5-	2S/4W-10H3	462 Santa Clara Ave.	Alameda	CA		PG&E	Cathodic protection	0.4	SW
6-	2S/4W-10H1	447 Taylor Avenue	Alameda	CA	94501	A.E. Bryant	Irrigation	0.5	SW
7-	2S/4W-11M1	645 Central	Alameda	CA		Paul Merrett	Industrial	0.3	SW
8-	2S/4W-11A1	Pacific Ave. east of Chapin	Alameda	CA		PG&E	Cathodic protection	0.5	E
9-	2S/4W-11H1	Santa Clara east of Verdi St.	Alameda	CA		PG&E	Cathodic protection	0.6	SE
10-	2S/4W-11K2?	920 Centennial Ave.	Alameda	CA		Lawrence Picetti	Irrigation	0.5	SE
11-	2S/4W-11J2	1036 San Antonio Ave.	Alameda	CA	94501	Grover A. Chessmore	Domestic/Irrigation	0.7	SE
12-	2S/4W-11J3	1236 St. Charles	Alameda	CA	94501	Frank Weeden	Irrigation	0.8	SE
13-	2S/4W-11J4	1224 Bay St.	Alameda	CA	94501	Richard Bartalini	Irrigation	0.8	SE
14-	2S/4W-11D1	603 Pacific Ave.	Alameda	CA	94501	H.W. Moore	Irrigation	0.1	NW
15-	2S/4W-11E1	1614 6th St.	Alameda	CA	94501	Daniel C. Robinson	Irrigation	0.1	W
16-	2S/4W-11J1	1205 Bay St.	Alameda	CA	94501	W.E. Lyons	Irrigation	0.9	SE
17-	2S/4W-11Q1	900 Otis Drive	Alameda	CA		Chevron USA, Inc.	Dewatering	0.7	SE
18-	2S/4W-12M1	1401 F. Cottage St.	Alameda	CA	94501	Central West Homeowners	Irrigation	1.0	SE
19-	2S/4W-12D2	1521 Buena Vista	Alameda	CA	94501	Alameda Liquid Bulk Terminal	Industrial	0.9	NE
<sup>2</sup> 20-	2S/4W-3E1	Alameda Naval Air Station west side of Main Street	Alameda	CA		U.S. Navy			
<sup>2</sup> 21-	2S/4W-5A1	Naval Air Station (old PAA)	Alameda	CA					
<sup>2</sup> 22-	2S/4W-3E3	B Avenue, Building 17	Alameda	CA	94501	U.S. Naval Air Station	Cathodic protection		
<sup>2</sup> 23-	2S/4W-1D1	Embarcadero rail crossing (25' from rr, 300 yds from Emb.)	Oakland	CA		Union Pacific Railroad	Cathodic protection		

DWR: Department of Water Resources

<sup>1</sup> Well Locations shown on Figure 1.


<sup>2</sup> Specific address cannot be located on map.

### Historic Groundwater Flow Directions

#### ConocoPhillips Site No. 0843

1629 Webster Street

Alameda, California



Groundwater Flow Direction

Legend  
Concentric circles represent  
quarterly monitoring  
events  
First Quarter 1999 through  
Second  
Quarter 2007  
33 data points shown



21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

www.TRCSolutions.com

DATE: October 2, 2007

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: FORMER 76 STATION 0843  
1629 WEBSTER STREET  
ALAMEDA, CALIFORNIA

RE: QUARTERLY MONITORING REPORT  
JULY THROUGH SEPTEMBER 2007

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for Former 76 Station 0843, located at 1629 Webster Street, Alameda, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan".

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Environmental Consultants, Inc. (2 copies)

Enclosures  
20-0400/0843R17.QMS


**QUARTERLY MONITORING REPORT  
JULY THROUGH SEPTEMBER 2007**

Former 76 Station 0843  
1629 Webster Street  
Alameda, California

Prepared For:

Mr. Bill Borgh  
ConocoPhillips Company  
76 Broadway  
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 9/26/07



## LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Coordinated Event Data	<i>Shell Service Station</i> Well Concentrations
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map Figure 6: Dissolved-Phase TBA Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet - 08/10/07 Groundwater Sampling Field Notes - 08/10/07
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

**Summary of Gauging and Sampling Activities**  
**July 2007 through September 2007**  
**Former 76 Station 0843**  
**1629 Webster Street**  
**Alameda, CA**

Project Coordinator: **Bill Borgh**  
Telephone: **916-558-7612**

Water Sampling Contractor: **TRC**  
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **08/10/07**

**Sample Points**

Groundwater wells: **4 onsite, 2 offsite** Wells gauged: **6** Wells sampled: **6**  
Purging method: **Bailer/diaphragm pump**  
Purge water disposal: **Onyx/Rodeo Unit 100**  
Other Sample Points: **0** Type: **n/a**

**Liquid Phase Hydrocarbons (LPH)**

Wells with LPH: **0** Maximum thickness (feet): **n/a**  
LPH removal frequency: **n/a** Method: **n/a**  
Treatment or disposal of water/LPH: **n/a**

**Hydrogeologic Parameters**

Depth to groundwater (below TOC): Minimum: **6.05 feet** Maximum: **7.64 feet**  
Average groundwater elevation (relative to available local datum): **7.90 feet**  
Average change in groundwater elevation since previous event: **-1.03 feet**  
Interpreted groundwater gradient and flow direction:  
Current event: **0.01 ft/ft, northwest**  
Previous event: **0.02 ft/ft, north (05/18/07)**

**Selected Laboratory Results**

Wells with detected **Benzene**: **0** Wells above MCL (1.0 µg/l): **n/a**  
Maximum reported benzene concentration: **n/a**  
Wells with **TPH-G by GC/MS** **2** Maximum: **4,100 µg/l (MW-1)**  
Wells with **MTBE 8260B** **2** Maximum: **4,300 µg/l (MW-1)**

**Notes:**

# TABLES



## TABLE KEY

### STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

### ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as:  $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$ , where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

### REFERENCE

TRC began groundwater monitoring and sampling for Former 76 Station 0843 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

**Contents of Tables 1 and 2**  
**Site: Former 76 Station 0843**

**Current Event**

<b>Table 1</b>	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
<b>Table 1a</b>	Well/ Date	TBA	Ethanol (8260B)	DIPE	ETBE	TAME								

**Historic Data**

<b>Table 2</b>	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
<b>Table 2a</b>	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME						

**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 10, 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-1</b>		<b>(Screen Interval in feet: 4.5-20.5)</b>												
08/10/07	16.18	7.26	0.00	8.92	-0.61	--	4100	ND<25	ND<25	ND<25	ND<25	--	4300	
<b>MW-2A</b>		<b>(Screen Interval in feet: 5-11.5)</b>												
08/10/07	15.56	6.90	0.00	8.66	-0.61	--	ND<50	ND<0.50	ND<0.50	1.6	3.9	--	ND<0.50	
<b>MW-3</b>		<b>(Screen Interval in feet: 5.0-20.0)</b>												
08/10/07	15.11	7.64	0.00	7.47	-1.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>MW-4</b>		<b>(Screen Interval in feet: 5.0-20.5)</b>												
08/10/07	15.17	7.49	0.00	7.68	-1.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>MW-5</b>		<b>(Screen Interval in feet: 5-20)</b>												
08/10/07	13.34	6.05	0.00	7.29	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>MW-6</b>		<b>(Screen Interval in feet: 5-20)</b>												
08/10/07	14.08	6.71	0.00	7.37	-1.08	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	660	

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**Former 76 Station 0843**

Date Sampled	TBA	Ethanol (8260B)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
<b>MW-1</b>					
08/10/07	ND<500	ND<12000	ND<25	ND<25	ND<25
<b>MW-2A</b>					
08/10/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
<b>MW-3</b>					
08/10/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
<b>MW-4</b>					
08/10/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
<b>MW-5</b>					
08/10/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50
<b>MW-6</b>					
08/10/07	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-1 (Screen Interval in feet: 4.5-20.5)</b>														
03/05/99	16.18	--	--	--	--	86.6	--	ND	2.04	ND	4.06	--	23.9	
06/03/99	16.18	6.24	0.00	9.94	--	ND	--	ND	ND	ND	ND	ND	ND	
09/02/99	16.18	7.19	0.00	8.99	-0.95	ND	--	ND	ND	ND	ND	ND	ND	
12/14/99	16.18	8.07	0.00	8.11	-0.88	ND	--	ND	ND	ND	ND	ND	--	
03/14/00	16.18	5.47	0.00	10.71	2.60	ND	--	ND	ND	ND	ND	ND	--	
05/31/00	16.18	6.22	0.00	9.96	-0.75	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	16.18	6.82	0.00	9.36	-0.60	ND	--	ND	ND	ND	ND	ND	--	
12/01/00	16.18	7.54	0.00	8.64	-0.72	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	16.18	5.73	0.00	10.45	1.81	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	16.18	6.43	0.00	9.75	-0.70	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	16.18	7.12	0.00	9.06	-0.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	16.18	6.89	0.00	9.29	0.23	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	16.18	5.61	0.00	10.57	1.28	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	16.18	5.71	0.00	10.47	-0.10	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	16.18	--	--	--	--	--	--	--	--	--	--	--	--	Not monitored/sampled
12/12/02	16.18	7.80	0.00	8.38	--	--	--	--	--	--	--	--	--	No longer sampled
03/13/03	16.18	5.94	0.00	10.24	1.86	--	--	--	--	--	--	--	--	
06/12/03	16.18	6.10	0.00	10.08	-0.16	--	--	--	--	--	--	--	--	
09/12/03	16.18	6.65	0.00	9.53	-0.55	--	--	--	--	--	--	--	--	
12/31/03	16.18	5.74	0.00	10.44	0.91	--	--	--	--	--	--	--	--	Monitored Only
02/12/04	16.18	6.02	0.00	10.16	-0.28	--	--	--	--	--	--	--	--	Monitored Only
06/07/04	16.18	6.61	0.00	9.57	-0.59	--	--	--	--	--	--	--	--	Monitored Only
09/17/04	16.18	7.58	0.00	8.60	-0.97	--	--	--	--	--	--	--	--	Sampled Annually

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-1 continued</b>														
12/11/04	16.18	6.49	0.00	9.69	1.09	--	--	--	--	--	--	--	--	Sampled Annually
03/15/05	16.18	5.28	0.00	10.90	1.21	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	27	
05/17/05	16.18	5.83	0.00	10.35	-0.55	--	--	--	--	--	--	--	--	Sampled annually
07/27/05	16.18	6.52	0.00	9.66	-0.69	--	--	--	--	--	--	--	--	Sampled Annually
11/23/05	16.18	7.28	0.00	8.90	-0.76	--	--	--	--	--	--	--	--	Sampled annually
02/24/06	16.18	6.60	0.00	9.58	0.68	--	910	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5100	
05/30/06	16.18	6.48	0.00	9.70	0.12	--	--	--	--	--	--	--	--	Sampled Q1 only
08/30/06	16.18	9.51	0.00	6.67	-3.03	--	--	--	--	--	--	--	--	Sampled Q1 only
11/22/06	16.18	7.05	0.00	9.13	2.46	--	220	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	420	
02/23/07	16.18	6.40	0.00	9.78	0.65	--	1300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1700	
05/18/07	16.18	6.65	0.00	9.53	-0.25	--	2300	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	3300	
08/10/07	16.18	7.26	0.00	8.92	-0.61	--	4100	ND<25	ND<25	ND<25	ND<25	--	4300	
<b>MW-2 (Screen Interval in feet: 4.5-20.5)</b>														
03/05/99	15.57	--	0.00	--	--	34400	--	2070	7710	2340	8240	--	8460	
06/03/99	15.57	5.96	0.00	9.61	--	51200	--	1820	7570	2510	7320	6460	8800	
09/02/99	15.57	6.85	0.00	8.72	-0.89	17000	--	1000	3100	1400	3700	4000	3720	
12/14/99	15.57	7.65	0.00	7.92	-0.80	83000	--	3000	22000	4500	17000	9100	11000	
03/14/00	15.57	5.26	0.00	10.31	2.39	31000	--	1600	4600	2300	7300	5700	8700	
05/31/00	15.57	5.60	0.00	9.97	-0.34	9970	--	598	1030	487	2060	2500	1670	
08/29/00	15.57	6.35	0.00	9.22	-0.75	7900	--	390	1500	280	1900	1800	1300	
12/01/00	15.57	7.06	0.00	8.51	-0.71	87500	--	1860	17400	5590	19400	6220	3790	
03/17/01	15.57	5.98	0.00	9.59	1.08	4310	--	371	59.0	280	682	321	433	
05/23/01	15.57	6.97	0.00	8.60	-0.99	45400	--	374	4490	2790	10900	ND	406	
09/24/01	15.57	7.56	0.00	8.01	-0.59	76000	--	430	13000	4700	18000	ND<2000	480	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-2 continued</b>														
12/10/01	15.57	6.52	0.00	9.05	1.04	82000	--	320	9100	4400	16000	ND<2500	270	
03/11/02	15.57	5.51	0.00	10.06	1.01	14000	--	75	1400	1100	3600	ND<250	150	
06/07/02	15.57	5.73	0.00	9.84	-0.22	14000	--	120	1200	1400	4700	540	200	
09/03/02	15.57	6.81	0.00	8.76	-1.08	10000	--	150	1200	610	2800	510	460	
12/12/02	15.57	--	--	--	--	--	--	--	--	--	--	--	--	Destroyed, replaced with MW-2A
<b>MW-2a (Screen Interval in feet: 5-11.5)</b>														
12/12/02	15.56	7.45	0.00	8.11	--	3400	--	80	260	210	1000	380	400	
03/13/03	--	5.85	0.00	--	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	1.8	2.4	2.4	
06/12/03	--	6.08	0.00	--	--	ND<50	--	0.59	0.69	ND<0.50	1.2	6.0	4.7	
09/12/03	15.56	6.54	0.00	9.02	--	--	120	1.8	4.2	6.1	20	--	6.6	
12/31/03	15.56	5.63	0.00	9.93	0.91	88	--	0.79	1.8	3.6	14	ND<5.0	2.9	
02/12/04	15.56	5.68	0.00	9.88	-0.05	160	--	2.6	4.8	13	48	7.2	7.9	
06/07/04	15.56	6.21	0.00	9.35	-0.53	94	--	0.80	1.2	2.1	9.1	4.5	3.7	
09/17/04	15.56	7.16	0.00	8.40	-0.95	--	230	3.5	6.1	13	41	--	83	
12/11/04	15.56	5.84	0.00	9.72	1.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	
03/15/05	15.56	5.52	0.00	10.04	0.32	--	92	0.84	1.7	2.4	9.8	--	ND<10	
05/17/05	15.56	5.55	0.00	10.01	-0.03	--	54	2.1	1.7	1.9	7.0	--	2.9	
07/27/05	15.56	6.16	0.00	9.40	-0.61	--	ND<50	0.66	1.1	1.3	4.2	--	3.7	
11/23/05	15.56	6.88	0.00	8.68	-0.72	--	120	1.3	2.8	7.8	30	--	10	
02/24/06	15.56	5.79	0.00	9.77	1.09	--	84	0.51	1.2	4.2	16	--	7.2	
05/30/06	15.56	5.62	0.00	9.94	0.17	--	69	0.90	2.2	3.7	14	--	4.1	
08/30/06	15.56	6.38	0.00	9.18	-0.76	--	77	ND<0.50	0.50	1.0	3.3	--	2.5	
11/22/06	15.56	6.60	0.00	8.96	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	2.2	--	0.59	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-2A continued</b>														
02/23/07	15.56	6.05	0.00	9.51	0.55	--	ND<50	ND<0.50	0.66	ND<0.50	1.1	--	0.72	
05/18/07	15.56	6.29	0.00	9.27	-0.24	--	ND<50	ND<0.50	ND<0.50	0.68	1.6	--	0.81	
08/10/07	15.56	6.90	0.00	8.66	-0.61	--	ND<50	ND<0.50	ND<0.50	1.6	3.9	--	ND<0.50	
<b>MW-3 (Screen Interval in feet: 5.0-20.0)</b>														
03/05/99	15.11	--	0.00	--	--	135	--	ND	ND	ND	4.84	--	2.46	
06/03/99	15.11	5.57	0.00	9.54	--	ND	--	ND	ND	ND	ND	5.23	12.7	
09/02/99	15.11	6.50	0.00	8.61	-0.93	ND	--	ND	ND	ND	ND	13	11	
12/14/99	15.11	7.28	0.00	7.83	-0.78	ND	--	ND	ND	ND	ND	ND	--	
03/14/00	15.11	4.87	0.00	10.24	2.41	ND	--	ND	ND	ND	ND	7.2	6.3	
05/31/00	15.11	5.58	0.00	9.53	-0.71	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	15.11	6.06	0.00	9.05	-0.48	ND	--	ND	ND	ND	ND	ND	ND	
12/01/00	15.11	6.76	0.00	8.35	-0.70	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	15.11	5.09	0.00	10.02	1.67	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	15.11	5.72	0.00	9.39	-0.63	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	15.11	6.34	0.00	8.77	-0.62	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	15.11	6.31	0.00	8.80	0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	15.11	5.15	0.00	9.96	1.16	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	15.11	5.45	0.00	9.66	-0.30	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/02	15.11	7.15	0.00	7.96	-1.70	--	--	--	--	--	--	--	--	No longer sampled
03/13/03	15.11	5.37	0.00	9.74	1.78	--	--	--	--	--	--	--	--	
06/12/03	15.11	5.51	0.00	9.60	-0.14	--	--	--	--	--	--	--	--	
09/12/03	15.11	6.03	0.00	9.08	-0.52	--	--	--	--	--	--	--	--	
12/31/03	15.11	5.62	0.00	9.49	0.41	--	--	--	--	--	--	--	--	Monitored Only
02/12/04	15.11	5.51	0.00	9.60	0.11	--	--	--	--	--	--	--	--	Monitored Only



**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-3 continued</b>														
06/07/04	15.11	5.92	0.00	9.19	-0.41	--	--	--	--	--	--	--	--	Monitored Only
09/17/04	15.11	--	--	--	--	--	--	--	--	--	--	--	--	Unable to locate
12/11/04	15.11	5.94	0.00	9.17	--	--	--	--	--	--	--	--	--	Sampled Annually
03/11/05	15.11	4.76	0.00	10.35	1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	15.11	5.23	0.00	9.88	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	15.11	5.81	0.00	9.30	-0.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	15.11	6.60	0.00	8.51	-0.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/24/06	15.11	5.37	0.00	9.74	1.23	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.2	
05/30/06	15.11	5.08	0.00	10.03	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	0.92	
08/30/06	15.11	5.52	0.00	9.59	-0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.51	
11/22/06	15.11	6.38	0.00	8.73	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.94	
02/23/07	15.11	5.72	0.00	9.39	0.66	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	0.61	
05/18/07	15.11	5.94	0.00	9.17	-0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.1	
08/10/07	15.11	7.64	0.00	7.47	-1.70	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>MW-4 (Screen Interval in feet: 5.0-20.5)</b>														
03/05/99	15.17	--	0.00	--	--	ND	--	ND	ND	ND	2.44	--	25.2	
06/03/99	15.17	5.45	0.00	9.72	--	ND	--	ND	ND	ND	ND	ND	3.96	
09/02/99	15.17	6.48	0.00	8.69	-1.03	ND	--	ND	ND	ND	ND	23	27	
12/14/99	15.17	7.27	0.00	7.90	-0.79	ND	--	ND	ND	ND	ND	200	270	
03/14/00	15.17	4.67	0.00	10.50	2.60	ND	--	ND	ND	ND	ND	46	49	
05/31/00	15.17	5.48	0.00	9.69	-0.81	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	15.17	6.10	0.00	9.07	-0.62	ND	--	ND	ND	ND	ND	6.1	3.2	
12/01/00	15.17	6.79	0.00	8.38	-0.69	ND	--	ND	ND	ND	ND	152	101	
03/17/01	15.17	5.01	0.00	10.16	1.78	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-4 continued</b>														
05/23/01	15.17	5.78	0.00	9.39	-0.77	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	15.17	6.42	0.00	8.75	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	15.17	6.41	0.00	8.76	0.01	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1700	1300	
03/11/02	15.17	5.05	0.00	10.12	1.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	15.17	5.42	0.00	9.75	-0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	15.17	6.50	0.00	8.67	-1.08	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/12/02	15.17	7.18	0.00	7.99	-0.68	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.9	3.3	
03/13/03	15.17	5.42	0.00	9.75	1.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
06/12/03	15.17	5.60	0.00	9.57	-0.18	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
09/12/03	15.17	6.07	0.00	9.10	-0.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/03	15.17	5.63	0.00	9.54	0.44	750	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	790	--	
02/12/04	15.17	5.26	0.00	9.91	0.37	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/04	15.17	5.82	0.00	9.35	-0.56	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
09/17/04	15.17	6.86	0.00	8.31	-1.04	--	56	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
12/11/04	15.17	6.01	0.00	9.16	0.85	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	380	
03/11/05	15.17	4.61	0.00	10.56	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	15.17	4.93	0.00	10.24	-0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	15.17	5.74	0.00	9.43	-0.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	15.17	6.59	0.00	8.58	-0.85	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	23	
02/24/06	15.17	5.19	0.00	9.98	1.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.7	
05/30/06	15.17	5.07	0.00	10.10	0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/30/06	15.17	6.02	0.00	9.15	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/06	15.17	6.37	0.00	8.80	-0.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	16	
02/23/07	15.17	5.61	0.00	9.56	0.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>MW-4 continued</b>														
05/18/07	15.17	5.87	0.00	9.30	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
08/10/07	15.17	7.49	0.00	7.68	-1.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>MW-5 (Screen Interval in feet: 5-20)</b>														
12/14/99	13.34	6.45	0.00	6.89	--	ND	--	ND	ND	ND	ND	3.5	3.8	
03/14/00	13.34	4.46	0.00	8.88	1.99	ND	--	ND	ND	ND	ND	ND	--	
05/31/00	13.34	5.18	0.00	8.16	-0.72	ND	--	ND	ND	ND	ND	ND	--	
08/29/00	13.34	5.46	0.00	7.88	-0.28	ND	--	ND	ND	ND	ND	ND	--	
12/01/00	13.34	5.95	0.00	7.39	-0.49	ND	--	ND	ND	ND	ND	ND	--	
03/17/01	13.34	5.36	0.00	7.98	0.59	ND	--	ND	ND	ND	ND	ND	--	
05/23/01	13.34	5.09	0.00	8.25	0.27	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	13.34	5.58	0.00	7.76	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
12/10/01	13.34	5.51	0.00	7.83	0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
03/11/02	13.34	4.70	0.00	8.64	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/02	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
09/03/02	13.34	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
12/12/02	13.34	6.42	0.00	6.92	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
03/13/03	13.34	5.12	0.00	8.22	1.30	ND<50	--	ND<0.50	0.54	ND<0.50	ND<0.50	ND<2.0	--	
06/12/03	13.34	5.24	0.00	8.10	-0.12	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.0	--	
09/12/03	13.34	5.53	0.00	7.81	-0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/31/03	13.34	5.11	0.00	8.23	0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
02/12/04	13.34	5.02	0.00	8.32	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/07/04	13.34	5.35	0.00	7.99	-0.33	ND<50	--	ND<0.3	ND<0.3	ND<0.3	ND<0.6	ND<1	--	
09/17/04	13.34	6.10	0.00	7.24	-0.75	--	--	--	--	--	--	--	--	Sampled Annually
12/11/04	13.34	5.53	0.00	7.81	0.57	--	--	--	--	--	--	--	--	Sampled Annually

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-5 continued</b>														
03/11/05	13.34	4.96	0.00	8.38	0.57	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/17/05	13.34	5.04	0.00	8.30	-0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/27/05	13.34	5.31	0.00	8.03	-0.27	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
11/23/05	13.34	5.86	0.00	7.48	-0.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
02/24/06	13.34	5.08	0.00	8.26	0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/30/06	13.34	5.01	0.00	8.33	0.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/30/06	13.34	5.65	0.00	7.69	-0.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
11/22/06	13.34	5.82	0.00	7.52	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
02/23/07	13.34	4.47	0.00	8.87	1.35	--	ND<50	ND<0.50	ND<0.50	ND<0.50	0.53	--	ND<0.50	
05/18/07	13.34	5.51	0.00	7.83	-1.04	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
08/10/07	13.34	6.05	0.00	7.29	-0.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>MW-6 (Screen Interval in feet: 5-20)</b>														
12/14/99	14.08	6.64	0.00	7.44	--	ND	--	ND	ND	ND	ND	11000	18000	
03/14/00	14.08	4.72	0.00	9.36	1.92	ND	--	ND	ND	ND	ND	19000	21000	
05/31/00	14.08	5.28	0.00	8.80	-0.56	ND	--	ND	ND	ND	ND	13200	--	
08/29/00	14.08	5.39	0.00	8.69	-0.11	ND	--	ND	ND	ND	ND	270	400	
12/01/00	14.08	6.11	0.00	7.97	-0.72	ND	--	ND	ND	ND	ND	6330	3640	
03/17/01	14.08	6.02	0.00	8.06	0.09	18700	--	2950	989	1040	3000	10200	11500	
05/23/01	14.08	5.82	0.00	8.26	0.20	ND	--	ND	ND	ND	ND	4660	--	
09/24/01	14.08	6.59	0.00	7.49	-0.77	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	190	
12/10/01	14.08	6.50	0.00	7.58	0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	3200	2400	
03/11/02	14.08	4.81	0.00	9.27	1.69	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	92	120	
06/07/02	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over
09/03/02	14.08	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible - paved over

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 1999 Through August 2007**  
**Former 76 Station 0843**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments	
<b>MW-6 continued</b>															
	12/12/02	14.08	6.51	0.00	7.57	--	590	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	1500	6200	
	03/13/03	14.08	5.20	0.00	8.88	1.31	1600	--	ND<5.0	ND<5.0	ND<5.0	ND<5.0	4900	4100	
D	03/13/03	14.08	5.20	0.00	8.88	1.31	--	--	--	--	--	--	--	5100	
	06/12/03	14.08	5.38	0.00	8.70	-0.18	1600	--	ND<10	ND<10	ND<10	ND<10	5200	3700	
	09/12/03	14.08	6.29	0.00	7.79	-0.91	--	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310	
	12/31/03	14.08	5.38	0.00	8.70	0.91	3300	--	ND<25	ND<25	ND<25	ND<25	3800	--	
	02/12/04	14.08	5.06	0.00	9.02	0.32	1100	--	ND<10	ND<10	ND<10	ND<10	1900	2800	
	06/07/04	14.08	5.45	0.00	8.63	-0.39	2500	--	ND<3	ND<3	ND<3	ND<6	3200	2900	
	09/17/04	14.08	6.20	0.00	7.88	-0.75	--	1300	ND<10	ND<10	ND<10	ND<20	--	2000	
	12/11/04	14.08	5.60	0.00	8.48	0.60	--	1800	ND<10	ND<10	ND<10	ND<20	--	2700	
	03/11/05	14.08	4.71	0.00	9.37	0.89	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	2500	
	05/17/05	14.08	4.98	0.00	9.10	-0.27	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2200	
	07/27/05	14.08	5.48	0.00	8.60	-0.50	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1100	
	11/23/05	14.08	6.01	0.00	8.07	-0.53	--	590	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1700	
	02/24/06	14.08	5.12	0.00	8.96	0.89	--	400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	990	
	05/30/06	14.08	5.04	0.00	9.04	0.08	--	ND<1200	ND<12	ND<12	ND<12	ND<25	--	560	
	08/30/06	14.08	7.01	0.00	7.07	-1.97	--	930	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	820	
	11/22/06	14.08	6.16	0.00	7.92	0.85	--	690	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	620	
	02/23/07	14.08	5.44	0.00	8.64	0.72	--	190	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	410	
	05/18/07	14.08	5.63	0.00	8.45	-0.19	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	620	
	08/10/07	14.08	6.71	0.00	7.37	-1.08	--	390	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	660	

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**Former 76 Station 0843**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
<b>MW-1</b>							
09/02/99	ND	ND	--	--	ND	ND	ND
03/15/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	62	ND<250	--	--	ND<0.50	ND<0.50	5.5
11/22/06	74	ND<250	--	--	ND<0.50	ND<0.50	0.51
02/23/07	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
05/18/07	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
08/10/07	ND<500	ND<12000	--	--	ND<25	ND<25	ND<25
<b>MW-2</b>							
09/02/99	ND	ND	--	--	ND	ND	ND
12/14/99	ND	ND	ND	ND	ND	ND	ND
03/14/00	1300	ND	ND	ND	ND	ND	ND
05/31/00	ND	ND	ND	ND	ND	ND	ND
08/29/00	250	ND	ND	ND	ND	ND	ND
12/01/00	ND	ND	ND	ND	ND	ND	ND
03/17/01	ND	ND	ND	ND	14.8	ND	ND
05/23/01	ND	ND	ND	ND	ND	ND	ND
09/24/01	ND<5000	ND<50000000	ND<100	ND<100	ND<100	ND<100	ND<100
12/10/01	ND<500	ND<12000000	ND<25	ND<25	ND<25	ND<25	ND<25
03/11/02	ND<1000	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20
06/07/02	ND<1000	ND<2000000	ND<25	ND<25	ND<25	ND<25	ND<25
09/03/02	ND<1000	ND<5000000	ND<20	ND<20	ND<20	ND<20	ND<20
<b>MW-2a</b>							
12/12/02	ND<100	ND<500000	ND<2.0	2.3	ND<2.0	ND<2.0	ND<2.0
03/13/03	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/12/03	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**Former 76 Station 0843**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)
<b>MW-2A continued</b>							
09/12/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
12/31/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
02/12/04	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
06/07/04	ND<12	ND<800	ND<0.5	ND<0.5	ND<1	ND<1	ND<1
09/17/04	6.7	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50
12/11/04	ND<5.0	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50
03/15/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
<b>MW-3</b>							
09/02/99	ND	ND	--	--	ND	ND	ND
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**Former 76 Station 0843**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
<b>MW-3 continued</b>							
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
<b>MW-4</b>							
09/02/99	ND	ND	--	--	ND	ND	ND
12/10/01	ND<290	ND<7100000	ND<14	ND<14	ND<14	ND<14	ND<14
12/12/02	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/12/03	--	ND<500	--	--	--	--	--
09/17/04	ND<5.0	ND<50	--	--	ND<1.0	ND<0.50	ND<0.50
12/11/04	ND<25	ND<250	--	--	ND<5.0	ND<2.5	ND<2.5
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
<b>MW-5</b>							
09/12/03	--	ND<500	--	--	--	--	--
03/11/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
05/17/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50



**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**Former 76 Station 0843**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
<b>MW-5 continued</b>							
07/27/05	ND<5.0	ND<50	--	--	ND<0.50	ND<0.50	ND<0.50
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/24/06	59	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/30/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
11/22/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
<b>MW-6</b>							
03/17/01	ND	ND	ND	219	ND	ND	ND
09/24/01	ND<100	ND<1000000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
12/10/01	ND<500	ND<12000000	ND<25	ND<25	ND<25	ND<25	ND<25
03/11/02	ND<100	ND<500000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
12/12/02	ND<10000	ND<50000000	ND<200	ND<200	ND<200	ND<200	ND<200
03/13/03	ND<5000	ND<25000000	ND<100	ND<100	ND<100	ND<100	ND<100
06/12/03	ND<2000	ND<10000000	ND<40	ND<40	ND<40	ND<40	ND<40
09/12/03	--	ND<2500	--	--	--	--	--
02/12/04	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40
06/07/04	ND<200	ND<8000	ND<5	ND<5	ND<10	ND<10	ND<10
09/17/04	ND<100	ND<1000	--	--	ND<20	ND<10	ND<10
12/11/04	ND<100	ND<1000	--	--	ND<20	ND<10	ND<10
03/11/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10
05/17/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10
07/27/05	ND<100	ND<1000	--	--	ND<10	ND<10	ND<10
11/23/05	ND<10	ND<250	--	--	ND<0.50	ND<0.50	1.0

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**Former 76 Station 0843**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
<b>MW-6 continued</b>							
02/24/06	ND<10	ND<250	--	--	ND<0.50	ND<0.50	0.68
05/30/06	ND<250	ND<6200	--	--	ND<12	ND<12	ND<12
08/30/06	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
11/22/06	ND<100	ND<2500	--	--	ND<5.0	ND<5.0	ND<5.0
02/23/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
05/18/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50
08/10/07	ND<10	ND<250	--	--	ND<0.50	ND<0.50	ND<0.50

# COORDINATED EVENT DATA

**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------

S-2	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.73	7.60	12.13
S-2	11/22/2005	996	0.630	0.500	0.500	3.10	406	<0.500	<0.500	0.570	18.0	NA	NA	NA	19.73	7.70	12.03
S-2	02/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	2.0	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	19.73	6.29	13.44
S-2	05/30/2006	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.73	6.14	13.59
S-2	08/30/2006	420	<0.500	<0.500	<0.500	<0.500	4.42	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.73	7.18	12.55
S-2	11/22/2006	110	<0.50	<0.50	<0.50	<1.0	62	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	19.73	7.55	12.18
S-2	02/23/2007	140	<0.50	<0.50	<0.50	<1.0	110	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	19.73	6.77	12.96
S-2	05/18/2007	<50 h	<0.50	<1.0	<1.0	<1.0	18	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.73	7.02	12.71
<b>S-2</b>	<b>08/10/2007</b>	<b>&lt;50 h</b>	<b>&lt;0.50</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>40</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;10</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>19.73</b>	<b>7.65</b>	<b>12.08</b>

S-3	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.14	7.01	12.13
S-3	11/22/2005	3,900	<0.500	<0.500	<0.500	0.900	3,730	<0.500	<0.500	3.44	26.0	NA	NA	NA	19.14	7.15	11.99
S-3	02/24/2006	580 b	<0.50	<0.50	<0.50	<0.50	360	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	19.14	5.95	13.19
S-3	05/30/2006	<50.0	<0.500	<0.500	<0.500	0.510	52.2	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.14	5.85	13.29
S-3	08/30/2006	2,910	<0.500	<0.500	<0.500	<0.500	882	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.14	6.71	12.43
S-3	11/22/2006	240	<0.50	<0.50	<0.50	<1.0	150	<2.0	<2.0	<2.0	30	NA	NA	NA	19.14	7.05	12.09
S-3	02/23/2007	78	<0.50	<0.50	<0.50	<1.0	78	<2.0	<2.0	<2.0	5.4	NA	NA	NA	19.14	6.30	12.84
S-3	05/18/2007	120 h,i	<0.50	<1.0	<1.0	<1.0	150	<2.0	<2.0	<2.0	73	NA	NA	NA	19.14	6.58	12.56
<b>S-3</b>	<b>08/10/2007</b>	<b>&lt;50 h</b>	<b>&lt;1.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>200</b>	<b>&lt;4.0</b>	<b>&lt;4.0</b>	<b>&lt;4.0</b>	<b>21</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>19.14</b>	<b>7.09</b>	<b>12.05</b>

S-4	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.16	6.00	12.16
S-4	11/22/2005	4,570	<0.500	<0.500	<0.500	0.660	3,450	<0.500	<0.500	3.57	26.0	NA	NA	NA	18.16	6.10	12.06
S-4	02/24/2006	2,200 b	<0.50	<0.50	<0.50	<0.50	1,400	<0.50	<0.50	1.4	13 c	NA	NA	NA	18.16	5.09	13.07
S-4	05/30/2006	1,100	<0.500	<0.500	<0.500	<0.500	1,060	<0.500	<0.500	1.04	87.5	NA	NA	NA	18.16	5.00	13.16
S-4	08/30/2006	3,170	<0.500	<0.500	<0.500	<0.500	1,000	<0.500	<0.500	0.850	120	NA	NA	NA	18.16	5.81	12.35
S-4	11/22/2006	520	<0.50	<0.50	<0.50	<1.0	480	<2.0	<2.0	<2.0	5.2	NA	NA	NA	18.16	5.93	12.23
S-4	02/23/2007	180	<0.50	<0.50	<0.50	<1.0	130	<2.0	<2.0	<2.0	9.6	NA	NA	NA	18.16	5.40	12.76
S-4	05/18/2007	220 h,i	<2.5	<5.0	<5.0	2.5 j	420	<10	<10	<10	<50	NA	NA	NA	18.16	5.62	12.54

**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
S-4	08/10/2007	98 h,i	<2.5	<5.0	<5.0	<5.0	540	<10	<10	<10	29 j	NA	NA	NA	18.16	6.00	12.16
S-4B	08/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.78	6.14	12.64
S-4B	08/30/2006	3,630	<0.500	<0.500	5.32	<0.500	1,130	<0.500	<0.500	1.47	643	NA	NA	NA	18.78	6.32	12.46
S-4B	11/22/2006	620	<0.50	<0.50	0.66	<1.0	580	<2.0	<2.0	<2.0	680	NA	NA	NA	18.78	6.46	12.32
S-4B	02/23/2007	230	<1.0	<1.0	<1.0	<2.0	190	<4.0	<4.0	<4.0	450	NA	NA	NA	18.78	6.64	12.14
S-4B	05/18/2007	200 h	<0.50	<1.0	<1.0	<1.0	130	<2.0	<2.0	<2.0	360	NA	NA	NA	18.78	6.19	12.59
S-4B	08/10/2007	150 h	0.47 j	<1.0	<1.0	<1.0	67	<2.0	<2.0	<2.0	230	NA	NA	NA	18.78	6.48	12.30
S-5	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.68	6.33	12.35
S-5	11/22/2005	1,010	0.900	<0.500	1.79	4.91	302	<0.500	<0.500	<0.500	397	NA	NA	NA	18.68	6.44	12.24
S-5	02/24/2006	<50 b	<0.50	<0.50	<0.50	<0.50	19	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	18.68	5.44	13.24
S-5	05/30/2006	2,000	4.13	0.670	<0.500	3.28	143	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	18.68	5.33	13.35
S-5	08/30/2006	1,380	<0.500	<0.500	1.43	<0.500	211	<0.500	<0.500	<0.500	106	NA	NA	NA	18.68	6.16	12.52
S-5	11/22/2006	82	<0.50	<0.50	<0.50	<1.0	28	<2.0	<2.0	<2.0	13	NA	NA	NA	18.68	6.28	12.40
S-5	02/23/2007	<50	<0.50	<0.50	<0.50	<1.0	1.2	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	18.68	5.68	13.00
S-5	05/18/2007	<50 h,i	<0.50	<1.0	<1.0	<1.0	2.6	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	5.91	12.77
S-5	08/10/2007	<50 h	<0.50	<1.0	<1.0	<1.0	1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	18.68	6.36	12.32
S-6	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.32	6.36	12.96
S-6	11/22/2005	15,800	5.14	0.690	32.1	934	<0.500	<0.500	<0.500	<0.500	14.2	NA	NA	NA	19.32	6.53	12.79
S-6	01/19/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.32	5.50	13.82
S-6	02/24/2006	7,900 b	4.4	<1.5	260	380	<1.5	<1.5	<1.5	<1.5	<7.0	NA	NA	NA	19.32	5.76	13.56
S-6	05/30/2006	4,170	4.98	<0.500	76.6	44.2	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.32	5.68	13.64
S-6	08/30/2006	16,400	10.7	<0.500	353	292	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.32	6.38	12.94
S-6	11/22/2006	6,900	7.7	<2.5	250	450	<2.5	<10	<10	<10	<25	NA	NA	NA	19.32	6.62	12.70
S-6	02/23/2007	7,900	4.4	<2.5	400	940	<2.5	<10	<10	<10	<25	NA	NA	NA	19.32	6.06	13.26
S-6	05/18/2007	2,600 h	3.1	<1.0	85	147.3	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.12	13.20

**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
S-6	08/10/2007	3,100 h	3.5	0.28 j	110	202	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	19.32	6.60	12.72
S-7	11/14/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.44	6.76	12.68
S-7	11/22/2005	51,100	2,680	2,980	969	6,360	1.49	<0.500	<0.500	<0.500	53.3	NA	NA	NA	19.44	6.88	12.56
S-7	02/24/2006	22,000 b/25,000 d	1,700	1,200	1,200	2,800	<2.5	<2.5	<2.5	<2.5	58	NA	NA	NA	19.44	5.73	13.71
S-7	05/30/2006	35,600	1,720	641	1,600	3,630	2.83	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.44	5.61	13.83
S-7	08/30/2006	83,900	5,060	62.5	1,640	4,010	2.38	<0.500	<0.500	<0.500	43.4	NA	NA	NA	19.44	6.43	13.01
S-7	11/22/2006	13,000	4,300	27	710	1,900	<2.5	<10	<10	<10	54	NA	NA	NA	19.44	6.68	12.76
S-7	02/23/2007	15,000	2,000	43	1,100	3,300	<12	<50	<50	<50	<120	NA	NA	NA	19.44	5.82	13.62
S-7	05/18/2007	6,100 h	3,900	22 j	520	2,010	<50	<100	<100	<100	<500	NA	NA	NA	19.44	6.20	13.24
S-7	08/10/2007	14,000 h	4,900	19 j	670	2,046 j	<50	<100	<100	<100	<500	NA	NA	NA	19.44	6.74	12.70
S-8	08/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	20.11	7.02	13.09
S-8	08/30/2006	90,600	5,150	28.2	3,230	4,450	4.30	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	20.11	7.19	12.92
S-8	11/22/2006	41,000	4,900	58	3,300	7,200	2.6	<10	<10	<10	<25	NA	NA	NA	20.11	7.48	12.63
S-8	02/23/2007	28,000	2,900	28	2,900	4,900	<25	<100	<100	<100	<250	NA	NA	NA	20.11	6.73	13.38
S-8	05/18/2007	24,000 h	4,400	33 j	3,800	4,470	<50	<100	<100	<100	<500	NA	NA	NA	20.11	6.98	13.13
S-8	08/10/2007	22,000 h	5,000	30 j	3,100	3,660	<50	<100	<100	<100	<500	NA	NA	NA	20.11	7.57	12.54
S-9	08/21/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.60	6.93	12.67
S-9	08/30/2006	162,000	3,620	5,040	3,810	22,500	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	19.60	6.52	13.08
S-9	11/22/2006	47,000	2,100	840	3,000	12,000	<2.5	<10	<10	<10	<25	NA	NA	NA	19.60	6.78	12.82
S-9	02/23/2007	18,000	890	120	1,800	3,600	<12	<50	<50	<50	<120	NA	NA	NA	19.60	6.13	13.47
S-9	05/18/2007	22,000 h	1,300	630	2,400	7,300	<50	<100	<100	<100	<500	NA	NA	NA	19.60	6.35	13.25
S-9	08/10/2007	36,000 h	2,600	920	4,200	14,900	<50	<100	<100	<100	<500	NA	NA	NA	19.60	6.86	12.74
TBW-E	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.31	NA
TBW-E	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.01	NA

**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
TBW-E	12/07/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.32	NA
TBW-E	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.55	NA
TBW-E	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.95	NA
TBW-E	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.47	NA
TBW-N	11/23/2004	83,000	640	27,000	1,700	20,000	2,300	<400	<400	<400	1,300	<100	<100	<10,000	NA	5.64	NA
TBW-N	12/01/2004	160,000	700	31,000	2,300	24,000	2,900	<400	<400	<400	1,200	<100	<100	<10,000	NA	6.35	NA
TBW-N	12/07/2004	130,000	590	29,000	2,300	24,000	2,700	<400	<400	<400	1,300	<100	<100	<10,000	NA	5.65	NA
TBW-N	12/15/2004	120,000	420	26,000	2,000	22,000	3,300	<400	<400	<400	<1,000	<100	<100	<10,000	NA	5.85	NA
TBW-N	12/23/2004	100,000	220	23,000	1,900	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	NA	5.30	NA
TBW-N	12/27/2004	110,000	470	26,000	2,300	22,000	1,800	<400	<400	<400	<1,000	<100	<100	<10,000	NA	7.80	NA
TBW-N	01/17/2005	86,000	330	22,000	2,200	21,000	1,600	<400	<400	<400	1,600	<100	<100	<10,000	NA	6.59	NA
TBW-N	02/04/2005	97,000	290	23,000	1,800	20,000	1,900	<400	<400	<400	<1,000	<100	<100	<10,000	NA	4.50	NA
TBW-N	03/02/2005	94,000	360	24,000	2,000	19,000	1,200	<400	<400	<400	<1,000	<100	<100	<10,000	NA	4.11	NA
TBW-N	04/12/2005	27,000	130	9,300	1,100	8,700	1,400	<100	<100	<20	390	<25	<25	<2,500	NA	4.08	NA
TBW-N	05/13/2005	42,000	130	8,700	1,500	12,000	1,400	<100	<100	<100	440	<25	<25	<2,500	NA	4.45	NA
TBW-N	06/10/2005	46,000	63	5,500	1,300	11,000	500	<100	<100	<100	<250	<25	<25	<2,500	NA	4.97	NA
TBW-N	07/15/2005	48,000	88	8,400	1,300	9,500	660	<100	<100	<100	310	<25	<25	<2,500	NA	5.18	NA
TBW-N	08/17/2005 a	36,000	85	8,500	1,200	11,000	510	<200	<200	<200	<500	<50	<50	<5,000	18.08	5.28	12.80
TBW-N	09/15/2005	20,000	59	2,400	730	9,300	600	<40	<40	<40	500	NA	NA	<1,000	18.08	5.92	12.16
TBW-N	10/17/2005	59,000	58	4,900	1,200	16,000	490	<100	<100	<100	<250	<25	<25	<2,500	18.08	5.96	12.12
TBW-N	11/22/2005	105,000	41.3	8,750	1,550	18,300	443	<0.500	<0.500	<0.500	248	<0.500	<0.500	<50.0	18.08	5.82	12.26
TBW-N	12/09/2005	65,900	43.4	5,110	1,110	13,500	493	<0.500	<0.500	<0.500	259	<0.500	<0.500	<50.0	18.08	5.60	12.48
TBW-N	01/05/2006	80,100	33.8	4,910	1,620	19,400	410	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.44	13.64
TBW-N	02/24/2006	56,000 b/60,000 d	15	2,700	1,000	12,000	270	<15	<15	<15	180	<15	<15	<150	18.08	4.67	13.41
TBW-N	03/08/2006	60,200	23.4	3,820	1,370	16,500	293	<0.500	<0.500	<0.500	93.8	<0.500	<0.500	<50.0	18.08	4.18	13.90
TBW-N	04/13/2006	73,000	21.8	2,900	1,220	14,600	277	<0.500	<0.500	<0.500	68.5	<0.500	<0.500	<500	18.08	3.49	14.59
TBW-N	05/30/2006	59,300	18.7	1,170	1,800	10,200	119 e	<0.500	<0.500	<0.500	<10.0	0.860	<0.500	<50.0	18.08	4.52	13.56

**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------

TBW-N	06/05/2006	83,700	16.0	1,510	2,090	11,400	146 e	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.55	13.53
TBW-N	07/19/2006	80,100	16.4	632	1,550	13,900	85.7	<0.500	<0.500	<0.500	<10.0	<0.500	<0.500	<50.0	18.08	4.99	13.09
TBW-N	08/30/2006	52,700	18.2	747	1,900	13,400	82.9	<5.00	<5.00	<5.00	<100	<5.00	<5.00	<500	18.08	5.47	12.61
TBW-N	09/06/2006	77,500	21.3	1,100	1,650	11,800	116	<0.500	<0.500	<0.500	12.4	<0.500	<0.500	<50.0	18.08	5.39	12.69
TBW-N	10/13/2006	33,000	22	1,300	1,700	27,000	160	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.57	12.51
TBW-N	11/22/2006	36,000	18	680	1,200	14,000	110	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.65	12.43
TBW-N	12/12/2006	34,000	<25	330	1,400	11,000	89	<25	<25	<25	<1,000	<25	<25	<5,000	18.08	5.34	12.74
TBW-N	01/05/2007	26,000 g	16	450	1,400	13,000 f	96	<20	<20	<20	<50	<5.0	<5.0	<500	18.08	5.23	12.85
TBW-N	02/23/2007	41,000	<25	400	1,500	15,000	120	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.96	13.12
TBW-N	03/08/2007	15,000	<25	320	1,300	15,000	110	<100	<100	<100	<250	<25	<25	<2,500	18.08	4.93	13.15
TBW-N	04/06/2007	24,000 h	15	360	1,100	12,300	130	<10	<10	<10	<50	<2.5	NA	<500	18.08	5.07	13.01
TBW-N	05/18/2007	30,000 h	15 j	140	1,100	9,960	100	<100	<100	<100	<50	<25	<50	<5,000	18.08	5.25	12.83
<b>TBW-N</b>	<b>06/11/2007</b>	<b>26,000 h</b>	<b>15 j</b>	<b>160</b>	<b>1,300</b>	<b>9,150</b>	<b>120</b>	<b>&lt;100</b>	<b>&lt;100</b>	<b>&lt;100</b>	<b>&lt;500</b>	<b>&lt;25</b>	<b>&lt;50</b>	<b>&lt;5,000</b>	<b>18.08</b>	<b>5.33</b>	<b>12.75</b>
TBW-N	07/03/2007	36,000 h	9.3 j	150	990	8,400	130	<100	<100	<100	<500	<25	<50	<5,000	18.08	5.46	12.62
TBW-N	08/10/2007	24,000 h	14	200	1,200	5,240	120	<40	<40	<40	<200	<10	<20	<2,000	18.08	5.78	12.30

TBW-S	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.18	NA
TBW-S	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.87	NA
TBW-S	12/07/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.15	NA
TBW-S	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.38	NA
TBW-S	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.81	NA
TBW-S	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.35	NA

TBW-W	11/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.14	NA
TBW-W	12/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.86	NA
TBW-W	12/07/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.13	NA
TBW-W	12/15/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.37	NA
TBW-W	12/23/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.79	NA



**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
TBW-W	12/27/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.32	NA

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8260B.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol or tertiary butanol, analyzed by EPA Method 8260B

1,2-DCA = 1,2-Dichloroethane, analyzed by EPA Method 8260B

EDB = Ethylene Dibromide, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell Service Station**  
**1601 Webster Street**  
**Alameda, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------

Notes:

a = Extracted out of holding time.

b = Result with a carbon range of C4-C12.

c = Result may be biased slightly high. See lab report case narrative.

d = Result with a carbon range of C6-C12.

e = Secondary ion abundances were outside method requirements. Identification based on analytical judgement.

f = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

g = Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was below the acceptance limits. A low bias to sample results is indicated.

h = Analyzed by EPA Method 8015B (M).

i = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

j = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Ethanol analyzed by EPA Method 8260B.


Well TBW-N surveyed September 1, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-2 through S-7 surveyed on November 30, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells S-4B and S-7 through S-9 surveyed on August 17, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.


# FIGURES

PS=1:1 L:\DOMS VICINITY MAP S00843W.DWG Jun 27, 2007 - 7:55am bschmidt



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Oakland West Quadrangle



SCALE 1:24,000









PROJECT: 125703  
FACILITY:  
FORMER 76 STATION 0843  
1629 WEBSTER STREET  
ALAMEDA, CALIFORNIA

VICINITY MAP

FIGURE 1

**LEGEND**

- MW-6  Former 76 Monitoring Well with Groundwater Elevation (feet)
- S-9  Shell Service Station Monitoring Well
- TBW-N  Shell Tank Backfill Monitoring Well
- 12.00  Groundwater Elevation Contour
-  General Direction of Groundwater Flow



**NOTES:**

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. UST = underground storage tank. Shell Service Station data provided by Blaine Tech.







PROJECT: 125703  
 FACILITY:  
 FORMER 76 STATION 0843  
 1629 WEBSTER STREET  
 ALAMEDA, CALIFORNIA

**GROUNDWATER ELEVATION  
 CONTOUR MAP**  
 August 10, 2007

**FIGURE 2**


**LEGEND**

- MW-6  Former 76 Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration (µg/l)
- S-9  Shell Service Station Monitoring Well with Dissolved-Phase TPH-G Concentration (µg/l)
- TBW-N  Shell Tank Backfill Monitoring Well



**NOTES:**

Laboratory report indicated that results for TPH-G (GC/MS) for this site are entirely due to MTBE. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. TPH-G = total petroleum hydrocarbons as gasoline. µg/l = micrograms per liter. MTBE = methyl tertiary butyl ether. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Shell Service Station data provided by Blaine Tech; TPH-G results obtained using EPA Method 8015.








PROJECT: 125703  
 FACILITY:  
 FORMER 76 STATION 0843  
 1629 WEBSTER STREET  
 ALAMEDA, CALIFORNIA

**DISSOLVED-PHASE TPH-G (GC/MS)  
 CONCENTRATION MAP  
 August 10, 2007**

**FIGURE 3**


**LEGEND**

- MW-6  Former 76 Monitoring Well with Dissolved-Phase Benzene Concentration (µg/l)
- S-9  Shell Service Station Monitoring Well
- TBW-N  Shell Tank Backfill Monitoring Well
-  1,000 Dissolved-Phase Benzene Contour (µg/l)



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Shell Service Station data provided by Blaine Tech.




PROJECT: 125703  
 FACILITY:  
 FORMER 76 STATION 0843  
 1629 WEBSTER STREET  
 ALAMEDA, CALIFORNIA

**DISSOLVED-PHASE BENZENE  
 CONCENTRATION MAP**  
 August 10, 2007


**FIGURE 4**


**LEGEND**

MW-6  Former 76 Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)


S-9  Shell Service Station Monitoring Well

TBW-N  Shell Tank Backfill Monitoring Well

 1,000 Dissolved-Phase MTBE Contour (µg/l)




PACIFIC AVENUE



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Shell Service Station data provided by Blaine Tech. Results obtained using EPA Method 8260B.







PROJECT: 125703  
 FACILITY:  
 FORMER 76 STATION 0843  
 1629 WEBSTER STREET  
 ALAMEDA, CALIFORNIA


**DISSOLVED-PHASE MTBE  
 CONCENTRATION MAP**  
 August 10, 2007

**FIGURE 5**




**LEGEND**

- MW-6  Former 76 Monitoring Well with Dissolved-Phase TBA Concentration ( $\mu\text{g/l}$ )
- s-9  Shell Service Station Monitoring Well
- TBW-N  Shell Tank Backfill Monitoring Well
-  100 Dissolved-Phase TBA Contour ( $\mu\text{g/l}$ )



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TBA = tertiary butyl alcohol.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Dashes indicate contour based on non-detect at elevated detection limit. UST = underground storage tank. Shell Service Station data provided by Blaine Tech. Results obtained using EPA Method 8260B.




PROJECT: 125703  
FACILITY:  
FORMER 76 STATION 0843  
1629 WEBSTER STREET  
ALAMEDA, CALIFORNIA

**DISSOLVED-PHASE TBA  
CONCENTRATION MAP  
August 10, 2007**

**FIGURE 6**


# GRAPHS

Groundwater Elevations vs. Time  
Former 76 Station 0843



Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time  
Former 76 Station 0843



Elevations may have been corrected for apparent changes due to resurvey



# GENERAL FIELD PROCEDURES

## **Groundwater Monitoring and Sampling Assignments**

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

## **Fluid Level Measurements**

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyor's mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

## **Purging and Groundwater Parameter Measurement**

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.





## GROUNDWATER SAMPLING FIELD NOTES

Technician: WJR

Site: 0843

Project No.: 125703

Date: 08/10/07

Well No. MW-5

Purge Method: DIA

Depth to Water (feet): 6.05

Depth to Product (feet): —

Total Depth (feet): 19.95

LPH & Water Recovered (gallons): —

Water Column (feet): 13.9

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 8.83

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0600			2	551.4	19.3	7.68			
			4	592.3	19.1	7.32			
	0603		6	581.9	18.7	7.19			
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.60			6			0610			
Comments:									

Well No. MW-6

Purge Method: DIA

Depth to Water (feet): 6.71

Depth to Product (feet): —

Total Depth (feet): 19.87

LPH & Water Recovered (gallons): —

Water Column (feet): 13.16

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.34

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0630			2	463.6	17.7	7.28			
			4	565.5	17.9	7.05			
	0633		6	575.4	18.0	7.02			
Static at Time Sampled			Total Gallons Purged			Sample Time			
8.06			6			0640			
Comments:									

## GROUNDWATER SAMPLING FIELD NOTES

Technician: Will R

Site: 0843

Project No.: 125703

Date: 08/10/07

Well No. MW-2A

Purge Method: ~~DIA~~ 4B

Depth to Water (feet): 6.90

Depth to Product (feet): -

Total Depth (feet): 10.50

LPH & Water Recovered (gallons): -

Water Column (feet): 3.60

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 7.62

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0720			1	741.6	22.0	11.11			
			2	709.4	23.0	11.20			
	0728		3	691.5	23.3	11.22			
Static at Time Sampled			Total Gallons Purged			Sample Time			
0690			3			0730			
Comments:									

Well No. MW-1

Purge Method: DIA

Depth to Water (feet): 7.26

Depth to Product (feet): -

Total Depth (feet): 19.64

LPH & Water Recovered (gallons): -

Water Column (feet): 12.32

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 9.73

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0742			2	345.9	17.4	9.33			
			4	289.9	18.3	8.97			
	0745		6	406.5	18.2	8.57			
Static at Time Sampled			Total Gallons Purged			Sample Time			
9.43			6			0750			
Comments:									

## GROUNDWATER SAMPLING FIELD NOTES

Technician: WLU R

Site: 0843

Project No.: 125703

Date: 08/10/07

Well No. MW-4

Purge Method: H/S

Depth to Water (feet): 7.49

Depth to Product (feet): —

Total Depth (feet) 18.67

LPH & Water Recovered (gallons): —

Water Column (feet): 11.18

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 9.72

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. C)	pH	D.O.	ORP	Turbidity
0820			2	1269	22.4	6.96			
			4	1272	22.6	7.08			
	0831		6	1262	21.9	7.12			
Static at Time Sampled			Total Gallons Purged		Sample Time				
0849			6		0835				
Comments:									

Well No. MW-3

Purge Method: H/S

Depth to Water (feet): 07.64

Depth to Product (feet): —

Total Depth (feet) 19.90

LPH & Water Recovered (gallons): —

Water Column (feet): 12.26

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 10.09

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F. C)	pH	D.O.	ORP	Turbidity
0800			2	612.3	21.2	7.59			
			4	634.8	21.8	7.25			
	0810		6	651.6	21.6	7.11			
Static at Time Sampled			Total Gallons Purged		Sample Time				
08.85			6		0815				
Comments:									



LABORATORIES, INC.

Date of Report: 08/23/2007

Anju Farfan

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

RE: 0843

BC Work Order: 0709358

Enclosed are the results of analyses for samples received by the laboratory on 08/13/2007 21:55. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Molly Meyers".

Contact Person: Molly Meyers  
Client Service Rep

A handwritten signature in cursive script, appearing to be a stylized name, written over a horizontal line.

Authorized Signature

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
0709358-01	COC Number: --- Project Number: 0843 Sampling Location: MW-5 Sampling Point: MW-5 Sampled By: TRCI	Receive Date: 08/13/2007 21:55 Sampling Date: 08/10/2007 06:10 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102263 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0709358-02	COC Number: --- Project Number: 0843 Sampling Location: MW-6 Sampling Point: MW-6 Sampled By: TRCI	Receive Date: 08/13/2007 21:55 Sampling Date: 08/10/2007 06:40 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102263 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0709358-03	COC Number: --- Project Number: 0843 Sampling Location: MW-2A Sampling Point: MW-2A Sampled By: TRCI	Receive Date: 08/13/2007 21:55 Sampling Date: 08/10/2007 07:30 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102263 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0709358-04	COC Number: --- Project Number: 0843 Sampling Location: MW-1 Sampling Point: MW-1 Sampled By: TRCI	Receive Date: 08/13/2007 21:55 Sampling Date: 08/10/2007 07:50 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102263 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0709358-05	COC Number: --- Project Number: 0843 Sampling Location: MW-4 Sampling Point: MW-4 Sampled By: TRCI	Receive Date: 08/13/2007 21:55 Sampling Date: 08/10/2007 08:35 Sample Depth: --- Sample Matrix: Water	Delivery Work Order: Global ID: T0600102263 Matrix: W Sample QC Type (SACode): CS Cooler ID:

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 0843  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

### Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information																														
0709358-06	<table><tr><td><b>COC Number:</b></td><td>---</td><td><b>Receive Date:</b></td><td>08/13/2007 21:55</td><td><b>Delivery Work Order:</b></td><td></td></tr><tr><td><b>Project Number:</b></td><td>0843</td><td><b>Sampling Date:</b></td><td>08/10/2007 08:15</td><td><b>Global ID:</b></td><td>T0600102263</td></tr><tr><td><b>Sampling Location:</b></td><td>MW-3</td><td><b>Sample Depth:</b></td><td>---</td><td><b>Matrix:</b></td><td>W</td></tr><tr><td><b>Sampling Point:</b></td><td>MW-3</td><td><b>Sample Matrix:</b></td><td>Water</td><td><b>Sample QC Type (SACode):</b></td><td>CS</td></tr><tr><td><b>Sampled By:</b></td><td>TRCI</td><td></td><td></td><td><b>Cooler ID:</b></td><td></td></tr></table>	<b>COC Number:</b>	---	<b>Receive Date:</b>	08/13/2007 21:55	<b>Delivery Work Order:</b>		<b>Project Number:</b>	0843	<b>Sampling Date:</b>	08/10/2007 08:15	<b>Global ID:</b>	T0600102263	<b>Sampling Location:</b>	MW-3	<b>Sample Depth:</b>	---	<b>Matrix:</b>	W	<b>Sampling Point:</b>	MW-3	<b>Sample Matrix:</b>	Water	<b>Sample QC Type (SACode):</b>	CS	<b>Sampled By:</b>	TRCI			<b>Cooler ID:</b>	
<b>COC Number:</b>	---	<b>Receive Date:</b>	08/13/2007 21:55	<b>Delivery Work Order:</b>																											
<b>Project Number:</b>	0843	<b>Sampling Date:</b>	08/10/2007 08:15	<b>Global ID:</b>	T0600102263																										
<b>Sampling Location:</b>	MW-3	<b>Sample Depth:</b>	---	<b>Matrix:</b>	W																										
<b>Sampling Point:</b>	MW-3	<b>Sample Matrix:</b>	Water	<b>Sample QC Type (SACode):</b>	CS																										
<b>Sampled By:</b>	TRCI			<b>Cooler ID:</b>																											

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0709358-01		Client Sample Name: 0843, MW-5, MW-5, 8/10/2007 6:10:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Toluene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195	ND	
1,2-Dichloroethane-d4 (Surrogate)	98.2	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195		
Toluene-d8 (Surrogate)	92.6	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 03:51	SDU	MS-V10	1	BQH1195		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0709358-02												
Client Sample Name:		0843, MW-6, MW-6, 8/10/2007 6:40:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Methyl t-butyl ether	660	ug/L	5.0		EPA-8260	08/20/07	08/21/07 20:17	SDU	MS-V10	10	BQH1195	ND	A01
Toluene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	
Total Purgeable Petroleum Hydrocarbons	390	ug/L	50		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195	ND	A90
1,2-Dichloroethane-d4 (Surrogate)	99.5	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 20:17	SDU	MS-V10	10	BQH1195		
1,2-Dichloroethane-d4 (Surrogate)	98.9	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195		
Toluene-d8 (Surrogate)	96.7	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 20:17	SDU	MS-V10	10	BQH1195		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 05:56	SDU	MS-V10	1	BQH1195		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 20:17	SDU	MS-V10	10	BQH1195		



TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0709358-03		Client Sample Name: 0843, MW-2A, MW-2A, 8/10/2007 7:30:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Ethylbenzene	1.6	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Toluene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Total Xylenes	3.9	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195	ND	
1,2-Dichloroethane-d4 (Surrogate)	100	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195		
Toluene-d8 (Surrogate)	94.8	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195		
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 04:09	SDU	MS-V10	1	BQH1195		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0709358-04		Client Sample Name: 0843, MW-1, MW-1, 8/10/2007 7:50:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Ethylbenzene	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Methyl t-butyl ether	4300	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Toluene	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Total Xylenes	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
t-Amyl Methyl ether	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
t-Butyl alcohol	ND	ug/L	500		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Diisopropyl ether	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Ethanol	ND	ug/L	12000		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Ethyl t-butyl ether	ND	ug/L	25		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01
Total Purgeable Petroleum Hydrocarbons	4100	ug/L	2500		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195	ND	A01,A90
1,2-Dichloroethane-d4 (Surrogate)	99.7	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195		
Toluene-d8 (Surrogate)	97.0	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/20/07 15:55	SDU	MS-V10	50	BQH1195		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	Client Sample Name: 0843, MW-4, MW-4, 8/10/2007 8:35:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Toluene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269	ND	
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269		
Toluene-d8 (Surrogate)	86.1	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269		A20,S09
4-Bromofluorobenzene (Surrogate)	101	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 16:44	SDU	MS-V10	1	BQH1269		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0709358-06	Client Sample Name: 0843, MW-3, MW-3, 8/10/2007 8:15:00AM
---------------------------	---

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab Quals
						Date	Date/Time				Batch ID	Bias	
Benzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Toluene	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Ethanol	ND	ug/L	250		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195	ND	
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195		
Toluene-d8 (Surrogate)	91.2	%	88 - 110 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195		
4-Bromofluorobenzene (Surrogate)	99.6	%	86 - 115 (LCL - UCL)		EPA-8260	08/20/07	08/21/07 06:32	SDU	MS-V10	1	BQH1195		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BQH1195	Matrix Spike	0709331-01	0.16000	18.630	25.000	ug/L		73.9		70 - 130
		Matrix Spike Duplicate	0709331-01	0.16000	22.780	25.000	ug/L	20.2	90.5	20	70 - 130 Q02
Toluene	BQH1195	Matrix Spike	0709331-01	0	19.640	25.000	ug/L		78.6		70 - 130
		Matrix Spike Duplicate	0709331-01	0	23.800	25.000	ug/L	19.1	95.2	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BQH1195	Matrix Spike	0709331-01	ND	9.6400	10.000	ug/L		96.4		76 - 114
		Matrix Spike Duplicate	0709331-01	ND	9.7300	10.000	ug/L		97.3		76 - 114
Toluene-d8 (Surrogate)	BQH1195	Matrix Spike	0709331-01	ND	9.9400	10.000	ug/L		99.4		88 - 110
		Matrix Spike Duplicate	0709331-01	ND	9.7700	10.000	ug/L		97.7		88 - 110
4-Bromofluorobenzene (Surrogate)	BQH1195	Matrix Spike	0709331-01	ND	10.100	10.000	ug/L		101		86 - 115
		Matrix Spike Duplicate	0709331-01	ND	10.070	10.000	ug/L		101		86 - 115
Benzene	BQH1269	Matrix Spike	0709424-02	0	25.200	25.000	ug/L		101		70 - 130
		Matrix Spike Duplicate	0709424-02	0	28.710	25.000	ug/L	13.0	115	20	70 - 130
Toluene	BQH1269	Matrix Spike	0709424-02	0	25.140	25.000	ug/L		101		70 - 130
		Matrix Spike Duplicate	0709424-02	0	28.440	25.000	ug/L	12.1	114	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BQH1269	Matrix Spike	0709424-02	ND	9.8800	10.000	ug/L		98.8		76 - 114
		Matrix Spike Duplicate	0709424-02	ND	10.010	10.000	ug/L		100		76 - 114
Toluene-d8 (Surrogate)	BQH1269	Matrix Spike	0709424-02	ND	10.070	10.000	ug/L		101		88 - 110
		Matrix Spike Duplicate	0709424-02	ND	10.180	10.000	ug/L		102		88 - 110
4-Bromofluorobenzene (Surrogate)	BQH1269	Matrix Spike	0709424-02	ND	9.9100	10.000	ug/L		99.1		86 - 115
		Matrix Spike Duplicate	0709424-02	ND	10.200	10.000	ug/L		102		86 - 115

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		Lab Quals
									RPD	Percent Recovery	
Benzene	BQH1195	BQH1195-BS1	LCS	22.610	25.000	0.50	ug/L	90.4		70 - 130	
Toluene	BQH1195	BQH1195-BS1	LCS	23.760	25.000	0.50	ug/L	95.0		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BQH1195	BQH1195-BS1	LCS	9.3700	10.000		ug/L	93.7		76 - 114	
Toluene-d8 (Surrogate)	BQH1195	BQH1195-BS1	LCS	9.9100	10.000		ug/L	99.1		88 - 110	
4-Bromofluorobenzene (Surrogate)	BQH1195	BQH1195-BS1	LCS	9.8200	10.000		ug/L	98.2		86 - 115	
Benzene	BQH1269	BQH1269-BS1	LCS	25.390	25.000	0.50	ug/L	102		70 - 130	
Toluene	BQH1269	BQH1269-BS1	LCS	25.550	25.000	0.50	ug/L	102		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BQH1269	BQH1269-BS1	LCS	9.6300	10.000		ug/L	96.3		76 - 114	
Toluene-d8 (Surrogate)	BQH1269	BQH1269-BS1	LCS	10.060	10.000		ug/L	101		88 - 110	
4-Bromofluorobenzene (Surrogate)	BQH1269	BQH1269-BS1	LCS	10.230	10.000		ug/L	102		86 - 115	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
Toluene	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
Total Xylenes	BQH1195	BQH1195-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BQH1195	BQH1195-BLK1	ND	ug/L	10		
Diisopropyl ether	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
Ethanol	BQH1195	BQH1195-BLK1	ND	ug/L	1000		
Ethyl t-butyl ether	BQH1195	BQH1195-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BQH1195	BQH1195-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQH1195	BQH1195-BLK1	99.6	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQH1195	BQH1195-BLK1	95.7	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQH1195	BQH1195-BLK1	102	%	86 - 115 (LCL - UCL)		
Benzene	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		
Toluene	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		
Total Xylenes	BQH1269	BQH1269-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BQH1269	BQH1269-BLK1	ND	ug/L	10		
Diisopropyl ether	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		
Ethanol	BQH1269	BQH1269-BLK1	ND	ug/L	1000		
Ethyl t-butyl ether	BQH1269	BQH1269-BLK1	ND	ug/L	0.50		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 0843  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Total Purgeable Petroleum Hydrocarbons	BQH1269	BQH1269-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQH1269	BQH1269-BLK1	102	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQH1269	BQH1269-BLK1	99.1	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQH1269	BQH1269-BLK1	102	%	86 - 115 (LCL - UCL)		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 0843  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 08/23/2007 10:44

## Notes And Definitions

MDL Method Detection Limit

ND Analyte Not Detected at or above the reporting limit

PQL Practical Quantitation Limit

RPD Relative Percent Difference

A01 PQL's and MDL's are raised due to sample dilution.

A20 Surrogate is low due to matrix interference. Interference verified through second extraction/analysis.

A90 TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.

Q02 Matrix spike precision is not within the control limits.

S09 The surrogate recovery on the sample for this compound was not within the control limits.

Submission #: 07-09358

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery   
 BC Lab Field Service  Other  (Specify) \_\_\_\_\_

SHIPPING CONTAINER

Ice Chest  None   
 Box  Other  (Specify) \_\_\_\_\_

Refrigerant: Ice  Blue Ice  None  Other  Comments:

Custody Seals Ice Chest  Containers  None  Comments:

Intact? Yes  No

Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No

Description(s) match COC? Yes  No

COC Received

YES  NO

Ice Chest ID Blw  
 Temperature: 5.3 °C  
 Thermometer ID:

Emissivity 0.98  
 Container V005

Date/Time 8/13/07

Analyst Init OTD

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A-3	A-3	A-3	A-3	A-3	A-3	( )	( )	( )	( )
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: \_\_\_\_\_  
 Sample Numbering Completed By: Amr Date/Time: 8/14/07 0100

**BC LABORATORIES, INC.**

#07-09358  
 4100 Atlas Court □ Bakersfield, CA 93308  
 (661) 327-4911 □ FAX (661) 327-1918

**CHAIN OF CUSTODY**

**Analysis Requested**

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	TPH GAS by 8015M	TPH DIESEL by 8015	ETHANOL by 8260B	TPH by GC/MS BTEX/MXSE/OXYS by 8260B							Turnaround Time Requested
Address: 1629 WEBSTER ST.		21 Techology Drive Irvine, CA 92618-2302 Attn: Anju Farfan													
City: ALAMEDA		4-digit site#: 0843													
State: CA Zip:		Workorder # 02867-4507878263													
Conoco Phillips Mgr: D. DEYLOFF		Project #: 125703													
		Sampler Name: WILL R.													

Lab#	Sample Description	Field Point Name	Date & Time Sampled													
		-1 MW-5	08/10/07 0610	GW			X	X								STD
		-2 MW-6	↓ 0640	↓			X	X								↓
		-3 MW-3A	↓ 0730	↓			X	X								↓
		-4 MW-1	↓ 0750	↓			X	X								↓
		-5 MW-4	↓ 0835	↓			X	X								↓
		-6 MW-3	↓ 0815	↓			X	X								↓

CHK BY DISTRIBUTION  
 [Signature] SUB-OUT

Comments:	Relinquished by: (Signature)	Received by: FR206E	Date & Time: 08/10/07 1900
	Relinquished by: (Signature)	Received by: Ross Wicker	Date & Time: 8/13/07 1410
	Relinquished by: (Signature) Ross Wicker 8/13/07	Received by: [Signature]	Date & Time: 8-13-07 1825

GLOBAL ID: T0600102263  
 (A) = ANALYSIS (C) = CONTAINER (P) = PRESERVATIVE  
 [Signature] 8-13-07 2155 [Signature] 8/13/07 2155

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring wells was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water containing a significant amount of liquid-phase hydrocarbons was accumulated separately in drums for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.