



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

April 25, 2008

Re: First Quarter, 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #6041
7249 Village Parkway
Dublin, California
ACEH Case # RO0000452

RECEIVED

9:36 am, May 02, 2008

Alameda County
Environmental Health



"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

Paul Supple
Environmental Business Manager

First Quarter, 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #6041
7249 Village Parkway
Dublin, California

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

April, 2008

Project No. 06-02-635

April 25, 2008

Project No. 06-02-635

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: First Quarter, 2008 Ground-Water Monitoring Report, Atlantic Richfield Company (a BP affiliated company) Station #6041, 7249 Village Parkway, Dublin, CA. ACEH case # RO0000452.


Dear Mr. Supple:

Provided herein is the *First Quarter, 2008 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #6041 (herein referred to as Station #6041) located at 7249 Village Parkway, Dublin, CA (Property). This report presents a summary of First Quarter, 2008 ground-water monitoring results.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Matthew G. Herrick, P.G.
Senior Hydrogeologist



Robert H. Miller, P.G., C.H.G.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (submitted via ACEH ftp site)
GeoTracker

STATION #6041 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #6041	Address:	7249 Village Parkway, Dublin, CA
Station #6041 Environmental Business Manager:		Mr. Paul Supple
Consulting Co./Contact Persons:		Broadbent & Associates, Inc. (BAI) / Rob Miller & Matt Herrick
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) / Case #RO0000452
Consultant Project No.:		06-02-635
Facility Permits/Permitting Agency.:		NA

WORK PERFORMED THIS QUARTER (First Quarter, 2008):

1. Submitted Fourth Quarter, 2007 Ground-Water Monitoring Report. Work performed by BAI.
2. Conducted ground-water monitoring/sampling for First Quarter, 2008. Work performed by Stratus Environmental, Inc.

WORK PROPOSED FOR NEXT QUARTER (Second Quarter, 2008):

1. Submit First Quarter, 2008 Ground-Water Monitoring Report (contained herein).
2. Conduct ground-water monitoring/sampling for Second Quarter, 2008.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-water monitoring/sampling
Frequency of ground-water sampling:	Wells MW-2 and MW-3: Quarterly Well MW-8: Semi-annually (1Q & 3Q) Wells MW-4 through MW-6: Annually (3Q)
Frequency of ground-water monitoring:	Quarterly
Is free product (FP) present on-site:	No
Bulk Soil Removed to Date:	3,208 cubic yards
Current remediation techniques:	NA
Depth to ground water (below TOC):	6.18 (MW-4) to 8.31 (MW-5) feet
General ground-water flow direction:	Northeast
Approximate hydraulic gradient:	0.005 Feet per foot

DISCUSSION:

During First Quarter, 2008 gasoline range organics (GRO) were detected in well MW-3 at a concentration of 170 micrograms per liter ($\mu\text{g/L}$). Benzene was detected in MW-3 at 41 $\mu\text{g/L}$. Methyl tert-butyl ether (MTBE) was detected in MW-2 and MW-3 at concentrations of 7.1 $\mu\text{g/L}$ and 77 $\mu\text{g/L}$, respectively. Tert-butyl alcohol (TBA) was detected in wells MW-2 and MW-3 at concentrations of 2,100 $\mu\text{g/L}$ and 4,900 $\mu\text{g/L}$, respectively. No other analytes were detected in ground-water samples collected during First Quarter, 2008.

Analytes detected during First Quarter, 2008 were all within the historic minimum and maximum concentration ranges recorded for each well. Ground-water elevations measured during First Quarter, 2008 were within historic minimum and maximum ranges for each well, with the following exception: the ground-water elevation in MW-8 was at its highest level historically measured in the well.


Drawing 1 depicts the ground-water elevation contour and analytical summary map for First Quarter, 2008. Table 1 includes a summary of ground-water monitoring data including relative water elevations and laboratory analyses. Table 2 provides a summary of fuel additives analytical data. Table 3 presents historical ground-water flow direction and gradient.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus Environmental, Inc. field personnel and/or their subcontractor(s) (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc., Garden Grove, California. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, Station #6041, Dublin, CA
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #6041, Dublin, CA
- Table 2. Summary of Fuel Additives Analytical Data, Station #6041, Dublin, CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #6041, Dublin, CA
- Appendix A. Stratus Environmental, Inc. Ground-Water Sampling Data Package (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Chain of Custody Documentation, Certified Analytical Results, and Field Procedures for Groundwater Sampling)
- Appendix B. GeoTracker Upload Confirmation




LEGEND

- Monitoring well
- Vapor extraction well
- Air sparge well
- Tank pit observation well
- Abandoned well
- 330.65 Ground-water elevation contour, (feet above MSL)
- 0.005 Approximate ground-water flow direction and gradient (ft/ft)

Well ID	Well designation
ELEV	Ground-water elevation in ft above MSL
GRO	GRO, benzene & MTBE concentration in micrograms per liter (µg/L)
Benzene	
MTBE	
Q/A	Sampling frequency

- < Not detected at or above laboratory reporting limits
- NS Not sampled
- SA(1,3) Sampled semi-annually, 1st & 3rd quarters
- A(3) Sampled annually, 3rd quarter
- GO Gauged only
- Q Sampled quarterly
- Remediation piping trench
- Not used to generate contour map

NOTE: SITE MAP ADAPTED FROM CAMBRIA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



BROADBENT & ASSOCIATES, INC.
 ENGINEERING, WATER RESOURCES & ENVIRONMENTAL
 1324 Mangrove Ave. Suite 212, Chico, California 95926
 Project No.: 06-02-635 Date: 4/22/08

Station #6041
 7249 Village Parkway
 Dublin, California

Ground-Water Elevation Contour
 and Analytical Summary Map
 March 25, 2008

Drawing
1

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)					DO (mg/L)	pH	
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes			MTBE
MW-1															
02/15/1995	--		336.56	14.00	17.50	8.53	328.03	820	15	<1	5.2	1.4	--	--	--
05/24/1995	--		336.56	14.00	17.50	9.00	327.56	640	12	<1	7.3	<1	--	--	--
08/25/1995	--		336.56	14.00	17.50	10.30	326.26	780	2	<1	2	2	2,500	--	--
11/28/1995	--		336.56	14.00	17.50	11.01	325.55	570	2.2	<0.5	1.4	0.9	--	--	--
02/26/1996	--		336.56	14.00	17.50	7.35	329.21	1,100	28	<7	13	7	3,400	--	--
05/23/1996	--		336.56	14.00	17.50	8.73	327.83	560	8.5	<1	1.1	<1	3,900	--	--
08/23/1996	--		336.56	14.00	17.50	10.25	326.31	860	<1	<1	<4	2	5,600	--	--
03/21/1997	--		336.56	14.00	17.50	9.35	327.21	520	12	<0.5	2.7	1.5	6,200	--	--
08/20/1997	--		336.56	14.00	17.50	10.75	325.81	<5,000	<50	<50	<50	<50	7,400	--	--
11/21/1997	--		336.56	14.00	17.50	11.10	325.46	<5,000	<50	<50	<50	<50	8,500	--	--
02/12/1998	P		336.56	14.00	17.50	7.05	329.51	210	<0.5	<0.5	<0.5	<0.5	8,900	1.71	--
07/31/1998	P		336.56	14.00	17.50	10.04	326.52	<20,000	<200	<200	<200	<200	18,000	2.43	--
02/17/1999	--		336.56	14.00	17.50	8.50	328.06	<20,000	<200	<200	<200	<200	16,000	1.0	--
08/24/1999	P		336.56	14.00	17.50	10.40	326.16	190	<0.5	4.4	<0.5	1.1	15,000	--	--
03/01/2000	P		336.56	14.00	17.50	8.85	327.71	310	20	0.5	7.6	4.0	80,000	1.57	--
08/18/2000	P		336.56	14.00	17.50	9.35	327.21	<10,000	<100	<100	<100	<100	48,400/63,700	1.50	--
12/27/2000	P		336.56	14.00	17.50	10.81	325.75	<10,000	309	<100	<100	289	44,400	0.51	--
02/09/2001	--	i	336.56	14.00	17.50	--	--	3,490	432	9.56	146	235	31,800	--	--
02/09/2001	P		336.56	14.00	17.50	10.65	325.91	2,820	368	<25.0	116	176	23,300	0.58	--
04/17/2001	--	i	336.56	14.00	17.50	--	--	2,600	70.1	<20.0	32.7	30.6	45,400	--	--
04/17/2001	P		336.56	14.00	17.50	11.09	325.47	2,900	66.0	<10.0	33.2	25.1	46,500	0.63	--
07/17/2001	P		336.56	14.00	17.50	11.07	325.49	<10,000	<100	<100	130	520	42,000	0.69	--
12/21/2001	--	k	--	14.00	17.50	--	--	--	--	--	--	--	--	--	--
MW-2															
02/15/1995	--		334.80	10.50	14.00	6.75	328.05	730	110	1.7	25	66	--	--	--
05/24/1995	--		334.80	10.50	14.00	6.88	327.92	370	110	<1	17	1.9	--	--	--
08/25/1995	--		334.80	10.50	14.00	7.91	326.89	150	6	<1	<1	<1	2,700	--	--
11/28/1995	--		334.80	10.50	14.00	9.06	325.74	<50	<0.5	<0.5	<0.5	0.8	--	--	--
02/26/1996	--		334.80	10.50	14.00	6.65	328.15	350	66	<0.5	11	1.7	<3	--	--
05/23/1996	--		334.80	10.50	14.00	6.90	327.90	540	140	<2.5	13	<2.5	4,600	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.															
08/23/1996	--		334.80	10.50	14.00	8.45	326.35	180	0.8	2	0.7	2.6	4,000	--	--
03/21/1997	--		334.80	10.50	14.00	7.28	327.52	410	90	<1	14	4	3,800	--	--
08/20/1997	--		334.80	10.50	14.00	8.87	325.93	<5,000	<50	<50	<50	<50	3,100	--	--
11/21/1997	--		334.80	10.50	14.00	9.28	325.52	<2,000	<20	<20	<20	<20	2,600	--	--
02/12/1998	P		334.80	10.50	14.00	5.90	328.90	310	54	<0.5	6.2	1.1	3,800	3.76	--
07/31/1998	P		334.80	10.50	14.00	8.12	326.68	6,100	52	220	110	1,100	7,700	2.96	--
02/17/1999	P		334.80	10.50	14.00	7.18	327.62	<5,000	<50	<50	<50	<50	4,200	1.0	--
08/24/1999	P		334.80	10.50	14.00	8.68	326.12	200	1.8	16	3.0	32	3,100	--	--
03/01/2000	P		334.80	10.50	14.00	7.02	327.78	760	24	12	13	59	6,300	1.92	--
08/18/2000	P		334.80	10.50	14.00	7.75	327.05	<500	<5.00	<5.00	<5.00	<5.00	1,610/1,980	2.03	--
12/27/2000	--		334.80	10.50	14.00	8.85	325.95	--	--	--	--	--	--	--	--
02/09/2001	P		334.80	10.50	14.00	8.50	326.30	<50.0	<0.500	<0.500	<0.500	<0.500	9.11	0.53	--
04/17/2001	--		334.80	10.50	14.00	9.12	325.68	--	--	--	--	--	--	--	--
07/17/2001	--	i	334.80	10.50	14.00	--	--	3,500	<10	<10	<10	<10	3,500	--	--
07/17/2001	P		334.80	10.50	14.00	8.99	325.81	1,200	<10	<10	<10	<10	4,200	0.69	--
12/21/2001	NP		334.80	10.50	14.00	8.65	326.15	65	<0.50	1.2	0.61	6.7	11/6.5	0.48	--
03/06/2002	NP		334.80	10.50	14.00	8.61	326.19	<50	<0.50	<0.50	<0.50	1.8	31	0.35	--
04/26/2002	NP		334.80	10.50	14.00	8.20	326.60	92	<0.5	<0.50	<0.50	0.64	98/180	0.19	--
09/23/2002	P	a, d	334.80	10.50	14.00	8.50	326.30	250	<1.2	<1.2	<1.2	<1.2	1,500	2.1	7.3
12/27/2002	P	a, d	334.80	10.50	14.00	7.15	327.65	440	<2.5	<2.5	<2.5	<2.5	790	1.4	6.9
03/12/2003	P	f, g	334.80	10.50	14.00	7.33	327.47	<50	1.6	<0.50	<0.50	1.2	11	2.7	7.0
06/28/2003	P	h	337.29	10.50	14.00	7.49	329.80	<50	<0.50	<0.50	<0.50	<0.50	1.2	2.0	7.4
09/30/2003	P		337.29	10.50	14.00	8.20	329.09	<50	<0.50	<0.50	<0.50	<0.50	5.2	2.2	7.0
12/05/2003	NP		337.29	10.50	14.00	7.73	329.56	<50	<0.50	<0.50	<0.50	<0.50	2.6	4.3	7.3
03/10/2004	P		337.29	10.50	14.00	6.70	330.59	<500	<5.0	<5.0	<5.0	<5.0	5.6	2.1	6.4
06/21/2004	P		337.29	10.50	14.00	7.71	329.58	160	<1.0	<1.0	<1.0	<1.0	1.5	3.1	6.9
09/17/2004	P		337.29	10.50	14.00	7.45	329.84	<100	<1.0	<1.0	<1.0	<1.0	1.0	3.8	7.0
12/13/2004	P		337.29	10.50	14.00	7.04	330.25	<50	<0.50	<0.50	<0.50	<0.50	0.54	3.2	6.8
03/03/2005	P		337.29	10.50	14.00	6.18	331.11	<500	<5.0	<5.0	<5.0	<5.0	<5.0	3.0	--
06/23/2005	P	n	337.29	10.50	14.00	6.51	330.78	<50	<0.50	<0.50	<0.50	<0.50	4.3	2.6	7.0
09/16/2005	P		337.29	10.50	14.00	7.65	329.64	<100	<1.0	<1.0	<1.0	<1.0	2.0	1.2	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.															
12/27/2005	P		337.29	10.50	14.00	7.29	330.00	<250	<2.5	<2.5	<2.5	<2.5	<2.5	1.37	7.3
03/02/2006	P		337.29	10.50	14.00	6.51	330.78	<250	<2.5	<2.5	<2.5	<2.5	5.8	1.38	6.8
6/23/2006	P		337.29	10.50	14.00	6.75	330.54	<250	<2.5	<2.5	<2.5	<2.5	4.2	1.38	6.9
9/19/2006	P		337.29	10.50	14.00	7.30	329.99	<50	<0.50	<0.50	<0.50	<0.50	4.0	2.42	7.0
12/19/2006	P		337.29	10.50	14.00	6.93	330.36	<50	<0.50	<0.50	<0.50	<0.50	0.70	4.86	7.23
3/29/2007	P		337.29	10.50	14.00	6.61	330.68	<50	<0.50	<0.50	<0.50	<0.50	1.3	3.22	7.23
6/5/2007	P		337.29	10.50	14.00	7.12	330.17	<50	<0.50	<0.50	<0.50	<0.50	0.94	3.75	7.35
9/25/2007	P		337.29	10.50	14.00	7.77	329.52	<50	<0.50	<0.50	<0.50	<0.50	0.56	3.60	7.07
12/26/2007	P		337.29	10.50	14.00	7.40	329.89	<50	<0.50	<0.50	<0.50	<0.50	0.64	5.68	7.17
3/25/2008	P		337.29	10.50	14.00	6.45	330.84	<50	<0.50	<0.50	<0.50	<0.50	7.1	4.87	8.14
MW-3															
02/15/1995	--		335.53	12.00	15.00	8.55	326.98	100	14	<0.5	6.3	<0.5	--	--	--
05/24/1995	--		335.53	12.00	15.00	8.17	327.36	110	8	<0.5	2.7	<0.5	--	--	--
08/25/1995	--		335.53	12.00	15.00	9.27	326.26	210	3.6	<0.5	2.9	0.6	20,000	--	--
11/28/1995	--		335.53	12.00	15.00	9.91	325.62	81	1.5	<0.5	1.4	<0.5	15,000	--	--
02/26/1996	--		335.53	12.00	15.00	8.42	327.11	16,000	1,600	1,200	300	2,000	9,500	--	--
05/23/1996	--		335.53	12.00	15.00	7.70	327.83	6,500	690	<10	120	14	8,600	--	--
08/23/1996	--		335.53	12.00	15.00	9.25	326.28	1,700	85	2.1	61	5.3	11,000	--	--
03/21/1997	--		335.53	12.00	15.00	8.72	326.81	100	2	<1	1	<1	6,600	--	--
08/20/1997	--		335.53	12.00	15.00	9.73	325.80	<5,000	<50	<50	<50	<50	7,700	--	--
11/21/1997	--		335.53	12.00	15.00	10.10	325.43	<5,000	<50	<50	<50	<50	9,700	--	--
02/12/1998	P		335.53	12.00	15.00	6.68	328.85	110	11	<0.5	<0.5	1.9	10,000	1.02	--
07/31/1998	P		335.53	12.00	15.00	7.98	327.55	<10,000	<100	<100	<100	<100	13,000	2.59	--
02/17/1999	P		335.53	12.00	15.00	8.40	327.13	<20,000	<200	<200	<200	<200	23,000	1.0	--
08/24/1999	P		335.53	12.00	15.00	9.45	326.08	200	0.6	5.6	0.6	1.7	22,000	--	--
03/01/2000	P		335.53	12.00	15.00	8.32	327.21	320	32	1	6.1	4	58,000	2.42	--
08/18/2000	P		335.53	12.00	15.00	8.35	327.18	<10,000	<100	<100	<100	<100	46200/55600	1.59	--
12/27/2000	P		335.53	12.00	15.00	9.75	325.78	29,700	1,620	1,730	<250	6,230	62,600	1.59	--
02/09/2001	P		335.53	12.00	15.00	9.61	325.92	29,300	2,590	3,530	440	7,080	85,500	0.51	--
04/17/2001	P		335.53	12.00	15.00	9.94	325.59	16,400	1,680	<25.0	310	2,290	48,700	0.41	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-3 Cont.															
07/17/2001	P		335.53	12.00	15.00	9.93	325.60	21,000	1,500	<100	1,100	690	82,000	0.51	--
12/21/2001	P		335.53	12.00	15.00	9.40	326.13	<5,000	<50	<50	<50	<50	4,300/3,800	0.40	--
03/06/2002	P		335.53	12.00	15.00	9.33	326.20	<50	1.2	<0.50	1.1	13	880	0.43	--
04/26/2002	P		335.53	12.00	15.00	9.19	326.34	260	3.7	<1.0	1.1	1.8	460/940	0.2	--
09/23/2002	P	b, d	335.53	12.00	15.00	9.30	326.23	1,500	41	2.4	9.8	14	980	1.5	7.6
12/27/2002	P	c, d	335.53	12.00	15.00	7.30	328.23	1,500	300	100	21	66	1,100	2.2	8.6
03/12/2003	P	f, g	335.53	12.00	15.00	8.06	327.47	<1,000	<10	<10	<10	<10	45	1.6	7.4
06/28/2003	P	h	338.18	12.00	15.00	8.60	329.58	1,500	20	27	12	45	140	1.7	7.6
09/30/2003	P		338.18	12.00	15.00	9.04	329.14	<2,500	<25	<25	<25	<25	650	0.9	7.4
12/05/2003	P		338.18	12.00	15.00	8.57	329.61	<2,500	<25	<25	<25	<25	480	1.3	--
03/10/2004	P		338.18	12.00	15.00	7.58	330.60	180	7.4	<1.0	<1.0	<1.0	75	2.0	--
06/21/2004	P	o	338.18	12.00	15.00	8.51	329.67	<2,500	<25	<25	<25	<25	370	4.6	7.6
09/17/2004	P		338.18	12.00	15.00	8.38	329.80	<5,000	<50	<50	<50	<50	280	1.8	7.1
12/13/2004	P	o	338.18	12.00	15.00	8.04	330.14	520	89	4.6	3.9	5.8	460	1.9	7.6
03/03/2005	P		338.18	12.00	15.00	6.89	331.29	300	23	<2.5	<2.5	<2.5	130	1.8	7.6
06/23/2005	P	n	338.18	12.00	15.00	8.27	329.91	260	6.1	1.1	0.65	2.8	40	1.4	8.0
09/16/2005	P		338.18	12.00	15.00	8.47	329.71	850	52	<5.0	<5.0	<5.0	270	1.4	7.2
12/27/2005	P		338.18	12.00	15.00	7.77	330.41	300	56	<2.5	<2.5	3.6	230	1.54	8.0
03/02/2006	P		338.18	12.00	15.00	7.33	330.85	<250	4.0	<2.5	<2.5	<2.5	24	1.5	7.2
6/23/2006	P		338.18	12.00	15.00	7.64	330.54	340	1.5	<0.50	<0.50	<0.50	47	1.42	7.1
9/19/2006	P		338.18	12.00	15.00	8.17	330.01	<50	<0.50	<0.50	<0.50	<0.50	14	3.30	7.1
12/19/2006	P		338.18	12.00	15.00	7.85	330.33	530	120	<5.0	<5.0	5.5	270	4.32	7.23
3/29/2007	P	q	338.18	12.00	15.00	7.15	331.03	750	180	<5.0	9.2	7.1	420	4.34	7.21
6/5/2007	P	q	338.18	12.00	15.00	8.10	330.08	1,200	330	<5.0	12	12	610	2.94	7.38
9/25/2007	P	q	338.18	12.00	15.00	8.73	329.45	230	<5.0	<5.0	<5.0	<5.0	54	3.91	6.85
12/26/2007	P		338.18	12.00	15.00	8.50	329.68	190	21	<0.50	0.69	<0.50	71	5.94	6.77
3/25/2008	P		338.18	12.00	15.00	7.23	330.95	170	41	<10	<10	<10	77	4.32	8.16
MW-4															
02/15/1995	--		334.22	8.5	14.5	7.85	326.37	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/24/1995	--		334.22	8.5	14.5	6.68	327.54	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-4 Cont.															
08/25/1995	--		334.22	8.5	14.5	6.93	327.29	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/28/1995	--		334.22	8.5	14.5	8.21	326.01	--	--	--	--	--	--	--	--
02/26/1996	--		334.22	8.5	14.5	6.65	327.57	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
05/23/1996	--		334.22	8.5	14.5	6.47	327.75	--	--	--	--	--	--	--	--
08/23/1996	--		334.22	8.5	14.5	7.66	326.56	--	--	--	--	--	--	--	--
03/21/1997	--		334.22	8.5	14.5	6.84	327.38	--	--	--	--	--	--	--	--
08/20/1997	--		334.22	8.5	14.5	8.32	325.90	--	--	--	--	--	--	--	--
11/21/1997	--		334.22	8.5	14.5	8.65	325.57	--	--	--	--	--	--	--	--
02/12/1998	--		334.22	8.5	14.5	6.35	327.87	--	--	--	--	--	--	--	--
07/31/1998	--		334.22	8.5	14.5	6.84	327.38	--	--	--	--	--	--	--	--
02/17/1999	--		334.22	8.5	14.5	7.50	326.72	--	--	--	--	--	--	--	--
08/24/1999	--		334.22	8.5	14.5	9.50	324.72	--	--	--	--	--	--	--	--
03/01/2000	--		334.22	8.5	14.5	6.93	327.29	--	--	--	--	--	--	--	--
08/18/2000	--		334.22	8.5	14.5	7.03	327.19	--	--	--	--	--	--	--	--
12/27/2000	--		334.22	8.5	14.5	8.10	326.12	--	--	--	--	--	--	--	--
02/09/2001	--		334.22	8.5	14.5	7.97	326.25	--	--	--	--	--	--	--	--
04/17/2001	--		334.22	8.5	14.5	8.90	325.32	--	--	--	--	--	--	--	--
07/17/2001	--		334.22	8.5	14.5	8.59	325.63	--	--	--	--	--	--	--	--
12/21/2001	NP		334.22	8.5	14.5	8.31	325.91	<50	<0.50	<0.50	<0.50	<0.50	4.1/2.0	0.68	--
03/06/2002	P		334.22	8.5	14.5	8.27	325.95	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.37	--
04/26/2002	P		334.22	8.5	14.5	8.05	326.17	<50	<0.50	<0.50	<0.50	<0.50	3.6	0.3	--
09/23/2002	P		334.22	8.5	14.5	7.94	326.28	<50	<0.50	<0.50	<0.50	<0.50	2.9	4.1	7.3
12/27/2002	--		334.22	8.5	14.5	7.56	326.66	<50	<0.50	<0.50	<0.50	<0.50	2.6	2.1	6.9
03/12/2003	P	g	334.22	8.5	14.5	7.67	326.55	<50	<0.50	<0.50	<0.50	<0.50	1.6	2.8	6.8
06/28/2003	P	h	336.87	8.5	14.5	7.60	329.27	<50	<0.50	<0.50	<0.50	<0.50	2.1	--	5.6
09/30/2003	--		336.87	8.5	14.5	7.66	329.21	<50	<0.50	<0.50	<0.50	<0.50	1.4	2.2	6.9
12/05/2003	P		336.87	8.5	14.5	5.61	331.26	<50	<0.50	<0.50	<0.50	<0.50	2.3	3.0	--
03/10/2004	P		336.87	8.5	14.5	6.84	330.03	<50	<0.50	<0.50	<0.50	<0.50	2.1	4.0	--
06/21/2004	P		336.87	8.5	14.5	7.35	329.52	<50	<0.50	<0.50	<0.50	<0.50	2.0	5.4	6.2
09/17/2004	P		336.87	8.5	14.5	7.30	329.57	<50	<0.50	<0.50	<0.50	<0.50	3.5	3.0	6.9
12/13/2004	P		336.87	8.5	14.5	7.08	329.79	<50	<0.50	<0.50	<0.50	<0.50	5.4	4.0	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-4 Cont.															
03/03/2005	P		336.87	8.5	14.5	8.11	328.76	<50	<0.50	<0.50	<0.50	<0.50	6.3	2.9	6.9
06/23/2005	P	p	336.87	8.5	14.5	6.70	330.17	--	--	--	--	--	--	2.2	6.7
09/16/2005	P		336.87	8.5	14.5	7.28	329.59	<50	<0.50	<0.50	<0.50	<0.50	4.2	1.2	6.9
12/27/2005	--		336.87	8.5	14.5	7.03	329.84	--	--	--	--	--	--	--	--
03/02/2006	--		336.87	8.5	14.5	6.45	330.42	--	--	--	--	--	--	--	--
6/23/2006	--		336.87	8.5	14.5	6.42	330.45	--	--	--	--	--	--	--	--
9/19/2006	P		336.87	8.5	14.5	7.01	329.86	<50	<0.50	<0.50	<0.50	<0.50	5.8	3.08	6.9
12/19/2006	--		336.87	8.5	14.5	6.85	330.02	--	--	--	--	--	--	--	--
3/29/2007	--		336.87	8.5	14.5	6.23	330.64	--	--	--	--	--	--	--	--
6/5/2007	--		336.87	8.5	14.5	6.72	330.15	--	--	--	--	--	--	--	--
9/25/2007	P		336.87	8.5	14.5	7.53	329.34	<50	<0.50	<0.50	<0.50	<0.50	3.0	2.71	7.07
12/26/2007	--		336.87	8.5	14.5	7.25	329.62	--	--	--	--	--	--	--	--
3/25/2008	--		336.87	8.5	14.5	6.18	330.69	--	--	--	--	--	--	--	--
MW-5															
02/15/1995	--		335.87	11.00	17.50	7.80	328.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/24/1995	--		335.87	11.00	17.50	8.10	327.77	--	--	--	--	--	--	--	--
08/25/1995	--		335.87	11.00	17.50	9.43	326.44	--	--	--	--	--	--	--	--
11/28/1995	--		335.87	11.00	17.50	10.12	325.75	--	--	--	--	--	--	--	--
02/26/1996	--		335.87	11.00	17.50	6.73	329.14	--	<0.5	<0.5	<0.5	<0.5	<3	--	--
05/23/1996	--		335.87	11.00	17.50	7.87	328.00	--	--	--	--	--	--	--	--
08/23/1996	--		335.87	11.00	17.50	9.46	326.41	--	--	--	--	--	--	--	--
03/21/1997	--		335.87	11.00	17.50	8.23	327.64	--	--	--	--	--	--	--	--
08/20/1997	--		335.87	11.00	17.50	9.92	325.95	--	--	--	--	--	--	--	--
11/21/1997	--		335.87	11.00	17.50	10.18	325.69	--	--	--	--	--	--	--	--
02/12/1998	--		335.87	11.00	17.50	6.45	329.42	--	--	--	--	--	--	--	--
07/31/1998	--		335.87	11.00	17.50	8.98	326.89	--	--	--	--	--	--	--	--
02/17/1999	--		335.87	11.00	17.50	7.65	328.22	--	--	--	--	--	--	--	--
08/24/1999	--		335.87	11.00	17.50	8.10	327.77	--	--	--	--	--	--	--	--
03/01/2000	--		335.87	11.00	17.50	7.31	328.56	--	--	--	--	--	--	--	--
08/18/2000	--		335.87	11.00	17.50	8.65	327.22	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-5 Cont.															
12/27/2000	--		335.87	11.00	17.50	9.80	326.07	--	--	--	--	--	--	--	--
02/09/2001	--		335.87	11.00	17.50	9.65	326.22	--	--	--	--	--	--	--	--
04/17/2001	--		335.87	11.00	17.50	9.92	325.95	--	--	--	--	--	--	--	--
07/17/2001	--		335.87	11.00	17.50	9.95	325.92	--	--	--	--	--	--	--	--
12/21/2001	--	m	335.87	11.00	17.50	--	--	--	--	--	--	--	--	--	--
03/06/2002	--	m	335.87	11.00	17.50	--	--	--	--	--	--	--	--	--	--
04/26/2002	--	m	335.87	11.00	17.50	--	--	--	--	--	--	--	--	--	--
09/23/2002	--		335.87	11.00	17.50	7.94	327.93	--	--	--	--	--	--	--	--
12/27/2002	--		335.87	11.00	17.50	7.57	328.30	<50	<0.50	<0.50	<0.50	0.76	15	0.7	6.9
03/12/2003	--	g	335.87	11.00	17.50	8.32	327.55	--	--	--	--	--	--	--	--
06/28/2003	--	h	338.59	11.00	17.50	8.58	330.01	--	--	--	--	--	--	--	--
09/30/2003	--		338.59	11.00	17.50	9.28	329.31	--	--	--	--	--	--	--	--
12/05/2003	P		338.59	11.00	17.50	9.11	329.48	<50	<0.50	<0.50	<0.50	<0.50	22	2.9	--
03/10/2004	--		338.59	11.00	17.50	7.57	331.02	--	--	--	--	--	--	--	--
06/21/2004	--		338.59	11.00	17.50	8.68	329.91	--	--	--	--	--	--	--	--
09/17/2004	--	Well inaccessible	338.59	11.00	17.50	--	--	--	--	--	--	--	--	--	--
09/24/2004	P		338.59	11.00	17.50	8.53	330.06	<50	<0.50	<0.50	<0.50	<0.50	17	1.9	6.8
12/13/2004	--		338.59	11.00	17.50	8.28	330.31	--	--	--	--	--	--	--	--
03/03/2005	--		338.59	11.00	17.50	6.78	331.81	--	--	--	--	--	--	--	--
06/23/2005	--		338.59	11.00	17.50	8.27	330.32	--	--	--	--	--	--	--	--
09/16/2005	P		338.59	11.00	17.50	9.57	329.02	<50	<0.50	<0.50	<0.50	<0.50	69	1.3	7.0
12/27/2005	--		338.59	11.00	17.50	8.72	329.87	--	--	--	--	--	--	--	--
03/02/2006	--		338.59	11.00	17.50	8.11	330.48	--	--	--	--	--	--	--	--
6/23/2006	--		338.59	11.00	17.50	8.54	330.05	--	--	--	--	--	--	--	--
9/19/2006	P		338.59	11.00	17.50	9.21	329.38	52	<0.50	<0.50	<0.50	<0.50	82	1.50	6.9
12/19/2006	--		338.59	11.00	17.50	9.00	329.59	--	--	--	--	--	--	--	--
3/29/2007	--		338.59	11.00	17.50	8.53	330.06	--	--	--	--	--	--	--	--
6/5/2007	--		338.59	11.00	17.50	8.42	330.17	--	--	--	--	--	--	--	--
9/25/2007	P		338.59	11.00	17.50	9.80	328.79	<50	<0.50	<0.50	<0.50	<0.50	18	3.88	7.05
12/26/2007	--		338.59	11.00	17.50	9.28	329.31	--	--	--	--	--	--	--	--
3/25/2008	--		338.59	11.00	17.50	8.31	330.28	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-5															
MW-6															
02/15/1995	--		335.84	8.5	12.7	7.81	328.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/24/1995	--		335.84	8.5	12.7	8.35	327.49	--	--	--	--	--	--	--	--
08/25/1995	--		335.84	8.5	12.7	9.71	326.13	--	--	--	--	--	--	--	--
11/28/1995	--		335.84	8.5	12.7	10.28	325.56	--	--	--	--	--	--	--	--
02/26/1996	--		335.84	8.5	12.7	6.60	329.24	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
05/23/1996	--		335.84	8.5	12.7	8.05	327.79	--	--	--	--	--	--	--	--
08/23/1996	--		335.84	8.5	12.7	9.58	326.26	--	--	--	--	--	--	--	--
03/21/1997	--		335.84	8.5	12.7	8.39	327.45	--	--	--	--	--	--	--	--
08/20/1997	--		335.84	8.5	12.7	9.98	325.86	--	--	--	--	--	--	--	--
11/21/1997	--		335.84	8.5	12.7	10.31	325.53	--	--	--	--	--	--	--	--
02/12/1998	--		335.84	8.5	12.7	3.15	332.69	--	--	--	--	--	--	--	--
07/31/1998	--		335.84	8.5	12.7	9.29	326.55	--	--	--	--	--	--	--	--
02/17/1999	--		335.84	8.5	12.7	7.72	328.12	--	--	--	--	--	--	--	--
08/24/1999	--		335.84	8.5	12.7	9.65	326.19	--	--	--	--	--	--	--	--
03/01/2000	--		335.84	8.5	12.7	7.35	328.49	--	--	--	--	--	--	--	--
08/18/2000	--		335.84	8.5	12.7	8.65	327.19	--	--	--	--	--	--	--	--
12/27/2000	--		335.84	8.5	12.7	9.83	326.01	--	--	--	--	--	--	--	--
02/09/2001	--		335.84	8.5	12.7	9.62	326.22	--	--	--	--	--	--	--	--
04/17/2001	--		335.84	8.5	12.7	10.03	325.81	--	--	--	--	--	--	--	--
07/17/2001	--		335.84	8.5	12.7	9.95	325.89	--	--	--	--	--	--	--	--
12/21/2001	NP		335.84	8.5	12.7	9.47	326.37	<50	<0.50	<0.50	<0.50	0.57	<2.5	0.55	--
03/06/2002	P		335.84	8.5	12.7	9.31	326.53	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.33	--
04/26/2002	P		335.84	8.5	12.7	9.09	326.75	<50	<0.50	<0.50	<0.50	0.7	<2.5	0.31	--
09/23/2002	P		335.84	8.5	12.7	9.14	326.70	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	7.4
12/27/2002	--		335.84	8.5	12.7	7.26	328.58	<50	<0.50	<0.50	<0.50	0.63	0.91	0.8	7.0
03/12/2003	P	g	335.84	8.5	12.7	8.41	327.43	<50	<0.50	<0.50	<0.50	<0.50	0.64	1.3	7.2
06/28/2003	P	h	338.37	8.5	12.7	8.56	329.81	<50	<0.50	<0.50	<0.50	<0.50	0.62	1.6	6.8
09/30/2003	--		338.37	8.5	12.7	9.32	329.05	<250	<2.5	<2.5	<2.5	<2.5	3.9	0.8	7.0
12/05/2003	--		338.37	8.5	12.7	8.96	329.41	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-6 Cont.															
03/10/2004	--		338.37	8.5	12.7	7.65	330.72	--	--	--	--	--	--	--	--
06/21/2004	--		338.37	8.5	12.7	8.58	329.79	--	--	--	--	--	--	--	--
09/17/2004	P		338.37	8.5	12.7	8.47	329.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	7.0
12/13/2004	--		338.37	8.5	12.7	8.04	330.33	--	--	--	--	--	--	--	--
03/03/2005	--		338.37	8.5	12.7	6.60	331.77	--	--	--	--	--	--	--	--
06/23/2005	--		338.37	8.5	12.7	8.14	330.23	--	--	--	--	--	--	--	--
09/16/2005	P		338.37	8.5	12.7	8.66	329.71	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	7.1
12/27/2005	--		338.37	8.5	12.7	7.79	330.58	--	--	--	--	--	--	--	--
03/02/2006	--		338.37	8.5	12.7	7.15	331.22	--	--	--	--	--	--	--	--
6/23/2006	--		338.37	8.5	12.7	7.70	330.67	--	--	--	--	--	--	--	--
9/19/2006	P		338.37	8.5	12.7	8.30	330.07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.50	7.3
12/19/2006	--		338.37	8.5	12.7	7.90	330.47	--	--	--	--	--	--	--	--
3/29/2007	--		338.37	8.5	12.7	7.72	330.65	--	--	--	--	--	--	--	--
6/5/2007	--		338.37	8.5	12.7	8.18	330.19	--	--	--	--	--	--	--	--
9/25/2007	NP		338.37	8.5	12.7	8.86	329.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.87	6.84
12/26/2007	--		338.37	8.5	12.7	8.25	330.12	--	--	--	--	--	--	--	--
3/25/2008	--		338.37	8.5	12.7	7.35	331.02	--	--	--	--	--	--	--	--
MW-7															
12/21/2001	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
03/06/2002	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
04/26/2002	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
09/23/2002	--	j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
12/27/2002	--	e	--	--	8.0	7.74	--	<50	<0.50	<0.50	<0.50	<0.50	4.7	2.7	7.0
03/12/2003	--	g, j	--	--	8.0	--	--	--	--	--	--	--	--	--	--
06/28/2003	--	h, j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
09/30/2003	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/05/2003	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
03/10/2004	--		338.62	--	8.0	7.78	330.84	--	--	--	--	--	--	--	--
06/21/2004	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
09/17/2004	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-7 Cont.															
12/13/2004	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
03/03/2005	--		338.62	--	8.0	6.81	331.81	--	--	--	--	--	--	--	--
06/23/2005	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
09/16/2005	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/27/2005	--		338.62	--	8.0	7.90	330.72	--	--	--	--	--	--	--	--
03/02/2006	--		338.62	--	8.0	7.39	331.23	--	--	--	--	--	--	--	--
6/23/2006	--		338.62	--	8.0	7.90	330.72	--	--	--	--	--	--	--	--
9/19/2006	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/19/2006	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
3/29/2007	--	j	338.62	--	8.0	7.95	330.67	--	--	--	--	--	--	--	--
6/5/2007	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
9/25/2007	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
12/26/2007	--	j	338.62	--	8.0	--	--	--	--	--	--	--	--	--	--
3/25/2008	--		338.62	--	8.0	7.51	331.11	--	--	--	--	--	--	--	--
MW-8															
12/21/2001	NP		--	--	12.6	8.70	--	<5,000	67	<50	<50	<50	2,400/1,300	0.60	--
03/06/2002	--	i	--	--	12.6	--	--	170	37	0.67	0.7	1.9	740	--	--
03/06/2002	P		--	--	12.6	8.63	--	210	41	0.64	0.79	2.0	940	0.25	--
04/26/2002	P		--	--	12.6	8.15	--	680	95	<1.0	14	2.5	490	0.31	--
04/26/2002	--	i	--	--	12.6	--	--	480	74	3.5	11	<1.0	640	--	--
09/30/2002	P	c	--	--	12.6	9.37	--	1,100	120	<5.0	57	8.7	1,100	1.3	6.9
12/27/2002	P	b	--	--	12.6	7.55	--	350	13	<0.50	2.4	2.2	73	0.8	6.9
03/12/2003	P	g	--	--	12.6	8.25	--	<2,500	89	<25	<25	<25	740	1.4	6.9
06/28/2003	P	h	338.27	--	12.6	8.38	329.89	7,000	680	<25	110	180	2,900	1.9	4.8
09/30/2003	P	a	338.27	--	12.6	9.09	329.18	1,500	240	18	45	150	180	1.0	6.8
12/05/2003	P		338.27	--	12.6	8.37	329.90	590	60	<2.5	15	4.2	150	1.5	7.1
03/10/2004	P		338.27	--	12.6	7.41	330.86	690	50	<5.0	7.4	6.8	370	2.2	6.3
06/21/2004	P		338.27	--	12.6	8.41	329.86	1,300	200	<5.0	65	82	400	0.8	6.8
09/17/2004	P		338.27	--	12.6	8.25	330.02	580	17	<0.50	1.9	5.8	22	1.3	6.6
12/13/2004	P		338.27	--	12.6	7.78	330.49	380	24	<0.50	18	4.9	6.6	1.0	6.7

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-8 Cont.															
03/03/2005	P		338.27	--	12.6	6.48	331.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.9	6.8
06/23/2005	P	n	338.27	--	12.6	7.91	330.36	160	10	<0.50	3.8	5.4	26	1.8	6.8
09/16/2005	P		338.27	--	12.6	8.38	329.89	1,700	340	5.0	100	95	49	2.5	6.8
12/27/2005	--		338.27	--	12.6	7.60	330.67	--	--	--	--	--	--	--	--
03/02/2006	P		338.27	--	12.6	6.93	331.34	<250	10	<2.5	4.4	2.6	14	0.8	6.8
6/23/2006	--		338.27	--	12.6	7.55	330.72	--	--	--	--	--	--	--	--
9/19/2006	P		338.27	--	12.6	8.21	330.06	600	70	<2.5	24	3.2	89	0.81	6.8
12/19/2006	--		338.27	--	12.6	7.89	330.38	--	--	--	--	--	--	--	--
3/29/2007	P		338.27	--	12.6	7.55	330.72	95	3.1	<0.50	0.58	<0.50	5.1	1.67	7.35
6/5/2007	--		338.27	--	12.6	8.10	330.17	--	--	--	--	--	--	--	--
9/25/2007	P		338.27	--	12.6	8.82	329.45	400	2.2	<0.50	<0.50	<0.50	3.5	2.84	6.77
12/26/2007	--		338.27	--	12.6	8.23	330.04	--	--	--	--	--	--	--	--
3/25/2008	P		338.27	--	12.6	6.43	331.84	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	8.08
Shell MW-7															
12/27/2000	P		--	--	--	6.45	--	<50.0	<0.500	0.696	<0.500	0.795	<2.50	1.33	--
02/09/2001	P		--	--	--	6.39	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.13	--
04/17/2001	P		--	--	--	7.22	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.12	--
07/17/2001	P		--	--	--	6.93	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.05	--
12/21/2001	P		--	--	--	7.15	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
03/06/2002	P		--	--	--	7.03	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.95	--
04/26/2002	P		--	--	--	7.15	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.95	--
09/27/2002	--	k	--	--	--	--	--	--	--	--	--	--	--	--	--
Shell MW-6															
12/27/2000	--	i	--	--	--	--	--	79.3	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
12/27/2000	P		--	--	--	9.13	--	74.7	<0.500	<0.500	<0.500	<0.500	<2.50	1.3	--
02/09/2001	P		--	--	--	9.05	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.29	--
04/17/2001	P		--	--	--	10.17	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.95	--
07/17/2001	P	i	--	--	--	9.50	--	<50	<0.50	<0.50	<0.50	<0.50	4.2	1.03	--
12/21/2001	P		--	--	--	9.98	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.97	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #6041, 7249 Village Parkway, Dublin, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
Shell MW-6 Cont.															
03/06/2002	P		--	--	--	9.90	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.97	--
04/26/2002	P		--	--	--	9.47	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.97	--
09/27/2002	--	k	--	--	--	--	--	--	--	--	--	--	--	--	--
VW-2															
03/21/1997	--		--	4.0	9.5	8.22	--	150	8.9	<0.5	<0.5	0.6	270	--	--
08/20/1997	--		--	4.0	9.5	9.16	--	--	--	--	--	--	--	--	--
11/21/1997	--		--	4.0	9.5	8.27	--	<200	3	<2	<2	<2	180	--	--
02/12/1998	--		--	4.0	9.5	6.65	--	200	19	<0.5	0.6	<0.5	2,200	--	--
07/31/1998	--		--	4.0	9.5	7.01	--	--	--	--	--	--	--	--	--
02/17/1999	--		--	4.0	9.5	8.47	--	--	--	--	--	--	--	--	--
08/24/1999	--		--	4.0	9.5	8.20	--	--	--	--	--	--	--	--	--
03/01/2000	--		--	4.0	9.5	8.72	--	--	--	--	--	--	--	--	--
08/18/2000	NP		--	4.0	9.5	8.40	--	<250	<2.50	<2.50	<2.50	<2.50	537	1.59	--
12/27/2000	--	j	--	4.0	9.5	8.95	--	--	--	--	--	--	--	--	--
02/09/2001	--	j	--	4.0	9.5	8.87	--	--	--	--	--	--	--	--	--
04/17/2001	--	j	--	4.0	9.5	9.00	--	--	--	--	--	--	--	--	--
07/17/2001	--	j	--	4.0	9.5	8.97	--	--	--	--	--	--	--	--	--
12/21/2001	--	k	--	4.0	9.5	--	--	--	--	--	--	--	--	--	--

SYMBOLS AND ABBREVIATIONS:

-- = Not sampled/analyzed/available/applicable
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
GRO = Gasoline range organics
GWE = Groundwater elevation in ft MSL
mg/L = Milligrams per liter
ft MSL = Feet above mean sea level
MTBE = Methyl tert-butyl ether
NP = Well was not purged prior to sampling
P = Well was purged prior to sampling
TOC = Top of casing elevation in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter

FOOTNOTES:

a = Discrete peak at C6-C7 for GRO/TPH-g.
b = Hydrocarbon pattern was present in the requested fuel quantitation range but did not resemble the pattern of the requested fuel for GRO/TPH-g.
c = Chromatogram Pattern: C6-C10 for GRO/TPH-g.
d = Well casing broken, TOC unknown.
e = Well mistakenly sampled this quarter.
f = Well casing was repaired and needs to be resurveyed.
g = Beginning the 1st quarter of 2003, TPH-g, benzene, toluene, ethylbenzene, total xylenes, and MTBE were analyzed by EPA Method 8260B.
h = Elevations resurveyed on 7/21/2003.
i = Blind duplicate sample.
j = Well was dry.
k = Well abandoned.
m = Well inaccessible.
n = Opening calibration verification standard for MTBE outside acceptance criteria.
o = Well dewatered.
p = VOAs broken prior to analysis of sample.
q = Hydrocarbon results partly due to indiv. peak(s) in quant. range (GRO).

NOTES:

For previous historical GWE and analytical data please refer to fourth quarter 1995 groundwater monitoring program results, ARCO Service Station 6041, Dublin, California, (EMCON, 02/26/96).

pH levels for Well MW-3 on 12/05/03 ranged from 7.2 to 11.25.

The values for DO and pH levels were obtained through field measurements.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2									
12/27/2002	<20,000	<10,000	790	<250	<250	<250	<250	<250	
03/12/2003	<100	540	11	<0.50	<0.50	<0.50	<0.50	<0.50	
06/28/2003	<100	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	
09/30/2003	<100	290	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
12/05/2003	<100	730	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2004	<1,000	13,000	5.6	<5.0	<5.0	<5.0	<5.0	<5.0	
06/21/2004	<200	2,900	1.5	<1.0	<1.0	<1.0	<1.0	<1.0	
09/17/2004	<200	2,100	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
12/13/2004	<100	860	0.54	<0.50	<0.50	<0.50	<0.50	<0.50	
03/03/2005	<1,000	5,000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
06/23/2005	<100	1,900	4.3	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/16/2005	<200	3,600	2.0	<1.0	<1.0	<1.0	<1.0	<1.0	
12/27/2005	<500	3,800	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	c
03/02/2006	<1,500	3,300	5.8	<2.5	<2.5	<2.5	<2.5	<2.5	
6/23/2006	<1,500	650	4.2	<2.5	<2.5	<2.5	<2.5	<2.5	
9/19/2006	<300	340	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
12/19/2006	<300	1,300	0.70	<0.50	<0.50	<0.50	<0.50	--	c
3/29/2007	<300	1,300	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	d (TBA)
6/5/2007	<300	1,400	0.94	<0.50	<0.50	<0.50	<0.50	<0.50	d (TBA)
9/25/2007	<300	930	0.56	<0.50	<0.50	<0.50	<0.50	<0.50	c, d (TBA)
12/26/2007	<300	380	0.64	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	2,100	7.1	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
12/27/2002	<40,000	<20,000	1,100	<500	<500	<500	<500	<500	
03/12/2003	<2,000	6,100	45	<10	<10	<10	<10	<10	
06/28/2003	<2,000	29,000	140	<10	<10	<10	<10	<10	
09/30/2003	<5,000	39,000	650	<25	<25	<25	<25	<25	
12/05/2003	<5,000	39,000	480	<25	<25	<25	<25	<25	
03/10/2004	<200	590	75	<1.0	<1.0	<1.0	<1.0	<1.0	
06/21/2004	<5,000	34,000	370	<25	<25	<25	<25	<25	
09/17/2004	<10,000	53,000	280	<50	<50	<50	<50	<50	

**Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
12/13/2004	<500	5,300	460	<2.5	<2.5	<2.5	<2.5	<2.5	
03/03/2005	<500	940	130	<2.5	<2.5	<2.5	<2.5	<2.5	
06/23/2005	<100	9,400	40	<0.50	<0.50	<0.50	<0.50	<0.50	b
09/16/2005	<1,000	20,000	270	<5.0	<5.0	<5.0	<5.0	<5.0	
12/27/2005	<500	1,700	230	<2.5	<2.5	<2.5	<2.5	<2.5	c
03/02/2006	<1,500	400	24	<2.5	<2.5	<2.5	<2.5	<2.5	
6/23/2006	<300	13,000	47	<0.50	<0.50	<0.50	<0.50	<0.50	b, c
9/19/2006	<300	1,500	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/19/2006	<3,000	4,900	270	<5.0	<5.0	<5.0	<5.0	--	
3/29/2007	<3,000	6,000	420	<5.0	<5.0	<5.0	<5.0	<5.0	
6/5/2007	<3,000	8,800	610	<5.0	<5.0	<5.0	<5.0	<5.0	
9/25/2007	<3,000	7,600	54	<5.0	<5.0	<5.0	<5.0	<5.0	c
12/26/2007	<300	1,800	71	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<6,000	4,900	77	<10	<10	<10	<10	<10	
MW-4									
12/27/2002	<40	<20	2.6	<0.50	<0.50	<0.50	<0.50	<0.50	
03/12/2003	<100	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
06/28/2003	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
09/30/2003	<100	<20	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
12/05/2003	<100	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
03/10/2004	<100	<20	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
06/21/2004	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
09/17/2004	<100	<20	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	85	5.4	<0.50	<0.50	<0.50	<0.50	<0.50	
03/03/2005	<100	<20	6.3	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	79	4.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/19/2006	<300	<20	5.8	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	3.0	<0.50	<0.50	<0.50	<0.50	<0.50	c
MW-5									
12/27/2002	<40	<20	15	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
12/05/2003	<100	<20	22	<0.50	<0.50	<0.50	<0.50	<0.50	
09/17/2004	--	--	--	--	--	--	--	--	Well inaccessible
09/24/2004	<100	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	<20	69	<0.50	<0.50	<0.50	<0.50	<0.50	
9/19/2006	<300	<20	82	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	18	<0.50	<0.50	<0.50	<0.50	<0.50	c
MW-6									
12/27/2002	<40	<20	0.91	<0.50	<0.50	<0.50	<0.50	<0.50	
03/12/2003	<100	<20	0.64	<0.50	<0.50	<0.50	<0.50	<0.50	
06/28/2003	<100	<20	0.62	<0.50	<0.50	<0.50	<0.50	<0.50	
09/30/2003	<500	<100	3.9	<2.5	<2.5	<2.5	<2.5	<2.5	
09/17/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	42	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/19/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	c
MW-7									
12/27/2002	<40	<20	4.7	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-8									
12/27/2002	<400	260	73	<5.0	<5.0	<5.0	<5.0	<5.0	
03/12/2003	<5,000	2,200	740	<25	<25	<25	<25	<25	
06/28/2003	<5,000	12,000	2,900	<25	<25	<25	<25	<25	
09/30/2003	<2,000	28,000	180	<10	<10	<10	<10	<10	a
12/05/2003	<500	500	150	<2.5	<2.5	<2.5	<2.5	<2.5	
03/10/2004	<1,000	420	370	<5.0	<5.0	<5.0	<5.0	<5.0	
06/21/2004	<1,000	9,200	400	<5.0	<5.0	<5.0	<5.0	<5.0	
09/17/2004	<100	83	22	<0.50	<0.50	<0.50	<0.50	<0.50	
12/13/2004	<100	540	6.6	<0.50	<0.50	<0.50	<0.50	<0.50	
03/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
06/23/2005	<100	440	26	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<500	5,000	49	<2.5	<2.5	<2.5	<2.5	<2.5	

**Table 2. Summary of Fuel Additives Analytical Data
Station #6041, 7249 Village Parkway, Dublin, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
03/02/2006	<1,500	200	14	<2.5	<2.5	<2.5	<2.5	<2.5	
9/19/2006	<1,500	5,200	89	<2.5	<2.5	<2.5	<2.5	<2.5	
3/29/2007	<300	400	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	3,800	3.5	<0.50	<0.50	<0.50	<0.50	<0.50	c
3/25/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

ABBREVIATIONS AND SYMBOLS:

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = micrograms per liter

FOOTNOTES:

a = The result for TBA was reported with a possible high bias due to the continuing calibration verification falling outside acceptance criteria.

b = The initial analysis of TBA was within the hold time but required dilution.

c = Calibration verification for ethanol was within method limits but outside contract limits.

d = Sample > 4x spike concentration.

NOTES:

All fuel oxygenate compounds analyzed using EPA Method 8260B.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #6041, 7249 Village Parkway, Dublin, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
2/15/1995	NR	NR
5/24/1995	East-Southeast	0.002
8/25/1995	Northwest	0.006
11/28/1995	North	0.006
2/26/1996	East	0.012
5/23/1996	Flat Gradient	Flat Gradient
8/23/1996	Flat Gradient	Flat Gradient
3/21/1997	South-Southeast	0.005
8/20/1997	South-Southwest	0.001
11/21/1997	South-Southwest	0.002
2/12/1998	East	0.024
7/31/1998	Northwest	0.01
2/17/1999	Southeast	0.007
8/24/1999	South-Southwest	0.013
3/1/2000	South-Southeast	0.005
9/26/2000	South-Southeast	0.002
12/27/2000	West-Southwest	0.003
2/9/2001	West-Southwest	0.003
4/17/2001	South-Southwest	0.015
7/17/2001	South-Southwest	0.003
12/21/2001	East	0.002
3/6/2002	East	0.003
4/26/2002	Southeast	0.003
9/27/2002	South	0.013
12/27/2002	Southeast	0.011
3/12/2003	South-Southeast	0.008
6/28/2003	South	0.001
9/30/2003	Southwest	0.002
12/5/2003	West	0.009
3/10/2004	South-Southeast	0.003
6/21/2004	Southeast	0.004
9/17/2004	Variable	0.001-0.007
9/17/2004	Variable	0.001 - 0.007
12/13/2004	East	0.002
3/3/2005	East	0.02
6/23/2005	Variable	0.02 - 0.005
9/16/2005	Northeast	0.005
12/27/2005	East-Northeast	0.007
3/2/2006	Northeast	0.005
6/23/2006	Northeast	0.004
9/19/2006	North-Northeast	0.004
12/19/2006	North-Northeast	0.006

Table 3. Historical Ground-Water Flow Direction and Gradient
Station #6041, 7249 Village Parkway, Dublin, CA

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
3/29/2007	North-Northeast	0.004
6/5/2007	South-Southeast	0.002
9/25/2007	North-Northeast	0.005
12/26/2007	Northeast	0.005
3/25/2008	Northeast	0.005

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

**STRATUS ENVIRONMENTAL, INC. GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, NON-HAZARDOUS WASTE DATA FORM,
CHAIN OF CUSTODY DOCUMENTATION, CERTIFIED ANALYTICAL RESULTS,
AND FIELD PROCEDURES FOR GROUNDWATER SAMPLING)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

April 10, 2008

Mr. Rob Miller
Broadbent & Associates
2000 Kirman Ave.
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 6041, located at
7249 Village Parkway, Dublin, California.

General Information

Data Submittal Prepared / Reviewed by: Becky Carroll / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representative: Roberto Heimlich

Sampling Date: March 25, 2008

Arrival: 9:20 *Departure:* 11:20

Weather Conditions: Cloudy

Unusual Field Conditions: None noted


Scope of Work Performed: Quarterly monitoring and sampling

Variations from Work Scope: None noted

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

CC: Mr. Paul Supple, BP/ARCO

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 6041 PURGED BY: RH WELL ID.: MW-2
 CLIENT NAME: _____ SAMPLED BY: RH SAMPLE ID.: MW-2
 LOCATION: Dublin - 7249 Village Parkway QA SAMPLES: _____

DATE PURGED 3/25/08 START (2400hr) 10:06 END (2400hr) 10:13
 DATE SAMPLED 3/25/08 SAMPLE TIME (2400hr) 10:20
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" ✓ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 9.38 CASING VOLUME (gal) = 1.9
 DEPTH TO WATER (feet) = 6.45 CALCULATED PURGE (gal) = 5.8
 WATER COLUMN HEIGHT (feet) = 2.93 ACTUAL PURGE (gal) = 6

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>3/25/08</u>	<u>10:08</u>	<u>2</u>	<u>17.4</u>	<u>2523</u>	<u>8.38</u>	<u>slur</u>	_____
<u>✓</u>	<u>10:09</u>	<u>4</u>	<u>18.5</u>	<u>2791</u>	<u>8.20</u>	<u>1</u>	_____
<u>✓</u>	<u>10:10</u>	<u>6</u>	<u>18.7</u>	<u>2882</u>	<u>8.14</u>	<u>✓</u>	_____

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 7.09 SAMPLE TURBIDITY: slur

80% RECHARGE: YES NO ANALYSES: SWO
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOPS / HCL

PURGING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
 Centrifugal Pump _____ Bailer (PVC) _____
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____

Other: _____
 Pump Depth: 9.20

SAMPLING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
 Centrifugal Pump _____ Bailer (_____ PVC or disposable)
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____

Other: _____

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 4.87

SIGNATURE: [Signature] Page _____ of _____

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 6041 PURGED BY: RH WELL I.D.: MW-3
 CLIENT NAME: _____ SAMPLED BY: RH SAMPLE I.D.: MW-3
 LOCATION: Dublin - 7249 Village Parkway QA SAMPLES: _____

DATE PURGED 3/25/08 START (2400hr) 10:25 END (2400hr) 10:34
 DATE SAMPLED 3/25/08 SAMPLE TIME (2400hr) 10:39
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 13.82 CASING VOLUME (gal) = 4.4
 DEPTH TO WATER (feet) = 7.23 CALCULATED PURGE (gal) = 13.2
 WATER COLUMN HEIGHT (feet) = 6.59 ACTUAL PURGE (gal) = 13.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>3/25/08</u>	<u>10:27</u>	<u>5</u>	<u>19.5</u>	<u>825</u>	<u>8.60</u>	<u>clear</u>	
<u>✓</u>	<u>10:29</u>	<u>9</u>	<u>19.7</u>	<u>988</u>	<u>8.22</u>	<u>✓</u>	
<u>✓</u>	<u>10:31</u>	<u>13.5</u>	<u>20.8</u>	<u>1037</u>	<u>8.16</u>	<u>✓</u>	

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 8.37 SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWD
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / HCL

PURGING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
~~Centrifugal Pump~~ _____ Bailer (PVC) _____
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____
 Other: _____
 Pump Depth: 13.50

SAMPLING EQUIPMENT

Bladder Pump _____ Bailer (Teflon) _____
 Centrifugal Pump _____ Bailer (PVC or disposable) _____
 Submersible Pump _____ Bailer (Stainless Steel) _____
 Peristaltic Pump _____ Dedicated _____
 Other: _____

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 4.38

SIGNATURE: [Signature] Page _____ of _____

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 6041 PURGED BY: RH WELL I.D.: MN-8
 CLIENT NAME: _____ SAMPLED BY: RH SAMPLE I.D.: MW-8
 LOCATION: Dublin - 7249 Village Parkway QA SAMPLES: _____

DATE PURGED 3/25/08 START (2400hr) 10:43 END (2400hr) 10:53
 DATE SAMPLED 3/25/08 SAMPLE TIME (2400hr) 11:00
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" ✓ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 12.90 CASING VOLUME (gal) = 4.0
 DEPTH TO WATER (feet) = 6.93 CALCULATED PURGE (gal) = 12.2
 WATER COLUMN HEIGHT (feet) = 6.07 ACTUAL PURGE (gal) = 12.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>3/25/08</u>	<u>10:45</u>	<u>3</u>	<u>17.9</u>	<u>839</u>	<u>8.15</u>	<u>clear</u>	
<u>✓</u>	<u>10:46</u>	<u>8</u>	<u>18.2</u>	<u>867</u>	<u>8.11</u>	<u>✓</u>	
<u>✓</u>	<u>10:47</u>	<u>12.5</u>	<u>18.5</u>	<u>886</u>	<u>8.08</u>	<u>✓</u>	

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 6.99 SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWO
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 WOPS / HCL

PURGING EQUIPMENT

Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____

Pump Depth: 12

SAMPLING EQUIPMENT

Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC or disposable)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO

SIGNATURE: [Signature]

NO. 665501

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

SITE 1

EPA I.D. NO. NOT REQUIRED

NAME BP WEST COAST PRODUCTS LLC ARCO # 6041

ADDRESS P.O. BOX 80249 7249 VILLAGE ARLWAY DUBLIN

CITY, STATE, ZIP RANCHO SANTA MARGARITA CA 92688 PHONE NO. _____

CONTAINERS: No. _____ VOLUME 32 WEIGHT _____

TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHER _____

WASTE DESCRIPTION			GENERATING PROCESS		
NON-HAZARDOUS WATER			WELL PURGING/DECON WATER		
COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. <u>WATER</u>	<u>99-100%</u>		5. _____		
2. <u>TPH</u>	<u><1%</u>		6. _____		
3. _____			7. <u>BESI#</u>		
4. _____			8. _____		

PROPERTIES: 7-10 pH SOLID LIQUID SLUDGE SLURRY OTHER _____

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHING

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.

Larry Moothart BESI for BP
TYPED OR PRINTED FULL NAME & SIGNATURE DATE 3/25/08

TRANSPORTER

EPA I.D. NO. NOT REQUIRED

NAME Transporter #1 STRATUS ENVIRONMENTAL

ADDRESS 3330 CAMERON PARK DR

CITY, STATE, ZIP CAMERON PARK, CA 95682 SERVICE ORDER NO. _____

PHONE NO. 530-676-2031 PICK UP DATE _____

TRUCK, UNIT, I.D. NO. _____

ROBERTO HEINWICHT
TYPED OR PRINTED FULL NAME & SIGNATURE DATE 3/25/08

TSD FACILITY

EPA I.D. NO. NOT REQUIRED

NAME SEAPORT REFINING & ENVIRONMENTAL, LLC

ADDRESS 700 SEAPORT BLVD.

CITY, STATE, ZIP REDWOOD CITY, CA 94063 DISPOSAL METHOD LANDFILL OTHER _____

PHONE NO. 650-364-1024

TYPED OR PRINTED FULL NAME & SIGNATURE DATE _____

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
CKD		RTCD	HWDF	NONE

DISCREPANCY



bp
A BP affiliated company

Chain of Custody Record

Project Name: ARCO 6041
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 6041
 State or Lead Regulatory Agency: _____
 Requested Due Date (mm/dd/yy): _____

On-site Time: <u>9:20</u>	Temp: <u>63</u>
Off-site Time: <u>11:20</u>	Temp: <u>63</u>
Sky Conditions: <u>cloudy</u>	
Meteorological Events: <u>NA</u>	
Wind Speed: <u>0</u>	Direction: <u>NA</u>


Lab Name: <u>Calscience</u>	BP/AR Facility No.: <u>6041</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>7440 Lincoln Way Garden Grove, CA 92841</u>	BP/AR Facility Address: <u>7249 Village Parkway, Dublin</u>	Address: <u>3330 Cameron Park Drive, Suite 550 Cameron Park, CA 95682</u>
Lab PM: <u>Linda Scharpenberg</u>	California Global ID No.: <u>T0600100109</u>	Consultant/Contractor Project No.: _____
Tele/Fax: <u>714-893-5494 714-893-7501(fax)</u>	Enfos Project No.: <u>G0C1W-0022</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or OOC (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150 San Ramon, CA</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level 1 with EDF</u>
Tele/Fax: <u>925-275-3506</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>ghaves@stratusinc.net</u>
	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis					Sample Point Lat/Long and Comments *Oxy= MTBE, TAME, ETBE, DIPE, TBA							
				Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	BTEX/Oxy* by 8260	1,2-DCA	Ethanol	EDB	GRO by 801.5m								
1	MW-2	10:20	3/25/08	X				6				X			X	X	X	X								
2	MW-3	10:39		X				6				X			X	X	X	X								
3	MW-8	11:00		X				6				X			X	X	X	X								
4	TB-6041 3/25/08 - 6:00	6:00	✓	X				3				X													HOLD	
5																										
6																										
7																										
8																										
9																										
10																										

Sampler's Name: <u>ROBERTO HEIMLICH</u>	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: <u>DOUGLAS ENVI</u>						
Shipment Date:						
Shipment Method:						
Shipment Tracking No:						

Special Instructions: Please cc results to rmler@broadbentinc.com

Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
----------------------------------	----------------------	------------------------------	----------------------	-----------------------------------



April 08, 2008

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-03-2351**
Client Reference: ARCO 6041

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 3/27/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, reading "Linda Scharpenberg". The signature is written in a cursive style with a horizontal line underneath the name.

Calscience Environmental
Laboratories, Inc.
Linda Scharpenberg
Project Manager

A handwritten signature or mark in black ink, located at the bottom left of the page. It appears to be a stylized signature or a set of initials.



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 03/27/08
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 6041

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-03-2351-1-D	03/25/08 10:20	Aqueous	GC 4	03/29/08	03/29/08 20:56	080329B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	93	38-134			

MW-3	08-03-2351-2-D	03/25/08 10:39	Aqueous	GC 4	03/29/08	03/29/08 21:29	080329B01
------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	170	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	111	38-134			

MW-8	08-03-2351-3-D	03/25/08 11:00	Aqueous	GC 4	03/31/08	03/31/08 22:27	080331B02
------	----------------	-------------------	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	99	38-134			

Method Blank	099-12-695-85	N/A	Aqueous	GC 4	03/29/08	03/29/08 06:50	080329B01
--------------	---------------	-----	---------	------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	43	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 03/27/08
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 6041

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-695-88	N/A	Aqueous	GC 4	03/31/08	03/31/08 18:36	080331B02

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	90	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report

08-03-2351-3-A

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 03/27/08
Work Order No: 08-03-2351
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 6041

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-03-2351-1-A	03/25/08 10:20	Aqueous	GC/MS BB	04/04/08	04/05/08 00:15	080404L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	7.1	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	2100	200	20	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	99	73-157			Dibromofluoromethane	100	82-142		
Toluene-d8	103	82-112			1,4-Bromofluorobenzene	101	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	08-03-2351-2-A	03/25/08 10:39	Aqueous	GC/MS BB	04/04/08	04/05/08 00:48	080404L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	41	10	20		Methyl-t-Butyl Ether (MTBE)	77	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	4900	500	50	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	ND	10	20		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	ND	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	ND	10	20		Ethanol	ND	6000	20	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	100	73-157			Dibromofluoromethane	99	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	99	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	08-03-2351-3-A	03/25/08 11:00	Aqueous	GC/MS BB	04/04/08	04/05/08 01:21	080404L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	96	73-157			Dibromofluoromethane	99	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	101	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 03/27/08
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L

Project: ARCO 6041

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-147	N/A	Aqueous	GC/MS BB	04/04/08	04/04/08 16:30	080404L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	97	73-157			Dibromofluoromethane	94	82-142		
Toluene-d8	103	82-112			1,4-Bromofluorobenzene	102	75-105		

Method Blank	099-12-703-151	N/A	Aqueous	GC/MS BB	04/05/08	04/05/08 17:55	080405L01
---------------------	-----------------------	------------	----------------	-----------------	-----------------	---------------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	98	73-157			Dibromofluoromethane	97	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	99	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 03/27/08
Work Order No: 08-03-2351
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-03-2067-16	Aqueous	GC 4	03/29/08	03/29/08	080329S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	101	101	38-134	0	0-25	

RPD - Relative Percent Difference, CL - Control Limit



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 03/27/08
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-03-2363-2	Aqueous	GC 4	03/31/08	03/31/08	080331S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	99	106	38-134	7	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 03/27/08
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8260B

Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-04-0417-7	Aqueous	GC/MS BB	04/04/08	04/04/08	080404S01

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	101	105	86-122	4	0-8	
Carbon Tetrachloride	85	85	78-138	0	0-9	
Chlorobenzene	98	101	90-120	3	0-9	
1,2-Dibromoethane	94	95	70-130	1	0-30	
1,2-Dichlorobenzene	96	95	89-119	1	0-10	
1,1-Dichloroethene	79	81	52-142	3	0-23	
Ethylbenzene	98	101	70-130	3	0-30	
Toluene	98	100	85-127	2	0-12	
Trichloroethene	95	96	78-126	1	0-10	
Vinyl Chloride	86	87	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	86	86	64-136	1	0-28	
Tert-Butyl Alcohol (TBA)	107	96	27-183	11	0-60	
Diisopropyl Ether (DIPE)	85	91	78-126	7	0-16	
Ethyl-t-Butyl Ether (ETBE)	90	92	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	96	97	63-141	1	0-21	
Ethanol	84	78	11-167	8	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: 03/27/08
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8260B

Project ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-04-0548-1	Aqueous	GC/MS BB	04/05/08	04/05/08	080405S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	113	111	86-122	2	0-8	
Carbon Tetrachloride	94	93	78-138	1	0-9	
Chlorobenzene	108	106	90-120	1	0-9	
1,2-Dibromoethane	99	98	70-130	1	0-30	
1,2-Dichlorobenzene	103	101	89-119	1	0-10	
1,1-Dichloroethene	96	95	52-142	1	0-23	
Ethylbenzene	107	105	70-130	1	0-30	
Toluene	108	108	85-127	0	0-12	
Trichloroethene	108	106	78-126	1	0-10	
Vinyl Chloride	98	96	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	91	89	64-136	2	0-28	
Tert-Butyl Alcohol (TBA)	99	103	27-183	4	0-60	
Diisopropyl Ether (DIPE)	99	99	78-126	1	0-16	
Ethyl-t-Butyl Ether (ETBE)	99	97	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	100	99	63-141	1	0-21	
Ethanol	60	60	11-167	0	0-64	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: N/A
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-85	Aqueous	GC 4	03/29/08	03/29/08	080329B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	100	93	78-120	7	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-88	Aqueous	GC 4	03/31/08	04/01/08	080331B02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	93	84	78-120	10	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8260B

Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-703-147	Aqueous	GC/MS BB	04/04/08	04/04/08	080404L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	101	87-117	1	0-7	
Carbon Tetrachloride	82	84	78-132	3	0-8	
Chlorobenzene	96	96	88-118	0	0-8	
1,2-Dibromoethane	98	91	80-120	7	0-20	
1,2-Dichlorobenzene	100	94	88-118	5	0-8	
1,1-Dichloroethene	78	80	71-131	2	0-14	
Ethylbenzene	94	97	80-120	3	0-20	
Toluene	96	97	85-127	1	0-7	
Trichloroethene	95	96	85-121	1	0-11	
Vinyl Chloride	83	86	64-136	4	0-10	
Methyl-t-Butyl Ether (MTBE)	80	83	67-133	4	0-16	
Tert-Butyl Alcohol (TBA)	90	95	34-154	5	0-19	
Diisopropyl Ether (DIPE)	82	88	80-122	7	0-8	
Ethyl-t-Butyl Ether (ETBE)	87	90	73-127	3	0-11	
Tert-Amyl-Methyl Ether (TAME)	94	92	69-135	1	0-12	
Ethanol	60	57	34-124	5	0-44	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: N/A
 Work Order No: 08-03-2351
 Preparation: EPA 5030B
 Method: EPA 8260B

Project: ARCO 6041

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-703-151	Aqueous	GC/MS BB	04/05/08	04/05/08	080405L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	102	87-117	1	0-7	
Carbon Tetrachloride	87	85	78-132	3	0-8	
Chlorobenzene	99	98	88-118	1	0-8	
1,2-Dibromoethane	91	92	80-120	1	0-20	
1,2-Dichlorobenzene	95	96	88-118	0	0-8	
1,1-Dichloroethene	83	80	71-131	3	0-14	
Ethylbenzene	99	98	80-120	1	0-20	
Toluene	99	99	85-127	0	0-7	
Trichloroethene	98	99	85-121	1	0-11	
Vinyl Chloride	95	91	64-136	5	0-10	
Methyl-t-Butyl Ether (MTBE)	81	82	67-133	2	0-16	
Tert-Butyl Alcohol (TBA)	95	96	34-154	1	0-19	
Diisopropyl Ether (DIPE)	90	92	80-122	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	90	91	73-127	2	0-11	
Tert-Amyl-Methyl Ether (TAME)	91	91	69-135	0	0-12	
Ethanol	59	62	34-124	5	0-44	

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 08-03-2351

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



bp
A BP affiliated company

Chain of Custody Record

Project Name: ARCO 6041
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 6041
 State or Lead Regulatory Agency: _____
 Requested Due Date (mm/dd/yy): _____

6351

On-site Time: <u>9:20</u>	Temp: <u>63</u>
Off-site Time: <u>11:20</u>	Temp: <u>63</u>
Sky Conditions: <u>cloudy</u>	
Meteorological Events: <u>NA</u>	
Wind Speed: <u>0</u>	Direction: <u>NA</u>


Lab Name: <u>Calscience</u>	BP/AR Facility No.: <u>6041</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>7440 Lincoln Way</u>	BP/AR Facility Address: <u>7249 Village Parkway, Dublin</u>	Address: <u>3330 Cameron Park Drive, Suite 550</u>
<u>Garden Grove, CA 92841</u>	Site Lat/Long:	<u>Cameron Park, CA 95682</u>
Lab PM: <u>Linda Scharpenberg</u>	California Global ID No.: <u>T0600100109</u>	Consultant/Contractor Project No.:
Tele/Fax: <u>714-895-5494 714-895-7501(fax)</u>	Enfos Project No.: <u>G0C1W-0022</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or OOC (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level 1 with EDF</u>
<u>San Ramon, CA</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>shaves@stratusinc.net</u>
Tele/Fax: <u>925-275-3506</u>	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis					Sample Point Lat/Long and Comments *Oxy= MTBE, TAME, ETBE, DIPE, TBA	
				Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	BTEX/Oxy* by 8260	1,2-DCA	Ethanol	EDB	GRO by 8015m		
1	MW-2	10:20	3/25/08	X				6			X			X	X	X	X	X		
2	MW-3	10:39		X				6			X			X	X	X	X	X		
3	MW-8	11:00		X				6			X			X	X	X	X	X		
4	TB-6041 3/25/08 - 6:00	6:00		X				3			X			X	X	X	X	X		HOLD
5																				
6																				
7																				
8																				
9																				
10																				

Sampler's Name: <u>ROBERTO HEIMLICH</u>	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: <u>DOULOS ENV</u>						
Shipment Date:						
Shipment Method:						
Shipment Tracking No: <u>105748773</u>				<u>[Signature]</u>	<u>3/25/08</u>	<u>0945</u>

Special Instructions: Please cc results to rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



WORK ORDER #: 08 - 03 - 2351

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Stratus

DATE: 3/27/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than CalScience Courier):

- 3.1 C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: [checked] No (Not Intact): Not Present:

Initial: JP

SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: JP

COMMENTS:

Blank lines for handwritten comments.

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Equipment Calibration

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413 μ s daily and 1413 μ s and 447 μ s weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc® type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

UPLOADING A GEO_WELL FILE

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

<u>Submittal Title:</u>	1Q08 GEO_WELL 6041
<u>Facility Global ID:</u>	T0600100109
<u>Facility Name:</u>	ARCO #6041
<u>Submittal Date/Time:</u>	4/16/2008 2:55:58 PM
<u>Confirmation Number:</u>	5301512777

[Back to Main Menu](#)

Logged in as BROADBENT-C
(CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

Your EDF file has been successfully uploaded!

Confirmation Number: 3343880534

Date/Time of Submittal: 4/16/2008 3:00:41 PM

Facility Global ID: T0600100109

Facility Name: ARCO #6041

Submittal Title: 1Q08 GW Monitoring

Submittal Type: GW Monitoring Report

[Click here](#) to view the detections report for this upload.

ARCO #6041
7249 VILLAGE
DUBLIN, CA 94568

Regional Board - Case #: 01-0117
SAN FRANCISCO BAY RWQCB (REGION 2)
Local Agency (lead agency) - Case #: RO0000452
ALAMEDA COUNTY LOP - (PK)

<u>CONF #</u>	<u>TITLE</u>	<u>QUARTER</u>
3343880534	1Q08 GW Monitoring	Q1 2008
<u>SUBMITTED BY</u>	<u>SUBMIT DATE</u>	<u>STATUS</u>
Broadbent & Associates, Inc.	4/16/2008	PENDING REVIEW

SAMPLE DETECTIONS REPORT

# FIELD POINTS SAMPLED	3
# FIELD POINTS WITH DETECTIONS	2
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	2
SAMPLE MATRIX TYPES	WATER

METHOD QA/QC REPORT

METHODS USED	M8015,SW8260B
TESTED FOR REQUIRED ANALYTES?	Y
LAB NOTE DATA QUALIFIERS	N

QA/QC FOR 8021/8260 SERIES SAMPLES

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	Y
- MATRIX SPIKE DUPLICATE	Y
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

WATER SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	Y
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	Y
SURROGATE SPIKES % RECOVERY BETWEEN 85-115%	Y
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130%	Y

SOIL SAMPLES FOR 8021/8260 SERIES

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% n/a
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% n/a
SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a
BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

FIELD QC SAMPLES

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS > REPD</u>
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE ADMINISTRATOR.