



**LEVINE · FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

ALCO  
HAZMAT

94 MAY -3 PM 12:37

**INTEROFFICE MEMORANDUM**

DATE: April 26, 1994

TO: Susan Hugo

FROM: Ron Goloubow

SUBJECT: Phase II Report for the 40th Street Right of Way

---

Pursuant to your request enclosed is the subject report.  
Please call me if you have any questions.

ALCO  
HAZMAT

94 MAY -5 PM 4: 14



Phase II Investigation Results  
Proposed 40th Street Right-of-Way  
Emeryville, California

*4000 SAN PABLO*

September 8, 1993  
1649.00-15

Prepared for  
Catellus Development Corporation  
201 Mission Street  
San Francisco, California



**LEVINE·FRICKE**



**LEVINE•FRICKE**

ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

September 8, 1993

LF 1649.00-15

Ms. Kimberly Brandt  
Catellus Development Corporation  
201 Mission Street  
San Francisco, California 94105

Subject: Phase II Investigation Results, Proposed 40th Street  
Right-of-Way, Emeryville, California

Dear Kim:

Levine-Fricke has prepared the enclosed investigation report presenting Phase II investigation results for the proposed 40th Street right-of-way located east of the Yerba Buena/East Baybridge Project Site, across San Pablo Avenue.

If you have any questions, please call me or Cindy Barclay.

Sincerely,

Jenifer Beatty  
Project Hydrogeologist

Enclosure

cc: Pat Cashman, Catellus

1900 Powell Street, 12th Floor  
Emeryville, California 94608  
(510) 652-4500  
Fax (510) 652-2246

CONTENTS

	<u>PAGE</u>
LIST OF TABLES . . . . .	ii
LIST OF FIGURES . . . . .	ii
1.0 INTRODUCTION . . . . .	1
2.0 PREVIOUS INVESTIGATIONS . . . . .	1
3.0 SITE INSPECTION AND GEOPHYSICAL SURVEY . . . . .	2
4.0 SOIL INVESTIGATIONS . . . . .	3
4.1 Field Procedures . . . . .	4
4.2 Fuel Station . . . . .	4
4.3 Railroad Tracks . . . . .	4
4.4 San Francisco French Bread Company . . . . .	5
4.5 Warehouse and Possible UST . . . . .	5
5.0 MONITORING WELL INSTALLATION, DEVELOPMENT, AND SAMPLING . . . . .	6
5.1 Field Procedures . . . . .	6
5.2 Laboratory Analysis . . . . .	7
6.0 SOIL AND GROUND-WATER QUALITY RESULTS . . . . .	7
6.1 Soil Quality Results . . . . .	7
6.1.1 Fuel Station . . . . .	7
6.1.2 Railroad Tracks . . . . .	8
6.1.3 San Francisco French Bread Company . . . . .	8
6.2 Ground-Water Elevations and Flow Direction . . . . .	9
6.3 Ground-Water Quality Results . . . . .	9
6.3.1 Fuel Station . . . . .	9
6.3.2 San Francisco French Bread Company . . . . .	10
7.0 SUMMARY AND CONCLUSIONS . . . . .	11
7.1 Soil . . . . .	11
7.2 Ground Water . . . . .	11

APPENDICES:

- A FIELD PROCEDURES
- B LITHOLOGIC LOGS FOR SOIL BORINGS AND MONITORING  
    WELLS
- C WATER-QUALITY SAMPLING SHEETS
- D LABORATORY CERTIFICATES FOR SOIL
- E LABORATORY CERTIFICATES FOR GROUND WATER

LIST OF TABLES

- 1 Analytical Results for Soil Samples Collected from the Fuel Station, 40th Street Right-of-Way
- 2 Analytical Results for Soil Samples Collected from the Eastern Portion of the Site, 40th Street Right-of-Way
- 3 Well Construction and Ground-Water Elevation Data
- 4 Analytical Results for Ground-Water Samples

LIST OF FIGURES

- 1 Site Location Map
- 2 Site Layout Showing Soil Boring and Monitoring Well Locations
- 3 TPHg and BTEX Detected in Soil Samples Collected in the Vicinity of the Fuel Station
- 4 TPHd and TRPH Detected in Soil Samples Collected in the Vicinity of the Fuel Station
- 5 TPHg Detected in Soil Samples Collected from the Eastern Portion of the Site
- 6 TPHd and TRPH Detected in Soil Samples Collected from the Eastern Portion of the Site
- 7 Ground-Water Elevations and Flow Direction
- 8 Concentrations of Petroleum Hydrocarbons Detected in Shallow Ground-Water Samples

September 8, 1993

LF 1649.00-15

**PHASE II INVESTIGATION RESULTS  
PROPOSED 40TH STREET RIGHT-OF-WAY  
EMERYVILLE, CALIFORNIA**

**1.0 INTRODUCTION**

This report, prepared on behalf of Catellus Development Corporation ("Catellus"), summarizes and evaluates recent soil and ground-water quality data gathered during the Phase II investigation for the 40th Street right-of-way ("the Site"; Figure 1), located east of the Yerba Buena/East Baybridge Development Project Site, across San Pablo Avenue in Emeryville, California.

The investigation activities described herein were conducted to assess the possible presence of potential environmental concerns associated with past and present activities at the fuel station, warehouse, and former railroad tracks on the Site, and the possible presence of an underground storage tank (UST) immediately adjacent to the southeast corner of the Site (Figure 2). This work was conducted by Levine·Fricke during July and August 1993.

**2.0 PREVIOUS INVESTIGATIONS**

Levine·Fricke conducted a Phase I Environmental Site Assessment (ESA) at the Site and reported the findings of the ESA in its June 29, 1993 report entitled "Phase I Environmental Site Assessment, 40th Street Right-of-Way, Emeryville, California."

The following potential environmental concerns were identified at the Site during the Phase I ESA:

- The fuel station has been present on the Site since at least 1936; however, very little information regarding the history of operations was available. Six USTs reportedly exist at the fuel station; however, limited records exist regarding their past or current condition.

- Heavy oil staining was observed on surfaces in and around the fuel station during a site visit by Levine·Fricke personnel. Stains also were noted by the Alameda County Health Care Services Agency (ACHA) inspector during an April 1993 inspection.
- An apparent ground-water monitoring well was observed in front of the warehouse; however, no information regarding the purpose of or results from the well was obtained from the agencies contacted.
- Information indicated the possible presence of a UST adjacent to the southeast corner of the Site. However, the information available from the agencies contacted was inconclusive.

The scope of work conducted during the Phase II investigation described herein was proposed to further investigate these possible areas of concern and areas where railroad tracks formerly crossed the Site (based on review of aerial photographs).

The activities recently conducted at the Site are as follows:

- site inspection and geophysical survey
- drilling of 22 soil borings and the collection of soil samples for lithologic description and chemical analysis
- installation of three ground-water monitoring wells in the western portion of the Site
- collection of ground-water samples from each of the three wells for chemical analysis
- review of regulatory files concerning the presence of an existing monitoring well located in the northeastern portion of the Site

### 3.0 SITE INSPECTION AND GEOPHYSICAL SURVEY

After access to the Site was obtained from the property owner(s), Levine·Fricke conducted a site visit to observe portions of the Site that were not accessible during the earlier Phase I ESA. The site visit focused on the buildings and on the areas immediately surrounding the buildings.

During the site visit, a closer visual assessment of the service station yards and building was performed. Areas of heavy oil staining were observed in areas in front of and behind the service station building. Proposed soil sampling and monitoring well locations were identified in these stained areas and in close proximity to the existing USTs.

The building was observed to include an office area and two vehicle service bays. Hydraulic lifts were present in each service bay. The areas directly beneath and surrounding the lifts could not be observed because cars were present on the lifts.

In addition to the service station area, visual observations were made in the area of the former railroad tracks (to mark sampling locations) and in and around the warehouse building. The interior of the warehouse was observed to contain large rolls of linoleum, carpet, and padding, and several containers of floor adhesive (approximately 30- to 40-gallon buckets). According to Mr. Don Christoff of Anderson Linoleum and Carpet Sales, tenants in the warehouse, the building is used solely for storage; no manufacturing is performed. No evidence of a release of hazardous materials was observed during the visit to the warehouse and immediate vicinity. One sampling location was marked in the warehouse area near the existing monitoring well.

#### 4.0 SOIL INVESTIGATIONS

This section describes soil investigation activities conducted in various areas of the Site identified as possible areas of environmental concern during the Phase I ESA. Results of the soil investigations are presented in Section 6.0.

Soil boring locations were cleared prior to drilling by Underground Service Alert (USA), site personnel knowledgeable about the fuel station area, and a qualified subcontracted underground utility locator. The underground utility locator also assisted in evaluating the possible presence of a UST adjacent to the southeast corner of the Site. Results of the geophysical survey indicated the presence of sewer pipes rather than a UST.

Before drilling began, appropriate permits were obtained from the Alameda County Flood Control and Water Conservation District, Zone 7 (ACWD).



**4.1 Field Procedures**

A detailed discussion of field procedures is presented in detail in Appendix A. All drilling was conducted by a licensed well-drilling contractor under the supervision of a California Registered Geologist.

Soil samples were collected during drilling at 2.5-foot-depth intervals by driving a brass-tube-lined split-spoon sampler ahead of the auger into undisturbed soil. Soil samples were field screened for possible chemical analysis using a hand-held photoionization detector (PID), and lithologically described using the Unified Soil Classification System. PID readings and lithologic descriptions were recorded in the field on borehole log forms, copies of which are included in Appendix B. Soil samples selected for possible chemical analysis were preserved in accordance with procedures discussed in Appendix A.

**4.2 Fuel Station**

Fourteen soil borings were drilled in the vicinity of the fuel station to assess the possible effect of the USTs and automobile maintenance activities on soil beneath the Site. Eleven of the soil borings were drilled to a depth of 15 feet below the ground surface (bgs). The remaining three soil borings were advanced to approximately 20 feet bgs for installation of shallow ground-water monitoring wells. Locations of soil boring SB-1 through SB-11 and monitoring well LF-1 through LF-3 are shown on Figure 2.

Selected soil samples were submitted to an analytical laboratory for chemical analysis for total petroleum hydrocarbons (TPH) as gasoline (TPHg) using EPA Method 8015/5030, benzene, toluene, ethylbenzene, and xylenes (BTEX) using EPA Method 8020, TPH as diesel (TPHd) and TPH as motor oil (TPHmo) using EPA Method 8015/3510, total recoverable petroleum hydrocarbons as oil and grease (TRPH) using Standard Methods 5520EF, and polychlorinated biphenyls (PCBs) using EPA Method 8080.

Analytical results are presented in Table 1 and discussed in Section 6.1.1.

**4.3 Railroad Tracks**

Seven soil borings (SB-12 through SB-16, SB-18 and SB-19) were drilled in the area where railroad tracks formerly crossed the Site (based on review of aerial photographs) to assess the

presence of possible environmental concerns associated with past railroad activities (Figure 2). Soil borings were drilled to depths ranging from 3.5 feet bgs to 7 feet bgs; and samples were collected from depths ranging from approximately 1 foot to 6.5 feet below the paved surface, using the drilling and sampling protocol described in Appendix A.

Fourteen soil samples were submitted to the analytical laboratory for chemical analysis for TPHg, TPHd, TPHmo, TRPH, and PCBs.

Analytical results for soil samples collected in the vicinity of the railroad tracks are presented in Table 2 and discussed in Section 6.1.2.

#### **4.4 San Francisco French Bread Company**

One soil boring (SB-17) was drilled approximately 15 feet southwest of existing monitoring well MW-1, which was installed by SEACOR, consultants retained by the San Francisco French Bread Company (SFFBC), previous owners of the property. Based on review of Alameda County Health Care Services Agency (ACHA) records, ground-water monitoring well MW-1 was installed in September 1992 to assess soil and ground-water quality in the vicinity of two former USTs removed in 1989 (Figure 2).

PID readings for soil samples collected during drilling of SB-17 were greater than 2,500 parts per million, the PID quantitative limit. Three soil samples collected from boring SB-17 to depths of 12 feet bgs were submitted for chemical analysis for TPHg, TPHd, TPHmo, and TRPH, and for volatile organic compounds (VOCs) using EPA Method 8240, and semivolatile organic compounds (SVOCs) using EPA Method 8270.

Analytical results for SB-17 are presented in Table 2 and are discussed in Section 6.1.3.

#### **4.5 Warehouse and Possible UST**

Based on observations made during the inspection of the warehouse and vicinity, no soil borings were drilled in the vicinity of the warehouse, except for soil boring SB-17, located near the existing monitoring well.

As discussed previously, results of the geophysical survey conducted at the Site confirmed that pipes previously detected and suspected of being fill pipe to a possible UST along the southeastern site boundary likely were sewer pipes associated

with a restroom that was formerly located in the building that burned down at that location. The underground utility locator was able to identify the pipes as sewer pipes associated with the restroom, not a UST. Because a UST was no longer suspected at that location, no soil borings were drilled in that area.

## 5.0 MONITORING WELL INSTALLATION, DEVELOPMENT, AND SAMPLING

Three shallow monitoring wells were installed at the Site to assess ground-water quality in the vicinity of the fuel station. The monitoring well locations are illustrated on Figure 2. Monitoring well LP-2 was installed along the upgradient portion of the fuel station, behind the warehouse. The other two monitoring wells were located downgradient from some of the USTs reportedly located on the fuel station property. Before the wells were installed, well permits were obtained from the ACWD.

### 5.1 Field Procedures

All drilling was performed under the direct supervision of a California Registered Geologist. All drilling equipment, sampling equipment, and well casings were steam cleaned before use at each drilling location. Boreholes were drilled and soil samples collected as described in Section 4.1 and Appendix A.

Monitoring wells were constructed of 2-inch-diameter polyvinyl chloride (PVC) casing to depths of approximately 20 feet bgs. Well construction procedures are discussed in detail in Appendix A. The screened interval in each well extends from approximately 5 feet bgs to 20 feet bgs. Well construction data are summarized in Table 3 and illustrated on lithologic logs for the wells contained in Appendix B.

Wells were developed on August 8, 1993 by purging approximately 10 well casing volumes from each wells using a centrifugal pump or Teflon bailer until indicator parameters (i.e., pH, temperature, conductivity) had stabilized. Prior to well development, depth to water was measured relative to the top of the PVC casing in each well. Depth to water was measured to the nearest 0.01 inch using an electric water-level sounding probe. Water-quality sampling sheets are contained in Appendix C.

Ground-water samples were collected from each well immediately following development using a clean Teflon bailer or the bailer that was used to purge the well in accordance with procedures discussed in Appendix A. Ground-water samples were then placed in an ice-chilled cooler for transportation to the analytical laboratory. All samples were handled according to strict chain-of-custody protocol.

Depth-to-water measurements were collected at the Site on August 20, 1993, to assess ground-water flow direction and to check for the possible presence of free-phase fuel product on shallow ground water. Depth to water was measured using an electric water-level sounding probe or oil/water interface probe. Depth-to-water measurements are presented in Table 3 and discussed in Section 6.2.

### 5.2 Laboratory Analysis

Ground-water quality results are discussed in Section 6.3. Ground-water samples were submitted to Anametrix, Inc., of San Jose, California, a state-certified laboratory for chemical analysis for TPHg, TPHd, BTEX, and TRPH.

*TPH oil & grease?*

## 6.0 SOIL AND GROUND-WATER QUALITY RESULTS

This section discusses the analytical results for soil samples collected from various areas of the site, and ground-water quality results for newly installed monitoring wells located at the fuel service station and for existing well MW-1, installed and owned by the SFFBC.

### 6.1 Soil Quality Results

A total of 49 soil samples were collected from the Site and submitted for chemical analysis. Analytical results are summarized in Tables 1 and 2. Laboratory data are contained in Appendix D.

#### 6.1.1 Fuel Station

Figures 3 and 4 present analytical results for soil samples collected in the vicinity of the fuel station. Soil samples were generally collected at depths of 7, 9.5, and 14.5 feet bgs. As shown by Table 1 and Figures 3 and 4, analytical results indicate that soil in the vicinity of the fuel station contains significant concentrations of petroleum hydrocarbons.



TPHg was detected in 19 of the 32 soil samples analyzed, with concentrations ranging from 1 milligram per kilogram (mg/kg) (SB-2) to 2,800 mg/kg (SB-8). Benzene was detected in all four samples, at concentrations up to 22 mg/kg. TPHd was detected in 12 samples at concentrations up to 790 mg/kg, and TPHmo was reported for 7 of the 20 samples analyzed for this compound, at concentrations up to 66 mg/kg. TRPH was detected at concentrations of 290 mg/kg or less. The highest concentrations of petroleum hydrocarbons were generally reported for samples collected from 7 and 9.5 feet bgs.

#### 6.1.2 Railroad Tracks

Fourteen soil samples were collected for chemical analysis from 7 borings drilled along the railroad tracks at the Site. Analytical results are presented in Table 2 and on Figures 5 and 6. Results indicated significant concentrations of TPHg (up to 6,500 mg/kg) in samples collected from soil borings SB-12 and SB-15, at depths ranging from 3 to 6 feet bgs. TPHg concentrations reported for the remaining samples ranged from below laboratory detection limits to 42 mg/kg.

TPHd and TPHmo were reported at concentrations ranging from below laboratory detection limits to 560 and 740 mg/kg, respectively. Oil and grease (TRPH) was detected in 6 of the samples collected from borings SB-12, SB-14, SB-18, and SB-19 at concentrations greater than 1,000 mg/kg. PCBs were only detected in one sample (SB-14) at a concentration of 0.22 mg/kg.

#### 6.1.3 San Francisco French Bread Company

Results for all three soil samples collected from boring SB-17 indicated elevated concentrations of TPHg (up to 500 mg/kg) and BTEX (up to 105 mg/kg combined concentration). TPHd was detected at concentrations ranging from 17 mg/kg to 130 mg/kg and TRPH was detected at concentrations of 70 mg/kg or less.

With the exception of the BTEX compounds, analytical results did not indicate the presence of VOCs in any of the soil samples. Methylene chloride and acetone were detected in the samples at concentrations of 2.6 mg/kg or less, but were reported in the laboratory QA/QC summary report to be laboratory artifacts. No PCBs were detected in any of the soil samples.

Naphthalene and 2-methylnaphthalene were detected in all three soil samples (using EPA Method 8270 for SVOCs) at concentrations up to 1.7 mg/kg and 1.8 mg/kg, respectively.

4-Methylphenol was detected in the sample collected from 4 feet bgs at a concentration of 0.4 mg/kg.

### 6.2 Ground-Water Elevations and Flow Direction

Ground-water elevations and flow direction beneath the fuel station are presented on Figure 7. Ground-water elevation data are summarized in Table 3. Depth to water at the fuel station ranged from 7.97 feet to 9.4 feet on August 8, 1993, and from 8.29 feet to 9.48 feet on August 20, 1993. As presented on Figure 7, ground-water flow direction beneath the Site is generally toward the west under a hydraulic gradient of approximately 0.03 ft/ft.

Free-phase fuel product was measured in monitoring well LF-1, located downgradient from the pump islands and a diesel tank at the fuel station, at a thickness of 6.24 inches on August 20, 1993. Free-phase fuel product had not been detected in well LF-1 during development activities conducted on August 8, 1993.

### 6.3 Ground-Water Quality Results

Analytical results are summarized in Table 4 and presented on Figure 7. Laboratory data sheets for monitoring wells LF-1, LF-2, and LF-3, which were installed in the western portion of the Site at the fuel service station, are contained in Appendix E. Analytical results discussed herein for existing well MW-1, installed by SEACOR on behalf of the SFFBC, were reported in SEACOR's quarterly monitoring report dated June 24, 1993 and submitted to the ACHA on behalf of the SFFBC for the 4070 San Pablo Avenue site.

#### 6.3.1 Fuel Station

Analytical results for ground-water samples collected from monitoring wells LF-1, LF-2, and LF-3 are presented in Table 4 and on Figure 8. Results indicate that shallow ground water in the vicinity of the fuel station has been significantly affected by petroleum hydrocarbons.

Concentrations of TPHg detected ranged from 11 milligram per liter (mg/l) in the sample collected from well LF-3, up to 100 mg/l in the sample collected from well LF-1. Benzene was detected at concentrations ranging from 1.5 mg/l (LF-3) up to 13 mg/l (well LF-3), which exceeds the California Maximum Contaminant Level (MCL) for drinking water of 0.001 mg/l for

benzene. Toluene, ethylbenzene, and xylenes (TEX) were detected in all three wells at individual concentrations ranging from 0.17 mg/l to 14 mg/l.

TPHd was detected in ground-water samples collected from all three wells, at concentrations ranging from 0.78 mg/l to 41 mg/l. TRPH was only detected in well LF-1 at a concentration of 11 mg/l.

### 6.3.2 San Francisco French Bread Company

Based on review of the June 24, 1993 quarterly monitoring report prepared by SEACOR on behalf of the SFFBC, two 10,000-gallon USTs (one containing diesel and the other gasoline) were removed from the Site in 1989. SEACOR installed well MW-1 in September 1992 in an apparent downgradient direction from the former tank excavation. The well was installed to a depth of 25 feet bgs, with a screened interval extending from 5 to 25 feet bgs. According to its report, SEACOR first sampled the well on September 11, 1992, and then continued sampling on a quarterly basis following the initial sampling event.

Results for ground-water samples collected in September 1992 and reported by SEACOR indicated TPHg and benzene at concentrations of 1.4 mg/l and 0.470 mg/l, respectively. Ground-water samples were apparently not analyzed for TPHd or TRPH.

Results reported during December 1992 and March 1993 indicated that concentrations had decreased relative to September 1992 data. However, results reported for June 1993 indicated TPHg and benzene at concentrations of 2.9 mg/l and 0.340 mg/l, respectively (Figure 8).

In the June 24, 1993 report, SEACOR indicated that plans to conduct additional investigative activities to further define the extent of petroleum-affected soil and ground water would be submitted to the ACHA within 60 days. Based on a telephone conversation with a representative of SEACOR (personal communication; August 1993), it appears that the ACHA may grant the SFFBC an extension of the deadline for submittal of those plans.



## 7.0 SUMMARY AND CONCLUSIONS

Results of the Phase II investigation indicate that soil and shallow ground water beneath the Site have been affected by petroleum hydrocarbons apparently released from several sources at the Site. Based on the concentrations of petroleum hydrocarbons detected at the Site, it appears that remediation of soil and ground water is appropriate.

### 7.1 Soil

Soil in the vicinity of the fuel station contains significant concentrations of TPHg and TPHd. Soil in the vicinity of the railroad tracks contains significant concentrations of TPHg, TPHd, and TRPH (oil and grease). Soil in the vicinity of the former UST excavation located in the eastern portion of the Site contains elevated concentrations of gasoline and low concentrations of SVOCs.

Concentrations of petroleum hydrocarbons detected in soil at the Site generally exceed cleanup goals established by the ACHA and the Regional Water Quality Control Board for the neighboring Yerba Buena/East Baybridge Project Development Site.

### 7.2 Ground Water

Analytical results for ground-water samples collected from the monitoring wells installed at the fuel station indicate that shallow ground water contains TPHg and benzene up to 100 mg/l and 13 mg/l, respectively. In addition, well LF-1 contains free product at an approximate thickness of 6.24 inches. Analytical results reported by SEACOR for well MW-1 indicate TPHg and benzene at concentrations up to 2.9 mg/l and 0.470 mg/l, respectively. The concentrations of benzene detected in all wells at the Site exceed the California Maximum Contaminant Level for drinking water of 0.001 mg/l.

The ground-water flow direction beneath the Site is to the west. Based on results for ground-water samples collected from monitoring well LF-1, located along the western site boundary, it is likely that petroleum hydrocarbon-affected ground water has migrated westward, off of the Site.



TABLE 1  
 ANALYTICAL RESULTS FOR SOIL SAMPLES COLLECTED FROM THE FUEL STATION  
 40TH STREET RIGHT-OF-WAY, EMERYVILLE, CALIFORNIA  
 (concentrations in milligrams per kilogram [mg/kg])

Sample Name	Depth (ft)	Sample Date	TPHg	TPHd	TPHmo	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TRPH	PCBs
LF-1-4.5	4.5	07-Aug-93	550	220	16	0.84	1.2	5.6	2.7	77	NA
LF-1-9.5	9.5	07-Aug-93	470	18	<10	0.97	<0.005	6.6	8.9	<30	NA
LF-1-14.5	14.5	07-Aug-93	8.4	16	<10	0.14	0.17	0.081	0.37	60	NA
LF-2-9.5	9.5	07-Aug-93	740	14	<10	4.7	35	13	68	30	NA
LF-2-14.5	14.5	07-Aug-93	<0.5	<10	<10	0.009	0.012	<0.005	0.015	<30	NA
LF-3-9.5	9.5	07-Aug-93	75	<10	<10	0.062	0.28	1.1	1.1	37	NA
LF-3-14.5	14.5	07-Aug-93	<0.5	<10	<10	0.014	<0.005	0.01	0.007	<30	NA
SB-1-7	7	08-Aug-93	850	240	27	5.4	<0.005	25	42	290	NA
SB-1-9.5	9.5	08-Aug-93	180	220	<50	0.89	1.1	4.3	18	130	NA
SB-1-14.5	14.5	08-Aug-93	7.4	<10	<10	0.44	0.44	0.14	0.61	60	NA
SB-2-7	7	08-Aug-93	780	790	57	8	<0.005	31	140	160	ND
SB-2-9.5	9.5	08-Aug-93	720	200	<50	2.4	5.2	14	59	210	NA
SB-2-14.5	14.5	08-Aug-93	1	<10	12	0.2	0.21	0.021	0.12	43	ND
SB-3-9.5	9.5	07-Aug-93	580	11	<10	9.7	50	15	90	37	ND
SB-3-14.5	14.5	07-Aug-93	0.9	<10	<10	0.092	0.16	0.031	0.17	37	ND
SB-4-7	7	08-Aug-93	380	13	<10	3	5.2	8.2	18	70	NA
SB-4-14.5	14.5	08-Aug-93	<0.5	<10	<10	0.026	0.005	0.019	0.023	210	NA
SB-5-7	7	08-Aug-93	410	15	<10	2.4	0.6	16	6.3	37	NA
SB-5-14.5	14.5	08-Aug-93	<0.5	<10	<10	0.011	<0.005	0.008	0.008	93	NA
SB-6-9.5	9.5	08-Aug-93	490	51	<10	2.7	<0.005	15	15	67	NA
SB-6-14.5	14.5	08-Aug-93	<0.5	<10	<10	<0.005	<0.005	<0.005	<0.005	<30	NA
SB-7-9.5	9.5	07-Aug-93	750	52	66	2.5	8.5	22	93	170	NA
SB-7-14.5	14.5	07-Aug-93	2.8	<10	<10	<0.005	<0.005	0.029	0.03	<30	NA
SB-8-9.5	9.5	08-Aug-93	2,800	110	<50	22	9.5	82	290	130	NA
SB-8-14.5	14.5	08-Aug-93	<0.5	<10	11	0.009	<0.005	<0.005	<0.005	37	NA
SB-9-7	7	07-Aug-93	210	14	<10	2.8	13	5.1	29	<30	NA
SB-9-9.5	9.5	07-Aug-93	1,200	NA	NA	14	81	26	140	NA	NA
SB-9-14.5	14.5	07-Aug-93	<0.5	<10	<10	0.079	0.059	0.011	0.041	77	NA
SB-10-7	7	07-Aug-93	73	NA	NA	2.6	4.5	1.6	7.7	NA	NA
SB-10-9.5	9.5	07-Aug-93	1,100	<10	<10	<0.005	7.8	<0.005	22	40	NA
SB-10-14.5	14.5	07-Aug-93	8.6	<10	<10	0.48	0.29	0.1	0.48	<30	NA
SB-11-14.5	14.5	09-Aug-93	<0.5	<10	11	<0.005	<0.005	<0.005	<0.005	40	NA

Data entered by MEK/20-Aug-93. Data proofed by JJB/26-Aug-93. QA/QC by JJB/08-Sep-93.

TPHg = total petroleum hydrocarbons as gasoline  
 TPHd = total petroleum hydrocarbons as diesel  
 TPHmo = total petroleum hydrocarbons as motor oil  
 TRPH = total recoverable petroleum hydrocarbons  
 PCBs = polychlorinated biphenyls

TABLE 2  
ANALYTICAL RESULTS FOR SOIL SAMPLES COLLECTED FROM THE EASTERN PORTION OF THE SITE  
40TH STREET RIGHT-OF-WAY, EMERYVILLE, CALIFORNIA  
(concentrations in milligrams per kilogram [mg/kg])

Sample Name	Depth (ft)	Sample Date	TPHg	TPHd	TPHmo	Benzene	Toluene	Ethyl-benzene	Total Xylenes	TRPH	PCBs	VOCs	SVOCs
<b>Railroad Tracks</b>													
SB-12-1	1	09-Aug-93	<0.5	<200	400	NA	NA	NA	NA	4,600	ND	NA	NA
SB-12-3	3	09-Aug-93	6,500	560	64	NA	NA	NA	NA	420	ND	NA	NA
SB-13-5	5	09-Aug-93	23	<10	<10	NA	NA	NA	NA	63	ND	NA	NA
SB-13-6.5	6.5	09-Aug-93	13	<10	<10	NA	NA	NA	NA	37	ND	NA	NA
SB-14-2	2	09-Aug-93	42	<200	480	NA	NA	NA	NA	2,200	(7)	NA	NA
SB-14-4.5	4.5	09-Aug-93	<0.5	<10	<10	NA	NA	NA	NA	47	ND	NA	NA
SB-15-4.5	4.5	09-Aug-93	4,700	140	12	NA	NA	NA	NA	480	ND	NA	NA
SB-15-6	6	09-Aug-93	3,700	59	14	NA	NA	NA	NA	120	ND	NA	NA
SB-16-4.5	4.5	09-Aug-93	9	<10	<10	NA	NA	NA	NA	60	ND	NA	NA
SB-16-6	6	09-Aug-93	8	<10	<10	NA	NA	NA	NA	53	ND	NA	NA
SB-18-1	1	09-Aug-93	1	<200	320	NA	NA	NA	NA	2,200	ND	NA	NA
SB-18-3	3	09-Aug-93	<0.5	<200	390	NA	NA	NA	NA	1,100	ND	NA	NA
SB-19-1.5	1.5	09-Aug-93	<0.5	<200	530	NA	NA	NA	NA	2,200	ND	NA	NA
SB-19-3	3	09-Aug-93	1	<200	740	NA	NA	NA	NA	3,600	ND	NA	NA
<b>San Francisco French Bread Company</b>													
SB-17-4.5	4.5	09-Aug-93	260	40	<10	2	22	12	69	70	ND	(1)	(4)
SB-17-7	7	09-Aug-93	440	17	<10	4	27	8	43	50	ND	(2)	(5)
SB-17-12	12	09-Aug-93	500	130	190	2	9	4	23	47	ND	(3)	(6)

Data entered by MEK/20-Aug-93. Data proofed by JJB/26-Aug-93. QA/QC by JJB/08-Sep-93.

TPHg = total petroleum hydrocarbons as gasoline  
 TPHd = total petroleum hydrocarbons as diesel  
 TPHmo = total petroleum hydrocarbons as motor oil  
 TRPH = total recoverable petroleum hydrocarbons  
 PCBs = polychlorinated biphenyls  
 VOCs = volatile organic compounds  
 SVOCs = semivolatile organic compounds  
 ND = Not detected above laboratory detection limits

- (1) 2.6 mg/kg methylene chloride
- (2) 2.0 mg/kg methylene chloride
- (3) 0.660 mg/kg methylene chloride
- (4) 0.4 mg/kg 4-methylphenol, 1.6 mg/kg naphthalene, and 1.8 mg/kg 2-methylnaphthalene
- (5) 0.57 mg/kg naphthalene and 0.630 mg/kg 2-methylnaphthalene
- (6) 1.7 mg/kg naphthalene and 1.8 mg/kg 2-methylnaphthalene
- (7) 0.22 mg/kg Aroclor 1260

TABLE 3  
WELL CONSTRUCTION AND GROUND-WATER ELEVATION DATA  
40TH STREET RIGHT-OF-WAY, EMERYVILLE, CALIFORNIA

Well Number	Well Elevation (feet msl)	Well Depth (feet)	Screened Interval	Date Measured	Depth to Product	Depth to Water	Ground-Water Elevation (feet msl)	Product Thickness (feet)
LF-1	38.95	20	5-20	08-Aug-93	NA	9.40	29.55	NA
				20-Aug-93	9.48	10.00	29.36*	<del>8.52</del>
LF-2	40.25	20	5-20	08-Aug-93	NA	7.97	32.28	NA
				20-Aug-93	NA	8.29	31.96	NA
LF-3	39.35	20	5-20	08-Aug-93	NA	8.90	30.45	NA
				20-Aug-93	NA	9.18	30.17	NA

msl = mean sea level

\* The ground-water elevation for well LF-1 was corrected for the presence of free-phase fuel product using the following equation:

$$G = W + [(PT-D) \cdot DW]$$

where

G = the ground-water elevation


W = the well elevation

PT = the product thickness

D = product density (mg/l)

DW = the depth to water

A density of 0.796 mg/l was assumed.



MAP SOURCE:  
 Thomas Bros. Map  
 Alameda and Contra Costa Counties  
 1992 Edition

Figure 1: SITE LOCATION MAP  
 YERBA BUENA PROJECT SITE

Project No. 1649.15

**LEVINE • FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS, & APPLIED SCIENTISTS

1649STVC.CES:MPM 061493

LOCATION MAP




Figure 2 :  
 SITE LAYOUT SHOWING SOIL BORING  
 AND MONITORING WELL LOCATIONS  
 40TH STREET RIGHT-OF-WAY  
 EMERYVILLE, CALIFORNIA

Project No. 1649.15 **LEVINE·FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS, & APPLIED SCIENTISTS





Figure 3 : CONCENTRATIONS OF TPHg and BTEX (mg/kg) DETECTED IN SOIL SAMPLES COLLECTED IN THE VICINITY OF THE FUEL STATION



**Figure 4 : TOTAL PETROLEUM HYDROCARBONS AS DIESEL AND OIL AND GREASE (mg/kg) DETECTED IN SOIL SAMPLES COLLECTED IN THE VICINITY OF THE FUEL STATION**



SAN PABLO AVENUE




Figure 5:  
**CONCENTRATIONS OF TPHg (mg/kg) DETECTED IN SOIL SAMPLES COLLECTED IN THE EASTERN PORTION OF THE SITE 40TH STREET RIGHT-OF-WAY EMERYVILLE, CALIFORNIA**



SAN PABLO AVENUE





Figure 6:  
**TOTAL PETROLEUM HYDROCARBONS AS DIESEL AND OIL AND GREASE (mg/kg) DETECTED IN SOIL SAMPLES COLLECTED IN THE EASTERN PORTION OF THE SITE 40TH STREET RIGHT-OF-WAY EMERYVILLE, CALIFORNIA**



**Figure 7 : GROUND-WATER ELEVATIONS AND FLOW DIRECTION, AUGUST 20, 1993, FUEL STATION**

SAN PABLO AVENUE




Figure 8 :  
**CONCENTRATIONS OF PETROLEUM  
 HYDROCARBONS DETECTED IN SHALLOW  
 GROUND-WATER (mg/l)  
 40th STREET RIGHT-OF-WAY  
 EMERYVILLE, CALIFORNIA**

Project No. 1649.15

**LEVINE·FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS, & APPLIED SCIENTISTS

1649C007.CEB:JSM 090393

**APPENDIX A**  
**FIELD PROCEDURES**

**FIELD PROCEDURES**

Soil borings were drilled and monitoring wells were installed at the Site on August 7 through August 9, 1993, by Exploration Drilling Service of Redwood City, California, a state-licensed driller, under the supervision of a California Registered Geologist. Before drilling began, appropriate permits were obtained from the Alameda County Flood Control and Water Conservation District, Zone 7 (ACWD).

**Soil Boring Drilling and Soil Sample Collection**

Soil borings were drilled using a truck-mounted drilling rig equipped with 6- or 8-inch-diameter hollow-stem augers. Soil samples were collected during drilling at 2.5-foot-depth intervals by driving a brass-tube-lined split-spoon sampler ahead of the auger into undisturbed soil. Soil samples were field screened for possible chemical analysis using a hand-held photoionization detector (PID) and lithologic description using the Unified Soil Classification System. PID readings and lithologic descriptions were recorded in the field on borehole log forms included in this appendix. Soil samples selected for possible chemical analysis were preserved by covering the ends of the brass tubes with tight-fitting plastic end caps, and appropriately labeling each sample. Soil samples were placed into an ice chilled cooler for transportation to an off-site laboratory under strict chain-of-custody protocols.

**Monitoring Well Installation**

Upon completion of the soil borings, monitoring wells LF-1, LF-2, and LF-3 were constructed of flush-threaded 2-inch-diameter polyvinyl chloride (PVC) casing with 0.020-inch factory-slotted screen. The screened interval in each well extends from approximately 5 feet bgs to 20 feet bgs.

After the well casing was placed in the completed borehole, the well annulus was backfilled with clean sand to a height of approximately 2 feet above the screened interval. Approximately 1 to 2 feet of bentonite seal was placed on top of the sand to isolate the sand from the material above and to prevent the entrance of grout into the sand pack. A cement-bentonite grout was then placed above the bentonite seal up to the ground surface to seal the remainder of the borehole interval from surface infiltration. The well was finished at existing grade and protected with a locking well cap and traffic-rated steel cover.

Depth-to-Water Measurements

Depth to water was measured on August 8, 1993, in each well prior to well development using an electric water-level sounding probe. Depth to water was measured to the nearest 0.01 inch relative to the top of the PVC casing of each well.

On August 20, 1993, monitoring wells were checked for the presence of free-phase fuel product using an electric oil/water interface probe.

Monitoring Well Development

After the grout seal had set (approximately 24 to 30 hours), the wells were developed by removing approximately 10 well casing volumes of ground water using a centrifugal pump or by hand bailing with a Teflon bailer. The wells were developed to remove sediment around the well and to enhance hydraulic communication with the surrounding formation. Observations concerning specific conductance, pH, temperature, quantity, and clarity of purged water were recorded during development on water-quality sampling sheets, copies of which are included in Appendix D. The wells were developed until indicator parameters were within 10 percent of the previous reading, indicating that the parameters had stabilized.

Ground-Water Sample Collection

Ground-water samples were collected on August 8, 1993, following well development using a clean Teflon bailer. Ground-water samples were poured from the Teflon bailer into laboratory-supplied 40-milliliter volatile organic analysis (VOA) vials and 1-liter amber bottles. Samples were labeled appropriately and placed into an ice chilled cooler for transportation to a state-certified laboratory under strict chain-of-custody procedures.

Surveying


On August 19, 1993, Nolte & Associates of San Jose, California, a state-licensed surveyor, surveyed the top of the well casing of each well to the nearest 0.01 foot. The wells were surveyed to allow accurate measurement of ground-water levels and interpretation of ground-water flow direction.

**APPENDIX B**

**LITHOLOGIC LOGS FOR SOIL BORINGS AND  
MONITORING WELLS LF-1, LF-2, AND LF-3**








Date well drilled: 08/07/93 -

Well casing elevation: 40.25

L·F Geologist/Engineer: Robin Barber

Approved by: *Keshab Manu RG # 5706*


EXPLANATION



WELL CONSTRUCTION AND LITHOLOGY FOR WELL LF-2

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS



Date well drilled: 08/07/93 -

Well casing elevation: 39.35

L+F Geologist/Engineer: Robin Barber

Approved by: *Kateh Danner* RG # 5106

**EXPLANATION**

	Clay		Interval Sampled Sample Retained
	Silt		Water level at time of drilling
	Sand		Static water level
	Gravel		

**WELL CONSTRUCTION AND LITHOLOGY FOR WELL LF-3**

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		2-inch thick ASPHALT.			
		SILTY CLAY (CL), dark gray-brown, medium plasticity, stiff, moist, trace fine sand.	SB1-2	21	281
		Same as above.		24	
5		SANDY SILT (ML) with clay, gray-brown, medium plasticity, stiff, moist, ~15% fine sand, trace gravel.	SB1-4.5		1296
		Same as above with 5% gravel, pockets of water.	SB1-7	14	1309
10		CLAYEY SILTY SAND (SM), gray with red-brown mottling, medium dense, wet, trace gravel.	SB1-9.5	34	1301
		SANDY SILT (ML) with clay, yellow-brown with gray mottling, medium plasticity, very stiff, 20% fine sand, damp.	SB1-12	22	1182
15		BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.	SB1-14.5	33	101

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 08/08/93 -

L•F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-1

Project No. 1649.15  
 San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS



LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft)	PID Values (ppm)	
.....		SILTY CLAY (CL), black (5Y 2.5/1), low plasticity, stiff, moist.	.....	13		
.....			SB3-2		186	
.....				15		
5		Petroleum (gasoline) odor.	5	SB3-4.5		285
.....		SANDY SILTY CLAY (CL), dark greenish gray, low plasticity, stiff, ~10% fine gravel, ~20% fine sand, moist, (gasoline odor).	.....		14	
.....			SB3-7			175
.....		SANDY SILT (ML), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~40% fine sand, some clay, moist, (gasoline odor).	.....		25	
10			10	SB3-9.5		362
.....		SILTY SANDY CLAY (CL), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~10% fine, angular gravel, ~20% fine sand, moist.	.....		25	
.....			SB3-12			124
.....				23		
15		15	SB3-14.5		245	
.....	CLAYEY SANDY SILT (ML), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~10% fine, angular gravel, ~30% fine coarse sand, wet.	.....		23		
.....		SB3-16			55	

BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.  
 BOTTOM OF SAMPLE INTERVAL AT 16.5 FEET.

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 08/07/93 -

L.F Geologist/Engineer: William Madison

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-3

Project No. 1649.15  
 San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		4-inch thick CONCRETE.			
		SILTY CLAY (CL), dark gray-brown, medium plasticity, stiff, trace fine sand, damp.	SB4-2	18	125
		Same as above.		20	
5		SILTY SAND (SM), gray with brown mottling, 60% sand, friable, medium dense, trace clay, moist.	SB4-4.5	1662	
		Same as above, with increased clay, trace gravel.	SB4-7	2053	
10		SANDY SILTY CLAY (CL), yellow-brown mottled with gray, low plasticity, very stiff, 20% fine sand, friable, moist pockets.	SB4-9.5	858	
		Same as above, with 20% gravel to 2-centimeter diameter, damp.	SB4-12	1923	
15		BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.	SB4-14.5	1211	

EXPLANATION

	Clay		Interval Sampled
	Silt		Sample Retained
	Sand		
	Gravel		

Date boring drilled: 08/08/93 -

L•F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-4

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)	
.....		3-inch thick ASPHALT.	.....	20	1440	
.....		2-inch thick GRAVEL Base Rock.	.....			
.....		SILTY CLAY (CL), dark gray-brown, medium plasticity, very stiff, trace fine sand, damp.	.....	SB5-2		
.....		Same as above, less silt, trace gravel.	.....	.....	21	1466
<u>5</u>		.....	.....	SB5-4.5		
.....		Color change to medium gray with orange brown mottling, increase in fine sand to ~30%.	.....	.....	18	1516
.....		.....	.....	SB5-7		
.....		SILTY SAND (SM) with clay, gray-green, 70% very fine sand, loose, damp.	.....	.....	20	1059
<u>10</u>		.....	.....	SB5-9.5		
.....		Same as above, trace gravel.	.....	.....	28	53
.....		.....	.....	SB5-12		
.....		SILTY SANDY CLAY (CL), orange-brown mottled with gray, medium plasticity, very stiff, 30% very fine sand, trace gravel, damp.	.....	.....	25	31
<u>15</u>		.....	.....	SB5-14.5		
.....		Same as above, sand to 40%, moist.	.....	.....	26	90
.....		.....	.....	SB5-16		
.....		BOTTOM OF 8-INCH DIAMETER BORING AT 16.5 FEET.				

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 08/08/93 -

L•F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-5

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		3-inch thick ASPHALT.			
		3-inch thick Base Rock Gravel.			
		CLAYEY SILT (ML), dark gray-brown, medium plasticity, stiff, trace fine sand, damp.	SB6-2	15	147
		SILTY CLAY (CL), dark gray brown, medium plasticity, very stiff, trace fine sand, damp.		23	
5		CLAYEY SILT (ML), gray-brown, medium plasticity, stiff, trace fine sand, friable, damp.	SB6-4.5	685	
		SILTY SAND (SM) with clay, gray-green, fine to very fine sand, friable, medium dense, damp.	SB6-7	17	1308
10		Same as above, moist.	SB6-9.5	21	1560
		CLAYEY SILT (ML) with sand, brown mottled with gray, medium plasticity, very stiff, fine sand to ~10%, damp.	SB6-12	33	400
15		Same as above, with trace gravel and coarse sand.	SB6-14.5	35	28
		BOTTOM OF 8-INCH DIAMETER BORING AT 16.5 FEET.			

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 06/08/93 -

L\*F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-6

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS



LITHOLOGY

SAMPLING DATA

Depth,  
feet

Graphic  
Log

Visual Description

Sample  
No. and  
Interval

Penetration  
Rate  
(Blows/ft.)

PID  
Values  
(ppm)

		SILTY CLAY (CL), black (5Y 2.5/1), low plasticity, stiff, very moist, petroleum odor.			
			SB7-2	11	47
		Petroleum odor (gasoline).		11	
5			SB7-4.5		70
		SILTY CLAY (CL), dark greenish gray (5GY 4/1), low plasticity, stiff, trace fine sand and fine gravel, moist, gasoline odor.		17	
			SB7-7		119
		SANDY SILT (ML), olive (5Y 5/4), low plasticity, very stiff, trace fine gravel, some clay, ~40% fine sand, moist.		28	
10			SB7-9.5		332
		GRAVELLY SANDY CLAY (CL), olive (5Y 4/4), low plasticity, hard, ~15% fine gravel, 15% fine sand, some silt, moist.		35	
			SB7-12		66
				30	
15		CLAYEY SANDY SILT (ML), dark greenish gray (5GY 4/1), low plasticity, ~30% fine to coarse sand, wet.	SB7-14.5		14.5
			SB7-16		4.4
		BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.			
		BOTTOM OF SAMPLE INTERVAL AT 16.5 FEET.			

EXPLANATION

	Clay		Interval Sampled
	Silt		Sample Retained
	Sand		
	Gravel		

Date boring drilled: 08/07/93 -

L•F Geologist/Engineer: William Madison

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-7

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft)	PID Values (ppm)
		3-inch thick ASPHALT.			
		3-inch thick Base Rock FILL.			
		CLAYEY SILT (ML), dark gray-brown, medium plasticity, stiff, trace fine sand, damp.	S88-2	16	40
		SILTY CLAY (CL), dark gray-brown, medium plasticity, very stiff, trace fine sand, damp.		20	
5			S88-4.5		52
		Same as above, gray-brown, 10% fine sand, trace gravel.		17	
		Color change to gray-green.	S88-7		185
		SILTY SAND (SM) with clay, gray-green, fine sand to 60%, friable, medium dense, damp.		22	
10			S88-9.5		1540
		Same as above, with trace gravel to 2-centimeter diameter.		39	
			S88-12		220
		SANDY SILTY CLAY (ML), orange-brown mottled with gray, medium plasticity, very stiff, trace gravel to 1-1/2 -centimeter diameter, damp, rootholes, moist pockets.		40	
15			S88-14.5		5
		BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.			

EXPLANATION

	Clay		Interval Sampled
	Silt		Sample Retained
	Sand		
	Gravel		

Date boring drilled: 08/08/93 -

L·F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-8

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE·FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)	
.....		SILTY CLAY (CL), black (5Y 2.5/1), low plasticity, stiff, moist	.....	10		
.....		Gasoline odor.	..... SB9-2		173	
.....		Gasoline odor.	.....	15		
<u>5</u>		Gasoline odor.	.....	<u>5</u> SB9-4.5		219
.....		SILTY CLAY (CL), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~10% fine gravel, ~20% fine sand, moist.	.....	16		
.....		Gasoline odor.	..... SB9-7		379	
.....		SANDY SILT (ML), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~40% fine sand, some clay, moist, gasoline odor.	.....	20		
<u>10</u>			.....	<u>10</u> SB9-9.5		326
.....		SILTY SANDY CLAY (CL), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~10% fine gravel, angular gravel, ~20% fine sand, moist.	.....	28		
.....			..... SB9-12		134	
.....			.....	30		
<u>15</u>			.....	<u>15</u> SB9-14.5		70
.....		CLAYEY SANDY SILT (ML), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~10% fine gravel, angular, ~30% fine to coarse sand, wet.	.....	16		
.....		BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.	..... SB9-16		10.3	
.....		BOTTOM OF SAMPLE INTERVAL AT 16.5 FEET.				

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 08/07/93 -  
 L•F Geologist/Engineer: William Madison

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-9

Project No. 1649.15  
 San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	FID Values (ppm)	
		SILTY CLAY (CL), black (5Y 2.5/1), low plasticity, stiff, moist.		15		
			SB10-2		34	
				18		
5			Gasoline odor.	SB10-4.5		80
			SILTY CLAY (CL), dark greenish gray (5G 4/1), low plasticity, stiff, trace sand and fine gravel (fine sand), moist, gasoline odor.		13	
				SB10-7		133
			SANDY SILT (ML), olive (5Y 5/4), low plasticity, very stiff, trace fine gravel, some clay, moist, ~40% fine sand, gasoline odor.		23	
10				SB10-9.5		350
			SILTY SANDY CLAY (CL), olive (5Y 4/4), low plasticity, very stiff, ~10% fine gravel, ~20% fine sand, moist.		24	
				SB10-12		120
			Gasoline odor, hard at 14.5 feet.		33	
15				SB10-14.5		145
			CLAYEY SANDY SILT (ML), dark greenish gray (5GY 4/1), low plasticity, very stiff, ~30% fine to coarse sand, wet.		21	
			BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.	SB10-16		97
			BOTTOM OF SAMPLE INTERVAL AT 16.5 FEET.			

EXPLANATION

	Clay		Interval Sampled
	Silt		Sample Retained
	Sand		
	Gravel		

Date boring drilled: 08/07/93 -

L•F Geologist/Engineer: William Madison

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-10

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		3-inch thick ASPHALT.			
		GRAVEL Base Rock FILL.			
		SILTY CLAY (CL), dark brown, medium plasticity, stiff, trace fine to medium sand, damp.	SB11-2	10	0
		Same as above, damp.		16	
5			SB11-4.5		0
		Same as above, increasing clay, damp, some orange-brown mottling.		17	
			SB11-7		0
		SANDY SILTY CLAY (CL), orange-brown with gray mottling, medium plasticity, very stiff, 20% fine to medium sand, trace gravel, damp.		25	
10			SB11-9.5		0
		SILTY SAND (SM), yellow-brown, medium dense, with clay and trace gravel, saturated.		24	
			SB11-12		0
		SILTY CLAY (CL), yellow-brown with gray mottling, medium plasticity, very stiff, trace fine to medium sand, damp.		32	
15			SB11-14.5		0
		BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.			

EXPLANATION

	Clay		Interval Sampled
	Silt		Sample Retained
	Sand		
	Gravel		

Date boring drilled: 08/09/93 -

L•F Geologist/Engineer: Robin Barber


LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-11

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft)	PID Values (ppm)
		3-inch thick ASPHALT. Gravel Base rock FILL. SANDY CLAY (CL), yellow-brown, medium plasticity, stiff, 15% sand, damp. GRAVELLY SAND (SM) with trace clay, dark brown, 10% fine to coarse sand, 25% gravel to 2-centimeter diameter, dense, damp. SILTY SAND (SC) with clay, dark brown, medium dense, 70% very fine to fine sand, moist.	SB12-1 SB12-3	42 11 18	0 1250 10
5		BOTTOM OF 8-INCH DIAMETER BORING AT 5 FEET.	5		

EXPLANATION

-  Clay
-  Silt
-  Sand
-  Gravel
-  Interval Sampled
-  Sample Retained

Date boring drilled: 08/09/93 -

L·F Geologist/Engineer: Robin Barber


LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-12

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street







**LEVINE·FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
.....		GRAVEL Base Rock	.....	39	
.....		Clayey, silty, SANDY GRAVEL with fragments of ASPHALT.	..... SB13-2		0
.....		Clayey gravel - FILL.	.....	17	
.....		SILTY CLAY (CL), dark gray-brown, medium plasticity, medium stiff, trace fine sand, damp.	..... SB13-3.5	15	0
<u>5</u>		Same as above.	..... SB13-5	29	120
.....		BOTTOM OF 8-INCH DIAMETER BORING AT 7 FEET.	..... SB13-6.5		81

EXPLANATION

-  Clay
-  Silt
-  Sand
-  Gravel
-  Interval Sampled
-  Sample Retained

Date boring drilled: 08/09/93 -

L-F Geologist/Engineer: Robin Barber


LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-13

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street







**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
.....		GRAVEL Base Rock.	.....	77	0
.....		Blocks with CEMENT.	.....		
.....		SANDY SILTY GRAVEL - FILL.	SB14-2	10	
.....		SANDY SILTY GRAVEL - FILL.	.....	7	0
.....		Same as above.	5 SB14-4.5		
.....		BOTTOM OF 8-INCH DIAMETER BORING AT 6.5 FEET.	.....		

EXPLANATION

-  Clay
-  Silt
-  Sand
-  Gravel
-  Interval Sampled
-  Sample Retained

Date boring drilled: 08/09/93 -

L·F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-14

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS



LITHOLOGY

SAMPLING DATA

Depth,  
feet

Graphic  
Log

Visual Description

Sample  
No. and  
Interval

Penetration  
Rate  
(Blows/ft.)

PID  
Values  
(ppm)

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
.....		SANDY SILTY GRAVEL Base Rock FILL	.....	.....	.....
.....		SILTY SAND (SM), dark gray, fine- to coarse-grained sand, trace gravel, loose, moist.	SB15-3	20	8.0
.....		Same as above.	.....	.....	.....
.....		Saturated with water, medium dense.	SB15-4.5	23	1715
.....		BOTTOM OF 8-INCH DIAMETER BORING AT 6.5 FEET.	SB15-8	.....	1942

EXPLANATION

	Clay		Interval Sampled
	Silt		Sample Retained
	Sand		
	Gravel		

Date boring drilled: 08/09/93 -

L-F Geologist/Engineer: Robin Barber






LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-15

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street







**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		SANDY GRAVEL Base Rock - FILL.			
		Blocks of CONCRETE.			
		Gravel Base Rock.		18	
		SILTY SAND (SM), dark gray, fine to very fine sand, loose, moist.	SB16-3	9	36
5		SILTY CLAY (CL), dark brown, medium plasticity, very stiff, trace fine sand, damp.	SB16-4.5	27	49
		BOTTOM OF 8-INCH DIAMETER BORING AT 6.5 FEET.	SB16-6		72

EXPLANATION

-  Clay
-  Silt
-  Sand
-  Gravel
-  Interval Sampled
-  Sample Retained

Date boring drilled: 08/09/93 -

L·F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-16

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE · FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)	
.....		3-inch thick ASPHALT.	.....	17	758	
.....		GRAVEL Base Rock FILL.	.....			
.....		SILT CLAY (CL), dark gray-brown, medium plasticity, stiff, trace fine sand, damp.	.....	SB17-2		
.....		Same as above.	.....	.....	12	.....
.....		Sand increases to 20%.	.....	5	SB17-4.5	2500+
.....		.....	.....	.....	21	.....
.....		.....	.....	.....	SB17-7	2500+
.....		Color change to gray-green, damp.	.....	.....	21	.....
.....		SANDY CLAY (CL), gray-brown, low plasticity, very stiff, 25% coarse- to medium-grained sand, damp.	.....	10	SB17-9.5	988
.....		Grades to SILTY SAND (SM), gray mottled with orange-brown, 70% very fine to coarse sand, damp.	.....	.....	28	2106
.....	.....	.....	.....	42	.....	
.....	.....	GRAVELLY SANDY CLAY (CL), orange-brown, low plasticity, very stiff, 20% gravel to 1-1/2 -centimeter diameter, 20% fine- to coarse-grained sand, moist.	.....	15	SB17-14.5	48

BOTTOM OF 8-INCH DIAMETER BORING AT 15 FEET.

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 08/09/93 -

L•F Geologist/Engineer: Robin Barber





LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-17

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street







**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		3-inch thick ASPHALT.			
		Base Rock GRAVEL.	SB18-1	24	0
		Gravelly, sandy, CLAY FILL with fragments of ASPHALT.		16	
		Same as above.	SB18-3		39
		BOTTOM OF 8-INCH DIAMETER BORING AT 3.5 FEET.			

EXPLANATION

-  Clay
-  Silt
-  Sand
-  Gravel
-  Interval Sampled
-  Sample Retained

Date boring drilled: 08/09/93 -

L•F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-18

Project No. 1649.15  
San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

LITHOLOGY

SAMPLING DATA

Depth, feet	Graphic Log	Visual Description	Sample No. and Interval	Penetration Rate (Blows/ft.)	PID Values (ppm)
		3-inch thick ASPHALT.			
		Sandy gravel Base Rock FILL		53	
		GRAVELLY CLAY (CL) FILL, red-brown, medium plasticity, hard, friable, damp.	SB19-1.5	30	0
		Same as above.	SB19-3		0
BOTTOM OF 8-INCH DIAMETER BORING AT 3.5 FEET.					

EXPLANATION

- Clay
- Silt
- Sand
- Gravel
- Interval Sampled
- Sample Retained

Date boring drilled: 08/09/93 -

L•F Geologist/Engineer: Robin Barber

LITHOLOGY AND SAMPLE DATA FOR SOIL BORING SB-19

Project No. 1649.15  
 San Francisco Yerba Buena Phase I - 40th Street

**LEVINE • FRICKE**  
 ENGINEERS, HYDROGEOLOGISTS & APPLIED SCIENTISTS

**APPENDIX C**

**WATER-QUALITY SAMPLING SHEETS**

# WATER-QUALITY SAMPLING INFORMATION

Project Name VERZA BUENA Project No. 1649.15

Date 8/7/93 Sample No. LF-1AG

Samplers Name JCK

Sampling Location 68 NORTH FLOAT ALLIANCE GAS STA.

Sampling Method CEN PUMP / TEFLON BAKER WELL DEVELOPMENT

Analyses Requested TPH-G, BTEX, TPH-D O+G

Number and Types of Sample Bottles used 4 L. Amber, 3 JAR

Method of Shipment COURIER

20.07  
9.40  
-----  
10.57  
.16  
-----  
6342  
1057  
-----  
1.6912

LOCATION MAP

<p><b>GROUND WATER</b></p> <p>Well No. <u>LF-1AG</u></p> <p>Well Diameter (in.) <u>2</u></p> <p>Depth to Water, Static (ft) <u><del>20.07</del> 9.40</u></p> <p>Water in Well Box _____</p> <p>Well Depth (ft) <u>20.07</u></p> <p>Height of Water Column in Well <u>10.57</u></p> <p>Water Volume in Well <u>1.69</u></p>	<p><b>SURFACE WATER</b></p> <p>Stream Width _____</p> <p>Stream Depth _____</p> <p>Stream Velocity _____</p> <p>Rained recently? _____</p> <p>Other _____</p> <p>2-inch casing = 0.16 gal/ft</p> <p>4-inch casing = 0.65 gal/ft</p> <p>5-inch casing = 1.02 gal/ft</p> <p>6-inch casing = 1.47 gal/ft</p>
--	---

TIME	DEPTH TO WATER (feet)	VOLUME WITHDRAWN (gallons)	TEMP (deg. C)	pH (S.U.)	COND (mhos/cm)	OTHER		REMARKS
16:38								START
16:38	DEWATER	4	24.3	6.70	2170			TURBID; ODOOR OF FUEL
16:43	"	8	23.6	6.64	2290			TURBID; ODOOR
16:48	17.5							
17:02	15.2							
17:04	DEWATER	10	25.5	6.72	2140			TURBID
17:37		12	20.9	6.67	1652			TURBID, ODOOR, <sup>SD</sup> SHEEN
17:55		14	21.5	6.67	1684			TURBID, ODOOR
18:07	DEWATER	16	21.1	6.67	1653			TURBID, ODOOR
18:40								SAMPLE
18:45	15.02							

Suggested Method for Purging Well \_\_\_\_\_

:40 →  
  
 TO  
 ONE

3

10-20-89  
LEVINE-FRICKE

# WATER-QUALITY SAMPLING INFORMATION

Project Name PERSA BUENA Project No. 1649.15

Date 8/7/93 Sample No. LF-2A

Samplers Name JCK

Sampling Location BEHIND ALLIANCE GAS STATION

Sampling Method WELL DEVELOPMENT N/CENT PUMP/TEFLON

Analyses Requested TPH, D, G, BTEX O+G

Number and Types of Sample Bottles used 4 AMBER GL., 3 JOK

Method of Shipment COURIER

BAILER 19.95  
 7.97  
 -----  
 11.98  
 .16  
 -----  
 7188  
 1198  
 -----  
 1.9168

LOCATION MAP

**GROUND WATER**

**SURFACE WATER**

Well No. LF-2

Stream Width \_\_\_\_\_

Well Diameter (in.) 2

Stream Depth \_\_\_\_\_

Depth to Water, Static (ft) 7.97

Stream Velocity \_\_\_\_\_

Water in Well Box NO

Rained recently? \_\_\_\_\_

Well Depth (ft) 19.95

Other \_\_\_\_\_

Height of Water Column in Well 11.98

2-inch casing = 0.16 gal/ft

4-inch casing = 0.65 gal/ft

Water Volume in Well 1.92

5-inch casing = 1.02 gal/ft

6-inch casing = 1.47 gal/ft

TIME	DEPTH TO WATER (feet)	VOLUME WITHDRAWN (gallons)	TEMP (deg. C)	pH (S.U.)	COND (mhos/cm)	OTHER		REMARKS
14:08								START
14:09		4	27.0	6.81	1906			THICK BROWN TURBID
14:10	DEWATER	6						OFF
14:13								
14:14		8	22.9	6.81	1782			TURBID BROWN
14:14	DEWATER	9						OFF
14:17	14.2							
14:21		10	24.7	6.78	1787			TURBID
		11	21.6	6.61	1612			TURBID
14:26	DEWATER	16	21.3	6.60	1584			OFF/TURBID
14:35	DEWATER	19	21.5	6.72	1627			TURBID/OFF
14:41	DEWATER	20	21.8	6.69	1547			TURBID

SAMPLE

14:50 Suggested Method for Purging Well HAND BAIL / ~~REP~~

15:00 11.38



# WATER-QUALITY SAMPLING INFORMATION

Project Name YERRA BUENA Project No. 164915  
 Date 8/7/93 Sample No. LF-3AG  
 Samplers Name JCK  
 Sampling Location FROST, SOUTH ALLIANCE GAS STN.  
 Sampling Method WELL DEVELOPMENT, CENT PUMP, TEFLOW BANNER  
 Analyses Requested TPH-G, BTEX, TPH-D O+G  
 Number and Types of Sample Bottles used 4 Amber L., 3 Vol.  
 Method of Shipment COURIER

20.10  
8.90  

---

11.20  
.16  

---

6820  
1120  

---

17920

<p><b>GROUND WATER</b></p> <p>Well No. <u>LF-3AG</u></p> <p>Well Diameter (in.) <u>2</u></p> <p>Depth to Water, Static (ft) <u>8.90</u></p> <p>Water in Well Box <u>NO</u></p> <p>Well Depth (ft) <u>20.10</u></p> <p>Height of Water Column in Well <u>11.20</u></p> <p>Water Volume in Well <u>1.79</u></p>	<p><b>SURFACE WATER</b></p> <p>Stream Width _____</p> <p>Stream Depth _____</p> <p>Stream Velocity _____</p> <p>Rained recently? _____</p> <p>Other _____</p> <p>2-inch casing = 0.16 gal/ft                  4-inch casing = 0.65 gal/ft                  5-inch casing = 1.02 gal/ft                  6-inch casing = 1.47 gal/ft</p>
---	---

LOCATION MAP

TIME	DEPTH TO WATER (feet)	VOLUME WITHDRAWN (gallons)	TEMP (deg. C)	pH (S.U.)	COND (mhos/cm)	OTHER		REMARKS
15:35								START
15:37	DEWATERED	4	24.3	6.76	1924			TURBID
15:40 → 15:47 →	DEWATERED	8	23.3	6.68	1834			TURBID
15:49	"	10	25.1	7.11	1919			TURBID
REMOVED CENT HOSE BEGAN HAND ROLLING AT 16:25								
16:12	DEWATERED	12	22.6	6.92	1693			TURBID
17:07	14.85							
17:25		14	21.1	6.75	1501			TURBID
17:32		16	20.7	6.86	1483			TURBID
18:00		18	21.0	6.82	1467			TURBID
18:20								SAMPLE
18:30	17.70							

Suggested Method for Purging Well \_\_\_\_\_

**APPENDIX D**

**LABORATORY CERTIFICATES FOR SOIL SAMPLES**



# Inchcape Testing Services

## Anametrix Laboratories

1961 Concourse Drive  
Suite E  
San Jose, CA 95131  
Tel: 408-432-8192  
Fax: 408-432-8198

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308125  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A

The following samples were received at Anametrix, Inc. for analysis :

ANAMETRIX ID	CLIENT SAMPLE ID
9308125- 1	LF-2-7
9308125- 2	LF-2-9.5
9308125- 3	LF-2-14.5
9308125- 4	LF-1-4.5
9308125- 6	LF-1-14.5
9308125- 7	LF-3-7
9308125- 8	LF-3-9.5
9308125- 9	LF-3-14.5
9308125-10	SB-7-7
9308125-11	SB-7-9.5
9308125-12	SB-7-14.5
9308125-14	SB-10-9.5
9308125-15	SB10-14.5

This report consists of 18 pages not including the cover letter, and is organized in sections according to the specific Anametrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anametrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anametrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anametrix.

Sarah Schoen, Ph.D.  
Laboratory Director

AUG 17 1993

08-16-93  
Date

COPY

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308125  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308125- 2	LF-2-9.5	SOIL	08/07/93	TPHd
9308125- 3	LF-2-14.5	SOIL	08/07/93	TPHd
9308125- 4	LF-1-4.5	SOIL	08/07/93	TPHd
9308125- 6	LF-1-14.5	SOIL	08/07/93	TPHd
9308125- 8	LF-3-9.5	SOIL	08/07/93	TPHd
9308125- 9	LF-3-14.5	SOIL	08/07/93	TPHd
9308125-11	SB-7-9.5	SOIL	08/07/93	TPHd
9308125-12	SB-7-14.5	SOIL	08/07/93	TPHd
9308125-14	SB-10-9.5	SOIL	08/07/93	TPHd
9308125-15	SB10-14.5	SOIL	08/07/93	TPHd
9308125- 2	LF-2-9.5	SOIL	08/07/93	TPHgBTEX
9308125- 3	LF-2-14.5	SOIL	08/07/93	TPHgBTEX
9308125- 4	LF-1-4.5	SOIL	08/07/93	TPHgBTEX
9308125- 6	LF-1-14.5	SOIL	08/07/93	TPHgBTEX
9308125- 8	LF-3-9.5	SOIL	08/07/93	TPHgBTEX
9308125- 9	LF-3-14.5	SOIL	08/07/93	TPHgBTEX
9308125-11	SB-7-9.5	SOIL	08/07/93	TPHgBTEX
9308125-12	SB-7-14.5	SOIL	08/07/93	TPHgBTEX
9308125-14	SB-10-9.5	SOIL	08/07/93	TPHgBTEX
9308125-15	SB10-14.5	SOIL	08/07/93	TPHgBTEX

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308125  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for this workorder.

Cheryl Balmer  
Department Supervisor

8/12/93  
Date

Charles Burch 8-16-93  
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9308125  
Matrix : SOIL  
Date Sampled : 08/07/93

Project Number : 1649.15  
Date Released : 08/16/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample	Sample	Sample	Sample	Sample
		I.D.# LF- 2-9.5	I.D.# LF- 2-14.5	I.D.# LF- 1-4.5	I.D.# LF- 1-14.5	I.D.# LF- 3-9.5
Benzene	0.005	4.7	0.009	0.84	0.14	0.062
Toluene	0.005	35	0.012	1.2	0.17	0.28
Ethylbenzene	0.005	13	ND	5.6	0.081	1.1
Total Xylenes	0.005	68	0.015	2.7	0.37	1.1
TPH as Gasoline	0.5	740	ND	550	8.4	75
% Surrogate Recovery		101%	105%	98%	110%	88%
Instrument I.D.		HP4	HP4	HP4	HP4	HP4
Date Analyzed		08/12/93	08/12/93	08/12/93	08/12/93	08/12/93
RLMF		250	1	100	2.5	10

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 8/16/93  
Analyst Date

Cheryl Balmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308125  
Matrix : SOIL  
Date Sampled : 08/07/93

Project Number : 1649.15  
Date Released : 08/16/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.#	Sample I.D.#	Sample I.D.#	Sample I.D.#	Sample I.D.#
		LF-3-14.5	SB-7-9.5	SB-7-14.5	SB-10-9.5	SB-10-14.5
		-09	-11	-12	-14	-15
Benzene	0.005	0.014	2.5	ND	ND	0.48
Toluene	0.005	ND	8.5	ND	7.8	0.29
Ethylbenzene	0.005	0.010	22	0.029	ND	0.10
Total Xylenes	0.005	0.007	93	0.030	22	0.48
TPH as Gasoline	0.5	ND	750	2.8	1100	8.6
% Surrogate Recovery		103%	138%	98%	108%	116%
Instrument I.D.		HP4	HP21	HP4	HP4	HP4
Date Analyzed		08/12/93	08/12/93	08/12/93	08/12/93	08/12/93
RLMF		1	250	2.5	1000	2.5

- ND - Not detected at or above the practical quantitation limit for the method.  
 TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.  
 BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.  
 RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles R. Burk 8-16-93  
Analyst Date

Cheryl Balman 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308125  
Matrix : SOIL  
Date Sampled : N/A

Project Number : 1649.15  
Date Released : 08/16/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.# BG1201E2 BLANK	Sample I.D.# BG1201E2 BLANK	Sample I.D.# BG1101E2 BLANK
Benzene	0.005	ND	ND	ND
Toluene	0.005	ND	ND	ND
Ethylbenzene	0.005	ND	ND	ND
Total Xylenes	0.005	ND	ND	ND
TPH as Gasoline	0.5	ND	ND	ND
% Surrogate Recovery		97%	137%	92%
Instrument I.D.		HP4	HP21	HP4
Date Analyzed		08/12/93	08/12/93	08/11/93
RLMF		1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 8-16-93  
Analyst Date

Cheryl Balmer 8/16/93  
Supervisor Date



ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL  
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308125  
Matrix : SOIL  
Date Sampled : 08/07/93  
Date Extracted: 08/10/93

Project Number : 1649.15  
Date Released : 08/16/93  
Instrument I.D.: HP19

Anamatrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308125-02	LF-2-9.5	08/11/93	73%	10	14
9308125-03	LF-2-14.5	08/11/93	70%	10	ND
9308125-04	LF-1-4.5	08/12/93	73%	10	220
9308125-06	LF-1-14.5	08/12/93	77%	10	16
9308125-08	LF-3-9.5	08/12/93	73%	10	ND
9308125-09	LF-3-14.5	08/12/93	72%	10	ND
9308125-11	SB-7-9.5	08/12/93	70%	50	52
9308125-12	SB-7-14.5	08/12/93	67%	10	ND
9308125-14	SB-10-9.5	08/12/93	53%	10	ND
9308125-15	SB-10-14.5	08/12/93	75%	10	ND
BG10H3F1	METHOD BLANK	08/11/93	76%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
TPHd - Total Petroleum Hydrocarbons as C12-C22 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 8-16-93  
Analyst Date

Cheryl Balmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL  
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308125  
Matrix : SOIL  
Date Sampled : 08/07/93  
Date Extracted: 08/10/93

Project Number : 1649.15  
Date Released : 08/16/93  
Instrument I.D.: HP19

Anamatrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308125-02	LF-2-9.5	08/11/93	73%	10	ND
9308125-03	LF-2-14.5	08/11/93	70%	10	ND
9308125-04	LF-1-4.5	08/12/93	73%	10	16
9308125-06	LF-1-14.5	08/12/93	77%	10	ND
9308125-08	LF-3-9.5	08/12/93	73%	10	ND
9308125-09	LF-3-14.5	08/12/93	72%	10	ND
9308125-11	SB-7-9.5	08/12/93	70%	50	66
9308125-12	SB-7-14.5	08/12/93	67%	10	ND
9308125-14	SB-10-9.5	08/12/93	53%	10	ND
9308125-15	SB-10-14.5	08/12/93	75%	10	ND
BG10H3F1	METHOD BLANK	08/11/93	76%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
TPHD - Total Petroleum Hydrocarbons as C22-C36 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Bunch 8/16/93  
Analyst Date

Cheryl Beaman 8/16/93  
Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 LF-2-14.5  
 Matrix : SOIL  
 Date Sampled : 08/07/93  
 Date Analyzed : 08/12/93

Anamatrix I.D. : 08125-03  
 Analyst : *AMB*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument ID : HP4

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
GASOLINE	1.00	0	0.96	96%	0.92	92%	-4%	48-149
P-BFB				98%		105%		53-147

\* Limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/12/93

Anamatrix I.D. : MG1201E1  
 Analyst : *Omb*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP4

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.49	98%	58-130
p-BFB			101%	53-147

\* Quality control established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/PID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/12/93

Anamatrix I.D. : MG1201E3  
 Analyst : *CMB*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument ID : HP21

COMPOUND	SPIKE AMT (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
BENZENE	0.020	0.024	120%	52-133
TOLUENE	0.020	0.026	130%	57-136
ETHYLBENZENE	0.020	0.027	135%	56-139
TOTAL-XYLENES	0.020	0.028	140%	56-141
P-BFB			111%	53-147

\* Quality control limit established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1101E1  
 Analyst : *CMB*  
 Supervisor : *CS*  
 Date Released : 08/13/93  
 Instrument I.D.: HP4

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.48	96%	58-130
p-BFB			114%	57-147

\* Quality control established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 LF-3-14.5	Anamatrix I.D. : 08125-09
Matrix : SOIL	Analyst : <i>CMB</i>
Date Sampled : 08/07/93	Supervisor : <i>LS</i>
Date Extracted: 08/10/93	Date Released : 08/16/93
Date Analyzed : 08/12/93	Instrument I.D.: HP19

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
DIESEL	125	0	108	86%	111	89%	3%	32-143
SURROGATE				88%		85%		30-130

\* Quality control limit established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Extracted: 08/10/93  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG10H3F1  
 Analyst : *CMB*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP19

COMPOUND	SPIKE AMT (mg/Kg)	REC LCS (mg/Kg)	% REC LCS	% REC LIMITS
DIESEL	125	101	81%	48-113
SURROGATE			87%	30-130

\*Limits established by Anamatrix, Inc.



REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308125  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308125- 2	LF-2-9.5	SOIL	08/07/93	5520EF
9308125- 3	LF-2-14.5	SOIL	08/07/93	5520EF
9308125- 4	LF-1-4.5	SOIL	08/07/93	5520EF
9308125- 6	LF-1-14.5	SOIL	08/07/93	5520EF
9308125- 8	LF-3-9.5	SOIL	08/07/93	5520EF
9308125- 9	LF-3-14.5	SOIL	08/07/93	5520EF
9308125-11	SB-7-9.5	SOIL	08/07/93	5520EF
9308125-12	SB-7-14.5	SOIL	08/07/93	5520EF
9308125-14	SB-10-9.5	SOIL	08/07/93	5520EF
9308125-15	SB10-14.5	SOIL	08/07/93	5520EF

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308125  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Stef 08/12/93  
Department Supervisor Date

[Signature] \_\_\_\_\_  
Chemist Date

ANALYSIS DATA SHEET - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Project # : 1649.15	Anametrix I.D. : 9308125
Matrix : SOIL	Analyst : <i>HE</i>
Date sampled : 08/07/93	Supervisor : <i>TS</i>
Date extracted: 08/10/93	Date released : 08/12/93
Date analyzed : 08/11/93	

Workorder #	Sample I.D.	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308125-02	LF-2-9.5	30	30
9308125-03	LF-2-14.5	30	ND
9308125-04	LF-1-4.5	30	77
9308125-06	LF-1-14.5	30	60
9308125-08	LF-3-9.5	30	37
9308125-09	LF-3-14.5	30	ND
9308125-11	SB-7-9.5	30	170
9308125-12	SB-7-14.5	30	ND
9308125-14	SB-10-9.5	30	40
9308125-15	SB10-14.5	30	ND
BG10H3W9	METHOD BLANK	30	ND

ND - Not detected above the reporting limit for the method.  
TRPH - Total Recoverable Petroleum Hydrocarbons are determined by Standard Method 5520EF, 18th edition.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

MATRIX SPIKE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D. : 1649.15, SB-7-9.5MS, MD      Anamatrix I.D. : 9308125-11  
Matrix : SOIL      Analyst : *AE*  
Date sampled : 08/07/93      Supervisor : *rs*  
Date extracted : 08/10/93      Date Released : 08/11/93  
Date analyzed : 08/11/93

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	MS AMT (mg/Kg)	%REC MS	MD AMT (mg/Kg)	%REC MD	%RPD	% REC LIMITS
Motor Oil	300	170	470	100%	490	107%	7%	48-114%

\* Quality control limits established by Anamatrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
Standard Method 5520EF, 18th edition.

LAB CONTROL SAMPLE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
 AS OIL AND GREASE  
 ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D.	: LAB CONTROL SAMPLE	Anametrix I.D.	: MG10H3W9
Matrix	: SOIL	Analyst	: HE
Date sampled	: N/A	Supervisor	: TS
Date extracted	: 08/10/93	Date Released	: 08/11/93
Date analyzed	: 08/11/93		

COMPOUND	SPIKE AMT. (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
Motor Oil	300	300	100%	71-119%

\* Quality control established by Anametrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
 Standard Method 5520EF.

9308125 (2) (18) 8.P. 11:50

CHAIN OF CUSTODY / ANALYSES REQUEST FORM

Project No.: 1649.15 Field Logbook No.: Date: 8/9/93 Serial No.: 11037  
 Project Name: Yerba Buena Project Location: Emeryville

Sampler (Signature): *Rita Barber* ANALYSES  
 Samplers: *RUB WEM*

SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CONTAINERS	SAMPLE TYPE	ANALYSES										REMARKS		
						EPA 601	EPA 624	5030	TPH 3510	BTEX 8020	016	Method 3520EF	HOLD	RUSH				
1 LF-2-7	8/7			1 Bag	Soil													
2 LF-2-9.5	8/7																	48 hour turnaround
3 LF-2-14.5	8/7																	
4 LF-1-4.5	8/7																	Proj. Manager: Cindy Barkley
5 LF-1-9.5	8/7																	
6 LF-1-14.5	8/7																	
7 LF-3-7	8/7																	
8 LF-3-9.5	8/7																	8/11/93 Please report duplicate carbon chain lengths per Cindy Barclay
9 LF-3-14.5	8/7																	
10 SB-7-7	8/7																	
11 SB-7-9.5	8/7																	
12 SB-7-14.5	8/7																	Sample 5 & 13 moved to 9308222.
13 SB-10-7	8/7																	Taken off hold per Cindy Barclay. CUR 8/13/93
14 SB-10-9.5	8/7																	
15 SB-10-14.5	8/7																	

RELINQUISHED BY: <i>Rita Barber</i>	DATE: 8/9/93	TIME: 0612	RECEIVED BY: <i>Matthew Cloud</i>	DATE: 8/9/93	TIME: 1842
RELINQUISHED BY: <i>Matthew Cloud</i>	DATE: 8/9/93	TIME: 0825	RECEIVED BY: <i>Penny S. Carjosa</i>	DATE: 8/9/93	TIME: 0825
RELINQUISHED BY: <i>Penny S. Carjosa</i>	DATE: 8/9/93	TIME: 0925	RECEIVED BY: <i>Calvin Robins</i>	DATE: 8/10/93	TIME: 9:25
METHOD OF SHIPMENT:	DATE:	TIME:	LAB COMMENTS:		

Sample Collector: LEVINE-FRICKE  
 1900 Powell Street, 12th Floor  
 Emeryville, Ca 94608  
 (415) 652-4500

Analytical Laboratory:  
*Anamatrix*



# Inchcape Testing Services

## Anamatrix Laboratories

1961 Concourse Drive  
 Suite E  
 San Jose, CA 95131  
 Tel: 408-432-8192  
 Fax: 408-432-8198

MS. CINDY BARCLAY  
 LEVINE-FRICKE  
 1900 POWELL STREET 12TH FLOOR  
 EMERYVILLE, CA 94608

Workorder # : 9308124  
 Date Received : 08/10/93  
 Project ID : 1649.15  
 Purchase Order: N/A

The following samples were received at Anamatrix, Inc. for analysis :

ANAMATRIX ID	CLIENT SAMPLE ID
9308124- 1	SB-3-4.5
9308124- 2	SB-3-9.5
9308124- 3	SB-3-14.5
9308124- 4	SB-4-7
9308124- 5	SB-4-12
9308124- 6	SB-4-14.5
9308124- 7	SB-2-7
9308124- 9	SB-2-14.5
9308124-10	SB-9-7
9308124-12	SB-9-14.5
9308124-13	SB-11-12
9308124-14	SB11-14.5

**AUG 18 1993**

This report consists of 26 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

*Sarah Schoen*

Sarah Schoen, Ph.D.  
 Laboratory Director

8-17-93  
 Date

**COPY**

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308124  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: PEST

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308124- 2	SB-3-9.5	SOIL	08/07/93	8080 PCB
9308124- 3	SB-3-14.5	SOIL	08/07/93	8080 PCB
9308124- 7	SB-2-7	SOIL	08/08/93	8080 PCB
9308124- 9	SB-2-14.5	SOIL	08/08/93	8080 PCB



REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308124  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: PEST

QA/QC SUMMARY :

- No QA/QC problems encountered for samples.

Fred Schoe 08-12-93  
Department Supervisor Date

Christina E. Schlag 08/12/93  
Chemist Date

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308124-02
Sample ID : SB-3-9.5	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>fy</i>
Date Sampled : 8/7/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	96	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308124-03
Sample ID : SB-3-14.5	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>sj</i>
Date Sampled : 8/7/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	96	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308124-07
Sample ID : SB-2-7	Analyst : <i>CSB</i>
Matrix : SOIL	Supervisor : <i>MS</i>
Date Sampled : 8/8/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	87	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308124-09
Sample ID : SB-2-14.5	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>WJ</i>
Date Sampled : 8/8/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	90	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : N/A	Anamatrix ID : BG10H1PE
Sample ID : BLANK	Analyst : <i>as</i>
Matrix : SOIL	Supervisor : <i>rw</i>
Date Sampled : N/A	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	103	80-134

LABORATORY CONTROL SPIKE RECOVERY FORM -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : N/A	Anamatrix ID : MG10H1PE
Sample ID : LCS	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>RS</i>
Date Sampled : N/A	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	

LCS COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	306	61
			RECOVERY LIMITS
			60-122
		SURROGATE - LCS	PERCENT RECOVERY
		Decachlorobiphenyl	81
			RECOVERY LIMITS
			80-134

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308124  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308124- 2	SB-3-9.5	SOIL	08/07/93	TPHd
9308124- 3	SB-3-14.5	SOIL	08/07/93	TPHd
9308124- 4	SB-4-7	SOIL	08/08/93	TPHd
9308124- 6	SB-4-14.5	SOIL	08/08/93	TPHd
9308124- 7	SB-2-7	SOIL	08/08/93	TPHd
9308124- 9	SB-2-14.5	SOIL	08/08/93	TPHd
9308124-10	SB-9-7	SOIL	08/07/93	TPHd
9308124-12	SB-9-14.5	SOIL	08/07/93	TPHd
9308124-14	SB11-14.5	SOIL	08/09/93	TPHd
9308124- 2	SB-3-9.5	SOIL	08/07/93	TPHgBTEX
9308124- 3	SB-3-14.5	SOIL	08/07/93	TPHgBTEX
9308124- 4	SB-4-7	SOIL	08/08/93	TPHgBTEX
9308124- 6	SB-4-14.5	SOIL	08/08/93	TPHgBTEX
9308124- 7	SB-2-7	SOIL	08/08/93	TPHgBTEX
9308124- 9	SB-2-14.5	SOIL	08/08/93	TPHgBTEX
9308124-10	SB-9-7	SOIL	08/07/93	TPHgBTEX
9308124-12	SB-9-14.5	SOIL	08/07/93	TPHgBTEX
9308124-14	SB11-14.5	SOIL	08/09/93	TPHgBTEX



REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308124  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for this workorder.

Cheryl Balmer      8/16/93  
Department Supervisor      Date

Lucea Star      8/16/93  
Chemist      Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308124  
Matrix : SOIL  
Date Sampled : 08/07-08/93

Project Number : 1649.15  
Date Released : 08/16/93

Reporting Limit	Sample I.D.# SB-3-9.5	Sample I.D.# SB-3-14.5	Sample I.D.# SB-4-7	Sample I.D.# SB-4-14.5	Sample I.D.# SB-2-7	
COMPOUNDS	(mg/Kg)	-02	-03	-04	-06	-07
Benzene	0.005	9.7	0.092	3.0	0.026	8.0
Toluene	0.005	50	0.16	5.2	0.005	ND
Ethylbenzene	0.005	15	0.031	8.2	0.019	31
Total Xylenes	0.005	90	0.17	18	0.023	140
TPH as Gasoline	0.5	580	0.9	380	ND	780
% Surrogate Recovery		117%	116%	101%	130%	138%
Instrument I.D.		HP8	HP21	HP8	HP21	HP21
Date Analyzed		08/12/93	08/11/93	08/12/93	08/12/93	08/12/93
RLMF		250	1	250	1	250

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

C. Fern 17 August 93  
Analyst Date

Cheryl B. ... 8/17/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9308124  
Matrix : SOIL  
Date Sampled : 08/07-09/93

Project Number : 1649.15  
Date Released : 08/16/93

Reporting Limit	Sample I.D.# SB- 2-14.5	Sample I.D.# SB- 9-7	Sample I.D.# SB- 9-14.5	Sample I.D.# SB 11-14.5	Sample I.D.# BG1201E2
-----	-----	-----	-----	-----	-----
COMPOUNDS (mg/Kg)	-09	-10	-12	-14	BLANK
-----	-----	-----	-----	-----	-----
Benzene	0.005	0.20	2.8	0.079	ND
Toluene	0.005	0.21	13	0.059	ND
Ethylbenzene	0.005	0.021	5.1	0.011	ND
Total Xylenes	0.005	0.12	29	0.041	ND
TPH as Gasoline	0.5	1.0	210	ND	ND
% Surrogate Recovery	114%	119%	118%	120%	106%
Instrument I.D.	HP8	HP21	HP21	HP21	HP8
Date Analyzed	08/12/93	08/12/93	08/12/93	08/12/93	08/12/93
RLMF	1	50	1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Slov 8/16/93  
Analyst Date

Cheryl Balmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308124  
Matrix : SOIL  
Date Sampled : N/A

Project Number : 1649.15  
Date Released : 08/16/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.# BG1101E2 BLANK	Sample I.D.# BG1201E2 BLANK
Benzene	0.005	ND	ND
Toluene	0.005	ND	ND
Ethylbenzene	0.005	ND	ND
Total Xylenes	0.005	ND	ND
TPH as Gasoline	0.5	ND	ND
% Surrogate Recovery		123%	137%
Instrument I.D.		HP21	HP21
Date Analyzed		08/11/93	08/12/93
RLMF		1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Star 8/16/93  
Analyst Date

Christy Palmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL  
ANAMETRIX, INC. (408) 432-8192

Anametrix W.O.: 9308124  
 Matrix : SOIL  
 Date Sampled : 08/07-09/93  
 Date Extracted: 08/10/93

Project Number : 1649.15  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

Anametrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec (mg/Kg)	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308124-02	SB-3-9.5	08/11/93	88%	10	11
9308124-03	SB-3-14.5	08/11/93	86%	10	ND
9308124-04	SB-4-7	08/11/93	85%	10	13
9308124-06	SB-4-14.5	08/11/93	52%	10	ND
9308124-07	SB-2-7	08/12/93	63%	50	790
9308124-09	SB-2-14.5	08/12/93	75%	10	ND
9308124-10	SB-9-7	08/12/93	68%	10	14
9308124-12	SB-9-14.5	08/12/93	81%	10	ND
9308124-14	SB11-14.5	08/12/93	93%	10	ND
BG10H2F1	METHOD BLANK	08/11/93	84%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
 The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.

TPHd - Total Petroleum Hydrocarbons as C12-C22 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Shor 8/16/93  
 Analyst Date

Christy Baerman 8/16/93  
 Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL  
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308124  
Matrix : SOIL  
Date Sampled : 08/07-09/93  
Date Extracted: 08/10/93

Project Number : 1649.15  
Date Released : 08/16/93  
Instrument I.D.: HP9

Anamatrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec (mg/Kg)	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308124-02	SB-3-9.5	08/11/93	88%	10	ND
9308124-03	SB-3-14.5	08/11/93	86%	10	ND
9308124-04	SB-4-7	08/11/93	85%	10	ND
9308124-06	SB-4-14.5	08/11/93	52%	10	ND
9308124-07	SB-2-7	08/12/93	63%	50	57
9308124-09	SB-2-14.5	08/12/93	75%	10	12
9308124-10	SB-9-7	08/12/93	68%	10	ND
9308124-12	SB-9-14.5	08/12/93	81%	10	ND
9308124-14	SB11-14.5	08/12/93	93%	10	11
BG10H2F1	METHOD BLANK	08/11/93	84%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
TPHd - Total Petroleum Hydrocarbons as C22-C36 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Sura 8/16/93  
Analyst Date

Cheryl Bealmer 8/16/93  
Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 SB11-14.5  
 Matrix : SOIL  
 Date Sampled : 08/09/93  
 Date Analyzed : 08/13/93

Anamatrix I.D. : 08124-14  
 Analyst : *IS*  
 Supervisor : *st*  
 Date Released : 08/16/93  
 Instrument ID : HP21

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
GASOLINE	1.00	0	0.88	88%	0.87	87%	-1%	48-149
P-BFB				82%		88%		53-147

\* Limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/PID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1101H  
 Analyst :   
 Supervisor :   
 Date Released : 08/16/93  
 Instrument ID : HP8

COMPOUND	SPIKE AMT (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
BENZENE	0.020	0.019	95%	52-133
TOLUENE	0.020	0.022	110%	57-136
ETHYLBENZENE	0.020	0.023	115%	56-139
TOTAL-XYLENES	0.020	0.023	115%	56-141
P-BFB			116%	53-147

\* Quality control limit established by Anamatrix, Inc.



TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/13/93

Anamatrix I.D. : MG1203E1  
 Analyst : *IS*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP21

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.51	102%	58-130
p-BFB			100%	53-147

\* Quality control established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/PID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1101E  
 Analyst : JS  
 Supervisor :  
 Date Released : 08/16/93  
 Instrument ID : HP21

COMPOUND	SPIKE AMT (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
BENZENE	0.020	0.021	105%	52-133
TOLUENE	0.020	0.023	115%	57-136
ETHYLBENZENE	0.020	0.024	120%	56-139
TOTAL-XYLENES	0.020	0.024	120%	56-141
P-BFB			116%	53-147

\* Quality control limit established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 SB-9-7  
 Matrix : SOIL  
 Date Sampled : 08/07/93  
 Date Extracted: 08/10/93  
 Date Analyzed : 08/12/93

Anamatrix I.D. : 08124-10  
 Analyst : IS  
 Supervisor : *[Signature]*  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
DIESEL	125	0	149	119%	133	106%	-11%	32-143
SURROGATE				98%		97%		30-130

\* Quality control limit established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Extracted: 08/10/93  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1012F1  
 Analyst : LS  
 Supervisor : CS  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

COMPOUND	SPIKE AMT (mg/Kg)	REC LCS (mg/Kg)	% REC LCS	% REC LIMITS
DIESEL	125	80	64%	48-100
SURROGATE			85%	30-130

\*Limits established by Anamatrix, Inc.

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308124  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308124- 2	SB-3-9.5	SOIL	08/07/93	5520EF
9308124- 3	SB-3-14.5	SOIL	08/07/93	5520EF
9308124- 4	SB-4-7	SOIL	08/08/93	5520EF
9308124- 6	SB-4-14.5	SOIL	08/08/93	5520EF
9308124- 7	SB-2-7	SOIL	08/08/93	5520EF
9308124- 9	SB-2-14.5	SOIL	08/08/93	5520EF
9308124-10	SB-9-7	SOIL	08/07/93	5520EF
9308124-12	SB-9-14.5	SOIL	08/07/93	5520EF
9308124-14	SB11-14.5	SOIL	08/09/93	5520EF

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308124  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

*Ficap*                      08/12/93  
Department Supervisor                      Date

*M. E. ...*                      8/12/93  
Chemist                      Date

ANALYSIS DATA SHEET - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Project # : 1649.15	Anametrix I.D. : 9308124
Matrix : SOIL	Analyst : <i>GE</i>
Date sampled : 08/07-09/93	Supervisor : <i>TS</i>
Date extracted: 08/10/93	Date released : 08/12/93
Date analyzed : 08/11/93	

Workorder #	Sample I.D.	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308124-02	SB-3-9.5	30	37
9308124-03	SB-3-14.5	30	37
9308124-04	SB-4-7	30	70
9308124-06	SB-4-14.5	30	210
9308124-07	SB-2-7	30	160
9308124-09	SB-2-14.5	30	43
9308124-10	SB-9-7	30	ND
9308124-12	SB-9-14.5	30	77
9308124-14	SB11-14.5	30	40
BG10H2W9	METHOD BLANK	30	ND

ND - Not detected above the reporting limit for the method.  
TRPH - Total Recoverable Petroleum Hydrocarbons are determined by Standard Method 5520EF, 18th edition.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

LAB CONTROL SAMPLE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D.	: LAB CONTROL SAMPLE	Anametrix I.D.	: MG10H2W9
Matrix	: SOIL	Analyst	: <i>HC</i>
Date sampled	: N/A	Supervisor	: <i>TS</i>
Date extracted	: 08/10/93	Date Released	: 08/12/93
Date analyzed	: 08/11/93		

COMPOUND	SPIKE AMT. (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
Motor Oil	300	290	97%	71-119%

\* Quality control established by Anametrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
Standard Method 5520EF.



473814 (9) 11.02  
**CHAIN OF CUSTODY / ANALYSES REQUEST FORM**

Project No.: <b>1649.15</b>	Field Logbook No.:	Date: <b>8/9/93</b>	Serial No.: <b>11039</b>
Project Name: <b>Verba Buena</b>	Project Location: <b>Emeryville</b>		

Sampler (Signature): *Kelin Barber*      ANALYSES      Samplers: **RUB WEM**

SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CON-TAINERS	SAMPLE TYPE	ANALYSES										REMARKS	
						EPA 601	PCB	TPH	TOX	BIEX	CRG	Lead	5520	EF	HOLD		RUSH
1 SB-3-4.5	8/7			1-Bross	Soil	X	X	X	X	X	X	X	X	X	X	X	48 hour turn around time Proj Manager: Cindy Barkley
2 SB-3-9.5	8/7					X	X	X	X	X	X	X	X	X	X	X	
3 SB-3-14.5	8/7					X	X	X	X	X	X	X	X	X	X	X	
4 SB-4-7	8/8					X	X	X	X	X	X	X	X	X	X	X	
5 SB-4-12	8/8					X	X	X	X	X	X	X	X	X	X	X	
6 SB-4-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
7 SB-2-7	8/8					X	X	X	X	X	X	X	X	X	X	X	
8 SB-2-9.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
9 SB-2-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
10 SB-9-7	8/7					X	X	X	X	X	X	X	X	X	X	X	
11 SB-9-9.5	8/7					X	X	X	X	X	X	X	X	X	X	X	
12 SB-9-14.5	8/7					X	X	X	X	X	X	X	X	X	X	X	
13 SB-11-12	8/9					X	X	X	X	X	X	X	X	X	X	X	
14 SB-11-14.5	8/9					X	X	X	X	X	X	X	X	X	X	X	

RELINQUISHED BY: <i>Kelin Barber</i>	DATE: <b>8/9/93</b>	TIME: <b>8:42</b>	RECEIVED BY: <i>Matthew Cloud</i>	DATE: <b>8/9/93</b>	TIME: <b>18:42</b>
RELINQUISHED BY: <i>Matthew Cloud</i>	DATE: <b>8/10/93</b>	TIME: <b>08:25</b>	RECEIVED BY: <i>Penny Carizosa</i>	DATE: <b>8/10/93</b>	TIME: <b>08:25</b>
RELINQUISHED BY: <i>Penny Carizosa</i>	DATE: <b>8/10/93</b>	TIME: <b>09:25</b>	RECEIVED BY: <i>Calvin Robina</i>	DATE: <b>8-10-93</b>	TIME: <b>09:25</b>
METHOD OF SHIPMENT:			LAB COMMENTS:		

Sample Collector: <b>LEVINE-FRICKE</b> 1900 Powell Street, 12th Floor Emeryville, Ca 94608 (415) 652-4500	Analytical Laboratory: <i>Anamex dix</i>
--	---



# Inchcape Testing Services

## Anamatrix Laboratories

1961 Concourse Drive  
 Suite E  
 San Jose, CA 95131  
 Tel: 408-432-8192  
 Fax: 408-432-8198

MS. CINDY BARCLAY  
 LEVINE-FRICKE  
 1900 POWELL STREET 12TH FLOOR  
 EMERYVILLE, CA 94608

Workorder # : 9308122  
 Date Received : 08/10/93  
 Project ID : 1649.15  
 Purchase Order: N/A

The following samples were received at Anamatrix, Inc. for analysis :

ANAMATRIX ID	CLIENT SAMPLE ID
9308122- 1	SB-8-9.5
9308122- 2	SB-8-12
9308122- 3	SB-8-14.5
9308122- 4	SB-1-7
9308122- 6	SB-1-14.5
9308122- 7	SB-5-4.5
9308122- 8	SB-5-7
9308122- 9	SB-5-14.5
9308122-10	SB-6-9.5
9308122-11	SB-6-12
9308122-12	SB-6-7
9308122-13	SB-6-14.5
9308122-14	SB-17-4.5
9308122-15	SB-17-7
9308122-16	SB-17-12

AUG 18 1993

This report consists of 51 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

*Sarah Schoen*

Sarah Schoen, Ph.D.  
 Laboratory Director

8-17-93  
 Date

COPY



## ANAMATRIX REPORT DESCRIPTION GCMS

### Organic Analysis Data Sheets (OADS)

OADS forms contain tabulated results for target compounds. The OADS are grouped by method and, within each method, organized sequentially in order of increasing Anamatrix ID number.

### Tentatively Identified Compounds (TICs)

TIC forms contain tabulated results for non-target compounds detected in GC/MS analyses. TICs must be requested at the time samples are submitted at Anamatrix. TIC forms immediately follow the OADS form for each sample. If TICs are requested but not found, then TIC forms will not be included with the report.

### Surrogate Recovery Summary (SRS)

SRS forms contain quality assurance data. An SRS form will be printed for each method, if the method requires surrogate compounds. They will list surrogate percent recoveries for all samples and any method blanks. Any surrogate recovery outside the established limits will be flagged with an "\*", and the total number of surrogates outside the limits will be listed in the column labelled "Total Out".

### Matrix Spike Recovery Form (MSR)

MSR forms contain quality assurance data. They summarize percent recovery and relative percent difference information for matrix spikes and matrix spike duplicates. This information is a statement of both accuracy and precision. Any percent recovery or relative percent difference outside established limits will be flagged with an "\*", and the total number outside the limits will be listed at the bottom of the page. Not all reports will contain an MSR form.

### Qualifiers

Anamatrix uses several data qualifiers (Q) in its report forms. These qualifiers give additional information on the compounds reported. They should help a data reviewer to verify the integrity of the analytical results. The following is a list of qualifiers and their meanings:

- U - Indicates that the compound was analyzed for, but was not detected at or above the specified reporting limit.
- B - Indicates that the compound was detected in the associated method blank.
- J - Indicates that the compound was detected at an amount below the specified reporting limit. Consequently, the amount should be considered an approximate value. Tentatively identified compounds will always have a "J" qualifier because they are not included in the instrument calibration.
- E - Indicates that the amount reported exceeded the linear range of the instrument calibration.
- D - Indicates that the compound was detected in an analysis performed at a secondary dilution.
- A - Indicates that the tentatively identified compound is a suspected aldol condensation product. This is common in EPA Method 8270 soil analyses.

Absence of a qualifier indicates that the compound was detected at a concentration at or above the specified reporting limit.

### REPORTING CONVENTIONS

- Due to a size limitation in our data processing step, only the first eight (8) characters of your project ID and sample ID will be printed on the report forms. However, the report cover letter and report summary pages display up to twenty (20) characters of your project and sample IDs.
- Amounts reported are gross values, i.e., not corrected for method blank contamination.

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GCMS  
Sub-Department: GCMS

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308122-14	SB-17-4.5	SOIL	08/09/93	8240
9308122-15	SB-17-7	SOIL	08/09/93	8240
9308122-16	SB-17-12	SOIL	08/09/93	8240
9308122-14	SB-17-4.5	SOIL	08/09/93	8270
9308122-15	SB-17-7	SOIL	08/09/93	8270
9308122-16	SB-17-12	SOIL	08/09/93	8270

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GCMS  
Sub-Department: GCMS

QA/QC SUMMARY :

- Reported values for methylene chloride and acetone that are near the method blank contamination levels are most likely laboratory artifacts.

W. C. Leager                      8-12-93  
Department Supervisor                      Date

Joan Winkler                      8-12-93  
Chemist                      Date

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-4.  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Analyzed : 8/11/93  
Instrument ID : MSD2

Anamatrix ID : 9308122-14  
Analyst : PF  
Supervisor : iw  
Dilution Factor : 250.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	2500.	ND	U
75-01-4	Vinyl chloride	2500.	ND	U
74-83-9	Bromomethane	2500.	ND	U
75-00-3	Chloroethane	2500.	ND	U
75-69-4	Trichlorofluoromethane	1300.	ND	U
75-35-4	1,1-Dichloroethene	1300.	ND	U
76-13-1	Trichlorotrifluoroethane	1300.	ND	U
67-64-1	Acetone	5000.	ND	U
75-15-0	Carbon disulfide	1300.	ND	U
75-09-2	Methylene chloride	1300.	2600.	U
156-60-5	Trans-1,2-dichloroethene	1300.	ND	U
75-34-3	1,1-Dichloroethane	1300.	ND	U
156-59-2	Cis-1,2-dichloroethene	1300.	ND	U
78-93-3	2-Butanone	5000.	ND	U
67-66-3	Chloroform	1300.	ND	U
71-55-6	1,1,1-Trichloroethane	1300.	ND	U
56-23-5	Carbon tetrachloride	1300.	ND	U
108-05-4	Vinyl acetate	2500.	ND	U
71-43-2	Benzene	1300.	2300.	U
107-06-2	1,2-Dichloroethane	1300.	ND	U
79-01-6	Trichloroethene	1300.	ND	U
78-87-5	1,2-Dichloropropane	1300.	ND	U
75-27-4	Bromodichloromethane	1300.	ND	U
10061-01-5	Cis-1,3-dichloropropene	1300.	ND	U
108-10-1	4-Methyl-2-pentanone	2500.	ND	U
108-88-3	Toluene	1300.	22000.	U
10061-02-6	Trans-1,3-dichloropropene	1300.	ND	U
79-00-5	1,1,2-Trichloroethane	1300.	ND	U
127-18-4	Tetrachloroethene	1300.	ND	U
591-78-6	2-Hexanone	2500.	ND	U
124-48-1	Dibromochloromethane	1300.	ND	U
108-90-7	Chlorobenzene	1300.	ND	U
100-41-4	Ethylbenzene	1300.	12000.	U
1330-20-7	Xylene (Total)	1300.	69000.	U
100-42-5	Styrene	1300.	ND	U
75-25-2	Bromoform	1300.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	1300.	ND	U
541-73-1	1,3-Dichlorobenzene	1300.	ND	U
106-46-7	1,4-Dichlorobenzene	1300.	ND	U
95-50-1	1,2-Dichlorobenzene	1300.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
 Sample ID : SB-17-7  
 Matrix : SOIL  
 Date Sampled : 8/ 9/93  
 Date Analyzed : 8/11/93  
 Instrument ID : MSD2

Anamatrix ID : 9308122-15  
 Analyst : PF  
 Supervisor : WJ  
 Dilution Factor : 200.0  
 Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	2000.	ND	U
75-01-4	Vinyl chloride	2000.	ND	U
74-83-9	Bromomethane	2000.	ND	U
75-00-3	Chloroethane	2000.	ND	U
75-69-4	Trichlorofluoromethane	1000.	ND	U
75-35-4	1,1-Dichloroethene	1000.	ND	U
76-13-1	Trichlorotrifluoroethane	1000.	ND	U
67-64-1	Acetone	4000.	ND	U
75-15-0	Carbon disulfide	1000.	ND	U
75-09-2	Methylene chloride	1000.	2000.	U
156-60-5	Trans-1,2-dichloroethene	1000.	ND	U
75-34-3	1,1-Dichloroethane	1000.	ND	U
156-59-2	Cis-1,2-dichloroethene	1000.	ND	U
78-93-3	2-Butanone	4000.	ND	U
67-66-3	Chloroform	1000.	ND	U
71-55-6	1,1,1-Trichloroethane	1000.	ND	U
56-23-5	Carbon tetrachloride	1000.	ND	U
108-05-4	Vinyl acetate	2000.	ND	U
71-43-2	Benzene	1000.	4200.	U
107-06-2	1,2-Dichloroethane	1000.	ND	U
79-01-6	Trichloroethene	1000.	ND	U
78-87-5	1,2-Dichloropropane	1000.	ND	U
75-27-4	Bromodichloromethane	1000.	ND	U
10061-01-5	Cis-1,3-dichloropropene	1000.	ND	U
108-10-1	4-Methyl-2-pentanone	2000.	ND	U
108-88-3	Toluene	1000.	27000.	U
10061-02-6	Trans-1,3-dichloropropene	1000.	ND	U
79-00-5	1,1,2-Trichloroethane	1000.	ND	U
127-18-4	Tetrachloroethene	1000.	ND	U
591-78-6	2-Hexanone	2000.	ND	U
124-48-1	Dibromochloromethane	1000.	ND	U
108-90-7	Chlorobenzene	1000.	ND	U
100-41-4	Ethylbenzene	1000.	7500.	U
1330-20-7	Xylene (Total)	1000.	43000.	U
100-42-5	Styrene	1000.	ND	U
75-25-2	Bromoform	1000.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	1000.	ND	U
541-73-1	1,3-Dichlorobenzene	1000.	ND	U
106-46-7	1,4-Dichlorobenzene	1000.	ND	U
95-50-1	1,2-Dichlorobenzene	1000.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240  
 ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
 Sample ID : SB-17-12  
 Matrix : SOIL  
 Date Sampled : 8/ 9/93  
 Date Analyzed : 8/12/93  
 Instrument ID : MSD2

Anamatrix ID : 9308122-16  
 Analyst : FF  
 Supervisor : W  
 Dilution Factor : 100.0  
 Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	1000.	ND	U
75-01-4	Vinyl chloride	1000.	ND	U
74-83-9	Bromomethane	1000.	ND	U
75-00-3	Chloroethane	1000.	ND	U
75-69-4	Trichlorofluoromethane	500.	ND	U
75-35-4	1,1-Dichloroethene	500.	ND	U
76-13-1	Trichlorotrifluoroethane	500.	ND	U
67-64-1	Acetone	2000.	ND	U
75-15-0	Carbon disulfide	500.	ND	U
75-09-2	Methylene chloride	500.	660.	B
156-60-5	Trans-1,2-dichloroethene	500.	ND	U
75-34-3	1,1-Dichloroethane	500.	ND	U
156-59-2	Cis-1,2-dichloroethene	500.	ND	U
78-93-3	2-Butanone	2000.	ND	U
67-66-3	Chloroform	500.	ND	U
71-55-6	1,1,1-Trichloroethane	500.	ND	U
56-23-5	Carbon tetrachloride	500.	ND	U
108-05-4	Vinyl acetate	1000.	ND	U
71-43-2	Benzene	500.	1800.	U
107-06-2	1,2-Dichloroethane	500.	ND	U
79-01-6	Trichloroethene	500.	ND	U
78-87-5	1,2-Dichloropropane	500.	ND	U
75-27-4	Bromodichloromethane	500.	ND	U
10061-01-5	Cis-1,3-dichloropropene	500.	ND	U
108-10-1	4-Methyl-2-pentanone	1000.	ND	U
108-88-3	Toluene	500.	9400.	U
10061-02-6	Trans-1,3-dichloropropene	500.	ND	U
79-00-5	1,1,2-Trichloroethane	500.	ND	U
127-18-4	Tetrachloroethene	500.	ND	U
591-78-6	2-Hexanone	1000.	ND	U
124-48-1	Dibromochloromethane	500.	ND	U
108-90-7	Chlorobenzene	500.	ND	U
100-41-4	Ethylbenzene	500.	4100.	U
1330-20-7	Xylene (Total)	500.	23000.	U
100-42-5	Styrene	500.	ND	U
75-25-2	Bromoform	500.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	500.	ND	U
541-73-1	1,3-Dichlorobenzene	500.	ND	U
106-46-7	1,4-Dichlorobenzene	500.	ND	U
95-50-1	1,2-Dichlorobenzene	500.	ND	U



ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240  
 ANAMETRIX, INC. (408) 432-8192

Project ID :  
 Sample ID : VBLK2G  
 Matrix : SOIL  
 Date Sampled : 0/ 0/ 0  
 Date Analyzed : 8/11/93  
 Instrument ID : MSD2

Anamatrix ID : BG1102A1  
 Analyst : PF  
 Supervisor : WJ  
 Dilution Factor : 1.0  
 Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	32.	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	ND	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8240  
 ANAMETRIX, INC. (408)432-8192

Project ID :  
 Sample ID : VBLK2I  
 Matrix : SOIL  
 Date Sampled : 0/ 0/ 0  
 Date Analyzed : 8/12/93  
 Instrument ID : MSD2

Anamatrix ID : BG1202A1  
 Analyst : PF  
 Supervisor : W  
 Dilution Factor : 1.0  
 Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
74-87-3	Chloromethane	10.	ND	U
75-01-4	Vinyl chloride	10.	ND	U
74-83-9	Bromomethane	10.	ND	U
75-00-3	Chloroethane	10.	ND	U
75-69-4	Trichlorofluoromethane	5.	ND	U
75-35-4	1,1-Dichloroethene	5.	ND	U
76-13-1	Trichlorotrifluoroethane	5.	ND	U
67-64-1	Acetone	20.	ND	U
75-15-0	Carbon disulfide	5.	ND	U
75-09-2	Methylene chloride	5.	12.	U
156-60-5	Trans-1,2-dichloroethene	5.	ND	U
75-34-3	1,1-Dichloroethane	5.	ND	U
156-59-2	Cis-1,2-dichloroethene	5.	ND	U
78-93-3	2-Butanone	20.	ND	U
67-66-3	Chloroform	5.	ND	U
71-55-6	1,1,1-Trichloroethane	5.	ND	U
56-23-5	Carbon tetrachloride	5.	ND	U
108-05-4	Vinyl acetate	10.	ND	U
71-43-2	Benzene	5.	ND	U
107-06-2	1,2-Dichloroethane	5.	ND	U
79-01-6	Trichloroethene	5.	ND	U
78-87-5	1,2-Dichloropropane	5.	ND	U
75-27-4	Bromodichloromethane	5.	ND	U
10061-01-5	Cis-1,3-dichloropropene	5.	ND	U
108-10-1	4-Methyl-2-pentanone	10.	ND	U
108-88-3	Toluene	5.	ND	U
10061-02-6	Trans-1,3-dichloropropene	5.	ND	U
79-00-5	1,1,2-Trichloroethane	5.	ND	U
127-18-4	Tetrachloroethene	5.	ND	U
591-78-6	2-Hexanone	10.	ND	U
124-48-1	Dibromochloromethane	5.	ND	U
108-90-7	Chlorobenzene	5.	ND	U
100-41-4	Ethylbenzene	5.	ND	U
1330-20-7	Xylene (Total)	5.	ND	U
100-42-5	Styrene	5.	ND	U
75-25-2	Bromoform	5.	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	5.	ND	U
541-73-1	1,3-Dichlorobenzene	5.	ND	U
106-46-7	1,4-Dichlorobenzene	5.	ND	U
95-50-1	1,2-Dichlorobenzene	5.	ND	U

SURROGATE RECOVERY SUMMARY -- EPA METHOD 8240  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Matrix : SOLID

Anamatrix ID : 9308122  
Analyst : PF  
Supervisor : W

	SAMPLE ID	SU1	SU2	SU3
1	VBLK2G	99	100	96
2	LCS2R	100	100	98
3	SB-17-7	101	102	97
4	SB-17-4.	100	101	96
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

QC LIMITS

SU1 = 1,2-Dichloroethane-d4 (85-121)  
 SU2 = Toluene-d8 (83-117)  
 SU3 = 1,4-Bromofluorobenzene (82-116)

\* Values outside of Anamatrix QC limits

SURROGATE RECOVERY SUMMARY -- EPA METHOD 8240  
 ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
 Matrix : SOLID

Anamatrix ID : 9308122  
 Analyst : PF  
 Supervisor : W

	SAMPLE ID	SU1	SU2	SU3
1	VBLK2I	99	100	102
2	LCS2S	100	100	101
3	SB-17-12	100	100	101
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

QC LIMITS

SU1 = 1,2-Dichloroethane-d4 (85-121)  
 SU2 = Toluene-d8 (83-117)  
 SU3 = 1,4-Bromofluorobenzene (82-116)

\* Values outside of Anamatrix QC limits .

LABORATORY CONTROL SPIKE RECOVERY FORM --- EPA METHOD 8240  
 ANAMETRIX, INC. (408)432-8192

Project/Case : Anamatrix ID : MG1101A1  
 Matrix : SOIL Analyst : PF  
 Date Sampled : 0/ 0/00 Supervisor : W  
 Date Analyzed : 8/ 11/93 SDG/Batch :  
 Instrument ID : MSD2

LCS2R

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	LCS CONCENTRATION (ug/Kg)	LCS % REC	%REC LIMITS
1,1-Dichloroethene	50	0	51	102	78-150
Benzene	50	0	53	106	85-120
Trichloroethene	50	0	49	98	64-135
Toluene	50	0	53	106	88-119
Chlorobenzene	50	0	51	102	86-116

LABORATORY CONTROL SPIKE RECOVERY FORM --- EPA METHOD 8240  
 ANAMETRIX, INC. (408)432-8192

Project/Case :  
 Matrix : SOIL  
 Date Sampled : 0/ 0/00  
 Date Analyzed : 8/ 12/93  
 Instrument ID : MSD2

Anamatrix ID : MG1201A1  
 Analyst : PF  
 Supervisor : WJ  
 SDG/Batch :

LCS2S

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	LCS CONCENTRATION (ug/Kg)	LCS % REC	%REC LIMITS
1,1-Dichloroethene	50	0	52	104	78-150
Benzene	50	0	53	106	85-120
Trichloroethene	50	0	51	102	64-135
Toluene	50	0	53	106	88-119
Chlorobenzene	50	0	53	106	86-116

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-4.  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : 9308122-14  
Analyst : *CF*  
Supervisor : MCT

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
108-95-2	PHENOL	330.	ND	U
111-44-4	BIS(2-CHLOROETHYL) ETHER	330.	ND	U
95-57-8	2-CHLOROPHENOL	330.	ND	U
541-73-1	1,3-DICHLOROBENZENE	330.	ND	U
106-46-7	1,4-DICHLOROBENZENE	330.	ND	U
100-51-6	BENZYL ALCOHOL	330.	ND	U
95-50-1	1,2-DICHLOROBENZENE	330.	ND	U
95-48-7	2-METHYLPHENOL	330.	ND	U
108-60-1	2,2'-OXYBIS(1-CHLOROPROPANE)	330.	ND	U
106-44-5	4-METHYLPHENOL	330.	400.	U
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	330.	ND	U
67-72-1	HEXACHLOROETHANE	330.	ND	U
98-95-3	NITROBENZENE	330.	ND	U
78-59-1	ISOPHORONE	330.	ND	U
88-75-5	2-NITROPHENOL	330.	ND	U
105-67-9	2,4-DIMETHYLPHENOL	330.	ND	U
65-85-0	BENZOIC ACID	1700.	ND	U
111-91-1	BIS(2-CHLOROETHOXY)METHANE	330.	ND	U
120-83-2	2,4-DICHLOROPHENOL	330.	ND	U
120-82-1	1,2,4-TRICHLOROBENZENE	330.	ND	U
91-20-3	NAPHTHALENE	330.	1600.	U
106-47-8	4-CHLOROANILINE	330.	ND	U
87-68-3	HEXACHLOROBUTADIENE	330.	ND	U
59-50-7	4-CHLORO-3-METHYLPHENOL	330.	ND	U
91-57-6	2-METHYLNAPHTHALENE	330.	1800.	U
77-47-4	HEXACHLOROCYCLOPENTADIENE	330.	ND	U
88-06-2	2,4,6-TRICHLOROPHENOL	330.	ND	U
95-95-4	2,4,5-TRICHLOROPHENOL	1700.	ND	U
91-58-7	2-CHLORONAPHTHALENE	330.	ND	U
88-74-4	2-NITROANILINE	1700.	ND	U
131-11-3	DIMETHYLPHTHALATE	330.	ND	U
208-96-8	ACENAPHTHYLENE	330.	ND	U
99-09-2	3-NITROANILINE	1700.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-4.  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : 9308122-14  
Analyst : *CF*  
Supervisor : *MOR*

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
83-32-9	ACENAPHTHENE	330.	ND	U
51-28-5	2,4-DINITROPHENOL	1700.	ND	U
100-02-7	4-NITROPHENOL	1700.	ND	U
132-64-9	DIBENZOFURAN	330.	ND	U
121-14-2	2,4-DINITROTOLUENE	330.	ND	U
606-20-2	2,6-DINITROTOLUENE	330.	ND	U
84-66-2	DIETHYLPHTHALATE	330.	ND	U
7005-72-3	4-CHLOROPHENYL-PHENYLETHER	330.	ND	U
86-73-7	FLUORENE	330.	ND	U
100-01-6	4-NITROANILINE	1700.	ND	U
534-52-1	4,6-DINITRO-2-METHYLPHENOL	1700.	ND	U
86-30-6	N-NITROSODIPHENYLAMINE (1)	330.	ND	U
101-55-3	4-BROMOPHENYL-PHENYLETHER	330.	ND	U
118-74-1	HEXACHLOROBENZENE	330.	ND	U
87-86-5	PENTACHLOROPHENOL	1700.	ND	U
85-01-8	PHENANTHRENE	330.	ND	U
120-12-7	ANTHRACENE	330.	ND	U
84-74-2	DI-N-BUTYLPHTHALATE	330.	ND	U
206-44-0	FLUORANTHENE	330.	ND	U
129-00-0	PYRENE	330.	ND	U
85-68-7	BUTYLBENZYLPHTHALATE	330.	ND	U
91-94-1	3,3'-DICHLOROBENZIDINE	670.	ND	U
56-55-3	BENZO(A)ANTHRACENE	330.	ND	U
218-01-9	CHRYSENE	330.	ND	U
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	330.	ND	U
117-84-0	DI-N-OCTYLPHTHALATE	330.	ND	U
205-99-2	BENZO(B)FLUOROANTHENE	330.	ND	U
207-08-9	BENZO(K)FLUOROANTHENE	330.	ND	U
50-32-8	BENZO(A)PYRENE	330.	ND	U
193-39-5	INDENO(1,2,3-CD)PYRENE	330.	ND	U
53-70-3	DIBENZ[A,H]ANTHRACENE	330.	ND	U
191-24-2	BENZO(G,H,I)PERYLENE	330.	ND	U
62-75-9	N-NITROSODIMETHYLAMINE	330.	ND	U
4165-61-1	ANILINE	330.	ND	U
103-33-3	AZOBENZENE	330.	ND	U
92-87-5	BENZIDINE	330.	ND	U



ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-7  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : 9308122-15  
Analyst : CF.  
Supervisor : MCT

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
108-95-2	PHENOL	330.	ND	U
111-44-4	BIS(2-CHLOROETHYL) ETHER	330.	ND	U
95-57-8	2-CHLOROPHENOL	330.	ND	U
541-73-1	1,3-DICHLOROBENZENE	330.	ND	U
106-46-7	1,4-DICHLOROBENZENE	330.	ND	U
100-51-6	BENZYL ALCOHOL	330.	ND	U
95-50-1	1,2-DICHLOROBENZENE	330.	ND	U
95-48-7	2-METHYLPHENOL	330.	ND	U
108-60-1	2,2'-OXYBIS(1-CHLOROPROPANE)	330.	ND	U
106-44-5	4-METHYLPHENOL	330.	ND	U
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	330.	ND	U
67-72-1	HEXACHLOROETHANE	330.	ND	U
98-95-3	NITROBENZENE	330.	ND	U
78-59-1	ISOPHORONE	330.	ND	U
88-75-5	2-NITROPHENOL	330.	ND	U
105-67-9	2,4-DIMETHYLPHENOL	330.	ND	U
65-85-0	BENZOIC ACID	1700.	ND	U
111-91-1	BIS(2-CHLOROETHOXY) METHANE	330.	ND	U
120-83-2	2,4-DICHLOROPHENOL	330.	ND	U
120-82-1	1,2,4-TRICHLOROBENZENE	330.	ND	U
91-20-3	NAPHTHALENE	330.	570.	U
106-47-8	4-CHLOROANILINE	330.	ND	U
87-68-3	HEXACHLOROBUTADIENE	330.	ND	U
59-50-7	4-CHLORO-3-METHYLPHENOL	330.	ND	U
91-57-6	2-METHYLNAPHTHALENE	330.	630.	U
77-47-4	HEXACHLOROCYCLOPENTADIENE	330.	ND	U
88-06-2	2,4,6-TRICHLOROPHENOL	330.	ND	U
95-95-4	2,4,5-TRICHLOROPHENOL	1700.	ND	U
91-58-7	2-CHLORONAPHTHALENE	330.	ND	U
88-74-4	2-NITROANILINE	1700.	ND	U
131-11-3	DIMETHYLPHTHALATE	330.	ND	U
208-96-8	ACENAPHTHYLENE	330.	ND	U
99-09-2	3-NITROANILINE	1700.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-7  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : 9308122-15  
Analyst : *CF*  
Supervisor : *MUT*

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
83-32-9	ACENAPHTHENE	330.	ND	U
51-28-5	2,4-DINITROPHENOL	1700.	ND	U
100-02-7	4-NITROPHENOL	1700.	ND	U
132-64-9	DIBENZOFURAN	330.	ND	U
121-14-2	2,4-DINITROTOLUENE	330.	ND	U
606-20-2	2,6-DINITROTOLUENE	330.	ND	U
84-66-2	DIETHYLPHTHALATE	330.	ND	U
7005-72-3	4-CHLOROPHENYL-PHENYLETHER	330.	ND	U
86-73-7	FLUORENE	330.	ND	U
100-01-6	4-NITROANILINE	1700.	ND	U
534-52-1	4,6-DINITRO-2-METHYLPHENOL	1700.	ND	U
86-30-6	N-NITROSODIPHENYLAMINE (1)	330.	ND	U
101-55-3	4-BROMOPHENYL-PHENYLETHER	330.	ND	U
118-74-1	HEXACHLOROBENZENE	330.	ND	U
87-86-5	PENTACHLOROPHENOL	1700.	ND	U
85-01-8	PHENANTHRENE	330.	ND	U
120-12-7	ANTHRACENE	330.	ND	U
84-74-2	DI-N-BUTYLPHTHALATE	330.	ND	U
206-44-0	FLUORANTHENE	330.	ND	U
129-00-0	PYRENE	330.	ND	U
85-68-7	BUTYLBENZYLPHTHALATE	330.	ND	U
91-94-1	3,3'-DICHLOROBENZIDINE	670.	ND	U
56-55-3	BENZO (A) ANTHRACENE	330.	ND	U
218-01-9	CHRYSENE	330.	ND	U
117-81-7	BIS (2-ETHYLHEXYL) PHTHALATE	330.	ND	U
117-84-0	DI-N-OCTYLPHTHALATE	330.	ND	U
205-99-2	BENZO (B) FLUOROANTHENE	330.	ND	U
207-08-9	BENZO (K) FLUOROANTHENE	330.	ND	U
50-32-8	BENZO (A) PYRENE	330.	ND	U
193-39-5	INDENO (1, 2, 3-CD) PYRENE	330.	ND	U
53-70-3	DIBENZ [A, H] ANTHRACENE	330.	ND	U
191-24-2	BENZO (G, H, I) PERYLENE	330.	ND	U
62-75-9	N-NITROSODIMETHYLAMINE	330.	ND	U
4165-61-1	ANILINE	330.	ND	U
103-33-3	AZOBENZENE	330.	ND	U
92-87-5	BENZIDINE	330.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-12  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : 9308122-16  
Analyst : CF.  
Supervisor : MCT

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
108-95-2	PHENOL	330.	ND	U
111-44-4	BIS(2-CHLOROETHYL) ETHER	330.	ND	U
95-57-8	2-CHLOROPHENOL	330.	ND	U
541-73-1	1,3-DICHLOROBENZENE	330.	ND	U
106-46-7	1,4-DICHLOROBENZENE	330.	ND	U
100-51-6	BENZYL ALCOHOL	330.	ND	U
95-50-1	1,2-DICHLOROBENZENE	330.	ND	U
95-48-7	2-METHYLPHENOL	330.	ND	U
108-60-1	2,2'-OXYBIS(1-CHLOROPROPANE)	330.	ND	U
106-44-5	4-METHYLPHENOL	330.	ND	U
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	330.	ND	U
67-72-1	HEXACHLOROETHANE	330.	ND	U
98-95-3	NITROBENZENE	330.	ND	U
78-59-1	ISOPHORONE	330.	ND	U
88-75-5	2-NITROPHENOL	330.	ND	U
105-67-9	2,4-DIMETHYLPHENOL	330.	ND	U
65-85-0	BENZOIC ACID	1700.	ND	U
111-91-1	BIS(2-CHLOROETHOXY)METHANE	330.	ND	U
120-83-2	2,4-DICHLOROPHENOL	330.	ND	U
120-82-1	1,2,4-TRICHLOROBENZENE	330.	ND	U
91-20-3	NAPHTHALENE	330.	1700.	U
106-47-8	4-CHLOROANILINE	330.	ND	U
87-68-3	HEXACHLOROBUTADIENE	330.	ND	U
59-50-7	4-CHLORO-3-METHYLPHENOL	330.	ND	U
91-57-6	2-METHYLNAPHTHALENE	330.	1800.	U
77-47-4	HEXACHLOROCYCLOPENTADIENE	330.	ND	U
88-06-2	2,4,6-TRICHLOROPHENOL	330.	ND	U
95-95-4	2,4,5-TRICHLOROPHENOL	1700.	ND	U
91-58-7	2-CHLORONAPHTHALENE	330.	ND	U
88-74-4	2-NITROANILINE	1700.	ND	U
131-11-3	DIMETHYLPHTHALATE	330.	ND	U
208-96-8	ACENAPHTHYLENE	330.	ND	U
99-09-2	3-NITROANILINE	1700.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Sample ID : SB-17-12  
Matrix : SOIL  
Date Sampled : 8/ 9/93  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : 9308122-16  
Analyst : CF  
Supervisor : MCF

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
83-32-9	ACENAPHTHENE	330.	ND	U
51-28-5	2,4-DINITROPHENOL	1700.	ND	U
100-02-7	4-NITROPHENOL	1700.	ND	U
132-64-9	DIBENZOFURAN	330.	ND	U
121-14-2	2,4-DINITROTOLUENE	330.	ND	U
606-20-2	2,6-DINITROTOLUENE	330.	ND	U
84-66-2	DIETHYLPHTHALATE	330.	ND	U
7005-72-3	4-CHLOROPHENYL-PHENYLETHER	330.	ND	U
86-73-7	FLUORENE	330.	ND	U
100-01-6	4-NITROANILINE	1700.	ND	U
534-52-1	4,6-DINITRO-2-METHYLPHENOL	1700.	ND	U
86-30-6	N-NITROSODIPHENYLAMINE (1)	330.	ND	U
101-55-3	4-BROMOPHENYL-PHENYLETHER	330.	ND	U
118-74-1	HEXACHLOROBENZENE	330.	ND	U
87-86-5	PENTACHLOROPHENOL	1700.	ND	U
85-01-8	PHENANTHRENE	330.	ND	U
120-12-7	ANTHRACENE	330.	ND	U
84-74-2	DI-N-BUTYLPHTHALATE	330.	ND	U
206-44-0	FLUORANTHENE	330.	ND	U
129-00-0	PYRENE	330.	ND	U
85-68-7	BUTYLBENZYLPHTHALATE	330.	ND	U
91-94-1	3,3'-DICHLOROBENZIDINE	670.	ND	U
56-55-3	BENZO(A) ANTHRACENE	330.	ND	U
218-01-9	CHRYSENE	330.	ND	U
117-81-7	BIS(2-ETHYLHEXYL) PHTHALATE	330.	ND	U
117-84-0	DI-N-OCTYLPHTHALATE	330.	ND	U
205-99-2	BENZO(B) FLUOROANTHENE	330.	ND	U
207-08-9	BENZO(K) FLUOROANTHENE	330.	ND	U
50-32-8	BENZO(A) PYRENE	330.	ND	U
193-39-5	INDENO(1,2,3-CD)PYRENE	330.	ND	U
53-70-3	DIBENZ[A,H]ANTHRACENE	330.	ND	U
191-24-2	BENZO(G,H,I)PERYLENE	330.	ND	U
62-75-9	N-NITROSODIMETHYLAMINE	330.	ND	U
4165-61-1	ANILINE	330.	ND	U
103-33-3	AZOBENZENE	330.	ND	U
92-87-5	BENZIDINE	330.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
ANAMETRIX, INC. (408) 432-8192

Project ID :  
Sample ID : SBLKFA  
Matrix : SOIL  
Date Sampled : 0/ 0/ 0  
Date Extracted : 8/10/93  
Amount Extracted : 30.0 g  
Date Analyzed : 8/11/93  
Instrument ID : F3

Anamatrix ID : BG10H1B1  
Analyst : CF  
Supervisor : MCT

Dilution Factor : 1.0  
Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
108-95-2	PHENOL	330.	ND	U
111-44-4	BIS(2-CHLOROETHYL) ETHER	330.	ND	U
95-57-8	2-CHLOROPHENOL	330.	ND	U
541-73-1	1,3-DICHLOROBENZENE	330.	ND	U
106-46-7	1,4-DICHLOROBENZENE	330.	ND	U
100-51-6	BENZYL ALCOHOL	330.	ND	U
95-50-1	1,2-DICHLOROBENZENE	330.	ND	U
95-48-7	2-METHYLPHENOL	330.	ND	U
108-60-1	2,2'-OXYBIS(1-CHLOROPROPANE)	330.	ND	U
106-44-5	4-METHYLPHENOL	330.	ND	U
621-64-7	N-NITROSO-DI-N-PROPYLAMINE	330.	ND	U
67-72-1	HEXACHLOROETHANE	330.	ND	U
98-95-3	NITROBENZENE	330.	ND	U
78-59-1	ISOPHORONE	330.	ND	U
88-75-5	2-NITROPHENOL	330.	ND	U
105-67-9	2,4-DIMETHYLPHENOL	330.	ND	U
65-85-0	BENZOIC ACID	1700.	ND	U
111-91-1	BIS(2-CHLOROETHOXY)METHANE	330.	ND	U
120-83-2	2,4-DICHLOROPHENOL	330.	ND	U
120-82-1	1,2,4-TRICHLOROBENZENE	330.	ND	U
91-20-3	NAPHTHALENE	330.	ND	U
106-47-8	4-CHLOROANILINE	330.	ND	U
87-68-3	HEXACHLOROBUTADIENE	330.	ND	U
59-50-7	4-CHLORO-3-METHYLPHENOL	330.	ND	U
91-57-6	2-METHYLNAPHTHALENE	330.	ND	U
77-47-4	HEXACHLOROCYCLOPENTADIENE	330.	ND	U
88-06-2	2,4,6-TRICHLOROPHENOL	330.	ND	U
95-95-4	2,4,5-TRICHLOROPHENOL	1700.	ND	U
91-58-7	2-CHLORONAPHTHALENE	330.	ND	U
88-74-4	2-NITROANILINE	1700.	ND	U
131-11-3	DIMETHYLPHTHALATE	330.	ND	U
208-96-8	ACENAPHTHYLENE	330.	ND	U
99-09-2	3-NITROANILINE	1700.	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8270  
 ANAMETRIX, INC. (408)432-8192

Project ID :  
 Sample ID : SBLKFA  
 Matrix : SOIL  
 Date Sampled : 0/ 0/ 0  
 Date Extracted : 8/10/93  
 Amount Extracted : 30.0 g  
 Date Analyzed : 8/11/93  
 Instrument ID : F3

Anamatrix ID : BG10H1B1  
 Analyst : *CF*  
 Supervisor : *MS*

Dilution Factor : 1.0  
 Conc. Units : ug/Kg

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
83-32-9	ACENAPHTHENE	330.	ND	U
51-28-5	2,4-DINITROPHENOL	1700.	ND	U
100-02-7	4-NITROPHENOL	1700.	ND	U
132-64-9	DIBENZOFURAN	330.	ND	U
121-14-2	2,4-DINITROTOLUENE	330.	ND	U
606-20-2	2,6-DINITROTOLUENE	330.	ND	U
84-66-2	DIETHYLPHTHALATE	330.	ND	U
7005-72-3	4-CHLOROPHENYL-PHENYLETHER	330.	ND	U
86-73-7	FLUORENE	330.	ND	U
100-01-6	4-NITROANILINE	1700.	ND	U
534-52-1	4,6-DINITRO-2-METHYLPHENOL	1700.	ND	U
86-30-6	N-NITROSODIPHENYLAMINE (1)	330.	ND	U
101-55-3	4-BROMOPHENYL-PHENYLETHER	330.	ND	U
118-74-1	HEXACHLOROBENZENE	330.	ND	U
87-86-5	PENTACHLOROPHENOL	1700.	ND	U
85-01-8	PHENANTHRENE	330.	ND	U
120-12-7	ANTHRACENE	330.	ND	U
84-74-2	DI-N-BUTYLPHTHALATE	330.	ND	U
206-44-0	FLUORANTHENE	330.	ND	U
129-00-0	PYRENE	330.	ND	U
85-68-7	BUTYLBENZYLPHTHALATE	330.	ND	U
91-94-1	3,3'-DICHLOROBENZIDINE	670.	ND	U
56-55-3	BENZO (A) ANTHRACENE	330.	ND	U
218-01-9	CHRYSENE	330.	ND	U
117-81-7	BIS (2-ETHYLHEXYL) PHTHALATE	330.	ND	U
117-84-0	DI-N-OCTYLPHTHALATE	330.	ND	U
205-99-2	BENZO (B) FLUOROANTHENE	330.	ND	U
207-08-9	BENZO (K) FLUOROANTHENE	330.	ND	U
50-32-8	BENZO (A) PYRENE	330.	ND	U
193-39-5	INDENO (1,2,3-CD) PYRENE	330.	ND	U
53-70-3	DIBENZ [A,H] ANTHRACENE	330.	ND	U
191-24-2	BENZO (G,H,I) PERYLENE	330.	ND	U
62-75-9	N-NITROSODIMETHYLAMINE	330.	ND	U
4165-61-1	ANILINE	330.	ND	U
103-33-3	AZOBENZENE	330.	ND	U
92-87-5	BENZIDINE	330.	ND	U

SURROGATE RECOVERY SUMMARY -- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
Matrix : SOLID

Anamatrix ID : 9308122  
Analyst : *GF*  
Supervisor : *MCT*

	SAMPLE ID	SU1	SU2	SU3	SU4	SU5	SU6
1	SBLKFA	41	42	62	68	45	68
2	LCSFA	50	51	76	72	55	75
3	SB-17-4.	39	42	59	60	54	70
4	SB-17-7	42	44	61	64	53	72
5	SB-17-12	41	43	60	63	52	66
6	SB-17MS	41	43	58	61	49	64
7	SB-17MSD	41	43	58	60	47	63
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

QC LIMITS

SU1 = 2-FLUOROPHENOL	(25-121)
SU2 = PHENOL-D5	(24-113)
SU3 = NITROBENZENE-D5	(23-120)
SU4 = 2-FLUOROBIPHENYL	(30-115)
SU5 = 2,4,6-TRIBROMOPHENOL	(19-122)
SU6 = TERPHENYL-D14	(18-137)

\* Values outside of Anamatrix QC limits

MATRIX SPIKE RECOVERY FORM -- EPA METHOD 8270  
 ANAMETRIX, INC. (408)432-8192

Project ID : 1649.15  
 Sample ID : SB-17-4.  
 Matrix : SOIL  
 Date Sampled : 8/ 9/93  
 Date Extracted : 8/10/93  
 Date Analyzed : 8/11/93  
 Instrument ID : F3

Anamatrix ID : 9308122-14  
 Analyst : *DF*  
 Supervisor : *MC*

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	MS CONCENTRATION (ug/Kg)	MS % REC	%REC LIMITS
PHENOL	2500.	0.	1701.	68	14-118
2-CHLOROPHENOL	2500.	0.	1663.	67	31-113
1,4-DICHLOROBENZENE	1667.	0.	994.	60	32-104
N-NITROSO-DI-N-PROP. (1)	1667.	0.	1133.	68	29-139
1,2,4-TRICHLOROBENZENE	1667.	0.	1070.	64	33-114
4-CHLORO-3-METHYLPHENOL	2500.	0.	1833.	73	32-125
ACENAPHTHENE	1667.	0.	1198.	72	34-115
4-NITROPHENOL	2500.	0.	1962.	78	32-129
2,4-DINITROTOLUENE	1667.	0.	1238.	74	20-126
PENTACHLOROPHENOL	2500.	0.	1836.	73	29-150
PYRENE	1667.	0.	1309.	79	28-143

COMPOUND	SPIKE ADDED (ug/Kg)	MSD CONCENTRATION (ug/Kg)	MSD % REC	% RPD	RPD LIMITS	%REC LIMITS
PHENOL	2500.	1727.	69	2	35	14-118
2-CHLOROPHENOL	2500.	1643.	66	1	50	31-113
1,4-DICHLOROBENZENE	1667.	959.	58	4	27	32-104
N-NITROSO-DI-N-PROP. (1)	1667.	1126.	68	1	38	29-139
1,2,4-TRICHLOROBENZENE	1667.	1052.	63	2	23	33-114
4-CHLORO-3-METHYLPHENOL	2500.	1824.	73	0	33	32-125
ACENAPHTHENE	1667.	1147.	69	4	19	34-115
4-NITROPHENOL	2500.	1920.	77	2	50	32-129
2,4-DINITROTOLUENE	1667.	1206.	72	3	47	20-126
PENTACHLOROPHENOL	2500.	1790.	72	3	47	29-150
PYRENE	1667.	1258.	75	4	36	28-143

\* Value is outside of Anamatrix QC limits

RPD: 0 out of 11 outside limits  
 Spike Recovery: 0 out of 22 outside limits



LABORATORY CONTROL SPIKE RECOVERY FORM --- EPA METHOD 8270  
ANAMETRIX, INC. (408)432-8192

Project/Case : Anamatrix ID : MG10H1B1  
 Matrix : SOLID Analyst : CE  
 Date Sampled : 0/ 0/00 Supervisor : MCT  
 Date Extracted : 8/10/93 SDG/Batch :  
 Date Analyzed : 8/11/93  
 Instrument ID : F3 Level : Low  
 LCSFA

COMPOUND	SPIKE ADDED (ug/Kg)	SAMPLE CONCENTRATION (ug/Kg)	LCS CONCENTRATION (ug/Kg)	LCS % REC	%REC LIMITS
Phenol	2500	0	1800	72	33-105
2-Chlorophenol	2500	0	1900	76	41-102
1,4-Dichlorobenzene	1700	0	1100	65	35-98
N-nitroso-di-n-propylamine	1700	0	1200	71	39-117
1,2,4-Trichlorobenzene	1700	0	1300	76	39-105
4-Chloro-3-methylphenol	2500	0	2000	80	42-108
Acenaphthene	1700	0	1300	76	41-102
4-Nitrophenol	2500	0	2200	88	26-113
2,4-Dinitrotoluene	1700	0	1300	76	38-96
Pentachlorophenol	2500	0	1900	76	41-121
Pyrene	1700	0	1500	88	41-110

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: PEST

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308122-14	SB-17-4.5	SOIL	08/09/93	8080 PCB
9308122-15	SB-17-7	SOIL	08/09/93	8080 PCB
9308122-16	SB-17-12	SOIL	08/09/93	8080 PCB

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: PEST

QA/QC SUMMARY :

- No QA/QC problems encountered for samples.

Paul John                      8-16-93  
Department Supervisor                      Date

Christina E. Lehley                      08/10/93  
Chemist                      Date

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID	: 1649.15	Anamatrix ID	: 9308122-14
Sample ID	: SB-17-4.5	Analyst	: <i>CS</i>
Matrix	: SOIL	Supervisor	: <i>Ry</i>
Date Sampled	: 8/9/93	Volume ext.	: 30 g
Date Extracted	: 8/10/93	pH	: N/A
Date Analyzed	: 8/11/93	Final Vol.	: 10000 uL
Instrument ID	: HP22	Inj. Vol.	: 1 ul
Dilution	: NONE	%Moisture	: N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	83	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308122-15
Sample ID : SB-17-7	Analyst : <del>CS</del>
Matrix : SOIL	Supervisor : <del>AS</del>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	83	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308122-16
Sample ID : SB-17-12	Analyst : <i>gj</i>
Matrix : SOIL	Supervisor : <i>By</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	76	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID	: N/A	Anamatrix ID	: BG10H1PE
Sample ID	: BLANK	Analyst	: <i>cel</i>
Matrix	: SOIL	Supervisor	: <i>ms</i>
Date Sampled	: N/A	Volume ext.	: 30 g
Date Extracted	: 8/10/93	pH	: N/A
Date Analyzed	: 8/11/93	Final Vol.	: 10000 uL
Instrument ID	: HP22	Inj. Vol.	: 1 ul
Dilution	: NONE		

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	103	80-134

LABORATORY CONTROL SPIKE RECOVERY FORM -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID : N/A	Anamatrix ID : MG10H1PE
Sample ID : LCS	Analyst : <del>CS</del>
Matrix : SOIL	Supervisor : <del>RJ</del>
Date Sampled : N/A	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	

LCS COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	306	61
			RECOVERY LIMITS
			60-122
		SURROGATE - LCS	PERCENT RECOVERY
		Decachlorobiphenyl	81
			80-134



MATRIX SPIKE RECOVERY FORM -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID : N/A Anamatrix ID : 9308122-15  
 Sample ID : MS/MSD Analyst : *CSJ*  
 Matrix : SOIL Supervisor : *AS*  
 Date Sampled : 8/9/93 Volume ext. : 30 g  
 Date Extracted : 8/10/93 pH : N/A  
 Date Analyzed : 8/11/93 Final Vol. : 10000 uL  
 Instrument ID : HP22 Inj. Vol. : 1 ul  
 Dilution : NONE

COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	393.0	79
COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	383.0	77
COMPOUND NAME	RPD	RECOVERY LIMITS	RPD LIMITS
Aroclor 1248	3	60-122	0-30
	SURROGATE - MS	PERCENT RECOVERY	RECOVERY LIMITS
	Decachlorobiphenyl	95	80-134
	SURROGATE - MSD	PERCENT RECOVERY	RECOVERY LIMITS
	Decachlorobiphenyl	99	80-134

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308122- 1	SB-8-9.5	SOIL	08/08/93	TPHd
9308122- 3	SB-8-14.5	SOIL	08/08/93	TPHd
9308122- 4	SB-1-7	SOIL	08/08/93	TPHd
9308122- 6	SB-1-14.5	SOIL	08/08/93	TPHd
9308122- 8	SB-5-7	SOIL	08/08/93	TPHd
9308122- 9	SB-5-14.5	SOIL	08/08/93	TPHd
9308122-10	SB-6-9.5	SOIL	08/08/93	TPHd
9308122-13	SB-6-14.5	SOIL	08/08/93	TPHd
9308122-14	SB-17-4.5	SOIL	08/09/93	TPHd
9308122-15	SB-17-7	SOIL	08/09/93	TPHd
9308122-16	SB-17-12	SOIL	08/09/93	TPHd
9308122-14	SB-17-4.5	SOIL	08/09/93	TPHg
9308122-15	SB-17-7	SOIL	08/09/93	TPHg
9308122-16	SB-17-12	SOIL	08/09/93	TPHg
9308122- 1	SB-8-9.5	SOIL	08/08/93	TPHgBTEX
9308122- 3	SB-8-14.5	SOIL	08/08/93	TPHgBTEX
9308122- 4	SB-1-7	SOIL	08/08/93	TPHgBTEX
9308122- 6	SB-1-14.5	SOIL	08/08/93	TPHgBTEX
9308122- 8	SB-5-7	SOIL	08/08/93	TPHgBTEX
9308122- 9	SB-5-14.5	SOIL	08/08/93	TPHgBTEX

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308122-10	SB-6-9.5	SOIL	08/08/93	TPHgBTEX
9308122-13	SB-6-14.5	SOIL	08/08/93	TPHgBTEX

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- The RPD for the diesel matrix spike and matrix spike duplicate on sample SB-5-7 is outside of quality control limits.

Cheryl Beckman 8/17/93  
Department Supervisor Date

Chris Fan 17 August 1993  
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308122  
Matrix : SOIL  
Date Sampled : 08/08/93

Project Number : 1649.15  
Date Released : 08/16/93

Reporting Limit	Sample I.D.#	Sample I.D.#	Sample I.D.#	Sample I.D.#	Sample I.D.#	
	SB-8-9.5	SB-8-14.5	SB-1-7	SB-1-14.5	SB-5-7	
COMPOUNDS (mg/Kg)	-01	-03	-04	-06	-08	
Benzene	0.005	22	0.009	5.4	0.44	2.4
Toluene	0.005	9.5	ND	ND	0.44	0.6
Ethylbenzene	0.005	82	ND	25	0.14	16
Total Xylenes	0.005	290	ND	42	0.61	6.3
TPH as Gasoline	0.5	2800	ND	850	7.4	410
% Surrogate Recovery	116%	137%	122%	122%	110%	
Instrument I.D.	HP12	HP12	HP12	HP12	HP12	
Date Analyzed	08/12/93	08/11/93	08/12/93	08/12/93	08/12/93	
RLMF	1000	1	250	2.5	100	

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 8.16.93  
Analyst Date

Charles Burch 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308122  
Matrix : SOIL  
Date Sampled : 08/08 & 09/93

Project Number : 1649.15  
Date Released : 08/16/93

	Reporting Limit	Sample I.D.# SB- 5-14.5	Sample I.D.# SB- 6-9.5	Sample I.D.# SB- 6-14.5	Sample I.D.# SB- 17-4.5	Sample I.D.# SB- 17-7
COMPOUNDS	(mg/Kg)	-09	-10	-13	-14	-15
Benzene	0.005	0.011	2.7	ND	-	-
Toluene	0.005	ND	ND	ND	-	-
Ethylbenzene	0.005	0.008	15	ND	-	-
Total Xylenes	0.005	0.008	15	ND	-	-
TPH as Gasoline	0.5	ND	490	ND	260	440
% Surrogate Recovery		104%	100%	109%	96%	97%
Instrument I.D.		HP12	HP12	HP12	HP8	HP8
Date Analyzed		08/12/93	08/12/93	08/12/93	08/12/93	08/12/93
RLMF		1	100	1	250	250

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 8-16-93  
Analyst Date

Cheryl Balman 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
 (GASOLINE WITH BTEX)  
 ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308122  
 Matrix : SOIL  
 Date Sampled : 08/09/93

Project Number : 1649.15  
 Date Released : 08/16/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.# SB-17-12	Sample I.D.# BG1101E2	Sample I.D.# BG1201E2	Sample I.D.# BG1201E2
Benzene	0.005	-	ND	ND	ND
Toluene	0.005	-	ND	ND	ND
Ethylbenzene	0.005	-	ND	ND	ND
Total Xylenes	0.005	-	ND	ND	ND
TPH as Gasoline	0.5	500	ND	ND	ND
% Surrogate Recovery		95%	112%	120%	106%
Instrument I.D.		HP8	HP12	HP12	HP8
Date Analyzed		08/12/93	08/11/93	08/12/93	08/12/93
RLMF		250	1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.  
 TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GC/FID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.  
 BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.  
 RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 8.  
 Analyst Date

Cheryl Balmer 8/16/93  
 Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL  
ANAMETRIX, INC. (408) 432-8192

Anametrix W.O.: 9308122  
 Matrix : SOIL  
 Date Sampled : 08/08 & 09/93  
 Date Extracted: 08/10/93

Project Number : 1649.15  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

Anametrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308122-01	SB-8-9.5	08/11/93	66%	50	110
9308122-03	SB-8-14.5	08/10/93	71%	10	ND
9308122-04	SB-1-7	08/10/93	75%	10	240
9308122-06	SB-1-14.5	08/10/93	69%	10	ND
9308122-08	SB-5-7	08/10/93	69%	10	15
9308122-09	SB-5-14.5	08/10/93	73%	10	ND
9308122-10	SB-6-9.5	08/11/93	84%	10	51
9308122-13	SB-6-14.5	08/11/93	77%	10	ND
9308122-14	SB-17-4.5	08/11/93	83%	10	40
9308122-15	SB-17-7	08/11/93	76%	10	17
9308122-16	SB-17-12	08/11/93	73%	100	130
BG1011F1	METHOD BLANK	08/10/93	55%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
 The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
 TPHd - Total Petroleum Hydrocarbons as C12-C22 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

C. Fan 17 August 93  
 Analyst Date

Christal B. Adams 8/7/93  
 Supervisor Date



ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL  
ANAMETRIX, INC. (408) 432-8192

Anametrix W.O.: 9308122  
Matrix : SOIL  
Date Sampled : 08/08 & 09/93  
Date Extracted: 08/10/93

Project Number : 1649.15  
Date Released : 08/16/93  
Instrument I.D.: HP9

Anametrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308122-01	SB-8-9.5	08/11/93	66%	50	ND
9308122-03	SB-8-14.5	08/10/93	71%	10	11
9308122-04	SB-1-7	08/10/93	75%	10	27
9308122-06	SB-1-14.5	08/10/93	69%	10	ND
9308122-08	SB-5-7	08/10/93	69%	10	ND
9308122-09	SB-5-14.5	08/10/93	73%	10	ND
9308122-10	SB-6-9.5	08/11/93	84%	10	ND
9308122-13	SB-6-14.5	08/11/93	77%	10	ND
9308122-14	SB-17-4.5	08/11/93	83%	10	ND
9308122-15	SB-17-7	08/11/93	76%	10	ND
9308122-16	SB-17-12	08/11/93	73%	100	190
BG1011F1	METHOD BLANK	08/10/93	55%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
TPHd - Total Petroleum Hydrocarbons as C22-C36 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

C. Fern 17 August 93  
Analyst Date

Cheryl Balon 8/17/93  
Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 SB-6-14.5  
 Matrix : SOIL  
 Date Sampled : 08/08/93  
 Date Analyzed : 08/13/93

Anamatrix I.D. : 08122-13  
 Analyst : *CMD*  
 Supervisor : *S*  
 Date Released : 08/16/93  
 Instrument ID : HP12

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
GASOLINE	1.00	0	0.98	98%	0.99	99%	1%	48-149
P-BFB				87%		83%		53-147

\* Limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/PID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/12/93

Anamatrix I.D. : MG1201E3  
 Analyst : *OMB*  
 Supervisor : *ca*  
 Date Released : 08/16/93  
 Instrument ID : HP12

COMPOUND	SPIKE AMT (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
BENZENE	0.020	0.024	120%	52-133
TOLUENE	0.020	0.023	115%	57-136
ETHYLBENZENE	0.020	0.024	120%	56-139
TOTAL-XYLENES	0.020	0.025	125%	56-141
P-BFB			102%	53-147

\* Quality control limit established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/13/93

Anamatrix I.D. : MG1203E1  
 Analyst : *CMB*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP12

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.45	90%	58-130
p-BFB			86%	53-147

\* Quality control established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/13/93

Anamatrix I.D. : MG1202E1  
 Analyst : *CMB*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP8

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.48	96%	58-130
p-BFB			104%	53-147

\* Quality control established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 SB-5-7  
 Matrix : SOIL  
 Date Sampled : 08/11/93  
 Date Extracted: 08/10/93  
 Date Analyzed : 08/11/93

Anamatrix I.D. : 08122-08  
 Analyst : *CMB*  
 Supervisor : *CS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
DIESEL	125	15	130	92%	86	57%	-41%	32-143
SURROGATE				82%		77%		30-130

\* Quality control limit established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Extracted: 08/10/93  
 Date Analyzed : 08/10/93

Anamatrix I.D. : MG1011F1  
 Analyst : *CMB*  
 Supervisor : *JS*  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

COMPOUND	SPIKE AMT (mg/Kg)	REC LCS (mg/Kg)	% REC LCS	% REC LIMITS
DIESEL	125	97	78%	48-113
SURROGATE			71%	30-130

\*Limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/12/93

Anamatrix I.D. : MG1102E1  
 Analyst : *cmB*  
 Supervisor : *cb*  
 Date Released : 08/16/93  
 Instrument I.D.: HP12

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.48	96%	58-130
p-BFB			104%	53-147

\* Quality control established by Anamatrix, Inc.



REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308122- 1	SB-8-9.5	SOIL	08/08/93	5520EF
9308122- 3	SB-8-14.5	SOIL	08/08/93	5520EF
9308122- 4	SB-1-7	SOIL	08/08/93	5520EF
9308122- 6	SB-1-14.5	SOIL	08/08/93	5520EF
9308122- 8	SB-5-7	SOIL	08/08/93	5520EF
9308122- 9	SB-5-14.5	SOIL	08/08/93	5520EF
9308122-10	SB-6-9.5	SOIL	08/08/93	5520EF
9308122-13	SB-6-14.5	SOIL	08/08/93	5520EF
9308122-14	SB-17-4.5	SOIL	08/09/93	5520EF
9308122-15	SB-17-7	SOIL	08/09/93	5520EF
9308122-16	SB-17-12	SOIL	08/09/93	5520EF

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308122  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

T. Cap      08/12/93  
Department Supervisor      Date

H. E. ...      8/12/93  
Chemist      Date

ANALYSIS DATA SHEET - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Project # : 1649.15 Anamatrix I.D. : 9308122  
Matrix : SOIL Analyst : *AG*  
Date sampled : 08/08&09/93 Supervisor : *TS*  
Date extracted: 08/10/93 Date released : 08/12/93  
Date analyzed : 08/11/93

Workorder #	Sample I.D.	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308122-01	SB-8-9.5	30	130
9308122-03	SB-8-14.5	30	37
9308122-04	SB-1-7	30	290
9308122-06	SB-1-14.5	30	60
9308122-08	SB-5-7	30	37
9308122-09	SB-5-14.5	30	93
9308122-10	SB-6-9.5	30	67
9308122-13	SB-6-14.5	30	ND
9308122-14	SB-17-4.5	30	70
9308122-15	SB-17-7	30	50
9308122-16	SB-17-12	30	47
BG10H2W9	METHOD BLANK	30	ND

ND - Not detected above the reporting limit for the method.  
TRPH - Total Recoverable Petroleum Hydrocarbons are determined by Standard Method 5520EF, 18th edition.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

MATRIX SPIKE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D. : 1649.15, SB-17-12MS, MD      Anamatrix I.D. : 9308122-16  
Matrix : SOIL      Analyst : *HE*  
Date sampled : 08/09/93      Supervisor : *TS*  
Date extracted : 08/10/93      Date Released : 08/12/93  
Date analyzed : 08/11/93

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	MS AMT (mg/Kg)	%REC MS	MD AMT (mg/Kg)	%REC MD	%RPD	% REC LIMITS
Motor Oil	300	47	320	91%	320	91%	0%	48-114%

\* Quality control limits established by Anamatrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
Standard Method 5520EF, 18th edition.

LAB CONTROL SAMPLE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
 AS OIL AND GREASE  
 ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE	Anamatrix I.D. : MG10H2W9
Matrix : SOIL	Analyst : <i>HE</i>
Date sampled : N/A	Supervisor : <i>TS</i>
Date extracted : 08/10/93	Date Released : 08/12/93
Date analyzed : 08/11/93	

COMPOUND	SPIKE AMT. (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
Motor Oil	300	290	97%	71-119%

\* Quality control established by Anamatrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
 Standard Method 5520EF.

4208122

(18) 8/25  
10:25 a.m.

## CHAIN OF CUSTODY / ANALYSES REQUEST FORM

Project No.: 1649.15      Field Logbook No.: \_\_\_\_\_      Date: 8/9/93      Serial No.: 11040

Project Name: Verbra Buren      Project Location: Emeryville

Sampler (Signature): Rubin Barber

SAMPLES						ANALYSES						SAMPLERS:		REMARKS	
SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CONTAINERS	SAMPLE TYPE	8240	8270	5020	3510	5020	5520	HOLD	RUSH		RWB, WBM
1	SB-8-9.5	8/8		1-Brass	Soil	X	X	X	X	X	X				<p>48 hour turnaround time Proj. Manager. Cindy Berkeley</p> <p>* SVOLs Method 8240 and 8270 taken off held 8/13/93 per Cindy Berkeley. CUR</p> <p>Please report hydrocarbon chain lengths per Cindy Berkeley. 8/11/93 CUR</p>
2	SB-8-12	8/8				X	X	X	X	X	X				
3	SB-8-14.5	8/8				X	X	X	X	X	X				
4	SB-1-7	8/8				X	X	X	X	X	X				
5	SB-1-9.5	8/8				X	X	X	X	X	X				
6	SB-1-14.5	8/8				X	X	X	X	X	X				
7	SB-5-4.5	8/8				X	X	X	X	X	X				
8	SB-5-7	8/8				X	X	X	X	X	X				
9	SB-5-14.5	8/8				X	X	X	X	X	X				
10	SB-6-9.5	8/8				X	X	X	X	X	X				
11	SB-6-12	8/8				X	X	X	X	X	X				
12	SB-6-7	8/8				X	X	X	X	X	X				
13	SB-6-14.5	8/8				X	X	X	X	X	X				
14	SB-17-4.5	8/9				X	X	X	X	X	X				
15	SB-17-7	8/9				X	X	X	X	X	X				
16	SB-17-12	8/9				X	X	X	X	X	X				

RELINQUISHED BY: (Signature) <u>Rubin Barber</u>	DATE: <u>8/9/93</u> TIME: <u>6:42</u>	RECEIVED BY: (Signature) <u>Matthew Cloud</u>	DATE: <u>8/9/93</u> TIME: <u>10:42</u>
RELINQUISHED BY: (Signature) <u>Matthew Cloud</u>	DATE: <u>8/10/93</u> TIME: <u>0825</u>	RECEIVED BY: (Signature) <u>Bonny C. Caruso</u>	DATE: <u>8/10/93</u> TIME: <u>0825</u>
RELINQUISHED BY: (Signature) <u>Josephine DeCarli</u>	DATE: <u>8/10/93</u> TIME: <u>0925</u>	RECEIVED BY: (Signature) <u>Josephine DeCarli</u>	DATE: <u>8/10/93</u> TIME: <u>09:25</u>
METHOD OF SHIPMENT:	DATE: _____      TIME: _____	LAB COMMENTS:	
Sample Collector: LEVINE-FRICKE 1900 Powell Street, 12th Floor Emeryville, Ca 94608 (415) 652-4500	Analytical Laboratory: <u>Anametrix</u>		

CHAIN OF CUSTODY / ANALYSES REQUEST FORM

10.9.2

Project No.: 164915      Field Logbook No.:      Date: 8/9/93      Serial No.: 11040

Project Name: Verba Boeray      Project Location: Emeryville

Sampler (Signature): *[Signature]*      ANALYSES      Samplers: RWB, WEM

SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CONTAINERS	SAMPLE TYPE	ANALYSES										REMARKS	
						8240	8270	TPH	TPH	5020	3510	8020	8020	3520	EF		HOLD
SB-8-9.5	8/8			1-Brass	Soil	X	X	X	X	X	X	X	X	X	X	X	48 hour turnaround time
SB-8-12	8/8					X	X	X	X	X	X	X	X	X	X	X	Proj. Manager. Cindy Berkeley
SB-8-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	*VOLs Method 8240 and MOVED to (VOLs Method 8270 8/9/93, taken off hold 8/14/93 per Cindy Berkeley. CUR
SB-1-7	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-1-9.5	8/8					X	X	X	X	X	X	X	X	X	X	X	Please report hydrocarbon chain lengths per Cindy Berkeley. 8/11/93 CUR
SB-1-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-5-4.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-5-7	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-5-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-6-9.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-6-12	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-6-7	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-6-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
SB-17-4.5	8/9					X	X	X	X	X	X	X	X	X	X	X	
SB-17-7	8/9					X	X	X	X	X	X	X	X	X	X	X	
SB-17-12	8/9					X	X	X	X	X	X	X	X	X	X	X	

RELINQUISHED BY: <i>[Signature]</i>	DATE: 8/9/93	TIME: 6:42	RECEIVED BY: <i>[Signature]</i>	DATE: 8/9/93	TIME: 6:42
RELINQUISHED BY: <i>[Signature]</i>	DATE: 8/10/93	TIME: 0825	RECEIVED BY: <i>[Signature]</i>	DATE: 8/10/93	TIME: 0825
RELINQUISHED BY: <i>[Signature]</i>	DATE: 8/10/93	TIME: 0925	RECEIVED BY: <i>[Signature]</i>	DATE: 8/10/93	TIME: 09:25
METHOD OF SHIPMENT:	DATE:	TIME:	LAB COMMENTS:		

Sample Collector: LEVINE-FRICKE  
1900 Powell Street, 12th Floor  
Emeryville, Ca 94608  
(415) 652-4500

Analytical Laboratory:  
*Anamedrix*



# Inchcape Testing Services

## Anamatrix Laboratories

1961 Concourse Drive  
 Suite F  
 San Jose, CA 95131  
 Tel: 408-432-8192  
 Fax: 408-432-8198

MS. CINDY BARCLAY

Workorder # : 9308123  
 Date Received : 08/10/93

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMATRIX, INC. (408) 432-8192

Project ID : 1649.15 Anamatrix ID : 9308123-04  
 Sample ID : SB-13-6.5 Analyst : *CSF*  
 Matrix : SOIL Supervisor : *Jy*  
 Date Sampled : 8/9/93 Volume ext. : 30 g

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMATRIX, INC. (408) 432-8192

Project ID : 1649.15 Anamatrix ID : 9308123-06  
 Sample ID : SB-14-4.5 Analyst : *CSF*  
 Matrix : SOIL Supervisor : *Jy*  
 Date Sampled : 8/9/93 Volume ext. : 30 g  
 Date Extracted : 8/10/93 pH : N/A  
 Date Analyzed : 8/11/93 Final Vol. : 10000 uL  
 Instrument ID : HP22 Inj. Vol. : 1 ul  
 Dilution : NONE %Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	86	80-134



CHAIN OF CUSTODY / ANALYSES REQUEST FORM

10.7.9.3

Project No.: 1649.15	Field Logbook No.:	Date: 8/9/93	Serial No.: 11040
Project Name: Verba Buena	Project Location: Emeryville		

Sampler (Signature): <i>Robin Barber</i>	ANALYSES
SAMPLES	Samplers: RWB, WBM

SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CONTAINERS	SAMPLE TYPE	ANALYSES										REMARKS	
						8240	8270	8270	8270	8270	8270	8270	8270	8270	8270		8270
1 SB-8-9.5	8/8			1-Brass	Soil	X	X	X	X	X	X	X	X	X	X	X	48 hour turnaround time
2 SB-8-12	8/8					X	X	X	X	X	X	X	X	X	X	X	Proj. Manager. Cindy Barkley
3 SB-8-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
4 SB-1-7	8/8					X	X	X	X	X	X	X	X	X	X	X	* VOCs Method 8240 and
5 SB-1-9.5	8/8					X	X	X	X	X	X	X	X	X	X	X	MOVED to (SVOCs Method 8270
6 SB-1-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	8/8/93 TAKEN off held 8/13/93 per Cindy Barkley. CUR
7 SB-5-4.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
8 SB-5-7	8/8					X	X	X	X	X	X	X	X	X	X	X	Please report hydrocarbon
9 SB-5-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	chain lengths per Cindy
10 SB-6-9.5	8/8					X	X	X	X	X	X	X	X	X	X	X	Barkley. 8/11/93 CUR
11 SB-6-12	8/8					X	X	X	X	X	X	X	X	X	X	X	
12 SB-6-7	8/8					X	X	X	X	X	X	X	X	X	X	X	
13 SB-6-14.5	8/8					X	X	X	X	X	X	X	X	X	X	X	
14 SB-17-4.5	8/9					X	X	X	X	X	X	X	X	X	X	X	
15 SB-17-7	8/9					X	X	X	X	X	X	X	X	X	X	X	
16 SB-17-12	8/9					X	X	X	X	X	X	X	X	X	X	X	

RELINQUISHED BY: <i>Robin Barber</i>	DATE: 8/9/93	TIME: 6-42	RECEIVED BY: <i>Matthew Cloud</i>	DATE: 8/9/93	TIME: 10:42
RELINQUISHED BY: <i>Matthew Cloud</i>	DATE: 8/10/93	TIME: 0825	RECEIVED BY: <i>Danny B. Carison</i>	DATE: 8/10/93	TIME: 0825
RELINQUISHED BY: <i>Danny B. Carison</i>	DATE: 8/10/93	TIME: 0925	RECEIVED BY: <i>Josephine DeCarli</i>	DATE: 8/10/93	TIME: 09:25
METHOD OF SHIPMENT:	DATE:	TIME:	LAB COMMENTS:		

Sample Collector: LEVINE-FRICKE 1900 Powell Street, 12th Floor Emeryville, Ca 94608 (415) 652-4500	Analytical Laboratory: <i>Anametrix</i>
---	--



# Inchcape Testing Services

## Anamatrix Laboratories

1961 Concourse Drive  
Suite E  
San Jose, CA 95131  
Tel: 408-432-8192  
Fax: 408-432-8198

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A

The following samples were received at Anamatrix, Inc. for analysis :


ANAMATRIX ID	CLIENT SAMPLE ID
9308123- 1	SB-12-1
9308123- 2	SB-12-3
9308123- 3	SB-13-5
9308123- 4	SB-13-6.5
9308123- 5	SB-14-2
9308123- 6	SB-14-4.5
9308123- 7	SB-15-4.5
9308123- 8	SB-15-6
9308123- 9	SB-16-4.5
9308123-10	SB-16-6
9308123-11	SB-18-1
9308123-12	SB-18-3
9308123-13	SB-19-1.5
9308123-14	SB-19-3

AUG 18 1993

This report consists of 37 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

  
Sarah Schoen, Ph.D.  
Laboratory Director

8-17-93  
Date

COPY

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: PEST

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308123- 1	SB-12-1	SOIL	08/09/93	8080 PCB
9308123- 2	SB-12-3	SOIL	08/09/93	8080 PCB
9308123- 3	SB-13-5	SOIL	08/09/93	8080 PCB
9308123- 4	SB-13-6.5	SOIL	08/09/93	8080 PCB
9308123- 5	SB-14-2	SOIL	08/09/93	8080 PCB
9308123- 6	SB-14-4.5	SOIL	08/09/93	8080 PCB
9308123- 7	SB-15-4.5	SOIL	08/09/93	8080 PCB
9308123- 8	SB-15-6	SOIL	08/09/93	8080 PCB
9308123- 9	SB-16-4.5	SOIL	08/09/93	8080 PCB
9308123-10	SB-16-6	SOIL	08/09/93	8080 PCB
9308123-11	SB-18-1	SOIL	08/09/93	8080 PCB
9308123-12	SB-18-3	SOIL	08/09/93	8080 PCB
9308123-13	SB-19-1.5	SOIL	08/09/93	8080 PCB
9308123-14	SB-19-3	SOIL	08/09/93	8080 PCB

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: PEST

QA/QC SUMMARY :

- No QA/QC problems encountered for samples.

Fred Johnson 08-12-93  
Department Supervisor Date

Christine E. Schlag 08/12/93  
Chemist Date

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID	: 1649.15	Anamatrix ID	: 9308123-01
Sample ID	: SB-12-1	Analyst	: <i>CS</i>
Matrix	: SOIL	Supervisor	: <i>Fj</i>
Date Sampled	: 8/9/93	Volume ext.	: 30 g
Date Extracted	: 8/10/93	pH	: N/A
Date Analyzed	: 8/11/93	Final Vol.	: 10000 uL
Instrument ID	: HP22	Inj. Vol.	: 1 ul
Dilution	: NONE	%Moisture	: N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	92	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308123-02
Sample ID : SB-12-3	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>RS</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	102	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308123-03
Sample ID : SB-13-5	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>RJ</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	101	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID	: 1649.15	Anamatrix ID	: 9308123-04
Sample ID	: SB-13-6.5	Analyst	: <i>Cef</i>
Matrix	: SOIL	Supervisor	: <i>Fy</i>
Date Sampled	: 8/9/93	Volume ext.	: 30 g
Date Extracted	: 8/10/93	pH	: N/A
Date Analyzed	: 8/11/93	Final Vol.	: 10000 uL
Instrument ID	: HP22	Inj. Vol.	: 1 ul
Dilution	: NONE	%Moisture	: N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	91	80-134



ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15  
 Sample ID : SB-14-2  
 Matrix : SOIL  
 Date Sampled : 8/9/93  
 Date Extracted : 8/10/93  
 Date Analyzed : 8/11/93  
 Instrument ID : HP22  
 Dilution : NONE

Anamatrix ID : 9308123-05  
 Analyst : *cep*  
 Supervisor : *fh*  
 Volume ext. : 30 g  
 pH : N/A  
 Final Vol. : 10000 uL  
 Inj. Vol. : 1 ul  
 %Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	220
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	94	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308123-06
Sample ID : SB-14-4.5	Analyst : <i>CS</i>
Matrix : SOIL	Supervisor : <i>MS</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	86	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anametrix ID : 9308123-07
Sample ID : SB-15-4.5	Analyst : <i>CEP</i>
Matrix : SOIL	Supervisor : <i>AS</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	99	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308123-08
Sample ID : SB-15-6	Analyst : <i>CAF</i>
Matrix : SOIL	Supervisor : <i>STJ</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	78	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anametrix ID : 9308123-09
Sample ID : SB-16-4.5	Analyst : <i>CAF</i>
Matrix : SOIL	Supervisor : <i>MJ</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 uL
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	85	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15  
 Sample ID : SB-16-6  
 Matrix : SOIL  
 Date Sampled : 8/9/93  
 Date Extracted : 8/10/93  
 Date Analyzed : 8/11/93  
 Instrument ID : HP22  
 Dilution : NONE

Anamatrix ID : 9308123-10  
 Analyst : *CSJ*  
 Supervisor : *SMJ*  
 Volume ext. : 30 g  
 pH : N/A  
 Final Vol. : 10000 uL  
 Inj. Vol. : 1 ul  
 %Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	77	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15  
 Sample ID : SB-18-1  
 Matrix : SOIL  
 Date Sampled : 8/9/93  
 Date Extracted : 8/10/93  
 Date Analyzed : 8/11/93  
 Instrument ID : HP22  
 Dilution : NONE

Anamatrix ID : 9308123-11  
 Analyst : *COB*  
 Supervisor : *JMS*  
 Volume ext. : 30 g  
 pH : N/A  
 Final Vol. : 10000 uL  
 Inj. Vol. : 1 ul  
 %Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	86	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308123-12
Sample ID : SB-18-3	Analyst : <i>OP</i>
Matrix : SOIL	Supervisor : <i>My</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	95	80-134



ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID	: 1649.15	Anamatrix ID	: 9308123-13
Sample ID	: SB-19-1.5	Analyst	: <i>CEP</i>
Matrix	: SOIL	Supervisor	: <i>FJ</i>
Date Sampled	: 8/9/93	Volume ext.	: 30 g
Date Extracted	: 8/10/93	pH	: N/A
Date Analyzed	: 8/12/93	Final Vol.	: 10000 uL
Instrument ID	: HP22	Inj. Vol.	: 1 ul
Dilution	: NONE	%Moisture	: N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	123	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : 1649.15	Anamatrix ID : 9308123-14
Sample ID : SB-19-3	Analyst : <i>CAF</i>
Matrix : SOIL	Supervisor : <i>Di</i>
Date Sampled : 8/9/93	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/12/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	%Moisture : N/A

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	90	80-134

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : N/A	Anamatrix ID : BG10H2PE
Sample ID : BLANK	Analyst : <i>GD</i>
Matrix : SOIL	Supervisor : <i>STJ</i>
Date Sampled : N/A	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	

CAS No.	COMPOUND NAME	REPORTING LIMIT (ug/Kg)	AMOUNT FOUND (ug/Kg)
12674-11-2	Aroclor 1016	80	ND
1104-28-2	Aroclor 1221	80	ND
11141-16-5	Aroclor 1232	80	ND
53469-21-9	Aroclor 1242	80	ND
12672-29-6	Aroclor 1248	80	ND
11097-69-1	Aroclor 1254	160	ND
11096-82-5	Aroclor 1260	160	ND
	SURROGATE	PERCENT RECOVERY	PERCENT RECOVERY LIMITS
2051-24-3	Decachlorobiphenyl	87	80-134

LABORATORY CONTROL SPIKE RECOVERY FORM -- EPA METHOD 8080PCB  
ANAMETRIX, INC. (408) 432-8192

Project ID : N/A	Anamatrix ID : MG10H2PE
Sample ID : LCS	Analyst : <i>ced</i>
Matrix : SOIL	Supervisor : <i>fy</i>
Date Sampled : N/A	Volume ext. : 30 g
Date Extracted : 8/10/93	pH : N/A
Date Analyzed : 8/11/93	Final Vol. : 10000 uL
Instrument ID : HP22	Inj. Vol. : 1 ul
Dilution : NONE	

LCS COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	322	64
			RECOVERY LIMITS
			60-122
		SURROGATE - LCS	PERCENT RECOVERY LIMITS
		Decachlorobiphenyl	85 80-134

MATRIX SPIKE RECOVERY FORM -- EPA METHOD 8080PCB  
 ANAMETRIX, INC. (408) 432-8192

Project ID : N/A Anamatrix ID : 9308123-12  
 Sample ID : MS/MSD Analyst : *oed*  
 Matrix : SOIL Supervisor : *ry*  
 Date Sampled : 8/9/93 Volume ext. : 30 g  
 Date Extracted : 8/10/93 pH : N/A  
 Date Analyzed : 8/11/93 Final Vol. : 10000 uL  
 Instrument ID : HP22 Inj. Vol. : 1 ul  
 Dilution : NONE

COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	372	74
COMPOUND NAME	AMOUNT ADDED (ug/Kg)	AMOUNT FOUND (ug/Kg)	PERCENT RECOVERY
Aroclor 1248	500	313	63
COMPOUND NAME	RPD	RECOVERY LIMITS	RPD LIMITS
Aroclor 1248	16	60-122	0-30
	SURROGATE - MS	PERCENT RECOVERY	RECOVERY LIMITS
	Decachlorobiphenyl	105	80-134
	SURROGATE - MSD	PERCENT RECOVERY	RECOVERY LIMITS
	Decachlorobiphenyl	82	80-134

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308123- 1	SB-12-1	SOIL	08/09/93	TPHd
9308123- 2	SB-12-3	SOIL	08/09/93	TPHd
9308123- 3	SB-13-5	SOIL	08/09/93	TPHd
9308123- 4	SB-13-6.5	SOIL	08/09/93	TPHd
9308123- 5	SB-14-2	SOIL	08/09/93	TPHd
9308123- 6	SB-14-4.5	SOIL	08/09/93	TPHd
9308123- 7	SB-15-4.5	SOIL	08/09/93	TPHd
9308123- 8	SB-15-6	SOIL	08/09/93	TPHd
9308123- 9	SB-16-4.5	SOIL	08/09/93	TPHd
9308123-10	SB-16-6	SOIL	08/09/93	TPHd
9308123-11	SB-18-1	SOIL	08/09/93	TPHd
9308123-12	SB-18-3	SOIL	08/09/93	TPHd
9308123-13	SB-19-1.5	SOIL	08/09/93	TPHd
9308123-14	SB-19-3	SOIL	08/09/93	TPHd
9308123- 1	SB-12-1	SOIL	08/09/93	TPHg
9308123- 2	SB-12-3	SOIL	08/09/93	TPHg
9308123- 3	SB-13-5	SOIL	08/09/93	TPHg
9308123- 4	SB-13-6.5	SOIL	08/09/93	TPHg
9308123- 5	SB-14-2	SOIL	08/09/93	TPHg
9308123- 6	SB-14-4.5	SOIL	08/09/93	TPHg

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308123- 7	SB-15-4.5	SOIL	08/09/93	TPHg
9308123- 8	SB-15-6	SOIL	08/09/93	TPHg
9308123- 9	SB-16-4.5	SOIL	08/09/93	TPHg
9308123-10	SB-16-6	SOIL	08/09/93	TPHg
9308123-11	SB-18-1	SOIL	08/09/93	TPHg
9308123-12	SB-18-3	SOIL	08/09/93	TPHg
9308123-13	SB-19-1.5	SOIL	08/09/93	TPHg
9308123-14	SB-19-3	SOIL	08/09/93	TPHg

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- The diesel surrogate recovery for sample SB-12-1 is outside of quality control limits due to a dilution.

Cheryl Beckman      8/16/93  
Department Supervisor      Date

Lina Shor      8/16/93  
Chemist      Date



ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308123  
Matrix : SOIL  
Date Sampled : 08/09/93

Project Number : 1649.15  
Date Released : 08/16/93

Reporting Limit	Sample I.D.# SB-12-1	Sample I.D.# SB-12-3	Sample I.D.# SB-13-5	Sample I.D.# SB-13-6.5	Sample I.D.# SB-14-2	
COMPOUNDS (mg/Kg)	-01	-02	-03	-04	-05	
TPH as Gasoline	0.5	ND	6500	23	13	42
% Surrogate Recovery	88%	89%	92%	101%	93%	
Instrument I.D.	HP4	HP4	HP4	HP4	HP4	
Date Analyzed	08/11/93	08/11/93	08/11/93	08/12/93	08/11/93	
RLMF	1	1000	10	2.5	10	

- ND - Not detected at or above the practical quantitation limit for the method.  
 TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.  
 RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Sloan 8/16/93  
Analyst Date

Cheyl Balmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308123  
Matrix : SOIL  
Date Sampled : 08/09/93

Project Number : 1649.15  
Date Released : 08/16/93

Reporting Limit	Sample I.D.# SB 14-4.5	Sample I.D.# SB- 15-4.5	Sample I.D.# SB- 15-6	Sample I.D.# SB- 16-4.5	Sample I.D.# SB- 16-6	
COMPOUNDS (mg/Kg)	-06	-07	-08	-09	-10	
TPH as Gasoline	0.5	ND	4700	3700	9.0	8.3
% Surrogate Recovery	96%	94%	88%	113%	107%	
Instrument I.D.	HP4	HP4	HP4	HP4	HP4	
Date Analyzed	08/11/93	08/11/93	08/12/93	08/11/93	08/11/93	
RLMF	1	1000	1000	2.5	2.5	

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.

RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Laura Shor 8/16/93  
Analyst Date

Cheryl Balmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
 (GASOLINE)  
 ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308123  
 Matrix : SOIL  
 Date Sampled : 08/09/93

Project Number : 1649.15  
 Date Released : 08/16/93

	Reporting Limit	Sample I.D.# SB-18-1	Sample I.D.# SB-18-3	Sample I.D.# SB-19-1.5	Sample I.D.# SB-19-3	Sample I.D.# BG1101E2
COMPOUNDS	(mg/Kg)	-11	-12	-13	-14	BLANK
TPH as Gasoline	0.5	0.9	ND	ND	1.2	ND
% Surrogate Recovery		58%	75%	85%	95%	92%
Instrument I.D.		HP4	HP4	HP4	HP4	HP4
Date Analyzed		08/11/93	08/11/93	08/12/93	08/12/93	08/11/93
RLMF		1	1	1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.  
 TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.  
 RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Luna Shor 8/16/93  
 Analyst Date

Cheryl Beckman 8/16/93  
 Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308123  
Matrix : SOIL  
Date Sampled : N/A

Project Number : 1649.15  
Date Released : 08/16/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.# BG1201E2 BLANK
TPH as Gasoline	0.5	ND
% Surrogate Recovery		97%
Instrument I.D.		HP4
Date Analyzed		08/12/93
RLMF		1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Laura Shor 8/16/93  
Analyst Date

Cheryl Belman 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL  
ANAMETRIX, INC. (408) 432-8192

Anametrix W.O.: 9308123  
Matrix : SOIL  
Date Sampled : 08/09/93  
Date Extracted: 08/10/93

Project Number : 1649.15  
Date Released : 08/16/93  
Instrument I.D.: HP9 & HP19

Anametrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308123-01	SB-12-1	08/12/93	22%	200	ND
9308123-02	SB-12-3	08/12/93	76%	50	560
9308123-03	SB-13-5	08/12/93	67%	10	ND
9308123-04	SB-13-6.5	08/12/93	74%	10	ND
9308123-05	SB-14-2	08/12/93	58%	200	ND
9308123-06	SB-14-4.5	08/12/93	66%	10	ND
9308123-07	SB-15-4.5	08/12/93	70%	10	140
9308123-08	SB-15-6	08/12/93	88%	10	59
9308123-09	SB-16-4.5	08/12/93	72%	10	ND
9308123-10	SB-16-6	08/12/93	78%	10	ND
9308123-11	SB-18-1	08/12/93	46%	200	ND
9308123-12	SB-18-3	08/12/93	36%	200	ND
9308123-13	SB-19-1.5	08/12/93	52%	200	ND
9308123-14	SB-19-3	08/12/93	57%	200	ND
BG10H1F1	METHOD BLANK	08/10/93	55%	10	ND
BG10H2F1	METHOD BLANK	08/11/93	84%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.

TPHd - Total Petroleum Hydrocarbons as C12-C22 determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Skov 8/16/93  
Analyst Date

Cheryl Balmer 8/16/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL  
 ANAMETRIX, INC. (408) 432-8192

Anametrix W.O.: 9308123  
 Matrix : SOIL  
 Date Sampled : 08/09/93  
 Date Extracted: 08/10/93

Project Number : 1649.15  
 Date Released : 08/16/93  
 Instrument I.D.: HP9 & HP19

Anametrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308123-01	SB-12-1	08/12/93	22%	200	400
9308123-02	SB-12-3	08/12/93	76%	50	64
9308123-03	SB-13-5	08/12/93	67%	10	ND
9308123-04	SB-13-6.5	08/12/93	74%	10	ND
9308123-05	SB-14-2	08/12/93	58%	200	480
9308123-06	SB-14-4.5	08/12/93	66%	10	ND
9308123-07	SB-15-4.5	08/12/93	70%	10	12
9308123-08	SB-15-6	08/12/93	88%	10	14
9308123-09	SB-16-4.5	08/12/93	72%	10	ND
9308123-10	SB-16-6	08/12/93	78%	10	ND
9308123-11	SB-18-1	08/12/93	46%	200	320
9308123-12	SB-18-3	08/12/93	36%	200	390
9308123-13	SB-19-1.5	08/12/93	52%	200	530
9308123-14	SB-19-3	08/12/93	57%	200	740
BG10H1F1	METHOD BLANK	08/10/93	55%	10	ND
BG10H2F1	METHOD BLANK	08/11/93	84%	10	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
 The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.

TPHD - Total Petroleum Hydrocarbons as C22-C36 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucca Shor 8/16/93  
 Analyst Date

Cheryl Palmer 7/16/93  
 Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 1649.15 SB-14-14.5  
 Matrix : SOIL  
 Date Sampled : 08/09/93  
 Date Analyzed : 08/11/93

Anamatrix I.D. : 08123-06  
 Analyst : IS  
 Supervisor : CB  
 Date Released : 08/16/93  
 Instrument ID : HP4

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	REC MS (mg/Kg)	% REC MS	REC MD (mg/Kg)	% REC MD	RPD	% REC LIMITS
GASOLINE	1.00	0	0.82	82%	0.78	78%	-5%	48-149
P-BFB				91%		91%		53-147

\* Limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1101E1  
 Analyst : IS  
 Supervisor : CS  
 Date Released : 08/16/93  
 Instrument I.D. : HP4

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.48	96%	58-130
p-BFB			114%	53-147

\* Quality control established by Anamatrix, Inc.



TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/12/93

Anamatrix I.D. : MG1201E1  
 Analyst : JS  
 Supervisor : CS  
 Date Released : 08/16/93  
 Instrument I.D.: HP4

COMPOUND	SPIKE AMT. (mg/Kg)	REC LCS (mg/Kg)	%REC LCS	% REC LIMITS
GASOLINE	0.50	0.49	98%	58-130
p-BFB			101%	53-147

\* Quality control established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Extracted: 08/10/93  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1012F1  
 Analyst : IS  
 Supervisor : CS  
 Date Released : 08/16/93  
 Instrument I.D.: HP9

COMPOUND	SPIKE AMT (mg/Kg)	REC LCS (mg/Kg)	% REC LCS	% REC LIMITS
DIESEL	125	80	64%	48-113
SURROGATE			85%	30-130

\*Limits established by Anamatrix, Inc.

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308123- 1	SB-12-1	SOIL	08/09/93	5520EF
9308123- 2	SB-12-3	SOIL	08/09/93	5520EF
9308123- 3	SB-13-5	SOIL	08/09/93	5520EF
9308123- 4	SB-13-6.5	SOIL	08/09/93	5520EF
9308123- 5	SB-14-2	SOIL	08/09/93	5520EF
9308123- 6	SB-14-4.5	SOIL	08/09/93	5520EF
9308123- 7	SB-15-4.5	SOIL	08/09/93	5520EF
9308123- 8	SB-15-6	SOIL	08/09/93	5520EF
9308123- 9	SB-16-4.5	SOIL	08/09/93	5520EF
9308123-10	SB-16-6	SOIL	08/09/93	5520EF
9308123-11	SB-18-1	SOIL	08/09/93	5520EF
9308123-12	SB-18-3	SOIL	08/09/93	5520EF
9308123-13	SB-19-1.5	SOIL	08/09/93	5520EF
9308123-14	SB-19-3	SOIL	08/09/93	5520EF

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308123  
Date Received : 08/10/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

*Jico*                      08/12/93  
Department Supervisor                      Date

*12052 kitrov*                      08.12.93  
Chemist                      Date

ANALYSIS DATA SHEET - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Project # : 1649.15	Anamatrix I.D. : 9308123
Matrix : SOIL	Analyst : <i>HE</i>
Date sampled : 08/09/93	Supervisor : <i>TS</i>
Date extracted: 08/10/93	Date released : 08/12/93
Date analyzed : 08/11/93	

Workorder #	Sample I.D.	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308123-01	SB-12-1	30	4,600
9308123-02	SB-12-3	30	420
9308123-03	SB-13-5	30	63
9308123-04	SB-13-6.5	30	37
9308123-05	SB-14-2	30	2,200
9308123-06	SB-14-4.5	30	47
9308123-07	SB-15-4.5	30	480
9308123-08	SB-15-6	30	120
9308123-09	SB-16-4.5	30	60
9308123-10	SB-16-6	30	53
9308123-11	SB-18-1	30	2,200
9308123-12	SB-18-3	30	1,100
9308123-13	SB-19-1.5	30	2,200
9308123-14	SB-19-3	30	3,600
BG10H1W9	METHOD BLANK	30	ND

ND - Not detected above the reporting limit for the method.  
TRPH - Total Recoverable Petroleum Hydrocarbons are determined by Standard Method 5520EF, 18th edition.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

MATRIX SPIKE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D. : 1649.15, SB-15-6MS, MD      Anamatrix I.D. : 9308123-08  
Matrix : SOIL      Analyst : *TC*  
Date sampled : 08/09/93      Supervisor : 73  
Date extracted : 08/10/93      Date Released : 08/12/93  
Date analyzed : 08/11/93

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	MS AMT (mg/Kg)	%REC MS	MD AMT (mg/Kg)	%REC MD	%RPD	% REC LIMITS
Motor Oil	300	120	410	97%	400	93%	4%	48-114%

\* Quality control limits established by Anamatrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
Standard Method 5520EF, 18th edition.



9308123

## CHAIN OF CUSTODY / ANALYSES REQUEST FORM

(14)  
8/11/93

Project No.: 164915	Field Logbook No.:	Date: 8/9/93
Project Name: Yerba Buena	Project Location: Emeryville	Serial No.: 11038

Sampler (Signature): *Robert Barber*      ANALYSES      Samplers: *Flitz*

SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CONTAINERS	SAMPLE TYPE	ANALYSES						HOLD	RUSH	REMARKS
						EPA 601	602	603	604	605	606			
① SB-12-1	8/9			1 Brass	Soil	X	X	X	X	X	X			48 hours turn ground time Proj Manager Cindy Barclay
② SB-12-3	8/9					X	X	X	X	X	X			
③ SB-13-5	8/9					X	X	X	X	X	X			
④ SB-13-6	8/9	8/10/93	CVR per Cindy Barclay											
⑤ SB-14-2	8/9					X	X	X	X	X	X			8/10/93
⑥ SB-14-4	8/9					X	X	X	X	X	X			Please report hydrocarbon Chain Length per Cindy Barclay
⑦ SB-15-4	8/9					X	X	X	X	X	X			CVR
⑧ SB-15-6	8/9					X	X	X	X	X	X			
⑨ SB-16-4	8/9					X	X	X	X	X	X			
⑩ SB-16-6	8/9					X	X	X	X	X	X			
⑪ SB-18-1	8/9					X	X	X	X	X	X			
⑫ SB-18-3	8/9					X	X	X	X	X	X			
⑬ SB-19-1	8/9					X	X	X	X	X	X			
⑭ SB-19-3	8/9					X	X	X	X	X	X			

RELINQUISHED BY: (Signature) <i>Robert Barber</i>	DATE	TIME	RECEIVED BY: (Signature) <i>Matthew Cloud</i>	DATE	TIME
RELINQUISHED BY: (Signature) <i>Matthew Cloud</i>	8/9/93	6:42	RECEIVED BY: (Signature) <i>Denny S. Conroy</i>	8/10/93	0842
RELINQUISHED BY: (Signature) <i>Denny S. Conroy</i>	8/10/93	0825	RECEIVED BY: (Signature) <i>Josephine DeCarli</i>	8/10/93	0825
METHOD OF SHIPMENT:	DATE	TIME	LAB COMMENTS:	DATE	TIME
	8/10/93	0925		8/10/93	09:25

Sample Collector: LEVINE-FRICKE 1900 Powell Street, 12th Floor Emeryville, Ca 94608 (415) 652-4500	Analytical Laboratory:
---	------------------------



**APPENDIX E**

**LABORATORY CERTIFICATES FOR GROUND-WATER SAMPLES**



# Inchcape Testing Services

## Anamatrix Laboratories

1961 Concourse Drive  
Suite E  
San Jose, CA 95131  
Tel: 408-432-8192  
Fax: 408-432-8198

MS. JENIFER BEATTY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308110  
Date Received : 08/09/93  
Project ID : 1649.15  
Purchase Order: N/A


The following samples were received at Anamatrix, Inc. for analysis :

ANAMATRIX ID	CLIENT SAMPLE ID
9308110- 1	LF-1AG
9308110- 2	LF-2AG
9308110- 3	LF-3AG

This report consists of 12 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

  
Sarah Schoen, Ph.D.  
Laboratory Director

8-16-93  
Date

AUG 17 1993

COPY

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. JENIFER BEATTY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308110  
Date Received : 08/09/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308110- 1	LF-1AG	WATER	08/07/93	TPHd
9308110- 2	LF-2AG	WATER	08/07/93	TPHd
9308110- 3	LF-3AG	WATER	08/07/93	TPHd
9308110- 1	LF-1AG	WATER	08/07/93	TPHgBTEX
9308110- 2	LF-2AG	WATER	08/07/93	TPHgBTEX
9308110- 3	LF-3AG	WATER	08/07/93	TPHgBTEX

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. JENIFER BEATTY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308110  
Date Received : 08/09/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Christy Balman 8/13/93  
Department Supervisor Date

Lucia Shar 8/13/93  
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308110  
Matrix : WATER  
Date Sampled : 08/07/93

Project Number : 1649.15  
Date Released : 08/13/93

Reporting Limit	Sample I.D.# LF-1AG	Sample I.D.# LF-2AG	Sample I.D.# LF-3AG	Sample I.D.# BG1001E2	Sample I.D.# BG1101E2	
COMPOUNDS (ug/L)	-01	-02	-03	BLANK	BLANK	
Benzene	0.5	13000	2400	1500	ND	ND
Toluene	0.5	9400	2900	170	ND	ND
Ethylbenzene	0.5	3100	500	2900	ND	ND
Total Xylenes	0.5	14000	2000	5100	ND	ND
TPH as Gasoline	50	100000	13000	11000	ND	ND
% Surrogate Recovery	98%	102%	79%	95%	92%	
Instrument I.D.	HP4	HP4	HP4	HP4	HP4	
Date Analyzed	08/11/93	08/10/93	08/11/93	08/10/93	08/11/93	
RLMF	1000	100	100	1	1	

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Star 8/13/93  
Analyst Date

Cheryl Baerman 8/13/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL  
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308110  
Matrix : WATER  
Date Sampled : 08/07/93  
Date Extracted: 08/09/93

Project Number : 1649.15  
Date Released : 08/13/93  
Instrument I.D.: HP23

Anamatrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (ug/L)	Amount Found (ug/L)
9308110-01	LF-1AG	08/11/93	73%	2500	41000
9308110-02	LF-2AG	08/11/93	49%	50	95
9308110-03	LF-3AG	08/11/93	47%	250	780
BG0911F1	METHOD BLANK	08/10/93	53%	50	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 50 ug/L.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
TPHd - Total Petroleum Hydrocarbons as C12-C22 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Laura Sher 8/13/93  
Analyst Date

Cheryl Baer 8/13/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL  
 ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308110  
 Matrix : WATER  
 Date Sampled : 08/07/93  
 Date Extracted: 08/09/93

Project Number : 1649.15  
 Date Released : 08/13/93  
 Instrument I.D.: HP23

Anamatrix I.D.	Client I.D.	Date Analyzed	Surrogate %Rec	Reporting Limit (ug/L)	Amount Found (ug/L)
9308110-01	LF-1AG	08/11/93	73%	2500	ND
9308110-02	LF-2AG	08/11/93	49%	50	ND
9308110-03	LF-3AG	08/11/93	47%	250	ND
BG0911F1	METHOD BLANK	08/10/93	53%	50	ND

Note : Reporting limit is obtained by multiplying the dilution factor times 50 ug/L.  
 The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.

TPHd - Total Petroleum Hydrocarbons as C22-C36 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Reggie Dawson 8/16/93  
 Analyst Date

Cheryl Balmer 8/16/93  
 Supervisor Date

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : WATER  
 Date Sampled : N/A  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1002E1  
 Analyst : IS  
 Supervisor : *CS*  
 Date Released : 08/13/93  
 Instrument I.D.: HP4

COMPOUND	SPIKE AMT. (ug/L)	REC LCS (ug/L)	%REC LCS	% REC LIMITS
GASOLINE	500	390	78%	67-127
p-BFB			96%	61-139

\* Quality control established by Anamatrix, Inc.



TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : WATER  
 Date Sampled : N/A  
 Date Analyzed : 08/11/93

Anamatrix I.D. : MG1101E1  
 Analyst : *IS*  
 Supervisor : *CS*  
 Date Released : 08/13/93  
 Instrument I.D.: HP4

COMPOUND	SPIKE AMT. (ug/L)	REC LCS (ug/L)	%REC LCS	% REC LIMITS
GASOLINE	500	480	96%	67-127
p-BFB			114%	61-139

\* Quality control established by Anamatrix, Inc.

TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3510 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : WATER  
 Date Sampled : N/A  
 Date Extracted: 08/09/93  
 Date Analyzed : 08/10/93

Anamatrix I.D. : MG0911F1  
 Analyst : IS  
 Supervisor : CS  
 Date Released : 08/13/93  
 Instrument I.D.: HP23

COMPOUND	SPIKE AMT (ug/L)	LCS REC (ug/L)	% REC LCS	LCSD REC (ug/L)	% REC LCSD	RPD	% REC LIMITS
DIESEL	1250	789	63%	785	63%	-1%	47-130
SURROGATE			57%		61%		30-130

\*Quality control established by Anamatrix, Inc.

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. JENIFER BEATTY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308110  
Date Received : 08/09/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308110- 1	LF-1AG	WATER	08/07/93	5520BF
9308110- 2	LF-2AG	WATER	08/07/93	5520BF
9308110- 3	LF-3AG	WATER	08/07/93	5520BF

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. JENIFER BEATTY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308110  
Date Received : 08/09/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Jef 08/11/93  
Department Supervisor Date

supervisor/ROV 08.11.93  
Chemist Date

ANALYSIS DATA SHEET - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
 ANAMETRIX LABORATORY (408) 432-8192

Project I.D. : 1649.15  
 Matrix : WATER  
 Date sampled : 08/07/93  
 Date extracted: 08/09/93  
 Date analyzed : 08/10/93

Anamatrix I.D. : 9308110  
 Analyst : M.P.  
 Supervisor : JS  
 Date released : 08/10/93

Workorder #	Sample I.D.	Reporting Limit (mg/L)	Amount Found (mg/L)
9308110-01	LF-1AG	5	11
9308110-02	LF-2AG	5	ND
9308110-03	LF-3AG	5	ND
BG0911W4	METHOD BLANK	5	ND

ND - Not detected above the reporting limit for the method.  
 TRPH - Total Recoverable Petroleum Hydrocarbons are determined by Standard Method 5520BF.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.



9308110 (18) 10/33 8:00 13:00  
**CHAIN OF CUSTODY / ANALYSES REQUEST FORM**

Project No.: <b>1649.15</b>	Field Logbook No.:	Date: <b>8/7/93</b>	Serial No.:
Project Name: <b>YERBA BUENA</b>	Project Location: <b>EMERYVILLE, CA.</b>	<b>11720</b>	

SAMPLER (Signature):						ANALYSES								SAMPLERS:		REMARKS
SAMPLES						EPA 601	EPA 624	TPH-G 1	TPH-G 2	TPH-D 3	O-G Y	HOLD	RUSH	JCK		
SAMPLE NO.	DATE	TIME	LAB SAMPLE NO.	NO. OF CON-TAINERS	SAMPLE TYPE											
① LF-1AG	8/7/93	18:45		7	H2O			Y	X	X	X					
② LF-2AG	↓	14:50		↓				X	X	X	Y					
③ LF-3AG	↓	18:20		↓				X	X	Y	Y			1	8015/8030	
														2	8020	
														3	8015/3510	
														4	5520	
RESULTS TO																
JENNIFER BEATTY																
48 Hour Rush																
per Cristina																
8/9/93 g.d.																

RELINQUISHED BY: (Signature) <i>[Signature]</i>	DATE	TIME	RECEIVED BY: (Signature) <i>[Signature]</i>	DATE	TIME
RELINQUISHED BY: (Signature) <i>[Signature]</i>	8/9/93	09:55	RECEIVED BY: (Signature) <i>[Signature]</i>	8/9/93	09:55
RELINQUISHED BY: (Signature) <i>[Signature]</i>	8/9/93	10:50	RECEIVED BY: (Signature) <i>[Signature]</i>	8/9/93	10:50
RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)	DATE	TIME
METHOD OF SHIPMENT:	DATE	TIME	LAB COMMENTS:		

Sample Collector: <b>LEVINE-FRICKE</b> CONTACT: <b>JENNIFER BEATTY</b> 1900 Powell Street, 12th Floor Emeryville, Ca 94608 (415) 652-4500	Analytical Laboratory: <b>ANAMETRIX</b> <b>SAN JOSE, CA.</b>
---	---



# Inchcape Testing Services

## Anametrix Laboratories

1961 Concourse Drive  
 Suite E  
 San Jose, CA 95131  
 Tel: 408-432-8192  
 Fax: 408-432-8198

MS. CINDY BARCLAY  
 LEVINE-FRICKE  
 1900 POWELL STREET 12TH FLOOR  
 EMERYVILLE, CA 94608

Workorder # : 9308222  
 Date Received : 08/13/93  
 Project ID : 1649.15  
 Purchase Order: N/A

The following samples were received at Anametrix, Inc. for analysis :

ANAMETRIX ID	CLIENT SAMPLE ID
9308222- 1	LF-1-9.5
9308222- 2	SB-10-7
9308222- 3	SB-2-9.5
9308222- 4	SB-9-9.5
9308222- 5	SB-1-9.5

This report consists of 14 pages not including the cover letter, and is organized in sections according to the specific Anametrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anametrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anametrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anametrix.

Sarah Schoen, Ph.D.  
 Laboratory Director

08-20-93  
 Date

COPY

RECEIVED  
 AUG 20



REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308222  
Date Received : 08/13/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308222- 1	LF-1-9.5	SOIL	08/07/93	TPHd
9308222- 3	SB-2-9.5	SOIL	08/08/93	TPHd
9308222- 5	SB-1-9.5	SOIL	08/08/93	TPHd
9308222- 1	LF-1-9.5	SOIL	08/07/93	TPHgBTEX
9308222- 2	SB-10-7	SOIL	08/07/93	TPHgBTEX
9308222- 3	SB-2-9.5	SOIL	08/08/93	TPHgBTEX
9308222- 4	SB-9-9.5	SOIL	08/07/93	TPHgBTEX
9308222- 5	SB-1-9.5	SOIL	08/08/93	TPHgBTEX

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308222  
Date Received : 08/13/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

*Cheryl Bakeman* 8/19/93  
Department Supervisor Date

*Ci Fan* 19 August 93  
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308222  
Matrix : SOIL  
Date Sampled : 08/07 & 08/93

Project Number : 1649.15  
Date Released : 08/18/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.# LF-1-9.5	Sample I.D.# SB-10-7	Sample I.D.# SB-2-9.5	Sample I.D.# SB-9-9.5	Sample I.D.# SB-1-9.5
Benzene	0.005	0.97	2.6	2.4	14	0.89
Toluene	0.005	ND	4.5	5.2	81	1.1
Ethylbenzene	0.005	6.6	1.6	14	26	4.3
Total Xylenes	0.005	8.9	7.7	59	140	18
TPH as Gasoline	0.5	470	73	720	1200	180
% Surrogate Recovery		85%	95%	85%	85%	78%
Instrument I.D.		HP4	HP4	HP4	HP4	HP4
Date Analyzed		08/17/93	08/17/93	08/17/93	08/17/93	08/16/93
RLMF		100	10	100	250	25

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Ci Fan 19 August 93  
Analyst Date

Charles B. ... 8/18/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS  
 (GASOLINE WITH BTEX)  
 ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9308222  
 Matrix : SOIL  
 Date Sampled : N/A

Project Number : 1649.15  
 Date Released : 08/18/93

COMPOUNDS	Reporting Limit (mg/Kg)	Sample I.D.# BG1601E2 BLANK	Sample I.D.# BG1701E2 BLANK
Benzene	0.005	ND	ND
Toluene	0.005	ND	ND
Ethylbenzene	0.005	ND	ND
Total Xylenes	0.005	ND	ND
TPH as Gasoline	0.5	ND	ND
% Surrogate Recovery		93%	99%
Instrument I.D.		HP4	HP4
Date Analyzed		08/16/93	08/17/93
RLMF		1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as C4-C12 are determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

C. F. [Signature] 19 August 93  
 Analyst Date

Cheryl [Signature] 8/19/93  
 Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS DIESEL  
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308222  
Matrix : SOIL  
Date Sampled : 08/07 & 08/93  
Date Extracted: 08/16/93

Project Number : 1649.15  
Date Released : 08/18/93  
Instrument I.D.: HP19

Anamatrix I.D.	Client I.D.	Date Analyzed	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)	Surrogate %Rec
9308222-01	LF-1-9.5	08/17/93	10	18	58%
9308222-03	SB-2-9.5	08/17/93	50	200	41%
9308222-05	SB-1-9.5	08/17/93	50	220	42%
BG16H1F1	METHOD BLANK	08/17/93	10	ND	68%

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.

TPHd - Total Petroleum Hydrocarbons as C12-C22 are determined by GCFID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

C. Fern 19 August 93  
Analyst Date

Cheryl Beckman 18/11/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS AS MOTOR OIL  
ANAMETRIX, INC. (408) 432-8192

Anamatrix W.O.: 9308222  
Matrix : SOIL  
Date Sampled : 08/07 & 08/93  
Date Extracted: 08/16/93

Project Number : 1649.15  
Date Released : 08/18/93  
Instrument I.D.: HP19

Anamatrix I.D.	Client I.D.	Date Analyzed	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)	Surrogate %Rec
9308222-01	LF-1-9.5	08/17/93	10	ND	58%
9308222-03	SB-2-9.5	08/17/93	50	ND	41%
9308222-05	SB-1-9.5	08/17/93	50	ND	42%
BG16H1F1	METHOD BLANK	08/17/93	10	ND	68%

Note : Reporting limit is obtained by multiplying the dilution factor times 10 mg/Kg.  
The surrogate recovery limits for C25 are 30-130%.

ND - Not detected at or above the practical quantitation limit for the method.  
TPHd - Total Petroleum Hydrocarbons as C22-C36 are determined by GC/FID following sample extraction by EPA Method 3510.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

C. Fern 19 August 93  
Analyst Date

Cheryl Bulmer 8/19/93  
Supervisor Date

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3510 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/17/93

Anamatrix I.D. : MG1701E1  
 Analyst : CF  
 Supervisor :  
 Date Released : 08/19/93  
 Instrument I.D.: HP4

COMPOUND	SPIKE AMT (mg/Kg)	LCS REC (mg/Kg)	% REC LCS	LCSD REC (mg/Kg)	% REC LCSD	RPD	% REC LIMITS
GASOLINE	0.50	0.48	96%	0.42	84%	-13%	58-130
SURROGATE			90%		93%		53-147

\*Quality control established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/PID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Analyzed : 08/16/93

Anamatrix I.D. : MG1601E3  
 Analyst : *CF*  
 Supervisor : *CS*  
 Date Released : 08/19/93  
 Instrument ID : HP4

COMPOUND	SPIKE AMT (mg/Kg)	LCS (mg/Kg)	%REC LCS	%REC LIMITS
BENZENE	0.020	0.019	95%	52-133
TOLUENE	0.020	0.021	105%	57-136
ETHYLBENZENE	0.020	0.020	100%	56-139
TOTAL-XYLENES	0.020	0.020	100%	56-141
P-BFB			94%	53-147

\* Quality control limit established by Anamatrix, Inc.



TOTAL EXTRACTABLE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 3550 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : SOIL  
 Date Sampled : N/A  
 Date Extracted: 08/16/93  
 Date Analyzed : 08/17/93

Anamatrix I.D. : MG16H1F1  
 Analyst : *CF*  
 Supervisor : *U*  
 Date Released : 08/19/93  
 Instrument I.D.: HP19

COMPOUND	SPIKE AMT (mg/Kg)	REC LCS (mg/Kg)	% REC LCS	% REC LIMITS
DIESEL	125	118	94%	48-113
SURROGATE			71%	30-130

\*Limits established by Anamatrix, Inc.

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308222  
Date Received : 08/13/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9308222- 1	LF-1-9.5	SOIL	08/07/93	5520EF
9308222- 3	SB-2-9.5	SOIL	08/08/93	5520EF
9308222- 5	SB-1-9.5	SOIL	08/08/93	5520EF

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MS. CINDY BARCLAY  
LEVINE-FRICKE  
1900 POWELL STREET 12TH FLOOR  
EMERYVILLE, CA 94608

Workorder # : 9308222  
Date Received : 08/13/93  
Project ID : 1649.15  
Purchase Order: N/A  
Department : PREP  
Sub-Department: PREP

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Cindy Barclay 8/17/93  
Department Supervisor Date

SPD Schittke 08.17.93  
Chemist Date

ANALYSIS DATA SHEET - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Project # : 1649.15	Anamatrix I.D. : 9308222
Matrix : SOIL	Analyst : M.P
Date sampled : 08/07&08/93	Supervisor : <i>Om</i>
Date extracted: 08/16/93	Date released : 08/18/93
Date analyzed : 08/17/93	

Workorder #	Sample I.D.	Reporting Limit (mg/Kg)	Amount Found (mg/Kg)
9308222-01	LF-1-9.5	30	ND
9308222-03	SB-2-9.5	30	210
9308222-05	SB-1-9.5	30	130
BG16H1W9	METHOD BLANK	30	ND

ND - Not detected above the reporting limit for the method.  
TRPH - Total Recoverable Petroleum Hydrocarbons are determined by Standard Method 5520EF, 18th edition.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

MATRIX SPIKE REPORT - TOTAL RECOVERABLE PETROLEUM HYDROCARBONS  
AS OIL AND GREASE  
ANAMETRIX LABORATORIES (408) 432-8192

Sample I.D. : 1649.15, LF-1-9.5MS, MD      Anamatrix I.D. : 9308222-01  
Matrix : SOIL      Analyst : *M.P.*  
Date sampled : 08/07/93      Supervisor : *Om*  
Date extracted : 08/16/93      Date Released : 08/17/93  
Date analyzed : 08/17/93

COMPOUND	SPIKE AMT (mg/Kg)	SAMPLE CONC (mg/Kg)	MS AMT (mg/Kg)	%REC MS	MD AMT (mg/Kg)	%REC MD	%RPD	% REC LIMITS
Motor Oil	300	ND	290	97%	300	100%	3%	48-114%

\* Quality control limits established by Anamatrix Laboratories.

TRPH - Total Recoverable Petroleum Hydrocarbons are determined by  
Standard Method 5520EF, 18th edition.



