

ALAMEDA COUNTY  
**HEALTH CARE SERVICES**  
AGENCY  
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

July 24, 2009

TERRILL SADLER  
618 BROOKLYN AVE  
OAKLAND CA 94606

IAN ROBB  
CHEVRON CORPORATION  
6111 BOLLINGER CANYON RD  
RM 3612  
SAN RAMON CA 945832324

RENE BOISVERT  
BOULEVARD EQUITY GROUP  
484 LAKE PARK AVE #246  
OAKLAND CA 94610

800 CENTER LLC  
484 LAKE PARK AVE 246  
OAKLAND CA 946102730

Subject: Fuel Leak Case No. RO0000454 and Geotracker Global ID T0600102230, CHEVRON #20-6145 / SIGNAL SS, 800 CENTER ST, Oakland CA 94607 – Groundwater Monitoring Requirements

Dear Responsible Party:

The purpose of this correspondence is to inform you of changes to groundwater monitoring requirements for all fuel leak cases in California. The California State Water Resources Control Board (State Water Board) has approved Resolution No. 2009-0042 (*Actions to Improve Administration of the UST Cleanup Fund and UST Cleanup Program*). Resolution No. 2009-0042 states that, "*Regional Water Board and LOP agencies shall reduce quarterly groundwater monitoring requirements to semiannual or less frequent monitoring at all site unless site-specific needs warrant otherwise and shall notify all responsible parties of the new requirements no later than August 1, 2009. If more than semiannual monitoring is required for a case, the responsible party and State Water board shall be notified of the rationale and the notice shall be posted on Geotracker.*"

In accordance with Resolution No. 2009-0042, groundwater monitoring for your site is to be reduced from quarterly to semiannual monitoring unless site-specific needs warrant otherwise. The semiannual monitoring is to be conducted during either the first and third quarters or during the second and fourth quarters. Please review historic groundwater monitoring results and identify the quarter during which the highest chemical concentrations typically occur in order to select the appropriate semiannual monitoring schedule. As an example, if the highest chemical concentrations in groundwater are typically reported during the first quarter, the wells should be sampled on a first and third quarter monitoring schedule.

A semiannual groundwater monitoring should be used only for wells that have been sampled over a minimum of one hydrologic cycle (four consecutive quarters). New monitoring wells should be sampled quarterly for one year before a semiannual monitoring schedule is implemented for new wells. Examples of site-specific conditions where monitoring more frequent than semiannual may be warranted include but are not limited to the following:

- Assessment incomplete
- WDR permit requirement
- Well being sampled to evaluate ongoing or proposed pilot tests, interim remedial actions, or long-term remedial actions for progress assessment or where data are needed to monitor or optimize system performance.
- Well being sampled for free product evaluation and reduction verification
- Well being sampled within first year of being installed

Responsible Party  
RO0000454,  
July 24, 2009, Page 2

- Well being sampled to evaluate post-remedial action verification monitoring
- Well has not shown reliable consistency yet to warrant reduction on sampling frequency
- Well is last point of monitoring prior to possible impact to receptor
- Plume that is currently affecting a sensitive receptor or potentially could affect a sensitive receptor such as a water supply well.

Any groundwater monitoring wells that are currently sampled on a less frequent schedule than semiannual (annual or longer) may continue to be sampled on the less frequent schedule. Please present results from the semiannual groundwater monitoring in groundwater monitoring reports no later than 60 days following the groundwater sampling event.

Please review your site conditions to assess whether these conditions are applicable or other site-specific conditions exist that would warrant continuation of quarterly monitoring. If none of the above conditions are applicable, semiannual groundwater monitoring is to be implemented for the site. If site-specific conditions warrant continuation of quarterly groundwater monitoring for any wells, please submit a proposed sampling and analysis schedule along with your technical rationale supporting the proposal by **August 24, 2009**.

If you have any questions, please call me at (510) 567-6876 or send me an electronic mail message at [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org).

Sincerely,



Mark E. Detterman, PG, CEG  
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Charlotte Evans, CRA, 5900 Hollis St, Suite A, Emeryville, CA 94608  
Leroy Griffin, Oakland Fire Department, 250 Frank H. Ogawa Plaza, Ste. 3341, Oakland, CA 94612-2032 (Sent via E-mail to: [lgriffin@oaklandnet.com](mailto:lgriffin@oaklandnet.com))  
Donna Drogos, ACEH (Sent via E-mail to: [donna.drogos@acgov.org](mailto:donna.drogos@acgov.org))  
Mark Detterman, ACEH (Sent via E-mail to: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org))  
Geotracker, File

**RESPONSIBLE PARTY OF RECORD AS OF 07/22/2009**

**RO0000454, CHEVRON #20-6145 / SIGNAL SS, 800 CENTER ST , Oakland, CA, 94607**

Alameda County Environmental Health (ACEH) has the following information on record regarding the Responsible Party(ies) for the above referenced site. Please update the following information for our records. Should you have contact information regarding additional Responsible Parties, please correct the information accordingly. Also, please check the "e-mail preferred" box to receive all future correspondences and notifications by e-mail.

E-mail Preferred

Hardcopy Preferred

ACEH is requesting your e-mail address so that we can correspond with you quickly and efficiently regarding your case. Please note that ACEH respects your privacy. Your e-mail address will remain confidential and will not be provided to any third party.

Current Information

TERRILL SADLER  
NA  
618 BROOKLYN AVE  
OAKLAND CA 94606  
  
5108355741

IAN ROBB  
CHEVRON CORPORATION  
6111 BOLLINGER CANYON RD RM 3612  
SAN RAMON CA 945832324  
ianrobb@chevron.com  
9255432375  
9255491182

RENE BOISVERT  
BOULEVARD EQUITY GROUP  
484 LAKE PARK AVE #246  
OAKLAND CA 94610  
  
5104448420

NA NA  
800 CENTER LLC  
484 LAKE PARK AVE 246  
OAKLAND CA 946102730

Corrections or Additions

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
E-mail: \_\_\_\_\_  
Home Phone: (\_\_\_\_) \_\_\_\_\_  
Office Phone: (\_\_\_\_) \_\_\_\_\_  
Cell Phone: (\_\_\_\_) \_\_\_\_\_