

Environmental Management  
Company  
6001 Bollinger Canyon Rd, L4050  
P.O. Box 6012  
San Ramon, CA 94583-2324  
Tel 925-842-1589  
Fax 925-842-8370

Karen Streich  
Project Manager

160 454 ✓

October 25, 2004

**ChevronTexaco**

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

RECEIVED  
OCT 27 2004

Re: Chevron Service Station # 206145

Address: 800 Center Street, Oakland, California


I have reviewed the attached routine groundwater monitoring report dated October 6, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich  
Project Manager

Enclosure: Report



# GETTLER-RYAN INC.

## TRANSMITTAL

October 6, 2004

G-R #386492

TO: Mr. Robert Foss  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

CC: Ms. Karen Streich  
ChevronTexaco Company  
P.O. Box 6012, Room K2256  
San Ramon, California 94583

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Former Chevron (Signal Oil)  
Service Station #206145 (S-800)  
800 Center Street  
Oakland, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	October 4, 2004	Groundwater Monitoring and Sampling Report Third Quarter - Event of August 31, 2004

### COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 22, 2004**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1153 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577  
Mr. Terrell A. Sadler, 618 Brooklyn Avenue, Oakland, CA 94606  
Mr. James Scott, BPH, Inc., 333 Hegenberger Road, Suite 209, Oakland, CA 94621  
Mr. Hollis Rodgers, c/o Victor E. Brown, Esq., 580 Grand Avenue, Oakland, CA 94610

Enclosures

trans/206145-KS



# GETTLER-RYAN INC.

October 4, 2004  
G-R Job #386492

Ms. Karen Streich  
ChevronTexaco Company  
P.O. Box 6012, Room K2256  
San Ramon, CA 94583

**RE: Third Quarter Event of August 31, 2004**  
Groundwater Monitoring & Sampling Report  
Former Chevron (Signal Oil) Service Station  
#206145 (S-800)  
800 Center Street  
Oakland, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

  
Deanna L. Harding  
Project Coordinator



  
Robert A. Lauritzen  
Senior Geologist, R.G. No. 7504



Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Field Measurements and Analytical Results  
Table 3: Groundwater Analytical Results - Oxygenate Compounds  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



**GETTLER - RYAN INC.**  
 6747 Sierra Ct., Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Former Chevron (Signal Oil) Service Station #206145(S-800)  
 800 Center Street  
 Oakland, California

FIGURE  
**1**

PROJECT NUMBER 386492      REVIEWED BY      DATE August 31, 2004      REVISED DATE

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (fl.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-C (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-1</b>											
10/27/95	15.69	10.54	5.15	--	170,000	19,000	34,000	4,800	26,000	--	--
02/20/97	15.64	8.96	6.68	--	18,000	870	3,500	470	2,100	<250	--
04/24/97	15.64	7.30	8.34	--	76,000	4,600	16,000	1,600	8,300	1,000	--
07/23/97	15.64	5.90	9.74	--	37,000	2,700	8,000	870	6,100	<250	--
10/29/97	15.64	INACCESSIBLE	--	--	--	--	--	--	--	--	--
01/28/98	15.64	9.30	6.34	--	10,000	380	2,000	300	1,500	<25	--
05/11/98	15.64	8.72	6.92	--	17,000	880	3,100	380	2,300	<250	--
07/16/98	15.64	7.23	8.41	--	29,000	2,700	6,800	890	3,900	<1,000	--
08/04/98 <sup>a</sup>	15.64	6.90	8.74	--	--	--	--	--	--	--	<1.0 x 10 <sup>1</sup>
09/03/98 <sup>a</sup>	15.64	6.43	9.21	--	--	--	--	--	--	--	4.1 x 10 <sup>3</sup>
10/21/98 <sup>b</sup>	15.64	5.59	10.05	--	--	--	--	--	--	--	4.7 x 10 <sup>2</sup>
11/04/98	15.64	5.64	10.00	--	25,000	1,900	5,900	810	4,300	<125	--
01/26/99	15.64	6.86	8.78	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	15.64	8.17	7.47	--	8,050	515	1,840	256	1,190	300/<20 <sup>c</sup>	--
08/21/99	15.64	13.27	2.37	--	46,500	2,530	8,700	1,010	5,300	<1,250/<40 <sup>c</sup>	--
10/28/99	15.64	5.46	10.18	--	31,600	1,580	6,100	794	4,400	1,270	--
01/31/00	15.64	7.49	8.15	--	7,270	366	1,280	171	935	<12.5	--
05/19/00	15.64	7.78	7.86	--	8,000 <sup>e</sup>	870	1,200	430	1,200	<250	--
08/07/00	15.64	6.42	9.22	--	37,000 <sup>e</sup>	2,400	8,500	1,100	5,500	1,500/<4.0 <sup>f</sup>	--
12/01/00	15.64	5.25	10.39	--	25,500 <sup>g</sup>	1,390	4,920	801	4,330	<500/<10 <sup>f</sup>	--
02/09/01	15.64	6.10	9.54	--	8,900 <sup>e</sup>	850	1,300	470	1,700	820/<2.0 <sup>f</sup>	--
05/29/01	15.64	6.79	8.85	--	24,000 <sup>e</sup>	1,800	5,600	740	3,700	<250/<2.0 <sup>f</sup>	--
08/27/01 <sup>h</sup>	15.64	5.83	9.81	--	27,000	1,400	4,400	710	3,400	--/<20 <sup>f</sup>	--
11/28/01	15.64	5.84	9.80	--	26,000	1,300	3,900	620	3,400	<100/<2 <sup>f</sup>	--
02/14/02	15.63	8.34	7.29	--	1,400	100	360	45	240	9.3/<2 <sup>f</sup>	--
05/15/02	15.63	7.18	8.45	--	37,000	2,400	7,300	1,000	4,800	<100/<3.0 <sup>f</sup>	--
08/05/02	15.63	6.09	9.54	--	27,000	1,500	4,600	700	3,400	<100/<3.0 <sup>f</sup>	--
DESTROYED											

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-1A</b>											
02/24-25/03 <sup>1</sup>	15.49	8.17	7.32	4,600	5,100	92	340	66	480	<10	--
06/02/03	15.49	7.15	8.34	5,500	3,800	150	490	72	450	<13	--
09/02/03	15.49	6.10	9.39	10,000	6,200	100	580	110	760	47	--
11/21/03	15.49	5.29	10.20	3,800	3,200	29	150	49	240	<10	--
02/27/04	15.49	9.87	5.62	2,800	280	9.7	19	3.0	30	<2.5	--
05/28/04	15.49	6.88	8.61	5,500	1,100	35	81	27	140	17	--
08/31/04	15.49	5.58	9.91	4,500	1,100	13	68	27	110	<2.5	--
<b>MW-2</b>											
10/27/95	15.77	10.60	5.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	15.72	8.51	7.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	15.72	7.82	7.90	--	83 <sup>d</sup>	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	15.72	5.92	9.80	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	15.72	5.13	10.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	15.72	9.21	6.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	15.72	8.82	6.90	--	SAMPLED ANNUALLY		--	--	--	--	--
07/16/98	15.72	7.37	8.35	--	--	--	--	--	--	--	--
08/04/98 <sup>a</sup>	15.72	7.03	8.69	--	--	--	--	--	--	--	1.9 x 10 <sup>1</sup>
09/03/98 <sup>a</sup>	15.72	6.44	9.28	--	--	--	--	--	--	--	3.0 x 10 <sup>2</sup>
10/21/98 <sup>b</sup>	15.72	5.51	10.21	--	--	--	--	--	--	--	8.8 x 10 <sup>2</sup>
11/04/98	15.72	5.60	10.12	--	--	--	--	--	--	--	--
01/26/99	15.72	6.87	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	15.72	8.20	7.52	--	--	--	--	--	--	--	--
08/21/99	15.72	13.21	2.51	--	--	--	--	--	--	--	--
10/28/99	15.72	6.35	9.37	--	--	--	--	--	--	--	--
01/31/00	15.72	7.25	8.47	--	<50	<0.5	0.541	<0.5	<0.5	<2.5	--
05/19/00	15.72	7.65	8.07	--	--	--	--	--	--	--	--
08/07/00	15.72	6.35	9.37	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
12/01/00	15.72	5.60	10.12	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	15.72	6.05	9.67	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	15.72	6.73	8.99	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-2 (cont)</b>											
08/27/01 <sup>h</sup>	15.72	5.68	10.04	--	<50	<0.50	<0.50	<0.50	<0.50	--/ <5.0 <sup>f</sup>	--
11/28/01	15.72	5.86	9.86	--	NOT SAMPLED DUE TO INSUFFICIENT WATER						--
02/14/02	15.69	7.86	7.83	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	15.69	7.09	8.60	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	15.69	6.02	9.67	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	15.69	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 <sup>1</sup>	15.69	8.04	7.65	140	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.69	7.33	8.36	150 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.69	5.97	9.72	150 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	-- <sup>n</sup>	-- <sup>n</sup>	10.39	180	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	-- <sup>n</sup>	-- <sup>n</sup>	6.90	310	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	-- <sup>n</sup>	-- <sup>n</sup>	9.13	160	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- <sup>n</sup>	-- <sup>n</sup>	10.30	180 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>MW-3</b>											
10/27/95	15.46	10.37	5.09	--	33,000	11,000	1,700	2,300	4,200	--	--
02/20/97	15.42	8.37	7.05	--	260	56	<1.0	7.6	5.9	<5.0	--
04/24/97	15.42	7.29	8.13	--	1,400	310	28	76	75	74	--
07/23/97	15.42	5.84	9.58	--	37,000	10,000	1,500	2,700	4,200	2,500	--
10/29/97	15.42	5.09	10.33	--	53,000	12,000	1,200	3,000	3,100	2,500	--
01/28/98	15.42	8.94	6.48	--	210	43	1.5	1.7	3.9	10	--
05/11/98	15.42	8.49	6.93	--	59	11	<0.5	2.1	<0.5	<2.5	--
07/16/98	15.42	7.14	8.28	--	260	90	4.8	18	5.7	<10	--
08/04/98 <sup>a</sup>	15.42	6.88	8.54	--	--	--	--	--	--	--	8.5 x 10 <sup>2</sup>
09/03/98 <sup>a</sup>	15.42	6.34	9.08	--	--	--	--	--	--	--	2.4 x 10 <sup>3</sup>
10/21/98 <sup>h</sup>	15.42	5.62	9.80	--	--	--	--	--	--	--	6.0 x 10 <sup>1</sup>
11/04/98	15.42	5.60	9.82	--	73,000	17,000	3,800	4,900	8,100	<250	--
01/26/99	15.42	6.70	8.72	--	32,400	10,200	1,850	2,650	3,140	715/<500 <sup>c</sup>	--
05/06/99	15.42	7.97	7.45	--	3,160	668	89.6	180	123	<200/<10 <sup>c</sup>	--
08/21/99	15.42	7.95	7.47	--	53,800	9,700	2,040	2,880	5,000	<1,250/<40 <sup>c</sup>	--
10/28/99	15.42	5.37	10.05	--	71,300	14,000	3,420	4,320	8,360	<1,000	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC <sup>a</sup> (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-3 (cont)</b>											
01/31/00	15.42	7.16	8.26	--	1,650	496	49.1	134	82.6	<12.5	--
05/19/00	15.42	7.60	7.82	--	110 <sup>e</sup>	36	2.5	9.1	4.0	6.3	--
08/07/00	15.42	6.29	9.13	--	36,000 <sup>e</sup>	9,000	3,000	2,700	2,800	2,500/<10 <sup>f</sup>	--
12/01/00	15.42	2.45	12.97	--	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
02/09/01	15.42	5.98	9.44	--	32,000 <sup>e</sup>	11,000	3,900	3,200	4,800	3,200/<2.0 <sup>f</sup>	--
05/29/01	15.42	6.65	8.77	--	13,000	4,200	2,000	1,800	1,500	74/<2.0 <sup>f</sup>	--
08/27/01 <sup>h</sup>	15.42	5.70	9.72	--	40,000	7,600	2,800	2,500	2,700	--/<25 <sup>f</sup>	--
11/28/01	15.42	5.77	9.65	--	57,000	10,000	2,900	2,900	2,800	<250/<5.0 <sup>f</sup>	--
02/14/02	15.40	7.73	7.67	--	51	2.9	<0.50	1.9	1.8	<2.5/<2 <sup>f</sup>	--
05/15/02	15.40	7.05	8.35	--	4,100	910	250	210	240	<20/<2 <sup>f</sup>	--
08/05/02	15.40	5.96	9.44	--	58,000	11,000	4,300	3,400	4,000	<250/<10 <sup>f</sup>	--
11/30/02	15.40	5.14	10.26	--	46,000	13,000	2,900	3,700	2,600	<100/<10 <sup>f</sup>	--
02/24-25/03 <sup>l</sup>	15.40	7.89	7.51	4,500	52,000	9,600	4,800	2,900	4,100	<130	--
06/02/03	15.40	7.24	8.16	6,500	67,000	11,000	9,600	3,400	5,700	<250	--
09/02/03	15.40	5.89	9.51	10,000	73,000	8,900	10,000	3,600	7,000	300	--
11/21/03	15.40	5.17	10.23	8,000	29,000	3,300	3,200	1,200	1,500	<200	--
02/27/04	15.40	8.84	6.56	200	59	8.2	6.3	1.7	6.8	<2.5	--
05/28/04	15.40	6.57	8.83	5,400	18,000	2,600	970	1,600	950	<100	--
08/31/04	15.40	5.41	9.99	9,100	58,000	3,200	9,600	2,800	7,500	<50	--
<b>MW-4</b>											
10/27/95	14.45	9.37	5.08	--	66	6.8	<0.5	<0.5	<0.5	--	--
02/20/97	14.40	8.12	6.28	--	54	<0.5	<0.5	<0.5	7.4	39	--
04/24/97	14.40	7.29	7.11	--	54	1.4	<0.5	0.65	3.0	100	--
07/23/97	14.40	5.80	8.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	14.40	5.74	8.66	--	--	--	--	--	--	--	--
11/13/97	14.40	4.97	9.43	--	<50	<0.5	0.79	<0.5	<0.5	<2.5	--
01/28/98	14.40	8.88	5.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	14.40	8.40	6.00	--	SAMPLED BIANNUALLY				--	--	--
07/16/98	14.40	7.08	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98 <sup>a</sup>	14.40	6.28	8.12	--	--	--	--	--	--	--	1.8 x 10 <sup>4</sup>



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-4 (cont)</b>											
09/03/98 <sup>a</sup>	14.40	6.32	8.08	--	--	--	--	--	--	--	1.4 x 10 <sup>4</sup>
10/21/98 <sup>b</sup>	14.40	5.64	8.76	--	--	--	--	--	--	--	8.6 x 10 <sup>4</sup>
11/04/98	14.40	5.61	8.79	--	--	--	--	--	--	--	--
01/26/99	14.40	6.71	7.69	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	14.40	8.15	6.25	--	--	--	--	--	--	--	--
08/21/99	14.40	8.13	6.27	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
10/28/99	14.40	4.14	10.26	--	--	--	--	--	--	--	--
01/31/00	14.40	7.07	7.33	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	14.40	7.52	6.88	--	--	--	--	--	--	--	--
08/07/00	14.40	6.23	8.17	--	<50	4.3	0.60	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
12/01/00	14.40	INACCESSIBLE	--	--	--	--	--	--	--	--	--
02/09/01	14.40	INACCESSIBLE	--	--	--	--	--	--	--	--	--
05/29/01	14.40	6.58	7.82	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
08/27/01	14.40	6.52	7.88	--	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
11/28/01	14.40	DRY	--	--	--	--	--	--	--	--	--
02/14/02	14.37	7.66	6.71	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
05/15/02	14.37	6.96	7.41	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
08/05/02	14.37	DRY	--	--	--	--	--	--	--	--	--
11/30/02	14.37	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 <sup>1</sup>	14.37	7.77	6.60	200	<50	8.0	<0.50	<0.50	<1.5	<2.5	--
06/02/03	14.37	7.11	7.26	300	<50	4.3	<0.5	<0.5	<1.5	<2.5	--
09/02/03	14.37	5.80	8.57	410	51	4.3	<0.5	<0.5	<1.5	<2.5	--
11/21/03	-- <sup>n</sup>	-- <sup>n</sup>	10.24	560	110	25	0.6	1.5	<1.5	<2.5	--
02/27/04	-- <sup>n</sup>	-- <sup>n</sup>	5.71	340	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	-- <sup>n</sup>	-- <sup>n</sup>	7.88	430	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- <sup>n</sup>	-- <sup>n</sup>	9.03	460	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>MW-5</b>											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
04/24/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-5 (cont)</b>											
04/30/97	15.03	7.06	7.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
10/29/97	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
01/28/98	15.03	8.83	6.20	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
07/16/98	15.03	7.28	7.75	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
11/04/98	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
01/26/99	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
05/06/99	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
08/21/99	15.03	6.74	8.29	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
10/28/99	15.03	4.60	10.43	--	--	--	--	--	--	--	--
01/31/00	15.03	7.39	7.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	15.03	7.85	7.18	--	--	--	--	--	--	--	--
08/07/00	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
12/01/00	15.03	5.68	9.35	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50/<2.0 <sup>f</sup>	--
02/09/01	15.03	6.22	8.81	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
05/29/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--
08/27/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--
11/28/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--
02/14/02	15.01	7.96	7.05	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
05/15/02	15.01	7.23	7.78	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
08/05/02	15.01	6.13	8.88	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
11/30/02	15.01	5.27	9.74	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
02/24-25/03 <sup>1</sup>	15.01	7.99	7.02	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.01	7.14	7.87	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.01	6.02	8.99	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	15.01	5.26	9.75	68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	15.01	8.42	6.59	140	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	15.01	6.71	8.30	76	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	15.01	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC <sup>a</sup> (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (clu/ml)	
MW-6												
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	
02/20/97	14.73	8.11	6.62	--	800	310	23	11	28	<12	--	
04/24/97	14.73	7.13	7.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
07/23/97	14.73	5.73	9.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
10/29/97	14.73	4.98	9.75	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
01/28/98	14.73	8.19	6.54	--	160	38	<0.5	<0.5	<0.5	<2.5	--	
05/11/98	14.73	8.08	6.65	--	1,700	490	72	39	52	<25	--	
07/16/98	14.73	7.04	7.69	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
08/04/98 <sup>a</sup>	14.73	6.89	7.84	--	--	--	--	--	--	--	8.6 x 10 <sup>3</sup>	
09/03/98 <sup>a</sup>	14.73	6.24	8.49	--	--	--	--	--	--	--	2.9 x 10 <sup>3</sup>	
10/21/98 <sup>b</sup>	14.73	5.46	9.27	--	--	--	--	--	--	--	1.8 x 10 <sup>3</sup>	
11/04/98	14.73	5.52	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
01/26/99	14.73	6.49	8.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	
05/06/99	14.73	7.91	6.82	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
08/21/99	14.73	7.93	6.80	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
10/28/99	14.73	5.27	9.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
01/31/00	14.73	7.16	7.57	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
05/19/00	14.73	7.60	7.13	--	<50	11	<0.5	<0.5	<0.5	<2.5	--	
08/07/00	14.73	6.22	8.51	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--	
12/01/00	14.73	DRY	--	--	--	--	--	--	--	--	--	
02/09/01	14.73	DRY	--	--	--	--	--	--	--	--	--	
05/29/01	14.73	6.63	8.10	--	NOT SAMPLED DUE TO INSUFFICIENT WATER						--	--
08/27/01 <sup>h</sup>	14.73	9.83	4.90	--	150	<0.50	5.7	<0.50	<0.50	--/<5.0 <sup>f</sup>	--	
11/28/01	14.73	DRY	--	--	--	--	--	--	--	--	--	
02/14/02	14.68	7.90	6.78	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
05/15/02	14.68	7.32	7.36	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
08/05/02	14.68	DRY	--	--	--	--	--	--	--	--	--	
11/30/02	14.68	DRY	--	--	--	--	--	--	--	--	--	
02/24-25/03 <sup>l</sup>	14.68	7.89	6.79	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/02/03	14.68	7.20	7.48	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
09/02/03	14.68	5.77	8.91	190	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
11/21/03	14.68	4.86	9.82	98	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC <sup>a</sup> (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-6 (cont)</b>											
02/27/04	14.68	8.12	6.56	240	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	14.68	6.43	8.25	150	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	14.68	5.29	9.39	360 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>MW-7</b>											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	16.36	8.86	7.50	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	16.36	7.59	8.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	16.36	6.09	10.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	16.36	5.28	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	16.36	9.10	7.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	16.36	9.11	7.25	--	SAMPLED ANNUALLY		--	--	--	--	--
07/16/98	16.36	8.00	8.36	--	--	--	--	--	--	--	--
08/04/98 <sup>a</sup>	16.36	7.32	9.04	--	--	--	--	--	--	--	1.5 x 10 <sup>3</sup>
09/03/98 <sup>a</sup>	16.36	6.65	9.71	--	--	--	--	--	--	--	6.5 x 10 <sup>2</sup>
10/21/98 <sup>b</sup>	16.36	5.96	10.40	--	--	--	--	--	--	--	4.8 x 10 <sup>3</sup>
11/04/98	16.36	5.89	10.47	--	--	--	--	--	--	--	--
01/26/99	16.36	8.25	8.11	--	<50	<0.5	<0.5	<0.5	0.5	<2.0	--
05/06/99	16.36	8.47	7.89	--	--	--	--	--	--	--	--
08/21/99	16.36	8.51	7.85	--	--	--	--	--	--	--	--
10/28/99	16.36	6.04	10.32	--	--	--	--	--	--	--	--
01/31/00	16.36	7.57	8.79	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	16.36	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
08/07/00	16.36	6.67	9.69	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
12/01/00	16.36	5.84	10.52	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	16.36	6.30	10.06	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	16.36	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
08/27/01 <sup>h</sup>	16.36	6.02	10.34	--	<50	<0.50	<0.50	<0.50	<0.50	--<5.0 <sup>f</sup>	--
11/28/01	16.36	6.09	10.27	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	16.31	8.21	8.10	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	16.31	7.41	8.90	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Former Chevron (Signal Oil) Service Station #206145 (S-800)  
 800 Center Street  
 Oakland, California

WELL ID/ DATE	TOC <sup>a</sup> (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>MW-7 (cont)</b>											
08/05/02	16.31	6.26	10.05	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	16.31	5.39	10.92	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03 <sup>l</sup>	16.31	8.30	8.01	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	16.31	7.67	8.64	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	16.31	6.17	10.14	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	16.31	UNABLE TO LOCATE - BURIED		--	--	--	--	--	--	--	--
02/27/04	16.31	UNABLE TO LOCATE - BURIED		--	--	--	--	--	--	--	--
05/28/04	-- <sup>n</sup>	-- <sup>n</sup>	9.40	91	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- <sup>n</sup>	-- <sup>n</sup>	10.61	150 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>MW-8</b>											
02/14/02 <sup>ij</sup>	15.29	7.30	7.99	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
05/15/02 <sup>k</sup>	15.29	6.66	8.63	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02 <sup>k</sup>	15.29	5.48	9.81	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02 <sup>k</sup>	15.29	4.85	10.44	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03 <sup>l</sup>	15.29	7.46	7.83	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.29	6.83	8.46	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.29	5.57	9.72	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	15.29	4.89	10.40	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	15.29	8.38	6.91	280	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	15.29	6.33	8.96	72	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	15.29	4.79	10.50	92 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>TRIP BLANK</b>											
02/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	CUB (cfu/ml)
<b>TRIP BLANK (cont)</b>											
07/16/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
11/04/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
01/26/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/31/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/07/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
12/01/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/27/01 <sup>b</sup>	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	--/ <5.0 <sup>f</sup>	--
<b>QA</b>											
11/28/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
 Former Chevron (Signal Oil) Service Station #206145 (S-800)  
 800 Center Street  
 Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to May 19, 2000 were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing  
 (ft.) = Feet

GWE = Groundwater Elevation  
 (msl) = Mean sea level

DTW = Depth to Water

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

CUB = Contaminate utilizing bacteria

(cfu/ml) = Colony forming unit per milliliter

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

- \* On February 18, 2003 MW-1A was surveyed using the previous benchmark.  
 TOC elevations were surveyed on December March 4, 2002, by Virgil Chavez Land Surveying. The benchmark for the survey was a City of Oakland benchmark, #25-H monument disk in well casing in sidewalk at the northwest corner of 7th and Center. The latitude, longitude and coordinates are for top of casings and are based on the California State Coordinate System, Zone III (NAD83), (Benchmark Elevation = 10.784 feet NGVD 29).
- <sup>a</sup> Contaminate hydrocarbon utilizing bacteria plate count was run with diesel and jet fuel degraders.
- <sup>b</sup> Contaminate hydrocarbon utilizing bacteria plate count was run with gasoline degraders.
- <sup>c</sup> Confirmation run.
- <sup>d</sup> Chromatogram pattern indicates an unidentified hydrocarbon.
- <sup>e</sup> Laboratory report indicates gasoline C6-C12.
- <sup>f</sup> MTBE by EPA Method 8260.
- <sup>g</sup> Laboratory reports indicates weathered gasoline C6-C12.
- <sup>h</sup> TPH-G and BTEX by EPA Method 8260.
- <sup>i</sup> Well development performed.
- <sup>j</sup> TPH-D was detected at 130 ppb.
- <sup>k</sup> TPH-D was <50 ppb.
- <sup>l</sup> Well re-development performed.
- <sup>m</sup> Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- <sup>n</sup> TOC damaged; unable to calculate an accurate GWE.

**Table 2**  
**Field Measurements and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	Pre-purge DO (mg/L)	Post-purge DO (mg/L)	Pre-purge ORP (mV)	Post-purge ORP (mV)	Total Alkalinity (ppb)	Ferrous Iron (ppb)	Nitrate as Nitrate (ppb)	Sulfate (ppb)
MW-1 09/03/98	2.3	1.6	-90	-103	230,000	9,800	<1,000	6,100
MW-2 09/03/98	2.8	2.5	-206	-163	390,000	7,400	<1,000	21,000
MW-3 09/03/98	3.1	0.7	-124	-99	830,000	45,000	<1,000	10,000
MW-4 09/03/98	2.6	1.1	-190	-206	--	--	--	--
MW-6 09/03/98	2.6	3.2	-148	-167	94,000	62	28,000	47,000
MW-7 09/03/98	2.7	3.2	-207	-229	170,000	120	7,800	57,000

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

DO = Dissolved Oxygen

(mg/L) = Milligram per liter

ORP = Oxidation Reduction Potential

(mV) = Millivolts

(ppb) = Parts per billion

-- = Not Analyzed



**Table 3**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-1	08/07/00	--	<1,000	410	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
	12/01/00	--	<2,500	<250	<10	<10	<10	<10	<10	<10
	02/09/01	--	<500	340	<2.0	<2.0	<2.0	53	<2.0	<2.0
	05/29/01	--	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	<2.000	<200	230	<20	<20	<20	<20	<20	<20
	11/28/01	--	<500	130	<2	<2	<2	<2	<2	<2
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	120	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	08/05/02	--	<500	100	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
DESTROYED										
MW-2	08/07/00		<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
MW-3	08/07/00	--	<500	2,600	<10	<10	<10	<10	490	17
	02/09/01	--	<500	2,000	<2.0	<2.0	<2.0	35	<2.0	<2.0
	05/29/01	--	<500	1,700 <sup>1</sup>	<2.0	<2.0	<2.0	38	980 <sup>1</sup>	7.4
	08/27/01	<5.000	<250	1,300	<25	<25	<25	<25	380	<25
	11/28/01	--	<500	1,500	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	110	<2	<2	<2	<2	120	<2
	08/05/02	--	<1,000	1,400	<10	<10	<10	<10	670	<10
	11/30/02	--	<1,000	1,200	<10	<10	<10	<10	380	<10
MW-4	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	18	<2.0
	08/27/01	NOT SAMPLED DUE TO INSUFFICIENT WATER								
	11/28/01	DRY	--	--	--	--	--	--	--	--
	02/14/02	--	<500	<100	<2	<2	<2	<2	9	<2
	05/15/02	--	<500	<100	<2	<2	<2	<2	4	<2
	08/05/02	DRY	--	--	--	--	--	--	--	--
11/30/02	DRY	--	--	--	--	--	--	--	--	

**Table 3**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID	DATE	METHANOL (ppm)	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-5	12/01/00	--	<500	<50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	02/09/01	--	<500	<50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	INACCESSIBLE - CAR PARKED OVER WELL								
	11/28/01	INACCESSIBLE - CAR PARKED OVER WELL								
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	08/05/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	11/30/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	MW-6	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0
08/27/01		--	--	--	<5.0	--	--	--	--	--
11/30/02		DRY	--	--	--	--	--	--	--	--
MW-7	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
MW-8	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2

**Table 3**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

**EXPLANATIONS:**

TBA = Tertiary butyl alcohol  
MTBE = Methyl tertiary butyl ether  
DIPE = Di-isopropyl ether  
ETBE = Ethyl tertiary butyl ether  
TAME = Tertiary amyl methyl ether  
1,2-DCA = 1,2-Dichloroethane  
EDB = 1,2-Dibromoethane  
(ppm) = Parts per million  
(ppb) = Parts per billion  
-- = Not Analyzed

**ANALYTICAL METHODS:**

EPA Method 8260 (modified) for Methanol  
EPA Method 8260 for Oxygenate Compounds

<sup>1</sup> Laboratory report indicates this sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 8/31/04 (inclusive)  
 City: Oakland, CA Sampler: GR

Well ID: MW-1A Date Monitored: 8/31/04 Well Condition: OK

Well Diameter: 2 in.

Total Depth: 16.80 ft.

Depth to Water: 9.91 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

6.89 xVF 0.17 = 1.17 x3 case volume= Estimated Purge Volume: 3.5 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: ⊕ ft  
 Visual Confirmation/Description: \_\_\_\_\_

Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1200 Weather Conditions: Clear  
 Sample Time/Date: 1235 8/31/04 Water Color: Clear Odor: Yes  
 Purging Flow Rate: — gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1204</u>	<u>1</u>	<u>7.48</u>	<u>1237</u>	<u>21.7</u>	_____	_____
<u>1208</u>	<u>2</u>	<u>7.49</u>	<u>1244</u>	<u>21.8</u>	_____	_____
<u>1211</u>	<u>3.5</u>	<u>7.48</u>	<u>1241</u>	<u>21.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1A</u>	<u>3 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTX+MTBE(8021)</u>
	<u>2 x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 8/31/04 (inclusive)  
 City: Oakland, CA Sampler: G.R.

Well ID: MW-2 Date Monitored: 8/31/04 Well Condition: OK

Well Diameter: 2 in:

Total Depth: 14.20 ft.

Depth to Water: 10.30 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

3.90 xVF 0.17 = 0.66 x3 case volume= Estimated Purge Volume: 2 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_

Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1035 Weather Conditions: Clean  
 Sample Time/Date: 1100 8/31/04 Water Color: Clean Odor: No  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1039</u>	<u>.75</u>	<u>7.33</u>	<u>1052</u>	<u>71.8</u>	_____	_____
<u>1042</u>	<u>1.15</u>	<u>7.28</u>	<u>1044</u>	<u>71.8</u>	_____	_____
<u>1044</u>	<u>2</u>	<u>7.27</u>	<u>1046</u>	<u>71.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>2</u>	<u>3</u> x vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)
	<u>2</u> x Amber	YES	NP	LANCASTER	TPH-D
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145  
 Site Address: 800 Center Street  
 City: Oakland, CA

Job Number: 386492  
 Event Date: 8/31/04 (inclusive)  
 Sampler: G.R.

Well ID: MW-3 Date Monitored: 8/31/04 Well Condition: OK

Well Diameter: 2 in.  
 Total Depth: 14.45 ft.  
 Depth to Water: 9.99 ft.  
4.46 xVF 0.17 = 0.75 x3 case volume = Estimated Purge Volume: 2.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1120 Weather Conditions: Clear  
 Sample Time/Date: 1150 8/31/04 Water Color: Clear Odor: Yes  
 Purging Flow Rate: — gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1026</u>	<u>1</u>	<u>7.44</u>	<u>1108</u>	<u>21.7</u>	_____	_____
<u>1029</u>	<u>2</u>	<u>7.41</u>	<u>1122</u>	<u>21.8</u>	_____	_____
<u>1033</u>	<u>2.5</u>	<u>7.40</u>	<u>1117</u>	<u>21.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>3</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
	<u>2</u> x Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 8/31/04 (inclusive)  
 City: Oakland, CA Sampler: G.R.

Well ID: MW-4 Date Monitored: 8/31/04 Well Condition: ok  
 Well Diameter: 2 in.  
 Total Depth: 13.40 ft.  
 Depth to Water: 9.03 ft.  
4.37 xVF 0.17 = 0.74 x3 case volume = Estimated Purge Volume: 2.5 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 2 ft  
 Visual Confirmation/Description: \_\_\_\_\_

Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0955 Weather Conditions: Clear  
 Sample Time/Date: 1020 8/31/04 Water Color: Clear Odor: NO  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0958</u>	<u>1</u>	<u>7.29</u>	<u>1072</u>	<u>21.8</u>	_____	_____
<u>1001</u>	<u>2</u>	<u>7.34</u>	<u>1064</u>	<u>21.7</u>	_____	_____
<u>1003</u>	<u>2.5</u>	<u>7.33</u>	<u>1061</u>	<u>21.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
	<u>2 x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145  
 Site Address: 800 Center Street  
 City: Oakland, CA

Job Number: 386492  
 Event Date: 8/3/04 (inclusive)  
 Sampler: G. D.

Well ID: MW-5  
 Well Diameter: 2 in.  
 Total Depth: 19.30 ft.  
 Depth to Water: \_\_\_\_\_ ft.

Date Monitored: \_\_\_\_\_

Well Condition: \_\_\_\_\_

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume= Estimated Purge Volume: \_\_\_\_\_ gal.

**Purge Equipment:**

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: 1 Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

**LABORATORY INFORMATION**

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)
	x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: In accessible - car parked over well

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 8/31/04 (inclusive)  
 City: Oakland, CA Sampler: G. R.

Well ID: MW-6 Date Monitored: 8/31/04 Well Condition: OK  
 Well Diameter: 2 in.  
 Total Depth: 15.75 ft.  
 Depth to Water: 9.39 ft.  
6.36 xVF 0.17 = 1.08 x3 case volume = Estimated Purge Volume: 3 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0830 Weather Conditions: Clear  
 Sample Time/Date: 0855 8/31/04 Water Color: Clear Odor: NO  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0834</u>	<u>1</u>	<u>7.22</u>	<u>862</u>	<u>21.9</u>		
<u>0838</u>	<u>2</u>	<u>7.14</u>	<u>854</u>	<u>21.8</u>		
<u>0840</u>	<u>3</u>	<u>7.14</u>	<u>860</u>	<u>21.8</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
	<u>2</u> x Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 8/31/04 (inclusive)  
 City: Oakland, CA Sampler: G. Rager

Well ID: MW-7 Date Monitored: 8/31/04 Well Condition: OK  
 Well Diameter: 2 in.  
 Total Depth: 15.70 ft.  
 Depth to Water: 10.61 ft.  
5.09 xVF 0.17 = 0.86 x3 case volume = Estimated Purge Volume: 2.5 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

Sampling Equipment:  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0745 Weather Conditions: Clear  
 Sample Time/Date: 0815 8/31/04 Water Color: Clear Odor: NO  
 Purging Flow Rate: — gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0745</u>	<u>1</u>	<u>7.16</u>	<u>887</u>	<u>21.0</u>		
<u>0752</u>	<u>2</u>	<u>7.21</u>	<u>855</u>	<u>20.9</u>		
<u>0754</u>	<u>2.5</u>	<u>7.17</u>	<u>859</u>	<u>21.0</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-7	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)
	<u>2</u> x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: The large pile of dirt that was over the well has been cleared. North half of lot cleared of construction material. South half still has material.

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 8/31/04 (inclusive)  
 City: Oakland, CA Sampler: G.A.

Well ID: MW8 Date Monitored: 8/31/04 Well Condition: OK  
 Well Diameter: 2 in.  
 Total Depth: 20.20 ft.  
 Depth to Water: 10.50 ft.  
9.70 xVF 0.17 = 1.64 x3 case volume = Estimated Purge Volume: 5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0910 Weather Conditions: Clear  
 Sample Time/Date: 0940 8/31/04 Water Color: Clear Odor: No  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0916</u>	<u>2</u>	<u>7.24</u>	<u>744</u>	<u>21.8</u>		
<u>0920</u>	<u>4</u>	<u>7.21</u>	<u>756</u>	<u>21.9</u>		
<u>0923</u>	<u>5</u>	<u>7.19</u>	<u>758</u>	<u>21.8</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>8</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8021)
	<input checked="" type="checkbox"/> x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_





# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

## ANALYTICAL RESULTS

Prepared for:

Chevron Texaco  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

## SAMPLE GROUP

The sample group for this submittal is 911042. Samples arrived at the laboratory on Wednesday, September 08, 2004. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-040831	NA Water	4347041
MW-1A-W-040831	Grab Water	4347042
MW-2-W-040831	Grab Water	4347043
MW-3-W-040831	Grab Water	4347044
MW-4-W-040831	Grab Water	4347045
MW-6-W-040831	Grab Water	4347046
MW-7-W-040831	Grab Water	4347047
MW-8-W-040831	Grab Water	4347048

1 COPY TO  
ELECTRONIC  
COPY TO

Cambria C/O Gettler- Ryan  
Gettler-Ryan

Attn: Deanna L. Harding  
Attn: Cheryl Hansen



## Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative  
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Tina L. Thoman".

Tina L. Thoman  
Senior Chemist, Coordinator

Lancaster Laboratories Sample No. **WW 4347041**

QA-T-040831                      NA                      Water  
 Facility# 206145 Job# 386492                      GRD  
 800 Center St-Oakland                      T0600102230 QA  
 Collected: 08/31/2004

Account Number: 10904

Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

QACEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 03:15	Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 03:15	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 03:15	Linda C Pape	n.a.



Lancaster Laboratories Sample No. WW 4347042

MW-1A-W-040831 Grab Water  
 Facility# 206145 Job# 386492 GRD  
 800 Center St-Oakland T0600102230 MW-1A  
 Collected: 08/31/2004 12:35 by GR

Account Number: 10904

Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

ChevronTexaco  
 6001 Rollinger Canyon Rd L4310  
 San Ramon CA 94583

1ACEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	n.a.	4,500.	250.	ug/l	10
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	1,100.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	13.	0.5	ug/l	1
02164	Toluene	108-88-3	68.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	27.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	110.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 10:32	Robert T Vincent	10
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 10:27	Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 10:27	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 10:27	Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00	Eryn E Landis	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4347043

MW-2-W-040831 Grab Water  
 Facility# 206145 Job# 386492 GRD  
 800 Center St-Oakland T0600102230 MW-2  
 Collected: 08/31/2004 11:00 by GR

Account Number: 10904

Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

ChevronTexaco  
 6001 Rollinger Canyon Rd 14310  
 San Ramon CA 94583

M2CEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters) The observed sample pattern is not typical of diesel/#2 fuel oil.	n.a.	180.	50.	ug/l	1
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 06:13	Robert T Vincent	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 11:00	Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 11:00	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 11:00	Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00	Eryn E Landis	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4347044

MW-3-W-040831 Grab Water  
 Facility# 206145 Job# 386492 GRD  
 800 Center St-Oakland T0600102230 MW-3  
 Collected: 08/31/2004 11:50 by GR

Account Number: 10904

Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

ChevronTexaco  
 6001 Rollinger Canyon Rd L4310  
 San Ramon CA 94583

M3CEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	n.a.	9,100.	630.	ug/l	25
Accurate surrogate recoveries could not be determined due to the dilution required for analysis of the sample.						
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	58,000.	1,000.	ug/l	20
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	3,200.	10.	ug/l	20
02164	Toluene	108-88-3	9,600.	13.	ug/l	25
02166	Ethylbenzene	100-41-4	2,800.	10.	ug/l	20
02171	Total Xylenes	1330-20-7	7,500.	30.	ug/l	20
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	50.	ug/l	20
The reporting limits were raised because sample dilution was necessary to bring target compounds into the calibration range of the system.						

State of California Lab Certification No. 2116

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 13:50	Tracy A Cole	25
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 11:34	Linda C Pape	20
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 11:34	Linda C Pape	20
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 19:19	Linda C Pape	25
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 11:34	Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00	Eryn E Landis	1

Lancaster Laboratories Sample No. WW 4347045

 MW-4-W-040831 Grab Water  
 Facility# 206145 Job# 386492 GRD  
 800 Center St-Oakland T0600102230 MW-4  
 Collected: 08/31/2004 10:20 by GR

Account Number: 10904

 Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

 ChevronTexaco  
 6001 Rollinger Canyon Rd L4310  
 San Ramon CA 94583

M4CEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	n.a.	460.	50.	ug/l	1
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 08:34	Robert T Vincent	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 12:07	Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 12:07	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 12:07	Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00	Eryn E Landis	1

Lancaster Laboratories Sample No. **WW 4347046**

 MW-6-W-040831                      **Grab**                      **Water**  
 Facility# 206145    Job# 386492                                      **GRD**  
 800 Center St-Oakland                      T0600102230    **MW-6**  
 Collected: 08/31/2004 08:55                      by GR

Account Number: 10904

 Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

M6CEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received	Units	Dilution Factor
				Method		
05553	TPH - DRO CA LUFT (Waters) The observed sample pattern is not typical of diesel/#2 fuel oil.	n.a.	360.	Detection Limit 50.	ug/l	1
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 06:36	Robert T Vincent	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 12:40	Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 12:40	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 12:40	Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00	Eryn E Landis	1

Lancaster Laboratories Sample No. **WW 4347047**

 MW-7-W-040831                      Grab                      Water  
 Facility# 206145    Job# 386492                                      GRD  
 800 Center St-Oakland                      T0600102230    MW-7  
 Collected: 08/31/2004 08:15                      by GR

Account Number: 10904

 Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

M7CEN

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
05553	TPH - DRO CA LUFT (Waters) The observed sample pattern is not typical of diesel/#2 fuel oil.	n.a.	150.		50.	ug/l	1
01729	TPH-GRO - Waters						
01730	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.		50.	ug/l	1
02159	BTEX, MTBE						
02161	Benzene	71-43-2	N.D.		0.5	ug/l	1
02164	Toluene	108-88-3	N.D.		0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.		1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.		2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 12:37		Tracy A Cole	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 13:13		Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 13:13		Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 13:13		Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00		Eryn E Landis	1

Lancaster Laboratories Sample No. WW 4347048

 MW-8-W-040831 Grab<sup>u</sup> Water  
 Facility# 206145 Job# 386492 GRD  
 800 Center St-Oakland T0600102230 MW-8  
 Collected: 08/31/2004 09:40 by GR

Account Number: 10904

 Submitted: 09/08/2004 11:00  
 Reported: 09/20/2004 at 12:53  
 Discard: 10/21/2004

 ChevronTexaco  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

M8CEN

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
05553	TPH - DRO CA LUFT (Waters) The observed sample pattern is not typical of diesel/#2 fuel oil.	n.a.	92.	Detection Limit 50.	ug/l	1
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

State of California Lab Certification No. 2116

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	09/15/2004 07:00	Robert T Vincent	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/10/2004 13:47	Linda C Pape	1
02159	BTEX, MTBE	SW-846 8021B	1	09/10/2004 13:47	Linda C Pape	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/10/2004 13:47	Linda C Pape	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	09/09/2004 00:00	Eryn E Landis	1

## Quality Control Summary

 Client Name: ChevronTexaco  
 Reported: 09/20/04 at 12:53 PM

Group Number: 911042

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 042520021A TPH - DRO CA LUFT (Waters)	N.D.	50.	ug/l	91	95	61-126	4	20
Batch number: 04253A56A TPH-GRO - Waters	N.D.	50.	ug/l	101	108	70-130	6	30
Benzene	N.D.	0.5	ug/l	95	99	79-123	4	30
Toluene	N.D.	0.5	ug/l	98	101	82-119	3	30
Ethylbenzene	N.D.	0.5	ug/l	97	101	81-119	4	30
Total Xylenes	N.D.	1.5	ug/l	98	102	82-120	3	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	100	100	75-125	1	30
Batch number: 04253A56B Toluene	N.D.	0.5	ug/l	96	101	82-119	3	30

### Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04253A56A TPH-GRO - Waters	100	107	63-154	107	110	78-131	110	110	110
Benzene	110	110	78-129	110	110	75-133	110	110	110
Toluene	110	110	86-132	110	110	86-132	110	110	110
Ethylbenzene	106	106	70-134	106	106	70-134	106	106	106
Batch number: 04253A56B Toluene	110	110	78-129	110	110	78-129	110	110	110

### Surrogate Quality Control

 Analysis Name: TPH - DRO CA LUFT (Waters)  
 Batch number: 042520021A  
 Orthoterphenyl

4347042	97
4347043	97
4347044	136*

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



## Quality Control Summary

Client Name: ChevronTexaco  
Reported: 09/20/04 at 12:53 PM

Group Number: 911042

### Surrogate Quality Control

4347045 93  
4347046 100  
4347047 92  
4347048 99  
Blank 97  
LCS 127  
LCSD 125

Limits: 57-128

Analysis Name: BTEX, MTBE

Batch number: 04253A56A

	Trifluorotoluene-F	Trifluorotoluene-P
4347041	91	102
4347042	88	98
4347043	91	98
4347044	90	104
4347045	91	103
4347046	95	106
4347047	97	111
4347048	101	113
Blank	91	104
LCS	98	103
LCSD	98	102
MS	98	114

Limits: 57-146

72-128

Analysis Name: TPH-GRO - Waters

Batch number: 04253A56B

	Trifluorotoluene-F	Trifluorotoluene-P
Blank	104	115
LCS	98	103
LCSD	98	102
MS	98	114

Limits: 57-146

72-128

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)

**<** less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

**>** greater than

**J** estimated value - The result is  $\geq$  the Method Detection Limit (MDL) and  $<$  the Limit of Quantitation (LOQ).

**ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.

**ppb** parts per billion

**Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

## U.S. EPA CLP Data Qualifiers:

### Organic Qualifiers

<b>A</b>	TIC is a possible aldol-condensation product
<b>B</b>	Analyte was also detected in the blank
<b>C</b>	Pesticide result confirmed by GC/MS
<b>D</b>	Compound quantitated on a diluted sample
<b>E</b>	Concentration exceeds the calibration range of the instrument
<b>N</b>	Presumptive evidence of a compound (TICs only)
<b>P</b>	Concentration difference between primary and confirmation columns $>25\%$
<b>U</b>	Compound was not detected
<b>X,Y,Z</b>	Defined in case narrative

### Inorganic Qualifiers

<b>B</b>	Value is $<CRDL$ , but $\geqIDL$
<b>E</b>	Estimated due to interference
<b>M</b>	Duplicate injection precision not met
<b>N</b>	Spike sample not within control limits
<b>S</b>	Method of standard additions (MSA) used for calculation
<b>U</b>	Compound was not detected
<b>W</b>	Post digestion spike out of control limits
<b>*</b>	Duplicate analysis not within control limits
<b>+</b>	Correlation coefficient for MSA $<0.995$

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.