



RECEIVED

1:38 pm, Apr 18, 2011
Alameda County
Environmental Health

Ian Robb
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6692
Fax (925) 549-1441
irobbs@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Former Signal Oil Station No. 20-6145
800 Center Street
Oakland, CA

I have reviewed the attached report dated April 14, 2011.

I agree with the conclusions and recommendations presented in the referenced report. This information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga Rovers Associates, upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink, appearing to read "I. Robb".

Ian Robb
Project Manager

Attachment: First Semi-Annual 2011 Groundwater Monitoring and Sampling Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

April 14, 2011

Reference No. 312002

Mr. Mark Detterman
Alameda County Environmental Health (ACEH)
1131 Harbor Bay Parkway
Alameda, California 94502

Re: First Semi-Annual 2011
Groundwater Monitoring and Sampling Report
Former Signal Oil Service Station 20-6145
800 Center Street
Oakland, California
ACEH Case No. RO0000454

Dear Mr. Mark Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *First Semi-Annual 2011 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Gettler-Ryan, Inc. (G-R) of Dublin, California. G-R's February 9, 2011 *Groundwater Monitoring and Sampling Data Package* is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' February 16, 2011 *Analytical Results* is included as Attachment B. Historical groundwater monitoring and sampling data are included as Attachment C.

Equal
Employment Opportunity
Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

April 14, 2011

Reference No. 312002

- 2 -

Please contact Kiersten Hoey at (510) 420-3347 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

A handwritten signature in black ink that reads 'Kiersten Hoey'. The signature is written in a cursive style with a large, looping flourish at the end.

Kiersten Hoey

A handwritten signature in black ink that reads 'Brandon S. Wilken'. The signature is written in a cursive style.

Brandon S. Wilken, PG 7564



AA/aa/18
Encl.

Figure 1	Vicinity Map
Figure 2	Shallow Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report
Attachment C	Historical Groundwater Monitoring and Sampling Data

cc: Mr. Ian Robb, Chevron
Mr. Rene Boisvert, 800 Center LLC

FIGURES




FIGURE
1

Former Signal Oil Station 206145

800 Center Street
Oakland, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map




Figure 2
 SHALLOW GROUNDWATER ELEVATION AND HYDROCARBON CONCENTRATION MAP
 FORMER SIGNAL OIL SERVICE STATION 20-6145
 800 CENTER STREET
 Oakland, California
 February 9, 2011



TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 20-6145
 800 CENTER STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCs					GENERAL CHEMISTRY						
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
AS-1	02/03/2011 ⁶	18.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-2	02/03/2011 ⁶	17.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-3	02/03/2011 ⁶	18.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-4	02/03/2011 ⁶	18.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-5	02/03/2011 ⁶	18.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-6	02/03/2011 ⁶	18.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-7	02/03/2011 ⁶	18.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-8	02/03/2011 ⁶	18.57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1A	09/03/2010 ¹	18.11	9.54	8.57	590	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-1A	02/03/2011 ¹	18.11	8.05	10.06	840	100	2.5	0.6	6.7	2.0	<2.5	-	-	-	-	-	-	-
MW-2	09/03/2010 ¹	18.40	9.98	8.42	130	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-2	02/03/2011 ¹	18.40	8.61	9.79	430	75	<0.5	<0.5	<0.5	<1.5	8.9	-	-	-	-	-	-	-
MW-3	09/03/2010 ¹	18.07	9.70	8.37	4,000	32,000	65	690	3,100	4,900	380	160,000	390	45,900	531,000	<460	21,500	
MW-3	02/03/2011 ¹	18.07	8.39	9.68	1,400	2,000	17	34	250	190	26	44,000	<250	180,000	385,000	<460	28,500	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 20-6145
 800 CENTER STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCs					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	09/03/2010 ¹	16.98	8.63	8.35	400	310	<5.0	<0.5	1.2	<1.5	<2.5	210,000	<250	2,000	400,000	<460	7,500
MW-4	02/03/2011 ¹	16.98	7.43	9.55	160	55	1.6	<0.5	<0.5	<1.5	<2.5	75,000	<250	52,600	309,000	<460	4,100
MW-5	09/03/2010 ¹	17.68	9.28	8.40	62	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-5	02/03/2011 ¹	17.68	7.83	9.85	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-6	09/03/2010 ¹	17.33	9.13	8.20	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-6	02/03/2011 ¹	17.33	7.65	9.68	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-7	09/03/2010 ¹	19.26	10.74	8.52	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-7	02/03/2011 ¹	19.26	9.20	10.06	220	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-8	09/03/2010 ¹	17.79	9.75	8.04	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-8	02/03/2011 ¹	17.79	8.46	9.33	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-9	09/03/2010 ²	18.42	10.01	8.41	95	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-9	02/03/2011 ^{2,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	09/03/2010 ³	17.99	10.35	7.64	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-10	02/03/2011 ^{3,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/03/2010 ²	18.68	10.21	8.47	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-11	02/03/2011 ^{2,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 20-6145
 800 CENTER STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCs					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	09/03/2010 ³	18.46	11.05	7.41	65	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-12	02/03/2011 ^{3,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/03/2010 ²	18.43	10.09	8.34	58	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-13	02/03/2011 ^{2,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	09/03/2010 ³	18.59	11.52	7.07	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-14	02/03/2011 ^{3,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/03/2010 ²	18.38	9.95	8.43	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-15	02/03/2011 ^{2,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/03/2010 ³	18.57	10.95	7.62	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-16	02/03/2011 ^{3,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-17	09/03/2010 ³	18.55	10.81	7.74	67	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-17	02/03/2011 ^{3,4,5}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/03/2010	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
QA	02/03/2011	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-

Abbreviations and Notes:

TOC = Top of Casing

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 20-6145
800 CENTER STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

DTW = Depth to Water

GWE = Groundwater elevation

(ft-amsl) = Feet Above Mean sea level

ft = Feet

µg/L = Micrograms per Liter

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

VOCS = Volatile Organic Compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylene

MTBE = Methyl tert butyl ether

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

- 1 Shallow Well
- 2 Intermediate Well
- 3 Deep Well
- 4 Monitored annually during the third quarter
- 5 Sampled bi-annually during the third quarter
- 6 Not able to access well. Well connected to Air Sparge System

ATTACHMENT A

MONITORING DATA PACKAGE



GETTLER-RYAN INC.



TRANSMITTAL

February 9, 2011
G-R #386492

TO: Ms. Kiersten Hoey
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron (Signal Oil)
Service Station #206145 (S-800)
800 Center Street
Oakland, California
RO 0000454**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Semi-Annual Event of February 3, 2011

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/206145

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #206145
 Site Address: 800 Center Street
 City: Oakland, CA

Job #: 386492
 Event Date: 2/3/11
 Sampler: JD

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1A	OK	→	→	→	→	→	→	N	N	6" MORRISON	
MW-2	OK	→	→	→	→	→	→			8" MORRISON	
MW-3	OK	M	3XM	3XB	OK	→	→			8" BL	Y
MW-7	OK	→	→	→	→	→	→			8" emco	

Comments _____

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #206145
 Site Address: 800 Center Street
 City: Oakland, CA

Job #: 386492
 Event Date: 2.3.11
 Sampler: FT

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes/No
MW-4	OK	→	→	S=2	OK	→	→	N	N	Monnison 18 1/2	
MW-5	OK	→	→	S=2	OK	→	→	N	N	↓	
MW-6	OK	→	→	S=2	OK	→	→	N	N	↓	
MW-8	OK	→	→	S=2	OK	→	→	N	Y	↓	

Comments _____

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: MW-1A
 Well Diameter: 2 in.
 Total Depth: 16.71 ft.
 Depth to Water: 8.05 ft.

Date Monitored: 2/3/11

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.78
 xVF .17 = 1.47 x3 case volume = Estimated Purge Volume: 4.41 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1125 Weather Conditions: clear
 Sample Time/Date: 1205 / 2/3/11 Water Color: cloudy Odor: Y/N L.S.H.
 Approx. Flow Rate: _____ gpm. Sediment Description: L.S.H.
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 9.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1130</u>	<u>1.5</u>	<u>7.28</u>	<u>861</u>	<u>19.7</u>	<u>PRE: 1.8</u>	
<u>1135</u>	<u>3.0</u>	<u>7.20</u>	<u>894</u>	<u>19.4</u>		
<u>1140</u>	<u>4.5</u>	<u>7.05</u>	<u>920</u>	<u>19.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1A	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JD

Well ID: MW-2 Date Monitored: 2/3/11
 Well Diameter: 2 in.
 Total Depth: 13.43 ft.
 Depth to Water: 8.61 ft.
 Check if water column is less than 0.50 ft.
4.82 xVF .17 = .81 x3 case volume = Estimated Purge Volume: 2.45 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.57

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0955 Weather Conditions: Clear
 Sample Time/Date: 1020 / 2/3/11 Water Color: Cloudy Odor: Y / 0
 Approx. Flow Rate: _____ gpm. Sediment Description: L.S.M.
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 9.50

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0958</u>	<u>.75</u>	<u>7.38</u>	<u>624</u>	<u>15.8</u>	<u>PRE: 1.6</u>	
<u>1001</u>	<u>1.5</u>	<u>7.30</u>	<u>651</u>	<u>15.5</u>		
<u>1004</u>	<u>2.5</u>	<u>7.07</u>	<u>663</u>	<u>15.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-2	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: MW-3
 Well Diameter: 2 in.
 Total Depth: 14.03 ft.
 Depth to Water: 8.39 ft.
5.64 xVF .17 = .95

Date Monitored: 2/3/11

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.51 x3 case volume = Estimated Purge Volume: 2.87 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1035 Weather Conditions: Clear
 Sample Time/Date: 1110 / 2/3/11 Water Color: cloudy Odor: GIN 4.3 MW
 Approx. Flow Rate: _____ gpm. Sediment Description: 4.3 MW
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 9.50

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 6S)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1039</u>	<u>1</u>	<u>7.38</u>	<u>981</u>	<u>19.7</u>	<u>PRE: 1.9</u>	
<u>1044</u>	<u>2</u>	<u>7.30</u>	<u>938</u>	<u>19.4</u>		
<u>1050</u>	<u>3</u>	<u>7.22</u>	<u>927</u>	<u>19.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	<u>1</u> x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	<u>1</u> x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	<u>2</u> x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	<u>2</u> x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2-3-11 (inclusive)
 City: Oakland, CA Sampler: PT

Well ID: MW-4 Date Monitored: 2-3-11
 Well Diameter: 2 in.
 Total Depth: 13.37 ft.
 Depth to Water: 7.43 ft. Check if water column is less than 0.50 ft.
5.94 xVF .17 = 1.00 x3 case volume = Estimated Purge Volume: 3.0 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.61

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 1125 Weather Conditions: SLUENT
 Sample Time/Date: 1145 / 2-3-11 Water Color: CLEAN Odor: 0 / N SLIGHT
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 7.65

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1128</u>	<u>1.0</u>	<u>7.10</u>	<u>360</u>	<u>16.5</u>	<u>PRE: 1.8</u>	_____
<u>1131</u>	<u>2.0</u>	<u>7.07</u>	<u>365</u>	<u>16.9</u>	_____	_____
<u>1134</u>	<u>3.0</u>	<u>7.03</u>	<u>370</u>	<u>17.1</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-4	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	1 x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	1 x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	2 x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	2 x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: MORRISON 8" (2SF)

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2-3-11 (inclusive)
 City: Oakland, CA Sampler: FR

Well ID: MW-5
 Well Diameter: 2 in.
 Total Depth: 19.38 ft.
 Depth to Water: 7.83 ft.

Date Monitored: 2-3-11

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

11.55 xVF 0.17 = 1.96 x3 case volume = Estimated Purge Volume: 6.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.14

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0930 Weather Conditions: SLIMY
 Sample Time/Date: 0902 12-3-11 Water Color: CLEAN Odor: Y / 0
 Approx. Flow Rate: _____ gpm. Sediment Description: NONE
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 8.19

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>0934</u>	<u>2.0</u>	<u>7.36</u>	<u>401</u>	<u>16.2</u>	<u>PRE: 2.3</u>	
<u>0938</u>	<u>4.0</u>	<u>7.33</u>	<u>408</u>	<u>16.4</u>		
<u>0942</u>	<u>6.0</u>	<u>7.29</u>	<u>414</u>	<u>16.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS:

MORMISON 8" (2 SF)

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2-3-11 (inclusive)
 City: Oakland, CA Sampler: FR

Well ID: MW-6 Date Monitored: 2-3-11
 Well Diameter: 2 in.
 Total Depth: 15.03 ft.
 Depth to Water: 7.65 ft. Check if water column is less than 0.50 ft.
7.38 xVF .17 = 1.25 x3 case volume = Estimated Purge Volume: 4.0 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 1010 Weather Conditions: SLUNNY
 Sample Time/Date: 1029 12-3-11 Water Color: CL BRY Odor: Y / 0
 Approx. Flow Rate: ✓ gpm. Sediment Description: S-SILTY
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 8.83

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1013</u>	<u>1.5</u>	<u>7.23</u>	<u>446</u>	<u>17.0</u>	<u>PRE: 2-1</u>	
<u>1016</u>	<u>3.0</u>	<u>7.20</u>	<u>449</u>	<u>17.2</u>		
<u>1019</u>	<u>4.0</u>	<u>7.17</u>	<u>453</u>	<u>17.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: MDRMSON 8" (2SF)

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: MW-7 Date Monitored: 2/3/11
 Well Diameter: 2 in.
 Total Depth: 15.90 ft.
 Depth to Water: 9.20 ft. Check if water column is less than 0.50 ft.
6.70 xVF .17 = 1.13 x3 case volume = Estimated Purge Volume: 3.41 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.54

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0915 Weather Conditions: Clear
 Sample Time/Date: 0940 / 2/3/11 Water Color: cloudy Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: L. silt
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.20

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0918</u>	<u>1</u>	<u>7.22</u>	<u>517</u>	<u>15.6</u>	<u>PRE: 1.3</u>	
<u>0921</u>	<u>2</u>	<u>7.20</u>	<u>564</u>	<u>15.1</u>		
<u>0925</u>	<u>3.5</u>	<u>7.19</u>	<u>573</u>	<u>15.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-7	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2-3-11 (inclusive)
 City: Oakland, CA Sampler: FR

Well ID: MW-8 Date Monitored: 2-3-11

Well Diameter: 2 in.

Total Depth: 20.03 ft.

Depth to Water: 8.46 ft.

11.57 xVF = 1.7 = 1.96

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 6.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.77

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other:

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Discrete Bailer
- Peristaltic Pump
- QED Bladder Pump
- Other:

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1045 Weather Conditions: Sunny
 Sample Time/Date: 1107 / 2-3-11 Water Color: LT-Blu Odor: Y / 0
 Approx. Flow Rate: — gpm. Sediment Description: S. Silty
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 10.00

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1049</u>	<u>2.0</u>	<u>7.22</u>	<u>385</u>	<u>16.6</u>	<u>PRE: 2.4</u>	
<u>1053</u>	<u>4.0</u>	<u>7.20</u>	<u>389</u>	<u>16.7</u>		
<u>1057</u>	<u>6.0</u>	<u>7.18</u>	<u>392</u>	<u>17.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-8	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: Morgan 8" (2SF)

Add/Replaced Lock: _____ Add/Replaced Plug: (2") Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-1
 Well Diameter: 2 in.
 Total Depth: 19.95 ft.
 Depth to Water: ft.

Date Monitored: 2/3/11

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF = x3 case volume = Estimated Purge Volume: gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Peristaltic Pump
 QED Bladder Pump
 Other:

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Peristaltic Pump
 QED Bladder Pump
 Other:

Time Started: (2400 hrs)
 Time Completed: (2400 hrs)
 Depth to Product: ft
 Depth to Water: ft
 Hydrocarbon Thickness: ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: gal
 Amt Removed from Well: gal
 Water Removed:
 Product Transferred to:

Start Time (purge): Weather Conditions:
 Sample Time/Date: / Water Color: Odor: Y / N
 Approx. Flow Rate: gpm. Sediment Description:
 Did well de-water? If yes, Time: Volume: gal. DTW @ Sampling:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: NOT able to access well - connected to air sparge system

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-2 Date Monitored: 2/3/11
 Well Diameter: 2 in.
 Total Depth: 20.08 ft.
 Depth to Water: _____ ft.
 Check if water column is less than 0.50 ft.
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

- Purge Equipment:**
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____
- Sampling Equipment:**
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: Not able to access well - connetel to air sponge system

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: 3H

Well ID: AS-3
 Well Diameter: 2 in.
 Total Depth: 20.10 ft.
 Depth to Water: _____ ft.

Date Monitored: 2/3/11

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX(8021)
	x 500ml amber	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: NOT able to access well - conneted to air sparge system

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-4
 Well Diameter: 2 in.
 Total Depth: 20.10 ft.
 Depth to Water: _____ ft.

Date Monitored: 2/3/11

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: Not able to access well - connected to air sparge system

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-5
 Well Diameter: 2 in.
 Total Depth: 20.11 ft.
 Depth to Water: ft.

Date Monitored: 2/3/11

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: Not able to access well - connected to air sparge system

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-6
 Well Diameter: 2 in.
 Total Depth: 19.95 ft.
 Depth to Water: _____ ft.

Date Monitored: 2/3/11

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX(8021)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sec (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: Not able to access well - connected to air space system

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-7
 Well Diameter: 2 in.
 Total Depth: 20.10 ft.
 Depth to Water: — ft.

Date Monitored: 2/3/11

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: — gal.

- Purge Equipment:**
- Disposable Bailer _____
 - Stainless Steel Bailer _____
 - Stack Pump _____
 - Suction Pump _____
 - Grundfos _____
 - Peristaltic Pump _____
 - QED Bladder Pump _____
 - Other: _____

- Sampling Equipment:**
- Disposable Bailer _____
 - Pressure Bailer _____
 - Discrete Bailer _____
 - Peristaltic Pump _____
 - QED Bladder Pump _____
 - Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
PRE:						

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8024)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: not able to access well - conneted to air sparge system

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492
 Site Address: 800 Center Street Event Date: 2/3/11 (inclusive)
 City: Oakland, CA Sampler: JH

Well ID: AS-8
 Well Diameter: 2 in.
 Total Depth: 20.08 ft.
 Depth to Water: _____ ft.

Date Monitored: 2/3/11

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
PRE:						

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	x 500ml ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	x 250ml amber	YES	HCL	LANCASTER	FERROUS IRON
	x 500ml poly	YES	NP	LANCASTER	ALKALINITY
	x voa vial	YES	NP	LANCASTER	NITRATE AS NITROGEN/SULFATE
	x voa vial	YES	NP	LANCASTER	CARBON DIOXIDE

COMMENTS: Not able to access well - connected to air sparge system

Add/Replaced Lock:

Add/Replaced Plug:

Add/Replaced Bolt:

Chevron California Region Analysis Request/Chain of Custody



02 03 11-04 AS

For Lancaster Laboratories use only

Acct. #: _____ Sample #: _____ Group #: 005692

Facility #: <u>SS#206145-OML G-R#386492 Global ID#T0600102230</u> Site Address: <u>800 CENTER STREET, OAKLAND, CA</u> Chevron PM: <u>IR</u> Lead Consultant: <u>CRAHK Hoey</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>J. Hoey</u>				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes Total Number of Containers BTEX + MTBE 8260 <input type="checkbox"/> 8021K <input type="checkbox"/> TPH 8015 MOD GRO TPH 8015 MOD DRO <input checked="" type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method Ferrrous Iron Alkalinity Nitrate as Nitrogen Sulfide Carbon Dioxide										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits								
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021K	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	Ferrrous Iron	Alkalinity	Nitrate as Nitrogen Sulfide	Carbon Dioxide	Comments / Remarks	
																							Please forward the lab results directly to the Lead Consultant and cc: G-R.	
QA	2/2/11		X			X			2	X	X													
MW-1A		1205	X			X			5	X	X	X												
MW-2		1020	X			X			5	X	X	X												
MW-3		1110	X			X			11	X	X	X							X	X	X	X		
MW-4		1145	X			X			11	X	X	X							X	X	X	X		
MW-5		0952	X			X			5	X	X	X												
MW-6		1029	X			X			5	X	X	X												
MW-7		0940	X			X			5	X	X	X												
MW-8		1107	X			X			5	X	X	X												
Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day				Relinquished by: _____ Date: <u>2/2/11</u> Time: <u>1300</u>				Received by: <u>A. Analyser</u> Date: <u>2/3/11</u> Time: <u>1300</u>		Relinquished by: _____ Date: _____ Time: _____		Received by: _____ Date: _____ Time: _____		Relinquished by: _____ Date: _____ Time: _____		Received by: _____ Date: _____ Time: _____		Relinquished by Commercial Carrier: _____ Date: _____ Time: _____		Received by: _____ Date: _____ Time: _____		Temperature Upon Receipt: _____ °C Custody Seals Intact? Yes No		
Data Package Options (please circle if required) QC Summary Type I - Full EDF/EDD Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk																								

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

February 16, 2011

Project: 206145

Submittal Date: 02/04/2011
Group Number: 1231786
PO Number: 0015073761
Release Number: ROBB
State of Sample Origin: CA


<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
QA-T-110203 NA Water	6198780
MW-1A-W-110203 Grab Water	6198781
MW-2-W-110203 Grab Water	6198782
MW-3-W-110203 Grab Water	6198783
MW-4-W-110203 Grab Water	6198784
MW-5-W-110203 Grab Water	6198785
MW-6-W-110203 Grab Water	6198786
MW-7-W-110203 Grab Water	6198787
MW-8-W-110203 Grab Water	6198788

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	CRA c/o Gettler-Ryan	Attn: Rachelle Munoz
ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Kiersten Hoey

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Tracy A. Cole
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: QA-T-110203 NA Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 QA

LLI Sample # WW 6198780
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011

Chevron

Submitted: 02/04/2011 09:50

6001 Bollinger Canyon Rd L4310

Reported: 02/16/2011 14:36

San Ramon CA 94583

CSOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles					
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B n.a.	ug/l N.D.	ug/l 50	1
GC Volatiles					
02102	Benzene	SW-846 8021B 71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 17:17	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 17:17	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 17:17	Marie D John	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-1A-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-1A

LLI Sample # WW 6198781
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 12:05 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles SW-846 8015B ug/l					
01729	TPH-GRO N. CA water C6-C12	n.a.	100	50	1
GC Volatiles SW-846 8021B ug/l					
02102	Benzene	71-43-2	2.5	0.5	1
02102	Ethylbenzene	100-41-4	6.7	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	0.6	0.5	1
02102	Total Xylenes	1330-20-7	2.0	1.5	1
GC Extractable TPH SW-846 8015B ug/l					
w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	840	68	2

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 17:43	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 17:43	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 17:43	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/10/2011 21:27	Melissa McDermott	2
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-2-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-2

LLI Sample # WW 6198782
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 10:20 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles SW-846 8015B ug/l					
01729	TPH-GRO N. CA water C6-C12	n.a.	75	50	1
GC Volatiles SW-846 8021B ug/l					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	8.9	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Extractable TPH SW-846 8015B ug/l					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	430	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 18:10	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 18:10	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 18:10	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 16:12	Melissa McDermott	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-W-110203 Grab Water
 Facility# 206145 Job# 386492 GRD
 800 Center Street-Oakland T0600102230 MW-3

LLI Sample # WW 6198783
 LLI Group # 1231786
 Account # 10904

Project Name: 206145

Collected: 02/03/2011 11:10 by JH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CS003

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles SW-846 8015B					
01729	TPH-GRO N. CA water C6-C12	n.a.	2,000	50	1
GC Volatiles SW-846 8021B					
02102	Benzene	71-43-2	17	0.5	1
02102	Ethylbenzene	100-41-4	250	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	26	2.5	1
02102	Toluene	108-88-3	34	0.5	1
02102	Total Xylenes	1330-20-7	190	1.5	1
GC Extractable TPH SW-846 8015B					
w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	1,400	170	5
GC Miscellaneous SW-846 8015B modified					
08097	CO2 by Headspace	124-38-9	44,000	4,000	1
Wet Chemistry EPA 300.0					
00368	Nitrate Nitrogen	14797-55-8	N.D.	250	5
00228	Sulfate	14808-79-8	180,000	6,000	20
SM20 2320 B					
00202	Alkalinity to pH 4.5	n.a.	385,000	460	1
00201	Alkalinity to pH 8.3	n.a.	N.D.	460	1
SM20 3500 Fe B modified					
08344	Ferrous Iron	n.a.	28,500	1,000	100

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 20:49	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 20:49	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 20:49	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 17:16	Melissa McDermott	5



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-3-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-3

LLI Sample # WW 6198783
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 11:10 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO03

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08097	CO2 by Headspace	SW-846 8015B modified	1	110350027A	02/07/2011 19:30	Elizabeth J Marin	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1
00368	Nitrate Nitrogen	EPA 300.0	1	11035196601A	02/05/2011 00:24	Ashley M Adams	5
00228	Sulfate	EPA 300.0	1	11035196601A	02/11/2011 22:15	Ashley M Adams	20
00202	Alkalinity to pH 4.5	SM20 2320 B	1	11039020201B	02/08/2011 07:39	Susan A Engle	1
00201	Alkalinity to pH 8.3	SM20 2320 B	1	11039020201B	02/08/2011 07:39	Susan A Engle	1
08344	Ferrous Iron	SM20 3500 Fe B modified	1	11035834402A	02/05/2011 20:05	Daniel S Smith	100



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-W-110203 Grab Water
 Facility# 206145 Job# 386492 GRD
 800 Center Street-Oakland T0600102230 MW-4

LLI Sample # WW 6198784
 LLI Group # 1231786
 Account # 10904

Project Name: 206145

Collected: 02/03/2011 11:45 by JH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles SW-846 8015B					
01729	TPH-GRO N. CA water C6-C12	n.a.	55	50	1
GC Volatiles SW-846 8021B					
02102	Benzene	71-43-2	1.6	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Extractable TPH SW-846 8015B					
w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	160	50	1
GC Miscellaneous SW-846 8015B modified					
08097	CO2 by Headspace	124-38-9	75,000	4,000	1
Wet Chemistry EPA 300.0					
00368	Nitrate Nitrogen	14797-55-8	N.D.	250	5
00228	Sulfate	14808-79-8	52,600	1,500	5
SM20 2320 B					
00202	Alkalinity to pH 4.5	n.a.	309,000	460	1
00201	Alkalinity to pH 8.3	n.a.	N.D.	460	1
SM20 3500 Fe B modified					
08344	Ferrous Iron	n.a.	4,100	200	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 18:37	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 18:37	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 18:37	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 16:33	Melissa McDermott	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-4-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-4

LLI Sample # WW 6198784
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 11:45 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO04

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08097	CO2 by Headspace	SW-846 8015B modified	1	110350027A	02/07/2011 19:40	Elizabeth J Marin	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1
00368	Nitrate Nitrogen	EPA 300.0	1	11035196601A	02/05/2011 00:40	Ashley M Adams	5
00228	Sulfate	EPA 300.0	1	11035196601A	02/05/2011 00:40	Ashley M Adams	5
00202	Alkalinity to pH 4.5	SM20 2320 B	1	11039020201B	02/08/2011 07:39	Susan A Engle	1
00201	Alkalinity to pH 8.3	SM20 2320 B	1	11039020201B	02/08/2011 07:39	Susan A Engle	1
08344	Ferrous Iron	SM20 3500 Fe B modified	1	11035834402A	02/05/2011 20:05	Daniel S Smith	20



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-5

LLI Sample # WW 6198785
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 09:52 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles					
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B n.a.	ug/l N.D.	ug/l 50	1
GC Volatiles					
02102	Benzene	SW-846 8021B 71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Extractable TPH w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B n.a.	ug/l N.D.	ug/l 50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 19:03	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 19:03	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 19:03	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 15:08	Melissa McDermott	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-6

LLI Sample # WW 6198786
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 10:29 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles					
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B n.a.	ug/l N.D.	ug/l 50	1
GC Volatiles					
02102	Benzene	SW-846 8021B 71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Extractable TPH w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B n.a.	ug/l N.D.	ug/l 50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 19:30	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 19:30	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 19:30	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 15:29	Melissa McDermott	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-7-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-7

LLI Sample # WW 6198787
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 09:40 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles SW-846 8015B ug/l					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Volatiles SW-846 8021B ug/l					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Extractable TPH SW-846 8015B ug/l					
w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	220	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 19:56	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 19:56	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 19:56	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 16:55	Melissa McDermott	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-8-W-110203 Grab Water
Facility# 206145 Job# 386492 GRD
800 Center Street-Oakland T0600102230 MW-8

LLI Sample # WW 6198788
LLI Group # 1231786
Account # 10904

Project Name: 206145

Collected: 02/03/2011 11:07 by JH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 02/04/2011 09:50

Reported: 02/16/2011 14:36

CSO08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC Volatiles SW-846 8015B ug/l					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Volatiles SW-846 8021B ug/l					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
GC Extractable TPH SW-846 8015B ug/l					
w/Si Gel					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11045A94A	02/14/2011 20:23	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	11045A94A	02/14/2011 20:23	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11045A94A	02/14/2011 20:23	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	110360012A	02/09/2011 15:51	Melissa McDermott	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	110360012A	02/07/2011 07:00	Olivia Arosemena	1

Quality Control Summary

 Client Name: Chevron
 Reported: 02/16/11 at 02:36 PM

Group Number: 1231786

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 11045A94A	Sample number(s): 6198780-6198788							
Benzene	N.D.	0.2	ug/l	105	110	80-120	5	30
Ethylbenzene	N.D.	0.2	ug/l	105	105	80-120	0	30
Methyl tert-Butyl Ether	N.D.	0.3	ug/l	105	100	78-125	5	30
Toluene	N.D.	0.2	ug/l	110	110	80-120	0	30
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	127	118	75-135	7	30
Total Xylenes	N.D.	0.6	ug/l	103	103	80-120	0	30
Batch number: 110360012A	Sample number(s): 6198781-6198788							
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	ug/l	95	105	52-126	10	20
Batch number: 110350027A	Sample number(s): 6198783-6198784							
CO2 by Headspace	N.D.	4,000.	ug/l	106		67-124		
Batch number: 11035196601A	Sample number(s): 6198783-6198784							
Nitrate Nitrogen	N.D.	50.	ug/l	103		90-110		
Sulfate	N.D.	300.	ug/l	103		89-110		
Batch number: 11035834402A	Sample number(s): 6198783-6198784							
Ferrous Iron	N.D.	10.	ug/l	102		92-105		
Batch number: 11039020201B	Sample number(s): 6198783-6198784							
Alkalinity to pH 4.5	N.D.	460.	ug/l as CaCO3	101		98-103		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 110350027A	Sample number(s): 6198783-6198784 UNSPK: P197387								
CO2 by Headspace	67	69	15-145	4	20				
Batch number: 11035196601A	Sample number(s): 6198783-6198784 UNSPK: P198555 BKG: P198555								
Nitrate Nitrogen	119*		90-110			N.D.	N.D.	0 (1)	20
Sulfate	126*		90-110			69,600	72,100	4	20
Batch number: 11035834402A	Sample number(s): 6198783-6198784 UNSPK: 6198784 BKG: 6198784								
Ferrous Iron	97	101	73-120	3	6	4,100	4,100	0 (1)	5
Batch number: 11039020201B	Sample number(s): 6198783-6198784 UNSPK: P197391 BKG: P197783								

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 02/16/11 at 02:36 PM

Group Number: 1231786

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Alkalinity to pH 4.5	100	100	73-121	1	5	330,000	332,000	0
Alkalinity to pH 8.3						N.D.	N.D.	0 (1)

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: Method 8021 Water Master
 Batch number: 11045A94A

	Trifluorotoluene-F	Trifluorotoluene-P
6198780	93	98
6198781	77	97
6198782	84	95
6198783	94	103
6198784	93	99
6198785	96	97
6198786	83	97
6198787	92	97
6198788	88	97
Blank	79	96
LCS	81	95
LCSD	102	97
<hr/>		
Limits:	63-135	58-146

 Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel
 Batch number: 110360012A

	Orthoterphenyl
6198781	76
6198782	103
6198783	69
6198784	203*
6198785	95
6198786	93
6198787	110
6198788	95
Blank	92
LCS	117
LCSD	122
<hr/>	
Limits:	59-131

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT C

HISTORICAL GROUNDWATER MONITORING AND SAMPLING DATA

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-1A											
02/24-25/03 ¹	15.49	8.17	7.32	4,600	5,100	92	340	66	480	<10	--
06/02/03	15.49	7.15	8.34	5,500	3,800	150	490	72	450	<13	--
09/02/03	15.49	6.10	9.39	10,000	6,200	100	580	110	760	47	--
11/21/03	15.49	5.29	10.20	3,800	3,200	29	150	49	240	<10	--
02/27/04	15.49	9.87	5.62	2,800	280	9.7	19	3.0	30	<2.5	--
05/28/04	15.49	6.88	8.61	5,500	1,100	35	81	27	140	17	--
08/31/04	15.49	5.58	9.91	4,500	1,100	13	68	27	110	<2.5	--
12/17/04	15.49	7.09	8.40	2,300 ^o	560	8.0	17	9.6	36	<2.5	--
03/28/05	15.49	10.36	5.13	340 ^o	87	16	4.2	3.3	11	<2.5	--
06/09/05	15.49	9.69	5.80	6,400 ^o	260	26	3.7	7.7	13	5.3	--
08/19/05	15.49	6.70	8.79	1,100 ^{o,p,q}	440	38	7.8	9.4	17	<2.5	--
11/18/05	15.49	6.25	9.24	1,300 ^{o,q}	450	11	12	17	22	<2.5	--
03/07/06	15.49	10.51	4.98	2,300 ^o	150	33	1.6	3.4	2.7	<2.5	--
05/17/06	15.49	9.02	6.47	2,600 ^o	110	18	<0.5	0.7	<1.5	<2.5	--
08/30/06	15.49	5.68	9.81	3,600 ^o	420	24	0.7	8.1	9.2	<10	--
11/28/06	15.49	5.79	9.70	2,900 ^o	220	8.6	2.7	6.1	9.3	<2.5	--
02/06/07	18.11	8.83	9.28	1,500 ^o	230	19	<0.5	1.8	2.7	<2.5	--
05/02/07	18.11	9.83	8.28	1,300 ^o	190	16	<0.5	1	1.8	<2.5	--
08/17/07	18.11	8.61	9.50	1,100 ^o	160	2.5	0.8	2.0	2.7	<2.5	--
11/16/07 ^v	18.11	8.27	9.84	3,600 ^o	30,000	610	1,100	4,100	2,800	310	--
02/05/08	18.11	11.63	6.48	2,100 ^o	63	4.8	<0.5	<0.5	<1.5	<2.5	--
05/20/08	18.11	9.18	8.93	940 ^o	50	1.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	18.11	8.25	9.86	1,900 ^o	98	0.7	<0.5	<0.5	<1.5	<2.5	--
12/05/08	18.11	7.68	10.43	940 ^o	96	0.6	<0.5	0.5	<1.5	<2.5	--
02/09/09	18.11	8.10	10.01	630 ^o	130	2.7	<0.5	2.1	<1.5	<2.5	--
05/08/09	18.11	9.91	8.20	1,300 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	18.11	8.35	9.76	1,300 ^o	97	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/25/10	18.11	11.03	7.08	500^{o,z}	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
MW-2											
10/27/95	15.77	10.60	5.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	15.72	8.51	7.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	15.72	7.82	7.90	--	83 ^d	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	15.72	5.92	9.80	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	15.72	5.13	10.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	15.72	9.21	6.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-2 (cont)											
05/11/98	15.72	8.82	6.90	SAMPLED ANNUALLY		--	--	--	--	--	--
07/16/98	15.72	7.37	8.35	--	--	--	--	--	--	--	--
08/04/98 ^a	15.72	7.03	8.69	--	--	--	--	--	--	--	1.9 x 1
09/03/98 ^a	15.72	6.44	9.28	--	--	--	--	--	--	--	3.0 x 1
10/21/98 ^b	15.72	5.51	10.21	--	--	--	--	--	--	--	8.8 x 1
11/04/98	15.72	5.60	10.12	--	--	--	--	--	--	--	--
01/26/99	15.72	6.87	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	15.72	8.20	7.52	--	--	--	--	--	--	--	--
08/21/99	15.72	13.21	2.51	--	--	--	--	--	--	--	--
10/28/99	15.72	6.35	9.37	--	--	--	--	--	--	--	--
01/31/00	15.72	7.25	8.47	--	<50	<0.5	0.541	<0.5	<0.5	<2.5	--
05/19/00	15.72	7.65	8.07	--	--	--	--	--	--	--	--
08/07/00	15.72	6.35	9.37	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/ ^f <2.0 ^f	--
12/01/00	15.72	5.60	10.12	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	15.72	6.05	9.67	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	15.72	6.73	8.99	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/27/01 ^h	15.72	5.68	10.04	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 ^f	--
11/28/01	15.72	5.86	9.86	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
02/14/02	15.69	7.86	7.83	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	15.69	7.09	8.60	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	15.69	6.02	9.67	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	15.69	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 ^l	15.69	8.04	7.65	140	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.69	7.33	8.36	150 ^m	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.69	5.97	9.72	150 ^m	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	-- ⁿ	-- ⁿ	10.39	180	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	-- ⁿ	-- ⁿ	6.90	310	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	-- ⁿ	-- ⁿ	9.13	160	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- ⁿ	-- ⁿ	10.30	180 ^m	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	-- ⁿ	-- ⁿ	8.91	77 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	-- ⁿ	-- ⁿ	6.51	<50 ^o	<50	<0.5	0.5	<0.5	<1.5	<2.5	--
06/09/05	-- ⁿ	-- ⁿ	7.09	53 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	-- ⁿ	-- ⁿ	9.27	<50 ^{o,p}	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	-- ⁿ	-- ⁿ	9.66	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	-- ⁿ	-- ⁿ	6.75	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	-- ⁿ	-- ⁿ	7.09	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	-- ⁿ	-- ⁿ	9.03	640 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)	
MW-2 (cont)												
11/28/06	-- ⁿ	-- ⁿ	10.02	560 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/06/07	18.40	8.72	9.68	200 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
05/02/07	18.40	9.71	8.69	480 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
08/17/07	18.40	8.52	9.88	1,000 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
11/16/07	18.40	8.30	10.10	1,900 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/05/08	18.40	10.97	7.43	1,100 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
05/20/08	18.40	9.09	9.31	650 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
08/06/08	18.40	8.25	10.15	200 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
12/05/08	18.40	7.12	11.28	680 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/09/09	18.40	8.08	10.32	420 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
05/08/09	18.40	9.98	8.42	75 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
08/07/09	18.40	8.23	10.17	610 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/25/10	18.40	10.54	7.86	120^{o,z}	<50^{aa}	<0.5	<0.5	<0.5	<1.5	<2.5	--	
MW-3												
10/27/95	15.46	10.37	5.09	--	33,000	11,000	1,700	2,300	4,200	--	--	
02/20/97	15.42	8.37	7.05	--	260	56	<1.0	7.6	5.9	<5.0	--	
04/24/97	15.42	7.29	8.13	--	1,400	310	28	76	75	74	--	
07/23/97	15.42	5.84	9.58	--	37,000	10,000	1,500	2,700	4,200	2,500	--	
10/29/97	15.42	5.09	10.33	--	53,000	12,000	1,200	3,000	3,100	2,500	--	
01/28/98	15.42	8.94	6.48	--	210	43	1.5	1.7	3.9	10	--	
05/11/98	15.42	8.49	6.93	--	59	11	<0.5	2.1	<0.5	<2.5	--	
07/16/98	15.42	7.14	8.28	--	260	90	4.8	18	5.7	<10	--	
08/04/98 ^a	15.42	6.88	8.54	--	--	--	--	--	--	--	8.5 x 1	
09/03/98 ^a	15.42	6.34	9.08	--	--	--	--	--	--	--	2.4 x 1	
10/21/98 ^b	15.42	5.62	9.80	--	--	--	--	--	--	--	6.0 x 1	
11/04/98	15.42	5.60	9.82	--	73,000	17,000	3,800	4,900	8,100	<250	--	
01/26/99	15.42	6.70	8.72	--	32,400	10,200	1,850	2,650	3,140	715/<500 ^c	--	
05/06/99	15.42	7.97	7.45	--	3,160	668	89.6	180	123	<200/<10 ^c	--	
08/21/99	15.42	7.95	7.47	--	53,800	9,700	2,040	2,880	5,000	<1,250/<40 ^c	--	
10/28/99	15.42	5.37	10.05	--	71,300	14,000	3,420	4,320	8,360	<1,000	--	
01/31/00	15.42	7.16	8.26	--	1,650	496	49.1	134	82.6	<12.5	--	
05/19/00	15.42	7.60	7.82	--	110 ^e	36	2.5	9.1	4.0	6.3	--	
08/07/00	15.42	6.29	9.13	--	36,000 ^e	9,000	3,000	2,700	2,800	2,500/<10 ^f	--	
12/01/00	15.42	2.45	12.97	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
02/09/01	15.42	5.98	9.44	--	32,000 ^e	11,000	3,900	3,200	4,800	3,200/<2.0 ^f	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-3 (cont)											
05/29/01	15.42	6.65	8.77	--	13,000	4,200	2,000	1,800	1,500	74/<2.0 ^f	--
08/27/01 ^h	15.42	5.70	9.72	--	40,000	7,600	2,800	2,500	2,700	<25 ^f	--
11/28/01	15.42	5.77	9.65	--	57,000	10,000	2,900	2,900	2,800	<250/<5.0 ^f	--
02/14/02	15.40	7.73	7.67	--	51	2.9	<0.50	1.9	1.8	<2.5/<2 ^f	--
05/15/02	15.40	7.05	8.35	--	4,100	910	250	210	240	<20/<2 ^f	--
08/05/02	15.40	5.96	9.44	--	58,000	11,000	4,300	3,400	4,000	<250/<10 ^f	--
11/30/02	15.40	5.14	10.26	--	46,000	13,000	2,900	3,700	2,600	<100/<10 ^f	--
02/24-25/03 ^l	15.40	7.89	7.51	4,500	52,000	9,600	4,800	2,900	4,100	<130	--
06/02/03	15.40	7.24	8.16	6,500	67,000	11,000	9,600	3,400	5,700	<250	--
09/02/03	15.40	5.89	9.51	10,000	73,000	8,900	10,000	3,600	7,000	300	--
11/21/03	15.40	5.17	10.23	8,000	29,000	3,300	3,200	1,200	1,500	<200	--
02/27/04	15.40	8.84	6.56	200	59	8.2	6.3	1.7	6.8	<2.5	--
05/28/04	15.40	6.57	8.83	5,400	18,000	2,600	970	1,600	950	<100	--
08/31/04	15.40	5.41	9.99	9,100	58,000	3,200	9,600	2,800	7,500	<50	--
12/17/04	15.40	6.81	8.59	2,200 ^o	23,000	1,100	2,100	1,200	2,600	<25	--
03/28/05	15.40	9.29	6.11	3,200 ^o	43,000	1,500	10,000	2,600	7,300	<130	--
06/09/05	15.40	8.65	6.75	7,800 ^o	38,000	980	7,000	2,100	4,800	190	--
08/19/05	15.40	6.43	8.97	5,000 ^{o-p,f}	75,000	1,500	14,000	3,400	9,600	<130	--
11/18/05	15.40	5.95	9.45	3,900 ^{o,f}	72,000	1,400	14,000	3,600	9,700	380	--
03/07/06	15.40	9.05	6.35	1,100 ^o	15,000	280	2,300	820	2,000	<100	--
05/17/06	15.40	8.57	6.83	4,400 ^o	57,000	650	8,100	2,900	8,100	410	--
08/30/06	15.40	5.44	9.96	4,300 ^o	54,000	540	7,600	4,100	10,000	550	--
11/28/06	15.40	5.62	9.78	4,400 ^o	43,000	260	3,400	3,800	5,800	<1,000	--
02/06/07	18.07	8.70	9.37	5,000 ^o	43,000	290	6,200	3,400	6,400	<500	--
05/02/07	18.07	9.67	8.40	4,500 ^o	43,000	290	4,100	3,800	6,500	<500	--
08/17/07	18.07	8.50	9.57	4,900 ^o	46,000	240	1,900	3,800	5,600	310	--
11/16/07 ^v	18.07	8.29	9.78	860 ^o	450	34	23	53	25	4.1	--
02/05/08	18.07	10.97	7.10	2,400 ^o	18,000	210	950	1,800	1,700	<500	--
05/20/08	18.07	8.99	9.08	6,900 ^o	45,000	190	4,900	2,800	6,200	<500 ^w	--
08/06/08	18.07	8.26	9.81	5,000 ^o	40,000	220	1,500	3,200	6,500	<500 ^w	--
12/05/08	18.07	7.56	10.51	4,000 ^o	15,000	26	590	1,800	1,800	230	--
02/09/09	18.07	8.02	10.05	2,800 ^o	20,000	170	710	1,800	2,500	<400 ^w	--
05/08/09	18.07	9.95	8.12	2,900 ^o	15,000	88	900	2,100	1,400	<250 ^w	--
08/07/09	18.07	8.20	9.87	2,900 ^o	41,000	150	2,400	3,800	6,700	<500 ^w	--
02/25/10	18.07	10.57	7.50	1,800^o	15,000	42	320	1,600	1,100	330	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-4											
10/27/95	14.45	9.37	5.08	--	66	6.8	<0.5	<0.5	<0.5	--	--
02/20/97	14.40	8.12	6.28	--	54	<0.5	<0.5	<0.5	7.4	39	--
04/24/97	14.40	7.29	7.11	--	54	1.4	<0.5	0.65	3.0	100	--
07/23/97	14.40	5.80	8.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	14.40	5.74	8.66	--	--	--	--	--	--	--	--
11/13/97	14.40	4.97	9.43	--	<50	<0.5	0.79	<0.5	<0.5	<2.5	--
01/28/98	14.40	8.88	5.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	14.40	8.40	6.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
07/16/98	14.40	7.08	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98 ^a	14.40	6.28	8.12	--	--	--	--	--	--	--	1.8 x 1
09/03/98 ^a	14.40	6.32	8.08	--	--	--	--	--	--	--	1.4 x 1
10/21/98 ^b	14.40	5.64	8.76	--	--	--	--	--	--	--	8.6 x 1
11/04/98	14.40	5.61	8.79	--	--	--	--	--	--	--	--
01/26/99	14.40	6.71	7.69	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	14.40	8.15	6.25	--	--	--	--	--	--	--	--
08/21/99	14.40	8.13	6.27	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
10/28/99	14.40	4.14	10.26	--	--	--	--	--	--	--	--
01/31/00	14.40	7.07	7.33	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	14.40	7.52	6.88	--	--	--	--	--	--	--	--
08/07/00	14.40	6.23	8.17	--	<50	4.3	0.60	<0.50	<0.50	<2.5/<2.0 ^f	--
12/01/00	14.40	INACCESSIBLE	--	--	--	--	--	--	--	--	--
02/09/01	14.40	INACCESSIBLE	--	--	--	--	--	--	--	--	--
05/29/01	14.40	6.58	7.82	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
08/27/01	14.40	6.52	7.88	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
11/28/01	14.40	DRY	--	--	--	--	--	--	--	--	--
02/14/02	14.37	7.66	6.71	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
05/15/02	14.37	6.96	7.41	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
08/05/02	14.37	DRY	--	--	--	--	--	--	--	--	--
11/30/02	14.37	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 ¹	14.37	7.77	6.60	200	<50	8.0	<0.50	<0.50	<1.5	<2.5	--
06/02/03	14.37	7.11	7.26	300	<50	4.3	<0.5	<0.5	<1.5	<2.5	--
09/02/03	14.37	5.80	8.57	410	51	4.3	<0.5	<0.5	<1.5	<2.5	--
11/21/03	-- ⁿ	-- ⁿ	10.24	560	110	25	0.6	1.5	<1.5	<2.5	--
02/27/04	-- ⁿ	-- ⁿ	5.71	340	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	-- ⁿ	-- ⁿ	7.88	430	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- ⁿ	-- ⁿ	9.03	460	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	-- ⁿ	-- ⁿ	7.67	390 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-4 (cont)											
03/28/05	-- ⁿ	-- ⁿ	5.32	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	-- ⁿ	-- ⁿ	6.70	120 ^o	90	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	-- ⁿ	-- ⁿ	8.03	190 ^{o,p,q}	200	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	-- ⁿ	-- ⁿ	9.43	310 ^{o,t}	230	2.7	<0.5	0.8	<1.5	<2.5	--
03/07/06	-- ⁿ	-- ⁿ	5.55	230 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	-- ⁿ	-- ⁿ	5.89	150 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	-- ⁿ	-- ⁿ	7.71	380 ^o	1,300	47	<2.5	<2.5	<7.5	<50	--
11/28/06	-- ⁿ	-- ⁿ	8.75	1,800 ^o	1,200	36	1.1	3.4	<5.0	<20	--
02/06/07	16.98	8.58	8.40	1,600 ^o	13,000 ^u	3,700 ^u	60 ^u	880 ^u	170 ^u	210 ^u	--
05/02/07	16.98	9.53	7.45	170 ^o	1,400	170	0.6	0.9	1.6	<50	--
08/17/07	16.98	8.35	8.63	1,600 ^o	4,700	870	3.8	49	<10	30	--
11/16/07	16.98	8.20	8.78	2,000 ^o	3,700	780	5.6	100	7.8	25	--
02/05/08	16.98	10.75	6.23	250 ^o	1,100	270	2.2	63	7.6	<50	--
05/20/08	16.98	8.91	8.07	1,100 ^o	3,300	720	4.1	13	15	<50 ^w	--
08/06/08	16.98	8.09	8.89	2,200 ^o	11,000	2,700	33	460	87	<100 ^w	--
12/05/08	16.98	7.46	9.52	540 ^o	2,500	380	1.4	22	<5.0 ^x	11	--
02/09/09	16.98	7.97	9.01	610 ^o	890	6.4	0.5	2.9	<1.5	<5.0 ^w	--
05/08/09	16.98	9.80	7.18	140 ^o	560	29	<0.5	1.2	<1.5	<5.0 ^w	--
08/07/09	16.98	8.10	8.88	1,000 ^o	1,900	260	1.2	7.1	3.0	8.3	--
02/25/10	16.98	10.37	6.61	54^{o,z}	56	<0.5	<0.5	<0.5	<1.5	<2.5	--
MW-5											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
04/24/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
04/30/97	15.03	7.06	7.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
10/29/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
01/28/98	15.03	8.83	6.20	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
07/16/98	15.03	7.28	7.75	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
11/04/98	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
01/26/99	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
05/06/99	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
08/21/99	15.03	6.74	8.29	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-5 (cont)											
10/28/99	15.03	4.60	10.43	--	--	--	--	--	--	--	--
01/31/00	15.03	7.39	7.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	15.03	7.85	7.18	--	--	--	--	--	--	--	--
08/07/00	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
12/01/00	15.03	5.68	9.35	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50/<2.0 ^f	--
02/09/01	15.03	6.22	8.81	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ^f	--
05/29/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
08/27/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
11/28/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
02/14/02	15.01	7.96	7.05	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
05/15/02	15.01	7.23	7.78	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
08/05/02	15.01	6.13	8.88	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
11/30/02	15.01	5.27	9.74	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
02/24-25/03 ¹	15.01	7.99	7.02	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.01	7.14	7.87	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.01	6.02	8.99	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	15.01	5.26	9.75	68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	15.01	8.42	6.59	140	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	15.01	6.71	8.30	76	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	15.01	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
12/17/04	15.01	6.98	8.03	52 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	15.01	8.66	6.35	51 ^o	<50	<0.5	0.7	<0.5	<1.5	<2.5	--
06/09/05	15.01	9.16	5.85	72 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	15.01	6.52	8.49	<50 ^{op}	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	15.01	6.12	8.89	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	15.01	8.98	6.03	<50 ^o	<50	<0.5	<0.5	1.4	<1.5	<2.5	--
05/17/06	15.01	8.83	6.18	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	15.01	6.86	8.15	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	15.01	6.46	8.55	200 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	17.68	8.83	8.85	55 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	17.68	9.91	7.77	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/17/07	17.68	8.63	9.05	66 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	17.68	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
02/05/08	17.68	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
02/29/08	17.68	10.88	6.80	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	17.68	9.21	8.47	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	17.68	8.29	9.39	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-5 (cont)											
12/05/08	17.68	7.63	10.05	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	17.68	8.21	9.47	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	17.68	10.16	7.52	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	17.68	8.33	9.35	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/25/10	17.68	10.76	6.92	<50^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
MW-6											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	14.73	8.11	6.62	--	800	310	23	11	28	<12	--
04/24/97	14.73	7.13	7.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	14.73	5.73	9.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	14.73	4.98	9.75	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	14.73	8.19	6.54	--	160	38	<0.5	<0.5	<0.5	<2.5	--
05/11/98	14.73	8.08	6.65	--	1,700	490	72	39	52	<25	--
07/16/98	14.73	7.04	7.69	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98 ^a	14.73	6.89	7.84	--	--	--	--	--	--	--	8.6 x 1
09/03/98 ^a	14.73	6.24	8.49	--	--	--	--	--	--	--	2.9 x 1
10/21/98 ^b	14.73	5.46	9.27	--	--	--	--	--	--	--	1.8 x 1
11/04/98	14.73	5.52	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/26/99	14.73	6.49	8.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	14.73	7.91	6.82	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/21/99	14.73	7.93	6.80	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
10/28/99	14.73	5.27	9.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/31/00	14.73	7.16	7.57	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	14.73	7.60	7.13	--	<50	11	<0.5	<0.5	<0.5	<2.5	--
08/07/00	14.73	6.22	8.51	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ^f	--
12/01/00	14.73	DRY	--	--	--	--	--	--	--	--	--
02/09/01	14.73	DRY	--	--	--	--	--	--	--	--	--
05/29/01	14.73	6.63	8.10	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
08/27/01 ^h	14.73	9.83	4.90	--	150	<0.50	5.7	<0.50	<0.50	<5.0 ^f	--
11/28/01	14.73	DRY	--	--	--	--	--	--	--	--	--
02/14/02	14.68	7.90	6.78	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	14.68	7.32	7.36	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	14.68	DRY	--	--	--	--	--	--	--	--	--
11/30/02	14.68	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 ^l	14.68	7.89	6.79	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-6 (cont)											
06/02/03	14.68	7.20	7.48	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	14.68	5.77	8.91	190	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	14.68	4.86	9.82	98	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	14.68	8.12	6.56	240	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	14.68	6.43	8.25	150	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	14.68	5.29	9.39	360 ^m	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	14.68	6.85	7.83	91 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	14.68	8.34	6.34	61 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	14.68	7.95	6.73	64 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	14.68	6.27	8.41	<50 ^{o-p}	<50 ^s	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	14.68	DRY AT 15.70 FEET		--	--	--	--	--	--	--	--
03/07/06	14.68	8.03	6.65	<50 ^o	<50	<0.5	<0.5	0.9	<1.5	<2.5	--
05/17/06	14.68	7.98	6.70	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	14.68	6.63	8.05	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	14.68	6.09	8.59	120 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	17.33	8.58	8.75	96 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	17.33	9.64	7.69	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/17/07	17.33	8.38	8.95	66 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	17.33	8.19	9.14	250 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	17.33	10.55	6.78	120 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	17.33	8.92	8.41	70 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	17.33	8.06	9.27	<160 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	17.33	7.44	9.89	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	17.33	7.99	9.34	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	17.33	10.01	7.32	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	17.33	8.11	9.22	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/25/10	17.33	10.58	6.75	<50^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
MW-7											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	16.36	8.86	7.50	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	16.36	7.59	8.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	16.36	6.09	10.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	16.36	5.28	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	16.36	9.10	7.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	16.36	9.11	7.25	SAMPLED ANNUALLY		--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-7 (cont)											
07/16/98	16.36	8.00	8.36	--	--	--	--	--	--	--	--
08/04/98 ^a	16.36	7.32	9.04	--	--	--	--	--	--	--	1.5 x 1
09/03/98 ^a	16.36	6.65	9.71	--	--	--	--	--	--	--	6.5 x 1
10/21/98 ^b	16.36	5.96	10.40	--	--	--	--	--	--	--	4.8 x 1
11/04/98	16.36	5.89	10.47	--	--	--	--	--	--	--	--
01/26/99	16.36	8.25	8.11	--	<50	<0.5	<0.5	<0.5	0.5	<2.0	--
05/06/99	16.36	8.47	7.89	--	--	--	--	--	--	--	--
08/21/99	16.36	8.51	7.85	--	--	--	--	--	--	--	--
10/28/99	16.36	6.04	10.32	--	--	--	--	--	--	--	--
01/31/00	16.36	7.57	8.79	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	16.36	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
08/07/00	16.36	6.67	9.69	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ^f	--
12/01/00	16.36	5.84	10.52	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	16.36	6.30	10.06	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	16.36	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
08/27/01 ^h	16.36	6.02	10.34	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 ^f	--
11/28/01	16.36	6.09	10.27	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	16.31	8.21	8.10	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	16.31	7.41	8.90	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	16.31	6.26	10.05	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	16.31	5.39	10.92	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03 ^l	16.31	8.30	8.01	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	16.31	7.67	8.64	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	16.31	6.17	10.14	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	16.31	UNABLE TO LOCATE - BURIED		--	--	--	--	--	--	--	--
02/27/04	16.31	UNABLE TO LOCATE - BURIED		--	--	--	--	--	--	--	--
05/28/04	-- ⁿ	-- ⁿ	9.40	91	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- ⁿ	-- ⁿ	10.61	150 ^m	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	-- ⁿ	-- ⁿ	9.16	170 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	-- ⁿ	-- ⁿ	7.21	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	-- ⁿ	-- ⁿ	7.71	86 ^o	55	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	-- ⁿ	-- ⁿ	9.88	820 ^{o,p,q}	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	-- ⁿ	-- ⁿ	10.06	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	-- ⁿ	-- ⁿ	6.95	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	-- ⁿ	-- ⁿ	7.52	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	-- ⁿ	-- ⁿ	10.73	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	-- ⁿ	-- ⁿ	10.70	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-7 (cont)											
02/06/07	19.26	8.91	10.35	73°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	19.26	9.98	9.28	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/17/07	19.26	8.75	10.51	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	19.26	8.56	10.70	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	19.26	11.43	7.83	100°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	19.26	9.32	9.94	52°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	19.26	8.41	10.85	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	19.26	7.71	11.55	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	19.26	8.23	11.03	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	19.26	10.23	9.03	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	19.26	8.40	10.86	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/25/10	19.26	10.84	8.42	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
MW-8											
02/14/02 ^{ij}	15.29	7.30	7.99	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ^f	--
05/15/02 ^k	15.29	6.66	8.63	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02 ^k	15.29	5.48	9.81	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02 ^k	15.29	4.85	10.44	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03 ^l	15.29	7.46	7.83	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.29	6.83	8.46	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.29	5.57	9.72	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	15.29	4.89	10.40	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	15.29	8.38	6.91	280	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	15.29	6.33	8.96	72	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	15.29	4.79	10.50	92 ^m	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	15.29	6.68	8.61	53°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	15.29	8.79	6.50	<50°	<50	<0.5	0.9	<0.5	<1.5	<2.5	--
06/09/05	15.29	8.26	7.03	63°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	15.29	6.18	9.11	<50° ^p	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	15.29	5.47	9.82	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	15.29	8.60	6.69	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	15.29	8.21	7.08	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	15.29	6.57	8.72	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	15.29	6.38	8.91	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	17.79	8.39	9.40	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	17.79	9.33	8.46	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-8 (cont)											
08/17/07	17.79	8.18	9.61	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	17.79	8.04	9.75	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	17.79	10.44	7.35	120 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	17.79	8.69	9.10	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	17.79	7.89	9.90	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	17.79	7.30	10.49	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	17.79	7.86	9.93	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	17.79	9.60	8.19	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	17.79	7.95	9.84	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/25/10	17.79	10.27	7.52	<50^o	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
MW-9											
04/20/07 ⁱ	18.42	10.39	8.03	1,100 ^o	4,100	28	6.9	9.2	240	--	--
06/22/07	18.42	8.82	9.60	310 ^o	500	4.4	<0.5	<0.5	12	--	--
08/17/07	18.42	8.67	9.75	92 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.42	8.40	10.02	470 ^o	92	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.42	11.08	7.34	390 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.42	9.16	9.26	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.42	8.31	10.11	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.42	7.64	10.78	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.42	8.15	10.27	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.42	10.11	8.31	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.42	8.33	10.09	SAMPLED SEMI-ANNUALLY		<0.5	--	--	--	--	--
02/25/10	18.42	10.70	7.72	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-10											
04/20/07 ⁱ	17.99	8.35	9.64	260 ^o	1,200	29	31	11	140	--	--
06/22/07	17.99	8.29	9.70	110 ^o	<50	1.5	<0.5	<0.5	<1.5	--	--
08/17/07	17.99	7.81	10.18	53 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	17.99	6.90	11.09	140 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	17.99	9.65	8.34	330 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	17.99	8.28	9.71	120 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	17.99	7.50	10.49	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	17.99	6.67	11.32	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-10 (cont)											
02/09/09	17.99	7.19	10.80	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	17.99	8.96	9.03	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	17.99	7.41	10.58	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/25/10	17.99	9.11	8.88	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-11											
04/20/07 ⁱ	18.68	9.88	8.80	350 ^o	77	<2.0	4.6	<0.5	3.2	--	--
06/22/07	18.68	9.35	9.33	140 ^o	51	<0.5	<0.5	<0.5	<1.5	--	--
08/17/07	18.68	8.66	10.02	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.68	8.47	10.21	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.68	11.10	7.58	84 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.68	9.20	9.48	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.68	8.37	10.31	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.68	7.63	11.05	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.68	8.17	10.51	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.68	10.12	8.56	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.68	8.34	10.34	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/25/10	18.68	10.70	7.98	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-12											
04/20/07 ⁱ	18.46	12.88	5.58	430 ^o	400	2.3	40	14	49	--	--
06/22/07	18.46	7.75	10.71	390 ^o	<50	0.7	1.1	<0.5	4.3	--	--
08/17/07	18.46	7.91	10.55	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.46	6.96	11.50	200 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.46	8.62	9.84	200 ^o	51	0.9	<0.5	<0.5	<1.5	--	--
02/05/08	18.46	8.80	9.66	66 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.46	6.40	12.06	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.46	6.20	12.26	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.46	6.53	11.93	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.46	8.64	9.82	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.46	6.41	12.05	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/25/10	18.46	8.08	10.38	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-13											
04/20/07 ⁱ	18.43	9.46	8.97	140 ^o	650	16	23	7.5	61	--	--
06/22/07	18.43	8.99	9.44	400 ^o	<50	0.6	0.9	<0.5	<1.5	--	--
08/17/07	18.43	8.53	9.90	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.43	8.37	10.06	350 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.43	10.85	7.58	57 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.43	8.99	9.44	100 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.43	8.18	10.25	78 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.43	7.53	10.90	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.43	8.00	10.43	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.43	9.93	8.50	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.43	8.20	10.23	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/25/10	18.43	10.51	7.92	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-14											
04/20/07 ⁱ	18.59	8.17	10.42	2,000 ^o	16,000	550	1,600	620	2,400	--	--
06/22/07	18.59	7.55	11.04	1,300 ^o	3,700	190	150	49	580	--	--
08/17/07	18.59	7.82	10.77	780 ^o	2,600	74	54	11	220	--	--
11/16/07	18.59	7.58	11.01	690 ^o	850	45	3.5	14	32	--	--
02/05/08	18.59	8.99	9.60	160 ^o	450	16	2.7	7.6	3.0	--	--
05/20/08	18.59	7.69	10.90	120 ^o	<50	0.7	<0.5	<0.5	<1.5	--	--
08/06/08	18.59	7.35	11.24	88 ^o	<50	0.9	<0.5	<0.5	<1.5	--	--
12/05/08	18.59	6.83	11.76	<50 ^o	100	1.7	0.5	<0.5	<1.5	--	--
02/09/09	18.59	7.11	11.48	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.59	8.01	10.58	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.59	7.48	11.11	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/25/10	18.59	8.72	9.87	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-15											
04/20/07 ⁱ	18.38	9.78	8.60	720 ^o	240	1.0	1.3	<0.5	20	--	--
06/22/07	18.38	9.09	9.29	150 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/17/07	18.38	8.65	9.73	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.38	8.41	9.97	140 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.38	10.97	7.41	52 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.38	9.12	9.26	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.38	8.30	10.08	190 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-15 (cont)											
12/05/08	18.38	7.58	10.80	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.38	8.12	10.26	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.38	10.02	8.36	53 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.38	8.30	10.08	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
02/25/10	18.38	10.61	7.77	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-16											
04/20/07 ⁱ	18.57	8.75	9.82	2,200 ^o	15,000	87	1,200	500	2,000	--	--
06/22/07	18.57	8.20	10.37	2,100 ^o	10,000	130	1,800	580	1,400	--	--
08/17/07	18.57	7.81	10.76	640 ^o	8,200	110	1,400	280	730	--	--
11/16/07	18.57	7.54	11.03	370 ^o	1,600	22	270	60	160	--	--
02/05/08	18.57	9.74	8.83	350 ^o	930	2.6	15	9.3	18	--	--
05/20/08	18.57	8.26	10.31	79 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.57	7.49	11.08	74 ^o	<50	<0.5	<0.5	0.6	<1.5	--	--
12/05/08	18.57	6.80	11.77	89 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.57	7.18	11.39	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.57	8.92	9.65	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.57	7.52	11.05	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
02/25/10	18.57	9.36	9.21	<50^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
MW-17											
04/20/07 ⁱ	18.55	-0.95	19.50	1,300 ^o	7,400	66	880	300	1,300	--	--
06/22/07	18.55	8.21	10.34	690 ^o	2,000	35	27	9.3	360	--	--
08/17/07	18.55	2.33	16.22	240 ^o	380	6.7	2.3	0.5	15	--	--
11/16/07	18.55	3.22	15.33	270 ^o	190	4.0	4.0	1.5	27	--	--
02/05/08	18.55	4.94	13.61	460 ^o	1,000	16	26	49	60	--	--
05/20/08	18.55	8.29	10.26	89 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.55	5.82	12.73	150 ^o	180	2.5	2.0	2.8	1.5	--	--
12/05/08	18.55	6.62	11.93	120 ^o	360	3.4	<2.0 ^y	0.7	<1.5	--	--
02/09/09	18.55	6.68	11.87	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.55	8.79	9.76	<50 ^o	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.55	7.51	11.04	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
02/25/10	18.55	8.92	9.63	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
AS-1											
02/25/10 ⁱ	--	--	7.63	--	--	--	--	--	--	--	--
AS-2											
02/25/10 ⁱ	--	--	8.05	--	--	--	--	--	--	--	--
AS-3											
02/25/10 ⁱ	--	--	8.12	--	--	--	--	--	--	--	--
AS-4											
02/25/10 ⁱ	--	--	7.98	--	--	--	--	--	--	--	--
AS-5											
02/25/10 ⁱ	--	--	7.80	--	--	--	--	--	--	--	--
AS-6											
02/25/10 ⁱ	--	--	8.04	--	--	--	--	--	--	--	--
AS-7											
02/25/10 ⁱ	--	--	8.01	--	--	--	--	--	--	--	--
AS-8											
02/25/10 ⁱ	--	--	7.94	--	--	--	--	--	--	--	--
MW-1											
10/27/95	15.69	10.54	5.15	--	170,000	19,000	34,000	4,800	26,000	--	--
02/20/97	15.64	8.96	6.68	--	18,000	870	3,500	470	2,100	<250	--
04/24/97	15.64	7.30	8.34	--	76,000	4,600	16,000	1,600	8,300	1,000	--
07/23/97	15.64	5.90	9.74	--	37,000	2,700	8,000	870	6,100	<250	--
10/29/97	15.64	INACCESSIBLE		--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
MW-1 (cont)											
01/28/98	15.64	9.30	6.34	--	10,000	380	2,000	300	1,500	<25	--
05/11/98	15.64	8.72	6.92	--	17,000	880	3,100	380	2,300	<250	--
07/16/98	15.64	7.23	8.41	--	29,000	2,700	6,800	890	3,900	<1,000	--
08/04/98 ^a	15.64	6.90	8.74	--	--	--	--	--	--	--	<1.0 x 1
09/03/98 ^a	15.64	6.43	9.21	--	--	--	--	--	--	--	4.1 x 1
10/21/98 ^b	15.64	5.59	10.05	--	--	--	--	--	--	--	4.7 x 1
11/04/98	15.64	5.64	10.00	--	25,000	1,900	5,900	810	4,300	<125	--
01/26/99	15.64	6.86	8.78	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	15.64	8.17	7.47	--	8,050	515	1,840	256	1,190	300/<20 ^c	--
08/21/99	15.64	13.27	2.37	--	46,500	2,530	8,700	1,010	5,300	<1,250/<40 ^c	--
10/28/99	15.64	5.46	10.18	--	31,600	1,580	6,100	794	4,400	1,270	--
01/31/00	15.64	7.49	8.15	--	7,270	366	1,280	171	935	<12.5	--
05/19/00	15.64	7.78	7.86	--	8,000 ^e	870	1,200	430	1,200	<250	--
08/07/00	15.64	6.42	9.22	--	37,000 ^e	2,400	8,500	1,100	5,500	1,500/<4.0 ^f	--
12/01/00	15.64	5.25	10.39	--	25,500 ^g	1,390	4,920	801	4,330	<500/<10 ^f	--
02/09/01	15.64	6.10	9.54	--	8,900 ^e	850	1,300	470	1,700	820/<2.0 ^f	--
05/29/01	15.64	6.79	8.85	--	24,000 ^e	1,800	5,600	740	3,700	<250/<2.0 ^f	--
08/27/01 ^h	15.64	5.83	9.81	--	27,000	1,400	4,400	710	3,400	<20 ^f	--
11/28/01	15.64	5.84	9.80	--	26,000	1,300	3,900	620	3,400	<100/<2 ^f	--
02/14/02	15.63	8.34	7.29	--	1,400	100	360	45	240	9.3/<2 ^f	--
05/15/02	15.63	7.18	8.45	--	37,000	2,400	7,300	1,000	4,800	<100/<3.0 ^f	--
08/05/02	15.63	6.09	9.54	--	27,000	1,500	4,600	700	3,400	<100/<3.0 ^f	--
DESTROYED											
TRIP BLANK											
02/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
11/04/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
01/26/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/31/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
TRIP BLANK (cont)											
05/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/07/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
12/01/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/27/01 ^h	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 ^f	--
QA											
11/28/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
04/20/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/22/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/17/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/29/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
QA (cont)											
08/06/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/25/10	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 19, 2000 were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH = Total Petroleum Hydrocarbons DRO = Diesel Range Organics	MTBE = Methyl Tertiary Butyl Ether CUB = Contaminate utilizing bacteria
GWE = Groundwater Elevation (msl) = Mean sea level	GRO = Gasoline Range Organics B = Benzene	(cfu/ml) = Colony forming unit per milliliter (µg/L) = Micrograms per liter
DTW = Depth to Water	T = Toluene E = Ethylbenzene	(ppb) = Parts per billion -- = Not Measured/Not Analyzed
TPH-D = Total Petroleum Hydrocarbons as Diesel	X = Xylenes	QA = Quality Assurance/Trip Blank
TPH-G = Total Petroleum Hydrocarbons as Gasoline		

- * TOC elevations were surveyed on May 30, 2007, by Morrow Surveying. Vertical Datum is NAVD 88 from GPS observations. Gettler-Ryan received updated TOC data March 12, 2007. Vertical Datum is NAVD 88 from GPS observations. TOC elevations were surveyed on August 17, 2005, by Morrow Surveying. On February 18, 2003, MW-1A was surveyed using the previous benchmark. TOC elevations were surveyed on December March 4, 2002, by Virgil Chavez Land Surveying. The benchmark for the survey was a City of Oakland benchmark, #25-H monument disk in well casting in sidewalk at the northwest corner of 7th and Center. The latitude, longitude and coordinates are for top of casings and are based on the California State Coordinate System, Zone III (NAD83), (Benchmark Elevation = 10.784 feet NGVD 29).
- ^a Contaminate hydrocarbon utilizing bacteria plate count was run with diesel and jet fuel degraders.
- ^b Contaminate hydrocarbon utilizing bacteria plate count was run with gasoline degraders.
- ^c Confirmation run.
- ^d Chromatogram pattern indicates an unidentified hydrocarbon.
- ^e Laboratory report indicates gasoline C6-C12.
- ^f MTBE by EPA Method 8260.
- ^g Laboratory reports indicates weathered gasoline C6-C12.
- ^h TPH-G and BTEX by EPA Method 8260.
- ⁱ Well development performed.
- ^j TPH-D was detected at 130 ppb.
- ^k TPH-D was <50 ppb.
- ^l Well re-development performed.
- ^m Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- ⁿ TOC damaged; unable to calculate an accurate GWE.
- ^o Analyzed with silica gel clean-up.
- ^p Laboratory report indicates analysis performed out of hold time.
- ^q Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.
- ^r Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range earlier than #2 fuel.

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

EXPLANATIONS:

- ^s Laboratory report indicates the analysis was performed from a previously opened vial and the results are therefore estimated.
- ^t Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range, and individual peaks eluting in the DRO range.
- ^u Laboratory confirmed result.
- ^v Current laboratory analytical results do not coincide with historical data and although laboratory results were confirmed; it appears that the samples were switched.
- ^w Laboratory report indicates that due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
- ^x Laboratory report indicates that due to the presence of an interferent near its retention time, the normal reporting limit was not attained for total xylenes. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
- ^y Laboratory report indicates that due to the presence of an interferent near its retention time, the normal reporting limit was not attained for toluene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
- ^z Laboratory report indicates DRO was detected in the method blank at a concentration of 50 µg/L. Due to insufficient sample volume, a repeat analysis could not be performed to confirm the results.
- ^{aa} Laboratory report indicates the ending calibration check standard did not meet the 15% criteria for the original analysis. The sample was reanalyzed from the vial with headspace and the result was <50 µg/L.

Table 2
Field Measurements and Analytical Results
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID/ DATE	Pre-purge DO (mg/L)	Post-purge D.O. (mg/L)	Pre-purge ORP (mV)	Post-purge ORP (mV)	Total Alkalinity (µg/L)	Ferrous Iron (µg/L)	Nitrate as Nitrate (µg/L)	Sulfate (µg/L)
MW-1								
09/03/98	2.3	1.6	-90	-103	230,000	9,800	<1,000	6,100
MW-2								
09/03/98	2.8	2.5	-206	-163	390,000	7,400	<1,000	21,000
MW-3								
09/03/98	3.1	0.7	-124	-99	830,000	45,000	<1,000	10,000
MW-4								
09/03/98	2.6	1.1	-190	-206	--	--	--	--
MW-6								
09/03/98	2.6	3.2	-148	-167	94,000	62	28,000	47,000
MW-7								
09/03/98	2.7	3.2	-207	-229	170,000	120	7,800	57,000

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

D.O. = Dissolved Oxygen

(mg/L) = Milligram per liter

ORP = Oxidation Reduction Potential

(mV) = Millivolts

(µg/L) = Micrograms per liter

-- = Not Analyzed

Table 3
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID	DATE	METHANOL (mg/L)	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-1	08/07/00	--	<1,000	410	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
	12/01/00	--	<2,500	<250	<10	<10	<10	<10	<10	<10
	02/09/01	--	<500	340	<2.0	<2.0	<2.0	53	<2.0	<2.0
	05/29/01	--	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	<2.000	<200	230	<20	<20	<20	<20	<20	<20
	11/28/01	--	<500	130	<2	<2	<2	<2	<2	<2
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	120	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	08/05/02	--	<500	100	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
DESTROYED										
MW-2	08/07/00		<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
MW-3	08/07/00	--	<500	2,600	<10	<10	<10	<10	490	17
	02/09/01	--	<500	2,000	<2.0	<2.0	<2.0	35	<2.0	<2.0
	05/29/01	--	<500	1,700 ¹	<2.0	<2.0	<2.0	38	980 ¹	7.4
	08/27/01	<5.000	<250	1,300	<25	<25	<25	<25	380	<25
	11/28/01	--	<500	1,500	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	110	<2	<2	<2	<2	120	<2
	08/05/02	--	<1,000	1,400	<10	<10	<10	<10	670	<10
	11/30/02	--	<1,000	1,200	<10	<10	<10	<10	380	<10
	MW-4	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	18
08/27/01		NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
11/28/01		DRY				--	--	--	--	--
02/14/02		--	<500	<100	<2	<2	<2	<2	9	<2
05/15/02		--	<500	<100	<2	<2	<2	<2	4	<2
08/05/02		DRY				--	--	--	--	--
11/30/02		DRY				--	--	--	--	--
MW-5	12/01/00	--	<500	<50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	02/09/01	--	<500	<50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--
	11/28/01	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2

Table 3
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron (Signal Oil) Service Station #206145 (S-800)
800 Center Street
Oakland, California

WELL ID	DATE	METHANOL (mg/L)	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-5 (cont)	05/15/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	08/05/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	11/30/02	--	<500	<100	<2	<2	<2	<2	<2	<2
MW-6	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
	11/30/02	DRY	--	--	--	--	--	--	--	--
MW-7	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
MW-8	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2

EXPLANATIONS:

TBA = t-Butyl alcohol
MTBE = Methyl Tertiary Butyl Ether
DIPE = Di-Isopropyl ether
ETBE = Ethyl t-butyl ether
TAME = t-Amyl methyl ether

1,2-DCA = 1,2-Dichloroethane
EDB = 1,2-Dibromoethane
(mg/L) = milligrams per liter
(µg/L) = Micrograms per liter
-- = Not Analyzed

ANALYTICAL METHODS:

EPA Method 8260 (modified) for Methanol
EPA Method 8260 for Oxygenate Compounds

¹ Laboratory report indicates this sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.