



**Ian Robb**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6101 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 790-6692  
Fax (925) 549-1441  
irobbs@chevron.com

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Former Signal Oil Station No. 206145  
800 Center Street  
Oakland, CA

**RECEIVED**

**3:03 pm, Apr 11, 2012**

Alameda County  
Environmental Health

I have reviewed the attached report dated April 9, 2012.

I agree with the conclusions and recommendations presented in the referenced report. This information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga Rovers Associates, upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink, appearing to read "I. Robb".

Ian Robb  
Project Manager

Attachment: First Semi-Annual 2012 Groundwater Monitoring and Sampling Report



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
<http://www.craworld.com>

April 9, 2012

Reference No. 312002

Mr. Mark Detterman  
Alameda County Environmental Health (ACEH)  
1131 Harbor Bay Parkway  
Alameda, California 94502

Re: First Semi-Annual 2012  
Groundwater Monitoring and Sampling Report  
Former Signal Oil Service Station 206145  
800 Center Street  
Oakland, California  
ACEH Case RO0000454

---

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *First Semi-Annual 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Gettler-Ryan, Inc. (G-R) of Dublin, California and their March 6, 2012 *Groundwater Monitoring and Sampling Data Package* is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' March 12, 2012 *Analytical Results* is included as Attachment B. Historical groundwater monitoring and sampling data are included as Attachment C.

---

Equal  
Employment Opportunity  
Employer

---



**CONESTOGA-ROVERS  
& ASSOCIATES**

April 6, 2012

Reference No. 312002

- 2 -

Please contact Ian Rob at (925) 790-6513 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Kiersten Hoey

N. Scott MacLeod, PG 5747



KH/cw/21  
Encl.

Figure 1	Vicinity Map
Figure 2	Shallow Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report
Attachment C	Historical Groundwater Monitoring and Sampling Data

cc: Mr. Ian Robb, Chevron (*electronic copy*)  
Mr. Rene Boisvert, 800 Center LLC

## FIGURES




Figure 1  
 VICINITY MAP  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 Oakland, California






Figure 2  
 SHALLOW GROUNDWATER ELEVATION AND HYDROCARBON CONCENTRATION MAP  
 FORMER SIGNAL OIL SERVICE STATION 206145  
 800 CENTER STREET  
 Oakland, California  
 February 29, 2012



## TABLE

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 206145  
800 CENTER STREET  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY						
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1A	09/03/2010 <sup>1</sup>	18.11	9.54	8.57	590	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-1A	02/03/2011 <sup>1</sup>	18.11	8.05	10.06	840	100	2.5	0.6	6.7	2.0	<2.5	-	-	-	-	-	-	-
MW-1A	05/04/2011 <sup>1,7</sup>	18.11	7.16	10.95	1,500	<50	6.7	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-1A	08/04/2011 <sup>1</sup>	18.11	8.80	9.31	750	<50	0.9	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
<b>MW-1A</b>	<b>02/29/2012<sup>1</sup></b>	<b>18.11</b>	<b>9.84</b>	<b>8.27</b>	<b>630/250</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-	-
MW-2	09/03/2010 <sup>1</sup>	18.40	9.98	8.42	130	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-2	02/03/2011 <sup>1</sup>	18.40	8.61	9.79	430	75	<0.5	<0.5	<0.5	<1.5	8.9	-	-	-	-	-	-	-
MW-2	05/04/2011 <sup>1,7</sup>	18.40	4.55	13.85	160	1,300	12	48	0.7	47	<100	-	-	-	-	-	-	-
MW-2	08/04/2011 <sup>1</sup>	18.40	9.17	9.23	99	1,500	43	100	1.4	47	34	-	-	-	-	-	-	-
<b>MW-2</b>	<b>02/29/2012<sup>1</sup></b>	<b>18.40</b>	<b>10.25</b>	<b>8.15</b>	<b>75/&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-	-
MW-3	09/03/2010	-	-	-	-	-	-	-	-	-	-	160,000	390	45,900	531,000	<460	21,500	-
MW-3	09/03/2010 <sup>1</sup>	18.07	9.70	8.37	4,000	32,000	65	690	3,100	4,900	380	-	-	-	-	-	-	-
MW-3	02/03/2011 <sup>1</sup>	18.07	8.39	9.68	1,400	2,000	17	34	250	190	26	44,000	<250	180,000	385,000	<460	28,500	-
MW-3	05/04/2011 <sup>1,7</sup>	18.07	7.30	10.77	340	57	<0.5	1.1	3.8	7.7	<2.5	20,000	<250	222,000	310,000	<460	10,500	-
MW-3	08/04/2011 <sup>1</sup>	18.07	8.83	9.24	2,100	1,200	6.5	4.6	110	8.9	16	68,000	350	275,000	362,000	<460	32,500	-
<b>MW-3</b>	<b>02/29/2012<sup>1</sup></b>	<b>18.07</b>	<b>9.90</b>	<b>8.17</b>	<b>1,500/510</b>	<b>2,000</b>	<b>74</b>	<b>2.2</b>	<b>6.5</b>	<b>&lt;5.0</b>	<b>&lt;18</b>	-	-	-	-	-	-	-
MW-4	09/03/2010	-	-	-	-	-	-	-	-	-	-	210,000	<250	2,000	400,000	<460	7,500	-
MW-4	09/03/2010 <sup>1</sup>	16.98	8.63	8.35	400	310	<5.0	<0.5	1.2	<1.5	<2.5	-	-	-	-	-	-	-
MW-4	02/03/2011 <sup>1</sup>	16.98	7.43	9.55	160	55	1.6	<0.5	<0.5	<1.5	<2.5	75,000	<250	52,600	309,000	<460	4,100	-



TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 206145  
800 CENTER STREET  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	05/04/2011 <sup>1,7</sup>	16.98	6.32	10.66	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	76,000	<250	16,700	183,000	<460	2,600
MW-4	08/04/2011 <sup>1</sup>	16.98	7.90	9.08	940	590	110	9.0	10	4.6	4.4	130,000	<250	68,900	361,000	<460	4,200
<b>MW-4</b>	<b>02/29/2012<sup>1</sup></b>	<b>16.98</b>	<b>8.34</b>	<b>8.64</b>	<b>270/&lt;50</b>	<b>130</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>0.6</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-
MW-5	09/03/2010 <sup>1</sup>	17.68	9.28	8.40	62	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-5	02/03/2011 <sup>1</sup>	17.68	7.83	9.85	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-5	05/04/2011 <sup>1</sup>	17.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	08/04/2011 <sup>1</sup>	17.68	8.38	9.30	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
<b>MW-5</b>	<b>02/29/2012<sup>1</sup></b>	<b>17.68</b>	<b>9.42</b>	<b>8.26</b>	<b>&lt;50/53</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-
MW-6	09/03/2010 <sup>1</sup>	17.33	9.13	8.20	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-6	02/03/2011 <sup>1</sup>	17.33	7.65	9.68	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-6	05/04/2011 <sup>1</sup>	17.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	08/04/2011 <sup>1</sup>	17.33	8.30	9.03	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
<b>MW-6</b>	<b>02/29/2012<sup>1</sup></b>	<b>17.33</b>	<b>9.30</b>	<b>8.03</b>	<b>&lt;50/&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-
MW-7	09/03/2010 <sup>1</sup>	19.26	10.74	8.52	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-7	02/03/2011 <sup>1</sup>	19.26	9.20	10.06	220	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
MW-7	05/04/2011 <sup>1</sup>	19.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	08/04/2011 <sup>1</sup>	19.26	9.91	9.35	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
<b>MW-7</b>	<b>02/29/2012<sup>1</sup></b>	<b>19.26</b>	<b>10.90</b>	<b>8.36</b>	<b>350/&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY						
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	09/03/2010 <sup>1</sup>	17.79	9.75	8.04	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-8	02/03/2011 <sup>1</sup>	17.79	8.46	9.33	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
MW-8	05/04/2011 <sup>1</sup>	17.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	08/04/2011 <sup>1</sup>	17.79	8.98	8.81	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-	-
<b>MW-8</b>	<b>02/29/2012<sup>1</sup></b>	<b>17.79</b>	<b>9.90</b>	<b>7.89</b>	<b>&lt;50/&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	-	-	-	-	-	-	-
MW-9	09/03/2010 <sup>2</sup>	18.42	10.01	8.41	95	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-	-
MW-9	02/03/2011 <sup>2,4,5</sup>	18.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	05/04/2011 <sup>2,4,5</sup>	18.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	08/04/2011 <sup>2,4,5</sup>	18.42	9.13	9.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-9</b>	<b>02/29/2012<sup>2,4,5</sup></b>	<b>18.42</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	09/03/2010 <sup>3</sup>	17.99	10.35	7.64	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-	-
MW-10	02/03/2011 <sup>3,4,5</sup>	17.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	05/04/2011 <sup>3,4,5</sup>	17.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	08/04/2011 <sup>3,4,5</sup>	17.99	10.60	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-10</b>	<b>02/29/2012<sup>3,4,5</sup></b>	<b>17.99</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/03/2010 <sup>2</sup>	18.68	10.21	8.47	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-	-
MW-11	02/03/2011 <sup>2,4,5</sup>	18.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/04/2011 <sup>2,4,5</sup>	18.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	08/04/2011 <sup>2,4,5</sup>	18.68	9.35	9.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	02/29/2012 <sup>2,4,5</sup>	18.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	09/03/2010 <sup>3</sup>	18.46	11.05	7.41	65	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-12	02/03/2011 <sup>3,4,5</sup>	18.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	05/04/2011 <sup>3,4,5</sup>	18.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	08/04/2011 <sup>3,4,5</sup>	18.46	9.63	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	02/29/2012 <sup>3,4,5</sup>	18.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/03/2010 <sup>2</sup>	18.43	10.09	8.34	58	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-13	02/03/2011 <sup>2,4,5</sup>	18.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	05/04/2011 <sup>2,4,5</sup>	18.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	08/04/2011 <sup>2,4,5</sup>	18.43	9.27	9.16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/29/2012 <sup>2,4,5</sup>	18.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	09/03/2010 <sup>3</sup>	18.59	11.52	7.07	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-14	02/03/2011 <sup>3,4,5</sup>	18.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	05/04/2011 <sup>3,4,5</sup>	18.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	08/04/2011 <sup>3,4,5</sup>	18.59	9.99	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	02/29/2012 <sup>3,4,5</sup>	18.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/03/2010 <sup>2</sup>	18.38	9.95	8.43	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-15	02/03/2011 <sup>2,4,5</sup>	18.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	05/04/2011 <sup>2,4,5</sup>	18.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	08/04/2011 <sup>2,4,5</sup>	18.38	9.13	9.25	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-15</b>	<b>02/29/2012<sup>2,4,5</sup></b>	<b>18.38</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/03/2010 <sup>3</sup>	18.57	10.95	7.62	<50	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-16	02/03/2011 <sup>3,4,5</sup>	18.57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	05/04/2011 <sup>3,4,5</sup>	18.57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	08/04/2011 <sup>3,4,5</sup>	18.57	10.13	8.44	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-16</b>	<b>02/29/2012<sup>3,4,5</sup></b>	<b>18.57</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-17	09/03/2010 <sup>3</sup>	18.55	10.81	7.74	67	<50	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-
MW-17	02/03/2011 <sup>3,4,5</sup>	18.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-17	05/04/2011 <sup>3,4,5</sup>	18.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-17	08/04/2011 <sup>3,4,5</sup>	18.55	10.00	8.55	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-17</b>	<b>02/29/2012<sup>3,4,5</sup></b>	<b>18.55</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-1	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-1	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-1	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>AS-1</b>	<b>02/29/2012<sup>8</sup></b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-2	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
AS-2	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-2	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-2	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-3	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-3	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-3	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-3	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-4	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-4	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-4	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-4	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-5	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-5	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-5	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-5	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-6	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-6	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-6	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
AS-6	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-7	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-7	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-7	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-7	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-8	02/03/2011 <sup>6</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-8	05/04/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-8	08/04/2011 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AS-8	02/29/2012 <sup>8</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/03/2010	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
QA	02/03/2011	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
QA	05/04/2011	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
QA	08/04/2011	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-
QA	02/29/2012	-	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	<2.5	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 206145  
800 CENTER STREET  
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

**Abbreviations and Notes:**

TOC = Top of Casing

DTW = Depth to Water

GWE = Groundwater elevation

(ft-amsl) = Feet Above Mean sea level

ft = Feet

µg/L = Micrograms per Liter

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics

VOCS = Volatile Organic Compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylene

MTBE = Methyl tert butyl ether

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

1 Shallow Well

2 Intermediate Well

3 Deep Well

4 Monitored annually during the third quarter

5 Sampled bi-annually during the third quarter

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER CHEVRON SERVICE STATION 206145  
 800 CENTER STREET  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					GENERAL CHEMISTRY					
					TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8021	Carbon dioxide	Nitrate Nitrogen	Sulfate	Alkalinity to pH 4.5	Alkalinity to pH 8.3	Ferrous Iron
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- 6 Not able to access well. Well connected to Air Sparge System
- 7 Special Sampling Event
- 8 Not monitored or sampled.



ATTACHMENT A

MONITORING DATA PACKAGE



# GETTLER-RYAN INC.



## TRANSMITTAL

March 6, 2012  
G-R #386492

TO: Ms. Kiersten Hoey  
Conestoga-Rovers & Associates  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Former Chevron (Signal Oil)  
Service Station #206145 (S-800)  
800 Center Street  
Oakland, California  
RO 0000454**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Semi-Annual Event of February 29, 2012

### COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/206145



## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: JA

Well ID: MW-1 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 16.70 ft.  
 Depth to Water: 9.84 ft.  
6.86 xVF .17 = 1.16 x3 case volume = Estimated Purge Volume: 3.49 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.21

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1255 Weather Conditions: Cloudy  
 Sample Time/Date: 1330 / 2/29/12 Water Color: Grey Odor: DIN Steam  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: LUSH  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.15

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm (µS))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1300</u>	<u>1</u>	<u>7.65</u>	<u>877</u>	<u>17.8</u>	_____	_____
<u>1305</u>	<u>2</u>	<u>7.60</u>	<u>894</u>	<u>17.7</u>	_____	_____
<u>1310</u>	<u>3</u>	<u>7.43</u>	<u>889</u>	<u>17.4</u>	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1A</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	<u>x voa vial</u>	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	<u>2</u> X 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: JH

Well ID: MW-2 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 13.41 ft.  
 Depth to Water: 10.25 ft.  Check if water column is less than 0.50 ft.  
3.16 xVF .17 = .53 x3 case volume = Estimated Purge Volume: 1.61 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.88

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer 5  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1120 Weather Conditions: cloudy  
 Sample Time/Date: 1155 / 2/29/12 Water Color: tan Odor: YIB  
 Approx. Flow Rate: - gpm. Sediment Description: L.O.W.  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 10.80

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>US</u> )	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<del>1122</del> 1122	.5	7.86	801	17.6		
1126	1.0	7.80	829	17.2		
1131	1.5	7.61	851	17.1		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-2	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	1 X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	1 X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	2 X 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: JH

Well ID: MW-3 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 14.02 ft.  
 Depth to Water: 9.90 ft.  Check if water column is less than 0.50 ft.  
4.12 xVF .17 = .70 x3 case volume = Estimated Purge Volume: 2.10 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.72

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1215 Weather Conditions: cloudy  
 Sample Time/Date: 1240 / 2/29/12 Water Color: Grey Odor: DIRTY L.O.H.  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: Heavy  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 10.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>DS</u> )	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>1218</u>	<u>.75</u>	<u>7.65</u>	<u>1143</u>	<u>18.2</u>		
<u>1222</u>	<u>1.5</u>	<u>7.69</u>	<u>1161</u>	<u>18.1</u>		
<u>1226</u>	<u>2.0</u>	<u>7.84</u>	<u>1193</u>	<u>18.0</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	<del>x voa vial</del>	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	<u>2</u> X 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: JH

Well ID: MW-4 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 13.37 ft.  
 Depth to Water: 8.34 ft.  Check if water column is less than 0.50 ft.  
5.03 xVF .17 = .85 x3 case volume = Estimated Purge Volume: 2.56 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.34

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0940 Weather Conditions: cloudy  
 Sample Time/Date: 1015 / 2/29/12 Water Color: tan Odor: Y/N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: L.S.H  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 9.30

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>0943</u>	<u>1</u>	<u>7.43</u>	<u>800</u>	<u>17.6</u>		
<u>0946</u>	<u>2</u>	<u>7.29</u>	<u>819</u>	<u>17.2</u>		
<u>0949</u>	<u>2.5</u>	<u>7.20</u>	<u>847</u>	<u>17.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	<u>1</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	<u>1</u> X 4 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	<u>2</u> X 4 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: 3J

Well ID: MW-5 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 19.36 ft.  
 Depth to Water: 9.92 ft.  Check if water column is less than 0.50 ft.  
9.94 xVF .17 = 1.68 x3 case volume = Estimated Purge Volume: 5.06 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.40

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0700 Weather Conditions: cloudy  
 Sample Time/Date: 0740 / 2/29/12 Water Color: clear Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: none  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.17

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (19))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0704</u>	<u>1.5</u>	<u>7.80</u>	<u>761</u>	<u>15.9</u>		
<u>0708</u>	<u>3.0</u>	<u>7.54</u>	<u>794</u>	<u>16.2</u>		
<u>0713</u>	<u>5.0</u>	<u>7.29</u>	<u>830</u>	<u>16.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-5	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
2	X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	X 4 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: SH

Well ID: MW-6 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 15.02 ft.  
 Depth to Water: 9.30 ft.  Check if water column is less than 0.50 ft.  
5.72 xVF .17 = .97 x3 case volume = Estimated Purge Volume: 2.91 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.44

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0755 Weather Conditions: cloudy  
 Sample Time/Date: 0825 / 2/29/12 Water Color: tan Odor: Y10  
 Approx. Flow Rate: - gpm. Sediment Description: little  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 10.19

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm (µS))	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0800</u>	<u>1</u>	<u>7.61</u>	<u>582</u>	<u>17.2</u>		
<u>0806</u>	<u>2</u>	<u>7.43</u>	<u>615</u>	<u>17.4</u>		
<u>0810</u>	<u>3</u>	<u>7.28</u>	<u>639</u>	<u>17.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-6	3 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	1 X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	1 X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	X 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: 311

Well ID: MW-7 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 15.90 ft.  
 Depth to Water: 10.90 ft.  Check if water column is less than 0.50 ft.  
5.00 xVF .17 = .85 x3 case volume = Estimated Purge Volume: 2.55 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.90

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

**Purge Equipment:**  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1035 Weather Conditions: Cloudy  
 Sample Time/Date: 1105 / 2/29/12 Water Color: Grey Odor: YIB  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: LHS  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1038</u>	<u>1</u>	<u>7.82</u>	<u>863</u>	<u>17.9</u>		
<u>1042</u>	<u>2</u>	<u>7.64</u>	<u>828</u>	<u>17.6</u>		
<u>1048</u>	<u>2.5</u>	<u>7.38</u>	<u>821</u>	<u>17.7</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	<del>x voa vial</del>	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	<u>1</u> X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	<u>X 1 liter ambers</u>	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206145 Job Number: 386492  
 Site Address: 800 Center Street Event Date: 2/29/12 (inclusive)  
 City: Oakland, CA Sampler: JH

Well ID: MW-8 Date Monitored: 2/29/12  
 Well Diameter: 2  
 Total Depth: 20.01 ft.  
 Depth to Water: 9.90 ft.  Check if water column is less than 0.50 ft.  
10.11 xVF .17 = 1.71 x3 case volume = Estimated Purge Volume: 5.15 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.92

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0850 Weather Conditions: Cloudy  
 Sample Time/Date: 0925 / 2/29/12 Water Color: tan Odor: Y10  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: Light  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 11.80

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0856</u>	<u>2</u>	<u>7.65</u>	<u>781</u>	<u>17.2</u>		
<u>0901</u>	<u>4</u>	<u>7.61</u>	<u>805</u>	<u>17.5</u>		
<u>0905</u>	<u>5</u>	<u>7.32</u>	<u>828</u>	<u>17.9</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>3</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8021)
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8021)
	1 X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc (8015)
	1 X 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN
	X 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only

Acct. #: \_\_\_\_\_ Sample # \_\_\_\_\_ Group #: **008593**

SS#206145 OML G-R#386492 Global ID#T0600102230

Facility #: 800 CENTER STREET, OAKLAND, CA  
 Site Address: IR CRAHK Hoey  
 Chevron PM: G-R, Inc., 6747 Sierra Lead Consultant; Dublin, CA 94568  
 Consultant/Office: Deanna I. Harding (deanna@grinc.com)  
 Consultant Prj. Mgr.: 925-551-7555 925-551-7899  
 Consultant Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
 Sampler: Jim Harp...

**Matrix**

**Analyses Requested**

**Preservation Codes**

**Preservative Codes**

H = HCl      T = Thiosulfate  
 N = HNO<sub>3</sub>    B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub>   O = Other

- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
- Confirm highest hit by 8260
- Confirm all hits by 8260
- Run \_\_\_ oxy's on highest hit
- Run \_\_\_ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Matrix			Total Number of Containers	Analyses Requested								
					Soil	Water	Oil <input type="checkbox"/> Air		BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO <input checked="" type="checkbox"/> Silica Gel Cleanup	8260 full-scan TPH-DRO (8015)	Oxygenates	Total Lead Method	Dissolved Lead Method		
QA	2/29/12		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							
MW-1A		1330	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-2		1155	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-3		1240	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-4		1015	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-5		0740	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-6		0925	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-7		1105	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
MW-8		0925	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

**Comments / Remarks**

Requesting 10 gram column cleanup on DRO w/sgc COLUMN samples, and normal 1 gram on DRO w/sgc by (8015). Please forward the lab results directly to the Lead Consultant and cc G-R

**Turnaround Time Requested (TAT)** (please circle)

STD. TAT    72 hour    48 hour  
 24-hour    4 day    5 day

**Data Package Options** (please circle if required)

QC Summary    Type I - Full    **EDF/EDD**  
 Type VI (Raw Data)     Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by:	Date	Time	Received by:	Date	Time
<i>[Signature]</i>	2/29/12	1245	<i>[Signature]</i>	2/29/12	1410
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by Commercial Carrier:	Received by:			Date	Time
UPS    FedEx    Other _____					
Temperature Upon Receipt _____ C°	Custody Seals Intact?		Yes	No	

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

March 12, 2012

Project: 206145

Submittal Date: 03/01/2012  
Group Number: 1292598  
PO Number: 0015096937  
Release Number: ROBB  
State of Sample Origin: CAClient Sample DescriptionQA-T-120229 NA Water  
MW-1A-W-120229 Grab Water  
MW-1A-W-120229 Grab Water  
MW-2-W-120229 Grab Water  
MW-2-W-120229 Grab Water  
MW-3-W-120229 Grab Water  
MW-3-W-120229 Grab Water  
MW-4-W-120229 Grab Water  
MW-4-W-120229 Grab Water  
MW-5-W-120229 Grab Water  
MW-5-W-120229 Grab Water  
MW-6-W-120229 Grab Water  
MW-6-W-120229 Grab Water  
MW-7-W-120229 Grab Water  
MW-7-W-120229 Grab Water  
MW-8-W-120229 Grab Water  
MW-8-W-120229 Grab WaterLancaster Labs (LLI) #6564069  
6564070  
6564071  
6564072  
6564073  
6564074  
6564075  
6564076  
6564077  
6564078  
6564079  
6564080  
6564081  
6564082  
6564083  
6564084  
6564085

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC      CRA c/o Gettler-Ryan  
COPY TO  
ELECTRONIC      Chevron c/o CRA  
COPY TO

Attn: Rachelle Munoz

Attn: Report Contact

ELECTRONIC COPY TO  
ELECTRONIC COPY TO  
Chevron  
CRA

Attn: Anna Avina

Attn: Kiersten Hoey

Respectfully Submitted,



Jill M. Parker  
Senior Specialist

(717) 556-7262



**Sample Description: QA-T-120229 NA Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 QA**

**LLI Sample # WW 6564069**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012

Chevron

Submitted: 03/01/2012 18:55

6001 Bollinger Canyon Rd L4310

Reported: 03/12/2012 20:33

San Ramon CA 94583

CSOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles</b>					
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B n.a.	ug/l N.D.	ug/l 50	1
<b>GC Volatiles</b>					
02102	Benzene	SW-846 8021B 71-43-2	ug/l N.D.	ug/l 0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 19:55	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 19:55	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 19:55	Marie D John	1

**Sample Description: MW-1A-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-1A**

**LLI Sample # WW 6564070**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 13:30 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	250	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 21:16	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 21:16	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 21:16	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 10:13	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-1A-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-1A**

**LLI Sample # WW 6564071**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 13:30 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	630	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 10:50	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-2-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-2**

**LLI Sample # WW 6564072**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 11:55 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 21:42	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 21:42	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 21:42	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 07:35	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-2-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-2**

**LLI Sample # WW 6564073**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 11:55 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	75	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 02:21	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-3-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-3**

**LLI Sample # WW 6564074**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 12:40 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	2,000	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	74	0.5	1
02102	Ethylbenzene	100-41-4	6.5	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	18	1
02102	Toluene	108-88-3	2.2	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	5.0	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	510	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 22:09	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 22:09	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 22:09	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 07:57	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-3-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-3**

**LLI Sample # WW 6564075**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 12:40 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	1,500	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 04:15	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-4-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-4**

**LLI Sample # WW 6564076**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 10:15 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	130	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	0.6	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 22:36	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 22:36	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 22:36	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 08:20	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1



**Sample Description: MW-4-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-4**

**LLI Sample # WW 6564077**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 10:15 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	270	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 02:44	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-5-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-5**

**LLI Sample # WW 6564078**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 07:40 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	53	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 23:03	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 23:03	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 23:03	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 08:43	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-5-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-5**

**LLI Sample # WW 6564079**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 07:40 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 03:06	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-6-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-6**

**LLI Sample # WW 6564080**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 08:25 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/05/2012 23:30	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/05/2012 23:30	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/05/2012 23:30	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 09:05	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-6-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-6**

**LLI Sample # WW 6564081**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 08:25 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 03:29	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-7-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-7**

**LLI Sample # WW 6564082**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 11:05 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/06/2012 00:50	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/06/2012 00:50	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/06/2012 00:50	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 09:28	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-7-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-7**

**LLI Sample # WW 6564083**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 11:05 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	350	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 10:28	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

**Sample Description: MW-8-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-8**

**LLI Sample # WW 6564084**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 09:25 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSO08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC Volatiles SW-846 8015B ug/l</b>					
01729	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
<b>GC Volatiles SW-846 8021B ug/l</b>					
02102	Benzene	71-43-2	N.D.	0.5	1
02102	Ethylbenzene	100-41-4	N.D.	0.5	1
02102	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	1
02102	Toluene	108-88-3	N.D.	0.5	1
02102	Total Xylenes	1330-20-7	N.D.	1.5	1
<b>GC Petroleum SW-846 8015B ug/l</b>					
<b>Hydrocarbons w/Si</b>					
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, was present at <1%.					

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12065A53A	03/06/2012 01:17	Marie D John	1
02102	Method 8021 Water Master	SW-846 8021B	1	12065A53A	03/06/2012 01:17	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12065A53A	03/06/2012 01:17	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650017A	03/09/2012 09:51	Tracy A Cole	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650017A	03/06/2012 08:15	Cynthia J Salvatori	1



**Sample Description: MW-8-W-120229 Grab Water**  
**Facility# 206145 Job# 386492 GRD**  
**800 Center St-Oakland T0600102230 MW-8**

**LLI Sample # WW 6564085**  
**LLI Group # 1292598**  
**Account # 10904**

**Project Name: 206145**

Collected: 02/29/2012 09:25 by JH

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 03/01/2012 18:55

Reported: 03/12/2012 20:33

CSQ08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
	<b>GC Petroleum Hydrocarbons w/Si</b>	<b>SW-846 8015B</b>	<b>ug/l</b>	<b>ug/l</b>	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	1

**General Sample Comments**

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	120650018A	03/07/2012 03:52	Michele D Hamilton	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	120650018A	03/06/2012 08:15	Cynthia J Salvatori	1

## Quality Control Summary

Client Name: Chevron

Group Number: 1292598

Reported: 03/12/12 at 08:33 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 12065A53A	Sample number(s): 6564069-6564070,6564072,6564074,6564076,6564078,6564080,6564082,6564084							
Benzene	N.D.	0.5	ug/l	95	100	80-120	5	30
Ethylbenzene	N.D.	0.5	ug/l	100	105	80-120	5	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	95	100	78-125	5	30
Toluene	N.D.	0.5	ug/l	100	105	80-120	5	30
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	127	100	75-135	24	30
Total Xylenes	N.D.	1.5	ug/l	105	107	80-120	2	30
Batch number: 120650017A	Sample number(s): 6564070,6564072,6564074,6564076,6564078,6564080,6564082,6564084							
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	ug/l	75	81	50-118	8	20
Batch number: 120650018A	Sample number(s): 6564071,6564073,6564075,6564077,6564079,6564081,6564083,6564085							
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	ug/l	94	94	50-118	0	20

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Method 8021 Water Master

Batch number: 12065A53A

	Trifluorotoluene-F	Trifluorotoluene-P
6564069	86	78
6564070	82	79
6564072	84	79
6564074	152*	124
6564076	87	77
6564078	90	79
6564080	85	79
6564082	84	78
6564084	84	78
Blank	85	78
LCS	106	79
LCSD	100	79

Limits: 63-135 58-146

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 03/12/12 at 08:33 PM

Group Number: 1292598

### Surrogate Quality Control

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel  
Batch number: 120650017A  
Orthoterphenyl

---

6564070	79
6564072	82
6564074	82
6564076	77
6564078	89
6564080	79
6564082	82
6564084	83
Blank	81
LCS	66
LCSD	72

---

Limits: 59-131

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel  
Batch number: 120650018A  
Orthoterphenyl

---

6564071	102
6564073	99
6564075	100
6564077	100
6564079	95
6564081	94
6564083	97
6564085	97
Blank	98
LCS	114
LCSD	113

---

Limits: 59-131

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# Chevron California Region Analysis Request/Chain of Custody



500ml amber  
022912-05

For Lancaster Laboratories use only  
Acct. #: 10904 Sample # 6564069-85 Group #: 008593

G# 1292598

SS#206145-OML G-R#386492 Global ID#T0600102230 Facility #: 800 CENTER STREET, OAKLAND, CA Site Address: IR CRAHK Hoey Chevron PM: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant/Office: Deanna L. Harding (deanna@grinc.com) Consultant Prj. Mgr.: 925-551-7555 925-551-7899 Consultant Phone #: Fax #: Sampler: Jim Herron				<b>Matrix</b> <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		<b>Analyses Requested</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="10">Preservation Codes</th> </tr> <tr> <td>H</td><td>H</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>BTEX + MTBE</td><td>8260</td><td>8021</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TPH 8015 MOD GRO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TPH 8015 MOD DRO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Column Cleanup</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TPH - DRO (F015)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Oxygenates</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Total Lead</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Dissolved Lead</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>										Preservation Codes										H	H									BTEX + MTBE	8260	8021								TPH 8015 MOD GRO										TPH 8015 MOD DRO										Column Cleanup										TPH - DRO (F015)										Oxygenates										Total Lead										Dissolved Lead										<b>Preservative Codes</b> H = HCl      T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other  <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits	
Preservation Codes																																																																																																																					
H	H																																																																																																																				
BTEX + MTBE	8260	8021																																																																																																																			
TPH 8015 MOD GRO																																																																																																																					
TPH 8015 MOD DRO																																																																																																																					
Column Cleanup																																																																																																																					
TPH - DRO (F015)																																																																																																																					
Oxygenates																																																																																																																					
Total Lead																																																																																																																					
Dissolved Lead																																																																																																																					
Sample Identification			Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE	8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Column Cleanup	TPH - DRO (F015)	Oxygenates	Total Lead	Method	Dissolved Lead	Method																																																																																														
QA		2/29/12			X						2	X	X	X	X	X	X	X																																																																																																			
MW-1A			1330		X		X				2	X	X	X	X	X	X	X																																																																																																			
MW-2			1155		X		X				2	X	X	X	X	X	X	X																																																																																																			
MW-3			1240		X		X				5	X	X	X	X	X	X	X																																																																																																			
MW-4			1015		X		X				5	X	X	X	X	X	X	X																																																																																																			
MW-5			0740		X		X				5	X	X	X	X	X	X	X																																																																																																			
MW-6			0825		X		X				5	X	X	X	X	X	X	X																																																																																																			
MW-7			1105		X		X				5	X	X	X	X	X	X	X																																																																																																			
MW-8			0925		X		X				4	X	X	X	X	X	X	X																																																																																																			
<b>Comments / Remarks</b>  Requesting 10 gram column cleanup on DRO w/sgc COLUMN samples, and normal 1 gram on DRO w/sgc by (8015). Please forward the lab results directly to the Lead Consultant and cc: G-R.																																																																																																																					
<b>Turnaround Time Requested (TAT)</b> (please circle) 24 hour      72 hour      48 hour 4 day      5 day												Relinquished by: <i>[Signature]</i> Date: 2/29/12    Time: 1345 Relinquished by: <i>[Signature]</i> Date: 2/29/12    Time: 1638 Relinquished by: Date:            Time:						Received by: <i>[Signature]</i> Date: 2/29/12    Time: 1400 Received by: <b>SOUTHWEST</b> Date:            Time: Received by: Date:            Time:																																																																																																			
<b>Data Package Options</b> (please circle if required) QC Summary      Type I - Full <b>EDF/EDD</b> Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk												Relinquished by Commercial Carrier: UPS      FedEX      Other <input checked="" type="checkbox"/>						Received by: <i>[Signature]</i> Date: 3/6/12    Time: 1756 Temperature Upon Receipt: 0.8-2.1 C°    Custody Seals Intact?    Yes    No																																																																																																			

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m<sup>3</sup></b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value – The result is $\geq$ the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
<b>A</b> TIC is a possible aldol-condensation product	<b>B</b> Value is $<$ CRDL, but $\geq$ IDL
<b>B</b> Analyte was also detected in the blank	<b>E</b> Estimated due to interference
<b>C</b> Pesticide result confirmed by GC/MS	<b>M</b> Duplicate injection precision not met
<b>D</b> Compound quantitated on a diluted sample	<b>N</b> Spike sample not within control limits
<b>E</b> Concentration exceeds the calibration range of the instrument	<b>S</b> Method of standard additions (MSA) used for calculation
<b>N</b> Presumptive evidence of a compound (TICs only)	<b>U</b> Compound was not detected
<b>P</b> Concentration difference between primary and confirmation columns $>$ 25%	<b>W</b> Post digestion spike out of control limits
<b>U</b> Compound was not detected	<b>*</b> Duplicate analysis not within control limits
<b>X,Y,Z</b> Defined in case narrative	<b>+</b> Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT C

HISTORICAL GROUNDWATER MONITORING AND SAMPLING DATA

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-1A</b>											
02/24-25/03 <sup>1</sup>	15.49	8.17	7.32	4,600	5,100	92	340	66	480	<10	--
06/02/03	15.49	7.15	8.34	5,500	3,800	150	490	72	450	<13	--
09/02/03	15.49	6.10	9.39	10,000	6,200	100	580	110	760	47	--
11/21/03	15.49	5.29	10.20	3,800	3,200	29	150	49	240	<10	--
02/27/04	15.49	9.87	5.62	2,800	280	9.7	19	3.0	30	<2.5	--
05/28/04	15.49	6.88	8.61	5,500	1,100	35	81	27	140	17	--
08/31/04	15.49	5.58	9.91	4,500	1,100	13	68	27	110	<2.5	--
12/17/04	15.49	7.09	8.40	2,300 <sup>o</sup>	560	8.0	17	9.6	36	<2.5	--
03/28/05	15.49	10.36	5.13	340 <sup>o</sup>	87	16	4.2	3.3	11	<2.5	--
06/09/05	15.49	9.69	5.80	6,400 <sup>o</sup>	260	26	3.7	7.7	13	5.3	--
08/19/05	15.49	6.70	8.79	1,100 <sup>o,p,q</sup>	440	38	7.8	9.4	17	<2.5	--
11/18/05	15.49	6.25	9.24	1,300 <sup>o,q</sup>	450	11	12	17	22	<2.5	--
03/07/06	15.49	10.51	4.98	2,300 <sup>o</sup>	150	33	1.6	3.4	2.7	<2.5	--
05/17/06	15.49	9.02	6.47	2,600 <sup>o</sup>	110	18	<0.5	0.7	<1.5	<2.5	--
08/30/06	15.49	5.68	9.81	3,600 <sup>o</sup>	420	24	0.7	8.1	9.2	<10	--
11/28/06	15.49	5.79	9.70	2,900 <sup>o</sup>	220	8.6	2.7	6.1	9.3	<2.5	--
02/06/07	18.11	8.83	9.28	1,500 <sup>o</sup>	230	19	<0.5	1.8	2.7	<2.5	--
05/02/07	18.11	9.83	8.28	1,300 <sup>o</sup>	190	16	<0.5	1	1.8	<2.5	--
08/17/07	18.11	8.61	9.50	1,100 <sup>o</sup>	160	2.5	0.8	2.0	2.7	<2.5	--
11/16/07 <sup>v</sup>	18.11	8.27	9.84	3,600 <sup>o</sup>	30,000	610	1,100	4,100	2,800	310	--
02/05/08	18.11	11.63	6.48	2,100 <sup>o</sup>	63	4.8	<0.5	<0.5	<1.5	<2.5	--
05/20/08	18.11	9.18	8.93	940 <sup>o</sup>	50	1.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	18.11	8.25	9.86	1,900 <sup>o</sup>	98	0.7	<0.5	<0.5	<1.5	<2.5	--
12/05/08	18.11	7.68	10.43	940 <sup>o</sup>	96	0.6	<0.5	0.5	<1.5	<2.5	--
02/09/09	18.11	8.10	10.01	630 <sup>o</sup>	130	2.7	<0.5	2.1	<1.5	<2.5	--
05/08/09	18.11	9.91	8.20	1,300 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	18.11	8.35	9.76	1,300 <sup>o</sup>	97	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>02/25/10</b>	<b>18.11</b>	<b>11.03</b>	<b>7.08</b>	<b>500<sup>o,z</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>
<b>MW-2</b>											
10/27/95	15.77	10.60	5.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	15.72	8.51	7.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	15.72	7.82	7.90	--	83 <sup>d</sup>	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	15.72	5.92	9.80	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	15.72	5.13	10.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	15.72	9.21	6.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-2 (cont)</b>											
05/11/98	15.72	8.82	6.90	SAMPLED ANNUALLY		--	--	--	--	--	--
07/16/98	15.72	7.37	8.35	--	--	--	--	--	--	--	--
08/04/98 <sup>a</sup>	15.72	7.03	8.69	--	--	--	--	--	--	--	1.9 x 1
09/03/98 <sup>a</sup>	15.72	6.44	9.28	--	--	--	--	--	--	--	3.0 x 1
10/21/98 <sup>b</sup>	15.72	5.51	10.21	--	--	--	--	--	--	--	8.8 x 1
11/04/98	15.72	5.60	10.12	--	--	--	--	--	--	--	--
01/26/99	15.72	6.87	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	15.72	8.20	7.52	--	--	--	--	--	--	--	--
08/21/99	15.72	13.21	2.51	--	--	--	--	--	--	--	--
10/28/99	15.72	6.35	9.37	--	--	--	--	--	--	--	--
01/31/00	15.72	7.25	8.47	--	<50	<0.5	0.541	<0.5	<0.5	<2.5	--
05/19/00	15.72	7.65	8.07	--	--	--	--	--	--	--	--
08/07/00	15.72	6.35	9.37	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/ <sup>f</sup> <2.0 <sup>f</sup>	--
12/01/00	15.72	5.60	10.12	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	15.72	6.05	9.67	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	15.72	6.73	8.99	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/27/01 <sup>h</sup>	15.72	5.68	10.04	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 <sup>f</sup>	--
11/28/01	15.72	5.86	9.86	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
02/14/02	15.69	7.86	7.83	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	15.69	7.09	8.60	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	15.69	6.02	9.67	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	15.69	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 <sup>l</sup>	15.69	8.04	7.65	140	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.69	7.33	8.36	150 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.69	5.97	9.72	150 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	-- <sup>n</sup>	-- <sup>n</sup>	10.39	180	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	-- <sup>n</sup>	-- <sup>n</sup>	6.90	310	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	-- <sup>n</sup>	-- <sup>n</sup>	9.13	160	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- <sup>n</sup>	-- <sup>n</sup>	10.30	180 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	-- <sup>n</sup>	-- <sup>n</sup>	8.91	77 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	-- <sup>n</sup>	-- <sup>n</sup>	6.51	<50 <sup>o</sup>	<50	<0.5	0.5	<0.5	<1.5	<2.5	--
06/09/05	-- <sup>n</sup>	-- <sup>n</sup>	7.09	53 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	-- <sup>n</sup>	-- <sup>n</sup>	9.27	<50 <sup>o,p</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	-- <sup>n</sup>	-- <sup>n</sup>	9.66	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	-- <sup>n</sup>	-- <sup>n</sup>	6.75	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	-- <sup>n</sup>	-- <sup>n</sup>	7.09	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	-- <sup>n</sup>	-- <sup>n</sup>	9.03	640 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)	
<b>MW-2 (cont)</b>												
11/28/06	-- <sup>n</sup>	-- <sup>n</sup>	10.02	560 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/06/07	18.40	8.72	9.68	200 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
05/02/07	18.40	9.71	8.69	480 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
08/17/07	18.40	8.52	9.88	1,000 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
11/16/07	18.40	8.30	10.10	1,900 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/05/08	18.40	10.97	7.43	1,100 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
05/20/08	18.40	9.09	9.31	650 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
08/06/08	18.40	8.25	10.15	200 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
12/05/08	18.40	7.12	11.28	680 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
02/09/09	18.40	8.08	10.32	420 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
05/08/09	18.40	9.98	8.42	75 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
08/07/09	18.40	8.23	10.17	610 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	
<b>02/25/10</b>	<b>18.40</b>	<b>10.54</b>	<b>7.86</b>	<b>120<sup>o,z</sup></b>	<b>&lt;50<sup>aa</sup></b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>	
<b>MW-3</b>												
10/27/95	15.46	10.37	5.09	--	33,000	11,000	1,700	2,300	4,200	--	--	
02/20/97	15.42	8.37	7.05	--	260	56	<1.0	7.6	5.9	<5.0	--	
04/24/97	15.42	7.29	8.13	--	1,400	310	28	76	75	74	--	
07/23/97	15.42	5.84	9.58	--	37,000	10,000	1,500	2,700	4,200	2,500	--	
10/29/97	15.42	5.09	10.33	--	53,000	12,000	1,200	3,000	3,100	2,500	--	
01/28/98	15.42	8.94	6.48	--	210	43	1.5	1.7	3.9	10	--	
05/11/98	15.42	8.49	6.93	--	59	11	<0.5	2.1	<0.5	<2.5	--	
07/16/98	15.42	7.14	8.28	--	260	90	4.8	18	5.7	<10	--	
08/04/98 <sup>a</sup>	15.42	6.88	8.54	--	--	--	--	--	--	--	8.5 x 1	
09/03/98 <sup>a</sup>	15.42	6.34	9.08	--	--	--	--	--	--	--	2.4 x 1	
10/21/98 <sup>b</sup>	15.42	5.62	9.80	--	--	--	--	--	--	--	6.0 x 1	
11/04/98	15.42	5.60	9.82	--	73,000	17,000	3,800	4,900	8,100	<250	--	
01/26/99	15.42	6.70	8.72	--	32,400	10,200	1,850	2,650	3,140	715/<500 <sup>c</sup>	--	
05/06/99	15.42	7.97	7.45	--	3,160	668	89.6	180	123	<200/<10 <sup>c</sup>	--	
08/21/99	15.42	7.95	7.47	--	53,800	9,700	2,040	2,880	5,000	<1,250/<40 <sup>c</sup>	--	
10/28/99	15.42	5.37	10.05	--	71,300	14,000	3,420	4,320	8,360	<1,000	--	
01/31/00	15.42	7.16	8.26	--	1,650	496	49.1	134	82.6	<12.5	--	
05/19/00	15.42	7.60	7.82	--	110 <sup>e</sup>	36	2.5	9.1	4.0	6.3	--	
08/07/00	15.42	6.29	9.13	--	36,000 <sup>e</sup>	9,000	3,000	2,700	2,800	2,500/<10 <sup>f</sup>	--	
12/01/00	15.42	2.45	12.97	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
02/09/01	15.42	5.98	9.44	--	32,000 <sup>e</sup>	11,000	3,900	3,200	4,800	3,200/<2.0 <sup>f</sup>	--	

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-3 (cont)</b>											
05/29/01	15.42	6.65	8.77	--	13,000	4,200	2,000	1,800	1,500	74/<2.0 <sup>f</sup>	--
08/27/01 <sup>h</sup>	15.42	5.70	9.72	--	40,000	7,600	2,800	2,500	2,700	<25 <sup>f</sup>	--
11/28/01	15.42	5.77	9.65	--	57,000	10,000	2,900	2,900	2,800	<250/<5.0 <sup>f</sup>	--
02/14/02	15.40	7.73	7.67	--	51	2.9	<0.50	1.9	1.8	<2.5/<2 <sup>f</sup>	--
05/15/02	15.40	7.05	8.35	--	4,100	910	250	210	240	<20/<2 <sup>f</sup>	--
08/05/02	15.40	5.96	9.44	--	58,000	11,000	4,300	3,400	4,000	<250/<10 <sup>f</sup>	--
11/30/02	15.40	5.14	10.26	--	46,000	13,000	2,900	3,700	2,600	<100/<10 <sup>f</sup>	--
02/24-25/03 <sup>l</sup>	15.40	7.89	7.51	4,500	52,000	9,600	4,800	2,900	4,100	<130	--
06/02/03	15.40	7.24	8.16	6,500	67,000	11,000	9,600	3,400	5,700	<250	--
09/02/03	15.40	5.89	9.51	10,000	73,000	8,900	10,000	3,600	7,000	300	--
11/21/03	15.40	5.17	10.23	8,000	29,000	3,300	3,200	1,200	1,500	<200	--
02/27/04	15.40	8.84	6.56	200	59	8.2	6.3	1.7	6.8	<2.5	--
05/28/04	15.40	6.57	8.83	5,400	18,000	2,600	970	1,600	950	<100	--
08/31/04	15.40	5.41	9.99	9,100	58,000	3,200	9,600	2,800	7,500	<50	--
12/17/04	15.40	6.81	8.59	2,200 <sup>o</sup>	23,000	1,100	2,100	1,200	2,600	<25	--
03/28/05	15.40	9.29	6.11	3,200 <sup>o</sup>	43,000	1,500	10,000	2,600	7,300	<130	--
06/09/05	15.40	8.65	6.75	7,800 <sup>o</sup>	38,000	980	7,000	2,100	4,800	190	--
08/19/05	15.40	6.43	8.97	5,000 <sup>o-p,f</sup>	75,000	1,500	14,000	3,400	9,600	<130	--
11/18/05	15.40	5.95	9.45	3,900 <sup>o,f</sup>	72,000	1,400	14,000	3,600	9,700	380	--
03/07/06	15.40	9.05	6.35	1,100 <sup>o</sup>	15,000	280	2,300	820	2,000	<100	--
05/17/06	15.40	8.57	6.83	4,400 <sup>o</sup>	57,000	650	8,100	2,900	8,100	410	--
08/30/06	15.40	5.44	9.96	4,300 <sup>o</sup>	54,000	540	7,600	4,100	10,000	550	--
11/28/06	15.40	5.62	9.78	4,400 <sup>o</sup>	43,000	260	3,400	3,800	5,800	<1,000	--
02/06/07	18.07	8.70	9.37	5,000 <sup>o</sup>	43,000	290	6,200	3,400	6,400	<500	--
05/02/07	18.07	9.67	8.40	4,500 <sup>o</sup>	43,000	290	4,100	3,800	6,500	<500	--
08/17/07	18.07	8.50	9.57	4,900 <sup>o</sup>	46,000	240	1,900	3,800	5,600	310	--
11/16/07 <sup>v</sup>	18.07	8.29	9.78	860 <sup>o</sup>	450	34	23	53	25	4.1	--
02/05/08	18.07	10.97	7.10	2,400 <sup>o</sup>	18,000	210	950	1,800	1,700	<500	--
05/20/08	18.07	8.99	9.08	6,900 <sup>o</sup>	45,000	190	4,900	2,800	6,200	<500 <sup>w</sup>	--
08/06/08	18.07	8.26	9.81	5,000 <sup>o</sup>	40,000	220	1,500	3,200	6,500	<500 <sup>w</sup>	--
12/05/08	18.07	7.56	10.51	4,000 <sup>o</sup>	15,000	26	590	1,800	1,800	230	--
02/09/09	18.07	8.02	10.05	2,800 <sup>o</sup>	20,000	170	710	1,800	2,500	<400 <sup>w</sup>	--
05/08/09	18.07	9.95	8.12	2,900 <sup>o</sup>	15,000	88	900	2,100	1,400	<250 <sup>w</sup>	--
08/07/09	18.07	8.20	9.87	2,900 <sup>o</sup>	41,000	150	2,400	3,800	6,700	<500 <sup>w</sup>	--
<b>02/25/10</b>	<b>18.07</b>	<b>10.57</b>	<b>7.50</b>	<b>1,800<sup>o</sup></b>	<b>15,000</b>	<b>42</b>	<b>320</b>	<b>1,600</b>	<b>1,100</b>	<b>330</b>	<b>--</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-4</b>											
10/27/95	14.45	9.37	5.08	--	66	6.8	<0.5	<0.5	<0.5	--	--
02/20/97	14.40	8.12	6.28	--	54	<0.5	<0.5	<0.5	7.4	39	--
04/24/97	14.40	7.29	7.11	--	54	1.4	<0.5	0.65	3.0	100	--
07/23/97	14.40	5.80	8.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	14.40	5.74	8.66	--	--	--	--	--	--	--	--
11/13/97	14.40	4.97	9.43	--	<50	<0.5	0.79	<0.5	<0.5	<2.5	--
01/28/98	14.40	8.88	5.52	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	14.40	8.40	6.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
07/16/98	14.40	7.08	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98 <sup>a</sup>	14.40	6.28	8.12	--	--	--	--	--	--	--	1.8 x 1
09/03/98 <sup>a</sup>	14.40	6.32	8.08	--	--	--	--	--	--	--	1.4 x 1
10/21/98 <sup>b</sup>	14.40	5.64	8.76	--	--	--	--	--	--	--	8.6 x 1
11/04/98	14.40	5.61	8.79	--	--	--	--	--	--	--	--
01/26/99	14.40	6.71	7.69	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	14.40	8.15	6.25	--	--	--	--	--	--	--	--
08/21/99	14.40	8.13	6.27	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
10/28/99	14.40	4.14	10.26	--	--	--	--	--	--	--	--
01/31/00	14.40	7.07	7.33	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	14.40	7.52	6.88	--	--	--	--	--	--	--	--
08/07/00	14.40	6.23	8.17	--	<50	4.3	0.60	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
12/01/00	14.40	INACCESSIBLE	--	--	--	--	--	--	--	--	--
02/09/01	14.40	INACCESSIBLE	--	--	--	--	--	--	--	--	--
05/29/01	14.40	6.58	7.82	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
08/27/01	14.40	6.52	7.88	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
11/28/01	14.40	DRY	--	--	--	--	--	--	--	--	--
02/14/02	14.37	7.66	6.71	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
05/15/02	14.37	6.96	7.41	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
08/05/02	14.37	DRY	--	--	--	--	--	--	--	--	--
11/30/02	14.37	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 <sup>1</sup>	14.37	7.77	6.60	200	<50	8.0	<0.50	<0.50	<1.5	<2.5	--
06/02/03	14.37	7.11	7.26	300	<50	4.3	<0.5	<0.5	<1.5	<2.5	--
09/02/03	14.37	5.80	8.57	410	51	4.3	<0.5	<0.5	<1.5	<2.5	--
11/21/03	-- <sup>n</sup>	-- <sup>n</sup>	10.24	560	110	25	0.6	1.5	<1.5	<2.5	--
02/27/04	-- <sup>n</sup>	-- <sup>n</sup>	5.71	340	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	-- <sup>n</sup>	-- <sup>n</sup>	7.88	430	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- <sup>n</sup>	-- <sup>n</sup>	9.03	460	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	-- <sup>n</sup>	-- <sup>n</sup>	7.67	390 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-4 (cont)</b>											
03/28/05	-- <sup>n</sup>	-- <sup>n</sup>	5.32	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	-- <sup>n</sup>	-- <sup>n</sup>	6.70	120 <sup>o</sup>	90	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	-- <sup>n</sup>	-- <sup>n</sup>	8.03	190 <sup>o,p,q</sup>	200	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	-- <sup>n</sup>	-- <sup>n</sup>	9.43	310 <sup>o,t</sup>	230	2.7	<0.5	0.8	<1.5	<2.5	--
03/07/06	-- <sup>n</sup>	-- <sup>n</sup>	5.55	230 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	-- <sup>n</sup>	-- <sup>n</sup>	5.89	150 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	-- <sup>n</sup>	-- <sup>n</sup>	7.71	380 <sup>o</sup>	1,300	47	<2.5	<2.5	<7.5	<50	--
11/28/06	-- <sup>n</sup>	-- <sup>n</sup>	8.75	1,800 <sup>o</sup>	1,200	36	1.1	3.4	<5.0	<20	--
02/06/07	16.98	8.58	8.40	1,600 <sup>o</sup>	13,000 <sup>u</sup>	3,700 <sup>u</sup>	60 <sup>u</sup>	880 <sup>u</sup>	170 <sup>u</sup>	210 <sup>u</sup>	--
05/02/07	16.98	9.53	7.45	170 <sup>o</sup>	1,400	170	0.6	0.9	1.6	<50	--
08/17/07	16.98	8.35	8.63	1,600 <sup>o</sup>	4,700	870	3.8	49	<10	30	--
11/16/07	16.98	8.20	8.78	2,000 <sup>o</sup>	3,700	780	5.6	100	7.8	25	--
02/05/08	16.98	10.75	6.23	250 <sup>o</sup>	1,100	270	2.2	63	7.6	<50	--
05/20/08	16.98	8.91	8.07	1,100 <sup>o</sup>	3,300	720	4.1	13	15	<50 <sup>w</sup>	--
08/06/08	16.98	8.09	8.89	2,200 <sup>o</sup>	11,000	2,700	33	460	87	<100 <sup>w</sup>	--
12/05/08	16.98	7.46	9.52	540 <sup>o</sup>	2,500	380	1.4	22	<5.0 <sup>x</sup>	11	--
02/09/09	16.98	7.97	9.01	610 <sup>o</sup>	890	6.4	0.5	2.9	<1.5	<5.0 <sup>w</sup>	--
05/08/09	16.98	9.80	7.18	140 <sup>o</sup>	560	29	<0.5	1.2	<1.5	<5.0 <sup>w</sup>	--
08/07/09	16.98	8.10	8.88	1,000 <sup>o</sup>	1,900	260	1.2	7.1	3.0	8.3	--
<b>02/25/10</b>	<b>16.98</b>	<b>10.37</b>	<b>6.61</b>	<b>54<sup>o,z</sup></b>	<b>56</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>
<b>MW-5</b>											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
04/24/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
04/30/97	15.03	7.06	7.97	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
10/29/97	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
01/28/98	15.03	8.83	6.20	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
07/16/98	15.03	7.28	7.75	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
11/04/98	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
01/26/99	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
05/06/99	15.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--
08/21/99	15.03	6.74	8.29	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-5 (cont)</b>											
10/28/99	15.03	4.60	10.43	--	--	--	--	--	--	--	--
01/31/00	15.03	7.39	7.64	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	15.03	7.85	7.18	--	--	--	--	--	--	--	--
08/07/00	15.03	INACCESSIBLE		--	--	--	--	--	--	--	--
12/01/00	15.03	5.68	9.35	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50/<2.0 <sup>f</sup>	--
02/09/01	15.03	6.22	8.81	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
05/29/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
08/27/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
11/28/01	15.03	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
02/14/02	15.01	7.96	7.05	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
05/15/02	15.01	7.23	7.78	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
08/05/02	15.01	6.13	8.88	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
11/30/02	15.01	5.27	9.74	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
02/24-25/03 <sup>1</sup>	15.01	7.99	7.02	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.01	7.14	7.87	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.01	6.02	8.99	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	15.01	5.26	9.75	68	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	15.01	8.42	6.59	140	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	15.01	6.71	8.30	76	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	15.01	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
12/17/04	15.01	6.98	8.03	52 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	15.01	8.66	6.35	51 <sup>o</sup>	<50	<0.5	0.7	<0.5	<1.5	<2.5	--
06/09/05	15.01	9.16	5.85	72 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	15.01	6.52	8.49	<50 <sup>op</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	15.01	6.12	8.89	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	15.01	8.98	6.03	<50 <sup>o</sup>	<50	<0.5	<0.5	1.4	<1.5	<2.5	--
05/17/06	15.01	8.83	6.18	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	15.01	6.86	8.15	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	15.01	6.46	8.55	200 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	17.68	8.83	8.85	55 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	17.68	9.91	7.77	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/17/07	17.68	8.63	9.05	66 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	17.68	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
02/05/08	17.68	INACCESSIBLE - CAR PARKED OVER WELL		--	--	--	--	--	--	--	--
02/29/08	17.68	10.88	6.80	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	17.68	9.21	8.47	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	17.68	8.29	9.39	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-5 (cont)</b>											
12/05/08	17.68	7.63	10.05	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	17.68	8.21	9.47	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	17.68	10.16	7.52	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	17.68	8.33	9.35	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>02/25/10</b>	<b>17.68</b>	<b>10.76</b>	<b>6.92</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>
<b>MW-6</b>											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	14.73	8.11	6.62	--	800	310	23	11	28	<12	--
04/24/97	14.73	7.13	7.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	14.73	5.73	9.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	14.73	4.98	9.75	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	14.73	8.19	6.54	--	160	38	<0.5	<0.5	<0.5	<2.5	--
05/11/98	14.73	8.08	6.65	--	1,700	490	72	39	52	<25	--
07/16/98	14.73	7.04	7.69	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/04/98 <sup>a</sup>	14.73	6.89	7.84	--	--	--	--	--	--	--	8.6 x 1
09/03/98 <sup>a</sup>	14.73	6.24	8.49	--	--	--	--	--	--	--	2.9 x 1
10/21/98 <sup>b</sup>	14.73	5.46	9.27	--	--	--	--	--	--	--	1.8 x 1
11/04/98	14.73	5.52	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/26/99	14.73	6.49	8.24	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	14.73	7.91	6.82	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/21/99	14.73	7.93	6.80	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
10/28/99	14.73	5.27	9.46	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/31/00	14.73	7.16	7.57	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	14.73	7.60	7.13	--	<50	11	<0.5	<0.5	<0.5	<2.5	--
08/07/00	14.73	6.22	8.51	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
12/01/00	14.73	DRY	--	--	--	--	--	--	--	--	--
02/09/01	14.73	DRY	--	--	--	--	--	--	--	--	--
05/29/01	14.73	6.63	8.10	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--
08/27/01 <sup>h</sup>	14.73	9.83	4.90	--	150	<0.50	5.7	<0.50	<0.50	<5.0 <sup>f</sup>	--
11/28/01	14.73	DRY	--	--	--	--	--	--	--	--	--
02/14/02	14.68	7.90	6.78	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	14.68	7.32	7.36	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	14.68	DRY	--	--	--	--	--	--	--	--	--
11/30/02	14.68	DRY	--	--	--	--	--	--	--	--	--
02/24-25/03 <sup>l</sup>	14.68	7.89	6.79	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-6 (cont)</b>											
06/02/03	14.68	7.20	7.48	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	14.68	5.77	8.91	190	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	14.68	4.86	9.82	98	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	14.68	8.12	6.56	240	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	14.68	6.43	8.25	150	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	14.68	5.29	9.39	360 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	14.68	6.85	7.83	91 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	14.68	8.34	6.34	61 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	14.68	7.95	6.73	64 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	14.68	6.27	8.41	<50 <sup>o-p</sup>	<50 <sup>s</sup>	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	14.68	DRY AT 15.70 FEET		--	--	--	--	--	--	--	--
03/07/06	14.68	8.03	6.65	<50 <sup>o</sup>	<50	<0.5	<0.5	0.9	<1.5	<2.5	--
05/17/06	14.68	7.98	6.70	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	14.68	6.63	8.05	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	14.68	6.09	8.59	120 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	17.33	8.58	8.75	96 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	17.33	9.64	7.69	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/17/07	17.33	8.38	8.95	66 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	17.33	8.19	9.14	250 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	17.33	10.55	6.78	120 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	17.33	8.92	8.41	70 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	17.33	8.06	9.27	<160 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	17.33	7.44	9.89	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	17.33	7.99	9.34	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	17.33	10.01	7.32	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	17.33	8.11	9.22	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>02/25/10</b>	<b>17.33</b>	<b>10.58</b>	<b>6.75</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>
<b>MW-7</b>											
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/97	16.36	8.86	7.50	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	16.36	7.59	8.77	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	16.36	6.09	10.27	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	16.36	5.28	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	16.36	9.10	7.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	16.36	9.11	7.25	SAMPLED ANNUALLY		--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-7 (cont)</b>											
07/16/98	16.36	8.00	8.36	--	--	--	--	--	--	--	--
08/04/98 <sup>a</sup>	16.36	7.32	9.04	--	--	--	--	--	--	--	1.5 x 1
09/03/98 <sup>a</sup>	16.36	6.65	9.71	--	--	--	--	--	--	--	6.5 x 1
10/21/98 <sup>b</sup>	16.36	5.96	10.40	--	--	--	--	--	--	--	4.8 x 1
11/04/98	16.36	5.89	10.47	--	--	--	--	--	--	--	--
01/26/99	16.36	8.25	8.11	--	<50	<0.5	<0.5	<0.5	0.5	<2.0	--
05/06/99	16.36	8.47	7.89	--	--	--	--	--	--	--	--
08/21/99	16.36	8.51	7.85	--	--	--	--	--	--	--	--
10/28/99	16.36	6.04	10.32	--	--	--	--	--	--	--	--
01/31/00	16.36	7.57	8.79	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/19/00	16.36	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
08/07/00	16.36	6.67	9.69	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 <sup>f</sup>	--
12/01/00	16.36	5.84	10.52	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	16.36	6.30	10.06	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	16.36	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
08/27/01 <sup>h</sup>	16.36	6.02	10.34	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 <sup>f</sup>	--
11/28/01	16.36	6.09	10.27	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	16.31	8.21	8.10	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	16.31	7.41	8.90	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	16.31	6.26	10.05	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	16.31	5.39	10.92	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03 <sup>l</sup>	16.31	8.30	8.01	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	16.31	7.67	8.64	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	16.31	6.17	10.14	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	16.31	UNABLE TO LOCATE - BURIED		--	--	--	--	--	--	--	--
02/27/04	16.31	UNABLE TO LOCATE - BURIED		--	--	--	--	--	--	--	--
05/28/04	-- <sup>n</sup>	-- <sup>n</sup>	9.40	91	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	-- <sup>n</sup>	-- <sup>n</sup>	10.61	150 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	-- <sup>n</sup>	-- <sup>n</sup>	9.16	170 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	-- <sup>n</sup>	-- <sup>n</sup>	7.21	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	-- <sup>n</sup>	-- <sup>n</sup>	7.71	86 <sup>o</sup>	55	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	-- <sup>n</sup>	-- <sup>n</sup>	9.88	820 <sup>o,p,q</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	-- <sup>n</sup>	-- <sup>n</sup>	10.06	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	-- <sup>n</sup>	-- <sup>n</sup>	6.95	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	-- <sup>n</sup>	-- <sup>n</sup>	7.52	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	-- <sup>n</sup>	-- <sup>n</sup>	10.73	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	-- <sup>n</sup>	-- <sup>n</sup>	10.70	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-7 (cont)</b>											
02/06/07	19.26	8.91	10.35	73°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	19.26	9.98	9.28	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/17/07	19.26	8.75	10.51	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	19.26	8.56	10.70	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	19.26	11.43	7.83	100°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	19.26	9.32	9.94	52°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	19.26	8.41	10.85	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	19.26	7.71	11.55	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	19.26	8.23	11.03	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	19.26	10.23	9.03	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	19.26	8.40	10.86	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>02/25/10</b>	<b>19.26</b>	<b>10.84</b>	<b>8.42</b>	<b>&lt;50°</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>
<b>MW-8</b>											
02/14/02 <sup>ij</sup>	15.29	7.30	7.99	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 <sup>f</sup>	--
05/15/02 <sup>k</sup>	15.29	6.66	8.63	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02 <sup>k</sup>	15.29	5.48	9.81	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02 <sup>k</sup>	15.29	4.85	10.44	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03 <sup>l</sup>	15.29	7.46	7.83	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	15.29	6.83	8.46	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	15.29	5.57	9.72	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	15.29	4.89	10.40	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	15.29	8.38	6.91	280	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	15.29	6.33	8.96	72	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	15.29	4.79	10.50	92 <sup>m</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	15.29	6.68	8.61	53°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	15.29	8.79	6.50	<50°	<50	<0.5	0.9	<0.5	<1.5	<2.5	--
06/09/05	15.29	8.26	7.03	63°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	15.29	6.18	9.11	<50° <sup>p</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	15.29	5.47	9.82	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	15.29	8.60	6.69	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	15.29	8.21	7.08	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	15.29	6.57	8.72	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	15.29	6.38	8.91	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	17.79	8.39	9.40	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	17.79	9.33	8.46	<50°	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-8 (cont)</b>											
08/17/07	17.79	8.18	9.61	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	17.79	8.04	9.75	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	17.79	10.44	7.35	120 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	17.79	8.69	9.10	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/06/08	17.79	7.89	9.90	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	17.79	7.30	10.49	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	17.79	7.86	9.93	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	17.79	9.60	8.19	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	17.79	7.95	9.84	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>02/25/10</b>	<b>17.79</b>	<b>10.27</b>	<b>7.52</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	<b>--</b>
<b>MW-9</b>											
04/20/07 <sup>i</sup>	18.42	10.39	8.03	1,100 <sup>o</sup>	4,100	28	6.9	9.2	240	--	--
06/22/07	18.42	8.82	9.60	310 <sup>o</sup>	500	4.4	<0.5	<0.5	12	--	--
08/17/07	18.42	8.67	9.75	92 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.42	8.40	10.02	470 <sup>o</sup>	92	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.42	11.08	7.34	390 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.42	9.16	9.26	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.42	8.31	10.11	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.42	7.64	10.78	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.42	8.15	10.27	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.42	10.11	8.31	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.42	8.33	10.09	SAMPLED SEMI-ANNUALLY		<0.5	--	--	--	--	--
<b>02/25/10</b>	<b>18.42</b>	<b>10.70</b>	<b>7.72</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-10</b>											
04/20/07 <sup>i</sup>	17.99	8.35	9.64	260 <sup>o</sup>	1,200	29	31	11	140	--	--
06/22/07	17.99	8.29	9.70	110 <sup>o</sup>	<50	1.5	<0.5	<0.5	<1.5	--	--
08/17/07	17.99	7.81	10.18	53 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	17.99	6.90	11.09	140 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	17.99	9.65	8.34	330 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	17.99	8.28	9.71	120 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	17.99	7.50	10.49	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	17.99	6.67	11.32	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-10 (cont)</b>											
02/09/09	17.99	7.19	10.80	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	17.99	8.96	9.03	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	17.99	7.41	10.58	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
<b>02/25/10</b>	<b>17.99</b>	<b>9.11</b>	<b>8.88</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-11</b>											
04/20/07 <sup>i</sup>	18.68	9.88	8.80	350 <sup>o</sup>	77	<2.0	4.6	<0.5	3.2	--	--
06/22/07	18.68	9.35	9.33	140 <sup>o</sup>	51	<0.5	<0.5	<0.5	<1.5	--	--
08/17/07	18.68	8.66	10.02	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.68	8.47	10.21	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.68	11.10	7.58	84 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.68	9.20	9.48	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.68	8.37	10.31	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.68	7.63	11.05	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.68	8.17	10.51	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.68	10.12	8.56	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.68	8.34	10.34	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
<b>02/25/10</b>	<b>18.68</b>	<b>10.70</b>	<b>7.98</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-12</b>											
04/20/07 <sup>i</sup>	18.46	12.88	5.58	430 <sup>o</sup>	400	2.3	40	14	49	--	--
06/22/07	18.46	7.75	10.71	390 <sup>o</sup>	<50	0.7	1.1	<0.5	4.3	--	--
08/17/07	18.46	7.91	10.55	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.46	6.96	11.50	200 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.46	8.62	9.84	200 <sup>o</sup>	51	0.9	<0.5	<0.5	<1.5	--	--
02/05/08	18.46	8.80	9.66	66 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.46	6.40	12.06	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.46	6.20	12.26	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.46	6.53	11.93	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.46	8.64	9.82	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.46	6.41	12.05	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
<b>02/25/10</b>	<b>18.46</b>	<b>8.08</b>	<b>10.38</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-13</b>											
04/20/07 <sup>i</sup>	18.43	9.46	8.97	140 <sup>o</sup>	650	16	23	7.5	61	--	--
06/22/07	18.43	8.99	9.44	400 <sup>o</sup>	<50	0.6	0.9	<0.5	<1.5	--	--
08/17/07	18.43	8.53	9.90	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.43	8.37	10.06	350 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.43	10.85	7.58	57 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.43	8.99	9.44	100 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.43	8.18	10.25	78 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/05/08	18.43	7.53	10.90	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.43	8.00	10.43	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.43	9.93	8.50	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.43	8.20	10.23	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
<b>02/25/10</b>	<b>18.43</b>	<b>10.51</b>	<b>7.92</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-14</b>											
04/20/07 <sup>i</sup>	18.59	8.17	10.42	2,000 <sup>o</sup>	16,000	550	1,600	620	2,400	--	--
06/22/07	18.59	7.55	11.04	1,300 <sup>o</sup>	3,700	190	150	49	580	--	--
08/17/07	18.59	7.82	10.77	780 <sup>o</sup>	2,600	74	54	11	220	--	--
11/16/07	18.59	7.58	11.01	690 <sup>o</sup>	850	45	3.5	14	32	--	--
02/05/08	18.59	8.99	9.60	160 <sup>o</sup>	450	16	2.7	7.6	3.0	--	--
05/20/08	18.59	7.69	10.90	120 <sup>o</sup>	<50	0.7	<0.5	<0.5	<1.5	--	--
08/06/08	18.59	7.35	11.24	88 <sup>o</sup>	<50	0.9	<0.5	<0.5	<1.5	--	--
12/05/08	18.59	6.83	11.76	<50 <sup>o</sup>	100	1.7	0.5	<0.5	<1.5	--	--
02/09/09	18.59	7.11	11.48	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.59	8.01	10.58	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.59	7.48	11.11	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
<b>02/25/10</b>	<b>18.59</b>	<b>8.72</b>	<b>9.87</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-15</b>											
04/20/07 <sup>i</sup>	18.38	9.78	8.60	720 <sup>o</sup>	240	1.0	1.3	<0.5	20	--	--
06/22/07	18.38	9.09	9.29	150 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/17/07	18.38	8.65	9.73	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
11/16/07	18.38	8.41	9.97	140 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/05/08	18.38	10.97	7.41	52 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/20/08	18.38	9.12	9.26	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.38	8.30	10.08	190 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-15 (cont)</b>											
12/05/08	18.38	7.58	10.80	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.38	8.12	10.26	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.38	10.02	8.36	53 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.38	8.30	10.08	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
<b>02/25/10</b>	<b>18.38</b>	<b>10.61</b>	<b>7.77</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-16</b>											
04/20/07 <sup>i</sup>	18.57	8.75	9.82	2,200 <sup>o</sup>	15,000	87	1,200	500	2,000	--	--
06/22/07	18.57	8.20	10.37	2,100 <sup>o</sup>	10,000	130	1,800	580	1,400	--	--
08/17/07	18.57	7.81	10.76	640 <sup>o</sup>	8,200	110	1,400	280	730	--	--
11/16/07	18.57	7.54	11.03	370 <sup>o</sup>	1,600	22	270	60	160	--	--
02/05/08	18.57	9.74	8.83	350 <sup>o</sup>	930	2.6	15	9.3	18	--	--
05/20/08	18.57	8.26	10.31	79 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.57	7.49	11.08	74 <sup>o</sup>	<50	<0.5	<0.5	0.6	<1.5	--	--
12/05/08	18.57	6.80	11.77	89 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
02/09/09	18.57	7.18	11.39	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.57	8.92	9.65	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.57	7.52	11.05	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
<b>02/25/10</b>	<b>18.57</b>	<b>9.36</b>	<b>9.21</b>	<b>&lt;50<sup>o</sup></b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>
<b>MW-17</b>											
04/20/07 <sup>i</sup>	18.55	-0.95	19.50	1,300 <sup>o</sup>	7,400	66	880	300	1,300	--	--
06/22/07	18.55	8.21	10.34	690 <sup>o</sup>	2,000	35	27	9.3	360	--	--
08/17/07	18.55	2.33	16.22	240 <sup>o</sup>	380	6.7	2.3	0.5	15	--	--
11/16/07	18.55	3.22	15.33	270 <sup>o</sup>	190	4.0	4.0	1.5	27	--	--
02/05/08	18.55	4.94	13.61	460 <sup>o</sup>	1,000	16	26	49	60	--	--
05/20/08	18.55	8.29	10.26	89 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/06/08	18.55	5.82	12.73	150 <sup>o</sup>	180	2.5	2.0	2.8	1.5	--	--
12/05/08	18.55	6.62	11.93	120 <sup>o</sup>	360	3.4	<2.0 <sup>y</sup>	0.7	<1.5	--	--
02/09/09	18.55	6.68	11.87	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/08/09	18.55	8.79	9.76	<50 <sup>o</sup>	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/07/09	18.55	7.51	11.04	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
<b>02/25/10</b>	<b>18.55</b>	<b>8.92</b>	<b>9.63</b>	<b>&lt;50</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>--</b>	<b>--</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>AS-1</b>											
02/25/10 <sup>i</sup>	--	--	7.63	--	--	--	--	--	--	--	--
<b>AS-2</b>											
02/25/10 <sup>i</sup>	--	--	8.05	--	--	--	--	--	--	--	--
<b>AS-3</b>											
02/25/10 <sup>i</sup>	--	--	8.12	--	--	--	--	--	--	--	--
<b>AS-4</b>											
02/25/10 <sup>i</sup>	--	--	7.98	--	--	--	--	--	--	--	--
<b>AS-5</b>											
02/25/10 <sup>i</sup>	--	--	7.80	--	--	--	--	--	--	--	--
<b>AS-6</b>											
02/25/10 <sup>i</sup>	--	--	8.04	--	--	--	--	--	--	--	--
<b>AS-7</b>											
02/25/10 <sup>i</sup>	--	--	8.01	--	--	--	--	--	--	--	--
<b>AS-8</b>											
02/25/10 <sup>i</sup>	--	--	7.94	--	--	--	--	--	--	--	--
<b>MW-1</b>											
10/27/95	15.69	10.54	5.15	--	170,000	19,000	34,000	4,800	26,000	--	--
02/20/97	15.64	8.96	6.68	--	18,000	870	3,500	470	2,100	<250	--
04/24/97	15.64	7.30	8.34	--	76,000	4,600	16,000	1,600	8,300	1,000	--
07/23/97	15.64	5.90	9.74	--	37,000	2,700	8,000	870	6,100	<250	--
10/29/97	15.64	INACCESSIBLE		--	--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>MW-1 (cont)</b>											
01/28/98	15.64	9.30	6.34	--	10,000	380	2,000	300	1,500	<25	--
05/11/98	15.64	8.72	6.92	--	17,000	880	3,100	380	2,300	<250	--
07/16/98	15.64	7.23	8.41	--	29,000	2,700	6,800	890	3,900	<1,000	--
08/04/98 <sup>a</sup>	15.64	6.90	8.74	--	--	--	--	--	--	--	<1.0 x 1
09/03/98 <sup>a</sup>	15.64	6.43	9.21	--	--	--	--	--	--	--	4.1 x 1
10/21/98 <sup>b</sup>	15.64	5.59	10.05	--	--	--	--	--	--	--	4.7 x 1
11/04/98	15.64	5.64	10.00	--	25,000	1,900	5,900	810	4,300	<125	--
01/26/99	15.64	6.86	8.78	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	15.64	8.17	7.47	--	8,050	515	1,840	256	1,190	300/<20 <sup>c</sup>	--
08/21/99	15.64	13.27	2.37	--	46,500	2,530	8,700	1,010	5,300	<1,250/<40 <sup>c</sup>	--
10/28/99	15.64	5.46	10.18	--	31,600	1,580	6,100	794	4,400	1,270	--
01/31/00	15.64	7.49	8.15	--	7,270	366	1,280	171	935	<12.5	--
05/19/00	15.64	7.78	7.86	--	8,000 <sup>e</sup>	870	1,200	430	1,200	<250	--
08/07/00	15.64	6.42	9.22	--	37,000 <sup>e</sup>	2,400	8,500	1,100	5,500	1,500/<4.0 <sup>f</sup>	--
12/01/00	15.64	5.25	10.39	--	25,500 <sup>g</sup>	1,390	4,920	801	4,330	<500/<10 <sup>f</sup>	--
02/09/01	15.64	6.10	9.54	--	8,900 <sup>e</sup>	850	1,300	470	1,700	820/<2.0 <sup>f</sup>	--
05/29/01	15.64	6.79	8.85	--	24,000 <sup>e</sup>	1,800	5,600	740	3,700	<250/<2.0 <sup>f</sup>	--
08/27/01 <sup>h</sup>	15.64	5.83	9.81	--	27,000	1,400	4,400	710	3,400	<20 <sup>f</sup>	--
11/28/01	15.64	5.84	9.80	--	26,000	1,300	3,900	620	3,400	<100/<2 <sup>f</sup>	--
02/14/02	15.63	8.34	7.29	--	1,400	100	360	45	240	9.3/<2 <sup>f</sup>	--
05/15/02	15.63	7.18	8.45	--	37,000	2,400	7,300	1,000	4,800	<100/<3.0 <sup>f</sup>	--
08/05/02	15.63	6.09	9.54	--	27,000	1,500	4,600	700	3,400	<100/<3.0 <sup>f</sup>	--
DESTROYED											
<b>TRIP BLANK</b>											
02/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/24/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/23/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/29/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/11/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
11/04/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
01/26/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/06/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/31/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	CUB (cfu/m)
<b>TRIP BLANK (cont)</b>											
05/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/07/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
12/01/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
02/09/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/29/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/27/01 <sup>h</sup>	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0 <sup>f</sup>	--
<b>QA</b>											
11/28/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/14/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/05/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/30/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/24-25/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/02/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/02/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/21/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/27/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/28/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/31/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/17/04	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/28/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/09/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/19/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/18/05	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
03/07/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/17/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/30/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/28/06	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/06/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
04/20/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/02/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
06/22/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/17/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
11/16/07	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/05/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/29/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/20/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

<b>WELL ID/ DATE</b>	<b>TOC* (ft.)</b>	<b>GWE (msl)</b>	<b>DTW (ft.)</b>	<b>TPH-DRO (µg/L)</b>	<b>TPH-GRO (µg/L)</b>	<b>B (µg/L)</b>	<b>T (µg/L)</b>	<b>E (µg/L)</b>	<b>X (µg/L)</b>	<b>MTBE (µg/L)</b>	<b>CUB (cfu/m)</b>
<b>QA (cont)</b>											
08/06/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
12/05/08	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
02/09/09	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
05/08/09	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/07/09	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
<b>02/25/10</b>	--	--	--	--	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;1.5</b>	<b>&lt;2.5</b>	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to May 19, 2000 were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH = Total Petroleum Hydrocarbons DRO = Diesel Range Organics	MTBE = Methyl Tertiary Butyl Ether CUB = Contaminate utilizing bacteria
GWE = Groundwater Elevation (msl) = Mean sea level	GRO = Gasoline Range Organics B = Benzene	(cfu/ml) = Colony forming unit per milliliter (µg/L) = Micrograms per liter
DTW = Depth to Water	T = Toluene E = Ethylbenzene	(ppb) = Parts per billion -- = Not Measured/Not Analyzed
TPH-D = Total Petroleum Hydrocarbons as Diesel	X = Xylenes	QA = Quality Assurance/Trip Blank
TPH-G = Total Petroleum Hydrocarbons as Gasoline		

- \* TOC elevations were surveyed on May 30, 2007, by Morrow Surveying. Vertical Datum is NAVD 88 from GPS observations. Gettler-Ryan received updated TOC data March 12, 2007. Vertical Datum is NAVD 88 from GPS observations. TOC elevations were surveyed on August 17, 2005, by Morrow Surveying. On February 18, 2003, MW-1A was surveyed using the previous benchmark. TOC elevations were surveyed on December March 4, 2002, by Virgil Chavez Land Surveying. The benchmark for the survey was a City of Oakland benchmark, #25-H monument disk in well casting in sidewalk at the northwest corner of 7th and Center. The latitude, longitude and coordinates are for top of casings and are based on the California State Coordinate System, Zone III (NAD83), (Benchmark Elevation = 10.784 feet NGVD 29).
- <sup>a</sup> Contaminate hydrocarbon utilizing bacteria plate count was run with diesel and jet fuel degraders.
- <sup>b</sup> Contaminate hydrocarbon utilizing bacteria plate count was run with gasoline degraders.
- <sup>c</sup> Confirmation run.
- <sup>d</sup> Chromatogram pattern indicates an unidentified hydrocarbon.
- <sup>e</sup> Laboratory report indicates gasoline C6-C12.
- <sup>f</sup> MTBE by EPA Method 8260.
- <sup>g</sup> Laboratory reports indicates weathered gasoline C6-C12.
- <sup>h</sup> TPH-G and BTEX by EPA Method 8260.
- <sup>i</sup> Well development performed.
- <sup>j</sup> TPH-D was detected at 130 ppb.
- <sup>k</sup> TPH-D was <50 ppb.
- <sup>l</sup> Well re-development performed.
- <sup>m</sup> Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- <sup>n</sup> TOC damaged; unable to calculate an accurate GWE.
- <sup>o</sup> Analyzed with silica gel clean-up.
- <sup>p</sup> Laboratory report indicates analysis performed out of hold time.
- <sup>q</sup> Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.
- <sup>r</sup> Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range earlier than #2 fuel.

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

---

---

**EXPLANATIONS:**

- <sup>s</sup> Laboratory report indicates the analysis was performed from a previously opened vial and the results are therefore estimated.
- <sup>t</sup> Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range, and individual peaks eluting in the DRO range.
- <sup>u</sup> Laboratory confirmed result.
- <sup>v</sup> Current laboratory analytical results do not coincide with historical data and although laboratory results were confirmed; it appears that the samples were switched.
- <sup>w</sup> Laboratory report indicates that due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
- <sup>x</sup> Laboratory report indicates that due to the presence of an interferent near its retention time, the normal reporting limit was not attained for total xylenes. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
- <sup>y</sup> Laboratory report indicates that due to the presence of an interferent near its retention time, the normal reporting limit was not attained for toluene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
- <sup>z</sup> Laboratory report indicates DRO was detected in the method blank at a concentration of 50 µg/L. Due to insufficient sample volume, a repeat analysis could not be performed to confirm the results.
- <sup>aa</sup> Laboratory report indicates the ending calibration check standard did not meet the 15% criteria for the original analysis. The sample was reanalyzed from the vial with headspace and the result was <50 µg/L.

**Table 2**  
**Field Measurements and Analytical Results**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

<b>WELL ID/ DATE</b>	<b>Pre-purge DO (mg/L)</b>	<b>Post-purge D.O. (mg/L)</b>	<b>Pre-purge ORP (mV)</b>	<b>Post-purge ORP (mV)</b>	<b>Total Alkalinity (µg/L)</b>	<b>Ferrous Iron (µg/L)</b>	<b>Nitrate as Nitrate (µg/L)</b>	<b>Sulfate (µg/L)</b>
<b>MW-1</b>								
09/03/98	2.3	1.6	-90	-103	230,000	9,800	<1,000	6,100
<b>MW-2</b>								
09/03/98	2.8	2.5	-206	-163	390,000	7,400	<1,000	21,000
<b>MW-3</b>								
09/03/98	3.1	0.7	-124	-99	830,000	45,000	<1,000	10,000
<b>MW-4</b>								
09/03/98	2.6	1.1	-190	-206	--	--	--	--
<b>MW-6</b>								
09/03/98	2.6	3.2	-148	-167	94,000	62	28,000	47,000
<b>MW-7</b>								
09/03/98	2.7	3.2	-207	-229	170,000	120	7,800	57,000

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

D.O. = Dissolved Oxygen

(mg/L) = Milligram per liter

ORP = Oxidation Reduction Potential

(mV) = Millivolts

(µg/L) = Micrograms per liter

-- = Not Analyzed

**Table 3**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID	DATE	METHANOL (mg/L)	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-1	08/07/00	--	<1,000	410	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
	12/01/00	--	<2,500	<250	<10	<10	<10	<10	<10	<10
	02/09/01	--	<500	340	<2.0	<2.0	<2.0	53	<2.0	<2.0
	05/29/01	--	<500	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	<2.000	<200	230	<20	<20	<20	<20	<20	<20
	11/28/01	--	<500	130	<2	<2	<2	<2	<2	<2
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	120	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
	08/05/02	--	<500	100	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
DESTROYED										
MW-2	08/07/00		<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
MW-3	08/07/00	--	<500	2,600	<10	<10	<10	<10	490	17
	02/09/01	--	<500	2,000	<2.0	<2.0	<2.0	35	<2.0	<2.0
	05/29/01	--	<500	1,700 <sup>1</sup>	<2.0	<2.0	<2.0	38	980 <sup>1</sup>	7.4
	08/27/01	<5.000	<250	1,300	<25	<25	<25	<25	380	<25
	11/28/01	--	<500	1,500	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	05/15/02	--	<500	110	<2	<2	<2	<2	120	<2
	08/05/02	--	<1,000	1,400	<10	<10	<10	<10	670	<10
	11/30/02	--	<1,000	1,200	<10	<10	<10	<10	380	<10
	MW-4	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	18
08/27/01		NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--	--	--
11/28/01		DRY				--	--	--	--	--
02/14/02		--	<500	<100	<2	<2	<2	<2	9	<2
05/15/02		--	<500	<100	<2	<2	<2	<2	4	<2
08/05/02		DRY				--	--	--	--	--
11/30/02		DRY				--	--	--	--	--
MW-5	12/01/00	--	<500	<50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	02/09/01	--	<500	<50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--
	11/28/01	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--
	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2

**Table 3**  
**Groundwater Analytical Results - Oxygenate Compounds**  
Former Chevron (Signal Oil) Service Station #206145 (S-800)  
800 Center Street  
Oakland, California

WELL ID	DATE	METHANOL (mg/L)	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)
MW-5 (cont)	05/15/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	08/05/02	--	<500	<100	<2	<2	<2	<2	<2	<2
	11/30/02	--	<500	<100	<2	<2	<2	<2	<2	<2
MW-6	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
	11/30/02	DRY	--	--	--	--	--	--	--	--
MW-7	08/07/00	--	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	08/27/01	--	--	--	<5.0	--	--	--	--	--
MW-8	02/14/02	--	<500	<100	<2	<2	<2	<2	<2	<2

**EXPLANATIONS:**

TBA = t-Butyl alcohol  
MTBE = Methyl Tertiary Butyl Ether  
DIPE = Di-Isopropyl ether  
ETBE = Ethyl t-butyl ether  
TAME = t-Amyl methyl ether

1,2-DCA = 1,2-Dichloroethane  
EDB = 1,2-Dibromoethane  
(mg/L) = milligrams per liter  
(µg/L) = Micrograms per liter  
-- = Not Analyzed

**ANALYTICAL METHODS:**

EPA Method 8260 (modified) for Methanol  
EPA Method 8260 for Oxygenate Compounds

<sup>1</sup> Laboratory report indicates this sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.