

RECEIVED

5:21 pm, Feb 21, 2012

Alameda County
Environmental Health



ENVIRONMENTAL ENGINEERING, INC.
6620 Owens Drive, Suite A • Pleasanton, CA 94588
TEL (925)734-6400 • FAX (925)734-6401
www.somaenv.com

May 5, 2011

Mr. Jerry Wickham
Alameda County Department of
Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject: Fuel Leak Case#RO0458
Site Located at 3820 Manila Avenue, Oakland, California
Former Glovatorium Facility


Dear Mr. Wickham:

SOMA's "First Semi-Annual 2011 Groundwater Monitoring Report" for the subject property has been uploaded to the State's GeoTracker database and Alameda County's FTP site for your review.

Thank you for your time in reviewing our report. Please do not hesitate to call me at (925) 734-6400, if you have any questions or comments.

Sincerely,

Mansour Sepehr, Ph.D., PE
Principal Hydrogeologist



cc: Mr. Albert M. Cohen, LOEB&LOEB LLP w/enclosure
Mr. Peter W. McGaw, ARCHER NORRIS w/enclosure
Mr. John Kortum, ARCHER NORRIS w/enclosure
Dr. Bruce Page, Bruce W. Page Consulting w/enclosure
Mr. Stuart Depper w/enclosure
Ms. Betty Graham, Regional Water Quality Control Board w/o enclosure

**First Semi-Annual 2011
Groundwater Monitoring and
Interim Remedial Action Report**

**Former Glovatorium Facility
3820 Manila Avenue
Oakland, California**

May 5, 2011

Project 2511

Prepared for:

**Loeb & Loeb LLP
10100 Santa Monica Boulevard, Suite 2200
Los Angeles, California 90067-4164**



ENVIRONMENTAL ENGINEERING, INC.

6620 Owens Drive Suite A Pleasanton CA 94588 Ph: 925.734.6400 F: 925.734-6401 www.somaenv.com


Perjury Statement

Stuart Depper
Name

Responsible Party
Title

3820 Manila Avenue Oakland 94609
Street Address City Zip


I declare under penalty of perjury that the information and/or recommendations contained in the attached document or report were prepared under my direction and to the best of my knowledge true and correct.


Signature

5-5-11
Date

CERTIFICATION

SOMA Environmental Engineering, Inc. has prepared this report for the law offices of Loeb & Loeb LLP, to comply with Alameda County Department of Environmental Health requirements for the groundwater monitoring event and provide information necessary to defend claims brought against the owners by Earl Thompson and Grace Johnson.



Mansour Sepehr, PhD, PE
Principal Hydrogeologist




TABLE OF CONTENTS

CERTIFICATION	i
TABLE OF CONTENTS.....	ii
LIST OF TABLES.....	iii
LIST OF FIGURES	iii
LIST OF APPENDICES	iv
1. INTRODUCTION	1
1.1 Site Description.....	1
1.2 Background.....	2
1.3 Site Geology and Hydrogeology	4
1.4 Previous Activities.....	5
2. RESULTS	6
2.1 Groundwater Flow Conditions.....	6
2.2 Groundwater Quality	7
2.3 Bioattenuation Parameter Analysis Results	9
2.4 Other Parameters	11
3. FREE PRODUCT REMOVAL ACTIVITIES.....	13
3.1 Overview	13
4. CONTINUED MULTI PHASE EXTRACTION PILOT TESTING.....	13
4.1 MPE Pilot Testing Duration.....	14
4.2 MPE Pilot Test Results October 2010 to Present	14
4.3 MPE Conclusions.....	14
5. FINDINGS REGARDING CURRENT ENVIRONMENTAL CONDITIONS, AND RECOMMENDATIONS	15
5.1 Current Environmental Conditions	15
5.2 Recommendations	16

LIST OF TABLES

Table 1	Construction Data for Temporary Sampling Points and Monitoring Wells
Table 2	Historical Groundwater Elevation Data (feet)
Table 3	Historical Analytical Results and Field Measurements for Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Table 4	Historical Analytical Results for Total Petroleum Hydrocarbons, BTEX, and MtBE in Groundwater Samples
Table 5	Historical Analytical Results for Volatile Organic Compound Analyses in Groundwater Samples
Table 6	Historical In Situ and Ex Situ Analyses Results for Bioattenuation Parameters in Groundwater Samples
Table 7	Free-Product Removal Log
Table 8	MPE Pilot Test Operational Data
Table 9	MPE Pilot Test Extraction Data and VOC Mass Removal Rate

LIST OF FIGURES

Figure 1	Site vicinity map
Figure 2	Map showing the approximate locations of groundwater monitoring wells
Figure 3	Groundwater elevation contour map in feet. February 10, 2011
Figure 4	Contour map of TPH-ss concentrations in groundwater February 10 and 11, 2011
Figure 5	Contour map of TPH-g concentrations in groundwater February 10 and 11, 2011
Figure 6	Contour map of MtBE concentrations in groundwater (EPA Method 8260B). February 10 and 11, 2011
Figure 7	Map of benzene concentrations in groundwater February 10 and 11, 2011

- Figure 8 Contour map of PCE concentrations in groundwater
February 10 and 11, 2011
- Figure 9 Contour map of TCE concentrations in groundwater
February 10 and 11, 2011
- Figure 10 Contour map of cis-1,2-dichloroethene concentrations in
groundwater
February 10 and 11, 2011.
- Figure 11 Contour map of trans-1,2-dichloroethene concentrations in
groundwater
February 10 and 11, 2011.
- Figure 12 Contour map of dissolved oxygen concentrations in groundwater
February 10 and 11, 2011
- Figure 13 Contour map of nitrate concentrations in groundwater
February 10 and 11, 2011.
- Figure 14 Contour map of dissolved manganese concentrations in
groundwater
February 10 and 11, 2011.
- Figure 15 Contour map of sulfate concentrations in groundwater
February 10 and 11, 2011.
- Figure 16 Contour map of ferrous iron concentrations in groundwater
February 10 and 11, 2011.
- Figure 17 Contour map of methane concentrations in groundwater
February 10 and 11, 2011.
- Figure 18 Free Product Thickness

LIST OF APPENDICES

- Appendix A SOMA's Groundwater Monitoring Procedures
- Appendix B Table of Elevations and Coordinates on Wells; Field Notes, Field
Measured Physical and Chemical Parameter Values
- Appendix C Chain of Custody Forms and Laboratory Reports for Groundwater
Monitoring Event

1. INTRODUCTION

SOMA Environmental Engineering, Inc. (SOMA) has prepared this report for the law offices of Loeb & Loeb LLP on behalf of their client, owners of the former Glovatorium located at 3820 Manila Avenue (formerly known as 3815 Broadway), Oakland, California (Figure 1). The site is located in an area of primarily commercial and residential development.

This report summarizes results of the groundwater monitoring event conducted at the site from February 10 and 11, 2011 and includes laboratory results for the groundwater samples. It also includes a summary of the continued multi-phase extraction (MPE) ongoing at the site.

In addition to the above laboratory analyses, the natural attenuation study initiated by Levine-Fricke Recon (LFR) in Third Quarter 2000 was continued during this monitoring event. The objective of the study was to evaluate whether perchloroethylene (PCE) and other volatile organic compounds (VOCs) found in the groundwater were biodegrading. Therefore, groundwater samples collected during this monitoring event were analyzed for common electron acceptors and other geochemical indicators. Results of these analyses are presented in this report.

All activities were performed in accordance with general guidelines of the California Regional Water Quality Control Board (CRWQCB) and the Alameda County Environmental Health Services (ACEHS). Appendix A details procedures followed by SOMA during this monitoring event.

This work is intended to determine the nature and extent of environmental contamination and whether contamination is affecting the neighboring Thompson property. This information is pertinent to the claim Mr. Thompson brought against the Deppers, owners of the Glovatorium. Data gathered by this work may also help determine when releases occurred, significant information that is pertinent to the defense against claims brought by Ms. Johnson, a former owner of the property.

1.1 Site Description

The site is located between Manila Avenue and Broadway, near the intersection with 38th Street in Oakland, California. Surface elevation ranges from approximately 78 to 84 feet above mean sea level.

A 54-inch inside-diameter storm drain culvert passes under the property, from Manila Avenue on the west to 38th Street on the south (Figure 2). The depth of the storm drain invert is approximately 8.5 feet under the sidewalk on the eastern

side of Manila Avenue and approximately 13.2 feet below ground surface (bgs) at the far end, approximately 60 feet south of well GW-4.

A 10-inch-diameter cast iron sanitary sewer conduit runs westerly from the on-site building and discharges into the sanitary sewer line, which runs north to south along Manila Avenue. Figure 2 shows locations of the storm drain and sanitary sewer system.

Six underground storage tanks (USTs) were formerly on the site. Two were located under the sidewalk on 38th Street and four inside the building. UST capacities have been variously reported as ranging from 800 to 5,000 gallons. They reportedly contained Stoddard solvent (TPH-ss), fuel oil and possibly waste oil. In 1997, the six USTs were abandoned in place by backfilling with either cement-sand slurry or pea gravel. In addition, three USTs which were located under the sidewalk on 38th Street, adjacent to property owned by Earl Thompson, Sr., were decommissioned in November 2008.

Surrounding properties are primarily commercial and residential. TOSCO Marketing Company is located north and upgradient of the site, at 40th Street and Broadway, and contains a number of groundwater monitoring wells. Figure 2 shows locations of the subject site's main building, UST areas, and on- and off-site groundwater monitoring wells.

1.2 Background

In June 1997, the six USTs were abandoned in place by backfilling with either a cement-sand slurry or pea gravel. HK2, Inc. of San Mateo, California conducted the tank closure and reporting. The report indicates the presence of holes in UST-2 and UST-3, which contained TPH-ss, and also indicates that on June 11, 1997, HK2 pumped out groundwater that had recharged into UST-1 through UST-4. This indirectly indicates the presence of holes in UST-1 and UST-4 also. Eighty-one drums containing diesel fuel, TPH-ss, oil, and various wastes were removed from the site and properly disposed of.

Geosolv, LLC (Geosolv) initiated the first soil and groundwater investigation in August 1997. Using the direct push method, Geosolv drilled 14 soil borings to approximate depths of 10 to 24 feet bgs. Seven borings (B-2, B-3, B-7 through B-10 and B-13 [Figure 2]) were converted to temporary groundwater monitoring wells, where grab groundwater samples were collected. In September 1998, Geosolv conducted further soil and groundwater investigations by drilling 12 additional soil borings to approximate depths of 19 to 25 feet bgs. All 12 borings were converted to temporary groundwater sampling points, labeled E-15 through E-26. After collection of grab groundwater samples from temporary "E" sampling points, these borings were abandoned and grouted.

In July 1999, an investigation of potential groundwater preferential flow paths was initiated by LFR. LFR drilled 10 soil borings (GW-1 through GW-8, GW-5A, and GW-6A [Figure 2]) primarily along the 54-inch-diameter storm drain and sanitary sewer systems, to depths ranging from 8 to 20 feet bgs. During drilling, soil samples were collected from various depth intervals. In August 1999, LFR collected grab groundwater samples from seven of the nine "GW" wells. GW-1 to GW-6A are shown in Figure 2. GW-6, GW-7, and GW-8 were decommissioned between July 1999 and July 2000.

LFR conducted groundwater monitoring events in January, April, October, and November 2000, and installed four groundwater monitoring wells, LFR-1 through LFR-4, in July and August 2000 (Figure 2).

In January 2001, LFR conducted a groundwater monitoring event that suggested strong anaerobic conditions and dechlorination of PCE beneath the site. On April 26 to 27, 2001, SOMA began its initial groundwater monitoring events. Results of the Second Quarter 2001 monitoring event indicated strong dechlorination of PCE occurring in the subsurface.

SOMA's June 2001 workplan contained a recommendation to replace the existing small-diameter monitoring wells, B-7 and B-10, with larger-diameter wells, to better evaluate bioattenuation parameters. On October 4, 11, and 12, 2001, SOMA installed monitoring wells SOMA-1 through SOMA-5 (Figure 2). During installation, boreholes were continuously logged and soil samples collected at 5-foot depth intervals to delineate vertical extent of soil and groundwater contamination.

Phase I of SOMA's workplan included installing additional groundwater monitoring wells, soil and groundwater sampling, hydraulic testing, and a sensitive receptor survey. Phase II of the workplan included defining site regulatory status by conducting groundwater flow, chemical fate and transport modeling, and a risk-based corrective action (RBCA). SOMA's "Report on Conducting Additional Field Investigation to Evaluate the Site's Conceptual Model," dated January 3, 2002, describes results of investigations conducted in Phase I.

The modeling aspect of Phase II used results collected in Phase I and analytical data from quarterly monitoring events. The main objective of groundwater flow and chemical transport modeling was to predict groundwater chemical concentrations downgradient of the site, beneath the nearest residential neighboring property, in order to assess site regulatory status and restore groundwater quality conditions to acceptable levels specified by the RBCA.

Groundwater flow, chemical transport, and bioattenuation modeling for the site was conducted by SOMA in First Quarter 2003. Modeling results confirmed occurrence of biodegradation beneath the site and indicated that bioattenuation

processes could remove PCE in the groundwater in approximately 7 to 10 years, trichloroethylene (TCE) in approximately 3 to 9 years, and cis-1,2-dichloroethene (cis-1,2-DCE) in approximately 4 to 13 years. SOMA's March 7, 2003 report entitled "Groundwater Flow, Chemical Transport and Bioattenuation Modeling" describes the study in detail.

Based on ACEHS approval, groundwater monitoring events have been conducted semi-annually since First Quarter 2003.

1.3 Site Geology and Hydrogeology

The site is located on the alluvial plain between the San Francisco Bay shoreline and the Oakland hills. Surface sediments in the site vicinity consist of Holocene alluvial deposits representative of an alluvial fan depositional environment. These deposits consist of brown, medium-dense sand that fines upward to sandy or silty clay. The pattern of stream channel deposition results in a three-dimensional network of coarse-grained sediments interspersed with finer-grained silts and clays. The individual units tend to be discontinuous lenses aligned parallel to the axis of the former stream flow direction.

Sediments encountered in soil borings are predominantly fine grained, consisting of clay, silty clay, sandy clay, gravelly clay and clayey silt. Discontinuous layers of coarse-grained sediments (clayey sand, silty sand, and clayey gravel) generally also contain relatively high percentages of silt and clay, which tend to reduce their permeability. Based on previous investigations conducted by Geosolv and LFR, a relatively coarse-grained layer of silty sand, clayey sand, and clayey gravel was encountered in soil borings E-23, E-25, E-26, GW-2, GW-3, GW-7, and GW-8 at depths of approximately 4.5 to 14 feet bgs. A discontinuous layer of silty to clayey sand was encountered in borings B-11, E-23, E-25, GW-7 and GW-8 at depths of 17 to 21 feet bgs.

Based on SOMA's October 2001 field investigation, no deeper major water-bearing zone was encountered. However, as lithologic logs of the newly installed groundwater monitoring wells indicate, the water-bearing zone is composed of fine-grained, clayey silt sediments separated by very low-permeability intervening clay layers, which are unsaturated in some locations. For instance, SOMA-5, which has been screened within a significantly thick clay layer beneath the first water-bearing zone, from 21 to 26 feet bgs using the dual tubing method, was a dry well until the First Quarter 2002 sampling event. Due to the presence of unsaturated and low-permeability intervening clay layers between the shallow and deep layers, there is a significant vertical downward gradient between the shallow and deep wells.

Based on quarterly monitoring activities, depths of groundwater have ranged from 4 to 14 feet bgs at gradients ranging from 0.019 ft/ft to 0.035 ft/ft.

Groundwater flow has been predominantly northeast to southwest across the site. Slug test results indicate that hydraulic conductivity of the saturated sediments ranges between 1.2×10^{-4} and 6.9×10^{-4} cm/sec. Using the average groundwater flow gradient of 0.027 and aquifer porosity of 0.32, the groundwater flow velocity ranges between 10.5 and 60.1 ft/year.

1.4 Previous Activities

In order to demonstrate the fate and transport of PCE and other VOCs, SOMA conducted groundwater flow and chemical transport modeling and compared results with those of routine groundwater monitoring data. Results of groundwater fate and transport modeling were used to conduct a human health risk assessment in order to evaluate site cleanup levels. Analyses showed that conditions are conducive to biodegradation and that, in fact, biodegradation is occurring. In general, PCE trends appeared generally consistent with SOMA's model, indicating that passive remediation has been effective. However, one obstacle to closing the site was the presence of free product (FP). Alameda County environmental regulatory guidelines do not permit closure as long as FP is present. As a result, over the past several years SOMA has been removing FP from the site. As of March 2008, approximately 1,895 gallons had been removed. Levels of FP in the wells were dropping fairly consistently over the past several years and, as noted above, PCE trends were decreasing consistent with SOMA's model.

FP or sheen has been reported sporadically in monitoring wells at the site since 1997. Past attempts to delineate the extent and sources of FP have been problematic due to variability and complexity of the subsurface soil and water table characteristics, access limited by buildings, and presence of potential preferential pathways for contaminant migration related to underground storm drain and sanitary sewer lines.

FP was located primarily in the vicinity of SOMA-4 and B-8 (Figure 2). As a result, SOMA instituted an FP removal program for those wells in 2002. As of March 2008, 1,895 gallons of FP and contaminated groundwater had been removed from SOMA-4 and B-8. By summer 2007, FP levels had been reduced significantly and SOMA was optimistic that it would be in a position to request closure. However, during First Semi-Annual 2008 groundwater monitoring, FP was unexpectedly observed for the first time in SOMA-2 and B-10, which are located approximately 40 feet east-southeast and northeast of SOMA-4 and B-8. Approximately 0.71 feet of FP was detected in SOMA-2 and 2.76 feet in B-10. During Second Semi-Annual 2008 groundwater monitoring, FP was observed in B-10 at 0.17 feet and in SOMA-2 and SOMA-4 at 0.60 feet each.

Results from the First Semi-Annual 2008 sampling event showed significant increases in PCE levels in wells with newly discovered FP (B-10 and SOMA-2). SOMA believes that the presence of elevated levels of FP in these wells for the

first time contributed to the presence of elevated levels of dissolved solvents at this location. The FP consisted primarily of TPH-ss, which has the potential to dissolve PCE and TCE. Thus, it is suspected that FP in the area of SOMA-2 and B-10 caused dissolution and mobilization of PCE in the subsurface.

Beginning September 2, 2008, SOMA conducted a 45-day multi-phase extraction (MPE) pilot test at the site. Test results indicated that MPE technology is highly effective in removing FP, chemically impacted groundwater and soil vapor from the subsurface. Pilot tests were conducted using SOMA-4, SOMA-2, B-8 and B-10. Significantly, the pilot test showed that MPE can effectively remove contamination from the smear zone, thereby removing the remaining FP from the subsurface.

From May 4 through May 22, 2009, SOMA advanced 16 soil and groundwater borings at the site to delineate the groundwater plume and smear zone. Based on results of soil and groundwater analysis, five new MPE wells (MPE-1 through MPE-5) were installed and SOMA-4, B-8, and B-10 were reconstructed as 2-inch wells (SOMA-4R, B-8R, and B-10R) with a screening interval from 5 to 20 feet bgs.

Continued MPE pilot testing was conducted from December 17, 2008 to December 14, 2009 and was resumed on August 16, 2010.

2. RESULTS

This section describes results of the current groundwater monitoring event, including groundwater flow conditions, status of groundwater contamination, and occurrence of bioattenuation in the subsurface.

2.1 Groundwater Flow Conditions

Table 2 presents groundwater elevations in each well, calculated using depths to water and top of the well casing elevations. Elevations ranged from 64.51 feet in LFR-3 to 77.68 feet in MW-8. Refer to Table 2 for detailed groundwater elevation trends.

In evaluating groundwater flow direction and gradient, water level data from all "B" wells (except B-3, B-8R, and B-10R) and from GW-4, SOMA-1, SOMA-3, and SOMA-5 were not utilized for the following reasons:

1. No accurate information about construction details of the "B" wells installed by Geosolv is available, and water-level data from these wells are questionable. B-3, B-8R, and B-10R were reconstructed by SOMA into 2-inch wells.

2. GW-4 was installed adjacent to the storm drain system in order to evaluate whether the system is leaking. This well was installed in the shallow formation and may partially penetrate into the underlying water-bearing zone. Therefore, the water level elevation recorded inside GW-4 may not be representative of the underlying water-bearing zone.
3. SOMA-1, SOMA-3 and SOMA-5 have been completed in the deeper layer of the water-bearing zone, and due to the strong vertical gradient, the water level elevation in this layer is significantly lower than the shallow layer.

Figure 3 displays a contour map of groundwater elevations. In general, groundwater flows from northeast to southwest at an average gradient of 0.025 ft/ft. Groundwater flow direction has remained consistent and the gradient has slightly increased since the previous monitoring event. No FP was observed in any well during this monitoring event.

Field measurements of some physical and chemical parameters of the groundwater samples are presented in detail in Appendix B field notes, and summarized in Table 3 along with their historical values. Water temperatures ranged from 15.48°C in GW-3 to 18.98°C in MW-11. The temperature variation may reflect changes in air temperature during sampling. Measurements of pH ranged from 5.72 in MW-11 to 6.63 in SOMA-2. Electrical conductivity (EC) ranged from 406 µS/cm in GW-3 to 1,425 µS/cm in SOMA-4R.

2.2 Groundwater Quality

No FP was observed in any well during this monitoring event. Table 4 presents laboratory analysis results for the following: TPH-ss and TPH as gasoline (TPH-g); methyl tertiary-butyl ether (MtBE); and benzene, toluene, ethylbenzene, total xylenes (collectively termed BTEX).

TPH-ss was below the laboratory-reporting limit in GW-2, GW-3, MW-11, LFR-1, LFR-3, and SOMA-1. Detectable TPH-ss levels ranged from 65 µg/L in SOMA-5 to 390,000 µg/L in MPE-3. Figure 4 shows the contour map of TPH-ss concentrations in groundwater. Since the previous monitoring event (August 2010), TPH-ss decreased in B-8R, GW-3, SOMA-5, and MPE-4, increased in LFR-2, LFR-4, SOMA-2, SOMA-3, SOMA-4R, and MPE-1, and remained constant in B-10R and MPE-5. TPH-ss increased in LFR-2 and SOMA-4R significantly.

TPH-g was below the laboratory-reporting limit in GW-2, MW-11, and LFR-3. Detectable TPH-g concentrations ranged from 58 µg/L in LFR-1 to 620,000 µg/L in MPE-3. All groundwater samples for gasoline and a few for Stoddard solvent, with detectable concentrations exhibited a chromatographic pattern that did not resemble the standard pattern. Figure 5 shows the contour map of TPH-g

concentrations in groundwater. Since the previous monitoring event (August 2010), TPH-g decreased in B-8R, B-10R, GW-3, SOMA-5, and MPE-4 and increased in LFR-1, LFR-2, LFR-4, SOMA-1, SOMA-2, SOMA-3, SOMA-4R, MPE-1, and MPE-5. TPH-g increased in LFR-2 and SOMA-4R significantly.

MtBE was below the laboratory-reporting limit in B-8R, B-10R, GW-2, GW-3, MW-11, LFR-1, LFR-2, LFR-3, LFR-4, SOMA-2, MPE-1 and MPE-3 and was detected in concentrations ranging from 1.3 µg/L in MPE-4 to 400 µg/L in SOMA-1. However, there is no known on-site source of MtBE. Figure 6 shows the contour map of MtBE concentrations in groundwater.

In general, BTEX constituents were below laboratory-reporting limits throughout the site, except for LFR-2, SOMA-4R, MPE-2, MPE-3, and MPE-4. Figure 7 shows the map of benzene concentrations in groundwater.

- In LFR-2, all BTEX analytes except benzene were below laboratory-reporting limits; benzene was detected at 1.1 µg/L.
- In SOMA-4R and MPE-4, all BTEX analytes except total xylenes were below laboratory-reporting limits; total xylenes were detected at 7.3 µg/L and 0.5 µg/L, respectively.
- Benzene and ethylbenzene were below laboratory-reporting limits in MPE-2 and toluene and total xylenes were detected at low levels.
- In MPE-3, toluene and ethylbenzene were below laboratory-reporting limits and benzene and total xylenes were detected at low levels.

Table 5 shows historical concentrations of VOCs in the groundwater, discussed below.

PCE was below the laboratory-reporting limit in groundwater samples from B-8R, MW-11, LFR-2, LFR-4, SOMA-3, SOMA-4R, SOMA-5, MPE-2, MPE-4, and MPE-5. Detectable PCE concentrations ranged from 0.5 µg/L in LFR-3 to 140 µg/L in GW-3. Figure 8 shows the contour map of PCE concentrations in groundwater. Since the previous monitoring event (August 2010), PCE has decreased in GW-3, SOMA-1, and MPE-1 and increased in B-10R, GW-2, LFR-1, LFR-3, and SOMA-2. None of the increase or decrease was significant.

TCE was below the laboratory-reporting limit in groundwater samples from B-8R, GW-3, MW-11, LFR-2, LFR-3, LFR-4, SOMA-3, SOMA-4R, SOMA-5, MPE-2, MPE-3, MPE-4, and MPE-5. Detectable TCE concentrations ranged from 3.7 µg/L in GW-2 to 150 µg/L in B-10R. Figure 9 shows the contour map of TCE concentrations in groundwater. Since the previous monitoring event (August 2010), TCE has decreased in GW-3, LFR-1, SOMA-1, MPE-1, and MPE-4 and increased in B-10R, GW-2, and SOMA-2. None of the increase or decrease was significant.

Cis-1,2-DCE was below the laboratory-reporting limit in groundwater samples from GW-2, MW-11, LFR-3, LFR-4, and SOMA-5. Detectable cis-1,2-DCE concentrations ranged from 1.4 µg/L in GW-3 to 1,600 µg/L in B-10R. Figure 10 shows the contour map of cis-1,2-DCE concentrations in groundwater. Since the previous monitoring event (August 2010), cis-1,2-DCE concentrations have decreased in B-8R, B-10R, GW-3, LFR-1, LFR-2, SOMA-2, SOMA-3, SOMA-4R, MPE-1, MPE-4, and MPE-5 and increased in SOMA-1. None of the increase or decrease was significant.

Trans-1,2-dichloroethene (trans-1,2-DCE) was below the laboratory-reporting limit in all groundwater samples except at LFR-1, MPE-1, MPE-4, and MPE-5. Detectable trans-1,2-DCE concentrations ranged from 1.4 µg/L in MPE-4 to 2.8 µg/L in MPE-5. Figure 11 shows the contour map of trans-1,2-DCE concentrations in groundwater.

Vinyl chloride (VC) was reported in LFR-2 at 4.7 µg/L. 1,2-dichloropropane (1,2-DCP) was below the laboratory-reporting limit throughout the site. Due to generally low or non-detectable levels of these constituents throughout the site, no iso-concentration figures were drawn for VC and 1,2-DCP.

Appendix C includes chain of custody forms and laboratory analytical reports for this groundwater monitoring event.

2.3 Bioattenuation Parameter Analysis Results

Results of the bioattenuation study indicated that subsurface conditions are favorable for occurrence of intrinsic bioremediation processes in soil and groundwater. Results of this study indicated that PCE and other dissolved organic compounds are biodegrading beneath the site. For example, PCE levels in LFR-1 dropped from 2,800 µg/L in 2000 to 76 µg/L as of the current monitoring event. SOMA's field crew measured bioattenuation parameters in situ. Dissolved methane was measured in the laboratory. Field measurements were taken in situ, within each well, to avoid introducing oxygen into the groundwater sample, which could result in erroneous readings.

Naturally occurring biological processes can enhance the removal rate of contaminants in the subsurface. During the degradation process, indigenous bacteria in the subsurface utilize energy released from the transfer of electrons to drive redox reactions that remove organic mass from contaminated groundwater. The more positive the redox potential of an electron acceptor, the more energetically favorable is the reaction utilizing that electron acceptor. Based on thermodynamic considerations, the most energetically preferred electron acceptor for redox reactions is dissolved oxygen (DO), followed by nitrate, manganese, ferric iron, sulfate, and carbon dioxide, in descending order of preference. Evaluating distribution of these electron acceptors can provide

evidence of where, and to what extent, chlorinated and aliphatic hydrocarbon biodegradation is occurring. Byproducts of biodegradation processes are nitrite, ferrous iron, alkalinity, sulfide, methane, and carbon dioxide. Groundwater samples were tested to evaluate the extent of bioattenuation processes beneath the site.

Table 6 summarizes trends in bioattenuation parameters, discussed below.

Dissolved Oxygen: DO is the most favored electron acceptor used by microbes for biodegrading organic compounds. A DO concentration lower than 0.5 mg/L indicates anaerobic conditions. DO levels ranged from 0.30 mg/L in LFR-2 to 1.29 mg/L in GW-2. The contour map of DO concentrations in the groundwater is illustrated in Figure 12.

It should be noted that due to limitations of drilling equipment, SOMA-3 is still a 0.75-inch-diameter well that was installed in the deeper zone, within the suspected chemical source area inside the building. Although DO was measured in SOMA-3 at 1.27 mg/L, results might not be representative of overall subsurface conditions.

Nitrate: After DO has been depleted, nitrate may be used as an electron acceptor for anaerobic biodegradation. Nitrate concentrations lower than 1.0 mg/L may indicate that reductive dechlorination is occurring. Nitrate was below the minimum equipment tolerance level in B-10R, GW-3, MW-11, LFR-3, LFR-4, SOMA-1, SOMA-3, SOMA-5, MPE-3, MPE-4, and MPE-5 and detectable concentrations ranged from 1.30 mg/L in MPE-2 to 14.80 mg/L in SOMA-2. The contour map of nitrate concentrations in groundwater is illustrated in Figure 13.

Manganese: After DO and nitrate have been depleted, manganese may be used as an electron acceptor for anaerobic biodegradation. Therefore, increased dissolved manganese concentrations in groundwater indicate reductive dechlorination. Soluble manganese was not detected in MW-11 and LFR-3. Detectable manganese concentrations ranged from 0.20 mg/L in GW-2 to 15.20 mg/L in B-10R and MPE-3. The contour map of dissolved manganese concentrations in the groundwater is illustrated in Figure 14.

Sulfate: After DO, nitrate, and manganese have been depleted, sulfate may be used as an electron acceptor for anaerobic biodegradation. This process is termed sulfate reduction, and results in production of sulfide. Sulfate concentrations lower than 20 mg/L indicate reductive dechlorination (EPA 1998). Sulfate was not detected in B-10R, LFR-4, MPE-4, and MPE-5. Detectable sulfate levels ranged from 3 mg/L in SOMA-2 to 57 mg/L in MW-11. The contour map of sulfate concentrations in the groundwater is illustrated in Figure 15.

Ferrous Iron: Increased ferrous iron concentrations often accompany anaerobic degradation. Ferric iron can be used as an electron acceptor during anaerobic

biodegradation. During this process, ferric iron is reduced to ferrous iron, which may be soluble in water. Ferrous iron concentrations can thus be used as an indicator of anaerobic biodegradation. Detectable ferrous iron concentrations ranged from 0.03 mg/L in LFR-3 to 3.30 mg/L in MPE-2 and MPE-5. Ferrous iron concentrations were not detected in B-10R, GW-3, LFR-1, SOMA-1, and SOMA-5. The contour map of ferrous iron concentrations in the groundwater is illustrated in Figure 16.

Methane: The presence of methane in groundwater indicates strongly reduced conditions and suggests reductive dechlorination by the process of methanogenesis. Methane was below the laboratory-reporting limit in GW-2, MW-11, LFR-1, and LFR-3. Detectable methane concentrations ranged from 0.0094 mg/L in MPE-1 to 8.9 mg/L in LFR-2. Higher concentrations of methane indicate conditions conducive to anaerobic biodegradation. The contour map of methane concentrations in groundwater is illustrated in Figure 17.

Oxygen Reduction Potential (ORP): The ORP of groundwater is a measure of electron activity and an indicator of the relative tendency of a solution to accept or transfer electrons. ORP may range from greater than 800 mV to less than -400 mV, with lower values expected in areas where anaerobic processes are occurring. ORP measurements obtained in this sampling event ranged from -85.6 mV in B-8R to +33.80 mV in MW-11.

Negative ORP values, detected in B-8R, B-10R, LFR-2, LFR-4, SOMA-2, SOMA-3, SOMA-4R, SOMA-5, MPE-2, MPE-3, MPE-4, and MPE-5, indicate that conditions in and near the apparent source area are conducive to anaerobic biodegradation. Positive redox potentials, detected in GW-2, GW-3, MW-11, LFR-1, LFR-3, SOMA-1, and MPE-1 are more energetically favorable in utilizing electron acceptors during chemical reactions. This promotes removal of organic mass from the contaminated groundwater by indigenous bacteria in the subsurface. Refer to Table 6 for detailed bioattenuation parameter trends.

SOMA believes that enough data has been generated that indicates occurrence of intrinsic bioremediation processes beneath the subsurface. Therefore, it is not required to measure bioattenuation parameters in the field or laboratory anymore.

2.4 Other Parameters

Table 3 summarizes pH, temperature, conductivity and other parameters discussed below.

Alkalinity: Alkalinity is a general water quality parameter. High alkalinity levels are a result of interaction between carbon dioxide (a product of several biodegradation processes) and aquifer minerals. Due to the inconclusive data

collected during previous groundwater monitoring events in connection with the bioattenuation process, no alkalinity data was collected during the current groundwater monitoring event.

Chloride: Chloride is the final product of the reduction of chlorinated solvents, and also a general water quality parameter. Due to the inconclusive data collected during previous groundwater monitoring events in connection with the bioattenuation process, no chloride data was collected during this or previous groundwater monitoring events.

Carbon Dioxide: Carbon dioxide is a product of several biodegradation processes. Due to the inconclusive data collected during previous groundwater monitoring events in connection with the bioattenuation process, no carbon dioxide data was collected during recent groundwater monitoring events.

Iron: Ferric iron may be used as an electron acceptor during anaerobic biodegradation. During this process, ferric iron is reduced to ferrous iron that may be soluble in water. Ferric iron concentrations may be obtained by subtracting ferrous iron concentrations from total iron concentrations. Total iron was detected in all sampled wells except B-10R, LFR-1, and SOMA-1. Detectable total iron concentrations ranged from 0.19 mg/L in GW-3 to the equipment maximum allowable tolerance level of 3.30 mg/L in LFR-4, SOMA-2, MPE-2, MPE-3, MPE-4, and MPE-5.

Nitrite: Nitrate may reduce to nitrite during the process of anaerobic biodegradation. Nitrite was below the equipment minimal tolerance level in GW-2, GW-3, LFR-1, LFR-3, LFR-4, SOMA-2, SOMA-3, MPE-2, MPE-3, MPE-4, and MPE-5. Detectable nitrite concentrations ranged from 0.015 in MW-11 to 0.054 mg/L in B-10R.

Sulfide: When sulfate is used as an electron acceptor for anaerobic biodegradation it is reduced to sulfide. Due to the inconclusive data collected during previous groundwater monitoring events in connection with the bioattenuation process, sulfide data was not collected during the current groundwater monitoring event.

pH, Temperature, and Conductivity: The pH of groundwater affects activity of microbial populations in the groundwater, with optimal pH values ranging from 6 to 8 standard units for microbes capable of degrading PCE and other chlorinated aliphatic hydrocarbons. Groundwater temperature affects metabolic activity of bacteria, and groundwater conductivity is directly related to the concentration of ions in solution. The pH, temperature, and conductivity values are included in Table 3.

3. FREE PRODUCT REMOVAL ACTIVITIES

3.1 Overview

Prior to installation of a skimmer pump in SOMA-4 on January 28, 2004, over 9 feet of FP was on the surface of groundwater in this well. On February 6, 2004, SOMA installed a flexible axial peristaltic pump (FAP system) in SOMA-4 to remove FP.

Borings B-3 and B-8 were converted into wells in August 2004 and the FAP system was installed in B-8. The FAP was operational till March 2008 and removed approximately 1,895 gallons of FP and contaminated groundwater from SOMA-4 and B-8.

During the First Semi-Annual 2008 monitoring event, FP was unexpectedly observed in B-10 and SOMA-2 at 2.76 feet and 0.71 feet, respectively.

During MPE pilot testing (September-October 2008), an additional 60 gallons of FP was removed from the extraction wells.

FP was observed in MPE-2 and MPE-3 during 2010 groundwater monitoring events. However, during the current monitoring event, no FP was observed in any well. Table 7 shows field observations for SOMA-4, B-8, B-10, SOMA-2, and MPE wells. This is largely due to the rainy season excessive groundwater recharge during which FP can be submerged and the continuous operation of MPE system that extracts groundwater from MPE-2 and MPE-3 along with other extraction wells.

Figure 18 illustrates historical FP thickness measured in extraction wells.

4. CONTINUED MULTI PHASE EXTRACTION PILOT TESTING

During MPE pilot testing, soil vapor and groundwater are extracted from the subsurface. Both extracted soil vapor and groundwater are treated on-site with granular activated carbon (GAC). Two vessels capable of holding 1,000 pounds of GAC are used to process the vapor and liquid stream separately. Two 55-gallon drums, holding 200 pounds of GAC each, are used as polishing vessels prior to discharge. Treatment and discharge of the vapor stream to the atmosphere operates under valid BAAQMD discharge permitting for plant number 19199. Treatment and discharge of extracted groundwater to the local sanitary sewer (manhole location shown in Figure 2) operates under valid EBMUD discharge permit 50638151. The effluent being discharged to the sewer is periodically sampled to ensure compliance with the discharge permit.

Following evaluation of the initial 45-day testing between September 2, 2008 and October 24, 2008, based on the Alameda County directive dated December 5, 2008 SOMA resumed MPE pilot testing between December 17, 2008 and December 14, 2009. SOMA resumed MPE pilot testing, at the site on August 16, 2010. Existing monitoring wells and borings SOMA-2, B-8R, B-10R, MPE-1, MPE-2, and MPE-3 (Figure 2) were used as extraction and observation wells. Induced vacuum and groundwater levels were monitored, measured and recorded from existing wells used as observation wells.

With most of the chlorinated compounds removed and treated using GAC treatment through 2010, an engineering evaluation was performed to determine whether a modification to the existing MPE system would increase treatment capacity. Based on that evaluation, on January 18, 2011, an electric catalytic oxidizer was delivered to the site and installed the following days. The electric catalytic oxidizer heats process vapors inside a chamber containing heating elements coated with a catalyst to combust soil vapors before discharge to the atmosphere. Vapors are heated to a minimum temperature of 600 degrees Fahrenheit to fully combust contaminated soil vapors. The existing air permit was modified to allow discharge of treated vapors.

MPE operational data is presented in Table 8, and extraction data and mass removal rate in Table 9.

4.1 MPE Pilot Testing Duration

This report presents the MPE pilot test data from Friday, October 8, 2010 (last reporting day) through Thursday, March 31, 2011. Total MPE time during this phase was 1,409 hours (58.71 days). MPE pilot testing is ongoing at the site.

4.2 MPE Pilot Test Results October 2010 to Present

VOC concentrations in the extracted soil vapor stream ranged from 81 to 2,442 parts per million vapor (ppmv) as TPH-ss or between 500 and 15,000 ppmv as hexane (Tables 8 and 9). A total of 42,241 gallons of groundwater was extracted (Table 8) at a rate of 0.50 gallons per minute.

The estimated mass of VOCs removed from the soil vapor extracted from extraction wells was 594.54 lbs. The estimated VOC mass removal rate was 10.13 lbs/day.

4.3 MPE Conclusions

As of March 31, 2011, the total mass of VOCs (as TPH-ss) extracted by MPE from extraction wells is 4,544.48 lbs (Table 9).

5. FINDINGS REGARDING CURRENT ENVIRONMENTAL CONDITIONS, AND RECOMMENDATIONS

5.1 Current Environmental Conditions

Based on data obtained during the First Semi-Annual 2011 groundwater monitoring event, current environmental conditions at the site are as follows:

1. All analyzed constituents in the farthest downgradient well, LFR-3, were either at low levels or below laboratory-reporting limits. Results are consistent with modeling performed by SOMA which predicted that PCE would barely reach LFR-3. Furthermore, all analyzed constituents in the farthest upgradient well, MW-11, were below laboratory-reporting limits.
2. Data collected to date regarding distribution of PCE and other VOCs in groundwater demonstrate that PCE has degraded into some of its breakdown products in certain groundwater monitoring wells.
3. During the current event, no FP was observed in any of the monitoring wells. This is largely due to the rainy season excessive groundwater recharge during which FP can be submerged and the continuous operation of MPE system that extracts groundwater from MPE-2 and MPE-3 along with other extraction wells.
4. The highest TPH-ss and TPH-g concentrations were detected in MPE-3 at 390,000 µg/L and 620,000 µg/L, respectively. During the previous monitoring event (Second Semi-Annual 2010), FP was observed in MPE-2 and MPE-3 and hence these wells were not analyzed for constituents of concern. For other monitoring wells, since the previous monitoring event, TPH-ss has decreased in B-8R, GW-3, SOMA-5, and MPE-4, increased in LFR-2, LFR-4, SOMA-2, SOMA-3, SOMA-4R, and MPE-1, and remained constant in B-10R and MPE-5; TPH-g has decreased in B-8R, B-10R, GW-3, SOMA-5, and MPE-4 and increased in LFR-1, LFR-2, LFR-4, SOMA-1, SOMA-2, SOMA-3, SOMA-4R, MPE-1, and MPE-5. The increased concentration of TPH-ss and TPH-g was significant in LFR-2 and SOMA-4R.
5. PCE and TCE levels in B-10R have decreased significantly since the sampling event of February and March 2008 when FP was discovered for the first time in B-10 and SOMA-2. However, since the previous monitoring event (Second Semi-Annual 2010), PCE has increased in B-10R, GW-2, LFR-1, LFR-3, and SOMA-2 and decreased in GW-3, SOMA-1, and MPE-1.
6. PCE typically degrades into TCE, then cis-1,2-DCE and then trans-1,2-DCE (at much lower concentrations than cis-1,2-DCE), then to VC, ethane and ethene and, finally, to carbon dioxide, water, and chloride.

This sequence of degradation would be anticipated where biological reductive dehalogenation of PCE is occurring. The presence of TCE in B-10R, GW-2, LFR-1, SOMA-1, SOMA-2, and MPE-1 demonstrates that PCE degradation is occurring. The presence of cis-1,2-DCE in B-8R, B-10R, GW-3, LFR-1, LFR-2, SOMA-1, SOMA-2, SOMA-3, SOMA-4R, MPE-1, MPE-2, MPE-3, MPE-4, and MPE-5 indicates the occurrence of dechlorination of PCE in the subsurface. In addition, VC was detected in LFR-2, which indicates final stages of biodegradation activities in subsurface.

7. Results of DO, nitrate, manganese, sulfate, ferrous iron, methane, and ORP measurements demonstrate that conditions in the apparent source area are conducive to reductive dechlorination processes.
8. In general, the region near B-10R, SOMA-2, SOMA-4R, GW-3, LFR-1, LFR-2, and MPE-3 appears to be more impacted by chemicals of potential concern.
9. As of March 31, 2011, the total mass of VOCs (as TPH-ss) extracted by MPE from extraction wells is 4,544.48 lbs.

5.2 Recommendations

Results of the current groundwater monitoring event show that elevated concentrations of TPH-ss and TPH-g remain in the subsurface. In addition, following termination of pilot testing in December 2009, FP was reported at MPE-2 and MPE-3 during February and August 2010 monitoring events. Although reported chlorinated solvent concentrations have approached risk-based closure levels, presence of FP and elevated groundwater concentrations of TPH-ss and TPH-g remain a concern.

1. Based on ACHCSA approval dated April 27, 2011, SOMA will be conducting field activities in order to delineate the extent of FP according to the workplan. As required, the MPE system was turned off on April 28, 2011 for a period of 30-days to allow subsurface conditions to equilibrate. At the end of this period the field activities will commence. SOMA will submit Report on delineation of FP upon implementation of the proposed work.
2. SOMA will continue groundwater monitoring on a semi-annual basis.
3. SOMA proposes to terminate the field or laboratory measurement of bioattenuation parameters because enough data has been generated that indicates occurrence of intrinsic bioremediation processes beneath the subsurface.

TABLES

Table 1
Construction Data for Temporary Sampling Points and Monitoring Wells
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Location	Date Installed	Ground Surface Elevation (feet)	Top of Casing Elevation (feet)	Total Depth (feet)	Screen Interval Depth (feet)	Screen Interval Elevation (feet)
Temporary Sampling Points Installed by Geosolv, LLC						
B-2	19-Aug-97	82.20	82.09	21	5 to 21	77.2 to 61.2
B-3 ¹	19-Aug-97	82.60	82.57	18	5 to 18	77.6 to 64.6
B-7	20-Aug-97	77.33	76.96	17.5	5 to 17.5	72.3 to 59.8
B-8	20-Aug-97	82.06	81.82	24	9 to 24	73.1 to 58.1
B-9	21-Aug-97	77.57	77.37	19.5	4.5 to 19.5	73.1 to 58.1
B-10	21-Aug-97	81.65	81.50	19	4 to 9	77.7 to 62.7
B-13	22-Aug-97	85.12	84.58	20	5 to 20	80.1 to 65.1
Temporary Sampling Points Installed by LFR						
GW-1	16-Jul-99	80.24	79.94	8	3 to 8	77.2 to 72.2
GW-2	16-Jul-99	79.44	79.14	20	10 to 20	69.4 to 59.4
GW-3	15-Jul-99	78.48	77.92	20	10 to 20	68.5 to 58.5
GW-4	16-Jul-99	82.55	82.37	12	7 to 12	75.6 to 70.6
GW-5	15-Jul-99	81.31	81.01	13	8 to 13	73.3 to 68.3
GW-6 ²	15-Jul-99	81.91	81.65	13.5	7.5 to 13.5	74.4 to 68.4
GW-6A ²	16-Jul-99	81.93	81.61	15	5 to 15	76.9 to 66.9
GW-7 ²	15-Jul-99	81.30	NS	20	10 to 20	71.3 to 61.3
GW-8 ²	16-Jul-99	80.28	80.10	20	10 to 20	70.3 to 60.3
Temporary Sampling Points Installed by TOSCO						
MW-8	unknown	NS	87.44	unknown	unknown	unknown
MW-9	unknown	NS	86.56	unknown	unknown	unknown
MW-11	unknown	NS	84.13	unknown	unknown	unknown
Groundwater Monitoring Wells Installed by LFR						
LFR-1	28-Jul-00	NS	79.97	19	9 to 19	unknown
LFR-2	27-Jul-00	NS	81.89	19	9 to 19	unknown
LFR-3	27-Jul-00	NS	77.96	22	12 to 22	unknown
LFR-4	28-Jul-00	NS	81.65	19	9 to 19	unknown
Groundwater Monitoring Wells Installed by SOMA						
SOMA-1	4-Oct-01	82.31	81.64	40	25 to 40	42.31 to 57.71
SOMA-2 *	11-Oct-01	84.61	84.38	20	10 to 20	61.62 to 71.62
SOMA-3	11-Oct-01	81.65	81.42	30	21 to 26	60.65 to 71.51
SOMA-4	12-Oct-01	81.51	81.09	20	10 to 20	61.51 to 71.51
SOMA-5	12-Oct-01	61.68	81.50	26	21 to 26	55.68 to 60.68
B-8R	19-May-09	85.07	84.66	20	5 to 20	79.66 to 64.66
B-10R	18-May-09	84.60	83.98	20	5 to 20	78.98 to 63.98
SOMA-4R	18-May-09	84.49	83.95	20	5 to 20	78.95 to 63.95
MPE-1	21-May-09	84.65	84.41	20	2.5 to 20	81.91 to 64.41
MPE-2	21-May-09	85.09	84.66	20	2.5 to 20	82.16 to 64.66
MPE-3	22-May-09	85.14	84.87	20	2.5 to 20	82.37 to 64.87
MPE-4	21-May-09	84.80	84.45	20	2.5 to 20	81.95 to 64.45
MPE-5	19-May-09	85.23	84.64	20	2.5 to 20	82.14 to 64.64

Notes:

- ¹ Top of casing surveyed on south side on January 21, 2000, because the casing was broken.
- ² GW-7 was abandoned on July 15, 1999, in accordance with LFR's workplan dated May 6, 1999. GW-6 and GW-8 were abandoned on July 26, 2000, in accordance with LFR's workplan dated June 14, 2000.

NS = Not surveyed.

* SOMA-2 was resurveyed along with the new MPE wells in July 2009

Table 2
Historical Groundwater Elevation Data (feet)
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Date	B-2	B-3	B-7	B-8	B-8R	B-9	B-10	B-10R	B-13
10-Feb-11	71.58	71.75	DRY		71.86	64.94		71.57	DRY
4-Aug-10	71.50	71.62	DRY		71.23	65.83		72.21	DRY
1-Feb-10	73.71	73.72	DRY		74.14	67.39		73.55	DRY
11-Aug-09	72.11	72.03	DRY		73.01	64.79		71.79	DRY
9-Feb-09	73.46	73.72	DRY	70.52		66.72	70.63		DRY
21-Aug-08	71.98	72.65	DRY	68.80		66.64	70.47		DRY
19-Feb-08	78.05	74.51	DRY	68.27		68.33	69.75		64.58
23-Aug-07	70.45	71.54	DRY	64.66		63.89	67.76		75.59
28-Feb-07	78.13	76.18	Dry	70.80		70.14	74.18		75.77
05-Jul-06	74.24	74.86	68.78	62.47		68.81	72.70		75.66
05-Jan-06	79.72	77.85	71.76	74.02		71.28	74.91		NM
05-Jul-05	74.49	75.23	69.05	NM		69.05	72.91		DRY
1-Feb-05	75.67	76.19	72.85	NM		69.76	73.54		75.90
03-Aug-04	73.52	73.46	68.03	73.90		68.22	72.13		75.57
29-Jan-04	74.99	75.31	70.01	NM		69.24	73.07		75.66
29-Jul-03	73.99	73.83	68.53	72.39		68.67	72.58		75.80
18-Feb-03	75.83	75.55	69.94	73.01		70.00	73.87		75.77
22-Oct-02	73.29	73.06	67.98	71.43		68.10	72.09		NM
17-Jul-02	74.02	73.82	NM	72.37		68.59	72.51		NM
16-Apr-02	75.16	75.34	69.41	73.54		69.38	73.21		NM
31-Jan-02	77.35 ^(FP)	77.16 ^(FP 0.5)	70.79	75.03 ^(FP 0.5)		70.43	74.14		77.53 ^(FP 0.7)
18-Oct-01	73.26 ^(0.25' FP)	73.24 ^(1' FP)	67.89	69.51 ^(2.1' FP)		67.98	71.96		DRY
26-Jul-01	73.86	73.17	68.69	70.41		68.73	72.61		DRY
26-Apr-01	75.26	74.00	69.60	73.19		69.80	73.61		
29-Jan-01	74.63	75.06	69.11	74.23		69.33	73.20		
2-Nov-00									
31-Oct-00									
30-Oct-00	74.34	74.84 ^(FP)	69.01	73.32		69.42	73.35		DRY
10-Aug-00									
9-Aug-00	73.9 ^(FP)	74.55 ^(FP)	68.61	72.8 ^(FP)		68.82	72.65		75.23
27-Apr-00	75.41 ^(FP)	75.86 ^(FP)	69.85 ^(FP)	74.14 ^(FP)		69.96	73.70		75.87
25-Jan-00									
24-Jan-00	75.93 ^(FP)	75.83	69.66 ^(FP)	72.84		70.25 ^(FP)	74.15 ^(FP)		
21-Jan-00									76.32
20-Jan-00									
19-Jan-00	73.97 ^(FP)	73.22 ⁽²⁾	68.6 ^(FP)	71.81 ^(FP)		68.91 ^(FP)	73.02 ^(FP)		74.18
27-Aug-99									
18-Feb-98	78.16 ⁽¹⁾	78.04 ⁽¹⁾	71.57 ⁽¹⁾	76.64 ⁽¹⁾		71.44 ⁽¹⁾	75.13 ⁽¹⁾		78.51 ⁽¹⁾
26-Oct-97	72.66 ⁽¹⁾	73.64 ⁽¹⁾	68.09 ⁽¹⁾	71.11 ⁽¹⁾		68.39 ⁽¹⁾	72.26 ⁽¹⁾		73.02 ⁽¹⁾

Table 2
Historical Groundwater Elevation Data (feet)
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Date	GW-1	GW-2	GW-3	GW-4	GW-5	GW-6A	GW-8	MW-8	MW-9	MW-11
10-Feb-11	DRY	65.90	67.49	DRY	70.72	DRY	NM	77.68	76.98	68.72
4-Aug-10	DRY	65.46	67.15	DRY	68.68	DRY	NM	76.22	75.60	68.49
1-Feb-10	72.11	66.66	68.04	74.53	71.08	68.03	NM	78.49	77.71	71.53
11-Aug-09	DRY	67.60	67.45	DRY	68.65	67.67	NM	76.54	75.99	72.43
9-Feb-09	DRY	67.28	68.01	74.87	68.59	67.76	NM	77.23	76.83	71.64
21-Aug-08	DRY	66.59	67.88	DRY	68.88	67.70	NM	76.38	75.94	68.43
19-Feb-08	DRY	60.89	67.15	74.81	69.10	67.94	NM	76.70	76.00	69.82
22-Aug-07	DRY	DRY	66.71	DRY	68.54	67.89	NM	75.98	75.15	70.70
28-Feb-07	72.31	69.95	68.39	74.90	69.73	68.13	NM	79.05	78.64	71.30
05-Jul-06	71.94	69.74	66.49	70.37	68.96	68.01	NM	77.74	77.72	72.47
05-Jan-06	72.13	70.29	68.06	75.08	70.59	69.01	NM	80.66	79.96	71.51
5-Jul-05	DRY	69.38	67.03	73.57	69.53	68.03	NM	77.81	77.73	70.21
1-Feb-05	72.13	68.72	67.91	74.40	69.89	68.04	NM	78.46	78.42	71.68
3-Aug-04	72.13	68.19	67.54	72.54	69.46	67.93	NM	NM	NM	73.22
29-Jan-04	NM	68.37	68.05	74.69	68.71	68.00	NM	77.82	78.76	74.08
29-Jul-03	NM*	68.69	67.67	72.61	68.82	67.97	NM	77.44	77.11	73.78
18-Feb-03	NM*	69.02	68.26	74.75	70.35	67.97	NM	78.82	78.59	74.68
22-Oct-02	NM*	67.92	67.78	71.70	68.67	67.85	NM	76.89	76.51	73.12
17-Jul-02	NM*	68.61	67.78	72.65	68.76	67.95	NM	77.27	77.12	73.90
16-Apr-02	NM	69.76	68.14	74.11	68.68	68.07	NM	77.97	NM	74.98
31-Jan-02	-	69.77	68.28	74.83	68.78	68.06		78.86	79.41	75.48
18-Oct-01	NM	67.91	67.67	74.22	68.41	67.81		76.81	76.46	72.97
26-Jul-01	NM	68.55	67.84	73.85	68.77	68.00		77.40	77.03	73.73
26-Apr-01	NM	69.41	67.93	74.59	68.43	68.43				74.81
29-Jan-01	71.99	68.62	67.89	74.92	68.61	67.90		78.14	77.95	73.79
2-Nov-00								78.38	78.31	
31-Oct-00										
30-Oct-00		68.45	67.95	74.55	68.64	68.16				73.62
10-Aug-00								77.26	77.14	
9-Aug-00	DRY	69.11	66.54	DRY	68.71	67.88				74.12
27-Apr-00	DRY	70.59	68.16	73.97	68.70	68.00	71.34	79.15	77.25	75.35
25-Jan-00										73.48
24-Jan-00										
21-Jan-00		68.32		74.33						
20-Jan-00			67.93		68.61		70.42			
19-Jan-00	DRY	68.24	67.86	74.71	68.61	67.63	70.44			
27-Aug-99	DRY	68.46	67.66	NM	68.71	67.71	70.60			
18-Feb-98										
26-Oct-97										

Table 2
Historical Groundwater Elevation Data (feet)
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Date	LFR-1	LFR-2	LFR-3	LFR-4	SOMA-1	SOMA-2	SOMA-3	SOMA-4	SOMA-4R	SOMA-5
10-Feb-11	69.90	69.92	64.51	65.15	64.67	71.57	66.77		70.21	77.18
4-Aug-10	69.73	69.42	64.01	64.76	64.17	70.81	66.74		69.89	57.02
1-Feb-10	70.38	72.31	65.57	NM	65.60	72.47	67.61		71.66	56.98
11-Aug-09	69.95	69.44	66.17	67.09	66.79	71.69	68.59		71.80	56.92
9-Feb-09	70.42	70.74	66.37	67.51	66.86	70.69	67.97	69.00		59.28
21-Aug-08	69.81	69.57	65.20	66.02	65.63	70.63	67.24	67.27		56.49
19-Feb-08	69.94	70.90	61.64	62.35	61.04	71.39	64.87	64.51		56.51
23-Aug-07	69.64	69.18	60.03	62.52	59.51	69.72	63.23	63.05		DRY
28-Feb-07	70.98	73.41	67.90	69.99	69.10	73.73	70.96	71.63		61.57
05-Jul-06	70.36	71.29	67.60	69.33	68.99	72.59	71.02	71.11		78.70
05-Jan-06	70.97	74.56	69.04	NM	70.11	77.59	71.99	FP		76.78
5-Jul-05	70.26	71.52	67.45	69.31	68.55	75.77	70.65	FP		78.66
1-Feb-05	70.61	72.64	68.09	NM	69.08	73.20	71.05	NM		78.92
3-Aug-04	70.13	70.70	66.42	NM	67.24	69.34	72.03	NM		62.18
28-Jan-04	70.41	NM	67.44	69.13	68.33	73.34	73.00	FP		58.50
29-Jul-03	70.18	70.96	66.71	68.37	67.84	69.84	72.48	FP		57.18
18-Feb-03	70.63	73.08	67.61	69.44	68.77	70.74	73.77	NM		56.59
22-Oct-02	70.00	70.48	66.13	67.85	66.92	69.00	72.01	NM		59.43
17-Jul-02	70.18	70.98	67.67	68.33	67.62	72.40	69.64	NM		59.53
16-Apr-02	70.36	71.71	67.60	69.27	68.85	73.06	70.90	68.56		59.48
31-Jan-02	70.56	71.92	67.72	NM	69.36	73.98	71.46	69.79 ^(FP 2.5)		57.38
18-Oct-01	70.04	70.53	66.09	67.74	67.89	71.86	68.32	69.77		NM
26-Jul-01	70.16	70.92	66.56	68.33						
26-Apr-01	70.23	71.90	67.62	68.87						
29-Jan-01	70.44	72.04	66.96	67.92						
2-Nov-00										
31-Oct-00				68.14						
30-Oct-00	70.22	71.62	66.99							
10-Aug-00										
9-Aug-00	70.16	69.99	66.76	68.39						
27-Apr-00										
25-Jan-00										
24-Jan-00										
21-Jan-00										
20-Jan-00										
19-Jan-00										
27-Aug-99										
18-Feb-98										
26-Oct-97										

Table 2
Historical Groundwater Elevation Data (feet)
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Date	MPE-1	MPE-2	FP (feet)	MPE-2 corr. FP	MPE-3	FP (feet)	MPE-3 corr. FP	MPE-4	MPE-5
10-Feb-11	71.78	70.80	0.00	NA	73.87	0.00	NA	74.06	74.24
4-Aug-10	71.79	70.09	2.44	71.75	72.36	0.84	72.93	72.91	74.05
1-Feb-10	74.75	73.77	0.24	73.93	75.56	0.34	75.79	75.33	76.15
11-Aug-09	72.31	72.22	-	-	73.54	-	-	72.71	74.45

Notes:

1= Survey elevation and water-level measurement taken at concrete surface. Elevations and water levels without a "1" in Notes Column were measured from top of casing.

2= Top of the casing was re-surveyed because it was broken.

"-" Not applicable or Not available

* Monitoring well GW-1 was dry

Monitoring wells MW-8, MW-9, and LFR-4 were inaccessible in Third Quarter 2004

MPE-1 through MPE-5 were installed May 2009

FP= Floating product or sheen was observed.

* Depth to groundwater corrected for product thickness:

Therefore, corrected depth to groundwater is equal to (measured depth to water)- 0.68x(free product thickness)

Therefore, corrected groundwater elevation is shown using both (measured and corrected) groundwater elevations

The correction factor is derived by the following: specific gravity of gas at 20°C is 0.68, then specific gravity is multiplied by the thickness of free product

The specific gravity is defined as the ratio of water density to determined substance density. Water density is equal to one

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
Temporary Sampling Points Installed by Geosolv, LLC												
B-7	11-Aug-00	760	39	202				<0.0005	<0.0005	6.86	17.55	1279
	B-7 field											
B-7 field	11-Aug-00					-1.00	0.05					
	31-Oct-00	760	42	200	14.00	<0.1	<2.0			6.16	16.05	1454
B-7 field	31-Oct-00				17.22	-1.00	-1.00					
	31-Jan-00	720	43	170	12.00	<0.1	<2.0			6.79	13.90	1424
B-7 field	31-Jan-00											
	26-Apr-01				>3.3	0.24				6.59	16.30	1340
B-7 field	26-Jul-01				15.30	0.02				6.39	15.97	1400
B-8R	12-Aug-09	NM	NM	NM	1.00	0.043	NM	NM	NM	6.48	18.17	1222
	2-Feb-10	NM	NM	NM	3.30	0.015	NM	NM	NM	6.00	16.85	1307
	6-Aug-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.34	17.54	1411
	11-Feb-11	NM	NM	NM	NM	NM	NM	NM	NM	6.35	16.63	1307
B-10 field B-10	10-Aug-00					0.02	0.06					
	31-Oct-00	500	76	120	6.60	<0.1	<2.0					
	31-Oct-00				8.35	0.00	0.00			6.21	16.62	1051
	31-Jan-01				6.10	<0.1	<2.0					
	31-Jan-01	480	81	72	1.44	0.07				6.81	14.66	1117
	11-Jun-01				1.31					6.65	16.70	1090
	26-Jul-01				6.50	0.00				6.38	16.09	1160
	10-Aug-01	520	74	145	6.00	<0.05	<0.04	<0.0005	0.00	6.86	16.80	1130
	6-Jul-05	NM	NM	NM	3.30	0.348	NM	<0.005	<0.005	6.70	16.55	1420
	9-Jan-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.68	16.48	1410
	6-Jul-06	NM	NM	NM	3.30	0.122	NM	<0.005	<0.005	7.19	15.80	1170
	1-Mar-07	NM	NM	NM	3.20	0.000	NM	<0.005	<0.005	7.12	10.79	776
	23-Aug-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Feb-08	NM	NM	NM	3.30	0.244	NM	NM	NM	NM	NM	NM
21-Aug-08	NM	NM	NM	3.30	0.196	NM	NM	NM	NM	6.83	20.43	380
10-Feb-09	NM	NM	NM	3.30	0.012	NM	NM	NM	NM	6.89	14.33	7
B-10R	12-Aug-09	NM	NM	NM	3.30	0.070	NM	NM	NM	6.21	18.89	1083
	2-Feb-10	NM	NM	NM	3.30	0.001	NM	NM	NM	5.93	18.50	1173
	6-Aug-10	NM	NM	NM	3.30	0.017	NM	NM	NM	6.52	17.00	1163
	11-Feb-11	NM	NM	NM	0.00	0.054	NM	NM	NM	6.02	17.00	1021
Temporary Sampling Points Installed by LFR												
GW-2	01-Nov-00									6.31	18.97	1218
GW-2 field	30-Jan-01			63								
	31-Jan-01									6.82	13.75	846
	26-Apr-01				0.02					6.80	19.50	874
	26-Jul-01				0.03	0.02				6.74	20.30	803
GW-2 field	19-Oct-01	NM	NM	NM	NM	NM	NM	NM	NM	6.84	21.30	786

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
GW-2 cont.	31-Jan-02	NM	NM	NM	1.05	0.01	NM	NM	NM	6.70	17.70	797
	16,17-Apr-02	NM	NM	NM	0.65	0.02	NM	NM	NM	6.38	17.00	707
	17,18-Jul-02	NM	NM	NM	1.39	0.00	NM	NM	NM	6.35	17.75	798
	23-Oct-02	NM	NM	NM	0.12	0.04	NM	NM	NM	6.73	19.78	670
	19-Feb-03	NM	NM	NM	0.10	0.02	NM	NM	NM	6.86	18.10	607
	29-Jul-03	NM	NM	NM	0.00	0.00	NM	NM	NM	7.26	20.10	651
	29-Jan-04	NM	NM	NM	0.00	0.00	NM	NM	NM	6.72	18.00	542
	4-Aug-04	NM	NM	NM	0.00	0.00	NM	NM	NM	6.85	19.92	561
	2-Feb-05	NM	NM	NM	0.00	0.00	NM	NM	NM	6.82	18.34	503
	6-Jul-05	NM	NM	NM	0.00	0.00	NM	<0.005	<0.005	6.78	19.07	529
	6-Jan-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.88	17.89	510
	6-Jul-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.99	17.80	657
	28-Feb-07	NM	NM	NM	0.37	0.024	NM	<0.005	<0.005	6.27	16.70	544
	22-Aug-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Feb-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	22-Aug-08	NM	NM	NM	0.30	0.032	NM	NM	NM	6.55	22.66	422
	9-Feb-09	NM	NM	NM	0.22	0.004	NM	NM	NM	6.59	17.40	614
11-Aug-09	NM	NM	NM	0.07	0.000	NM	NM	NM	6.46	20.21	585	
1-Feb-10	NM	NM	NM	0.06	0.005	NM	NM	NM	6.13	17.75	473	
5-Aug-10	NM	NM	NM	0.00	0.007	NM	NM	NM	6.71	20.74	661	
10-Feb-11	NM	NM	NM	0.88	0.000	NM	NM	NM	6.16	18.43	648	
GW-3	11-Aug-00	340	25	54		0.05	-1.00	<0.0005	<0.0005	7.05	21.43	860
GW-3 field	11-Aug-00									6.52	18.83	967
GW-3 field	1-Nov-00											
GW-3 field	1-Feb-01			54						6.89	17.29	602
GW-3 field	29-Jan-01									5.68	16.20	673
GW-3 field	11-Jun-01				0.00	0.70				6.53	22.25	547
GW-3 field	26-Jul-01				0.14	0.00				6.84	22.56	590
GW-3 field	19-Oct-01	NM	NM	NM	0.00	NM	NM	NM	NM	6.84	22.56	590
GW-3 field	31-Jan-02	NM	NM	NM	0.14	0.01	NM	NM	NM	6.70	18.40	593
GW-3 field	16,17-Apr-02	NM	NM	NM	0.00	0.00	NM	NM	NM	6.64	16.61	526
GW-3 field	17,18-Jul-02	NM	NM	NM	1.08	0.01	NM	NM	NM	6.32	17.10	545
GW-3 field	23-Oct-02	NM	NM	NM	0.00	0.00	NM	NM	NM	6.36	19.80	425
GW-3 field	19-Feb-03	NM	NM	NM	0.08	0.01	NM	NM	NM	6.77	17.80	412
GW-3 field	29-Jul-03	NM	NM	NM	0.00	0.00	NM	NM	NM	7.07	19.40	490
GW-3 field	29-Jan-04	NM	NM	NM	0.00	0.00	NM	NM	NM	6.65	18.20	450
GW-3 field	3-Aug-04	NM	NM	NM	0.00	0.00	NM	NM	NM	6.74	20.20	436
GW-3 field	2-Feb-05	NM	NM	NM	0.00	0.00	NM	NM	NM	6.28	19.39	445
GW-3 field	6-Jul-05	NM	NM	NM	0.00	0.00	NM	<0.005	<0.005	6.90	18.99	415
GW-3 field	6-Jan-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.89	18.75	471
GW-3 field	6-Jul-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.90	17.30	560
GW-3 field	1-Mar-07	NM	NM	NM	0.14	0.010	NM	<0.005	<0.005	6.59	16.15	518
GW-3 field	23-Aug-07	NM	NM	NM	0.07	0.210	NM	<0.005	<0.005	6.58	19.71	412
GW-3 field	20-Feb-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.62	18.66	275
GW-3 field	22-Aug-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.10	21.52	463
GW-3 field	9-Feb-09	NM	NM	NM	0.10	0.009	NM	NM	NM	6.38	17.90	440
GW-3 field	11-Aug-09	NM	NM	NM	0.13	0.014	NM	NM	NM	6.30	20.47	505
GW-3 field	1-Feb-10	NM	NM	NM	1.37	0.012	NM	NM	NM	6.08	17.73	469
GW-3 field	5-Aug-10	NM	NM	NM	0.05	0.015	NM	NM	NM	6.46	19.03	525
GW-3 field	10-Feb-11	NM	NM	NM	0.19	0.000	NM	NM	NM	6.15	15.48	406

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
GW-4	30-Jan-01									6.60	13.48	479
	26-Jul-01				2.00	0.04				6.45	19.44	827
	19-Oct-01	NM	NM	NM	11.00	NM	NM	NM	NM	6.79	18.36	732
	31-Jan-02	NM	NM	NM	12.70	0.01	NM	NM	NM	6.50	12.00	414
	16,17-Apr-02	NM	NM	NM	6.40	0.03	NM	NM	NM	6.34	13.98	467
	17,18-Jul-02	NM	NM	NM	>3.3	0.03	NM	NM	NM	6.49	21.93	572
	23-Oct-02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	19-Feb-03	NM	NM	NM	3.30	0.00	NM	NM	NM	6.67	13.60	466
	30-Jul-03	NM	NM	NM	3.30	0.00	NM	NM	NM	7.30	18.70	430
	29-Jan-04	NM	NM	NM	3.30	0.00	NM	NM	NM	6.85	13.00	534
	3-Aug-04	NM	NM	NM	3.30	0.00	NM	NM	NM	6.96	22.62	509
	1-Feb-05	NM	NM	NM	3.30	0.00	NM	NM	NM	6.80	13.25	382
	6-Jul-05	NM	NM	NM	3.30	0.028	NM	<0.005	<0.005	6.98	18.71	403
	5-Jan-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.72	17.98	610
	28-Feb-07	NM	NM	NM	3.30	0.000	NM	<0.01	<0.01	6.70	12.63	369
	22-Aug-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Feb-08	NM	NM	NM	1.18	0.000	NM	NM	NM	6.54	13.42	248
	21-Aug-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
10-Feb-09	NM	NM	NM	3.30	0.000	NM	NM	NM	6.45	17.67	487	
11-Aug-09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
1-Feb-10	NM	NM	NM	3.30	0.019	NM	NM	NM	6.02	13.59	398	
4-Aug-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
10-Feb-11	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
Monitoring Wells Owned by TOSCO												
MW-11	10-Aug-00	360	110	216	0.13	<0.05	<0.04	<0.0005	<0.0005	6.47	21.00	1
MW-11 field	10-Aug-00					0.04	0.00					
	1-Nov-00	300	120	190	<0.05	<0.1	<2.0					
MW-11 field	1-Nov-00				0.01	0.00	-1.00			5.83	20.13	1
	31-Jan-01	330	130	150	<0.05	<0.1	<2.0					
MW-11 field	31-Jan-01									6.35	13.67	1
	26-Apr-01				0.01					5.67	18.00	1210
	26-Jul-01				0.00	0.02				6.02	19.85	1120
	19-Oct-01	NM	NM	NM	0.00	NM	NM	NM	NM	6.41	21.25	130
	31-Jan-02	NM	NM	NM	0.05	0.04	NM	NM	NM	6.60	18.50	1090
	16,17-Apr-02	NM	NM	NM	0.00	0.00	NM	NM	NM	5.87	18.70	1150
	17,18-Jul-02	NM	NM	NM	0.00	0.02	NM	NM	NM	6.27	18.37	1180
	23-Oct-02	NM	NM	NM	0.00	0.04	NM	NM	NM	6.62	20.81	1220
	18-Feb-03	NM	NM	NM	0.00	0.04	NM	NM	NM	6.49	19.50	1170
	30-Jul-03	NM	NM	NM	0.00	0.00	NM	NM	NM	6.92	19.70	941
	29-Jan-04	NM	NM	NM	0.00	1.80	NM	NM	NM	6.61	19.00	1000
	3-Aug-04	NM	NM	NM	0.00	0.00	NM	NM	NM	8.86	21.70	825
	1-Feb-05	NM	NM	NM	0.00	0.00	NM	NM	NM	6.43	20.55	856
	5-Jul-05	NM	NM	NM	0.13	0.00	NM	<0.005	<0.005	6.16	20.25	1130
	5-Jan-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.39	20.61	817
	5-Jul-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.61	19.10	1120
	28-Feb-07	NM	NM	NM	0.74	0.000	NM	<0.005	<0.005	6.71	16.34	1100
	22-Aug-07	NM	NM	NM	0.01	0.000	NM	<0.005	<0.005	5.46	19.97	865
	19-Feb-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.51	19.36	1081
	22-Aug-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.61	22.07	676
	10-Feb-09	NM	NM	NM	0.23	0.007	NM	NM	NM	6.39	21.73	1130
	12-Aug-09	NM	NM	NM	0.16	0.003	NM	NM	NM	6.00	19.91	1008

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
MW-11 cont.	1-Feb-10	NM	NM	NM	0.15	0.005	NM	NM	NM	6.16	18.93	1001
	5-Aug-10	NM	NM	NM	0.45	0.005	NM	NM	NM	6.29	19.21	1007
	10-Feb-11	NM	NM	NM	1.30	0.015	NM	NM	NM	5.72	18.98	1075
Monitoring Wells Installed by LFR												
LFR-1 field	11-Aug-00	250	110	51		0.02	-1.00	<0.0005	<0.0005	6.97	19.73	936
	09-Aug-00			25	<0.05	<0.1	<2					
LFR-1 field/sp	30-Oct-00	240	100	40	0.01/0.01	0.031/0.036	0.001/0.001			6.38	17.94	697
	30-Oct-00	220	100	40	<0.05	<0.1	<2					
LFR-1 Dup	29-Jan-01	150	76	28	<0.05	<0.1	<2					
	29-Jan-01				0.00	0.04				6.82	15.00	870
	29-Jan-01	150	75	26	<0.05	<0.1	<2					
	26-Apr-01				0.00					5.76	16.80	980
	26-Jul-01				0.05	0.01				6.48	19.38	772
	26-Jul-01	NM	NM	NM	0.42	NM	NM	NM	NM	6.73	20.83	661
	31-Jan-02	NM	NM	NM	0.03	0.01	NM	NM	NM	6.50	16.50	879
	16,17-Apr-02	NM	NM	NM	0.75	0.02	NM	NM	NM	5.88	16.37	1120
	17,18-Jul-02	NM	NM	NM	0.22	0.01	NM	NM	NM	6.40	17.02	832
	23-Oct-02	NM	NM	NM	0.30	0.00	NM	NM	NM	6.54	20.09	803
	18-Feb-03	NM	NM	NM	0.40	0.00	NM	NM	NM	6.47	16.90	607
	30-Jul-03	NM	NM	NM	0.02	0.00	NM	NM	NM	6.92	19.20	1330
	29-Jan-04	NM	NM	NM	0.00	5.10	NM	NM	NM	6.62	18.00	830
	4-Aug-04	NM	NM	NM	0.47	0.00	NM	NM	NM	6.39	19.01	1260
	2-Jan-05	NM	NM	NM	0.00	0.00	NM	NM	NM	6.73	17.80	744
6-Jul-05	NM	NM	NM	0.09	0.002	NM	<0.005	<0.005	6.69	18.26	1360	
6-Jan-06	NM	NM	NM	0.03	0.000	NM	<0.005	<0.005	6.31	19.06	1260	
6-Jul-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.59	17.10	1270	
1-Mar-07	NM	NM	NM	0.45	0.000	NM	<0.005	<0.005	6.15	14.51	787	
23-Aug-07	NM	NM	NM	0.22	0.011	NM	<0.005	<0.005	5.45	19.42	642	
19-Feb-08	NM	NM	NM	0.08	0.000	NM	NM	NM	6.50	17.29	690	
22-Aug-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.50	21.13	432	
9-Feb-09	NM	NM	NM	0.00	0.000	NM	NM	NM	6.32	16.20	482	
11-Aug-09	NM	NM	NM	0.41	0.009	NM	NM	NM	6.18	18.72	652	
1-Feb-10	NM	NM	NM	0.89	0.000	NM	NM	NM	5.95	17.43	510	
5-Aug-10	NM	NM	NM	0.63	0.000	NM	NM	NM	6.66	19.14	547	
10-Feb-11	NM	NM	NM	0.00	0.000	NM	NM	NM	6.25	16.84	671	
LFR-2 field	11-Aug-00	590	33	174				<0.0005	0.00	7.15	19.87	1088
	11-Aug-00				2.95	-1.00	0.01					
LFR-2 field	02-Nov-00	550	40	180	6.20	<0.1	<2					
	02-Nov-00				7.45	0.01	0.00			6.19	19.67	1306
LFR-2 field	30-Jan-01	480	21	130	4.60	<0.1	<2					
	30-Jan-01				1.04	0.01				6.60	12.73	945
	27-Apr-01				2.97					5.64	16.40	921
	26-Jul-01				4.60	0.01				6.31	18.66	970
	18-Oct-01	NM	NM	NM	8.20	NM	NM	NM	NM	6.78	19.56	109

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
LFR-2 cont.	31-Jan-02	NM	NM	NM	1.97	0.05	NM	NM	NM	6.50	16.60	644
	16,17-Apr-02	NM	NM	NM	7.60	0.06	NM	NM	NM	6.19	16.43	845
	17,18-Jul-02	NM	NM	NM	8.80	0.00	NM	NM	NM	6.52	16.24	986
	23-Oct-02	NM	NM	NM	3.30	0.06	NM	NM	NM	6.84	18.09	812
	18-Feb-03	NM	NM	NM	3.30	0.00	NM	NM	NM	6.50	16.90	617
	30-Jul-03	NM	NM	NM	3.30	0.00	NM	NM	NM	7.15	17.30	861
	29-Jan-04	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	4-Aug-04	NM	NM	NM	3.30	0.00	NM	NM	NM	6.76	17.39	795
	1-Feb-05	NM	NM	NM	2.25	0.00	NM	NM	NM	6.46	17.68	559
	5-Jul-05	NM	NM	NM	3.30	0.00	NM	<0.005	<0.005	6.56	18.18	712
	5-Jan-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.58	18.23	721
	6-Jul-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.91	17.90	679
	28-Feb-07	NM	NM	NM	3.30	0.000	NM	<0.025	<0.025	6.41	16.54	782
	22-Aug-07	NM	NM	NM	3.30	0.000	NM	<0.025	<0.025	6.05	17.60	814
	20-Feb-08	NM	NM	NM	1.77	0.000	NM	NM	NM	6.58	17.52	616
	21-Aug-08	NM	NM	NM	3.30	0.092	NM	NM	NM	6.68	23.60	610
10-Feb-09	NM	NM	NM	3.30	0.009	NM	NM	NM	6.53	17.41	980	
11-Aug-09	NM	NM	NM	3.30	0.057	NM	NM	NM	6.45	18.56	943	
1-Feb-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.12	17.76	836	
5-Aug-10	NM	NM	NM	NM	NM	NM	NM	NM	6.60	17.03	928	
	10-Feb-11	NM	NM	NM	NM	NM	NM	NM	NM	6.09	17.94	833
LFR-3	10-Aug-00	310	85	162	<0.1	0.15	0.04	<0.0005	<0.0005	6.57	19.92	951
	LFR-3 split	300	85	152				<0.0005	<0.0005			
LFR-3 field	10-Aug-00					0.06	-1.00					
	01-Nov-00	350	66	160	<0.05	<0.1	<2					
LFR-3 field	01-Nov-00				0.01	0.01	0.00			6.16	17.71	1164
LFR-3 field	30-Jan-01	250	31	71	<0.05	<0.1	<2					
	30-Jan-01				0.03					6.64	17.29	541
	11-Jun-01				0.01					5.43	18.00	613
	26-Jul-01				0.70	0.03				6.25	20.50	602
	18-Oct-01	NM	NM	NM	0.12	NM	NM	NM	NM	6.50	21.39	645
	31-Jan-02	NM	NM	NM	0.06	0.02	NM	NM	NM	6.30	19.10	566
	16,17-Apr-02	NM	NM	NM	1.20	0.04	NM	NM	NM	5.78	18.68	566
	17,18-Jul-02	NM	NM	NM	0.08	0.01	NM	NM	NM	6.17	18.42	585
	23-Oct-02	NM	NM	NM	1.35	0.00	NM	NM	NM	6.32	20.65	457
	19-Feb-03	NM	NM	NM	0.74	0.00	NM	NM	NM	6.34	19.30	497
	30-Jul-03	NM	NM	NM	0.00	0.00	NM	NM	NM	6.87	19.80	457
	29-Jan-04	NM	NM	NM	1.70	0.00	NM	NM	NM	6.60	20.00	393
	3-Aug-04	NM	NM	NM	0.34	0.00	NM	NM	NM	6.24	19.96	415
	2-Feb-05	NM	NM	NM	0.12	0.00	NM	NM	NM	6.17	20.06	381
	5-Jul-05	NM	NM	NM	3.30	0.205	NM	<0.005	<0.005	6.39	20.01	463
	9-Dec-05	NM	NM	NM	NM	NM	NM	<0.005	<0.005	NM	NM	NM
	6-Jan-06	NM	NM	NM	2.16	0.001	NM	<0.005	<0.005	6.27	20.42	461
5-Jul-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.56	20.10	640	
1-Mar-07	NM	NM	NM	1.03	0.005	NM	<0.005	<0.005	6.17	17.44	514	
22-Aug-07	NM	NM	NM	0.84	0.000	NM	<0.005	<0.005	5.45	20.36	547	
20-Feb-08	NM	NM	NM	0.20	0.000	NM	NM	NM	6.38	19.55	607	
22-Aug-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.63	21.09	406	
9-Feb-09	NM	NM	NM	0.00	0.002	NM	NM	NM	6.21	17.30	453	
11-Aug-09	NM	NM	NM	0.12	0.007	NM	NM	NM	6.11	19.66	482	
1-Feb-10	NM	NM	NM	2.13	0.009	NM	NM	NM	5.84	19.57	554	
5-Aug-10	NM	NM	NM	0.10	0.003	NM	NM	NM	6.32	19.41	479	
	10-Feb-11	NM	NM	NM	0.49	0.000	NM	NM	NM	6.19	18.82	492

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
LFR-4	11-Aug-00	630	71	161				<0.0005	<0.0005	6.90	20.11	1240
	10-Aug-00							<0.0005	<0.0005			
LFR-4 FB	11-Aug-00				0.22	0.02	0.00					
LFR-4 field	31-Oct-00	490	28	130	1.00	<0.1	<2					
LFR-4 field	31-Oct-00				0.67	0.02	0.00			6.21	18.11	830
LFR-4 field	01-Feb-01	460	25	120	1.30	<0.1	<2					
LFR-4 field	01-Feb-01				1.43	0.02				6.55	15.28	916
LFR-4 field	27-Apr-01				1.44					5.79	18.30	1060
LFR-4 field	26-Jul-01				0.95	0.00				6.26	19.23	866
LFR-4 field	16,17-Apr-02	NM	NM	NM	5.10	0.03	NM	NM	NM	6.19	18.04	925
LFR-4 field	17,18-Jul-02	NM	NM	NM	>3.3	0.01	NM	NM	NM	5.92	17.28	878
LFR-4 field	23-Oct-02	NM	NM	NM	3.30	0.00	NM	NM	NM	6.69	19.90	602
LFR-4 field	19-Feb-03	NM	NM	NM	3.30	0.00	NM	NM	NM	6.38	19.10	994
LFR-4 field	29-Jul-03	NM	NM	NM	3.30	0.00	NM	NM	NM	6.94	19.00	994
LFR-4 field	29-Jan-04	NM	NM	NM	0.71	0.00	NM	NM	NM	6.53	19.50	689
LFR-4 field	5-Jul-05	NM	NM	NM	3.30	0.00	NM	<0.005	<0.005	6.49	19.20	772
LFR-4 field	5-Jan-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LFR-4 field	5-Jul-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.75	18.90	912
LFR-4 field	1-Mar-07	NM	NM	NM	3.30	0.000	NM	<0.01	<0.01	6.46	15.75	972
LFR-4 field	22-Aug-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LFR-4 field	19-Feb-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LFR-4 field	21-Aug-08	NM	NM	NM	3.30	0.00	NM	NM	NM	6.13	21.38	353
LFR-4 field	10-Feb-09	NM	NM	NM	3.30	0.00	NM	NM	NM	6.38	20.16	591
LFR-4 field	11-Aug-09	NM	NM	NM	3.30	0.07	NM	NM	NM	6.22	17.62	536
LFR-4 field	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
LFR-4 field	5-Aug-10	NM	NM	NM	3.30	0.00	NM	NM	NM	6.36	17.99	511
LFR-4 field	10-Feb-11	NM	NM	NM	3.30	0.00	NM	NM	NM	5.97	18.28	544
Monitoring Wells Installed by SOMA												
SOMA-1	19-Oct-01	NM	NM	NM	0.75	NM	NM	NM	NM	6.77	18.15	146
	31-Jan-02	NM	NM	NM	0.00	0.00	NM	NM	NM	6.70	17.50	1160
SOMA-1	16,17-Apr-02	NM	NM	NM	0.17	0.03	NM	NM	NM	6.01	17.98	1280
SOMA-1	17,18-Jul-02	NM	NM	NM	0.11	0.01	NM	NM	NM	6.52	16.21	1270
SOMA-1	23-Oct-02	NM	NM	NM	0.24	0.01	NM	NM	NM	6.60	17.77	1270
SOMA-1	19-Feb-03	NM	NM	NM	0.00	0.01	NM	NM	NM	6.33	17.40	1350
SOMA-1	30-Jul-03	NM	NM	NM	0.00	0.00	NM	NM	NM	6.90	17.80	1300
SOMA-1	29-Jan-04	NM	NM	NM	2.10	0.00	NM	NM	NM	6.51	17.60	959
SOMA-1	3-Aug-04	NM	NM	NM	0.00	0.00	NM	NM	NM	6.42	17.89	956
SOMA-1	1-Feb-05	NM	NM	NM	0.00	0.00	NM	NM	NM	6.26	17.70	985
SOMA-1	5-Jul-05	NM	NM	NM	0.19	0.00	NM	<0.005	<0.005	6.36	19.36	1220
SOMA-1	5-Jan-06	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.54	18.02	926
SOMA-1	5-Jul-06	NM	NM	NM	0.30	0.011	NM	<0.005	<0.005	6.68	18.40	1150
SOMA-1	28-Feb-07	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	6.10	17.17	1140
SOMA-1	22-Aug-07	NM	NM	NM	0.00	0.000	NM	<0.005	<0.005	5.73	17.75	939
SOMA-1	20-Feb-08	NM	NM	NM	0.00	0.006	NM	NM	NM	6.53	17.93	791
SOMA-1	21-Aug-08	NM	NM	NM	0.00	0.000	NM	NM	NM	6.21	19.33	834
SOMA-1	10-Feb-09	NM	NM	NM	0.28	0.011	NM	NM	NM	6.42	19.31	779
SOMA-1	11-Aug-09	NM	NM	NM	0.10	0.009	NM	NM	NM	6.20	17.91	1102
SOMA-1	2-Feb-10	NM	NM	NM	0.03	0.003	NM	NM	NM	5.80	17.64	1088
SOMA-1	5-Aug-10	NM	NM	NM	0.17	0.006	NM	NM	NM	6.21	17.60	1093
SOMA-1	10-Feb-11	NM	NM	NM	0.00	0.027	NM	NM	NM	5.92	18.25	1082

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
SOMA-2	19-Oct-01	NM	NM	NM	44.00	NM	NM	NM	NM	6.87	16.93	122
	31-Jan-02	NM	NM	NM	10.50	0.34	NM	NM	NM	6.90	15.20	1140
	16,17-Apr-02	NM	NM	NM	8.70	0.01	NM	NM	NM	6.30	15.25	1170
	17,18-Jul-02	NM	NM	NM	>3.3	0.00	NM	NM	NM	6.86	14.19	1170
	23-Oct-02	NM	NM	NM	3.30	0.00	NM	NM	NM	6.97	16.47	1380
	19-Feb-03	NM	NM	NM	2.93	0.01	NM	NM	NM	6.86	15.70	1420
	29-Jul-03	NM	NM	NM	1.37	0.00	NM	NM	NM	7.91	16.80	1290
	28-Jan-04	NM	NM	NM	0.00	0.00	NM	NM	NM	6.65	16.60	835
	4-Aug-04	NM	NM	NM	0.34	0.00	NM	NM	NM	6.78	16.76	1180
	2-Feb-05	NM	NM	NM	3.30	0.00	NM	NM	NM	6.52	15.96	1310
	6-Jul-05	NM	NM	NM	3.30	0.00	NM	<0.005	<0.005	6.64	16.12	1290
	9-Jan-06	NM	NM	NM	3.30	0.001	NM	<0.005	<0.005	6.92	16.30	982
	6-Jul-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	7.08	16.00	1170
	1-Mar-07	NM	NM	NM	3.30	0.000	NM	<0.025	<0.025	7.24	10.16	1288
	23-Aug-07	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.20	15.98	764
	20-Feb-08	NM	NM	NM	3.30	0.000	NM	NM	NM	6.85	13.37	1434
21-Aug-08	NM	NM	NM	3.30	0.000	NM	NM	NM	7.19	17.59	834	
10-Feb-09	NM	NM	NM	3.30	0.000	NM	NM	NM	6.86	19.33	912	
11-Aug-09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	
2-Feb-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.13	18.01	1150	
6-Aug-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.41	17.37	1041	
11-Feb-11	NM	NM	NM	3.30	0.000	NM	NM	NM	6.63	16.92	1062	
SOMA-3	19-Oct-01	NM	NM	NM	0.40	NM	NM	NM	NM	6.91	17.09	158
	31-Jan-02	NM	NM	NM	0.78	0.38	NM	NM	NM	6.50	14.90	1320
	16,17-Apr-02	NM	NM	NM	1.03	0.00	NM	NM	NM	6.23	15.83	1260
	17,18-Jul-02	NM	NM	NM	>3.3	0.00	NM	NM	NM	6.77	15.03	1290
	23-Oct-02	NM	NM	NM	3.30	0.03	NM	NM	NM	7.02	16.44	970
	19-Feb-03	NM	NM	NM	3.30	0.00	NM	NM	NM	6.87	15.80	1350
	29-Jul-03	NM	NM	NM	3.30	0.00	NM	NM	NM	7.27	16.20	1200
	29-Jan-04	NM	NM	NM	3.30	0.00	NM	NM	NM	6.75	16.20	925
	4-Aug-04	NM	NM	NM	3.30	0.00	NM	NM	NM	6.79	16.43	956
	2-Feb-05	NM	NM	NM	0.15	0.00	NM	NM	NM	6.62	16.64	968
	6-Jul-05	NM	NM	NM	1.12	0.00	NM	<0.005	<0.005	6.56	16.79	935
	6-Jan-06	NM	NM	NM	0.49	0.000	NM	<0.005	<0.005	6.38	16.84	1120
	6-Jul-06	NM	NM	NM	0.53	0.000	NM	<0.005	<0.005	7.11	16.00	1020
	1-Mar-07	NM	NM	NM	0.69	0.000	NM	<0.005	<0.005	6.78	14.34	528
	23-Aug-07	NM	NM	NM	1.20	0.000	NM	<0.005	<0.005	6.45	17.13	495
	20-Feb-08	NM	NM	NM	3.21	0.158	NM	NM	NM	6.98	14.19	31
21-Aug-08	NM	NM	NM	0.27	0.000	NM	NM	NM	6.62	19.87	341	
10-Feb-09	NM	NM	NM	0.90	0.008	NM	NM	NM	6.75	16.30	1149	
12-Aug-09	NM	NM	NM	0.75	0.028	NM	NM	NM	6.48	19.26	682	
2-Feb-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.01	17.32	1185	
6-Aug-10	NM	NM	NM	1.40	0.013	NM	NM	NM	6.69	17.42	1118	
11-Feb-11	NM	NM	NM	1.64	0.000	NM	NM	NM	6.09	16.22	1055	
SOMA-4	Oct-19-01	NM	NM	NM	0.26	NM	NM	NM	NM	6.53	16.88	145
	23-Oct-02	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM

Table 3
Historical Analytical Results and Field Measurements for
Dissolved Ions and Gas, pH, Temperature, and Electrical Conductivity in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Alkalinity (mg/L)	Chloride (mg/L)	Carbon Dioxide (mg/L)	Total Iron (mg/L)	Nitrite (mg/L)	Sulfide (mg/L)	Ethane (mg/L)	Ethene (mg/L)	pH	Temp (°C)	Electrical Conductivity (µS/cm)
SOMA-4 cont.	19-Feb-03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	29-Jul-03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	5-Jul-05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	5-Jan-06	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	10-Feb-09	NM	NM	NM	3.10	0.003	NM	NM	NM	6.61	19.42	1071
SOMA-4R	12-Aug-09	NM	NM	NM	2.93	0.008	NM	NM	NM	6.25	17.86	1023
	2-Feb-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.04	18.61	1573
	6-Aug-10	NM	NM	NM	3.30	0.040	NM	NM	NM	6.42	17.17	1403
	11-Feb-11	NM	NM	NM	NM	NM	NM	NM	NM	6.11	17.28	1425
SOMA-5	4-Aug-04	NM	NM	NM	3.30	0.00	NM	NM	NM	7.14	16.98	773
	2-Feb-05	NM	NM	NM	3.30	0.00	NM	NM	NM	7.20	15.99	549
	6-Jul-05	NM	NM	NM	3.30	0.00	NM	<0.005	<0.005	6.75	16.99	1150
	9-Jan-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	6.78	16.72	1200
	6-Jul-06	NM	NM	NM	3.30	0.000	NM	<0.005	<0.005	7.81	16.30	454
	1-Mar-07	NM	NM	NM	NM	NM	NM	<0.025	<0.025	NM	NM	NM
	23-Aug-07	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	20-Feb-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	21-Aug-08	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	10-Feb-09	NM	NM	NM	3.30	0.000	NM	NM	NM	7.07	15.80	538
	12-Aug-09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	6-Aug-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
11-Feb-11	NM	NM	NM	1.03	0.035	NM	NM	NM	6.17	16.82	987	
MPE-1	12-Aug-09	NM	NM	NM	NM	NM	NM	NM	NM	6.60	16.89	557
	2-Feb-10	NM	NM	NM	3.30	0.000	NM	NM	NM	5.94	16.73	672
	6-Aug-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.33	16.73	545
	11-Feb-11	NM	NM	NM	NM	NM	NM	NM	NM	6.29	16.60	479
MPE-2	12-Aug-09	NM	NM	NM	NM	NM	NM	NM	NM	6.46	18.23	1043
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	5-Aug-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	11-Feb-11	NM	NM	NM	3.30	0.000	NM	NM	NM	6.35	16.82	1122
MPE-3	12-Aug-09	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	5-Aug-10	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
	11-Feb-11	NM	NM	NM	3.30	0.000	NM	NM	NM	6.35	16.64	1077
MPE-4	12-Aug-09	NM	NM	NM	1.87	0.004	NM	NM	NM	6.39	19.06	839
	2-Feb-10	NM	NM	NM	3.30	0.000	NM	NM	NM	6.33	16.74	1279
	6-Aug-10	NM	NM	NM	NM	0.188	NM	NM	NM	6.60	16.51	639
	11-Feb-11	NM	NM	NM	3.30	0.000	NM	NM	NM	6.29	16.84	1047
MPE-5	12-Aug-09	NM	NM	NM	2.85	0.00	NM	NM	NM	6.41	17.11	1077
	2-Feb-10	NM	NM	NM	3.30	0.00	NM	NM	NM	6.16	16.46	1078
	6-Aug-10	NM	NM	NM	3.30	0.00	NM	NM	NM	6.32	16.39	988
	11-Feb-11	NM	NM	NM	3.30	0.00	NM	NM	NM	6.17	16.75	1026

Notes

Samples with "field" in the well ID indicate that the results are from field measurements obtained using a Hach spectrometer or a Hydrolab Quanta flow-through instrument.

since April 2001, field measurements have been performed using a Hach Calorimeter

NM= not measured

MPE-1 through MPE-5 were installed May 2009

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
Temporary Sampling Points Installed by Geosolv, LLC								
B-2	24-Jan-00	20 ^J	31 ^{YJ}	<0.05	<0.013	<0.013	0.11 ^C	0.22 ^C
B-3	24-Jan-00	4.9 ^J	8.8 ^{YJ}	<0.01	0.0048	<0.0025	<0.0025	0.0714
B-7	24-Jan-00	19	30 ^J	<0.05	<0.013	0.062	<0.013	0.207
	11-Aug-00	3.7 ^J	6.8 ^{YHJ}	0.02	0.0077 ^J	0.047 ^J	0.007 ^J	0.065 ^{CJ}
	31-Oct-00	62 ^J	98 ^{YHJ}	0.01 ^J	0.0091 ^J	0.061 ^J	<0.0005	0.237 ^J
	27-Jul-01	2.5	5.2 ^{HY}	0.0057	0.0070	0.051	0.0082	0.0740
	31-Jan-01	5.3	7.9	0.0100	0.0089	0.059	0.0097	0.0870
	26-Apr-01	4.5	8.9 ^H	0.0069	0.0110	0.071	0.077 ^C	0.2080
B-8	24-Jan-00	11 ^J	19 ^{YJ}	<0.01	<0.0025	<0.0025	<0.0025	0.17 ^C
B-8R	12-Aug-09	22	39 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	2-Feb-10	8.2	13 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Aug-10	1.3	2 ^Y	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007
	11-Feb-11	1.0	1.6 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
B-9	24-Jan-00	1 ^{YJ}	1.8 ^{YHJ}	<0.002	<0.0005	<0.0005	0.01 ^C	0.0089 ^C
B-10	24-Jan-00	2.4 ^Y	4.2	0.0140 ^C	0.0072	0.027	0.025 ^C	0.032
	10-Aug-00	2.8 ^Y	6.1 ^Y	0.1600	0.0073	0.012	<0.005	0.0241
	31-Oct-00	2.2 ^{YZ}	3.5 ^Z	<0.002	0.0038	0.011	<0.0005	0.0182
	27-Jul-01	1.7	3.6 ^H	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	31-Jan-01	2.4 ^Z	3.6 ^{HYZ}	<0.002	0.0031	0.010	0.00076 ^C	0.0197
	26-Apr-01	2.4 ^Z	4.7 ^Z	0.0025	0.0041	0.013	ND	0.0290
	6-Jul-05	3.4 ^H	4.5 ^{HY}	<0.1	<0.1	<0.1	<0.1	<0.1
	9-Jan-06	11 ^Y	15	<0.1	<0.1	<0.1	<0.1	<0.1
	6-Jul-06	1.3	2.2 ^{HY}	<0.1	<0.1	<0.1	<0.1	<0.1
	1-Mar-07	0.5 ^L	0.810 ^{HY}	<0.1	<0.1	<0.1	<0.1	<0.1
	23-Aug-07	NA	NA	NA	NA	NA	NA	NA
	20-Feb-08	860	1,100 ^Y	<0.25	<0.25	<0.25	<0.25	<0.25
	25-Mar-08	2,000	43 ^{Yb}	<0.36	<0.36	0.75	0.42	2.12
21-Aug-08	760	1,200 ^Y	<0.083	<0.083	<0.083	<0.083	<0.083	
10-Feb-09	1.5	2.3 ^Y	<0.02	<0.02	<0.02	<0.02	<0.02	
B-10R	12-Aug-09	50	88 ^Y	0.067	<0.013	<0.013	<0.013	<0.013
	2-Feb-10	9.3	15 ^Y	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063
	6-Aug-10	37	58 ^Y	<0.001	0.0012	0.0013	<0.001	<0.001
	11-Feb-11	37	57 ^Y	<0.013	<0.013	<0.013	<0.013	<0.013
B-13	24-Jan-00	1.7 ^J	3 ^{YJ}	<0.01	<0.0025	<0.0025	<0.0025	0.0200
Temporary Sampling Points Installed by LFR								
GW-2	19-Jul-99	<0.05	<0.05	0.0025	<0.0005	0.00071	<0.0005	0.00074
	20-Jan-00	0.15	0.25 ^Y	0.0044	<0.0005	<0.0005	0.00097 ^C	0.0013
	28-Apr-00	<0.05	0.095 ^{YZ}	<0.0021	<0.0005	<0.0005	<0.0005	<0.0005
	2-Nov-00	<0.05	<0.05	<0.0020	<0.0005	<0.0005	<0.0005	<0.0005
	1-Feb-01	<0.05	ND	<0.0020	<0.0005	<0.0005	<0.0005	<0.0005
	27-Apr-01	<0.05	0.086 ^{YZ}	0.0022	<0.0005	0.0240	<0.0005	<0.0005
	27-Jul-01	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	19-Oct-01	<0.05	<0.05	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
GW-2 cont.	31-Jan-02	<0.05	<0.05	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b
	16,17-Apr-02	<0.05	<0.05	<0.0020	<0.0005	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	22-Oct-02	<0.05	<0.05	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
	19-Feb-03	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	29-Jul-03	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	28-Jan-04	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	4-Aug-04	0.054 ^{YZ}	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	2-Feb-05	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	6-Jul-05	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jan-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jul-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	28-Feb-07	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-07	NA	NA	NA	NA	NA	NA	NA
	20-Feb-08	NA	NA	NA	NA	NA	NA	NA
	22-Aug-08	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	9-Feb-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
11-Aug-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
1-Feb-10	<0.05	<0.05	<0.0005	0.0046	<0.0005	<0.0005	<0.0005	
5-Aug-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
10-Feb-11	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
GW-3	19-Jul-99	0.070 ^Z	0.100 ^Z	<0.0020	<0.0005	<0.0005	<0.0005	0.00064
	20-Jan-00	0.15	0.260 ^Y	<0.0020	<0.0005	<0.0005	<0.0005	0.00130 ^C
	27-Apr-00	0.20 ^{YZ}	0.380 ^{YZ}	<0.0020	<0.0005	<0.0005	<0.0005	<0.00050
	27-Apr-00	0.30 ^Z	0.570 ^{YZ}	<0.0020	<0.0005	<0.0005	<0.0005	<0.00050
	11-Aug-00	<0.05	0.077 ^{YZ}	<0.0020	<0.0005	<0.0005	<0.0005	0.00051
	2-Nov-00	<0.05	0.050 ^{YZ}	0.0026	<0.0005	<0.0005	<0.0005	<0.00050
	1-Feb-01	<0.05	<0.05	<.0020	<.0005	<0.0005	<0.0005	<0.00050
	27-Apr-01	<0.05	0.062 ^{YZ}	0.0056	<0.0005	<0.0005	<0.0005	<0.00050
	27-Jul-01	<0.05	<0.05	0.0008	<0.0005	<0.0005	<0.0005	<0.00050
	19-Oct-01	0.054	0.11	<0.0100	<0.0100	<0.0100	<0.0100	<0.02000
	31-Jan-02	<0.05	0.070 ^{YZ}	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.00500 ^b
	16,17-Apr-02	<0.05	0.055 ^{YZ}	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	22,23-Oct-02	0.11 ^{YZ}	0.140 ^{YZ}	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071
	19-Feb-03	0.068 ^{YZ}	0.100 ^{YZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	29-Jul-03	0.120 ^{YZ}	0.180 ^{YZ}	<0.010	<0.010	<0.010	<0.010	<0.010
	28-Jan-04	0.051 ^{YZ}	0.086 ^{YZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	3-Aug-04	0.170 ^{YZ}	0.150 ^{YZ}	<0.017	<0.017	<0.017	<0.017	<0.017
	2-Feb-05	0.190 ^Z	0.250 ^{HYZ}	<0.031	<0.031	<0.031	<0.031	<0.031
	6-Jul-05	0.084 ^{YZ}	0.11 ^{YZ}	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	6-Jan-06	0.063 ^{YZ}	0.088 ^{YZ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jul-06	0.091 ^{YZ}	.140 ^{YZ}	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	1-Mar-07	0.088 ^{YZ}	0.140 ^{YZ}	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017
	23-Aug-07	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	20-Feb-08	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-08	0.079 ^Y	0.120 ^{YZ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	9-Feb-09	0.070 ^Y	0.084 ^{YZ}	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
11-Aug-09	0.075 ^Y	0.085 ^{YZ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
1-Feb-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
5-Aug-10	0.066 ^{YZ}	0.10 ^{YZ}	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	
10-Feb-11	<0.05	0.072 ^{YZ}	<0.0013	<0.0013	<0.0013	<0.0013	<0.0013	

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
GW-4 Split	21-Jul-99	6.80 ^J	10 ^{YHJ}	0.0022	<0.0005	<0.0005	<0.0005	0.0029 ^J
	20-Jan-00	0.97 ^J	1.60 ^{YJ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	20-Jan-00	0.85 ^J	1.50 ^{YJ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	27-Apr-00	0.31	0.60 ^Y	<0.0020	<0.0005	<0.0005	<0.0005	0.0027
	30-Jan-01	0.39	0.58 ^{HY}	<0.0020	<0.0005	<0.0005	<0.0005	<0.0005
	27-Jul-01	0.42	0.86 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	19-Oct-01	0.83	1.60	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100
	31-Jan-02	0.92	1.70 ^{HY}	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b
	16,17-Apr-02	0.40	0.67 ^{HY}	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	0.97	1.7 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	22,23-Oct-02	0.55	0.700 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	19-Feb-03	0.58	0.880 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	30-Jul-03	0.39	0.580 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	28-Jan-04	0.31	0.520 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	3-Aug-04	0.71	0.640 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	1-Feb-05	0.28	0.370 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	6-Jul-05	0.12	0.16 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jan-06	0.54	0.75 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	28-Feb-07	0.56	0.90 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-07	NA	NA	NA	NA	NA	NA	NA
20-Feb-08	0.50	0.63 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
21-Aug-08	NA	NA	NA	NA	NA	NA	NA	
10-Feb-09	0.49	0.58 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
11-Aug-09	NA	NA	NA	NA	NA	NA	NA	
1-Feb-10	0.25	0.42 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
4-Aug-10	NA	NA	NA	NA	NA	NA	NA	
10-Feb-11	NA	NA	NA	NA	NA	NA	NA	NA
GW-5	27-Aug-99	<0.05	<0.05	<0.001	<0.001	<0.001	<0.001	<0.001
	20-Jan-00	<0.05	0.057 ^Y	0.0007	<0.0005	<0.0005	<0.0005	<0.0005
	27-Apr-00	0.05 ^Y	0.096 ^Y	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	5-Aug-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
GW-6A Split	27-Aug-99	<0.05	0.054 ^Y	0.0089	<0.0005	<0.0005	<0.0005	<0.0005
	27-Aug-99	<0.05	0.057 ^Y	0.0087	<0.0005	<0.0005	<0.0005	<0.0005
	25-Jan-00	<0.05	<0.05	0.0022	<0.0005	<0.0005	<0.0005	<0.0005
	27-Apr-00	<0.05	0.087 ^Y	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
GW-7 Split Split	15-Jul-99	NA	NA	<0.0025	0.05 ^J	<0.0005	0.000727	0.00313 ^J
	15-Jul-99	NA	NA	NA	NA	NA	NA	NA
	15-Jul-99	NA	NA	NA	0.0567 ^J	<0.002	<0.002	<0.002
	15-Jul-99	NA	NA	NA	0.0755 ^J	<0.002	<0.002	<0.002
GW-8 Split	19-Jul-99	<0.05	<0.05	0.0078	<0.0005	0.00064	<0.0005	0.00151
	20-Jan-00	0.19	0.33 ^Y	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	20-Jan-00	0.20	0.37 ^Y	<0.002	0.00058	<0.0005	<0.0005	<0.0005
	28-Apr-00	0.064 ^{YZ}	0.12 ^{YZ}	0.013	<0.0005	<0.0005	<0.0005	<0.0005

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
Monitoring Wells Owned by TOSCO								
MW-11	25-Jan-00	< 0.05	<0.05	0.0090	<0.0005	<0.0005	<0.0005	<0.0005
	28-Apr-00	<0.05	<0.05	<0.0087	<0.0005	<0.0005	<0.0005	<0.0005
	10-Aug-00	<0.05	<0.05	0.0110	<0.0005	<0.0005	<0.0005	<0.0005
	1-Nov-00	<0.05	<0.05	0.0068	<0.0005	<0.0005	<0.0005	<0.0005
	31-Jan-01	< 0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	27-Jul-01	<0.05	0.10 ^{HY}	0.0010	<0.0005	<0.0005	<0.0005	0.0007
	19-Oct-01	<0.05	<0.05	<0.0050	<0.0050	<0.005	<0.005	<0.010
	31-Jan-02	<0.05	0.071 ^Y	<0.0050 ^b	<0.0050 ^b	<0.005 ^b	<0.005 ^b	<0.005 ^b
	16,17-Apr-02	<0.05	<0.05	<0.0020	<0.0005	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	22,23-Oct-02	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	18-Feb-03	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	30-Jul-03	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	28-Jan-04	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	3-Aug-04	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	1-Feb-05	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	5-Jul-05	<0.05	<0.05	0.0008	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jan-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jul-06	<0.05	<0.05	0.001	<0.0005	<0.0005	<0.0005	<0.0005
	28-Feb-07	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
22-Aug-07	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
19-Feb-08	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
22-Aug-08	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
10-Feb-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
12-Aug-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
1-Feb-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
5-Aug-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
10-Feb-11	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Monitoring Wells Installed by LFR								
LFR-1 Split	9-Aug-00	0.53	1.2	0.0095	<0.0005	<0.0005	<0.0005	<0.0005
	30-Oct-00	0.24 ^{YZ}	0.37 ^{YZ}	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	30-Oct-00	0.24 ^{YZ}	0.37 ^{YZ}	0.0043	<0.0005	<0.0005	<0.0005	<0.0005
	29-Jan-01	0.21 ^{YZ}	0.31 ^{YZ}	0.0033	<0.0005	<0.0005	<0.0005	<0.0005
	26-Apr-01	0.092	0.18 ^{YZ}	0.0044	<0.0005	0.002	<0.0005	<0.0005
	27-Jul-01	0.086	0.18 ^{YZ}	<0.0013	<0.0013	<0.0013	<0.0013	<0.0013
	18-Oct-01	0.19	0.38	<0.031	<0.031	<0.031	<0.031	<0.062
	31-Jan-02	0.15 ^{YZ}	0.27 ^{YZ}	<0.013 ^b	<0.013 ^b	<0.013 ^b	<0.013 ^b	<0.013 ^b
	16,17-Apr-02	0.10 ^{YZ}	0.17 ^{YZ}	< 0.013	<0.0005	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	0.084 ^{YZ}	0.14 ^{YZ}	<0.013	<0.013	<0.013	<0.013	<0.013
	22,23-Oct-02	<0.05	0.078 ^{YZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	18-Feb-03	0.076 ^{YZ}	0.110 ^{YZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	30-Jul-03	<0.05	0.068 ^{YZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	29-Jan-04	0.060 ^{YZ}	0.100 ^{YZ}	<0.0063	<0.0063	<0.0063	<0.0063	<0.0063
	4-Aug-04	<0.05	<0.050	<0.005	<0.005	<0.005	<0.005	<0.005
	2-Feb-05	<0.05	0.056 ^{YZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	6-Jul-05	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jan-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jul-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	1-Mar-07	<0.05	0.053 ^{YZ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
23-Aug-07	0.070 ^{YZ}	0.120 ^{YZ}	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	
19-Feb-08	0.062 ^Y	0.077 ^Y	<0.001	<0.001	<0.001	<0.001	0.0033	
22-Aug-08	<0.05	0.059 ^{YZ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
9-Feb-09	0.057 ^Y	0.067 ^{YZ}	<0.001	<0.001	<0.001	<0.001	<0.001	
11-Aug-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
LFR-1 cont.	1-Feb-10	<0.05	0.051 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Aug-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	10-Feb-11	<0.05	0.058^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LFR-2	11-Aug-00	0.59	1.10 ^{YH}	0.0022	0.0018	<0.0005	<0.0005	0.0013 ^C
	2-Nov-00	0.38	0.70 ^{YH}	0.003	0.0035	0.0011	0.0042	0.01184 ^C
	30-Jan-01	0.36	0.54 ^{HY}	0.0034	0.00057	<0.0005	<0.0005	<0.0005
	27-Apr-01	0.33	0.66 ^{HY}	<0.002	<0.0005	0.0013	<0.0005	<0.0005
	27-Apr-01	0.36	0.72 ^{HY}	<0.002	0.00059	0.0019	<0.0005	0.013
	27-Jul-01	0.33	0.76 ^{HY}	<0.0005	0.0013	<0.0005	<0.0005	0.0006
	18-Oct-01	0.73	1.50	<0.0071	<0.0071	<0.0071	<0.0071	<0.0142
	31-Jan-02	0.76	1.40 ^{HY}	<0.005 ^b	<0.005 ^b	<0.005 ^b	<0.005 ^b	<0.005 ^b
	16,17-Apr-02	1.10	1.90 ^{HY}	<0.002	<0.0005	<0.0005	<0.0005	0.019 ^C
	17,18-Jul-02	0.97	1.7 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	22,23-Oct-02	3.10	5.000 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	18-Feb-03	1.50	2.300 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	30-Jul-03	4.10	6.000 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	29-Jan-04	NA	NA	NA	NA	NA	NA	NA
	4-Aug-04	2.50	2.2 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	1-Feb-05	1.10	1.5 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	5-Jul-05	0.95	1.3 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jan-06	4.00	5.6 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jul-06	0.49	0.770 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	28-Feb-07	1.20	1.9 ^{HY}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-07	3.70	6.4 ^{HY}	<0.0005	0.0022	<0.0005	<0.0005	<0.0005
	20-Feb-08	73	92 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	21-Aug-08	15	23 ^Y	<0.0083	0.0059	0.0017	<0.0005	<0.0005
10-Feb-09	3.4	4.0 ^Y	<0.0017	0.0027	<0.0017	<0.0017	<0.0017	
11-Aug-09	38	68 ^Y	<0.0008	0.0010	<0.0008	<0.0008	<0.0008	
1-Feb-10	100	160 ^Y	<0.0005	0.0005	<0.0005	<0.0005	<0.0005	
5-Aug-10	60	93 ^Y	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	
10-Feb-11	380	600^Y	<0.001	0.0011	<0.001	<0.001	<0.001	
LFR-3 Split	10-Aug-00	<0.05	<0.05	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	10-Aug-00	<0.05	<0.05	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	1-Nov-00	<0.05	<0.05	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	30-Jan-01	<0.05	<0.05	0.0036	<0.0005	<0.0005	<0.0005	<0.0005
	27-Apr-01	<0.05	<0.05	0.0024	<0.0005	0.0054	<0.0005	<0.0005
	27-Jul-01	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	18-Oct-01	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.01
	31-Jan-02	<0.05	0.067 ^Y	<0.005 ^b	<0.005 ^b	<0.005 ^b	<0.005 ^b	<0.005 ^b
	16,17-Apr-02	<0.05	<0.05	<0.002	<0.0005	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	22,23-Oct-02	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	19-Feb-03	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	30-Jul-03	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	29-Jan-04	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	3-Aug-04	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	2-Feb-05	<0.05	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005
	5-Jul-05	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	9-Dec-05	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jan-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jul-06	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
1-Mar-07	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
22-Aug-07	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
LFR-3 cont.	20-Feb-08	<0.05	0.053 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-08	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	9-Feb-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	11-Aug-09	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	1-Feb-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Aug-10	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	10-Feb-11	<0.05	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
LFR-4	11-Aug-00	0.22 ^Y	0.41 ^Y	0.0051	0.01100	<0.0005	<0.0005	0.00162 ^C
	31-Oct-00	0.17 ^Y	0.27	0.0065	0.00084	<0.0005	<0.0005	<0.0005
	1-Feb-01	0.16 ^Y	0.22	0.0097	0.00330	<0.0005	<0.0005	<0.0005
	27-Apr-01	0.22 ^Y	0.44	0.0058	0.02700	0.0036	<0.0005	<0.0005
	27-Jul-01	0.091 ^Y	0.19	0.011	0.00090	<0.0005	<0.0005	<0.0005
	31-Jan-02	NA	NA	NA	NA	NA	NA	NA
	16,17-Apr-02	0.40 ^Y	0.67	< 0.005	0.05300	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	0.21 ^Y	0.36 ^Y	0.0075	0.007	<0.005	<0.005	<0.005
	22,23-Oct-02	0.110 ^Y	0.17	0.0080	<0.005	<0.005	<0.005	<0.005
	19-Feb-03	0.490 ^Y	0.740	<0.005	0.055	<0.005	<0.005	<0.005
	30-Jul-03	0.400 ^Y	0.59	<0.005	0.010	<0.005	<0.005	<0.005
	29-Jan-04	0.42 ^Y	0.700 ^Y	<0.005	0.011	<0.005	<0.005	<0.005
	4-Aug-04	NA	NA	NA	NA	NA	NA	NA
	5-Jul-05	0.510 ^Y	0.68	0.0049	0.024	<0.0005	<0.0005	<0.0005
	5-Jul-06	0.650 ^Y	1.10	0.0081	0.059	<0.0005	0.0081	0.006
	1-Mar-07	0.370 ^Y	0.590 ^H	0.006	0.0063	<0.0005	<0.0005	<0.0005
	22-Aug-07	NA	NA	NA	NA	NA	NA	NA
	20-Feb-08	NA	NA	NA	NA	NA	NA	NA
21-Aug-08	0.990 ^Y	1.50 ^Y	0.0029	0.0009	<0.0005	<0.0005	<0.0005	
10-Feb-09	1.20 ^Y	1.40 ^Y	0.0025	0.0021	<0.0005	<0.0005	<0.0005	
11-Aug-09	0.27 ^Y	0.48 ^Y	0.0009	<0.0005	<0.0005	<0.0005	<0.0005	
1-Feb-10	NA	NA	NA	NA	NA	NA	NA	
5-Aug-10	0.27 ^Y	0.42 ^Y	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	
	10-Feb-11	0.29^Y	0.45^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Monitoring Wells Installed by SOMA								
SOMA-1	19-Oct-01	0.22	0.44	0.034	<0.0050	<0.0050	<0.0050	<0.0100
	31-Jan-02	0.058	0.100 ^{HY}	0.110 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b
	16,17-Apr-02	<0.05	0.052 ^Y	0.120	0.0008	<0.0005	<0.0005	<0.0005
	17,18-Jul-02	<0.05	<0.05	0.120	<0.005	<0.005	<0.005	<0.005
	22,23-Oct-02	<0.05	0.053	0.140	<0.005	<0.005	<0.005	<0.005
	19-Feb-03	<0.05	<0.05	0.150	<0.0071	<0.0071	<0.0071	<0.0071
	30-Jul-03	<0.05	<0.05	0.190	<0.005	<0.005	<0.005	<0.005
	29-Jan-04	<0.05	<0.05	0.190	<0.005	<0.005	<0.005	<0.005
	3-Aug-04	<0.05	<0.05	0.170	<0.013	<0.013	<0.013	<0.013
	1-Feb-05	<0.05	<0.05	0.200	<0.017	<0.017	<0.017	<0.017
	5-Jul-05	<0.05	<0.05	0.210	<0.0017	<0.0017	<0.0017	<0.0017
	5-Jan-06	<0.05	<0.05	0.270	0.0006	<0.0005	<0.0005	<0.0005
	5-Jul-06	<0.05	<0.05	0.310	<0.002	<0.002	<0.002	<0.002
	28-Feb-07	0.050 ^{YZ}	0.081 ^{YZ}	0.330	0.0025	<0.002	<0.002	<0.002
	22-Aug-07	<0.05	0.066 ^{YZ}	0.450	<0.002	<0.002	<0.002	<0.002
	20-Feb-08	<0.05	0.076 ^Y	0.340	<0.002	<0.002	<0.002	0.0084
	21-Aug-08	0.055 ^Y	0.084 ^{YZ}	0.390	<0.0025	<0.0025	<0.0025	<0.0025
	10-Feb-09	0.057 ^Y	0.086 ^{YZ}	0.370	<0.0025	<0.0025	<0.0025	<0.0025
	11-Aug-09	<0.05	0.053 ^Y	0.430	<0.0025	<0.0025	<0.0025	<0.0025
	2-Feb-10	<0.05	0.051 ^Y	0.360	<0.0025	<0.0025	<0.0025	<0.0025
5-Aug-10	<0.05	0.054 ^{YZ}	0.400	<0.0036	<0.0036	<0.0036	<0.0036	
	10-Feb-11	<0.05	0.059^{YZ}	0.400	<0.0025	<0.0025	<0.0025	<0.0025

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
SOMA-2	19-Oct-01	1.4	2.8	<0.250	<0.2500	<0.250	<0.250	<0.500
	31-Jan-02	1.3	2.4 ^{HY}	<0.071 ^b	<0.0710 ^b	<0.071 ^b	<0.071 ^b	<0.071 ^b
	16,17-Apr-02	1.3 ^L	2.2 ^H	< 0.130	0.0067	0.046	0.012	0.044
	17,18-Jul-02	2.6	4.4 ^{HY}	<0.063	<0.063	<0.063	<0.063	<0.063
	22,23-Oct-02	0.37	0.600 ^{HY}	0.300	<0.0071	<0.0071	<0.0071	<0.0071
	19-Feb-03	0.30	0.460 ^{HY}	0.210	<0.017	<0.017	<0.017	<0.017
	29-Jul-03	0.27	0.400 ^{HY}	0.300	<0.020	<0.020	<0.020	<0.020
	28-Jan-04	0.23	0.38 ^{HY}	0.270	<0.017	<0.017	<0.017	<0.017
	4-Aug-04	0.31	0.28 ^{HY}	0.280	<0.031	<0.031	<0.031	<0.031
	2-Feb-05	39	53 ^{HY}	<0.31	<0.31	<0.31	<0.31	<0.31
	6-Jul-05	5.10	6.8 ^{HY}	<0.025	<0.025	0.053	<0.025	0.031
	9-Jan-06	67	93 ^{HY}	<0.042	<0.042	0.054	<0.042	<0.042
	6-Jul-06	25	40 ^{HY}	<0.042	<0.042	0.061	<0.042	<0.042
	1-Mar-07	18	29 ^{HY}	<0.042	<0.042	0.055	<0.042	<0.042
	23-Aug-07	75	130 ^{HY}	<0.042	<0.042	0.081	<0.042	<0.042
	20-Feb-08	3.2	4.0 ^Y	<0.1	<0.1	<0.1	<0.1	<0.1
	25-Mar-08	360.0	270 ^{Yb}	<0.13	<0.13	0.180	<0.13	0.170
	21-Aug-08	3.8	5.7 ^Y	<0.0063	0.016	0.120	0.014	0.094
10-Feb-09	860.0	1,300 ^Y	<0.05	<0.05	<0.05	<0.05	<0.05	
11-Aug-09	FP	FP	FP	FP	FP	FP	FP	
2-Feb-10	430	700 ^Y	<0.013	<0.013	<0.013	<0.013	<0.013	
6-Aug-10	52	80 ^Y	<0.02	<0.02	<0.02	<0.02	<0.02	
11-Feb-11	110	180^Y	<0.01	<0.01	<0.01	<0.01	<0.01	
SOMA-3	19-Oct-01	0.42	0.83	0.65	<0.02500	<0.02500	<0.0250	<0.0500
	31-Jan-02	0.23	0.41 ^{HY}	0.31 ^b	<0.01300 ^b	<0.01300 ^b	<0.0130 ^b	<0.0130 ^b
	16,17-Apr-02	0.61	1.00 ^{HY}	0.42	0.00078	0.00068	<0.0005	<0.0005
	17,18-Jul-02	0.41	0.69 ^{HY}	0.38	<0.017	<0.017	<0.017	<0.017
	22,23-Oct-02	3.00	4.700 ^{HY}	<0.17	<0.170	<0.170	<0.170	<0.170
	19-Feb-03	2.50	3.800 ^{HY}	<0.13	<0.130	<0.130	<0.130	<0.130
	29-Jul-03	2.10	3.100 ^{HY}	<0.13	<0.130	<0.130	<0.130	<0.130
	29-Jan-04	4.10	6.8 ^{HY}	<0.31	<0.310	<0.310	<0.310	<0.310
	4-Aug-04	4.00	3.6 ^{HY}	<0.50	<0.500	<0.500	<0.500	<0.500
	2-Feb-05	0.27	0.36 ^{HY}	0.25	<0.063	<0.063	<0.063	<0.063
	6-Jul-05	0.32	0.43 ^{HY}	0.32	0.0017	<0.0005	<0.0005	0.0016
	6-Jan-06	0.22	0.30 ^{HY}	0.39	0.0014	<0.0005	<0.0005	0.0012
	6-Jul-06	0.14	0.27 ^{HY}	0.500	<0.005	<0.005	<0.005	<0.005
	1-Mar-07	0.19	0.31 ^{HY}	0.490	<0.005	<0.005	<0.005	<0.005
	23-Aug-07	0.97	1.700 ^{HY}	0.320	<0.005	<0.005	<0.005	<0.005
	20-Feb-08	0.38	0.48 ^Y	<0.031	<0.031	<0.031	<0.031	<0.031
	21-Aug-08	0.40	0.60 ^Y	0.220	<0.013	<0.013	<0.013	<0.013
	10-Feb-09	0.10	0.15 ^Y	0.280	<0.013	<0.013	<0.013	<0.013
12-Aug-09	0.076 ^Y	0.13 ^Y	0.430	<0.0036	<0.0036	<0.0036	<0.0036	
2-Feb-10	0.27	0.44 ^Y	0.110	<0.0083	<0.0083	<0.0083	<0.0083	
6-Aug-10	0.24	0.37 ^Y	0.020	<0.013	<0.013	<0.013	<0.013	
11-Feb-11	0.28	0.44^Y	0.018	<0.01	<0.01	<0.01	<0.01	
SOMA-4	19-Oct-01	2.5	5	0.63	<0.13	<0.13	<0.13	<0.26
	31-Jan-02	FP	FP	FP	FP	FP	FP	FP
	16,17-Apr-02	FP	FP	FP	FP	FP	FP	FP
	17,18-Jul-02	FP	FP	FP	FP	FP	FP	FP
	22,23-Oct-02	FP	FP	FP	FP	FP	FP	FP
	18-Feb-03	FP	FP	FP	FP	FP	FP	FP
	29-Jul-03	FP	FP	FP	FP	FP	FP	FP
10-Feb-09	44	65 ^Y	0.018	<0.005	0.016	<0.005	0.029	

Table 4
Historical Analytical Results for Total Petroleum Hydrocarbon, BTEX and MtBE
in Groundwater Samples
Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	TPH-ss (mg/L)	TPH-g (mg/L)	MtBE (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
SOMA-4R	12-Aug-09	37	65 ^Y	0.08	<0.001	<0.001	<0.001	0.0019
	2-Feb-10	21	34 ^Y	0.008	<0.002	0.0031	<0.002	0.0065
	6-Aug-10	20	32 ^Y	0.015	<0.0031	0.0035	<0.0031	0.0043
	11-Feb-11	290	450^Y	0.023	<0.002	<0.002	<0.002	0.0073
SOMA-5	4-Aug-04	4.1	3.7 ^{HY}	<0.005	<0.005	<0.005	<0.005	<0.005
	2-Feb-05	0.11 ^Z	0.15 ^{HYZ}	<0.005	<0.005	<0.005	<0.005	<0.005
	6-Jul-05	2.3 ^H	3.1 ^{HY}	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	9-Jan-06	0.89	1.2 ^{HY}	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	6-Jul-06	0.45 ^{YZ}	0.720 ^{YZ}	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	1-Mar-07	NA	3.9 ^{YZ}	0.0052	<0.0005	<0.0005	<0.0005	<0.0005
	23-Aug-07	NA	NA	NA	NA	NA	NA	NA
	20-Feb-08	NA	NA	NA	NA	NA	NA	NA
	21-Aug-08	NA	NA	NA	NA	NA	NA	NA
	10-Feb-09	NA	NA	NA	NA	NA	NA	NA
	11-Aug-09	NA	NA	NA	NA	NA	NA	NA
	1-Feb-10	NA	NA	NA	NA	NA	NA	NA
6-Aug-10	0.78	1.2 ^Y	0.0078	<0.0005	<0.0005	<0.0005	<0.0005	
11-Feb-11	0.065^Y	0.1^{YZ}	0.0019	<0.0005	<0.0005	<0.0005	<0.0005	
MPE-1	12-Aug-09	28	49 ^Y	0.26	<0.0005	0.0011	<0.0005	0.0029
	2-Feb-10	<5	<5	<0.002	<0.002	<0.002	<0.002	<0.002
	6-Aug-10	1.1	1.8 ^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	11-Feb-11	3.3	5.2^Y	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
MPE-2	12-Aug-09	380	200 ^Y	0.015	0.0016	0.0053	0.0013	0.0204
	1-Feb-10	FP	FP	FP	FP	FP	FP	FP
	5-Aug-10	FP	FP	FP	FP	FP	FP	FP
	11-Feb-11	1.9	3.0^Y	0.0053	<0.001	0.0014	<0.001	0.0093
MPE-3	11-Aug-09	FP	FP	FP	FP	FP	FP	FP
	1-Feb-10	FP	FP	FP	FP	FP	FP	FP
	5-Aug-10	FP	FP	FP	FP	FP	FP	FP
	11-Feb-11	390	620^Y	<0.0005	0.0007	<0.0005	<0.0005	0.0076
MPE-4	12-Aug-09	71	130 ^Y	0.0043	0.0006	<0.0005	<0.0005	0.0036
	2-Feb-10	1.3	2.2 ^Y	0.0021	0.0009	<0.0005	0.0006	0.0026
	6-Aug-10	0.99	1.5 ^Y	0.0028	0.0009	<0.0005	<0.0005	0.0009
	11-Feb-11	0.48	0.75^Y	0.0013	<0.0005	<0.0005	<0.0005	0.0005
MPE-5	12-Aug-09	1.1 ^Y	1.9 ^Y	0.0032	<0.001	<0.001	<0.001	<0.001
	2-Feb-10	29	47 ^Y	0.0021	0.001	<0.001	<0.001	<0.001
	6-Aug-10	18	27 ^Y	0.0022	0.0005	<0.0005	<0.0005	<0.0005
	11-Feb-11	18	28^Y	0.0015	<0.001	<0.001	<0.001	<0.001

Notes:

- ^b Analysis was carried out past the hold date, no analytical problems were encountered. See narrative for Q1 2008
- ^c Presence of this compound confirmed by second column, however, the confirmation concentration different from reported results by more than a factor of two.
- ^H Heavier hydrocarbons than the standard are present in the sample.
- ^J Result is estimated.
- ^L Lighter hydrocarbons contributed to the quantitation
- NA Not analyzed.
- During First and Second Semi-annual 2009 events SOMA-5 had insufficient groundwater for sampling
- During Second Semi-annual 2009 event GW-4 had insufficient groundwater for sampling
- ^Y Sample exhibits fuel pattern which does not resemble standard.
- ^Z Sample exhibits unknown single peak or peaks.

FP: Not Analyzed due to Free Product

TPH, purge = Total petroleum hydrocarbons (purgeable)

Groundwater samples collected from the temporary sampling points are considered grab samples, therefore, the results should be considered estimates of groundwater quality.

MPE-1 through MPE-5 were installed May 2009

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
Temporary Sampling Points Installed by Geosolv, LLC							
B-2	24-Jan-00	<0.0013	<0.0013	0.27	0.001	< 0.0013	< 0.0013
B-3	24-Jan-00	< 0.0020	< 0.002	0.61	< 0.002	< 0.002	< 0.002
B-7	24-Jan-00	< 0.0036	< 0.0036	0.92	0.004	< 0.0036	< 0.0036
	11-Aug-00	< 0.0031	< 0.0031	0.86	0.005	< 0.0031	< 0.0031
	31-Oct-00	< 0.0042	< 0.0042	0.91	0.004	< 0.0042	< 0.0042
	27-Jul-01	0.01	0.017	0.86	0.005	<0.0031	<0.0031
	27-Apr-01	<0.0031	<0.0031	1.10	0.007	<0.0031	<0.0031
31-Jan-01	< 0.0042	< 0.0042	0.92	0.005	< 0.0042	< 0.0042	
B-8	24-Jan-00	< 0.0005	< 0.0005	0.035	< 0.0005	< 0.0005	< 0.0005
B-8R	12-Aug-09	<0.0005	<0.0005	0.027	<0.0005	<0.0005	<0.0005
	2-Feb-10	0.0012	<0.0005	0.016	<0.0005	<0.0005	<0.0005
	6-Aug-10	<0.0007	<0.0007	0.018	<0.0007	<0.0007	<0.0007
	11-Feb-11	<0.0005	<0.0005	0.014	<0.0005	<0.0005	<0.0005
B-9	24-Jan-00	< 0.0005	0.001	0.003	< 0.0005	< 0.0005	< 0.0005
B-10	24-Jan-00	1.20	2.40	14.00	0.090	< 0.063	< 0.063
	10-Aug-00	2.90	1.60	6.50	0.050	< 0.025	< 0.025
	31-Oct-00	2.40	1.90	7.10	0.061	< 0.025	< 0.025
	27-Jul-01	1.70	1.40	7.30	0.043	<0.025	<0.025
	27-Jul-01	0.87	0.81	6.60	0.041	<0.025	<0.025
	31-Jan-01	2.10	1.60	6.60	0.044	< 0.025	< 0.025
	6-Jul-05	0.59	0.34	12.00	<0.1	<0.1	<0.1
	9-Jan-06	0.14	0.29	13.00	<0.1	<0.1	<0.1
	6-Jul-06	0.37	0.38	14.00	<0.1	<0.1	<0.1
	1-Mar-07	<0.1	<0.1	14.00	0.110	<0.1	<0.1
	23-Aug-07	NA	NA	NA	NA	NA	NA
	20-Feb-08	20.0	9.1	16.0	<0.25	<0.25	<0.25
	25-Mar-08	520.0	70.0	28.0	<0.36	<0.36	<0.36
	21-Aug-08	1.1	0.97	17.0	0.096	<0.083	<0.083
10-Feb-09	1.2	1.2	2.9	<0.02	<0.02	<0.02	
B-10R	12-Aug-09	0.260	0.120	1.8	<0.013	<0.013	<0.013
	2-Feb-10	0.130	0.100	2.0	0.0077	<0.0063	<0.0063
	6-Aug-10	0.025	0.055	3.9	0.048	0.012	<0.001
	11-Feb-11	0.070	0.150	1.6	<0.013	<0.013	<0.013
B-13	24-Jan-00	0.020	0.029	0.13	0.005	< 0.0005	< 0.0005
Temporary Sampling Points Installed by LFR							
GW-2	19-Jul-99	0.014	0.001	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	20-Jan-00	0.130	0.019	0.006	< 0.0005	< 0.0005	< 0.0005
	28-Apr-00	0.120	0.016	0.003	< 0.0005	< 0.0005	< 0.0005
	2-Nov-00	0.008	0.001	0.003	< 0.0005	< 0.0005	< 0.0005
	1-Feb-01	0.008	0.001	0.003	< 0.0005	< 0.0005	< 0.0005
	27-Apr-01	0.010	0.002	0.002	<0.0005	<0.0005	<0.0005
	27-Jul-01	0.033	0.004	0.002	<0.0005	<0.0005	<0.0005
	19-Oct-01	0.019	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	31-Jan-02	0.0092 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0100 ^b	<0.0050 ^b
	16,17-Apr-02	0.014	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	17-18-Jul-02	0.014	<0.005	<0.005	<0.005	<0.01	<0.005
	22,23-Oct-02	0.027	<0.005	<0.005	<0.005	<0.010	<0.005
	19-Feb-03	0.057	0.007	<0.005	<0.005	<0.010	<0.005
	29-Jul-03	0.043	<0.005	<0.005	<0.005	<0.010	<0.005
	28-Jan-04	0.057	0.0069	<0.005	<0.005	<0.010	<0.005
	4-Aug-04	0.075	0.0100	<0.005	<0.005	<0.010	<0.005
	2-Feb-05	0.049	0.0066	0.016	<0.005	<0.010	<0.005
	6-Jul-05	0.082	0.0110	0.0009	<0.0005	<0.0005	<0.0005
	6-Jan-06	0.061	0.0079	0.0008	<0.0005	<0.0005	<0.0005
	6-Jul-06	0.0750	0.0095	0.0007	<0.0005	<0.0005	<0.0005
	28-Feb-07	0.082	0.0096	0.0006	<0.0005	<0.0005	<0.0005
	22-Aug-07	NA	NA	NA	NA	NA	NA
	20-Feb-08	NA	NA	NA	NA	NA	NA
	22-Aug-08	0.015	0.003	<0.0005	<0.0005	<0.0005	<0.0005
	9-Feb-09	0.059	0.0062	<0.0005	<0.0005	<0.0005	<0.0005
	11-Aug-09	0.030	0.0031	<0.0005	<0.0005	<0.0005	<0.0005
	1-Feb-10	0.042	0.0046	<0.0005	<0.0005	<0.0005	<0.0005
	5-Aug-10	0.033	0.0035	<0.0005	<0.0005	<0.0005	<0.0005
	10-Feb-11	0.035	0.0037	<0.0005	<0.0005	<0.0005	<0.0005

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
GW-3 Split	19-Jul-99	0.220	<0.001	< 0.0010	< 0.0010	< 0.0010	< 0.0010
	20-Jan-00	0.055	0.001	0.020	< 0.0005	< 0.0005	< 0.0005
	27-Apr-00	0.350	0.002	0.006	< 0.0005	< 0.0005	< 0.0005
	27-Apr-00	0.270	0.002	0.002	< 0.0013	< 0.0013	< 0.0013
	11-Aug-00	0.068	0.003	0.012	< 0.0005	< 0.0005	< 0.0005
	2-Nov-00	0.059	0.001	0.002	< 0.0005	< 0.0005	< 0.0005
	1-Feb-01	0.046	0.001	0.001	< 0.0005	< 0.0005	< 0.0005
	27-Apr-01	0.079	0.001	0.002	<0.0005	<0.0005	<0.0005
	27-Jul-01	0.090	0.001	<0.0005	<0.0005	<0.0005	<0.0005
	19-Oct-01	0.180	<0.0100	<0.0100	<0.0100	<0.0200	<0.0100
	31-Jan-02	0.0960 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0100 ^b	<0.0050 ^b
	16,17-Apr-02	0.160	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	17,18-Jul-02	0.086	<0.005	<0.005	<0.005	<0.01	<0.005
	22,23-Oct-02	0.200	<0.0071	<0.0071	<0.0071	<0.014	<0.0071
	19-Feb-03	0.240	<0.005	0.006	<0.005	<0.010	<0.005
	29-Jul-03	0.430	<0.010	<0.010	<0.010	<0.010	<0.010
	28-Jan-04	0.170	<0.005	<0.005	<0.005	<0.010	<0.005
	3-Aug-04	0.440	<0.017	<0.017	<0.017	<0.033	<0.017
	2-Feb-05	0.360	<0.031	<0.031	<0.031	<0.063	<0.031
	6-Jul-05	0.320	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	6-Jan-06	0.200	0.0008	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jul-06	0.400	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	1-Mar-07	0.400	0.002	<0.0017	<0.0017	<0.0017	<0.0017
	23-Aug-07	0.150	0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	20-Feb-08	0.082	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-08	0.240	0.0013	<0.0005	<0.0005	<0.0005	<0.0005
	9-Feb-09	0.330	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
	11-Aug-09	0.230	0.0058	0.0013	<0.0005	<0.0005	<0.0005
1-Feb-10	0.100	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
5-Aug-10	0.180	0.0084	0.0063	<0.0017	<0.0017	<0.0017	
10-Feb-11	0.140	<0.0013	0.0014	<0.0013	<0.0013	<0.0013	
GW-4 Split	19-Jul-99	< 0.0005	< 0.0005	0.004	< 0.0005	< 0.0005	0.002
	20-Jan-00	0.001	< 0.0005	0.004	< 0.0005	< 0.0005	0.002
	20-Jan-00	0.001	< 0.0005	0.004	< 0.0005	< 0.0005	0.002
	27-Apr-00	0.002	< 0.0005	0.001	< 0.0005	< 0.0005	0.001
	30-Jan-01	< 0.0005	< 0.0005	0.002	< 0.0005	< 0.0005	0.001
	27-Jul-01	< 0.0005	< 0.0005	0.003	< 0.0005	0.001	0.002
	19-Oct-01	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	31-Jan-02	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0100 ^b	<0.0050 ^b
	16,17-Apr-02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	17,18-Jul-02	<0.005	<0.005	<0.005	<0.005	<0.01	<0.005
	22,23-Oct-02	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	19-Feb-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	30-Jul-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	28-Jan-04	0.0081	<0.005	0.010	<0.005	<0.010	<0.005
	3-Aug-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	1-Feb-05	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	6-Jul-05	0.0006	<0.0005	0.0013	<0.0005	<0.0005	0.0011
	5-Jan-06	<0.0005	<0.0005	0.0018	<0.0005	<0.0005	0.0015
	28-Feb-07	0.0006	<0.0005	0.0016	<0.0005	<0.0005	0.0014
	22-Aug-07	NA	NA	NA	NA	NA	NA
	20-Feb-08	<0.0005	<0.0005	0.0010	<0.0005	<0.0005	0.0011
	21-Aug-08	NA	NA	NA	NA	NA	NA
10-Feb-09	<0.0005	<0.0005	0.0013	<0.0005	<0.0005	0.0017	
11-Aug-09	NA	NA	NA	NA	NA	NA	
1-Feb-10	0.0007	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	
4-Aug-10	NA	NA	NA	NA	NA	NA	
10-Feb-11	NA	NA	NA	NA	NA	NA	
GW-5	27-Aug-99	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010	< 0.0010
	20-Jan-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	27-Apr-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	5-Aug-10	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
GW-6A Split	27-Aug-99	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	27-Aug-99	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	25-Jan-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
27-Apr-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
GW-7	15-Jul-99	< 0.0005	< 0.0005	0.004	< 0.0005	< 0.0005	0.001
	15-Jul-99	< 0.0020	< 0.0020	0.004	< 0.0020	< 0.0020	< 0.0020
	Split 15-Jul-99	< 0.0020	< 0.0020	0.004	< 0.0020	< 0.0020	< 0.0020
GW-8	19-Jul-99	0.024	0.015	0.004	0.002	0.001	< 0.0005
	20-Jan-00	0.150	0.190	0.053	0.012	0.005	< 0.0007
	20-Jan-00	0.150	0.180	0.052	0.011	0.005	< 0.0005
	Split 28-Apr-00	0.120	0.110	0.029	0.005	0.002	< 0.0005
Monitoring wells owned by TOSCO							
MW-11	25-Jan-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	28-Apr-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	10-Aug-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	1-Nov-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	31-Jan-01	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	27-Apr-01	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	27-Jul-01	0.002	0.001	0.006	< 0.0005	< 0.0005	< 0.0005
	19-Oct-01	<0.0050	<0.0050	<0.0050	<0.0050	<0.1000	<0.0050
	31-Jan-02	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0100 ^b	<0.0050 ^b
	16,17-Apr-02	<0.0050	<0.0050	<0.0050	<0.0050	<0.010	<0.0050
	17,18-Jul-02	<0.005	<0.005	<0.005	<0.005	<0.01	<0.005
	22,23-Oct-02	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	18-Feb-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	30-Jul-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	28-Jan-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	3-Aug-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	1-Feb-05	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	5-Jul-05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jan-06	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jul-06	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	28-Feb-07	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-07	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	19-Feb-08	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-08	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	10-Feb-09	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	12-Aug-09	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	1-Feb-10	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
5-Aug-10	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
10-Feb-11	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Monitoring wells installed by LFR							
LFR-1	9-Aug-00	2.80	0.064	0.041	< 0.0083	< 0.0083	< 0.0083
	30-Oct-00	0.82	0.034	0.010	< 0.0031	< 0.0031	< 0.0031
	Split 30-Oct-00	0.87	0.035	0.014	< 0.0031	< 0.0031	< 0.0031
	29-Jan-01	0.77	0.026	0.007	<0.0025	<0.0025	<0.0025
	26-Apr-01	0.44	0.013	0.005	<0.0013	<0.0013	<0.0013
	27-Jul-01	0.38	0.031	0.010	<0.0013	<0.0013	<0.0013
	18-Oct-01	0.78	0.093	<0.0310	<0.0310	<0.0630	<0.0310
	31-Jan-02	0.37 ^b	0.035 ^b	<0.0130 ^b	<0.0130 ^b	<0.0250 ^b	<0.0130 ^b
	16,17-Apr-02	0.38	0.040	<0.0130	<0.0130	<0.0250	<0.0130
	17,18-Jul-02	0.36	0.041	<0.013	<0.013	<0.025	<0.013
	22,23-Oct-02	0.18	0.024	0.007	<0.005	<0.010	<0.005
	18-Feb-03	0.28	0.032	<0.005	<0.005	<0.010	<0.005
	30-Jul-03	0.15	0.027	0.007	<0.005	<0.010	<0.005
	29-Jan-04	0.15	0.023	0.0077	<0.0063	<0.013	<0.0063
	4-Aug-04	0.058	0.016	0.0052	<0.005	<0.010	<0.005
	2-Feb-05	0.089	0.0079	0.0072	<0.005	<0.010	<0.005
	6-Jul-05	0.096	0.0260	0.0049	<0.0005	<0.0005	<0.0005
	6-Jan-06	0.062	0.0076	0.0010	<0.0005	<0.0005	<0.0005
	6-Jul-06	0.0078	0.0410	0.001	<0.0005	<0.0005	<0.0005
	1-Mar-07	0.098	0.0099	0.0017	<0.0005	<0.0005	<0.0005
	23-Aug-07	0.170	0.073	0.036	0.0066	0.0005	<0.0005
	19-Feb-08	0.130	0.051	0.021	0.0048	<0.001	<0.001
	22-Aug-08	0.084	0.047	0.014	0.0039	<0.0005	<0.0005
	9-Feb-09	0.100	0.020	0.0031	<0.001	<0.001	<0.001
	11-Aug-09	0.082	0.039	0.011	0.0028	<0.0005	<0.0005
	1-Feb-10	0.110	0.032	0.0048	0.0011	<0.0005	<0.0005
	5-Aug-10	0.074	0.036	0.011	0.0035	<0.0005	<0.0005
10-Feb-11	0.076	0.032	0.0073	0.0026	<0.0005	<0.0005	

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
LFR-2 split	11-Aug-00	< 0.0005	< 0.0005	0.035	< 0.0005	0.005	< 0.0005
	2-Nov-00	< 0.0005	< 0.0005	0.130	0.001	0.015	0.001
	29-Jan-01	<0.0005	<0.0005	0.006	<0.0005	0.002	<0.0005
	27-Apr-01	0.001	<0.0005	0.006	<0.0005	0.001	<0.0005
	27-Jul-01	0.001	0.001	0.019	<0.0005	<0.0005	<0.0005
	18-Oct-01	<0.0071	<0.0071	0.160	<0.0071	<0.0140	<0.0071
	27-Apr-01	0.001	<0.0005	0.007	<0.0005	0.002	<0.0005
	31-Jan-02	<0.0050 ^b	<0.0050 ^b	0.0069 ^b	<0.0050 ^b	<0.0100 ^b	<0.0050 ^b
	16,17-Apr-02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	17,18-Jul-02	<0.005	<0.005	0.012	<0.005	<0.01	<0.005
	22,23-Oct-02	<0.005	<0.005	0.066	<0.005	<0.010	<0.005
	18-Feb-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	30-Jul-03	<0.005	<0.005	0.011	<0.005	<0.010	<0.005
	4-Aug-04	<0.005	<0.005	0.012	<0.005	<0.010	<0.005
	1-Feb-05	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	5-Jul-05	<0.0005	<0.0005	0.0012	<0.0005	<0.0005	<0.0005
	5-Jan-06	<0.0005	<0.0005	0.0007	<0.0005	<0.0005	<0.0005
	5-Jul-06	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	28-Feb-07	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	22-Aug-07	<0.0005	<0.0005	0.078	<0.0005	0.0098	<0.0005
20-Feb-08	<0.0005	<0.0005	0.014	<0.0005	0.004	<0.0005	
21-Aug-08	<0.0083	<0.0005	1.40	0.0083	0.089	0.0009	
10-Feb-09	<0.0017	<0.0017	0.33	0.0023	0.032	<0.0017	
11-Aug-09	<0.0008	<0.0008	0.12	<0.0008	0.013	<0.0008	
1-Feb-10	<0.0005	<0.0005	0.027	<0.0005	0.0057	<0.0005	
5-Aug-10	<0.0017	<0.0017	0.067	<0.0017	0.0085	<0.0017	
10-Feb-11	<0.001	<0.001	0.025	<0.001	0.0047	<0.001	
LFR-3 Split	10-Aug-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	10-Aug-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	1-Nov-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	30-Jan-01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	27-Apr-01	0.002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	27-Jul-01	0.002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	18-Oct-01	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	31-Jan-02	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0050 ^b	<0.0100 ^b	<0.0050 ^b
	16,17-Apr-02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	17,18-Jul-02	<0.005	<0.005	<0.005	<0.005	<0.01	<0.005
	22,23-Oct-02	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	19-Feb-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	30-Jul-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	29-Jan-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	3-Aug-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	2-Feb-05	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	5-Jul-05	0.011	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	9-Dec-05	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	6-Jan-06	0.0031	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	5-Jul-06	0.023	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
1-Mar-07	0.020	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
22-Aug-07	0.0039	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
20-Feb-08	0.0020	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
22-Aug-08	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
9-Feb-09	0.0015	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
11-Aug-09	0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
1-Feb-10	0.0012	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
5-Aug-10	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
10-Feb-11	0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
LFR-4	11-Aug-00	< 0.0005	< 0.0005	0.001	< 0.0005	< 0.0005	< 0.0005
	31-Oct-00	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
	30-Jan-01	<0.0005	<0.0005	0.001	<0.0005	< 0.0005	< 0.0005
	27-Apr-01	<0.0005	<0.0005	0.002	<0.0005	<0.0005	<0.0005
	27-Jul-01	0.001	<0.0005	0.002	<0.0005	<0.0005	<0.0005
	16,17-Apr-02	<0.0050	<0.0050	<0.0050	<0.0050	<0.0100	<0.0050
	17,18-Jul-02	<0.005	<0.005	<0.005	<0.005	<0.01	<0.005
	22,23-Oct-02	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	19-Feb-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	30-Jul-03	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
LFR-4 cont.	29-Jan-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	4-Aug-04	NA	NA	NA	NA	NA	NA
	5-Jul-05	0.0011	<0.0005	0.0026	<0.0005	<0.0005	<0.0005
	5-Jul-06	<0.0005	<0.0005	0.0022	<0.0005	0.0007	<0.0005
	1-Mar-07	<0.0005	<0.0005	0.0033	<0.0005	0.0006	<0.0005
	22-Aug-07	NA	NA	NA	NA	NA	NA
	20-Feb-08	NA	NA	NA	NA	NA	NA
	21-Aug-08	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	10-Feb-09	<0.0005	<0.0005	0.0007	<0.0005	<0.0005	<0.0005
	11-Aug-09	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	1-Feb-10	NA	NA	NA	NA	NA	NA
	5-Aug-10	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	10-Feb-11	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Monitoring wells installed by SOMA							
SOMA-1	19-Oct-01	<0.0050	<0.0050	0.014	<0.0050	<0.0100	<0.0050
	31-Jan-02	0.0056 ^b	<0.0050 ^b	0.0070 ^b	<0.0050 ^b	<0.0100 ^b	0.0057 ^b
	16,17-Apr-02	0.006	<0.0050	0.007	<0.0050	<0.0100	<0.0050
	17,18-Jul-02	<0.005	<0.005	0.016	<0.005	<0.01	<0.005
	22,23-Oct-02	0.008	<0.005	0.041	<0.005	<0.010	0.007
	19-Feb-03	0.009	<0.0071	0.016	<0.0071	<0.014	<0.0071
	30-Jul-03	0.016	<0.005	0.042	<0.005	<0.010	0.006
	29-Jan-04	0.019	<0.005	0.044	<0.005	<0.010	0.0059
	3-Aug-04	0.019	<0.013	0.038	<0.013	<0.025	<0.013
	1-Feb-05	0.022	<0.017	0.028	<0.017	<0.033	<0.017
	5-Jul-05	0.041	0.0026	0.051	<0.0017	<0.0017	0.0046
	5-Jan-06	0.019	0.0013	0.028	<0.0005	<0.0005	0.0026
	5-Jul-06	0.037	0.0028	0.057	<0.002	<0.002	0.0037
	28-Feb-07	0.079	0.0062	0.170	<0.002	<0.002	0.0067
	22-Aug-07	0.062	0.0060	0.170	0.0022	<0.002	0.0035
	20-Feb-08	0.075	0.0058	0.180	0.0022	<0.002	0.0025
	21-Aug-08	0.110	0.0085	0.250	<0.0025	<0.0025	0.0031
	10-Feb-09	0.085	0.0067	0.290	0.0028	<0.0025	0.0035
	12-Aug-09	0.059	0.0063	0.220	<0.0025	<0.0025	<0.0025
2-Feb-10	0.046	0.0052	0.180	<0.0025	<0.0025	<0.0025	
5-Aug-10	0.050	0.0047	0.170	<0.0036	<0.0036	<0.0036	
10-Feb-11	0.046	0.0045	0.180	<0.0025	<0.0025	<0.0025	
SOMA-2	19-Oct-01	1.400	0.350	5.000	<0.250	<0.500	<0.250
	31-Jan-02	<0.071 ^b	<0.071 ^b	1.8 ^b	<0.071 ^b	<0.140 ^b	<0.071 ^b
	16,17-Apr-02	<0.130	<0.130	2.900	<0.130	<0.250	<0.130
	17,18-Jul-02	<0.063	<0.063	1.600	<0.063	<0.13	<0.063
	22,23-Oct-02	0.017	0.008	0.350	<0.0071	<0.014	<0.0071
	19-Feb-03	<0.017	<0.017	0.790	<0.017	<0.033	<0.017
	29-Jul-03	0.032	<0.020	0.580	<0.040	<0.040	<0.020
	28-Jan-04	0.036	<0.017	0.430	<0.017	<0.033	<0.017
	4-Aug-04	<0.031	<0.031	0.430	<0.031	<0.063	<0.031
	2-Feb-05	<0.310	<0.310	6.100	<0.310	<0.630	<0.310
	6-Jul-05	0.078	0.047	5.200	0.044	<0.025	<0.025
	9-Jan-06	<0.042	<0.042	7.30	0.049	<0.042	<0.042
	6-Jul-06	<0.042	<0.042	5.400	0.046	<0.042	<0.042
	1-Mar-07	<0.042	<0.042	5.100	<0.042	<0.042	<0.042
	23-Aug-07	<0.042	0.110	5.400	0.042	<0.042	<0.042
	20-Feb-08	0.200	0.360	16.00	0.100	<0.100	<0.100
	25-Mar-08	6.400	2.500	20.00	0.130	<0.130	<0.130
	21-Aug-08	0.620	0.870	15.00	0.160	<0.0063	<0.0063
	10-Feb-09	0.170	0.390	5.90	<0.05	<0.05	<0.05
	11-Aug-09	FP	FP	FP	FP	FP	FP
2-Feb-10	<0.013	<0.013	1.90	0.018	<0.013	<0.013	
6-Aug-10	<0.02	<0.02	2.40	0.023	<0.02	<0.02	
11-Feb-11	0.130	0.086	1.40	<0.01	<0.01	<0.01	

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
SOMA-3	19-Oct-01	0.042	0.057	0.440	<0.025	<0.050	<0.025
	31-Jan-02	0.018 ^b	0.023 ^b	0.38 ^b	<0.013 ^b	<0.025 ^b	<0.013 ^b
	16,17-Apr-02	0.025	0.018	0.36	<0.017	<0.033	<0.017
	17,18-Jul-02	0.027	<0.017	0.44	<0.017	<0.033	<0.017
	22,23-Oct-02	<0.170	<0.170	5.90	<0.170	<0.330	<0.170
	19-Feb-03	<0.130	<0.130	4.10	<0.130	<0.250	<0.130
	29-Jul-03	0.150	0.220	4.70	<0.130	<0.250	<0.130
	29-Jan-04	<0.310	<0.310	7.70	<0.310	<0.630	<0.310
	4-Aug-04	<0.500	<0.500	6.90	<0.500	<1.0	<0.500
	2-Feb-05	<0.063	<0.063	1.10	<0.063	<0.130	<0.063
	6-Jul-05	0.031	0.014	0.89	0.0067	0.0011	0.0032
	6-Jan-06	0.025	0.0094	0.77	0.005	0.001	0.0026
	6-Jul-06	0.015	0.0064	0.370	<0.005	<0.005	<0.005
	1-Mar-07	0.015	<0.005	0.270	<0.005	<0.005	<0.005
	23-Aug-07	0.280	0.060	2.900	0.010	<0.005	<0.005
	20-Feb-08	0.041	0.062	5.300	0.068	<0.031	<0.031
21-Aug-08	0.160	0.030	2.100	0.019	<0.013	<0.013	
10-Feb-09	0.024	0.014	1.800	0.013	<0.013	<0.013	
12-Aug-09	0.0078	0.0036	0.170	<0.0036	<0.0036	<0.0036	
2-Feb-10	<0.0083	<0.0083	1.50	<0.0083	<0.0083	<0.0083	
6-Aug-10	<0.013	<0.013	1.60	<0.013	<0.013	<0.013	
11-Feb-11	<0.01	<0.01	1.00	<0.01	<0.01	<0.01	
SOMA-4	19-Oct-01	<0.13	<0.13	2.600	<0.13	<0.25	<0.13
	31-Jan-02	FP	FP	FP	FP	FP	FP
	16,17-Apr-02	FP	FP	FP	FP	FP	FP
	17,18-Jul-02	FP	FP	FP	FP	FP	FP
	22,23-Oct-02	FP	FP	FP	FP	FP	FP
	18-Feb-03	FP	FP	FP	FP	FP	FP
	29-Jul-03	FP	FP	FP	FP	FP	FP
	10-Feb-09	<0.005	<0.005	0.830	0.0051	<0.005	<0.005
	SOMA-4R	12-Aug-09	0.0015	<0.001	0.099	<0.001	<0.001
2-Feb-10		<0.002	<0.002	0.360	0.00350	<0.002	<0.002
6-Aug-10		<0.0031	<0.0031	0.310	<0.0031	<0.0031	<0.0031
11-Feb-11		<0.002	<0.002	0.079	<0.002	<0.002	<0.002
SOMA-5	4-Aug-04	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	2-Feb-05	<0.005	<0.005	<0.005	<0.005	<0.010	<0.005
	6-Jul-05	<0.0025	<0.0025	0.0057	<0.0025	<0.0025	<0.0025
	9-Jan-06	<0.0025	0.0067	0.430	0.027	<0.0025	<0.0025
	6-Jul-06	<0.0005	<0.0005	0.0035	<0.0005	<0.0005	<0.0005
	1-Mar-07	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	23-Aug-07	NA	NA	NA	NA	NA	NA
	20-Feb-08	NA	NA	NA	NA	NA	NA
	21-Aug-08	NA	NA	NA	NA	NA	NA
	10-Feb-09	NA	NA	NA	NA	NA	NA
	11-Aug-09	NA	NA	NA	NA	NA	NA
1-Feb-10	NA	NA	NA	NA	NA	NA	
6-Aug-10	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
11-Feb-11	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
MPE-1	12-Aug-09	0.0039	0.012	0.880	0.0053	<0.0005	<0.0005
	2-Feb-10	0.0240	0.052	0.330	0.0062	<0.0002	<0.0002
	6-Aug-10	0.0170	0.021	0.077	0.0057	<0.0005	<0.0005
	11-Feb-11	0.0079	0.0051	0.054	0.0025	<0.0005	<0.0005
MPE-2	12-Aug-09	<0.0013	<0.0013	0.150	0.0013	<0.0013	0.0016
	1-Feb-10	FP	FP	FP	FP	FP	FP
	5-Aug-10	FP	FP	FP	FP	FP	FP
	11-Feb-11	<0.001	<0.001	0.057	<0.001	<0.001	<0.001
MPE-3	11-Aug-09	FP	FP	FP	FP	FP	FP
	1-Feb-10	FP	FP	FP	FP	FP	FP
	5-Aug-10	FP	FP	FP	FP	FP	FP
	11-Feb-11	0.0006	<0.0005	0.029	<0.0005	<0.0005	<0.0005

Table 5
Historical Analytical Results For Volatile Organic Compound Analyses in
Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	PCE (mg/L)	TCE (mg/L)	cis-1,2-DCE (mg/L)	trans-1,2-DCE (mg/L)	Vinyl Chloride (mg/L)	1,2-DCP (mg/L)
MPE-4	12-Aug-09	<0.0005	<0.0005	0.083	0.0021	<0.0005	<0.0005
	2-Feb-10	0.0006	0.0016	0.092	0.0032	<0.0005	<0.0005
	6-Aug-10	<0.0005	0.0007	0.075	0.0017	<0.0005	<0.0005
	11-Feb-11	<0.0005	<0.0005	0.038	0.0014	<0.0005	<0.0005
MPE-5	12-Aug-09	<0.001	<0.001	0.14	0.0045	<0.001	<0.001
	2-Feb-10	<0.001	0.0021	0.16	0.0062	<0.001	<0.001
	6-Aug-10	<0.0005	<0.0005	0.10	0.0038	<0.0005	<0.0005
	11-Feb-11	<0.001	<0.001	0.078	0.0028	<0.001	<0.001

Notes:

<: Not detected above the laboratory reporting limits.

^b analysis was carried out past hold date, no analytical problems were encountered

FP: Not Analyzed due to Free Product

NA: Not Analyzed.

During First and Second Semi-annual 2009 events SOMA-5 had insufficient groundwater for sampling

During Second Semi-annual 2009 event GW-4 had insufficient groundwater for sampling

MPE-1 through MPE-5 were installed May 2009

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)
B-7	11-Aug-00						11.0	193	
B-7-field	11-Aug-00	0.63		-1.0	3.0				
	31-Oct-00	0.62	2.6	< 0.10	< 1.0	11.00	2.4		-3
B-7-field	31-Oct-00	0.25		0.4	-1.0	15.85		-63	
	1-Feb-01	0.78	2.2	0.8	<1.0	15.00	13.0		
B-7-field	31-Jan-01	0.48						28	
B-7 Field	26-Apr-01	0.60	1.7	2.5	5.0	>3.3	7.6	-28	
B-7 Field	26-Jul-01	1.98	7.3	0.0	8.0	11.60	7.0	-40	
B-8 field	31-Jan-01	0.45						58	
B-8R	12-Aug-09	0.17	15.3	0.0	0.0	0.00	5.4	-41.4	
	2-Feb-10	0.37	10.2	6.5	12.0	3.30	4.6	-21.2	
	6-Aug-10	0.43	14.4	0.0	0.0	1.50	6.2	-72.3	
	11-Feb-11	0.45	NM	NM	NM	NM	3.4	-85.6	
B-10	10-Aug-00			< 0.05	< 0.05	5.70	10.0	213	
B-10-field	10-Aug-00	0.44		-1.0	-2.0				
	31-Oct-00	2.40	1.4	< 0.10	< 1.0	5.90	6.7		0.81
B-10-field	31-Oct-00	0.44		0.0	0.0	7.60		-22	
	31-Jan-01	6.40	1.3	< 0.10	<2.0	7.70	24.0		1.3
B-10-field	31-Jan-01	0.46						64	
B-10 Field	11-Jun-01	0.90	0.0	0	0	1.25	3.9	-8	NM
B-10 Field	26-Jun-01	1.87	1.3	0	3	6.20	5.6	-22	
	6-Jul-05	9.53	41.1	35	80	3.30	2.2	12	
	9-Jan-06	3.39	13.6	0	0	3.30	10.0	10	
	6-Jul-06	10.62	0.0	0	0	3.30	11	-104	
	1-Mar-07	10.53	1.8	0	0	3.30	0.25	-76.3	
	23-Aug-07	NM	NM	NM	NM	NM	NM	NM	
	20-Feb-08	NM	0.70	7.20	11.00	3.30	6.30	NM	
	25-Mar-08	NM	NM	NM	NM	NM	7.40	NM	
	21-Aug-08	0.25	12.40	12.10	16.00	3.30	2.90	-60.20	
	10-Feb-09	0.18	10.50	5.70	80.00	2.68	2.00	-65.70	
B-10R	12-Aug-09	0.19	47.00	12.30	80.00	3.12	1.00	-102.80	
	2-Feb-10	0.29	3.40	0.00	80.00	3.30	2.10	-49.60	
	6-Aug-10	0.39	13.80	2.40	7.00	2.49	2.60	-88.10	
	11-Feb-11	0.35	15.20	0.00	0.00	0.00	1.10	-43.10	
GW-2-field	1-Nov-00	2.32						77	
GW-2	1-Feb-01	3.80					0.0410		
GW-2-field	1-Feb-01	0.58						159	
	26-Apr-01	4.00	1.0	7.1	36	0.02	0.0002	152	NM
	26-Jul-01	1.93	0.0	3.9	60	0.00	0.0160	233	
GW-2 field	Not En. Sample						0.0009		
	31-Jan-02	2.80	0.0	0.8	45	0.36	0.0069	179	NM
	16,17-Apr-02	1.76	0.0	4.7	70	0.09	0.0003	198	
	17,18-Jul-02	1.39	0.6	0.0	69	0.00	0.0021	161	
	22,23-Oct-02	3.86	0.6	11.5	40	0.07	0.0007	166	

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)	
GW-2	19-Feb-03	7.24	0.1	10.3	49	0.03	0.0012	169		
	29-Jul-03	4.21	0.2	0.0	44	0.00	0.0007	47		
	28-Jan-04	6.02	0.0	3.3	56	0.00	0.00046	143		
	4-Aug-04	8.27	0.0	0.0	27	0.00	0.00035	115		
	2-Feb-05	8.41	0.0	0.0	40	0.00	<0.0050	76		
	6-Jul-05	10.90	0.0	5.3	51	0.00	<0.005	90		
	6-Jan-06	8.11	2.4	0.0	44	0.00	<0.005	86		
	6-Jul-06	9.71	0.3	0.0	53	0.00	<0.005	86		
	28-Feb-07	6.51	1.5	14.4	48	0.12	<0.005	33.5		
	22-Aug-07	NM	NM	NM	NM	NM	NM	NM	NM	
	20-Feb-08	NM	NM	NM	NM	NM	NM	NM	NM	
	22-Aug-08	0.12	0.00	0.00	29.00	0.00	<0.005	114.80		
	9-Feb-09	0.14	1.30	3.40	66.00	0.11	<0.005	10.40		
	11-Aug-09	1.03	1.10	6.80	69.00	0.00	<0.005	30.20		
1-Feb-10	1.08	0.80	0.40	41.00	0.00	<0.005	122.40			
5-Aug-10	1.15	1.70	2.90	52.00	0.00	<0.005	39.70			
10-Feb-11	1.29	0.20	2.40	43.00	0.06	<0.005	15.10			
GW-3	11-Aug-00						< 0.0005	395		
GW-3-field	11-Aug-00	0.72		1.0	46					
GW-3-field	1-Nov-00	7.76						81		
GW-3-field	29-Jan-01	8.80					0.0120			
	1-Feb-01	8.99						235	NM	
GW-3 field	27-Apr-01	2.90	0.0	0.7	30	0.00	0.0150	212	NM	
	26-Jul-01	2.48	0.0	2.4	52	0.12	0.0083	214		
GW-3 field	18-Oct-01	3.76	0.0	5.2	4.9	0.00	0.0041	131	NM	
	31-Jan-02	3.70	0.2	1.3	52	0.00	0.0081	163		
	16,17-Apr-02	7.55	0.0	4.2	59	0.00	0.0006	133		
	17,18-Jul-02	3.50	0.0	0.0	47	0.22	0.0100	155		
	22,23-Oct-02	2.19	0.0	1.6	33	0.00	0.0007	178		
	19-Feb-03	5.28	0.4	4.0	43	0.02	0.0007	123		
	29-Jul-03	6.12	0.0	0.0	31	0.00	0.0005	96		
	28-Jan-04	4.21	0.0	0.8	61	0.00	0.00042	141		
	3-Aug-04	10.20	0.0	0.0	41	0.00	0.00028	84		
	2-Feb-05	3.97	0.5	0.0	12	0.00	<0.0050	84		
	6-Jul-05	7.96	2.9	0.5	52	0.00	<0.005	67		
	6-Jan-06	5.22	0.0	0.0	4	0.00	<0.005	61		
	6-Jul-06	5.69	3.1	0.0	31	0.00	<0.005	63		
1-Mar-07	7.27	0.6	4.3	15	0.00	<0.005	50.4			
23-Aug-07	4.79	1.9	7.8	33	0.17	<0.005	178.3			
20-Feb-08	0.22	0.0	35.0	0	0.00	<0.0065	71.1			
22-Aug-08	0.12	0.3	0.0	4	0.00	<0.005	135.5			
9-Feb-09	0.13	1.4	2.8	36	0.02	<0.005	-6.1			
11-Aug-09	0.50	0.0	1.3	34	0.02	<0.005	17.5			
1-Feb-10	0.99	1.3	0.3	26	0.24	<0.005	126.5			
5-Aug-10	1.31	3.5	1.1	43	0.00	<0.005	49.1			
10-Feb-11	1.12	0.5	0.0	41	0.00	0.011	3.9			
GW-4-field	30-Jan-01	0.83						67		
GW-4-field	26-Jul-01	2.59	0.2	10.5	25	1.29	0.0028	-3		
GW-4-field	18-Oct-01	1.00	0.1	0.0	0	4.80	4.80	-84	NM	
GW-4	31-Jan-02	0.90	0.8	0.0	0	8.00	3.50	-91		
	16,17-Apr-02	0.41	0.1	5.2	0	5.70	4.70	-2		
	17,18-Jul-02	2.38	3.0	0.0	0	>3.3	4.60	-68		
	22,23-Oct-02	NM	NM	NM	NM	NM	0.30	NM		
	19-Feb-03	7.76	0.4	5.4	0	3.30	2.30	-57		
	30-Jul-03	5.38	6.1	0.0	0	3.30	1.30	-141		

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)	
GW-4	28-Jan-04	2.17	5.9	0.0	0	3.30	0.22	-73		
	3-Aug-04	10.35	0.9	0.0	0	3.30	3.20	-113		
	1-Feb-05	2.97	0.8	0.0	0	1.53	1.20	93		
	6-Jul-05	9.17	1.9	9.8	20	1.07	0.84	128		
	5-Jan-06	7.62	3.4	0.0	0	3.30	3.40	110		
	28-Feb-07	5.26	1.1	0.0	0	3.30	3.90	-119.5		
	22-Aug-07	NM	NM	NM	NM	NM	NM	NM		
	20-Feb-08	0.23	0.60	0.00	0.00	3.30	2.50	-108.70		
	21-Aug-08	NM	NM	NM	NM	NM	NM	NM		
	10-Feb-09	0.13	8.00	2.30	8.00	3.30	2.40	-19.40		
	11-Aug-09	NM	NM	NM	NM	NM	NM	NM		
	1-Feb-10	0.97	5.80	1.80	24.00	3.30	1.40	-21.00		
	4-Aug-10	NM	NM	NM	NM	NM	NM	NM		
	10-Feb-11	NM	NM	NM	NM	NM	NM	NM		
MW-11	10-Aug-00			2.8	63	< 0.1	< 0.0005	476		
	MW-11-field	10-Aug-00		4.1	67					
		1-Nov-00	4.10	< 0.010	15.0	90	< 0.1	0.0000		130
	MW-11-field	1-Nov-00	4.01		3.3	73	0.00		87	
	MW-11-field	1-Nov-00	3.97		27.3	74	0.00		319	
		31-Jan-01	6.30	< 0.010	15.0	94	< 1.0	0.0001		1.1
	MW-11 Field	26-Apr-01	7.40	0.0	6.8	52	0.00	0.0014	229	NM
	MW-11 Field	26-Jul-01	1.85	0.0	5.2	77	0.00	0.0049	233	
	MW-11 Field	18-Oct-01	5.58	0.0	10.1	NM	0.00	0.0066	155	NM
		31-Jan-02	4.90	0.0	2.8	79	0.00	0.0077	218	
		16,17-Apr-02	3.18	0.0	2.8	88	0.00	0.0092	242	
		17,18-Jul-02	2.82	0.0	4.1	79	0.00	0.0088	357	
		22,23-Oct-02	4.47	0.0	3.7	69	0.00	0.0025	118	
		18-Feb-03	5.65	0.6	2.3	73	0.00	0.0022	304	
		30-Jul-03	3.80	0.1	0.0	54	0.00	0.0010	224	
		28-Jan-04	7.32	0.0	0.0	80	0.00	0.0200	130	
		3-Aug-04	10.40	0.0	0.0	77	0.00	0.0028	185	
		1-Feb-05	6.99	1.7	0.0	52	0.00	<0.0050	91	
		5-Jul-05	10.38	1.2	0.0	80	0.00	<0.005	125	
		5-Jan-06	6.21	0.0	0.0	65	0.00	<0.005	166	
		5-Jul-06	8.35	5.9	0.0	80	0.00	<0.005	35	
		28-Feb-07	6.68	0.4	0.0	41	0.63	<0.005	12.9	
		22-Aug-07	3.07	3.5	0.0	54	0.00	<0.005	237	
		19-Feb-08	0.23	0.8	0.0	27	0.00	<0.0065	48	
		22-Aug-08	0.10	1.9	0.0	35	0.00	<0.005	67.60	
		10-Feb-09	0.25	0.6	0.0	50	0.02	<0.005	34.40	
		12-Aug-09	1.39	0.6	1.6	52	0.06	<0.005	2.30	
	1-Feb-10	1.29	0.0	0.2	80	0.03	<0.005	104.80		
	5-Aug-10	1.10	0.0	0.0	80	0.07	<0.005	67.10		
	10-Feb-11	1.22	0.0	0.0	57	0.32	<0.005	33.80		
LFR-1	9-Aug-00							462		
	LFR-1-field	11-Aug-00					0.0096			
		9-Aug-00	3.63		5.5	30				1.5
		30-Oct-00	2.70	0.0	39.0	42	< 1.0	0.0004		
	LFR-1-field/split	30-Oct-00	2.95		10.3/10.0	29/29	0.01/0.01		77	1
	LFR-1 split	30-Oct-00	3.40	0.0	40.0	43.0	< 1.0	0.0007		
		29-Jan-01	5.10	<0.01	<0.10	51	<1.0	0.0001		0.43
	LFR-1-field	29-Jan-01	3.78	0.0		36	0.00		383	
	LFR-1 Dup	29-Jan-01	4.60	<0.01	<0.10	50	<1.0	0.0000		0.32
	26-Apr-01	3.20	0.0	12.9	16	0.00	0.0003	224	NM	
	26-Jul-01	1.07	0.0	8.0	25	0.01	0.0084	238		

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)
LFR-1 field LFR-1	18-Oct-01	1.03	0.0	6.9	24	0.18	0.0054	119	NM
	31-Jan-02	1.80	0.3	5.5	31	0.00	0.0062	163	
	16,17-Apr-02	1.68	0.3	1.5	38	0.39	0.0030	240	
	17,18-Jul-02	0.00	0.0	6.1	3	0.07	0.0047	209	
	22,23-Oct-02	0.00	0.4	0.0	23	0.15	0.0008	265	
	18-Feb-03	7.76	0.0	4.3	30	0.00	0.0008	260	
	30-Jul-03	0.58	0.3	0.0	10	0.00	0.0004	190	
	29-Jan-04	3.12	0.5	0.0	57	0.00	0.0011	19	
	4-Aug-04	6.26	5.8	0.0	17	0.00	0.0010	62	
	2-Feb-05	5.24	0.0	0.0	1	0.00	0.0120	93	
	6-Jul-05	8.53	0.2	2.5	40	0.00	<0.005	110	
	6-Jan-06	5.43	3.9	0.0	5	0.00	0.025	161	
	6-Jul-06	9.93	0.4	0.0	6	0.00	<0.005	99	
	1-Mar-07	5.00	5.2	4.5	42	0.04	<0.005	62.9	
	23-Aug-07	0.88	2.7	4.7	23	0.15	<0.005	215	
	19-Feb-08	0.20	0.0	0.0	11	0.00	<0.0065	43.9	
22-Aug-08	0.14	6.7	0.0	0	0.00	0.0059	119.2		
9-Feb-09	0.14	4.9	0.0	23	0.00	<0.005	12.2		
11-Aug-09	0.14	5.6	2.4	23	0.00	<0.005	15.3		
1-Feb-10	0.48	0.8	0.6	31	0.41	<0.005	124.5		
5-Aug-10	0.47	1.8	5.8	36	0.36	<0.005	37.4		
10-Feb-11	0.43	0.6	3.3	34	0.00	<0.005	8.1		
LFR-2	11-Aug-00						6.60	270	
LFR-2-field	11-Aug-00	0.48		1.5	-1.0	2.70			1200
	2-Nov-00	2.20	8.8	0.3	5.4	5.30	8.50		
LFR-2-field	2-Nov-00	0.47		0.5	-1.0	6.05		-24	
	30-Jan-01	4.40	8.9	1.0	8.3	4.60	4.60		1.1
LFR-2-field	30-Jan-01	0.61	10.7	2.9		1.02		210	
	27-Apr-01	1.40	0.4	1.6	1.0	2.66	14.00	9	NM
	26-Jul-01	0.55	0.2	0.0	0.0	4.50	10.00	-20	
LFR-2 field	18-Oct-01	0.43	0.0	0.0	0.0	6.50	11.00	-75	NM
	31-Jan-02	1.00	0.0	2.6	19.0	1.81	11.00	-14	
	16,17-Apr-02	0.00	0.0	1.7	0.0	7.20	16.00	-6	
	17,18-Jul-02	0.00	13.9	0.0	0.0	7.20	9.60	-64	
	22,23-Oct-02	0.00	10.7	0.5	0.0	3.30	4.70	-82	
	18-Feb-03	0.42	9.0	0.0	0.0	3.30	9.60	-53	
	30-Jul-03	0.00	3.0	0.0	0.0	3.30	8.70	-85	
	4-Aug-04	4.78	1.6	0.0	0.0	3.30	6.20	-93	
	1-Feb-05	1.77	12.1	0.0	0.0	1.79	11.00	69	
	5-Jul-05	4.21	18.2	0.0	0.0	3.30	11.00	-60	
	5-Jan-06	3.53	3.8	0.0	3.0	3.30	14.00	-29	
	5-Jul-06	7.70	4.3	0.0	0.0	3.30	10.00	-136	
	28-Feb-07	3.03	4.2	0.0	0.0	3.30	11.00	-89.9	
	22-Aug-07	0.11	22.7	0.0	0.0	3.30	6.60	-24.0	
	20-Feb-08	0.20	0.0	0.0	0.0	0.76	4.70	-69.5	
	21-Aug-08	0.13	21.4	0.0	0.0	3.30	5.80	-66.1	
	10-Feb-09	0.16	24.0	0.2	0.0	3.30	3.70	-62.2	
	11-Aug-09	0.16	35.5	3.6	7.0	2.88	3.10	-138.1	
	1-Feb-10	0.37	21.4	0.0	0.0	3.30	7.70	-18.9	
	5-Aug-10	0.29	NM	NM	NM	NM	4.90	-83.7	
10-Feb-11	0.30	NM	NM	NM	NM	NM	8.90	-65.5	

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)
LFR-3	10-Aug-00			2.4	64	< 0.1	0.0005	464	
LFR-3 split	10-Aug-00							< 0.0005	
LFR-3-field	10-Aug-00	1.30		2.4	64				850
	1-Nov-00	4.70	0.0	8.8	74	< 1.0	0.0003		
LFR-3-field	1-Nov-00	0.58		1.8	57	0.00		75	
	31-Jan-01	4.10	<0.01	1.2	58	< 1.0	0.0004		
LFR-3-field	30-Jan-01	1.75		0.0	44	0.00		195	
LFR-3 Field	11-Jun-01	1.00	0.0	0.8	28	0.00	0.0086	201	NM
LFR-3 Field	26-Jul-01	1.29	0.4	0.0	51	0.60	0.0035	228	
LFR-3 Field	18-Oct-01	0.54	0.0	0.8	30	0.11	0.0093	139	NM
	31-Jan-02	0.80	0.4	2.6	32	0.00	0.0072	212	
	16,17-Apr-02	0.19	0.4	0.0	55	0.79	0.0096	228	
	17,18-Jul-02	0.00	0.2	1.7	42	0.00	0.0068	166	
	22,23-Oct-02	0.11	0.5	0.0	36	0.00	0.0035	186	
	19-Feb-03	1.10	0.5	0.0	19	0.54	0.0069	217	
	30-Jul-03	0.17	0.1	0.0	21	0.00	0.0069	167	
	29-Jan-04	1.39	0.0	0.0	0	3.30	0.0011	64	
	3-Aug-04	5.14	3.9	0.0	8	0.00	0.0054	175	
	2-Feb-05	2.74	0.0	0.0	0	0.00	<0.005	94	
	5-Jul-05	7.59	0.5	35.0	80	3.29	<0.005	85	
	6-Jan-06	3.52	1.8	0.0	23	0.67	<0.005	151	
	5-Jul-06	5.47	1.1	0.0	40	0.00	<0.005	56	
	1-Mar-07	3.78	1.6	5.3	12	0.72	<0.005	42.7	
	22-Aug-07	1.70	4.0	0.0	9	0.44	<0.005	192	
	20-Feb-08	0.22	6.2	0.0	0	0.00	<0.0065	58.9	
	22-Aug-08	0.14	1.5	0.0	0	0.00	<0.005	140.4	
	9-Feb-09	0.13	0.0	2.3	44	0.00	<0.005	-41.0	
	11-Aug-09	0.12	4.6	0.0	32	0.00	<0.005	-27.6	
	1-Feb-10	0.32	1.3	1.3	44	0.37	<0.005	101.8	
	5-Aug-10	0.63	0.6	0.0	45	0.00	<0.005	53.7	
	10-Feb-11	0.76	0.0	0.0	29	0.03	<0.005	10.9	
LFR-4	11-Aug-00						0.06	402	
LFR-4-field	11-Aug-00	1.13		0.7	1	0.14			1.1
	31-Oct-00	1.90	2.2	< 0.10	2.9	1.10	3.20		
LFR-4-field	31-Oct-00	0.64		1.0		0.61		-80	
	1-Feb-01	3.20	2.8	1.5	2.8	1.80	2.20		1.5
LFR-4-field	1-Feb-01	0.55	4.5	8.0	0.0	1.50		59	
LFR-4 Field	27-Apr-01	5.60	0.0	1.7	0.0	1.37	7.00	14	NM
LFR-4 Field	26-Jul-01	1.65	0.0	0.0	0.0	0.84	1.20	18	
	16,17-Apr-02	0.00	1.0	2.6	6.0	4.80	12.00	-4	
	17,18-Jul-02	0.79	6.8	0.0	0.0	>3.3	2.80	3	
	22,23-Oct-02	0.00	4.0	0.0	0.0	2.55	1.30	-63	
	19-Feb-03	0.50	6.8	0.0	18	3.30	4.40	-41	
	30-Jul-03	0.28	5.1	0.0	0.0	3.30	3.90	-49	
	29-Jan-04	1.64	5.0	0.0	0.0	0.52	4.00	1	
	4-Aug-04	NM	NM	NM	NM	NM	NM	NM	
	5-Jul-05	5.22	2.8	0.0	0.0	3.30	5.40	61	
	5-Jul-06	9.70	5.9	0.0	0.0	3.30	9.20	-98	
	1-Mar-07	3.97	1.7	0.0	0.0	3.30	3.00	-50	
	22-Aug-07	NM	NM	NM	NM	NM	NM	NM	
	19-Feb-08	NM	NM	NM	NM	NM	NM	NM	
	21-Aug-08	0.14	4.40	0.00	0.00	3.20	6.20	-0.70	
	10-Feb-09	0.18	28.10	0.00	0.00	2.18	4.40	-30.60	
	11-Aug-09	0.44	10.10	0.00	0.00	2.65	1.80	-29.70	
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	
	5-Aug-10	0.38	5.30	0.00	0.00	3.17	NM	-15.90	
	10-Feb-11	0.44	6.20	0.00	0.00	2.51	4.10	-36.20	

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)
SOMA-1	18-Oct-01	4.19	0.3	0.2	33	0.52	0.12	151	NM
	31-Jan-02	0.40	0.0	0.0	18	0.00	0.58	141	NM
	16,17-Apr-02	0.00	0.0	0.6	31	0.10	0.82	213	
	17,18-Jul-02	0.00	0.0	1.8	28	0.05	0.44	149	
	22,23-Oct-02	0.00	0.7	0.0	4	0.00	0.68	131	
	18-Feb-03	5.12	0.4	0.0	1	0.00	0.41	258	
	30-Jul-03	0.00	0.4	0.0	1	0.00	0.99	74	
	29-Jan-04	0.29	0.5	0.0	13	0.47	0.85	133	
	3-Aug-04	4.44	0.0	0.0	25	0.00	0.50	152	
	1-Feb-05	1.57	0.1	0.0	0.0	0.00	0.83	137	
	5-Jul-05	7.58	0.5	0.0	16	0.21	1.50	72	
	5-Jan-06	5.82	0.0	0.0	6	0.00	0.60	156	
	5-Jul-06	6.79	1.8	0.0	13	0.00	1.10	66	
	28-Feb-07	2.13	10.1	0.0	12	0.00	2.50	37.3	
	22-Aug-07	0.14	3.3	0.0	9	0.39	0.79	177.0	
	20-Feb-08	0.22	0.2	0.0	0	0.00	0.65	57.1	
	21-Aug-08	0.12	0.1	0.0	0	0.00	0.67	202.7	
10-Feb-09	0.15	8.0	0.6	22	0.20	1.20	22.7		
11-Aug-09	0.20	23.0	0.0	10	0.06	0.86	-20.8		
2-Feb-10	0.63	3.0	0.6	20	0.00	0.79	78.9		
5-Aug-10	0.77	7.6	0.0	18	0.00	0.83	28.1		
10-Feb-11	0.91	13.0	0.0	19	0.00	0.34	23.4		
SOMA-2	18-Oct-01	0.57	0.0	0.4	0.0	40.00	6.60	-89	NM
	31-Jan-02	0.70	3.8	0.8	0.0	9.00	13.00	103	NM
	16,17-Apr-02	0.00	0.5	0.1	0.0	7.40	14.00	-69	
	17,18-Jul-02	0.00	5.7	0.0	0.0	>3.3	9.40	-87	
	22,23-Oct-02	0.35	1.7	2.8	15	3.30	2.20	-98	
	19-Feb-03	3.17	1.9	1.7	0.0	2.89	2.40	-72	
	30-Jul-03	2.71	1.0	0.0	0.0	0.83	1.00	-53	
	28-Jan-04	4.52	0.2	0.0	0.0	1.46	1.70	-8	
	4-Aug-04	7.06	0.4	0.0	0.0	0.31	1.40	-33	
	2-Feb-05	1.17	8.4	0.0	0.0	3.30	13.00	-95	
	6-Jul-05	5.67	1.1	0.0	0.0	3.30	11.00	-66	
	9-Jan-06	3.01	15.7	5.6	0.0	3.30	15.00	-60	
	6-Jul-06	8.92	7.4	0.0	0.0	3.30	14.00	-85	
	1-Mar-07	6.42	8.7	0.0	0.0	3.30	12.00	-137	
	23-Aug-07	0.43	0.0	0.0	0.0	2.87	8.60	-31.6	
	20-Feb-08	0.25	2.9	0.0	0.0	3.30	11.00	-79.6	
	25-Mar-08	NM	NM	NM	NM	NM	9.10	NM	
	21-Aug-08	0.26	3.10	0.00	0.00	3.30	7.50	-65.40	
	10-Feb-09	0.18	30.30	0.00	80.00	3.30	2.50	-100.60	
	11-Aug-09	NM	NM	NM	NM	NM	NM	NM	
2-Feb-10	0.63	9.60	6.00	0.00	3.30	1.40	-45.40		
6-Aug-10	0.73	13.80	1.50	0.00	3.30	2.60	-90.40		
11-Feb-11	0.71	10.50	14.80	3.00	1.56	0.62	-73.90		
SOMA-3	18-Oct-01	1.32	0.0	0.0	33	0.22	1.00	2	NM
	31-Jan-02	1.00	22.0	2.0	54	0.62	0.46	-71	NM
	16,17-Apr-02	2.60	0.0	0.6	42	0.77	0.41	29	
	17,18-Jul-02	0.97	10.9	0.0	23	>3.3	0.94	-51	
	22,23-Oct-02	0.30	2.7	0.1	7	3.26	4.20	-98	
	19-Feb-03	0.18	0.0	0.0	0.0	3.30	9.00	-88	
	30-Jul-03	0.00	2.0	0.0	0.0	3.30	8.70	-106	
	29-Jan-04	2.30	3.5	0.0	0.0	3.30	8.40	-85	
	4-Aug-04	5.35	0.0	0.0	0.0	3.30	6.50	-105	
	2-Feb-05	3.66	0.3	0.0	0.0	0.00	2.70	-73	
	6-Jul-05	9.65	0.7	0.0	0.0	0.77	2.50	84	
	6-Jan-06	2.20	2.9	0.0	0.0	0.40	3.10	86	
	6-Jul-06	10.52	0.5	0.0	0.0	0.37	1.40	-58	
	1-Mar-07	5.03	0.5	0.0	0.0	0.80	1.40	-51.9	
	23-Aug-07	9.68	0.0	0.0	35.0	0.28	2.70	11.8	
	20-Feb-08	0.25	34.2	12.1	49.0	3.30	6.50	59.3	
	21-Aug-08	0.30	0.0	0.0	0.0	0.00	1.60	27.3	

Table 6
Historical In-Situ and Ex-Situ Analyses Results for Bioattenuation Parameters
in Groundwater Samples
at the Former Glovatorium Site
3820 Manila Avenue, Oakland, California

Well Name	Date Sampled	Dissolved Oxygen (mg/L)	Dissolved Manganese (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Methane* (mg/L)	ORP	Hydrogen (nanoMoles)
SOMA-3 cont.	10-Feb-09	0.20	0.8	0.0	25.0	0.80	0.83	34.2	
	12-Aug-09	2.28	2.6	0.9	19.0	0.71	0.20	4.3	
	2-Feb-10	1.22	6.4	0.0	22.0	1.61	1.20	9.5	
	6-Aug-10	1.23	0.5	0.0	48.0	0.46	1.50	-8.7	
	11-Feb-11	1.27	0.4	0.0	55.0	0.84	0.74	-26.1	
SOMA-4	18-Oct-01	0.83	4.0	22.0	17	0.22	1.20	88	NM
	10-Feb-09	0.17	7.1	0.4	80.0	2.83	2.20	-104.9	
SOMA-4R	12-Aug-09	0.23	7.4	2.1	2.0	2.47	1.00	-138.1	
	2-Feb-10	0.39	12.4	0.0	35.0	3.30	2.00	-134.7	
	6-Aug-10	0.57	27.6	4.1	3.0	3.30	4.10	-114.6	
	11-Feb-11	0.47	NM	NM	NM	NM	1.80	-73.1	
SOMA-5	4-Aug-04	5.65	0.0	0.0	0.0	0.23	1.70	-143	
	2-Feb-05	2.40	1.5	0.0	0.0	3.30	3.00	-81	
	6-Jul-05	8.91	20.9	0.0	0.0	3.30	20.00	-113	
	9-Jan-06	3.24	15.2	0.0	0.0	3.30	10.00	-141	
	6-Jul-06	10.54	0.0	0.0	0.0	0.82	6.90	-129	
	1-Mar-07	NM	NM	NM	NM	NM	NM	NM	
	23-Aug-07	NM	NM	NM	NM	NM	NM	NM	
	20-Feb-08	NM	NM	NM	NM	NM	NM	NM	
	21-Aug-08	NM	NM	NM	NM	NM	NM	NM	
	10-Feb-09	0.18	63.4	0.0	0.0	1.64	NM	-119.4	
	12-Aug-09	NM	NM	NM	NM	NM	NM	NM	
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	
	6-Aug-10	NM	NM	NM	NM	NM	NM	NM	
	11-Feb-11	NM	1.60	0.00	31.00	0.00	0.046	-65.20	
MPE-1	12-Aug-09	0.64	NM	NM	NM	NM	0.09	0.2	
	2-Feb-10	0.57	19.7	0.0	80.0	0.52	0.035	7.7	
	6-Aug-10	0.68	8.5	0.0	37.0	1.48	0.020	-69.2	
	11-Feb-11	0.63	NM	NM	NM	NM	0.0094	22.0	
MPE-2	12-Aug-09	0.11	NM	NM	NM	NM	1.70	-41.5	
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	
	5-Aug-10	NM	NM	NM	NM	NM	NM	NM	
	11-Feb-11	0.43	12.20	1.30	8.00	3.30	0.99	-80.20	
MPE-3	11-Aug-09	NM	NM	NM	NM	NM	NM	NM	
	1-Feb-10	NM	NM	NM	NM	NM	NM	NM	
	5-Aug-10	NM	NM	NM	NM	NM	NM	NM	
	11-Feb-11	0.48	15.20	0.00	25.00	2.36	4.50	-73.20	
MPE-4	12-Aug-09	0.19	9.1	0.0	20.0	1.21	1.70	-66.9	
	2-Feb-10	0.42	8.7	0.0	5.0	2.74	3.20	-81.4	
	6-Aug-10	0.50	NM	NM	NM	NM	3.80	-66.2	
	11-Feb-11	0.60	0.4	0.0	0.0	1.91	2.00	-71.7	
MPE-5	12-Aug-09	0.19	26.7	0.0	0.0	0.00	2.80	-117.0	
	2-Feb-10	0.48	46.7	0.0	18.0	3.30	4.40	-80.7	
	6-Aug-10	0.69	14.4	0.0	0.0	1.60	4.40	-78.2	
	11-Feb-11	0.71	11.5	0.0	0.0	3.30	3.70	-75.5	

Notes:

Samples with "field" in the well number indicate that the results are from field measurements obtained using a Hach spectrophotometer or a Hydrolab Quanta flow-through instrument.

since April 2001, field measurements have been obtained by a Hach Calorimeter

* Methane was measured by Laboratory.

Since the First Quarter 2005, Curtis & Tompkins has analyzed for methane.

NM: Not Measured.

During First and Second Semi-annual 2009 events SOMA-5 had insufficient groundwater for sampling

During Second Semi-annual 2009 event GW-4 had insufficient groundwater for sampling

MPE-1 through MPE-5 were installed May 2009

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
SOMA-4			
2002			
31-Jan-2002	11.30	8.80	2.50
10-Apr-2002	12.45	9.58	2.87
29-Apr-2002	13.00	9.80	3.20
10-Sep-2002	16.75	10.26	6.49
19-Sep-2002	16.32	10.64	5.68
27-Sep-2002	16.59	10.65	5.94
3-Oct-2002	16.95	11.65	5.30
7-Oct-2002	17.40	11.01	6.39
8-Oct-2002	17.11	10.75	6.36
14-Oct-2002	17.51	10.53	6.98
25-Oct-2002	16.90	10.96	5.94
1-Nov-2002	15.59	11.70	3.89
14-Nov-2002	16.24	11.20	5.04
20-Nov-2002	13.44	11.90	1.54
15-Dec-2002	12.73	12.10	0.63
2003			
18-Jul-2003	17.70	7.20	10.50
2004			
28-Jan-2004	12.00	2.90	9.10
2005			
29-Jun-2005	10.40	10.10	0.30
18-Jul-2005	10.35	9.90	0.45
25-Jul-2005	10.75	10.00	0.75
1-Aug-2005	10.87	9.25	1.62
24-Aug-2005	13.47	9.95	3.52
31-Aug-2005	11.15	10.01	1.14
6-Sep-2005	12.98	10.78	2.20
12-Sep-2005	11.15	9.10	2.05
19-Sep-2005	12.90	10.80	2.10
5-Oct-2005	12.80	10.85	1.95
2006			
4-Jan-2006	12.50	8.60	3.90
12-Jan-2006	13.10	10.30	2.80
18-Jan-2006	13.64	10.50	3.14
24-Jan-2006	9.20	9.19	0.01
24-Jan-2006	began extracting free product using GeoTech pump		
26-Jan-2006	9.67	9.66	0.01
13-Feb-2006	10.24	10.23	0.01
27-Feb-2006	9.72	9.70	0.02
10-Mar-2006	8.90	8.70	0.20
20-Mar-2006	7.80	7.70	0.10
30-Mar-2006	8.30	8.20	0.10

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
SOMA-4			
2006			
6-Apr-2006	7.01	6.65	0.36
18-Apr-2006	moved GeoTech pump from SOMA-4 to B-8		
1-May-2006	7.60	7.56	0.04
10-May-2006	8.64	8.63	0.01
22-May-2006	8.53	8.40	0.13
1-Jun-2006	8.64	8.61	0.03
7-Jun-2006	8.86	8.82	0.04
19-Jun-2006	9.39	9.38	0.01
27-Jun-2006	10.54	10.46	0.08
2006			
13-Jul-2006	10.75	10.15	0.60
24-Jul-2006	11.05	10.16	0.89
3-Aug-2006	12.02	10.32	1.70
14-Aug-2006	13.08	9.88	3.20
14-Aug-2006	began extracting free product using GeoTech pump		
25-Aug-2006	13.95	10.70	3.25
28-Aug-2006	11.50	10.73	0.77
9-Sep-2006	14.23	10.75	3.48
13-Sep-2006	12.95	10.70	2.25
27-Sep-2006	15.78	11.00	4.78
2006			
4-Oct-2006	14.61	11.26	3.35
11-Oct-2006	14.25	10.75	3.50
1-Nov-2006	17.23	10.92	6.31
22-Nov-2006	14.98	10.53	4.45
30-Nov-2006	15.16	10.29	4.87
8-Dec-2006	13.54	11.30	2.24
11-Dec-2006	12.24	10.66	1.58
2007			
8-Jan-2007	11.15	10.78	0.37
12-Jan-2007	10.79	10.38	0.41
16-Jan-2007	11.00	11.00	0.00
24-Jan-2007	11.10	10.83	0.27
31-Jan-2007	11.02	10.44	0.58
8-Feb-2007	11.50	10.64	0.86
14-Feb-2007	9.60	9.25	0.35
22-Feb-2007	9.94	9.81	0.13
9-Mar-2007	9.73	9.53	0.20
16-Mar-2007	10.02	10.01	0.01
22-Mar-2007	9.93	9.91	0.02
26-Mar-2007	10.67	10.67	0.00
26-Mar-2007	Moved GeoTech pump from SOMA-4 to B-8		

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
SOMA-4			
2007			
4-Apr-2007	10.56	10.39	0.17
9-Apr-2007	10.71	10.60	0.11
17-May-2007	16.05	15.32	0.73
21-May-2007	16.06	15.30	0.76
31-May-2007	16.31	15.31	1.00
8-Jun-2007	16.73	16.09	0.64
11-Jun-2007	16.85	16.02	0.83
20-Jun-2007	16.44	15.62	0.82
29-Jun-2007	16.63	15.90	0.73
2-Jul-2007	16.73	16.15	0.58
12-Jul-2007	17.30	16.64	0.66
12-Jul-2007	Installed new GeoTech pump system in SOMA-4 and began extraction of free product from both wells.		
20-Jul-2007	16.94	-	0.00
25-Jul-2007	16.61	16.58	0.03
7-Aug-2007	18.52	18.49	0.03
7-Aug-2007	FP recovery pump in SOMA-4 well not operating due to unknown internal fault; removed and returned to supplier for repair.		
16-Aug-2007	17.65	-	0.00
22-Aug-2007	18.04	-	0.00
30-Aug-2007	18.21	-	0.00
7-Sep-2007	17.96	-	0.00
14-Sep-2007	18.05	-	0.00
21-Sep-2007	17.90	-	-
29-Nov-2007	17.54	-	-
21-Dec-2007	17.04	-	-
2008			
4-Jan-2008	15.94	15.84	0.10
11-Jan-2008	15.23	14.72	0.51
14-Jan-2008	15.48	15.00	0.48
22-Jan-2008	15.79	15.35	0.44
23-Jan-2008	Geopump serviced by EI		
29-Jan-2008	15.66	15.54	0.12
4-Feb-2008	14.75	14.80	0.05
7-Feb-2008	14.95	14.92	0.03
12-Feb-2008	15.75	15.72	0.03
26-Feb-2008	16.19	16.02	0.17

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
SOMA-4			
2008			
4-Mar-2008	16.27	16.13	0.14
17-Mar-2008	16.65	16.56	0.09
25-Mar-2008	16.97	16.88	0.09
5-Aug-2008	13.95	13.55	0.40
21-Aug-2008	13.82	13.22	0.60
2-Sep-2008		Begin MPE Pilot Test	
11-Sep-2008	14.00	13.60	0.40
19-Sep-2008	14.25	13.40	0.85
26-Sep-2008	14.01	13.10	0.91
2-Oct-2008	14.00	13.00	1.00
9-Oct-2008	14.00	12.95	1.05
24-Oct-2008	13.20	13.09	0.11
No FP observed since then			
B-8			
2001			
18-Oct-2001	12.31	10.21	2.10
2002			
31-Jan-2002	6.79	6.29	0.50
10-Apr-2002	8.22	8.08	0.14
29-Apr-2002	8.55	8.45	0.10
3-Oct-2002	10.40	9.64	0.76
7-Oct-2002	10.37	8.79	1.58
8-Oct-2002	10.28	9.68	0.60
14-Oct-2002	10.30	9.69	0.61
22-Oct-2002	10.39	9.70	0.69
2003			
18-Jul-2003	9.40	9.17	0.23
2005			
29-Jun-2005	11.50	11.25	0.25
18-Jul-2005	10.90	10.10	0.80
25-Jul-2005	10.92	10.20	0.72
1-Aug-2005	10.85	9.85	1.00
24-Aug-2005	10.35	10.10	0.25
31-Aug-2005	10.48	10.10	0.38
6-Sep-2005	10.86	10.59	0.27
12-Sep-2005	10.59	10.00	0.59
19-Sep-2005	11.20	10.60	0.60
5-Oct-2005	11.30	10.50	0.80
2006			
4-Jan-2006	9.50	8.00	1.50
12-Jan-2006	11.40	10.20	1.20
18-Jan-2006	11.93	11.00	0.93
24-Jan-2006	8.65	8.65	0.00
26-Jan-2006	8.72	8.70	0.02
13-Feb-2006	8.82	8.59	0.23
27-Feb-2006	8.81	8.61	0.20
10-Mar-2006	7.45	6.85	0.60
20-Mar-2006	7.90	7.20	0.70
30-Mar-2006	7.88	7.00	0.88

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
B-8			
2006			
6-Apr-2006	7.91	7.90	0.01
18-Apr-2006	began extracting free product using GeoTech pump		
1-May-2006	8.34	8.31	0.03
22-May-2006	9.51	8.92	0.59
1-Jun-2006	9.81	9.30	0.51
7-Jun-2006	10.24	9.51	0.73
14-Jun-2006	10.58	9.73	0.85
27-Jun-2006	9.04	8.92	0.12
27-Jun-2006	removed GeoTech pump from well		
13-Jul-2006	9.61	9.30	0.31
24-Jul-2006	9.70	9.26	0.44
3-Aug-2006	10.01	9.05	0.96
14-Aug-2006	10.41	9.69	0.72
25-Aug-2006	10.60	9.64	0.96
28-Aug-2006	10.62	9.80	0.82
7-Sep-2006	10.68	9.73	0.95
13-Sep-2006	10.65	9.78	0.87
27-Sep-2006	11.03	10.23	0.80
4-Oct-2006	11.00	10.20	0.80
11-Oct-2006	10.68	9.73	0.95
1-Nov-2006	11.39	10.24	1.15
22-Nov-2006	11.53	9.78	1.75
30-Nov-2006	11.64	9.25	2.39
8-Dec-2006	11.53	9.76	1.77
11-Dec-2006	11.44	9.68	1.76
2007			
8-Jan-2007	11.56	9.33	2.23
12-Jan-2007	11.58	9.33	2.25
16-Jan-2007	11.59	9.49	2.10
24-Jan-2007	11.77	9.70	2.07
31-Jan-2007	11.76	9.62	2.14
8-Feb-2007	11.92	9.71	2.21
14-Feb-2007	10.91	7.61	3.30
22-Feb-2007	11.46	8.54	2.92
9-Mar-2007	11.34	8.20	3.14
16-Mar-2007	11.53	8.60	2.93
22-Mar-2007	11.72	8.71	3.01
26-Mar-2007	11.71	8.81	2.90
26-Mar-2007	Started extracting free product from well B-8. Moved GeoTech pump from SOMA-4 to B-8		

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
B-8			
2007			
4-Apr-2007	10.71	9.67	1.04
9-Apr-2007	10.83	9.91	0.92
17-May-2007	13.98	13.22	0.76
21-May-2007	13.98	13.20	0.78
31-May-2007	14.78	13.90	0.88
8-Jun-2007	15.44	14.72	0.72
11-Jun-2007	15.50	14.80	0.70
20-Jun-2007	15.43	14.80	0.63
29-Jun-2007	15.20	15.15	0.05
2-Jul-2007	15.32	15.29	0.03
12-Jul-2007	16.03	15.92	0.11
20-Jul-2007	15.95	15.85	0.10
25-Jul-2007	15.90	15.82	0.08
7-Aug-2007	17.18	17.12	0.06
16-Aug-2007	16.87	-	0.00
22-Aug-2007	17.16	-	0.00
30-Aug-2007	17.68	-	0.00
7-Sep-2007	17.10	-	0.00
14-Sep-2007	17.09	-	0.00
21-Sep-2007	17.00	-	-
29-Nov-2007	16.47	-	-
21-Dec-2007	14.18	-	-
2008			
4-Jan-2008	13.69	-	-
11-Jan-2008	10.69	10.68	0.01
14-Jan-2008	11.25	11.23	0.02
22-Jan-2008	13.18	-	0.00
23-Jan-2008		Geopump serviced by EI	
29-Jan-2008	10.68	-	0.00
4-Feb-2008	10.09	-	0.00
7-Feb-2008	10.26	10.24	0.02
12-Feb-2008	11.24	11.21	0.03
26-Feb-2008	10.85	NA	0.00
4-Mar-2008	12.97	NA	0.00
17-Mar-2008	14.92	NA	0.00
25-Mar-2008	15.41	NA	NA
5-Aug-2008	13.19	NA	NA
21-Aug-2008	13.02	NA	NA
No FP observed since then			

Table 7
Free Product Removal Log
Former Glovatorium Site
3820 Manila Avenue, Oakland, CA

Date	Depth to Water (feet)	Depth to Free Product (feet)	Thickness of Free Product (feet)
B-10			
2008			
20-Feb-2008	11.75	8.99	2.76
26-Feb-2008	9.94	8.37	1.57
4-Mar-2008	9.23	9.21	0.02
17-Mar-2008	9.9	9.87	0.03
25-Mar-2008	10.15	10.12	0.03
5-Aug-2008	11.03	10.96	0.07
21-Aug-2008	11.03	10.86	0.17
2-Sep-2008		Begin MPE Pilot Test	
3-Sep-2008	11.51	11.33	0.18
11-Sep-2008	13.93	12.55	1.38
19-Sep-2008	12.87	12.10	0.77
24-Oct-2008	11.33	NA	NA
No FP observed since then			
SOMA-2			
2008			
20-Feb-2008	10	9.29	0.71
25-Mar-2008	10.67	10.02	0.65
5-Aug-2008	11.38	10.84	0.46
21-Aug-2008	11.36	10.76	0.6
2-Sep-2008		Begin MPE Pilot Test	
3-Sep-2008	11.62	11.3	0.32
5-Sep-2008	11.77	11.42	0.35
24-Sep-2008	12.87	12.25	0.62
30-Sep-2008	12.6	11.9	0.7
6-Oct-2008	12.32	11.66	0.66
16-Oct-2008	12.6	11.85	0.75
24-Oct-2008	11.42	NA	NA
2009			
11-Aug-2009	12.69	12.51	0.18
No FP observed since then			
MPE-2			
2009			
2-Jun-2009	12.72	11.85	0.87
3-Jun-2009	11.9	11.70	0.2
2010			
1-Feb-2010	10.89	10.65	0.24
4-Aug-2010	14.57	12.13	2.44
2011			
1-Feb-2011	13.65	13.35	0.3
10-Feb-2011	No FP observed during First Semi-annual 2011 groundwater monitoring event		
MPE-3			
2009			
2-Jun-2009	11.55	11.50	0.05
3-Jun-2009	11.39	11.31	0.08
11-Aug-2009	11.33	11.19	0.14
2010			
1-Feb-2010	9.31	8.97	0.34
4-Aug-2010	12.51	11.67	0.84

Golden Gate Remediation Technology		SITE ADDRESS: 3820 Manila Ave, Oakland, California																PROJECT #: 2515	
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
12/17/08	700	carbon change out, prep. system and extraction wells to continue pilot test																	
	1300	begin extraction from SOMA-2, SOMA-4, B-8, and B-10																	
	1330	166	56	23	-	25.75	0.17	1.7	23	0	6	54	5,769	939	4.1	3.5	3,904		
	1430	166	58	23	-	25.75	0.17	1.7	23	0	6	62	6,000	977	4.0	2.4	3,967		
12/18/08	1000	system down upon arrival, main timer = 1253.1, approximate shut down at 0800,																	
		inspection revealed - magnetic contactor connected to xfer pump short circuited, temporary alternate route created until repair/replacement of contactor																	
	1330	restart system																	
	1400	168	62	23		25.75	0.17	1.7	23	0	6	60	10,300	1,677	3.0	0.0	4,502		
	1430	168	64	23		25.75	0.19	1.7	24	0	6	64	9,600	1,563	3.6	2.0	4,502		
	1530	168	60	23.5		26	0.15	1.4	21	0	5	66	5,375	875	3.0	1.0	4,522		
		shutdown system to replace magnectic contactor, system remain off overnight to allow groundwater to recharge, insufficient water being extracted to allow xfer pump to run																	
12/19/08	900	restart system after inspection of treatment system																	
	1000	168	59	24		26.25	0.135	1.6	20	0	5	60	6,300	1,026	3.4	1.6	4,620		
	1100	168	59	24		26.25	0.135	1.6	20	0	5	64	4,214	686	2.8	1.9	4,620		
	1200	168	57	24		26.25	0.135	1.6	20	0	5	66	3,475	566	2.9	1.7	4,620		
	1300	166	57	24.5		26.5	0.12	1.4	19	0	5	66	3,000	488	2.5	1.0	4,620		
	1430	166	59	24		26.5	0.13	1.6	20	0	5	70	3,035	494	0.7	1.1	4,620		
	1500	166	59	23		26.5	0.12	1.5	19	0	5	70	2,730	444	2	3	4,620		
12/22/08	900	166	51	24		26	0.15	1.6	21	0	5	62	1,575	256	0.0	0.0	4,620		
	1100	166	58	22		25	0.28	2	29	0	7	64	1,898	309	0.0	0.0	4,620		
	1230	166	59	22		25	0.3	2.2	30	0	8	64	2,490	405	0.0	0.0	4,620		
	1330	166	62	22		25	0.3	2.2	30	0	8	66	2,095	341	0.0	0	4,620		
	1400	166	60	22		25	0.3	2.2	30	0	8	66	1,941	316	0.0	0	4,620		
12/23/08	930	166	57	22		25	0.3	2.2	30	0	8	64	1,714	279	0.0	0	4,620	227	
	1030	166	57	22		25	0.3	2.2	30	0	8	62	2,560	417	0.0	0.0	4,620		
	1130	166	59	22		25	0.3	2.2	30	0	8	64	1,666	271	0.0	0	4,620		
	1330	166	59	22		25	0.3	2.2	30	0	8	66	1,805	294	0.0	0.0	4,620		
12/24/08	1000	166	59	22		25	0.3	2.2	30	0	8	66	1,844	300	0.0	0.0	4,620		
	1200	166	59	22		25	0.3	2.2	30	0	8	68	1,680	273	0.0	0.0	4,620		
		shutdown system due to rain and expected rain over weekend																	

Table 8: MPE Pilot Test Operational data

DATE		TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEERING VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC	
12/29/08			1000	restarted system after initial inspection of system and wells																	
		1100	168	61	22		25	0.3	2.2	30	0	8	58	1,820	296	0.0	0.0	4,640			
		1300	168	63	22		25	0.3	2.2	30	0	8	66	1,653	269	0.0	0.0	4,958			
		1400	168	63	22		25	0.32	2.2	31	0	8	70	1,507	245	0.0	0.0	4,958			
12/30/08			930	168	56	22		25	0.32	2.2	31	0	8	68	1,775	289	0.0	0.0	5,414		
		1030	168	61	22		25	0.32	2.2	31	0	8	68	1,815	295	0.0	0.0	5,414			
		1130	168	61	22		25	0.32	2.2	31	0	8	70	1,623	264	0.0	0.0	5,414			
		1230	168	61	22		25	0.32	2.2	31	0	8	70	1,596	260	0.0	0.0	5,414			
		1330	168	61	22		25	0.32	2.2	31	0	8	70	1,470	239	0.0	0.0	5,414			
12/31/08			1000	168	53	22		25	0.32	2.2	31	0	8	62	1,645	268	1.0	0.0	5,577		
		1200	168	58	22		25	0.32	2.2	31	0	8	64	1,835	299	0.0	0.0	5,577			
		1400	168	60	22		25	0.32	2.2	31	0	8	68	1,644	268	0.0	0.0	5,632			
		1500	shut down system for holiday and long weekend																		
1/5/09			800	restart system, extraction from only B-10																	
		830	168	56	21.75		24.5	0.38	2.3	35	0	9	50	2,400	390	0.0	0.0	5,632			
		900	168	56	21.25		24.25	0.34	2.5	33	0	8	54	2,395	174	1.0	1.0	5,632			
		1100	168	56	21		24	0.46	2.5	38	0	9	60	1,070	174	0.0	0.0	5,632			
		extraction from B-10 and SOMA-2 began and continued overnight																			
1/6/09			1000	168	58	21		24.25	0.48	2.6	38	0	10	66	6,250	1,017	5.0	3.0	5,632		
		1200	168	58	21		24.25	0.48	2.6	38	0	10	66	5,290	861	1.0	0.0	5,632			
		extraction from B-10, SOMA-2, and SOMA-4 began and continued overnight																			
		1400	168	64	20		24	0.5	2.6	39	0	10	68	7,345	1,196	0.0	0.0	6,374			
1/7/09			700	168	59	20		24	0.6	2.8	43	0	11	66	7,215	1,175	30.0	1.0	6,988		
		730	shut down system for carbon change out of 1000 lb vessel on vapor side																		
		930	restart system with extraction from B-10 only																		
		1030	168	58	23.5		25.5	0.3	2.2	30	0	8	60	7,520	1,224	2.0	8.0	6,988			
		1130	168	56	23.5		25.5	0.3	2	30	0	8	60	5,675	924	3.0	3.0	7,045			
		extraction from B-10, B-8, SOMA-4, and SOMA-2																			
		1230	168	63	21		24.5	0.4	2.3	35	0	9	62	7,360	1,198	1.0	2.0	7,096			
		1430	168	63	20.5		24.5	0.48	2.4	38	0	10	66	8,225	1,339	1.0	1.0	7,157			
1/8/09			1000	168	62	20.5		24	0.52	2.5	40	0	10	70	9,725	1,583	0.0	0.0	7,988		
		1200	168	61	21		25	0.42	2.3	36	0	9	70	7,180	1,169	0.0	0.0	8,034			
		1400	168	61	21.5		24.5	0.44	2.3	36	0	9	70	6,885	1,121	0.0	0.0	8,034			
		extraction from B-8, SOMA-4, SOMA-2																			
		1500	168	58	24		26	0.18	1.4	23	0	6	70	5,040	820	0.0	0.0	8,034			

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
1/9/09	1200	168	60	24		26.25	0.19	1.4	24	0	6	66	7,500	1,221	83.0	0.0	8,260		
	1400	168	63	24		26.25	0.19	2.2	24	0	6	70	5,370	874	100.0	0.0	8,260		
	1500	168	63	22		25	0.4	2.4	35	0	9	70	4,250	692	142.0	0.0	8,299		
1/12/09	1030	168	69	22		25	0.4	2.4	34	0	9	78	8,690	1,415	400.0	20.0	9,025		
		pause operation to change out 55 gallon polishing vapor drum																	
	1300	restart operation w/ only extraction from B-10																	
	1400	168	74	22		25	0.36	2.3	33	0	8	80	1,580	257	100.0	2.0	9,029		
	1500	168	74	22		25	0.36	2.3	33	0	8	82	1,300	212	101.0	0.0	9,029		
1/13/09	1030	168	72	22		25	0.36	2.3	33	0	8	82	2,250	366	310.0	40.0	9,029		
		pause operation to change out 55 gallon polishing vapor drum																	
	1130	restart operation w/ only extraction from B-10																	
	1230	168	74	23		25.75	0.28	1.8	29	0	7	84	600	98	44	0	9,029		
	1400	168	75	24		26	0.22	1.7	25	0	6	84	601	98	56	0	9,029		
1/14/09	930	system down upon arrival; main timer = 1644.9; approximate shut down at 0930; pressure, temp., or power issues, will observe closely																	
	1030	system remains shut down overnight to allow system to reset/cool down																	
1/15/09	730	change out of 1000 lb vessel for vapor and removal of 2 55 gal vapor drums and drop off of 2 new 55 gal vapor drums																	
	1030	restart system with extraction from B-10, B-8, SOMA-2, SOMA-4																	298
	1100	168	69	23		25.5	0.28	2	29	0	7	64	3,471	565	0	0	9,029		
	1130	168	73	23		25.5	0.28	2	29	0	7	68	2,267	369	0	0	9,029		
	1230	168	74	23		25.5	0.3	2	30	0	7	74	2,002	326	0	0	9,029		
1/16/09	1030	168	66	23		25.5	0.3	2	30	0	7	74	2,911	474	0	0	9,195		
	1100	system shut down due to pressure, temp., or power issue - under observation																	293
	1230	restart system with extraction from B-10, B-8, SOMA-2, SOMA-4																	
	1330	168	75	25		27	0.14	2	20	0	5	76	4,550	741	0	0	9,242		
1/19/09	1000	system down upon arrival; main timer = 1687.2; approximate shut down at 0500 on 1/17/9; pressure, temp., or power issue under observation																	741
	1030	restart system with extraction from SOMA-4, B-8																	
	1200	168	71	23.5		26	0.18	1.6	23	0	6	68	9,211	1,499	0	0	9,514		
	1300	168	73	23.5		26	0.2	1.6	25	0	6	70	10,000	1,628	1	0	9,570		
1/20/09	930	system shut down upon arrival; main timer = 1700; approximate shut down at 2300 1/19/9																	1,628
	1000	restart system with extraction from SOMA-4, B-10																	
	1100	168	67	23		26	0.2	1.6	25	0	6	68	7,830	1,275	0	0	10,019		
	1200	168	71	23		26	0.2	1.6	25	0	6	72	6,946	1,131	1	0	10,075		
	1330	168	73	24		27	0.1	1.3	17	0	4	74	7,400	1,205	0	0	10,075		
1/21/09	930	system shut down upon arrival; main timer = 1710; approximate shut down at 2000 1/20/9																	1,205
	1100	inspection revealed: pressure sensor damage - internal part, diaphragm torn; pressure sensor repaired and system restarted																	

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC	
	1300	168	64	22		25	0.36	2	33	0	8	72	4,934	803	0	0	10,299			
1/22/09	1000	168	59	22		25	0.36	2.2	33	0	8	72	3,775	615	4	0	10,299			
	1100	166	59	22		25	0.36	2.2	33	0	8	72	3,290	536	11	0	10,299			
	1200	168	61	22		25	0.4	2.2	35	0	9	72	2,082	339	16	0	10,299			
1/23/09	1100	166	62	22		25	0.4	2.2	35	0	9	74	808	132	45	0	10,299			
	1200	166	63	21.5		24.25	0.5	2.5	39	0	10	74	810	132	46	0	10,299			
1/26/09	1000	166	55	21.5		24.25	0.5	2.3	39	0	10	64	568	92	45	0	10,299			
	extraction from B-10, B-8, SOMA-2, and SOMA-4 began																			
	1130	166	61	20		24	0.48	2.4	38	0	10	66	8,360	1,361	67	0	10,731			
	1230	166	63	20.25		24.25	0.48	2.4	38	0	10	68	9,064	1,476	92	2	10,805			
1/27/09	1000	system down upon arrival; main timer = 1843.4 H @ ~ 2300																		
	1030	xfer pum shorted causing wires to burn; repaired and rewired xfer pump; restarted system																		
	1130	166	64	20.25		24.25	0.48	2.4	38	0	10	62	13,000	2,116	787	0	11,532			
	shutdown system because xfer pump short circuit and overheat causing xfer pump failure; rerouted effluent piping to GAC																			
	1200	restart system																		
	1300	168	66	20.5		24.5	0.5	2.4	39	0	10	64	11,800	1,921	1,555	1	11,565			
	added 2nd 55 gal carbon drum because exceeding air permit discharge conditions																			
	1400	168	65	20.5		24.5	0.5	2.4	39	0	10	64	9,500	1,547	0	0	11,624			
1/28/09	1000	168	65	20.5		24.5	0.52	2.6	40	0	10	68	8,669	1,411	0	0	12,517			
	1100	168	65	20		24	0.52	2.6	40	0	10	70	7,980	1,299	0	0	12,595			
1/29/09	730	168	64	20		24	0.6	2.8	42	0	11	72	13,444	2,189	80	0	13,373			
	carbon change out of 1000 lb vapor vessel																			
	930	restart system																		
	1030	168	68	20.5		24.5	0.5	2.4	39	0	10	62	13,600	2,214	2	0	13,430			
1/30/09	930	168	65	20.5		24.5	0.48	2.6	38	0	10	64	15,000	2,442	0	0	14,313			
	extraction from SOMA-2 only																			
	1030	168	61	25		27	0.1	0.4	17	0	4	66	8,965	1,394	3	0	14,342			
2/2/09	1230	168	67	24.5		27	0.1	1.2	17	0	4	70	15,000	2,442	0	0	14,992			
	extraction from SOMA-2, SOMA-4, and B-8																			
	1330	168	74	20.5		24.5	0.5	2.4	39	0	10	70	15,000	2,442	0	0	15,021			
	1400	168	72	20		24	0.5	2.6	39	0	10	72	15,000	2,442	0	0	15,050			
2/3/09	1500	168	76	20.5		24	0.5	2.6	38	0	10	80	15,000	2,442	120	30	15,962			
	extraction from B-10 only																			
	1600	168	71	22		24.5	0.5	2.4	38	0	10	80	3,918	638	0	0	15,962			
2/4/09	1300	168	65	22		24.5	0.44	2.4	36	0	9	72	775	126	0	0	15,989			

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																										
MTS OPERATIONAL DATA																										
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEINER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC							
	1400	168	65	22		24.5	0.44	2.4	36	0	9	72	653	106	0	0	15,989									
	1500	168	67	22		24.5	0.44	2.4	36	0	9	72	627	102	0	0	15,989									
2/5/09	1330	168	65	22		24.5	0.44	2.4	36	0	9	70	795	129	0	0	15,989									
	1430	168	65	22		24.5	0.44	2.4	36	0	9	70	672	109	0	0	15,989									
2/6/09	730	168	61	22		24.5	0.44	2.4	36	0	9	68	1,100	179	20	0	15,989									
		carbon change out of 1000 lb vapor vessel																			388					
	930	restart system																								
	1000	168	61	21		24	0.4	2.4	35	0	9	58	785	128	0	0	15,989									
	1030	168	63	21		24	0.42	2.4	36	0	9	62	617	100	0	0	15,989									
2/9/09	1100	168	55	21.5		24	0.42	2.4	36	0	9	62	572	93	0	0	15,989									
		shut down system for ground water monitoring																					397			
2/11/09	930	restart system with SOMA-2, SOMA-4, B-8, and B-10																								
	1000	system shut down, transfer pump failed																					93			
	1130	restart system with extraction from B-10 only, reroute piping to allow discharge of water																								
	1230	168	63	21.5		24	0.44	2.4	37	0	9	50	2,000	326	0	0	15,989									
2/12/09	930	168	55	21.5		24.5	0.44	2.4	37	0	9	60	429	70	0	0	15,989									
		closed B-10; extraction from SOMA-2, SOMA-4, and B-8																					15,989			
	1030	168	60	22		26	0.22	1.8	26	0	6	62	4,500	733	0	0	16,213									
2/13/09	900	168	60	21		24	0.32	2.2	31	0	8	60	7,840	1,276	0	0	16,213									
		extraction from B-8 only																								
	1100	168	58	22		24	0.4	2.4	35	0	9	60	4,100	667	0	0	16,213									
2/16/09	1130	168	60	22		24	0.4	2.4	35	0	9	60	500	81	2	0	16,213									
		shut down system to install new motor for transfer pump																							411	
	1230	restart system; extraction from B-8 only																								
	1330	168	62	22		24	0.4	2.4	35	0	9	60	1,500	244	0	0	16,213									
2/17/09	1000	168	58	22		24	0.4	2.4	35	0	9	60	322	52	0	0	16,213									
	1100	168	57	22		24	0.4	2.4	35	0	9	60	255	42	0	0	16,213									
2/18/09	1000	168	59	22.5		24.5	0.42	2.4	36	0	9	64	240	39	14	7	16,213									
		extraction from SOMA-2 only																								
	1200	168	64	23		25	0.32	2.2	31	0	8	64	1,235	201	10	0	16,213									
2/19/09	1000	168	59	24		26	0.34	2.2	32	0	8	66	775	126	4	0	18,332									
		extraction from SOMA-2, SOMA-4, B-10, and B-8																								
	1100	168	65	22.5		25.5	0.26	2	28	0	7	66	1,750	285	7	0	18,358									
	1200	168	65	22.5		25.5	0.26	2	28	0	7	66	2,082	339	10	0	18,417									
2/20/09	1000	168	64	22.5		25.5	0.28	2	29	0	7	66	2,684	437	40	0	19,272									

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
	1100	168	65	22.5		25.5	0.26	2	28	0	7	70	3,520	573	99	10	19,320		
		change out of 55 gal vapor drum for polishing																	
	1200	168	67	22.5		25.5	0.2	2	25	0	6	65	2,330	379	33	0	19,346		
2/23/09	1000	168	68	22.5		25.5	0.2	2	25	0	6	70			101	8	19,346		
		change out of 55 gal vapor drum for polishing; extraction from B-10 only																	
	1200	168	64	24		26	0.14	2	21	0	5	64	1,385		101	0	19,346		
2/24/09	1000	168	60	25		27	0.14	2	21	0	5	70	242	225	94	0	21,299		
	1100	168	62	25		27	0.12	1.6	19	0	5	70	154	39	88	0	21,302		
	1200	168	63	25		27	0.12	1.6	19	0	5	70	152	25	94	0	21,302		
2/25/09	1000	168	61	25		27	0.1	1.6	17	0	4	64	251	25	83	0	21,302		
	1100	168	64	25		27	0.1	1.6	17	0	4	64	787	41	143	0	21,302		
	1200	168	66	25		27	0.1	1.6	17	0	4	66	580	128	150	0	21,302		
2/26/09	730	168	59	25		27	0.12	1.6	19	0	5	70	270	94	245	0	21,302		
		carbon change out of 1000 lb vapor vessel																	
	930	restart system																	
	1030	168	62	24.5		26.5	0.12	1.4	19	0	5	64	835		0	0	21,302		
	1130	168	67	22		25	0.34	2.4	32	0	8	64	1,200	136	0	0	21,302		
		extraction from SOMA-2, SOMA-4, B-10, and B-8																	
2/27/09	1230	168	62	22		25	0.34	2.4	32	0	8	64	222	36	0	0	21,387		
	1330	168	63	24.5		27	0.1	1.4	17	0	4	66	760	124	0	0	21,505		
	1430	168	64	24.5		27	0.1	1.4	17	0	4	68	982	160	0	0	21,595		
3/2/09	1030	168	65	23		26	0.14	1.4	21	0	5	68	2,721	443	32	0	21,595		
	1130	168	62	24		27	0.1	1	17	0	4	68	4,091	666	100	21	21,595		
	1230	168	61	25		27	0.1	1	18	0	4	60	2,185	356	180	0	21,595		
3/3/09	1100	168	60	25		27	0.1	1	17	0	4	62	1,611	262	6	1	21,595		
	1200	168	60	25		27	0.1	1	17	0	4	62	1,020	166	2	0	21,595		
3/4/09	1000	168	61	25		27	0.1	1	18	0	4	60	1,715	279	1	0	21,595		
	1100	168	62	25		27	0.1	1	18	0	4	60	2,023	329	1	0	21,595		
	1200	168	62	25		27	0.1	1	18	0	4	60	1,750	285	40	0	21,595		
3/5/09	1000	168	60	25		27	0.08	1.4	16	0	4	68	1,120	182	0	0	21,595		
	1100	168	61	25		27	0.08	1.4	16	0	4	68	790	129	0	0	21,595		
	1200	168	61	25		27	0.08	1.4	16	0	4	68	784	128	0	0	21,595		
3/6/09	1030	168	58	25		27	0.08	1.4	16	0	4	68	1,130	184	0	0	21,595		
	1130	168	62	25		27	0.08	1.4	16	0	4	66	828	135	0	0	21,595		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
3/9/09	1100	168	52	25		27	0.08	1.2	16	0	4	66	841	137	0	0	27,066		
		extraction from SOMA-2 and B-10																	
	1200	168	59	24		26.8	0.1	1.8	17	0	4	64	3,754	611	0	0	27,107		
3/10/09	1430	168	62	24.5		26.5	0.1	1.6	17	0	4	68	3,595	585	0	0	27,863		
	1530	168	67	23		26	0.14	1.6	21	0	5	68	5,233	852	0	0	27,913		
		extraction from SOMA-2, SOMA-4, and B-10																	
3/11/09	1530	168	68	23		26	0.18	1.8	23	0	6	70	5,054	823	0	0	29,562		
	1630	168	68	23		26	0.2	1.8	25	0	6	70	5,041	821	0	0	29,602		
3/12/09	1000	system ok																	
3/13/09	1100	170	66	23		26	0.2	1.8	25	0	6	68	7,362	1,198	0	0	31,885		
		extraction from SOMA-4 only																	
	1200	170	66	25		27	0.1	1.2	17	0	4	68	5,644	919	0	0	31,944		
	1300	168	63	25.5		27.5	0.08	1.2	16	0	4	68	5,260	856	0	0	31,944		
3/16/09	1000	168	63	26		27.5	0.04	1.6	11	0	3	62	7,345	1,196	0	0	33,184		
		extraction from SOMA-2, SOMA-4, and B-8																	
	1100	168	65	25		27	0.08	1.8	16	0	4	62	3,510	571	0	0	33,184		
	1200	168	66	25		27	0.08	1.4	16	0	4	62	2,970	483	0	0	33,184		
3/17/09	1000	168	65	25		27	0.08	1.4	16	0	4	68	395	64	0	0	33,298		
		extraction from SOMA-2, SOMA-4, and B-8																	
	1100	168	68	24.5		27	0.1	1.6	17	0	4	70	1,586	258	0	0	33,383		
	1200	168	70	24.5		26.5	0.14	1.6	21	0	5	70	3,216	524	0	0	33,471		
3/18/09	1000	system ok																	
3/19/09	1000	168	69	23		26	0.24	2	27	0	7	76	7,100	1,156	30	15	35,947		
		extraction from SOMA-4 only																	
	1100	168	69	25		27	0.1	1.2	17	0	4	76	5,070	825	0	0	35,975		
	1200	168	69	25		27	0.1	1.2	17	0	4	76	5,465	890	0	0	36,003		
3/20/09	700	168	62	25		27	0.1	1.2	17	0	4	64	5,344	870	0	0	36,472		
		carbon change out of 1000 lb vapor vessel																	
	930	restart system																	
	1030	168	65	25		27	0.1	1.4	17	0	4	66	15,000	2,442	0	0	36,545		
	1130	168	68	25		27	0.1	1.4	17	0	4	66	9,000	1,465	0	0	36,577		
		extraction from SOMA-2, SOMA-4, and B-8																	
3/23/09	1000	168	55	25		27	0.1	1.4	17	0	4	64	5,025	818	2	0	38,962		
	1100	168	61	23		26	0.2	1.8	25	0	6	64	5,783	941	3	1	39,057		
	1200	168	63	23		26	0.2	1.8	25	0	6	64	5,354	872	0	0	39,137		

Table 8: MPE Pilot Test Operational data

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
3/24/09	1000	168	63	23		26	0.24	2	27	0	7	64	8,451	1,376	4	5	40,307		
	1100	168	63	23		26	0.24	2	27	0	7	68	7,875	1,282	6	8	40,338		
	1200	170	69	23		26	0.24	2.4	27	0	7	68	6,759	1,100	8	8	40,396		
3/25/09		system ok															40,396		
3/26/09	1130	168	69	23		26	0.24	2.4	27	0	7	72	6,500	1,058	0	0	42,445		
	1230	168	71	23		26	0.24	2.4	27	0	7	72	5,979	973	10	0	42,477		
3/27/09	1100	168	72	23		26	0.28	2.4	29	0	7	76	8,460	1,377	6	7	43,427		
		extraction from SOMA-4 only																	
	1200	168	71	25		27	0.1	1.4	17	0	4	74	5,825	948	0	0	43,457		
3/30/09		system ok															43,457		
3/31/09	1130	170	61	25		27	0.1	1.4	17	0	4	70	6,554	1,067	100	25	45,845		
	1230	170	61	25		27	0.1	1.4	17	0	4	70	6,414	1,044	100	25	45,877		
	1330	170	71	25		27	0.1	1.4	17	0	4	70	5,655	921	0	0	45,908		
4/1/09	1100	170	70	25		27	0.1	1.4	17	0	4	80	6,220	1,013	0	0	46,532		
	1200	170	70	25		27	0.1	1.4	17	0	4	80	6,180	1,006	0	0	46,563		
	1300	170	74	25		27	0.1	1.4	17	0	4	80	5,137	836	0	0	46,589		
4/2/09		system ok												733			46,589		
4/3/09	730	168	58	25		27	0.08	1.4	16	0	4	68	4,500		0	0	47,758		
		carbon change out of 1000 lb vapor vessel															47,758		
	930	restart system															47,758		
	1030	168	64	25		27	0.08	1.4	16	0	4	66	8,478	1,380	0	0	47,758		
		extraction from SOMA-2, SOMA-4, and B-8																	
	1130	168	67	24		26	0.18	1.8	23	0	6	70	7,455	1,214	0	0	47,803		
	1230	168	69	24		26	0.18	1.8	23	0	6	70	7,291	1,187	0	0	47,928		
4/6/09	1300	170	76	23.5		25.5	0.26	2	28	0	7	80	6,985	1,137	0	0	50,877		
	1400	170	80	23.5		25.5	0.3	2.2	30	0	7	82	6,227	1,014	0	0	50,915		
4/7/09	1300	170	80	23.5		25.5	0.28	2.2	29	0	7	82	6,454	1,051	0	0	52,058		
	1400	171	80	23.5		25.5	0.28	2.2	29	0	7	82	6,333	1,031	0	0	52,090		
4/8/09	1030	172	67	22.5		25.5	0.28	2.2	29	0	7	68	6,605	1,075	0	0	52,507		
		extraction from SOMA-2 only																	
	1130	172	64	25		27	0.08	1.2	16	0	4	66	7,700	1,253	0	0	52,507		
4/9/09	1230	170	66	25		27	0.08	1.2	16	0	4	64	8,500	1,384	0	0	52,507		
	1330	170	66	25		27	0.08	1.2	16	0	4	65	8,399	1,367	0	0	52,507		
4/10/09	1030	170	64	25		27	0.08	1.2	16	0	4	68	8,674	1,412	0	0	52,507		
	1130	170	64	25		27	0.08	1.2	16	0	4	67	8,356	1,360	0	0	52,507		

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC	
4/13/09	1000	170	67	25		27	0.08	1.2	16	0	4	66	8,125	1,323	100	25	53,805			
	1100	172	69	25		27	0.08	1.2	16	0	4	68	8,835	1,438	0	0	53,809			
	1200	172	69	25		27	0.08	1.2	16	0	4	68	9,100	1,481	10	0	53,809			
4/14/09	1030	172	62	25		27	0.1	1.6	17	0	4	70	8,100	1,319	0	0	54,061			
	1130	172	62	25		27	0.1	1.6	17	0	4	70	10,000	1,628	0	0	54,075			
4/15/09	1000	170	60	25		27	0.1	1.6	17	0	4	68	9,700	1,579	0		54,271			
	1100	170	65	25		27	0.1	1.6	17	0	4	68	10,000	1,628	0		54,282			
4/16/09	700	170	63	25		27	0.1	1.6	17	0	4	64	10,000	1,628	0		54,457			
																	54,457			
	900																54,457			
	1000	170	64	25		27	0.1	1.6	17	0	4	65	12,111	1,972	0	0	54,457			
4/17/09	1300	170	64	25		27	0.1	1.6	17	0	4	65	11,124	1,811	0	0	54,665			
4/20/09	1700	180	84	25		27	0.1	1.6	17	0	4	85	10,000	1,628	0	0	55,381			
4/21/09	1330	186	86	25		27	0.1	1.6	17	0	4	86	14,000	2,279	10	0	55,603			
	1430	186	86	25		27	0.1	1.6	17	0	4	86	14,000	2,279	10	0	55,603			
4/22/09	1300	180	76	25		27	0.1	1.6	17	0	4	80	7,200	1,172	0	0	55,803			
	1400	180	76	25		27	0.1	1.6	17	0	4	80	7,281	1,185	0	0	55,803			
4/23/09	1300	176	69	25		27	0.1	1.6	17	0	4	66	9,220	1,501	0	0	55,997			
	1400	176	69	25		27	0.1	1.6	17	0	4	65	9,111	1,483	0	0	55,997			
4/24/09	1300	176	67	25		27	0.1	1.6	18	0	4	58	15,000	2,442	0	0	56,224			
	1400	176	68	25		27	0.1	1.6	18	0	4	58	15,000	2,442	0	0	56,224			
4/27/09	1230	174	66	24.5		26.5	0.1	1.8	17	0	4	64	8,935	1,455	0	0	56,839			
	1330	174	68	24.5		26.5	0.1	1.8	17	0	4	64	8,670	1,411	0	0	56,839			
4/28/09	1400	174	68	24.5		26.5	0.1	1.8	17	0	4	64	8,770	1,428	0	0	57,046			
4/29/09	1230	174	68	25		27	0.1	1.8	17	0	4	68	7,650	1,245	0	0	57,258			
4/30/09	1330	174	69	24.75		27	0.1	2	17	0	4	70	8,000	1,302	0	0	57,454			
	1430	174	72	24.75		27	0.1	2	17	0	4	70	10,000	1,628	0	0	57,454			
5/1/09	730	174	63	24.75		27	0.1	2	17	0	4	64	8,900	1,384	75	0	57,623			
		carbon change out of 1000 lb vapor vessel																	57,623	
	1000	restart																	57,623	
	1300	174	68	25		27	0.1	1.6	17	0	4	68	7,500	1,221	0	0	57,623			
5/4/09	1000	174	68	25		27	0.1	1.6	17	0	4	70	8,975	1,461	0	0	57,623			
		shut down system for drilling; additional site investigation																		57,623
5/6/09	1300	restart with SOMA-2, SOMA-4, and B-8																	57,623	
	1400	176	76	22.5		25.5	0.28	2.2	29	0	7	73	6,434	1,047	0	0	57,623			

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
5/7/09	1200	176	77	22.5		25.5	0.28	2.2	29	0	7	74	6,125	997	0	0	59,779		
	1300	176	76	22.5		25.5	0.28	2.2	29	0	7	74	6,380	1,039	0	0	59,779		
		shut down system to allow 1000 lb liquid vessel to drain for change out																	
5/8/09	700	change out of 1000 lb liquid vessel																	
	1000	restart															59,779		
	1100	172	75	23		26	0.2	1.8	25	0	6	70	8,300	1,351	0	0	59,896		
5/11/09	1700	182	79	23		26	0.2	2.6	25	0	6	70	8,450	1,376	0	0	63,401		
	1800	182	77	23		26	0.2	2.6	25	0	6	71	9,675	1,575	0	0	63,401		
5/12/09	1430	182	79	22		25	0.16	2.5	22	0	5	74	8,653	1,409	0	0	64,127		
	1530	182	79	22		25	0.16	2.5	22	0	5	74	8,930	1,454	0	0	64,127		
5/13/09	1430	182	79	22		25	0.16	2.5	22	0	5	74	9,664	1,573	0	8	64,858		
5/14/09	1230	180	78	22		25	0.22	2.2	26	0	6	72	8,800	1,433	100	15	65,801		
	1330	180	79	22		25	0.18	2.2	23	0	6	72	7,011	1,141	0	0	65,830		
5/15/09	1300	180	79	22		25	0.18	2.2	23	0	6	72	7,000	1,140	0	0	66,591		
5/18/09	830	180	64	22		25	0.18	2.2	23	0	6	64	7,100	1,156	0	0	68,046		
		shut down system to reconstruct wells SOMA-4, B-8, & B-10 and construct new wells MPE-1,2,3,4,5																	
5/21/09	1500	carbon change out of 1000 lb vapor vessel; restart with SOMA-4																	
	1600	180	71	25		27	0.1	1.4	17	0	4	70	7,000	1,140	0	0	68,084		
5/22/09	1500	176	71	24		26	0.16	1.8	22	0	5	78	5,347	870	0	0	69,117		
5/26/09	1200	176	71	24		26	0.16	1.8	22	0	5	78	5,500	895	0	0	70,161		
5/27/09	1200	176	71	24		26	0.16	1.8	22	0	5	78	5,500	895	0	0	71,792		
5/28/09	1200	176	71	24		26	0.16	1.8	22	0	5	78	5,500	895	0	0	73,061		
5/29/09	1200	182	72	23.5		26	0.18	1.8	23	0	6	76	6,300	1,026	0	0	74,601		
6/1/09	1430	182	71	23.5		26	0.18	1.8	23	0	6	70	4,590	747	0	0	76,684		
		extraction from MPE-4 only																	
	1530	174	72	26		28	0.04	1	11	0	3	70	825	134	0	0	76,718		
6/2/09	1130	178	68	24.5		26.75	0.12	1.6	19	0	5	68	4,720	768	0	0	77,310		
	1230	180	73	24.5		26.75	0.12	1.6	19	0	5	70	5,200	847	0	0	77,339		
6/3/09	1130	182	73	24		26	0.2	1.8	25	0	6	70	3,066	499	0	0	77,793		
	1230	184	75	24		26	0.18	1.8	23	0	6	76	2,670	435	0	0	77,847		

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
6/4/09	730	180	64	24		26	0.18	1.8	23	0	6	64	2,500	407	0	0	78,087		
		carbon change out of 1000 lb vapor vessel																	
	1100	restart extraction with MPE-3 & 5																	
	1300	182	75	22.5		25	0.3	2.2	30	0	8	62	15,000	2,442	0	0	78,227		
6/5/09	1200	184	73	22		25	0.34	2.4	32	0	8	70	2,620	427	0	0	78,477		
		extraction from MPE-2 only																	
	1400	184	74	24		26	0.14	1.6	21	0	5	70	3,660	596	0	0	78,578		
		extraction from MPE-2 & 3																	
	1500	186	75	22.5		25.5	0.3	2.2	30	0	8	70	3,990	650	0	0	78,608		
6/8/09	1400	190	70	21.5		24.5	0.4	2.6	35	0	9	70	3,450	562	0	0	79,507		
6/9/09	1400	184	70	21.5		24.5	0.4	2.6	35	0	9	70	3,065	499	0	0	79,652		
		extraction from MPE-2 only																	
6/10/09	1500	181	72	23.5		26	0.2	2	25	0	6	70	3,620	589	0	0	79,822		
6/11/09	1200	184	74	23.5		26	0.22	2	26	0	6	70	3,550	578	0	0	79,822		
		extraction from SOMA-2 only for sampling																	
	1300	182	75	25		27.5	0.04	1	11	0	3	70	3,820	622	0	0	79,822		
		extraction from B-10 only for sampling																	
	1400	182	78	25		27	0.08	1.2	16	0	4	70	6,717	1,093	0	0	79,822		
		extraction from MPE-1 only for sampling																	
	1500	182	78	25		27	0.1	1.2	17	0	4	70	8,000	1,302	0	0	79,822		
		extraction from MPE-2 only																	
6/12/09	1000	180	64	25		27	0.1	1.2	17	0	4	70	7,500	1,221	0	0	79,822		
	1200	carbon change out of 1000 lb vapor vessel; restart with MPE-2 & 5																	
6/15/09	700	180	64	22.5		25	0.3	2.4	30	0	8	70	3,000	488	0	0	80,298		
6/16/09	700	180	64	22.5		25	0.3	2.4	30	0	8	70	2,511	409	0	0	80,431		
6/17/09	1100	186	74	22.5		25	0.3	2.4	30	0	8	70	2,330	379	0	0	80,526		
6/18/09	1200	186	74	22.5		25	0.3	2.4	30	0	8	70	3,451	562	0	0	80,622		
6/19/09	900	190	76	22.5		25	0.36	2.4	33	0	8	70	4,300	700	0	0	80,622		
	1030	190	76	22.5		25	0.36	2.4	33	0	8	70	4,297	700	0	0	80,622		
		extraction from LFR-2 only																	
	1130	190	82	25		27	0.1	1.6	17	0	4	74	3,110	506	0	0	80,642		
	1230	190	83	25		27	0.1	1.6	17	0	4	74	3,710	604	0	0	80,642		
	1330	190	86	25		27	0.1	1.6	17	0	4	76	3,733	608	0	0	80,668		
6/22/09	1100	190	76	23		25.5	0.28	2.2	29	0	7	70	2,175	354	0	0	80,869		
		end extraction from LFR-2; begin extraction from MPE-5																	

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC	
6/23/09	1030	186	76	24.5		26.5	0.14	1.6	21	0	5	70	2,608	425	100	0	81,095			
		carbon change out of 1000 lb vapor vessel																		
	1300	restart with MPE-2																		
	1400	190	79	23		25	0.26	2	28	0	7	72	3,200	521	0	0	81,095			
6/24/09	1230	188	72	23		25	0.3	2.2	30	0	7	74	2,880	469	0	0	81,095			
		extraction from B-10R only																		
	1330	182	73	25		27	0.1	1.2	17	0	4	74	5,420	882	0	0	81,095			
	1430	187	72	25		27	0.1	1.2	17	0	4	74	5,544	903	0	0	81,095			
6/25/09	930	180	69	24		26.5	0.16	1.6	22	0	6	66	7,400	1,205	0	0	82,095			
		extraction from B-10R & MPE-1																		
	1030	190	77	22.5		25	0.3	2.6	30	0	8	70	15,000	2,442	0	0	82,145			
	1130	190	73	22.5		25	0.3	2.6	30	0	8	70	4,790	780	0	0	82,175			
		extraction from B-10 only																		
	1300	190	75	24.5		26.5	0.2	1.6	24	0	6	74	4,400	716	0	0	82,205			
		extraction from B-10R & MPE-1																		
	1430	190	78	23		26	0.26	2	28	0	7	78	5,555	904	0	0	82,235			
6/26/09	1330	190	77	23		25	0.3	2	30	0	7	79	10,200	1,660	0	0	82,845			
	1430	190	77	23		25	0.3	2	30	0	7	74	9,820	1,599	0	0	82,855			
6/29/09	1430	200	79	22		25	0.34	2	32	0	8	80	3,500	570	0	0	84,495			
6/30/09	1430	200	79	22		25	0.36	2	33	0	8	80	5,500	895	0	0	84,995			
7/1/09	1500	200	75	22		25	0.4	2.6	34	0	9	80	6,419	1,045	0	0	85,475			
7/2/09	930	192	70	22		25	0.38	2.4	34	0	8	72	6,000	977	0	0	85,808			
		carbon change out of 1000 lb vapor vessel																		
		surveying of newly installed wells and newly rebuilt wells																		
	1500	restart with MPE-1																		
7/3/09	1200	190	74	23		25	0.3	2.2	30	0	8	72	6,500	1,058	0	0	85,968			
	1300	190	72	24		26	0.2	2	25	0	6	72	5,520	899	0	0	85,968			
7/6/09	1030	182	70	23		26	0.2	2	25	0	6	68	4,990	812	0	0	86,225			
	1130	186	75	24		26	0.2	2	25	0	6	68	5,804	945	0	0	86,285			
7/7/09	1400	190	77	23.5		26	0.22	2	26	0	6	70	4,282	697	20	0	86,365			
7/8/09	1030	190	74	24.5		26	0.22	2	26	0	6	69	3,960	645	84	0	86,425			
	1130	190	77	23.5		26	0.22	2	26	0	6	72	4,002	651	79	0	86,425			
7/9/09	1700	192	80	23.5		26	0.14	2	21	0	5	72	3,584	583	94	3	86,525			
7/10/09	1530	192	79	23.5		26	0.2	2	25	0	6	72	3,563	580	96	4	86,615			
7/13/09	1030	190	76	23.5		26	0.22	2	26	0	6	70	3,992	650	0	0	86,853			

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
		extraction from B-10R & MPE-1																	
	1130	194	80	22		25	0.34	2.4	32	0	8	74	6,342	1,032	0	0	86,881		
7/14/09	1530	194	80	22		25	0.34	2.6	32	0	8	80	6,122	997	50	5	87,485		
	1630	196	80	22		25	0.34	2.6	32	0	8	80	5,990	975	44	3	87,485		
7/15/09	1330	198	77	21		24.5	0.36	2.8	33	0	8	80	5,300	863	100	7	88,161		
7/16/09	930	190	71	20		24	0.46	2.8	37	0	9	74	5,250	855	150	10	88,624		
		carbon change out of 1000 lb vapor vessel																	
	1200	restart with MPE-1, B-10R, & SOMA-2																	
	1300	190	75	22		25	0.34	2.6	32	0	8	64	5,815	947	0	0	88,655		
7/17/09	1330	194	81	21.1		24.75	0.4	2.8	35	0	9	76	5,640	918	0	0	89,040		
		extraction from SOMA-2 & MPE-1																	
7/20/09	1530	195	83	22		25	0.38	2.4	34	0	8	79	6,830	1,112	0	0	89,295		
7/21/09	930	186	69	22		25	0.38	2.4	34	0	8	68	6,720	1,094	0	0	89,741		
		extraction from SOMA-2 only for sampling																	
	1000	184	68	24		26	0.18	1.6	23	0	6	70	9,500	1,547	0	0	89,741		
		extraction from MPE-1 only for sampling																	
	1030	186	71	22.5		25	0.32	2.2	31	0	8	68	9,900	1,612	0	0	89,770		
		extraction from B-10R only for sampling																	
	1130	184	72	23.5		26	0.2	1.8	25	0	6	68	12,450	2,027	0	0	89,793		
		extraction from B-10R & MPE-2																	
7/22/09	930	188	72	21.5		24.5	0.38	2.6	34	0	8	68	6,300	1,026	0	0	90,452		
	1030	190	73	21.5		24.5	0.44	2.8	36	0	9	68	6,944	1,130	0	0	90,452		
	1100	190	73	21.5		24.5	0.44	2.8	36	0	9	68	6,756	1,100	0	0			
		extraction from SOMA-4 & MPE-1																	
	1200	190	75	22		25	0.32	2.4	31	0	8	70	8,521	1,387	0	0	90,471		
7/23/09	1130	190	74	22		25	0.34	2.4	32	0	8	68	7,504	1,222	0	0	91,032		
7/24/09	1530	193	79	22		25	0.34	2.4	32	0	8	71	6,333	1,031	0	0	91,565		
7/27/09	1230	190	74	22		25	0.36	2.4	33	0	8	70	5,178	843	0	0	92,965		
7/28/09	1330	194	80	22		25	0.4	2.6	35	0	9	72	11,338	1,846	300	50	93,441		
		extraction from MPE-1																	
	1430	190	77	25		27	0.1	2.4	17	0	4	72	4,650	757	97	10	93,445		
7/29/09	1400	186	74	25		27	0.1	2.6	17	0	4	70	2,840	462	144	10	93,523		
	1500	186	74	25		27	0.1	2.6	17	0	4	70	2,951	480	101	7	93,523		
7/30/09	1000	180	65	25		27	0.1	2.6	17	0	4	65	3,351	546	54	4	93,571		
	1030	carbon change out of 1000 lb vapor vessel																	

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
	1130	restart with B-10R & MPE-2																976	
	1230	200	75	22.5		25.5	0.3	2.2	30	0	8	72	8,000	1,302	0	0	93,600		
7/31/09	1300	200	76	22		25	0.36	2.6	33	0	8	80	15,000	2,442	183	25	94,397		
		extraction from B-10R																	
	1330	196	75	25		26.5	0.16	2.4	22	0	5	80	5,300	863	20	2	94,425		
8/3/09	1400	194	76	24		26.5	0.12	2.4	19	0	5	76	7,500	1,221	0	0	95,522		
		extraction from B-10R & MPE-2																	
	1500	194	78	23		26	0.24	2.4	27	0	7	76	4,607	750	0	0	95,551		
8/4/09	1000	194	75	23		26	0.22	2.6	26	0	6	72	7,932	1,291	22	2	96,027		
	1100	194	73	23		26	0.25	2.6	27	0	7	74	8,606	1,401	36	14	96,027		
8/5/09	1030	194	73	23		26	0.2	2.6	25	0	6	70	6,688	1,089	24	15	96,587		
	1130	196	79	23		26	0.24	2.4	27	0	7	70	5,081	827	2	2	96,615		
8/6/09	1300	196	76	23		26	0.22	2.6	26	0	6	72	7,250	1,180	100	9	97,203		
		extraction from B-10R																	
	1400	196	78	24.5		26.5	0.14	2.6	21	0	5	72	4,900	798	54	9	97,231		
8/7/09	1400	196	78	24.5		26.5	0.14	2.6	21	0	5	72	4,766	776	44	8	97,639		
8/10/09	1400	198	81	24		26.5	0.14	2.6	20	0	5	80	7,011	1,141	154	10	98,549		
	1500	198	81	24		26.5	0.14	2.6	20	0	5	80	5,627	916	311	11	98,575		
		shut down system for scheduled groundwater monitoring on 8/11																	
8/14/09	1530	carbon change out of 1000 lb vapor vessel, restart system with MPE-3																	
	1630	184	82	23.5		26	0.2	2	25	0	6	70	7,475	1,217	0	0	98,620		
8/17/09	1300	182	75	22.5		25	0.3	2.2	30	0	8	70	4,140	674	17	7	99,026		
8/18/09	1300	182	75	22.5		25	0.3	2.2	30	0	7	76	3,437	560	25	10	99,122		
		extraction from SOMA-2																	
	1400	180	75	25		27	0.1	2	17	0	4	80	6,490	1,057	0	0	99,149		
8/19/09	1300	180	74	24		26.5	0.14	2.6	20	0	5	78	8,000	1,302	0	0	99,335		
		extraction from B-10R																	
	1400	180	75	23.5		26	0.2	1.8	24	0	6	80	10,000	1,628	0	0	99,362		
		extraction from MPE-1																	
	1500	180	73	23		25.5	0.26	2.2	28	0	7	82	6,364	1,036	0	0	99,380		
	1600	180	73	24.5		26.5	0.14	2	20	0	5	82	5,250	855	0	0	99,380		
8/20/09	1230	176	74	26		27	0.08	2	15	0	4	76	3,131	510	0	0	99,425		
8/21/09	1230	176	74	26		27	0.08	2	15	0	4	76	3,289	535	0	0	99,478		
	1330	176	77	26		27	0.08	2	15	0	4	82	3,070	500	0	0	99,478		
8/24/09	1700	180	76	26		27	0.08	2	15	0	4	80	3,341	544	0	0	99,607		

Table 8: MPE Pilot Test Operational data

Golden Gate Remediation Technology																			
SITE ADDRESS: 3820 Manila Ave, Oakland, California																			
PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
8/25/09	1400	180	73	26		27	0.08	2	15	0	4	78	3,539	576	15	0	99,677		
	1500	180	73	26		27	0.08	2	15	0	4	78	3,414	556	20	0	99,677		
8/26/09	1400	180	76	26		27	0.1	2	17	0	4	76	2,613	425	0	0	99,726		
8/27/09	1000	176	71	24		25	0.3	2.4	30	0	7	76	2,500	407	50	9	99,827		
	1100	carbon change out of 1000 lb vapor vessel, restart system with SOMA-2																	
	1200	180	76	25		27	0.14	1.4	20			76	7,787	1,268	0	0	99,854		
	1300	180	76	25		27	0.14	1.4	20			76	7,614	1,239	0	0	99,854		
8/28/09	1200	184	83	26		27	0.16	1.4	22			84	10,803	1,759	37	0	100,067		
8/31/09	1700	187	86	24		26	0.2	1.8	24			90	8,944	1,456	0	0	100,465		
9/1/09	1700	188	84	24		26	0.2	1.8	24			90	9,150	1,490	0	0	100,600		
9/2/09	1530	190	87	24		26	0.2	2	24			90	8,460	1,377	100	0	100,737		
9/3/09	1700	190	87	24		26	0.2	2.2	24			90	8,111	1,320	200	9	100,778		
9/4/09	930	184	70	24		26	0.24	2.4	27			72	9,027	1,470	3,412	0	100,943		
	1100	restart SOMA-2 after 55-gallon drum changeout																	
	1200	188	76	23		26	0.2	2.1	25			68	15,000	2,442	5,764	0	100,943		
9/8/09	1100	188	76	23		26	0.24	2.2	27			80	6,627	1,079	5,381	0	101,425		
	1200	188	75	23		26	0.22	2.2	25			82	8,154	1,327	5,904	0	101,425		
	1300	190	76	23		26	0.24	2.2	27			84	5,868	955	4,823	0	101,425		
9/10/09	1000	186	73	23		26	0.24	2.2	27			78	4,590	747	3,297	26	101,629		
	1330	restart SOMA-2 after 1000-lb & 55 gal drum changeout																	
	1330	186	82	23		26	0.24	2.4	27			78	7,083	1,153	180	9	101,629		
9/16/09		System was shut down from 9/16 to 9/21 per EBMUD permit																	
9/21/09	1030	restart SOMA-2 after effluent piping reassembly but Heat Exchanger failed to start, shut down																	
	1330	restart SOMA-2 after circuit breaker reset																	
	1430	178	78	25		27	0.1	1.8	17			72	2,736	445	5	0	102,087		
9/23/09	1000	178	71	24		27	0.18	2.4	23			80	9,000	1,465	99.4	0	102,465		
9/25/09	1000	176	70	24		26	0.16	2.6	22			80	10,000	1,628	100	17	102,737		
	1100	180	75	24		26	0.16	2.6	22			80	7,985	1,300	101	8	102,737		
	1200	180	75	24		26	0.16	2.6	22			80	8,451	1,376	96	7	102,737		
9/28/09	1400	182	77	24		26	0.18	2.6	23			76	15,000	2,442	100	0	103,124		
	1500	184	75	24		26	0.18	2.6	23			76	7,574	1,233	100	0	103,149		
10/1/09	1000	180	70	24		26	0.18	2.8	23			78	7,761	1,263	100	0	103,452		
		carbon change out of 1000 lb vapor vessel, restart system with SOMA-2																	
	1330	MPE-3 FP = 11.3 - 11.4"; restart with MPE-3																	
	1430	180	77	24		26	0.2	2.6	25			68	6,621	1,078	0	0	103,452		

Table 8: MPE Pilot Test Operational data

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
10/5/09	1630	188	74	24		26	0.26	2.4	28			75	2,700	440	0	0	103,775		
	1730	188	74	24		26	0.26	2.4	28			75	2,514	409	0	0	103,775		
10/6/09	1200	188	72	24		26	0.26	2.4	28			74	2,310	376	0	0	103,846		
10/7/09	1200	188	74	24		26	0.24	2.4	27			74	2,150	350	0	0	103,918		
10/8/09	1300	188	70	24		26	0.24	2.4	27			70	2,470	402	0	0	103,982		
10/9/09	1330	188	70	23		26	0.24	2.4	27			78	1,960	319	0	0	104,035		
10/12/09	800	182	64	23		25	0.24	2.4	27			72	2,450	399	0	0	104,264		
10/13/09	1400	186	71	23		25	0.2	2.4	25			66	2,715	442	0	0	104,264		
		extraction from SOMA-2 and MPE-1															104,264		
	1500	186	78	21.5		24.5	0.3	2.4	30			66	6,430	1,047	0	0	104,264		
	1600	186	77	21.5		24.5	0.3	2.4	30			66	10,777	1,754	0	0	104,264		
10/14/09	1330	200	83	22		25	0.38	2.6	34			76	11,000	1,791	150	10	104,264		
		extraction from MPE-1															104,264		
	1400	200	81	23		25.5	0.24	2	27			76	6,050	985	101	10	104,264		
		vapor sample from MPE-1; extraction from SOMA-2															104,264		
	1430	194	82	24		26.5	0.14	1.6	20			76	5,600	912	25	5	104,264		
		extraction from B-10															104,264		
10/15/09	1330	190	79	23.5		26	0.2	1.8	24			78	6,411	1,044	210	15	105,205		
		55-gallon polishing drum changeout for vapor															105,205		
	1430	extraction from MPE-3															105,205		
	1500	190	80	24		26.5	0.16	2.4	22			80	3,962	645	0	0	105,236		
10/19/09	1230	190	74	24		26	0.19	2.8	24			74	1,355	221	126.2	0	105,635		
	1330	190	75	24		26	0.19	2.8	24			74	2,779	452	242.8	0	105,635		
	1430	192	76	24.5		26	0.2	2.8	24			74	2,990	487	502.7	3.2	105,635		
10/20/09	1030	184	68	24		26	0.19	2.6	24			78	1,352	220	156.1	5.6	105,735		
	1130	184	68	24		26	0.2	2.6	24			78	1,349	220	167.2	4.8	105,735		
	1230	188	70	24		26.5	0.19	2.6	24			78	1,605	261	219.7	5	105,735		
10/21/09	830	188	70	26		26	0.18	2.8	23			72	11,300	1,840	500	15	105,812		
		carbon change out of 1000 lb vapor vessel															105,812		
	1100	restart with extraction from MPE-3															105,812		
	1130	187	73	23		25.5	0.24	2.4	27			62	12,000	1,953	0	0	105,812		
10/22/09	1130	189	71	23		26	0.2	2.4	24			80	2,161	352	0	0	29,979		
	1230	191	74	23.5		26	0.2	2.4	24			80	2,220	361	0	0	29,979		
	1330	191	73	24		26.5	0.2	2.4	24			82	1,522	248	32	0	29,994		
10/27/09	1100	188	67	24		26	0.2	2.6	24			78	1,330	217	0	0	30,441		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
		extraction from SOMA-2																	
	1200	184	68	25		27.5	0.08	1.2	15			78	2,160	352	0	0	30,468		
	1300	184	70	25		27	0.1	2.4	17			78	3,081	502	0	0	30,525		
10/28/09	1430	190	69	24		26	0.16	3.4	22			78	4,151	676	0	0	30,940		
		extraction from SOMA-2, MPE-1 and B-10R																	
	1530	190	72	22		25	0.32	2.4	31			78	3,750	610	0	0	30,965		
10/29/09	1100	192	69	22		25	0.4	2.8	34			78	4,299	700	0	0	31,502		
	1300	194	73	22		25	0.34	2.5	32			78	3,763	613	0	0	31,529		
10/30/09	1430	198	76	22		25	0.34	2.6	32			82	2,922	476	0	0	32,007		
	1530	198	78	22		25	0.34	2.4	32			82	3,053	497	0	0	32,007		
11/2/09	1130	198	75	22		25	0.3	2.6	30			80	3,525	574	0	0	33,115		
		extraction from SOMA-2 and MPE-1																	
	1500	198	81	21		24.5	0.4	2.8	34			88	3,411	555	0	0	33,143		
		extraction from B-10R and SOMA-4																	
	1600	200	81	21		25	0.4	2.8	34			90	3,965	645	0	0	33,220		
11/3/09	1030	200	77	20		24	0.54	3.2	40			80	8,211	1,337	110	8	34,183		
	1130	200	79	20		24	0.54	3.2	40			82	6,212	1,011	53	10	34,240		
		extraction SOMA-4																	
	1300	200	80	24		26	0.2	1.8	24			84	5,610	913	25	4	34,298		
		extraction from MPE-4 and MPE-5																	
11/4/09	800	196	66	20		23.5	0.68	3.6	45			78	1,413	230	0	0	34,719		
		extraction from MPE-4																	
	900	194	66	21		24	0.52	3	39			78	1,648	268	0	0	34,746		
		extraction from MPE-5																	
	1000	190	67	23.5		26	0.2	1.8	24			78	2,767	450	0	0	34,746		
		extraction from MPE-3																	
	1500	200	72	22.5		25	0.3	2.4	30			80	1,550	252	0	0	34,774		
		extraction from B-8R and MPE-2																	
11/5/09	830	200	75	21		24	0.5	3	39			78	15,000	2,442	50	8	35,310		
		extraction from MPE-2																	
	900	200	76	22.5		25	0.32	2.4	31			78	6,500	1,058	40	7	35,310		
		extraction from B-8R																	
	1000	198	76	24		26.5	0.12	1.6	19			78	15,000	2,442	76	9	35,338		
		extraction from SOMA-2																	
	1500	200	76	24.5		26	0.14	1.6	20			80	6,232	1,015	99	9	35,395		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEINER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
		extraction from B-10R and MPE-1																	
11/6/09	730	200	75	22		25	0.3	2.4	30			76	12,524	2,039	200	10	35,727		
		extraction from MPE-1																	
	800	200	73	23		25	0.28	2.2	29			76	5,911	962	200	10	35,727		
		extraction from B-10R																	
	900	196	73	24		26	0.18	1.8	23			76	5,888	959	175	9	35,727		
		carbon change out of 1000 lb vapor vessel																	
	1130	restart with extraction from SOMA-2 and MPE-1																	
	1300	194	74	22		25	0.3	2.6	30			74	5,911	962	0	0	35,754		
11/9/09	1300	196	69	22		25	0.36	2.6	33			76	3,911	637	0	0	36,388		
	1500	196	70	21.5		25	0.36	2.8	33			76	3,791	617	0	0	36,416		
		extraction from SOMA-2, B-10R and MPE-1																	
11/10/09	1100	198	72	21		24.5	0.46	3	37			78	4,850	790	185	5	36,804		
	1300	198	72	21		24.5	0.44	3	36			78	4,811	783	8	3	36,804		
11/11/09	1030	198	69	21		24	0.44	3	36			78	5,460	889	25	2	37,135		
	1130	198	72	21		24	0.44	3	36			78	4,139	674	0	0	37,135	1,261	
11/12/09	1100	198	68	21		24	0.42	3	35			76	4,100	667	80	9	37,498	1,264	
	1200	196	67	23		25.5	0.22	2.6	26			76	3,659	596	4	2	37,498		
11/13/09	1300	196	70	22.5		25.5	0.22	2.6	26			72	7,111	1,158	125	9	37,800	1,267	
		extraction from B-10R																	
	1400	196	70	24		26.4	0.12	2.8	19			67	3,756	611	74	5	37,800		
11/16/09	1400	192	68	24		26.4	0.11	2.8	18			70	3,812	621	60	15	38,150		
	1500	190	68	25		26.4	0.12	2.8	19			70	3,639	592	1,394	29	38,150		
	1600	190	68	26.4		27	0.1	2.8	17			70	3,036	494	60	17	38,150		
11/17/09	1200	190	67	25		27	0.1	2.6	17			68	3,925	639	10	2	38,250		
	1300	196	70	23		26	0.2	3	25			70	4,211	686	8	3	114,195		
	1400	196	70	23		26	0.2	3	25			70	4,150	676	10	3	114,195		
11/18/09	1030	192	66	23		26	0.24	3.2	27			68	4,386	714	1,936	30	114,443		
	1130	194	67	23		26	0.24	3.2	27			68	4,389	714	2,122	28	114,443		
	1230	194	67	23		26	0.24	3.2	27			70	3,955	644	2,101	28	114,443		
11/19/09	900	190	65	23		26	0.24	3.2	27			64	2,758	449	28	20	114,635		
		carbon change out of 1000 lb vapor vessel																	
	1100	restart with extraction from SOMA-2 and MPE-1																	
	1200	192	66	22.5		25.5	0.28	2.2	29			64	3,325	541	0	0	114,635		
11/20/09	1130	198	66	23		25	0.3	2.8	30			68	3,683	600	6	0	114,798		

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA

DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
	1230	198	66	23		25	0.3	2.8	30			68	4,320	703	6	0	114,798		
	1330	198	66	23		25	0.3	2.8	30			68	5,554	904	6	0	114,798		
11/23/09	1215	196	66	23		25.5	0.32	2.8	31			68	3,565	580	8	3	115,120		
	1315	196	66	23		25.5	0.34	2.8	32			70	3,195	520	11	3	115,120		
	1415	196	66	22.5		25.5	0.32	2.8	31			70	3,314	539	11	3	115,120		
11/24/09	1115	200	72	22.5		25	0.34	2.8	32			70	2,953	481	31	4	115,218		
	1215	200	69	22.5		25	0.34	2.8	32			72	2,711	441	21	4	115,239		
	1315	200	70	22.5		25	0.32	2.8	31			72	2,634	429	24	4	115,239		
11/25/09	1100	200	68	21.4		25	0.33	2.7	32			70	4,200	684	30	4	115,335		
	1200	196	68	21.7		25	0.34	2.7	32			60	3,660	596	180	3	115,335		
	1300	199	67	22		25	0.33	2.7	32			60	3,700	602	160	8	115,335		
11/30/09	730	190	60	22.5		25	0.32	2.6	31			60	3,411	555	101	6	115,774		
	830	192	60	22.5		25	0.32	2.7	31			60	3,210	523	141	7	115,774		
12/1/09	730	190	61	22.5		25	0.33	2.8	32			62	3,157	514	51	5	115,897		
	830	190	60	22.5		25	0.32	2.8	31			62	3,009	490	44	8	115,897		
12/2/09	1100	198	64	22.5		25	0.3	2.8	30			66	3,367	548	55	9	116,019		
	1200	196	63	22.5		26	0.18	2.6	23			66	2,911	474	53	9	116,019		
12/3/09	1030	192	61	22.5		26	0.16	2.8	22			66	3,060	498	101	10	116,041		
	1200	194	63	22.5		26	0.16	2.8	22			60	2,811	458	3	1	116,059		
12/4/09	730	190	60	22.5		26	0.16	2.8	22			60	2,710	441	0	0	116,084		
	830	188	60	22.5		26	0.16	2.8	22			61	2,950	480	0	0	116,084		
12/7/09	730	188	60	22.5		26	0.16	2.8	22			60	2,101	342	20	4	116,146		
	830	188	61	22.5		26	0.16	2.8	22			60	1,953	318	15	8	116,146		
12/8/09	730	182	52	22.5		26.5	0.14	2.4	21			60	1,877	306	0	0	116,175		
	830	180	52	22.5		26.5	0.14	2.4	21			52	1,855	302	0	0	116,175		
12/9/09	1030	180	56	22.5		26.5	0.14	2.4	21			50	1,674	273	0	0	116,198		
	1130	180	56	22.5		26.5	0.14	2.4	21			50	1,701	277	0	0	116,198		
12/10/09	730	180	55	22.5		26	0.18	2.6	24			56	1,666	271	25	0	116,255		
	830	179	54	22.5		26	0.18	2.6	24			56	1,713	279	33	2	116,255		
12/11/09	1100	188	58	22.5		25.5	0.2	2.8	25			60	1,503	245	1,171	4	116,328		
	1200	188	59	22.5		25.5	0.2	2.8	25			60	1,434	233	1,012	6	116,339		
	1300	188	58	22.5		25.5	0.2	2.8	25			60	1,304	212	852	5	116,339		
12/14/09	900	192	67	22.5		26	0.2	2.8	25			64	1,361	222	1,020	2	116,589		
	1000	192	65	22.5		26	0.2	2.8	25			64	1,902	310	1,462	5	116,589		
		shut down system												0			116,589		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																						
MTS OPERATIONAL DATA																						
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC			
		8/9 - 8/13 system maintenance - house keeping, electrical/mechanical tests																116,589				
8/13/10		carbon change out of vapor side: 1000 lb vessel, 3 X 200 lb drums, and liquid side: 1000 lb vessel, 1 X 200 lb drum																		116,647		
8/16/10		prep system for restart - connect extraction wells, leak test, mechanical/electrical tests																	116,647			
	1030	system restart with SOMA -2																	116,647			
	1130	194	65	24		27	0.1	1.6	18			60	3,300	537	0	0	116,647	1,409				
8/17/10	1000	194	70	24		26.5	0.14	2.6	21			72	3,932	640	0	0	116,841	1,415				
		added extraction from MPE-1 & B-10R with SOMA-2; MPE-1 = B-10R = SOMA-2 = 7 " Hg vacuum																116,841				
	1100	194	70	23		25	0.4	2.6	35			74	4,150	676	10	5	116,841					
8/18/10	1100	196	75	22.5		24.5	0.44	2.8	36			80	3,708	604	7	0	117,060	1,422				
	1200	194	75	22.5		24.5	0.44	2.8	36			82	3,611	588	10	5	117,062					
		extraction from B-10R only																117,062				
8/19/10	1100	194	75	23		25	0.3	2.4	30			78	3,939	641	10	0	117,305	1,429				
	1200	194	75	23		25	0.3	2.4	30			80	3,124	509	8	3	117,315					
8/20/10	1630	194	75	23		25	0.34	2.4	32			84	3,237	527	8	3	117,585					
		shut down system; heat exchanger leaking sealing fluid																117,585				
8/26/10		installed repaired heat exchanger																117,587				
	1300	restarted with extraction from B-10R																117,587				
	1400	170	74	24		26	0.12	2.4	19			70	800	130	150	4	117,587					
8/27/10	600	166	65	23		25	0.2	2.6	25			60	2,420	394	25	3	117,587					
		shut down system; heat exchanger leaking sealing fluid																117,587				
9/2/10		installed new heat exchanger; modified vapor abatement side pipeline, 4 x 200 lb vessels before 1000 lb vessel followed by 2 X 200 lb vessels																117,587				
	1100	restart with extraction from B-10R																117,587				
	1230	166	85			25	0.2	2.4	24			80	2,130	347	0	0	117,693					
9/3/10	1430	166	77			25	0.3	2.6	30			80	2,881	469	0	0	117,949					
	1530	166	76			25	0.3	2.6	30			80	2,950	480	0	0	117,976					
9/7/10	930	restart with extraction from B-10R, SOMA-2, MPE-1																117,976				
	1030	164	71			24.5	0.32	2.6	31			64	4,848	789	0	0	117,976					
	1200	166	73			24.75	0.32	2.6	31			70	5,262	857	0	0	118,009					
9/8/10	900	EBMUD inspection and sampling																118,009				
	930	164	69			24.75	0.36	2.8	33			74	3,659	596	0	0	118,039					
	1030	164	69			24.75	0.36	2.8	33			74	4,530	737	0	0	118,087					
9/9/10	1400	164	79			24.5	0.4	2.8	34			84	4,400	716	0	0	118,295					
9/10/10	1530	164	79			24.5	0.4	2.8	34			84	4,000	651	0	0	118,470					
	1630	164	79			24.5	0.4	2.8	34			86	3,838	625	0	0	118,470					
9/13/10	1300	restart with extraction from B-10R, SOMA-2, MPE-1																118,470				

Table 8: MPE Pilot Test Operational data

Golden Gate Remediation Technology		MTS OPERATIONAL DATA																	
SITE ADDRESS: 3820 Manila Ave, Oakland, California																			
PROJECT #: 2515																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
	1330	164	68			24.75	0.34	2.6	32			62	4,100	667	0	0	118,485	1,472	
	1400	164	71			24.75	0.34	2.6	32			66	4,191	682	0	0	118,485		
9/14/10	1230	164	70			24.75	0.38	2.8	34			76	4,573	744	0	0	118,685		
	1330	164	71			24.75	0.36	2.8	33			76	4,444	723	0	0	118,685		
9/15/10	1100	164	69			24.75	0.38	2.8	34			74	3,540	576	0	0	118,827		
		closed SOMA-2 and B-10R; MPE at MPE-1																	
									0								118,827		
9/16/10	1230	164	75			25	0.32	2.4	31			80	1,435	234	0	0	118,914		
		closed MPE-1; MPE at SOMA-2 and B-10R																	
																	118,914		
	1330	164	78			25	0.34	2.6	32			82	3,636	592	0	0	118,943		
9/17/10	1400	164	75			24	0.46	3.2	37			84	5,300	863	0	0	119,177		
		closed B-10R; opened SOMA-2																	
																	119,177		
	1500	164	75			26.5	0.16	1.6	22			84	7,877	1,282	0	0	119,177		
9/20/10	1130	restart with SOMA-2 and B-10R																	
																	119,177		
	1230	164	76			25	0.3	2.4	30			70	8,299	1,351	0	0	119,209		
9/21/10	1100	164	74			24.5	0.38	3	34			78	6,111	995	0	0	119,410		
	1200	164	74			24.5	0.38	3	34			78	5,250	855	0	0	119,410		
9/22/10	1300	164	74			25	0.3	3	30			80	4,799	781	0	0	119,525		
	1400	164	75			26	0.22	2.4	26			80	7,681	1,250	0	0	119,553		
9/23/10	1430	164	77			26	0.22	3	25			82	5,641	918	0	0	119,638		
		resolved restriction in vapor flow causing high effluent pressure																	
																	119,638		
	1530	164	77			26	0.22	2.4	25			86	6,832	1,112	0	0	119,667		
9/24/10	1430	164	80			26	0.22	3	25			84	7,600	1,237	0	0	119,752		
	1530	164	80			26	0.22	3	25			84	7,444	1,212	0	0	119,752		
9/27/10	930	restart with SOMA-2, B-10R, and MPE-1																	
									0								119,752		
	1000	164	75			25	0.26	2.4	28			70	6,351	1,034	0	0	119,780		
	1030	164	76			25	0.28	2.4	29			74	7,853	1,278	0	0	119,780		
9/28/10	1330	164	88			24.5	0.36	3	32			90	6,050	985	0	0	119,976		
		closed MPE-1; MPE at SOMA-2 and B-10R																	
																	119,976		
9/29/10	1200	164	80			25.5	0.22	2.2	25			86	6,000	977	0	0	120,087		
		opened MPE-1; MPE at SOMA-2, B-10R, and MPE-1																	
																	120,087		
	1300	164	80			25	0.3	2.6	30			86	6,960	1,133	0	0	120,087		
9/30/10	1000	168	73			24	0.3	2.6	30			80	6,211	1,011	0	0	120,225		
10/1/10	1230	164	75			24.5	0.32	2.6	31			80	6,399	1,042	0	0	120,370		
	1330	164	75			24.5	0.32	2.6	31			80	6,122	997	0	0	120,370		
10/4/10	1300	restart with SOMA-2, B-10R, and MPE-1																	
																	120,370		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																					
MTS OPERATIONAL DATA																					
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC		
	1400	164	76			25	0.24	2.4	27			68	8,555	1,393	0	0	120,399				
10/5/10	1300	164	74			24.5	0.3	2.8	30			80	5,250	855	0	0	120,570				
10/6/10	1300	164	74			24.5	0.3	2.8	30			80	6,850	1,115	0	0	120,714				
		carbon change - removed 3 X 200 lbs vessels and installed 4 X 200 lb vessels								0								120,714			
	1530	164	74			24.5	0.34	2.6	32			82	4,365	711	0	0	120,714				
10/7/10	1200	164	71			24.5	0.34	2.6	32			76	5,540	902	0	0	120,854				
	1300	164	71			24.5	0.34	2.6	32			76	6,000	977	0	0	120,854				
10/8/10	1300	164	76			24.5	0.34	2.8	32			78	4,878	794	0	0	120,995				
	1400	164	76			24.5	0.34	2.8	32			78	4,577	745	0	0	120,995				
10/11/10	930	164	99			25	0.24	2.8	27			66	4,318	703	0	0	120,995				
	1030	164	95			25	0.28	2.6	29			70	4,429	721	0	0	120,995				
	1130	164	98			25	0.3	2.6	30			70	4,510	734	0	0	121,025				
10/12/10	930	164	101			24.5	0.34	2.8	32			80	4,802	782	0	0	121,165				
	1030	164	79			24.5	0.34	2.8	32			80	5,038	820	1	0	121,165				
	1130	164	80			25	0.34	2.8	32			80	4,912	800	0	0	121,165				
10/13/10	1300	164	82			25	0.34	3	32			82	4,921	801	0	0	121,325				
	1400	164	84			25	0.34	3	31			88	4,216	686	5	6	121,325				
10/14/10	1200	system shutdown overnight; restart																	121,325		
	1300	166	83			25	0.3	3	30			78	5,000	814	7	2	121,362				
	1400	166	85			25	0.3	3	30			86	5,000	814	3	2	121,379				
10/15/10		system shutdown overnight, air leak, low oil																	121,379		
	1330	restart																	121,432		
	1400	164	76			24.5	0.26	2.8	28			70	5,500	895	0	0	121,432				
	1430	164	76			24.5	0.26	2.8	28			74	6,300	1,026	0	0	121,433				
																	121,433				
10/19/10	1130	166	76			24.5	0.32	2.8	31			64	7,000	1,140	0	0	121,433				
	1230	166	71			24	0.36	2.8	33			70	6,791	1,106	0	0	121,440				
10/20/10	1300	166	71			24	0.36	3	33			78	3,725	606	0	0	121,648				
		MPE at SOMA-2 & MPE-3 (valves 1/2 open)																	121,648		
	1400	166	74			24.5	0.28	2.6	29			80	8,000	1,302	0	0	121,648				
10/21/10	1530	164	78			24.5	0.34	2.8	32			84	6,550	1,066	0	0	121,760				
10/22/10	1500	164	73			24.5	0.32	3	31			80	15,000	2,442	4	7	121,863				
10/25/10	1100	restart with SOMA-2 and MPE-1																	121,863	1,615	
	1200	164	73			25	0.26	2.6	28			64	7,100	1,156	10	3	121,870				

Table 8: MPE Pilot Test Operational data



SITE ADDRESS: 3820 Manila Ave, Oakland, California
 PROJECT #: 2515

MTS OPERATIONAL DATA																				
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC	
10/26/10	1130	164	71			24	0.36	2.8	33			80	4,343	707	0	0	122,125			
10/27/10	1100	164	71			25	0.28	2.8	29			80	4,195	683	0	0	122,320			
		MPE at SOMA-2															122,320			
	1300	164	70			26	0.14	2	20			82	5,518	898	11	8	122,335			
		EBMUD inspection and sampling of effluent line								0								122,335		
10/28/10	1200	170	70			26	0.17	3	23			68	6,671	1,086	3	8	122,447			
10/29/10	1430	170	71			26	0.14	2.6	20			80	4,827	786	3	1	122,560			
	1530	170	71			26	0.14	2.6	20			80	4,811	783	4	1	122,560			
11/2/10	1400	restart with SOMA-2							0									122,560		
	1500	164	76			26	0.1	2.8	17			70	4,407	717	1	4	122,588			
	1600	164	75			26	0.1	2.8	17			70	4,428	721	1	2	122,588			
11/3/10	1500	164	77			26	0.14	2	21			70	3,340	544	0	2	122,756			
11/4/10	1200	161	76			26	0.14	2	20			80	3,866	629	3	6	122,863			
	1300	164	79			26	0.15	2	21			82	3,265	532	3	6	122,869			
11/5/10	1500	164	69			26	0.14	2	20			80	2,300	374	4	4	122,980			
11/8/10	1100	restart with SOMA-2 and MPE-1																122,980	1,711	
	1200	164	69			25	0.3	2.6	30			64	2,929	477	4	3	123,006			
11/9/10	1430	164	69			25	0.38	3	34			74	3,211	523	2	0	123,346			
	1530	164	70			25	0.38	3	34			74	3,340	544	1	0	123,346			
11/10/10	1500	164	68			25	0.28	2.6	29			76	2,666	434	2	4	123,574			
	1600	164	68			25	0.28	2.6	29			76	2,680	436	1	2	123,574			
11/11/10	1430	164	78			25	0.3	2.6	30			78	3,112	507	0	0	123,826			
	1530	164	78			25	0.3	2.6	30			78	3,364	548	0	0	123,826			
11/12/10	1400	164	79			25	0.3	2.8	30			84	2,999	488	4	8	124,027			
	1500	164	75			25	0.3	2.8	30			82	3,002	489	2	1	124,055			
11/15/10	1000	restart with SOMA-2 and MPE-1																124,055		
	1100	164	80			25.5	0.24	2	27			74	4,055	660	0	0	124,085			
	1200	164	81			25.5	0.26	2.4	28			76	3,945	642	0	0	124,085			
11/16/10	1000	164	74			25	0.3	2.8	30			82	3,353	546	0	0	124,336			
		added MPE with B-10 with SOMA-2 and MPE-1 for vapor sampling																	124,336	
	1200	164	78			24.5	0.38	3	33			84	3,314	539	3	1	124,365			
		closed B-10, SOMA-2 and MPE-1 remain																	124,365	
11/17/10	1400	system shutdown overnight; low vacuum pump oil level, restart																	124,365	
	1500	164	74			24.5	0.28	2.8	29			74	4,475	728	0	0	124,530			
11/18/10	1500	system shutdown overnight; low vacuum pump oil level																	124,635	

Table 8: MPE Pilot Test Operational data

DATE		TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STING ER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
MTS OPERATIONAL DATA																				
11/22/10	1000	restart with SOMA-2 and MPE-1																		
	1100	162	71			25	0.24	2.8	27				65	4,400	716	1	1	124,635		
11/23/10	1500	161	72			25	0.24	2.8	27				65	4,300	700	1	2	125,145		
11/24/10	1030	164	65			25	0.24	2.8	27				66	4,295	699	0	0	125,388		
11/29/10	1000	restart with SOMA-2 and MPE-1																		
	1100	164	65			25.5	0.2	2.6	25				52	3,102	505	2	2	125,443		
	1200	164	68			25.5	0.2	2.8	25				54	2,841	462	2	1	125,443		
11/30/10	1000	164	67			25.5	0.26	3.2	28				62	2,415	393	0	0	125,804		
		closed SOMA-2 and MPE-1, took DTW from indoor wells, change out removing 3 vapor drums and installing 2 new vapor drums																		
	1400	restart with MPE-3																		
	1430	164	70			26	0.2	2	25				62	6,000	977	7	5	125,804		
12/1/10	1230	164	68			25.5	0.3	2.8	30				62	3,000	488	0	0	125,913		
	1300	164	69			25.5	0.3	2.8	30				62	2,912	474	2	1	125,913		
		closed MPE-3, opened MPE-2																		
	1400	164	65			25.5	0.18	2	23				62	7,911	1,288	9	6	125,913		
12/2/10	1030	system shutdown overnight, unknown cause, restart with MPE-3																		
	1100	164	68			25.5	0.2	2.6	25				58	7,612	1,239	4	3	125,976		
	1200	164	70			25.5	0.2	2.6	25				60	>15000	>2442	6	7	125,981		
		1/2 inch FP layer in air water separator																		
		system shut down overnight, unknown cause																		
12/3/10	1200	164	70			25.5	0.2	2.6	25				60	>15000	>2442	6	7	126,231		
12/6/10	930	restart with MPE-2; MPE-3 DTW = 11.43, no FP																		
	1530	164	75			25.5	0.26	2.6	28				68	4,928	802	0	0	126,315		
12/7/10	1130	164	70			25	0.28	2.8	29				68	7,630	1,242	2	1	126,535		
		MPE-3 DTW = 12.00', no FP																		
	1230	164	70			25.5	0.26	2.8	28				70	10,555	1,718	5	3	126,535		
	1330	164	70			25.5	0.28	2.8	29				70	8,362	1,361	10	7	126,785		
		water samples for EBMUD, shut down system due to rain per discharge permit, cabon change out 2 X 200 lbs drums out and 2 X 200 lbs drums in																		
12/13/10	1000	restart with MPE-2; DTW MPE-3 = 10.4', MPE-2 = 13.10, no FP layer in wells																		
	1100	164	74			26	0.16	2	22				60	5,009	815	4	3	126,810	1,892	
	1200	164	71			26	0.18	2	23				62	5,549	903	2	1	126,840		
12/14/10	1300	164	71			25	0.26	2.6	28				72	5,559	905	2	1	127,201		
		shut down system to prep for addition of electric oxidizer, cleared a pathway through building, removed/disconnected GAC vessels surrounding system																		
12/20/10		issue with electric oxidizer delaying install and startup																		
12/21/10		reinstalled/reconnected GAC vessels																		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																			
MTS OPERATIONAL DATA																			
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC
	1130	restart with MPE-3																	
	1230	164	69			25.5	0.2	2.6	25			60	15,000	2,442	15	2	127,201		
12/22/10	930	164	62			25	0.22	2.6	26			78	15,000	2,442	50	10	127,201		
		shut down system, GAC spent																	
		DTW: MPE-2 = 11.1', no FP; MPE-3 = 7.8', no FP																	
1/5/11	1330	restart w/ SOMA-4																	
	1430	164	75			26.5	0.12	1.6	19			58	1,400	228	5	3	127,285		
		added MPE-3 w/ SOMA-4																	
	1530	164	75			25.5	0.24	2.4	27			58	800	130	4	3	127,353		
1/6/11	1030	164	74			25	0.34	3	33			50	750	122	3	3	128,110		
		closed SOMA-4; added MPE-2 w/ MPE-3																	
	1200	164	74			25	0.3	2.6	31			52	688	112	3	2	128,110		
1/7/11	1330	164	68			25	0.3	2.6	31			50	700	114	3	3	128,529		
	1500	164	69			25	0.3	2.6	31			50	699	114	3	2	128,556		
		extraction from MPE-3 only																	
1/10/11	1430	164	69			25.5	0.2	2	25			50	500	81	1	0	128,556		
	1530	164	70			25.5	0.24	2.4	27			48	650	106	1	0	128,593		
1/11/11	1330	164	70			24.5	0.3	2.8	31			52	1,125	183	1	0	128,749		
	1430	164	70			24.5	0.32	2.8	32			52	1,320	215	3	1	128,776		
1/12/11	1430	164	74			24.5	0.3	2.8	30			60	1,500	244	1	0	128,916		
	1530	164	74			24.5	0.3	2.8	30			60	1,310	213	0	0	128,916		
1/13/11	1300	system down upon arrival; restart w/ MPE-3																	
	1400	164	77			25	0.26	2.8	28			58	1,004	163	1	0	129,055		1,979
1/14/11	1000	system down upon arrival; (10450 H) electrical issue;																	
		system remains off in prep. for installation of new Ecat system																	
1/18/11		Ecat system delivered; install and troubleshooting through 1/28/11																	
1/31/11	1300	start Ecat system w/ extraction from MPE-3																	
	1400	168				25	0.01	1.4	38			664	520	85		5	129,141		1,990
		shutdown system; fluid leaking from electrodes																	
2/1/11	1100	DTW: MPE-2 = 13.35' - 13.65' has FP; MPE-3 = 11.7' no FP																	
	1300	168				25	0.01	1.4	37			730	650	106		9	129,141		1,991
2/2/2011		repairing electrode box																	
2/3/2011	1100	restart Ecat with MPE-2 and MPE-3																	
	1300	168				23.5	0.01	1.4	37			713	660	107		9	129,155		

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																					
MTS OPERATIONAL DATA																					
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STEAMER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC		
	1500	168				23.5	0.01	1.4	37			700	671	109		9	129,195				
2/4/2011	930	168				23.5	0.01	1.4	37			685	550	90		8	129,455				
	1030	168				23.5	0.01	1.4	37			684	566	92		9	129,545				
		added SOMA-2 and SOMA-4 with MPE-2 and MPE-3																			
	1430	168				21	0.03	2	64			690	500	81		20	129,645				
		shutdown system																			
2/7/2011	1000	restart with SOMA-2 and SOMA-4 with MPE-2 and MPE-3																			
	1100	168				21	0.03	2	65			685	2,000	326		10	129,725	2,000			
	1300	168				21	0.03	2	64			713	1,755	286		51	129,925				
2/8/2011	1100	168				20	0.04	2	73			721	2,731	445		80	131,012				
	1200	168				20	0.04	2	73			720	2,566	418		74	131,061				
2/9/2011	1100	168				19.5	0.045	2	78			727	1,700	277		45	131,963				
		2/10 - 2/11 groundwater monitoring; system down																			
2/15/2011	1330	restart																			
		system shutdown																			
2/16/2011	1030	system shutdown																			
2/17/2011	1300	restart																			
	1400	168				21	0.03	2	64			720					134,262				
2/18/2011	200	system shutdown																			
2/22/11	1300	restart																			
	1400	168				22	0.03	1.6	64			700	2,000	326		9	135,275				
2/25/11	1500	shut down																			
																	139,755				
																	139,755				
																	139,755				
3/1/11	1200	restart																			
	1200											700					140,645				
3/2/11	1200											700					141,305				
3/3/11	1200											700					142,025				
3/4/11	1200											700					144,115				
3/7/11	1200											700					144,115				
																	144,115				
3/9/11	1100	168				22	0.03	2	64			700	1,600	260		6	145,535				
	1300	168				22	0.03	2	64			700	1,600	260		8	145,765				
																	145,765				
3/11/11	1200	168				20	0.04	2	74			700	3,250	529		10	148,035				
3/13/11	2000	shut down																			
3/14/11	1330	restart																			
												700					150,045				

Table 8: MPE Pilot Test Operational data


 SITE ADDRESS: 3820 Manila Ave, Oakland, California PROJECT #: 2515																								
MTS OPERATIONAL DATA																								
DATE	TIME	PUMP TEMPERATURE (F)	CONDENSER TEMPERATURE (F)	STINGER VACUUM (IN-Hg)	CASING VACUUM (IN-Hg)	PUMP VACUUM (IN-Hg)	PITOT TUBE Δ PRESSURE (IN-H2O)	PUMP OUTFLET (Psi)	TOTAL FLOW RATE (SCFM)	DILUTION FLOW RATE (SCFM)	WELL FLOW RATE (SCFM)	EFFLUENT TEMPERATURE (F)	INFLUENT CONCENTRATION (PPMV as hexane)	INFLUENT CONCENTRATION (PPMV as TPH-ss)	MID EFFLUENT CONCENTRATION (PPMV)	END EFFLUENT CONCENTRATION (PPMV)	WATER TOTALIZER	POWER USAGE (KWH)	GAC					
3/15/11	1200											700					151,676							
3/16/11	1200											700					152,925							
3/17/11	1300	168				20	0.04	2	74			700	1,000	163		9	154,100							
		shut down system; building sewers being cleaned by tenant																				154,100		
3/23/11	1100	restart										700						154,100						
3/24/11	1100																	154,100						
3/25/11	1100											700						157,145						
3/28/11		shut down at 2300																				160,495		
3/29/11	1100	restarted										700						161,625						
	1800	shut down																				161,625		
3/30/11	1330	restart																161,625						
3/31/11	1330											700	1,100	179				163,095						

Table 8: MPE Pilot Test Operational data

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
SOMA-4, 2 B-10, 8	START	12/17/2008	1300	0										
	STEADY-STATE		1330	30	30	23	690	1.8206	939	0.0009	0.2462	0.0082	12	
			1430	60	90	23	1,380	3.6412	977	0.0010	0.5121	0.0085	12	
			12/18/2008	0830	1080	1,170	23	24,840	65.5409	977	0.0010	9.2208	0.0085	12
	pause													
	restart			1330	0	1,170								
				1400	30	1,200	23	684	1.8059	1,677	0.0017	0.4360	0.0145	21
				1430	30	1,230	24	722	1.9055	1,563	0.0016	0.4288	0.0143	21
				1530	60	1,290	21	1,288	3.3992	875	0.0009	0.4283	0.0071	10
	pause					1,290								
	restart		12/19/2008	900	0	1,290								
				1000	60	1,350	20	1,222	3.2247	1,026	0.0010	0.4762	0.0079	11
				1100	60	1,410	20	1,217	3.2124	686	0.0007	0.3173	0.0053	8
				1200	60	1,470	20	1,200	3.1662	566	0.0006	0.2579	0.0043	6
				1300	60	1,530	19	1,140	3.0079	488	0.0005	0.2115	0.0035	5
				1430	90	1,620	20	1,800	4.7493	494	0.0005	0.3379	0.0038	5
				1500	30	1,650	19	570	1.5040	444	0.0004	0.0962	0.0032	5
			12/22/2008	900	3960	5,610	21	83,160	219.4195	256	0.0003	8.1012	0.0020	3
				1100	120	5,730	29	3,480	9.1821	309	0.0003	0.4085	0.0034	5
				1230	90	5,820	30	2,700	7.1240	405	0.0004	0.4158	0.0046	7
				1330	60	5,880	30	1,800	4.7493	341	0.0003	0.2332	0.0039	6
				1400	60	5,940	30	1,800	4.7493	316	0.0003	0.2161	0.0036	5
			12/23/2008	930	1170	7,110	30	35,100	92.6121	279	0.0003	3.7211	0.0032	5
				1030	60	7,170	30	1,800	4.7493	417	0.0004	0.2850	0.0048	7
				1130	60	7,230	30	1,800	4.7493	271	0.0003	0.1855	0.0031	4
				1330	120	7,350	30	3,600	9.4987	294	0.0003	0.4019	0.0033	5
			12/24/2008	1000	1230	8,580	30	37,135	97.9824	300	0.0003	4.2355	0.0034	5
				1200	120	8,700	30	3,616	9.5411	273	0.0003	0.3758	0.0031	5
	pause					8,700								
	restart		12/29/2008	1000	0	8,700								
				1100	60	8,760	30	1,825	4.8164	296	0.0003	0.2055	0.0034	5
				1300	120	8,880	30	3,623	9.5593	269	0.0003	0.3704	0.0031	4
				1400	60	8,940	31	1,864	4.9177	245	0.0002	0.1737	0.0029	4
			12/30/2008	930	1170	10,110	31	36,413	96.0769	289	0.0003	3.9977	0.0034	5
				1030	60	10,170	31	1,867	4.9270	295	0.0003	0.2096	0.0035	5
				1130	60	10,230	31	1,864	4.9177	264	0.0003	0.1871	0.0031	4
				1230	60	10,290	31	1,864	4.9177	260	0.0003	0.1840	0.0031	4
				1330	60	10,350	31	1,864	4.9177	239	0.0002	0.1695	0.0028	4
			12/31/2008	1000	750	11,100	31	23,476	61.9407	268	0.0003	2.3885	0.0032	5
				1200	120	11,220	31	3,749	9.8916	299	0.0003	0.4255	0.0035	5
			1400	120	11,340	31	3,735	9.8540	268	0.0003	0.3798	0.0032	5	
			1500	60	11,400	31	1,867	4.9270	268	0.0003	0.1899	0.0032	5	
pause					11,400									

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss
B-10	restart	1/5/2009	800	0	11,400									
			830	30	11,430	35	1,035	2.7315	390	0.0004	0.1534	0.0051	7	
			900	30	11,460	33	975	2.5737	174	0.0002	0.0646	0.0022	3	
B-10, SOMA-2			1100	120	11,580	38	4,512	11.9051	174	0.0002	0.2983	0.0025	4	
					11,580									
B-10, SOMA-2, 4		1/6/2009	1000	1380	12,960	38	52,701	139.0536	1,017	0.0010	20.3730	0.0148	21	
			1200	120	13,080	38	4,560	12.0317	861	0.0009	1.4920	0.0124	18	
					13,080							0.0000		
B-10	c/o	1/7/2009	1400	120	13,200	39	4,680	12.3483	1,196	0.0012	2.1261	0.0177	26	
			700	1020	14,220	43	43,551	114.9101	1,175	0.0012	19.4351	0.0191	27	
			730	30	14,250	43	1,281	3.3797	1,175	0.0012	0.5718	0.0191	27	
B-10			14,250		14,250									
			930	0	14,250									
			1000	30	14,280	8	235	0.6206	1,224	0.0012	0.1094	0.0036	5	
B-10, 8, SOMA-2, 4			1030	30	14,310	30	911	2.4036	924	0.0009	0.3198	0.0107	15	
			1130	60	14,370	30	1,822	4.8071	0.0000	0.0000	0.0000	0.0000	0	
			1230	60	14,430	35	2,100	5.5401	1,198	0.0012	0.9559	0.0159	23	
B-8, SOMA-2, 4		1/8/2009	1430	120	14,550	38	4,583	12.0916	1,339	0.0013	2.3314	0.0194	28	
			1000	1110	15,660	40	43,954	115.9744	1,583	0.0016	26.4389	0.0238	34	
			1200	120	15,780	36	4,320	11.3984	1,169	0.0012	1.9185	0.0160	23	
B-8, SOMA-2, 4			1400	120	15,900	36	4,371	11.5331	1,121	0.0011	1.8614	0.0155	22	
					15,900									
			1500	60	15,960	23	1,398	3.6883	820	0.0008	0.4358	0.0073	10	
B-10	pause restart	1/9/2009	1200	1260	17,220	24	30,274	79.8785	1,221	0.0012	14.0438	0.0111	16	
			1400	120	17,340	24	2,880	7.5989	874	0.0009	0.9566	0.0080	11	
			1500	60	17,400	35	2,100	5.5409	692	0.0007	0.5520	0.0092	13	
B-10	pause restart	1/12/2009	1030	4050	21,450	34	139,607	368.3572	1,415	0.0014	75.0380	0.0185	27	
					21,450									
			1300		21,450									
B-10, 8, SOMA-2, 4	pause restart	1/13/2009	1400	60	21,510	33	1,958	5.1675	257	0.0003	0.1914	0.0032	5	
			1500	60	21,570	33	1,955	5.1580	212	0.0002	0.1572	0.0026	4	
			1030	1170	22,740	33	38,120	100.5803	366	0.0004	5.3050	0.0045	7	
B-10, 8, SOMA-2, 4	pause restart	1/14/2009	1130		22,740									
			1230	60	22,800	29	1,721	4.5405	98	0.0001	0.0639	0.0011	2	
			1400	90	22,890	25	2,288	6.0371	98	0.0001	0.0851	0.0009	1	
B-10, 8, SOMA-2, 4	pause restart	1/15/2009	930	1170	24,060	25	29,745	78.4825	98	0.0001	1.1075	0.0009	1	
					24,060									
			730		24,060									
B-10, 8, SOMA-2, 4	restart	1/16/2009	1030		24,060									
			1100	30	24,090	29	877	2.3132	565	0.0006	0.1882	0.0063	9	
			1130	30	24,120	29	873	2.3044	369	0.0004	0.1225	0.0041	6	
B-10, 8, SOMA-2, 4	pause restart	1/16/2009	1230	60	24,180	30	1,798	4.7437	326	0.0003	0.2226	0.0037	5	
			1030	1320	25,500	30	39,553	104.3612	474	0.0005	7.1215	0.0054	8	
			1100	30	25,530									
B-10, 8, SOMA-2, 4	restart	1/16/2009	1230		25,530									
			1330	60	25,590	20	1,226	3.2345	741	0.0007	0.3450	0.0057	8	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss
SOMA-4, B-8,	pause	1/19/2009	1000	4110	29,700	20	83,973	221.5638	741	0.0007	23.6417		0.0058	8
	restart		1030		29,700									
			1200	90	29,790	23	2,101	5.5429	1,499	0.0015	1.1968	0.0133	19	
SOMA-4, 2	pause	1/20/2009	1300	60	29,850	25	1,473	3.8878	1,628	0.0016	0.9114	0.0152	22	
	restart		930	600	30,450	25	14,735	38.8780	1,628	0.0016	9.1142	0.0152	22	
			1000		30,450									
B-10, 8, SOMA-2, 4	pause	1/21/2009	1100	60	30,510	25	1,476	3.8952	1,275	0.0013	0.7150	0.0119	17	
	restart		1200	60	30,570	25	1,471	3.8805	1,131	0.0011	0.6318	0.0105	15	
			1330	90	30,660	17	1,557	4.1082	1,205	0.0012	0.7126	0.0079	11	
B-10	pause	1/21/2009	930	450	31,110	17	7,650	20.1847	1,205	0.0012	3.5024	0.0078	11	
	restart		1100		31,110									
			1300	120	31,230	33	3,960	10.4485	803	0.0008	1.2085	0.0101	15	
B-10		1/22/2009	1000	1260	32,490	33	41,580	109.7098	615	0.0006	9.7085	0.0077	11	
			1100	60	32,550	33	1,980	5.2243	536	0.0005	0.4029	0.0067	10	
			1200	60	32,610	35	2,100	5.5409	339	0.0003	0.2704	0.0045	6	
B-10, 8, SOMA-2, 4	pause	1/23/2009	1100	1380	33,990	35	47,748	125.9835	132	0.0001	2.3863	0.0017	2	
	restart		1200	60	34,050	39	2,321	6.1241	132	0.0001	0.1163	0.0019	3	
			1000	4200	38,250	39	164,015	432.7568	92	0.0001	5.7621	0.0014	2	
B-10, 8, SOMA-2, 4	pause	1/27/2009	1130	60	38,310	38	2,291	6.0458	1,361	0.0014	1.1848	0.0197	28	
	restart		1230	60	38,370	38	2,287	6.0343	1,476	0.0015	1.2822	0.0214	31	
	pause		1000	630	39,000	38	23,940	63.1662	0	0.0000	0.0000	0.0000	0	
SOMA-2	restart	1/29/2009	1030		39,000									
	pause		1130	60	39,060	38	2,300	6.0689	2,116	0.0021	1.8495	0.0308	44	
	restart		1200		39,060									
SOMA-2		1/28/2009	1300	60	39,120	39	2,343	6.1822	1,921	0.0019	1.7101	0.0285	41	
			1400	60	39,180	39	2,343	6.1822	1,547	0.0015	1.3768	0.0229	33	
			1000	1200	40,380	40	48,000	126.6491	1,411	0.0014	25.7373	0.0214	31	
SOMA-2	pause c/o	1/29/2009	1100	60	40,440	40	2,400	6.3325	1,299	0.0013	1.1846	0.0197	28	
	restart		730	1230	41,670	42	52,220	137.7844	2,189	0.0022	43.4231	0.0353	51	
			930		41,670									
SOMA-2		1/30/2009	1030	60	41,730	39	2,348	6.1941	2,214	0.0022	1.9747	0.0329	47	
			930	1380	43,110	38	52,802	139.3187	2,442	0.0024	48.9883	0.0355	51	
			1030	60	43,170	17	1,046	2.7595	1,394	0.0014	0.5541	0.0092	13	
B-8, SOMA-2, 4		2/2/2009	1230	4440	47,610	17	77,101	203.4325	2,442	0.0024	71.5325	0.0161	23	
			1330	60	47,670	39	2,330	6.1471	2,442	0.0024	2.1615	0.0360	52	
			1400	30	47,700	39	1,163	3.0678	2,442	0.0024	1.0787	0.0360	52	
B-10		2/3/2009	1500	1500	49,200	39	58,500	154.3536	2,442	0.0024	54.2750	0.0362	52	
			1600	60	49,260	38	2,280	6.0158	638	0.0006	0.5525	0.0092	13	
			1300	1260	50,520	36	45,360	119.6834	126	0.0001	2.1743	0.0017	2	
B-10		2/4/2009	1400	60	50,580	36	2,160	5.6992	106	0.0001	0.0872	0.0015	2	
			1500	60	50,640	36	2,160	5.6992	102	0.0001	0.0838	0.0014	2	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL		
						minutes	minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %
		2/5/2009	1330	1350	51,990	36	48,600	128.2322	129	0.0001	2.3898	0.0018	3
			1430	60	52,050	36	2,160	5.6992	109	0.0001	0.0898	0.0015	2
	pause c/o restart	2/6/2009	730	1020	53,070	36	37,224	98.2166	179	0.0002	2.5326	0.0025	4
			930		53,070								
			1000	30	53,100	35	1,054	2.7807	128	0.0001	0.0512	0.0017	2
			1030	30	53,130	36	1,076	2.8385	100	0.0001	0.0411	0.0014	2
	pause restart	2/9/2009	1100	1410	54,540	36	50,562	133.4086	93	0.0001	1.7888	0.0013	2
			930		54,540								
	pause restart	2/11/2009	1000	30	54,570	36	1,080	2.8496	93	0.0001	0.0382	0.0013	2
			1130		54,570						0.0000		
		2/12/2009	1230	60	54,630	37	2,228	5.8785	326	0.0003	0.2756	0.0046	7
			930	1260	55,890	37	46,335	122.2561	70	0.0001	1.2295	0.0010	1
B-8, SOMA-2, 4			1030	60	55,950	26	1,557	4.1087	733	0.0007	0.4334	0.0072	10
		2/13/2009	900	1350	57,300	31	42,337	111.7075	1,276	0.0013	20.5301	0.0152	22
B-8			1100	120	57,420	35	4,207	11.1016	667	0.0007	1.0670	0.0089	13
		2/16/2009	1130	1410	58,830	35	49,438	130.4436	81	0.0001	1.5289	0.0011	2
	pause restart		1230		58,830								
			1330	60	58,890	35	2,104	5.5508	244	0.0002	0.1952	0.0033	5
		2/17/2009	1000	1230	60,120	35	43,127	113.7912	52	0.0001	0.8589	0.0007	1
			1100	60	60,180	35	2,104	5.5508	42	0.0000	0.0332	0.0006	1
SOMA-2		2/18/2009	1000	1380	61,560	36	49,392	130.3207	39	0.0000	0.7332	0.0005	1
					61,560								
		2/19/2009	1200	120	61,680	31	3,749	9.8916	201	0.0002	0.2864	0.0024	3
			1000	1320	63,000	32	42,426	111.9427	126	0.0001	2.0337	0.0015	2
B-10, 8, SOMA-2, 4			1100	60	63,060	28	1,686	4.4496	285	0.0003	0.1825	0.0030	4
			1200	60	63,120	28	1,686	4.4496	339	0.0003	0.2172	0.0036	5
		2/20/2009	1000	1320	64,440	29	38,501	101.5864	437	0.0004	6.3916	0.0048	7
			1100	60	64,500	28	1,680	4.4328	573	0.0006	0.3658	0.0061	9
			64,500		64,500								
			1200	60	64,560	25	1,480	3.9063	379	0.0004	0.2134	0.0036	5
B-10		2/23/2009	1000	4200	68,760	25	105,000	277.0449	615	0.0006	24.5490	0.0058	8
					68,760								
			1200	120	68,880	21	2,520	6.6491	225	0.0002	0.2159	0.0018	3
		2/24/2009	1000	1320	70,200	21	27,122	71.5608	39	0.0000	0.4060	0.0003	0
			1100	60	70,260	19	1,141	3.0115	25	0.0000	0.0109	0.0002	0
			1200	60	70,320	19	1,141	3.0115	25	0.0000	0.0107	0.0002	0
	2/25/2009		1000	1320	71,640	17	23,053	60.8252	41	0.0000	0.3579	0.0003	0
			1100	60	71,700	17	1,048	2.7648	128	0.0001	0.0510	0.0009	1
			1200	60	71,760	17	1,046	2.7595	94	0.0001	0.0375	0.0006	1
		2/26/2009	730	1170	72,930	19	22,256	58.7238	44	0.0000	0.3717	0.0003	0

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
B-10, 8, SOMA-2, 4	pause clo restart	2/27/2009	930		72,930									
			1030	60	72,990	19	1,148	3.0287	136	0.0001	0.0593	0.0010	1	
			1130	60	73,050	32	1,932	5.0980	195	0.0002	0.1434	0.0024	3	
			1230	1500	74,550	32	48,304	127.4502	36	0.0000	0.6633	0.0004	1	
			1330	60	74,610	17	1,046	2.7595	124	0.0001	0.0492	0.0000	0	
			1430	60	74,670	17	1,044	2.7543	160	0.0002	0.0634	0.0011	2	
			1030	4080	78,750	21	83,989	221.6065	443	0.0004	14.1352	0.2356	339	
			1130	60	78,810	17	1,044	2.7543	666	0.0007	0.2641	0.0001	0	
			1230	60	78,870	18	1,052	2.7754	356	0.0004	0.1422	0.0024	3	
			1100	1350	80,220	17	22,950	60.5541	262	0.0003	2.2868	0.0381	55	
			1200	60	80,280	17	1,020	2.6913	166	0.0002	0.0644	0.0000	0	
			1000	1320	81,600	18	23,760	62.6913	279	0.0003	2.5204	0.0420	60	
			1100	60	81,660	18	1,080	2.8496	329	0.0003	0.1351	0.0001	0	
			1200	60	81,720	18	1,080	2.8496	285	0.0003	0.1169	0.0019	3	
			1000	1320	83,040	16	20,541	54.1972	182	0.0002	1.4229	0.0237	34	
			1100	60	83,100	16	934	2.4635	129	0.0001	0.0456	0.0000	0	
			1200	60	83,160	16	934	2.4635	128	0.0001	0.0453	0.0008	1	
			1030	1350	84,510	16	21,008	55.4290	184	0.0002	1.4683	0.0245	35	
			1130	60	84,570	16	935	2.4682	135	0.0001	0.0479	0.0000	0	
			1100	1410	85,980	16	21,983	58.0025	137	0.0001	1.1435	0.0191	27	
SOMA-2, B-10		3/10/2009	1200	60	85,980	17	1,048	2.7648	611	0.0006	0.2433	0.0041	6	
			1430	1590	87,630	17	27,663	72.9887	585	0.0006	6.1510	0.0039	6	
			1530	60	87,690	21	1,235	3.2589	852	0.0009	0.3998	0.0067	10	
B-10, SOMA-2, 4		3/11/2009	1530	1440	89,130	23	33,549	88.5189	823	0.0008	10.4873	0.0073	10	
			1630	60	89,190	25	1,473	3.8878	821	0.0008	0.4594	0.0077	11	
			1000	1050	90,240		0				0.0000	0.0000		
SOMA-4		3/13/2009	1100	1500	91,740	25	36,907	97.3788	1,198	0.0012	16.8055	0.0112	16	
					91,740									
			1200	60	91,800	17	1,044	2.7543	919	0.0009	0.3644	0.0061	9	
B-8, SOMA-2, 4		3/16/2009	1300	60	91,860	16	934	2.4635	856	0.0009	0.3038	0.0051	7	
			1000	4140	96,000	11	45,815	120.8844	1,196	0.0012	20.8139	0.0050	7	
					96,000									
B-8, SOMA-2, 4		3/17/2009	1100	60	96,060	16	939	2.4776	571	0.0006	0.2039	0.0034	5	
			1200	60	96,120	16	939	2.4776	483	0.0005	0.1725	0.0029	4	
			1000	1320	97,440	16	20,541	54.1972	64	0.0001	0.5018	0.0004	1	
B-8, SOMA-2, 4		3/18/2009			97,440									
			1100	60	97,500	17	1,042	2.7491	258	0.0003	0.1022	0.0017	2	
			1200	60	97,560	21	1,233	3.2528	524	0.0005	0.2452	0.0041	6	
SOMA-4		3/19/2009	1000	1320	98,880		0				0.0000	0.0000		
			1000	1440	100,320	27	38,521	101.6391	1,156	0.0012	16.9165	0.0117	17	
					100,320									
SOMA-4			1100	60	100,380	17	1,036	2.7337	825	0.0008	0.3249	0.0054	8	
			1200	60	100,440	17	1,036	2.7337	890	0.0009	0.3502	0.0058	8	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss
SOMA-4	pause c/o restart	3/20/2009	700	1140	101,580	17	19,909	52.5309	870	0.0009	6.5807	0.0058	8	
			930		101,580									
			1030	60	101,640	17	1,046	2.7595	2,442	0.0024	0.9703	0.0162	23	
			1130	60	101,700	17	1,046	2.7595	1,465	0.0015	0.5822	0.0097	14	
		3/23/2009	1000	4230	105,930	17	73,874	194.9171	818	0.0008	22.9603	0.0054	8	
			1100	60	105,990	25	1,482	3.9100	941	0.0009	0.5301	0.0088	13	
			1200	60	106,050	25	1,482	3.9100	872	0.0009	0.4907	0.0082	12	
		3/24/2009	1000	1320	107,370	27	35,640	94.0369	1,376	0.0014	18.6294	0.0141	20	
			1100	60	107,430	27	1,620	4.2744	1,282	0.0013	0.7891	0.0132	19	
			1200	60	107,490	27	1,620	4.2744	1,100	0.0011	0.6773	0.0113	16	
		3/25/2009		1440	108,930		0				0.0000	0.0000		
		3/26/2009		1130	1410	110,340	27	37,860	99.8951	1,058	0.0011	15.2212	0.0108	16
			1230	60	110,400	27	1,611	4.2509	973	0.0010	0.5958	0.0099	14	
		3/27/2009		1100	1350	111,750	29	39,007	102.9214	1,377	0.0014	20.4112	0.0151	22
			1200	60	111,810	17	1,038	2.7388	948	0.0009	0.3740	0.0062	9	
		3/30/2009				111,810								
		3/31/2009		1130	5730	117,540	17	97,410	257.0185	1,067	0.0011	39.4878	0.0069	10
			1230	60	117,600	17	1,020	2.6913	1,044	0.0010	0.4047	0.0067	10	
			1330	60	117,660	17	1,020	2.6913	921	0.0009	0.3568	0.0059	9	
		4/1/2009		1100	1290	118,950	17	21,930	57.8628	1,013	0.0010	8.4369	0.0065	9
	1200	60	119,010	17	1,020	2.6913	1,006	0.0010	0.3899	0.0065	9			
	1300	60	119,070	17	1,020	2.6913	836	0.0008	0.3241	0.0054	8			
4/3/2009		730	2550	121,620	16	39,681	104.6992	733	0.0007	11.0446	0.0043	6		
B-8, SOMA-2, 4	pause c/o restart				121,620									
			930		121,620									
			1030	60	121,680	16	935	2.4682	1,380	0.0014	0.4905	0.0082	12	
			1130	60	121,740	23	1,398	3.6883	1,214	0.0012	0.6446	0.0107	15	
			1230	60	121,800	23	1,398	3.6883	1,187	0.0012	0.6304	0.0105	15	
		4/6/2009	1300	4290	126,090	28	119,004	313.9947	1,137	0.0011	51.4139	0.0120	17	
			1400	60	126,150	30	1,785	4.7086	1,014	0.0010	0.6873	0.0115	16	
		4/7/2009	1300	1380	127,530	29	39,653	104.6246	1,051	0.0011	15.8290	0.0115	17	
			1400	60	127,590	29	1,724	4.5489	1,031	0.0010	0.6753	0.0113	16	
		4/8/2009	1030	1230	128,820	29	35,808	94.4806	1,075	0.0011	14.6288	0.0119	17	
SOMA-2			1130	60	128,880	16	935	2.4682	1,253	0.0013	0.4455	0.0074	11	
		4/9/2009	1230	1380	130,260	16	21,556	56.8766	1,384	0.0014	11.3330	0.0082	12	
			1330	60	130,320	16	936	2.4705	1,367	0.0014	0.4864	0.0081	12	
		4/10/2009	1030	1260	131,580	16	19,607	51.7337	1,412	0.0014	10.5193	0.0083	12	
			1130	60	131,640	16	935	2.4658	1,360	0.0014	0.4830	0.0081	12	
		4/13/2009	1000	1350	132,990	16	21,047	55.5343	1,323	0.0013	10.5773	0.0078	11	
			1100	60	133,050	16	934	2.4635	1,438	0.0014	0.5102	0.0085	12	
			1200	60	133,110	16	934	2.4635	1,481	0.0015	0.5255	0.0088	13	
		4/14/2009	1030	1350	134,460	17	22,950	60.5541	1,319	0.0013	11.4980	0.0085	12	
			1130	60	134,520	17	1,042	2.7491	1,628	0.0016	0.6444	0.0107	15	
4/15/2009	1000	1350	135,870	17	23,487	61.9715	1,579	0.0016	14.0915	0.0104	15			
	1100	60	135,930	17	1,044	2.7543	1,628	0.0016	0.6457	0.0108	15			
4/16/2009	700	1200	137,130	17	20,957	55.2956	1,628	0.0016	12.9623	0.0108	16			

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
B-8, SOMA-2, 4	pause c/o restart		900		137,130									
			1000	60	137,130									
		4/17/2009	1300	1620	138,810	17	1,047	2.7621	1,972	0.0020	0.7842	0.0131	19	
		4/20/2009	1700	4560	143,370	17	28,265	74.5780	1,811	0.0018	19.4475	0.0120	17	
		4/21/2009	1330	1230	144,600	17	78,087	206.0354	1,628	0.0016	48.2985	0.0106	15	
			1430	60	144,660	17	21,044	55.5244	2,279	0.0023	18.2223	0.0148	21	
		4/22/2009	1300	1350	146,010	17	1,027	2.7085	2,279	0.0023	0.8889	0.0148	21	
			1400	60	146,070	17	23,225	61.2791	1,172	0.0012	10.3428	0.0077	11	
		4/23/2009	1300	1380	147,450	17	1,032	2.7235	1,185	0.0012	0.4648	0.0077	11	
			1400	60	147,510	17	24,065	63.4690	1,501	0.0015	13.7178	0.0099	14	
		4/24/2009	1300	1380	148,890	18	1,047	2.7621	1,483	0.0015	0.5899	0.0098	14	
			1400	60	148,950	18	24,240	63.9572	2,442	0.0024	22.4891	0.0163	23	
		4/27/2009	1230	4230	153,180	17	1,054	2.7807	2,442	0.0024	0.9778	0.0163	23	
			1330	60	153,240	17	73,874	194.9171	1,455	0.0015	40.8260	0.0097	14	
		4/28/2009	1400	1410	154,650	17	1,048	2.7648	1,411	0.0014	0.5619	0.0094	13	
		4/29/2009	1230	1350	156,000	17	24,625	64.9724	1,428	0.0014	13.3574	0.0095	14	
		4/30/2009	1330	1500	157,500	17	23,487	61.9715	1,245	0.0012	11.1134	0.0082	12	
			1430	60	157,560	17	26,048	68.7272	1,302	0.0013	12.8887	0.0086	12	
		5/1/2009	730	1020	158,580	17	1,042	2.7491	1,628	0.0016	0.6444	0.0107	15	
					158,580	17	17,813	47.0013	1,384	0.0014	9.3653	0.0092	13	
		pause c/o restart		1000		158,580								
			5/4/2009	1300	180	158,760	17	3,132	8.2629	1,221	0.0012	1.4527	0.0081	12
				1000	4140	162,900	17	71,891	189.6871	1,461	0.0015	39.9084	0.0096	14
		pause drilling restart	5/6/2009	1300		162,900								
				1400	60	162,960	29	1,739	4.5871	1,047	0.0010	0.6919	0.0115	17
			5/7/2009	1200	1320	164,280	29	38,212	100.8225	997	0.0010	14.4762	0.0110	16
				1300	60	164,340	29	1,737	4.5828	1,039	0.0010	0.6854	0.0114	16
		pause restart	5/8/2009	700		164,340								
				1000		164,340								
			5/11/2009	1100	60	164,400	25	1,473	3.8878	1,351	0.0014	0.7564	0.0126	18
				1700	4680	169,080	25	114,931	303.2482	1,376	0.0014	60.0685	0.0128	18
			5/12/2009	1800	60	169,140	25	1,472	3.8841	1,575	0.0016	0.8809	0.0147	21
				1430	1230	170,370	22	26,916	71.0182	1,409	0.0014	14.4055	0.0117	17
			5/13/2009	1530	60	170,430	22	1,313	3.4643	1,454	0.0015	0.7252	0.0121	17
			5/14/2009	1430	1380	171,810	22	30,198	79.6790	1,573	0.0016	18.0506	0.0131	19
				1230	1320	173,130	26	33,935	89.5375	1,433	0.0014	18.4705	0.0140	20
				1330	60	173,190	23	1,395	3.6813	1,141	0.0011	0.6050	0.0101	15
			5/15/2009	1300	1410	174,600	23	32,788	86.5117	1,140	0.0011	14.1960	0.0101	14
			5/18/2009	830	4050	178,650	23	94,894	250.3807	1,156	0.0012	41.6727	0.0103	15
	SOMA-4	pause restart c/o	5/21/2009	1500		178,650								
			1600	60	178,710	17	1,020	2.6913	1,140	0.0011	0.4416	0.0074	11	
		5/22/2009	1500	1380	180,090	22	30,086	79.3822	870	0.0009	9.9501	0.0072	10	
		5/26/2009	1200	5580	185,670	22	121,652	320.9803	895	0.0009	41.3841	0.0074	11	
		5/27/2009	1200	1440	187,110	22	31,394	82.8336	895	0.0009	10.6798	0.0074	11	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL		
						minutes	minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %
MPE-4		5/28/2009	1200	1440	188,550	22	31,394	82.8336	895	0.0009	10.6798	0.0074	11
		5/29/2009	1200	1440	189,990	23	33,360	88.0221	1,026	0.0010	12.9994	0.0090	13
		6/1/2009	1430	4170	194,160	23	97,151	256.3360	747	0.0007	27.5813	0.0066	10
			1530	60	194,220	11	659	1.7387	134	0.0001	0.0336	0.0006	1
		6/2/2009	1130	1200	195,420	19	22,870	60.3435	768	0.0008	6.6767	0.0056	8
			1230	60	195,480	19	1,141	3.0115	847	0.0008	0.3671	0.0061	9
		6/3/2009	1130	1380	196,860	25	33,890	89.4193	499	0.0005	6.4268	0.0047	7
			1430	60	196,920	23	1,390	3.6676	435	0.0004	0.2296	0.0038	6
		6/4/2009	730	1140	198,060	23	26,711	70.4775	407	0.0004	4.1303	0.0036	5
							198,060						
MPE-3,5	pause c/o restart		1100		198,060								
			1300	120	198,180	30	3,637	9.5958	2,442	0.0024	3.3742	0.0281	40
MPE-2		6/5/2009	1200	1380	199,560	32	44,187	116.5885	427	0.0004	7.1606	0.0052	7
MPE-2,3			1400	120	199,680	21	2,466	6.5055	596	0.0006	0.5582	0.0047	7
					199,680								
			1500	60	199,740	30	1,805	4.7616	650	0.0006	0.4454	0.0074	11
MPE-2		6/8/2009	1400	4260	204,000	35	147,950	390.3705	562	0.0006	31.5710	0.0074	11
		6/9/2009	1400	1440	205,440	35	50,011	131.9562	499	0.0005	9.4810	0.0066	9
					205,440								
SOMA-2		6/10/2009	1500	1500	206,940	25	36,837	97.1949	589	0.0006	8.2479	0.0055	8
		6/11/2009	1200	1260	208,200	26	32,453	85.6287	578	0.0006	7.1259	0.0057	8
					208,200								
B-10			1300	60	208,260	11	659	1.7387	622	0.0006	0.1557	0.0026	4
					208,260								
MPE-1			1400	60	208,320	16	932	2.4589	1,093	0.0011	0.3872	0.0065	9
					208,320								
MPE-2			1500	60	208,380	17	1,042	2.7491	1,302	0.0013	0.5155	0.0086	12
					208,380								
MPE-2,5	pause c/o restart	6/12/2009	1000	1140	209,520	17	19,796	52.2327	1,221	0.0012	9.1832	0.0081	12
			1200		209,520								
		6/15/2009	700	4020	213,540	30	120,910	319.0245	488	0.0005	22.4356	0.0056	8
		6/16/2009	700	1440	214,980	30	43,311	114.2774	409	0.0004	6.7267	0.0047	7
		6/17/2009	1100	1200	216,180	30	36,093	95.2312	379	0.0004	5.2015	0.0043	6
		6/18/2009	1200	1380	217,560	30	41,507	109.5159	562	0.0006	8.8596	0.0064	9
		6/19/2009	900	1260	218,820	33	41,514	109.5366	700	0.0007	11.0413	0.0088	13
			1030	90	218,910	33	2,965	7.8240	700	0.0007	0.7881	0.0088	13
					218,910								
		LFR-2			1130	60	218,970	17	1,038	2.7388	506	0.0005	0.1997
			1230	60	219,030	17	1,038	2.7388	604	0.0006	0.2382	0.0040	6
			1330	60	219,090	17	1,036	2.7337	608	0.0006	0.2392	0.0040	6
MPE-5		6/22/2009	1100	4170	223,260	29	121,169	319.7072	354	0.0004	16.3006	0.0039	6
					223,260								
MPE-5		6/23/2009	1030	1410	224,670	21	28,971	76.4400	425	0.0004	4.6733	0.0033	5
					224,670								
MPE-2	pause c/o restart		1300		224,670								
			1400	60	224,730	28	1,677	4.4244	521	0.0005	0.3319	0.0055	8

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
B-10R		6/24/2009	1230	60	224,790	30	1,798	4.7437	469	0.0005	0.3203	0.0053	8	
			1330	60	224,790	17	1,038	2.7388	882	0.0009	0.3480	0.0058	8	
			1430	60	224,910	17	1,038	2.7388	903	0.0009	0.3559	0.0059	9	
B-10R,MPE-1		6/25/2009	930	1140	226,050	22	25,135	66.3204	1,205	0.0012	11.5046	0.0101	15	
			1030	60	226,050	30	1,805	4.7616	2,442	0.0024	1.6743	0.0279	40	
			1130	60	226,170	30	1,805	4.7616	780	0.0008	0.5347	0.0089	13	
B-10R,MPE-1		6/26/2009	1300	90	226,260	24	2,202	5.8098	716	0.0007	0.5992	0.0067	10	
			1430	90	226,260	28	2,501	6.5995	904	0.0009	0.8594	0.0095	14	
			1330	1380	227,730	30	41,159	108.5977	1,660	0.0017	25.9665	0.0188	27	
MPE-1	pause c/o restart	7/3/2009	1430	60	227,790	30	1,798	4.7437	1,599	0.0016	1.0920	0.0182	26	
			6/29/2009	1430	1440	229,230	32	45,679	120.5259	570	0.0006	9.8887	0.0069	10
			6/30/2009	1430	1440	230,670	33	47,004	124.0201	895	0.0009	15.9899	0.0111	16
			7/1/2009	1500	1470	232,140	34	50,578	133.4522	1,045	0.0010	20.0810	0.0137	20
			7/2/2009	930	1110	233,250	34	37,504	98.9542	977	0.0010	13.9180	0.0125	18
			1500		233,250									
			1200	1260	234,510	30	37,826	99.8046	1,058	0.0011	15.2074	0.0121	17	
			1300	30	234,540	25	735	1.9402	899	0.0009	0.2511	0.0084	12	
			7/6/2009	1030	4170	238,710	25	102,600	270.7132	812	0.0008	31.6666	0.0076	11
			1130	60	238,770	25	1,476	3.8952	945	0.0009	0.5300	0.0088	13	
7/7/2009	1400	1710	240,480	26	44,044	116.2103	697	0.0007	11.6650	0.0068	10			
7/8/2009	1030	1230	241,710	26	31,711	83.6689	645	0.0006	7.7670	0.0063	9			
1130	60	241,770	26	1,542	4.0699	651	0.0007	0.3818	0.0064	9				
7/9/2009	1700	1800	243,570	21	36,914	97.3993	583	0.0006	8.1831	0.0045	7			
7/10/2009	1530	1350	244,920	25	33,091	87.3109	580	0.0006	7.2925	0.0054	8			
7/13/2009	1030	4020	248,940	26	103,541	273.1963	650	0.0006	25.5657	0.0064	9			
B-10R,MPE-1		7/14/2009	1130	60	248,940	32	1,914	5.0500	1,032	0.0010	0.7508	0.0125	18	
			1530	1680	250,680	32	53,293	140.6135	997	0.0010	20.1796	0.0120	17	
			1630	60	250,740	32	1,903	5.0219	975	0.0010	0.7052	0.0118	17	
			7/15/2009	1330	1260	252,000	33	41,128	108.5176	863	0.0009	13.4824	0.0107	15
			7/16/2009	930	1200	253,200	37	44,525	117.4802	855	0.0009	14.4583	0.0120	17
B-10R,MPE-1,SOMA-2	pause c/o restart	7/17/2009	1200		253,200									
			1300	60	253,260	32	1,932	5.0980	947	0.0009	0.6949	0.0116	17	
			1330	1470	254,730	35	50,767	133.9492	918	0.0009	17.7097	0.0120	17	
SOMA-2,MPE-1		7/20/2009	1530	4200	254,730	34	140,981	371.9821	1,112	0.0011	59.5573	0.0142	20	
			7/21/2009	930	1080	260,010	34	36,628	96.6438	1,094	0.0011	15.2242	0.0141	20
			1000	30	260,040	23	699	1.8441	1,547	0.0015	0.4107	0.0137	20	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
MPE-1					260,040									
B-10R			1030	30	260,070	31	934	2.4635	1,612	0.0016	0.5717	0.0191	27	
B-10R,MPE-2			1130	60	260,070	25	1,476	3.8952	2,027	0.0020	1.1368	0.0189	27	
		7/22/2009	930	1320	260,130	34	44,768	118.1202	1,026	0.0010	17.4444	0.0132	19	
			1030	60	261,510	36	2,190	5.7774	1,130	0.0011	0.9405	0.0157	23	
SOMA-4,MPE-1			1100	30	261,540	36	1,095	2.8887	1,100	0.0011	0.4575	0.0152	22	
					261,540									
			1200	60	261,600	31	1,864	4.9177	1,387	0.0014	0.9823	0.0164	24	
		7/23/2009	1130	1410	263,010	32	45,233	119.3485	1,222	0.0012	20.9943	0.0149	21	
		7/24/2009	1530	1680	264,690	32	53,742	141.8002	1,031	0.0010	21.0513	0.0125	18	
		7/27/2009	1230	4140	268,830	33	136,404	359.9059	843	0.0008	43.6861	0.0106	15	
		7/28/2009	1330	1500	270,330	35	52,500	138.5224	1,846	0.0018	36.8170	0.0245	35	
MPE-1					270,330									
			1430	60	270,390	17	1,020	2.6913	757	0.0008	0.2934	0.0049	7	
		7/29/2009	1400	1410	271,800	17	23,970	63.2454	462	0.0005	4.2106	0.0030	4	
			1500	60	271,860	17	1,020	2.6913	480	0.0005	0.1862	0.0031	4	
		7/30/2009	1000	1140	273,000	17	19,380	51.1346	546	0.0005	4.0168	0.0035	5	
B-10R,MPE-2	pause c/o		1030		273,000									
			1130		273,000									
	restart		1230	60	273,060	30	1,800	4.7493	1,302	0.0013	0.8907	0.0148	21	
		7/31/2009	1300	1470	274,530	33	48,510	127.9947	2,442	0.0024	45.0065	0.0306	44	
					274,530									
			1330	30	274,560	22	660	1.7414	863	0.0009	0.2164	0.0072	10	
		8/3/2009	1400	4350	278,910	19	82,650	218.0739	1,221	0.0012	38.3404	0.0088	13	
B-10R,MPE-2					278,910									
			1500	60	278,970	27	1,620	4.2744	750	0.0007	0.4616	0.0077	11	
		8/4/2009	1000	1140	280,110	26	29,640	78.2058	1,291	0.0013	14.5417	0.0128	18	
			1100	60	280,170	27	1,620	4.2744	1,401	0.0014	0.8623	0.0144	21	
		8/5/2009	1030	1410	281,580	25	35,250	93.0079	1,089	0.0011	14.5817	0.0103	15	
			1130	60	281,640	27	1,620	4.2744	827	0.0008	0.5091	0.0085	12	
		8/6/2009	1300	1530	283,170	26	39,780	104.9604	1,180	0.0012	17.8384	0.0117	17	
B-10R					283,170									
			1400	60	283,230	21	1,260	3.3245	798	0.0008	0.3819	0.0064	9	
		8/7/2009	1400	1440	284,670	21	29,531	77.9195	776	0.0008	8.7070	0.0060	9	
		8/10/2009	1400	4320	288,990	20	87,936	232.0204	1,141	0.0011	38.1219	0.0088	13	
			1500	60	289,050	20	1,221	3.2225	916	0.0009	0.4251	0.0071	10	
					289,050									
MPE-3	pause c/o		1530		289,050									
			1630	60	289,110	25	1,473	3.8878	1,217	0.0012	0.6813	0.0114	16	
	restart		1300	4110	293,220	30	123,617	326.1668	674	0.0007	31.6564	0.0077	11	
		8/18/2009	1300	1440	294,660	30	43,068	113.6360	560	0.0006	9.1636	0.0064	9	
SOMA-2					294,660									
			1400	60	294,720	17	1,032	2.7235	1,057	0.0011	0.4145	0.0069	10	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL				
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min	lbs/day
B-10R		8/19/2009	1300	1380	296,100	20	28,143	74.2553	1,302	0.0013	13.9220	0.0101	15		
			1400	60	296,100	24	1,460	3.8516	1,628	0.0016	0.9029	0.0150	22		
		MPE-1			1500	60	296,220	28	1,661	4.3834	1,036	0.0010	0.6539	0.0109	16
					1600	60	296,280	20	1,219	3.2166	855	0.0009	0.3960	0.0066	10
				8/20/2009	1230	1230	297,510	15	18,450	48.6807	510	0.0005	3.5751	0.0029	4
				8/21/2009	1230	1440	298,950	15	21,600	56.9921	535	0.0005	4.3907	0.0030	4
					1330	60	299,010	15	900	2.3747	500	0.0005	0.1709	0.0028	4
				8/24/2009	1700	4530	303,540	15	67,950	179.2876	544	0.0005	14.0417	0.0031	4
				8/25/2009	1400	1260	304,800	15	18,900	49.8681	576	0.0006	4.1371	0.0033	5
					1500	60	304,860	15	900	2.3747	556	0.0006	0.1900	0.0032	5
8/26/2009	1400	1380	306,240	17	23,460	61.8997	425	0.0004	3.7916	0.0027	4				
SOMA-2	pause c/o restart	8/27/2009	1000	1200	307,440	30	35,890	94.6967	407	0.0004	5.5497	0.0046	7		
			1100	60	307,440	20	1,226	3.2345	1,268	0.0013	0.5904	0.0098	14		
			1200	60	307,560	20	1,226	3.2345	1,239	0.0012	0.5773	0.0096	14		
			8/28/2009	1200	1380	308,940	22	29,919	78.9432	1,759	0.0018	19.9918	0.0145	21	
		8/31/2009	1700	4620	313,560	24	111,376	293.8671	1,456	0.0015	61.6133	0.0133	19		
		9/1/2009	1700	1440	315,000	24	34,714	91.5949	1,490	0.0015	19.6465	0.0136	20		
		9/2/2009	1530	1350	316,350	24	32,545	85.8702	1,377	0.0014	17.0296	0.0126	18		
		9/3/2009	1700	1530	317,880	24	36,884	97.3196	1,320	0.0013	18.5041	0.0121	17		
		9/4/2009	930	990	318,870	27	26,583	70.1391	1,470	0.0015	14.8421	0.0150	22		
			1100	60	318,870	25	1,476	3.8952	2,442	0.0024	1.3696	0.0228	33		
			9/8/2009	1100	5700	324,630	27	151,914	400.8288	1,079	0.0011	62.2684	0.0109	16	
			1200	60	324,690	25	1,528	4.0322	1,327	0.0013	0.7707	0.0128	18		
			1300	60	324,750	27	1,593	4.2037	955	0.0010	0.5782	0.0096	14		
			9/10/2009	1000	2700	327,450	27	72,093	190.2188	747	0.0007	20.4672	0.0076	11	
			1130	120	327,450	27	3,204	8.4542	1,153	0.0012	1.4037	0.0117	17		
			9/21/2009	1030		327,570									
		1330			327,570										
			1430	8640	336,210	17	146,880	387.5462	445	0.0004	24.8560	0.0029	4		
			9/23/2009	1000	2610	338,820	23	60,030	158.3905	1,465	0.0015	33.4167	0.0128	18	
		9/25/2009	1000	2880	341,700	22	62,672	165.3602	1,628	0.0016	38.7635	0.0135	19		
1100	60		341,760	22	1,306	3.4450	1,300	0.0013	0.6448	0.0107	15				
	1200	60	341,820	22	1,306	3.4450	1,376	0.0014	0.6825	0.0114	16				
	9/28/2009	1400	4440	346,260	23	102,861	271.4014	2,442	0.0024	95.4323	0.0215	31			
	1500	60	346,320	23	1,390	3.6676	1,233	0.0012	0.6512	0.0109	16				
	10/1/2009	1000	4020	350,340	23	92,958	245.2711	1,263	0.0013	44.6227	0.0111	16			
	1330	60	350,340	25	1,476	3.8952	1,078	0.0011	0.6046	0.0101	15				
	1430	60	350,400	28	163,871	432.3768	440	0.0004	27.3664	0.0047	7				
10/5/2009	1630	5880	356,280	28	1,672	4.4120	409	0.0004	0.2600	0.0043	6				
	1730	60	356,340	28	30,964	81.6985	376	0.0004	4.4240	0.0040	6				
10/6/2009	1200	1110	357,450	28	38,593	101.8293	350	0.0004	5.1322	0.0036	5				
10/7/2009	1200	1440	358,890	27											

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
SOMA-2	pause c/o restart	10/8/2009	1300	1500	360,390	27	40,353	106.4717	402	0.0004	6.1649	0.0041	6	
		10/9/2009	1330	1530	361,920	27	40,853	107.7907	319	0.0003	4.9526	0.0032	5	
		10/12/2009	800	1170	363,090	27	31,416	82.8917	399	0.0004	4.7607	0.0041	6	
		10/13/2009	1400	1080	364,170	25	26,623	70.2459	442	0.0004	4.4708	0.0041	6	
						364,170								
						364,230	30	1,811	4.7796	1,047	0.0010	0.7204	0.0120	17
						364,290	30	1,811	4.7796	1,754	0.0018	1.2075	0.0201	29
		10/14/2009	1330	1290	365,580	34	43,422	114.5709	1,791	0.0018	29.5433	0.0229	33	
						365,580								
						365,610	27	803	2.1175	985	0.0010	0.3003	0.0100	14
						365,610								
						365,640	20	613	1.6173	912	0.0009	0.2124	0.0071	10
		10/15/2009	1330	1380	367,020	24	33,120	87.3879	1,044	0.0010	13.1375	0.0095	14	
						367,020								
						367,170	22	3,300	8.7071	645	0.0006	0.8087	0.0054	8
		10/19/2009	1230	1290	368,460	24	30,960	81.6887	221	0.0002	2.5947	0.0020	3	
						368,520	24	1,440	3.7995	452	0.0005	0.2475	0.0041	6
						368,580	24	1,440	3.7995	487	0.0005	0.2663	0.0044	6
		10/20/2009	1030	1200	369,780	24	28,800	75.9894	220	0.0002	2.4084	0.0020	3	
						369,840	24	1,440	3.7995	220	0.0002	0.1202	0.0020	3
						369,900	24	1,440	3.7995	261	0.0003	0.1430	0.0024	3
		10/21/2009	830	1200	371,100	23	27,600	72.8232	1,840	0.0018	19.2952	0.0161	23	
						371,280	27	4,860	12.8232	1,953	0.0020	3.6063	0.0200	29
		10/22/2009	1130	1440	372,720	24	35,034	92.4391	352	0.0004	4.6856	0.0033	5	
						372,780	24	1,460	3.8516	361	0.0004	0.2002	0.0033	5
						372,840	24	1,457	3.8445	248	0.0002	0.1373	0.0023	3
		10/27/2009	1100	7050	379,890	24	171,841	453.4070	217	0.0002	14.1681	0.0020	3	
						379,890								
				379,950	15	925	2.4405	352	0.0004	0.1237	0.0021	3		
				380,010	17	1,034	2.7286	502	0.0005	0.1972	0.0033	5		
10/28/2009	1430	1530	381,540	22	33,356	88.0107	676	0.0007	8.5673	0.0056	8			
				381,540										
				381,600	31	1,850	4.8810	610	0.0006	0.4287	0.0071	10		
10/29/2009	1100	1170	382,770	34	40,331	106.4143	700	0.0007	10.7266	0.0092	13			
				382,890	32	3,814	10.0625	613	0.0006	0.8882	0.0074	11		
10/30/2009	1430	90	382,980	32	2,850	7.5190	476	0.0005	0.5154	0.0057	8			
				383,040	32	1,900	5.0126	497	0.0005	0.3587	0.0060	9		
11/2/2009	1130	4080	387,120	30	121,573	320.7740	574	0.0006	26.5139	0.0065	9			
				387,120										
				387,330	34	7,173	18.9249	555	0.0006	1.5125	0.0072	10		
				387,330			0.0000							
				387,390	34	2,046	5.3973	645	0.0006	0.5013	0.0084	12		
11/3/2009	1030	1050	388,440	40	41,976	110.7553	1,337	0.0013	21.3235	0.0203	29			
				388,500	40	2,394	6.3172	1,011	0.0010	0.9197	0.0153	22		
				388,500										
				388,590	24	2,182	5.7562	913	0.0009	0.7568	0.0084	12		
				388,590										

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL		
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss
MPE-4		11/4/2009	800	1140	389,730	45	51,237	135.1897	230	0.0002	4.4775	0.0039	6
			900	60	389,730	39	2,358	6.2221	268	0.0003	0.2401	0.0040	6
MPE-5			1000	60	389,790	24	1,462	3.8588	450	0.0005	0.2500	0.0042	6
MPE-3			1500	300	389,790	30	8,939	23.5863	252	0.0003	0.8559	0.0029	4
B-8R, MPE-2		11/5/2009	830	1050	389,850	39	40,467	106.7723	2,442	0.0024	37.5463	0.0358	51
MPE-2			900	30	391,200	31	925	2.4405	1,058	0.0011	0.3718	0.0124	18
B-8R			1000	60	391,230	19	1,133	2.9890	2,442	0.0024	1.0511	0.0175	25
SOMA-2			1500	300	391,290	20	6,107	16.1125	1,015	0.0010	2.3550	0.0079	11
B-10R, MPE-1		11/6/2009	730	990	391,590	30	29,609	78.1248	2,039	0.0020	22.9387	0.0232	33
MPE-1			800	30	392,580	29	867	2.2871	962	0.0010	0.3168	0.0106	15
B-10R			900	60	392,610	23	1,390	3.6676	959	0.0010	0.5065	0.0084	12
SOMA-2, MPE-1	pause c/o		1130		392,670								
			1300	90	392,670	30	2,697	7.1155	962	0.0010	0.9857	0.0110	16
SOMA-2, MPE-1	restart	11/9/2009	1300	4320	392,760	33	141,536	373.4461	637	0.0006	34.2380	0.0079	11
			1500	120	397,080	33	3,932	10.3735	617	0.0006	0.9219	0.0077	11
B-10R		11/10/2009	0		397,200		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!
			1100	1200	397,200	37	44,359	117.0427	790	0.0008	13.3069	0.0111	16
		11/11/2009	1300	120	398,400	36	4,338	11.4470	783	0.0008	1.2910	0.0108	15
			1030	1290	398,520	36	46,638	123.0553	889	0.0009	15.7502	0.0122	18
		11/12/2009	1130	60	399,810	36	2,169	5.7235	674	0.0007	0.5553	0.0093	13
			1100	1410	399,870	35	49,897	131.6548	667	0.0007	12.6536	0.0090	13
B-10R		11/13/2009	1200	60	401,280	26	1,537	4.0547	596	0.0006	0.3478	0.0058	8
			1300	1500	401,340	26	38,562	101.7471	1,158	0.0012	16.9607	0.0113	16
		11/16/2009	0		402,840		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!
			1400	60	402,840	19	1,145	3.0200	611	0.0006	0.2659	0.0044	6
		11/17/2009	1400	4320	402,900	18	78,679	207.5953	621	0.0006	18.5508	0.0043	6
			1500	60	407,220	19	1,141	3.0115	592	0.0006	0.2569	0.0043	6
		11/18/2009	1600	60	407,280	17	1,042	2.7491	494	0.0005	0.1957	0.0033	5
			1200	1200	407,340	17	20,878	55.0858	639	0.0006	5.0684	0.0042	6
		11/19/2009	1300	60	408,540	25	1,473	3.8878	686	0.0007	0.3838	0.0064	9
			1400	60	408,600	25	1,473	3.8878	676	0.0007	0.3782	0.0063	9
		11/18/2009	1030	1230	408,660	27	33,152	87.4720	714	0.0007	8.9935	0.0073	11
			1130	60	409,890	27	1,617	4.2669	714	0.0007	0.4390	0.0073	11
		11/19/2009	1230	60	409,950	27	1,614	4.2589	644	0.0006	0.3949	0.0066	9
			900	1230	410,010	27	1,614	4.2589	644	0.0004	0.3949	0.0046	7
SOMA-2, MPE-1	pause c/o		0		411,240		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!
			1100	0	411,240		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!
			1200	60	411,300	29	1,753	4.6264	541	0.0005	0.3606	0.0060	9

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL		
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss
MPE-1	restart	11/20/2009	1130	1410	412,710	30	42,489	112,1084	600	0.0006	9.6790	0.0069	10
			1230	60	412,770	30	1,808	4,7706	703	0.0007	0.4831	0.0081	12
			1330	60	412,830	30	1,808	4,7706	904	0.0009	0.6211	0.0104	15
		11/23/2009	1215	4245	417,075	31	132,114	348.5869	580	0.0006	29.1315	0.0069	10
			1315	60	417,135	32	1,921	5.0691	520	0.0005	0.3797	0.0063	9
			1415	60	417,195	31	1,864	4.9177	539	0.0005	0.3820	0.0064	9
		11/24/2009	1115	1260	418,455	32	40,345	106.4504	481	0.0005	7.3689	0.0058	8
			1215	60	418,515	32	1,918	5.0595	441	0.0004	0.3215	0.0054	8
			1315	60	418,575	31	1,860	4.9085	429	0.0004	0.3031	0.0051	7
		11/25/2009	1100	1305	419,880	32	41,167	108.6188	684	0.0007	10.6941	0.0082	12
			1200	60	419,940	32	1,940	5.1176	596	0.0006	0.4391	0.0073	11
			1300	60	420,000	32	1,911	5.0418	602	0.0006	0.4373	0.0073	10
		11/30/2009	730	6870	426,870	31	215,449	568.4671	555	0.0006	45.4547	0.0066	10
			830	60	426,930	31	1,882	4.9648	523	0.0005	0.3736	0.0062	9
			930	60	427,000	31	1,882	4.9648	523	0.0005	0.3736	0.0062	9
		12/1/2009	730	1380	428,310	32	43,865	115.7380	514	0.0005	8.5653	0.0062	9
			830	60	428,370	31	1,878	4.9553	490	0.0005	0.3495	0.0058	8
			930	60	428,430	31	1,878	4.9553	490	0.0005	0.3495	0.0058	8
		12/2/2009	1100	1590	429,960	30	48,004	126.6602	548	0.0005	9.9971	0.0063	9
			1200	60	430,020	23	1,403	3.7023	474	0.0005	0.2526	0.0042	6
			1300	60	430,080	22	1,350	3.5373	498	0.0005	0.2526	0.0042	6
		12/3/2009	1030	1350	431,370	22	29,766	78.5373	498	0.0005	5.6336	0.0042	6
			1200	90	431,460	22	1,996	5.2659	458	0.0005	0.3470	0.0039	6
			1300	90	431,550	22	1,996	5.2659	458	0.0005	0.3470	0.0039	6
		12/4/2009	730	1170	432,630	22	25,945	68.4573	441	0.0004	4.3489	0.0037	5
			830	60	432,690	22	1,329	3.5073	480	0.0005	0.2425	0.0040	6
			930	60	432,750	22	1,329	3.5073	480	0.0005	0.2425	0.0040	6
		12/7/2009	730	1380	434,070	22	30,602	80.7445	342	0.0003	3.9768	0.0029	4
			830	60	434,130	22	1,331	3.5106	318	0.0003	0.1607	0.0027	4
			930	60	434,190	22	1,331	3.5106	318	0.0003	0.1607	0.0027	4
		12/8/2009	730	1380	435,510	21	28,626	75.5295	306	0.0003	3.3233	0.0024	3
			830	60	435,570	21	1,254	3.3094	302	0.0003	0.1439	0.0024	3
			930	60	435,630	21	1,254	3.3094	302	0.0003	0.1439	0.0024	3
		12/9/2009	1030	1440	437,010	21	30,162	79.5823	273	0.0003	3.1229	0.0022	3
			1130	60	437,070	21	1,257	3.3159	277	0.0003	0.1322	0.0022	3
			1230	60	437,130	21	1,257	3.3159	277	0.0003	0.1322	0.0022	3
		12/10/2009	730	1200	438,270	24	28,334	74.7598	271	0.0003	2.9197	0.0024	4
			830	60	438,330	24	1,417	3.7380	279	0.0003	0.1501	0.0025	4
			930	60	438,390	24	1,417	3.7380	279	0.0003	0.1501	0.0025	4
	12/11/2009	1100	1590	439,920	25	39,421	104.0125	245	0.0002	3.6647	0.0023	3	
1200		60	439,980	25	1,488	3.9250	233	0.0002	0.1319	0.0022	3		
1300		60	440,040	25	1,488	3.9250	212	0.0002	0.1200	0.0020	3		
12/14/2009	900	1200	441,240	25	29,638	78.1998	222	0.0002	2.4949	0.0021	3		
	1000	60	441,300	25	1,482	3.9100	310	0.0003	0.1743	0.0029	4		
	1100	60	441,360	25	1,482	3.9100	310	0.0003	0.1743	0.0029	4		
SOMA-2	pause	8/13/2010	0	0	441,300	0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
			0	0	441,300	0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
			0	0	441,300	0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
SOMA-2	c/o	8/16/2010	1030	0	441,300	0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
			1130	60	441,360	18	1,052	2.7754	537	0.0005	0.2147	0.0036	5
			1230	60	441,420	18	1,052	2.7754	537	0.0005	0.2147	0.0036	5
SOMA-2,MPE-1, B-10R	restart	8/17/2010	1000	1350	442,710	21	27,686	73.0495	640	0.0006	6.7332	0.0050	7
			1100	60	442,770	35	2,076	5.4775	676	0.0007	0.5329	0.0089	13
			1200	60	442,830	36	2,161	5.7023	588	0.0006	0.4827	0.0080	12
B-10R		8/18/2010	1100	1440	444,210	36	51,964	137.1094	604	0.0006	11.9179	0.0083	12
			1200	60	444,270	36	2,161	5.7023	588	0.0006	0.4827	0.0080	12
			1300	60	444,330	36	2,161	5.7023	588	0.0006	0.4827	0.0080	12
B-10R		8/19/2010	1100	1380	445,650	30	41,197	108.6986	641	0.0006	10.0370	0.0073	10
			1200	60	445,710	30	1,788	4.7173	509	0.0005	0.3455	0.0058	8

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
SOMA-2,MPE-1, B-10R		8/20/2010	1630	1710	447,420	32	54,720	144.3799	527	0.0005	10.9557	0.0064	9	
				0	447,420		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
	pause	8/26/2010	1300	0	447,420		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
	restart		1400	60	447,420	19	1,141	3.0115	130	0.0001	0.0565	0.0009	1	
		8/27/2010	600	960	448,440	25	23,801	62.8000	394	0.0004	3.5626	0.0037	5	
				0	448,440		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
	pause	9/2/2010		0	448,440		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
				1100	0	448,440		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!
	restart	9/3/2010	1430	90	448,530	24	2,190	5.7774	347	0.0003	0.2885	0.0032	5	
			1530	1560	450,090	30	46,484	122.6489	469	0.0005	8.2832	0.0053	8	
			1530	60	450,150	30	1,788	4.7173	480	0.0005	0.3262	0.0054	8	
	pause	9/7/2010	930	0	450,150		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
	restart		1030	60	450,210	31	1,874	4.9458	789	0.0008	0.5621	0.0094	13	
			1200	90	450,300	31	2,796	7.3766	857	0.0009	0.9099	0.0101	15	
		9/8/2010	900	0	450,300		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
			930	1290	451,590	33	42,343	111.7238	596	0.0006	9.5830	0.0074	11	
			1030	60	451,650	33	1,969	5.1965	737	0.0007	0.5518	0.0092	13	
		9/9/2010	1400	1650	453,300	34	56,563	149.2416	716	0.0007	15.3934	0.0093	13	
		9/10/2010	1530	1530	454,830	34	52,449	138.3876	651	0.0007	12.9763	0.0085	12	
			1630	60	454,890	34	2,053	5.4170	625	0.0006	0.4874	0.0081	12	
	9/13/2010	1300	0	454,890		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!		
pause		1330	30	454,920	32	968	2.5539	667	0.0007	0.2455	0.0082	12		
restart		1400	30	454,950	32	964	2.5442	682	0.0007	0.2499	0.0083	12		
	9/14/2010	1230	1350	456,300	34	45,442	119.8998	744	0.0007	12.8532	0.0095	14		
		1330	60	456,360	33	1,966	5.1868	723	0.0007	0.5403	0.0090	13		
MPE-1		9/15/2010	1100	1290	457,650	34	43,504	114.7853	576	0.0006	9.5254	0.0074	11	
			0	457,650		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!		
B-10R, SOMA-2		9/16/2010	1230	1530	459,180	31	47,430	125.1451	234	0.0002	4.2098	0.0028	4	
			0	459,180		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!		
		1330	60	459,240	32	1,920	5.0660	592	0.0006	0.4318	0.0072	10		
SOMA-2		9/17/2010	1400	1470	460,710	37	54,039	142.5844	863	0.0009	17.7150	0.0121	17	
			0	460,710		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!		
B-10R, SOMA-2			1500	60	460,770	22	1,301	3.4323	1,282	0.0013	0.6338	0.0106	15	
	pause	9/20/2010	1130	0	460,770		0	0.0000	0	0.0000	0.0000	#DIV/0!	#DIV/0!	
	restart		1230	60	460,830	30	1,805	4.7616	1,351	0.0014	0.9263	0.0154	22	
		9/21/2010	1100	1350	462,180	34	45,900	121.1082	995	0.0010	17.3524	0.0129	19	
		1200	60	462,240	34	2,040	5.3826	855	0.0009	0.6627	0.0110	16		
SOMA-2		9/22/2010	1300	1500	463,740	30	45,000	118.7335	781	0.0008	13.3572	0.0089	13	
		1400	60	463,800	26	1,560	4.1161	1,250	0.0013	0.7411	0.0124	18		
		9/23/2010	1430	1470	465,270	25	36,750	96.9657	918	0.0009	12.8223	0.0087	13	
				465,270										
			1530	60	465,330	25	1,500	3.9578	1,112	0.0011	0.6339	0.0106	15	
		9/24/2010	1430	1380	466,710	25	35,084	92.5691	1,237	0.0012	16.4919	0.0120	17	
			1530	60	466,770	25	1,525	4.0247	1,212	0.0012	0.7023	0.0117	17	
SOMA-2,MPE-1, B-10R		9/27/2010	930	0	466,770									
	pause		1000	30	466,800	28	840	2.2164	1,034	0.0010	0.3300	0.0110	16	
	restart		1030	30	466,830	29	868	2.2914	1,278	0.0013	0.4218	0.0141	20	
		9/28/2010	1330	1620	468,450	32	52,396	138.2484	985	0.0010	19.6068	0.0121	17	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL			
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min
SOMA-2,MPE-1, SOMA-2,MPE-1, B-10R		9/29/2010	1200	1350	468,450						0.0000			
			1300	0	469,800	25	34,258	90.3908	977	0.0010	12.7136	0.0094	14	
			1300	60	469,860	30	1,778	4.6913	1,133	0.0011	0.7654	0.0128	18	
		9/30/2010	1000	1260	471,120	30	37,545	99.0626	1,011	0.0010	14.4233	0.0114	16	
			10/1/2010	1230	1590	472,710	31	48,932	129.1072	1,042	0.0010	19.3667	0.0122	18
			1330	60	472,770	31	1,846	4.8720	997	0.0010	0.6992	0.0117	17	
		pause restart	10/4/2010	1300	0	472,770								
				1400	60	472,830	27	1,620	4.2744	1,393	0.0014	0.8574	0.0143	21
			10/5/2010	1300	1380	474,210	30	41,400	109.2348	855	0.0009	13.4490	0.0097	14
				10/6/2010	1330	1470	475,680	30	44,100	116.3588	1,115	0.0011	18.6826	0.0127
		c/o	10/7/2010	1530	120	475,800	32	3,840	10.1319	711	0.0007	1.0373	0.0086	12
				1200	1230	477,030	32	39,360	103.8522	902	0.0009	13.4892	0.0110	16
			10/8/2010	1300	60	477,090	32	1,920	5.0660	977	0.0010	0.7127	0.0119	17
				1300	1440	478,530	32	46,080	121.5831	794	0.0008	13.9013	0.0097	14
			10/11/2010	1400	60	478,590	32	1,920	5.0660	745	0.0007	0.5435	0.0091	13
				10/11/2010	830	0	478,590							
			10/12/2010	930	60	478,650	27	1,620	4.2750	703	0.0007	0.4328	0.0072	10
				1030	60	478,710	29	1,743	4.6001	721	0.0007	0.4776	0.0080	11
			10/13/2010	1130	60	478,770	30	1,805	4.7616	734	0.0007	0.5034	0.0084	12
				930	1320	480,090	32	41,873	110.4821	782	0.0008	12.4367	0.0094	14
			10/14/2010	1030	60	480,150	32	1,903	5.0219	820	0.0008	0.5931	0.0099	14
				1130	60	480,210	32	1,903	5.0219	800	0.0008	0.5783	0.0096	14
		pause restart	10/15/2010	1300	1530	481,740	32	48,445	127.8223	801	0.0008	14.7452	0.0096	14
				1400	60	481,800	31	1,889	4.9851	686	0.0007	0.4927	0.0082	12
		pause restart	10/19/2010	1200	180	481,980								
				1300	60	482,040	30	1,791	4.7260	814	0.0008	0.5540	0.0092	13
			10/20/2010	1400	60	482,100	30	1,778	4.6913	814	0.0008	0.5499	0.0092	13
				1330	180	482,100								
			10/21/2010	1400	30	482,280	30	5,400	14.2480	814	0.0008	1.6701	0.0093	13
				1430	30	482,310	28	840	2.2164	895	0.0009	0.2856	0.0095	14
			10/22/2010	1430	30	482,340	28	840	2.2164	1,026	0.0010	0.3275	0.0109	16
				1030	0	482,340								
			10/23/2010	1130	60	482,400	31	1,860	4.9077	1,140	0.0011	0.8056	0.0134	19
		1230		60	482,460	33	1,980	5.2243	1,106	0.0011	0.8320	0.0139	20	
SOMA-2,MPE-3		10/24/2010	1300	1470	483,930	33	48,072	126.8390	606	0.0006	11.0757	0.0075	11	
			1400	60	483,990	29	1,727	4.5573	1,302	0.0013	0.8547	0.0142	21	
		10/25/2010	1530	1530	485,520	32	48,356	127.5871	1,066	0.0011	19.5903	0.0128	18	
SOMA-2,MPE-1			10/26/2010	1500	1410	486,930	31	43,392	114.4913	2,442	0.0024	40.2583	0.0286	41
		10/27/2010	1100	0	486,930									
			1200	60	486,990	28	1,690	4.4581	1,156	0.0012	0.7420	0.0124	18	
		10/28/2010	1026/2010	1130	488,400	33	46,024	121.4364	707	0.0007	12.3632	0.0088	13	
			1100	1410	489,810	29	40,590	107.0968	683	0.0007	10.5318	0.0075	11	
		10/29/2010	1300	120	489,810									
			1200	1380	489,930	20	2,438	6.4331	898	0.0009	0.8321	0.0069	10	
		10/30/2010	1400	0	489,930									
			1200	1380	491,310	23	31,304	82.5965	1,086	0.0011	12.9165	0.0094	13	
		11/2/2010	1430	1590	492,900	20	32,365	85.3964	786	0.0008	9.6629	0.0061	9	
	pause restart		1530	60	492,960	20	1,221	3.2225	783	0.0008	0.3634	0.0061	9	
			11/3/2010	1400	0	492,960								
		1500		60	493,020	17	1,042	2.7491	717	0.0007	0.2840	0.0047	7	
		11/3/2010	1600	60	493,080	17	1,042	2.7491	721	0.0007	0.2854	0.0048	7	
			1500	1380	494,460	21	28,354	74.8136	544	0.0005	5.8576	0.0042	6	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL		
						minutes	minutes	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss
MPE-3		11/4/2010	1200	1260	495,720	20	25,648	67.6726	629	0.0006	6.1329	0.0049	7
		1300	60	495,780	21	1,262	3.3295	532	0.0005	0.2548	0.0042	6	
	pause	11/5/2010	1500	1560	497,340	20	31,755	83.7851	374	0.0004	4.5174	0.0029	4
	restart	11/8/2010	1100	0	497,340								
		1200	60	497,400	30	1,815	4.7887	477	0.0005	0.3288	0.0055	8	
		11/9/2010	1430	1590	498,990	34	53,621	141.4795	523	0.0005	10.6494	0.0067	10
		1530	60	499,050	34	2,023	5.3388	544	0.0005	0.4180	0.0070	10	
		11/10/2010	1500	1410	500,460	29	40,741	107.4957	434	0.0004	6.7181	0.0048	7
		1600	60	500,520	29	1,734	4.5743	436	0.0004	0.2874	0.0048	7	
		11/11/2010	1430	1350	501,870	30	40,301	106.3356	507	0.0005	7.7573	0.0057	8
		1530	60	501,930	30	1,791	4.7260	548	0.0005	0.3727	0.0062	9	
		11/12/2010	1400	1350	503,280	30	40,078	105.7475	488	0.0005	7.4343	0.0055	8
	pause	1500	60	503,340	30	1,785	4.7086	489	0.0005	0.3314	0.0055	8	
	restart	11/15/2010	1000	0	503,340								
		1100	60	503,400	27	1,608	4.2429	660	0.0007	0.4033	0.0067	10	
		1200	60	503,460	28	1,671	4.4079	642	0.0006	0.4076	0.0068	10	
	11/16/2010	1000	1320	504,780	30	39,260	103.5882	546	0.0005	8.1421	0.0062	9	
	add B-10 for sampling only	0	0	504,780									
		1200	120	504,900	33	4,009	10.5791	539	0.0005	0.8219	0.0068	10	
		0	0	504,900									
		11/17/2010	1400	480	505,380	29	13,921	36.7316	698	0.0007	3.6896	0.0077	11
		1500	60	505,440	29	1,740	4.5910	728	0.0007	0.4816	0.0080	12	
		11/18/2010	1500	480	505,920	29	13,920	36.7282	728	0.0007	3.8503	0.0080	12
	pause	1000	0	505,920									
	restart	11/22/2010	1100	60	505,980	27	1,622	4.2791	716	0.0007	0.4414	0.0074	11
		1500	1680	507,660	27	45,410	119.8148	700	0.0007	12.0773	0.0072	10	
		11/24/2010	1030	1170	508,830	27	31,595	83.3631	699	0.0007	8.3932	0.0072	10
	pause	1000	0	508,830									
	restart	11/29/2010	1100	60	508,890	25	1,499	3.9555	505	0.0005	0.2876	0.0048	7
		1200	60	508,950	25	1,496	3.9478	462	0.0005	0.2629	0.0044	6	
		11/30/2010	1000	1320	510,270	28	37,243	98.2654	393	0.0004	5.5630	0.0042	6
	pause	0	0	510,270									
	restart	1400	0	510,270									
		1430	30	510,300	25	742	1.9587	977	0.0010	0.2755	0.0092	13	
		12/1/2010	1230	1320	511,620	30	40,005	105.5540	488	0.0005	7.4231	0.0056	8
	MPE-2	1300	30	511,650	30	909	2.3990	474	0.0005	0.1638	0.0055	8	
		0	0	511,650									
		1400	60	511,710	23	1,409	3.7164	1,288	0.0013	0.6892	0.0115	17	
		12/2/2010	1030	480	512,190	23	11,040	29.1293	1,288	0.0013	5.4020	0.0113	16
	pause	1100	30	512,220	25	745	1.9663	1,239	0.0012	0.3509	0.0117	17	
restart	1200	60	512,280	25	1,488	3.9250	2,442	0.0024	1.3802	0.0230	33		
	512,280												
	512,280												
pause	12/3/2010	1200	1440	513,720	25	35,702	94.2000	2,442	0.0024	33.1253	0.0230	33	
restart	12/6/2010	930	0	513,720									
	1530	360	514,080	28	10,099	26.6469	802	0.0008	3.0783	0.0086	12		
	12/7/2010	1130	1200	515,280	29	34,935	92.1762	1,242	0.0012	16.4868	0.0137	20	
	0	0	515,280										
	1230	60	515,340	28	1,680	4.4328	1,718	0.0017	1.0968	0.0183	26		
	1330	60	515,400	29	1,743	4.6001	1,361	0.0014	0.9017	0.0150	22		
	0	0	515,400										
pause	12/13/2010	1000	0	515,400									
restart	1100	60	515,460	22	1,331	3.5106	815	0.0008	0.4122	0.0069	10		
	1200	60	515,520	23	1,409	3.7164	903	0.0009	0.4834	0.0081	12		
	12/14/2010	1300	1500	517,020	28	41,921	110.6108	905	0.0009	14.4141	0.0096	14	

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL	ELAPSED	Q			PID		MASS REMOVAL		
				TIME	TIME	SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min	lbs/day
				minutes	minutes								
MPE-3	pause	12/20/2010		0	517,020								
	restart	12/21/2010		0	517,020								
			1130	0	517,020								
			1230	60	517,080	25	1,488	3.9250	2,442	0.0024	1.3801	0.0230	33
	pause	12/22/2010	930	540	517,620	26	14,040	37.0449	2,442	0.0024	13.0267	0.0241	35
					517,620								
					517,620								
SOMA-4	restart	1/5/2011	1330	0	517,620								
			1430	60	517,680	19	1,154	3.0462	228	0.0002	0.1000	0.0017	2
MPE-3,SOMA4				0	517,680								
			1530	60	517,740	27	1,633	4.3079	130	0.0001	0.0808	0.0013	2
		1/6/2011	1030	1140	518,880	33	37,211	98.1826	122	0.0001	1.7262	0.0015	2
MPE-2,3				0	518,880								
			1200	90	518,970	31	2,754	7.2668	112	0.0001	0.1172	0.0013	2
		1/7/2011	1330	1350	520,320	31	41,393	109.2156	114	0.0001	1.7922	0.0013	2
			1500	90	520,410	31	2,760	7.2810	114	0.0001	0.1193	0.0013	2
MPE-3	pause			0	520,410								
	restart	1/10/2011	1430	60	520,470	25	1,502	3.9633	81	0.0001	0.0465	0.0008	1
			1530	60	520,530	27	1,649	4.3501	106	0.0001	0.0663	0.0011	2
		1/11/2011	1330	1320	521,850	31	40,394	106.5798	183	0.0002	2.8107	0.0021	3
			1430	60	521,910	32	1,896	5.0034	215	0.0002	0.1548	0.0026	4
		1/12/2011	1430	1440	523,350	30	43,726	115.3710	244	0.0002	4.0568	0.0028	4
	pause		1530	60	523,410	30	1,822	4.8071	213	0.0002	0.1476	0.0025	4
	restart	1/13/2011	1300	720	524,130								
	pause		1400	60	524,190	28	1,699	4.4838	163	0.0002	0.1055	0.0018	3
	restart	1/14/2011	1000	720	524,910								
	pause			0	524,910								
	ecat system	1/18/2011		0	524,910								
MPE-3	restart	1/31/2011	1300	0	524,910								
	ecat system		1400	60	524,970	38	2,259	5.9602	85	0.0001	0.0727	0.0012	2
	pause			0	524,970								
	restart	2/1/2011	1100	0	524,970								
			1300	120	525,090	37	4,391	11.5852	106	0.0001	0.1765	0.0015	2
MPE-2,3	pause	2/2/2011		0	525,090								
	restart	2/3/2011	1100	0	525,090								
			1300	120	525,210	37	4,422	11.6689	107	0.0001	0.1805	0.0015	2
			1500	120	525,330	37	4,447	11.7341	109	0.0001	0.1846	0.0015	2
		2/4/2011	930	1110	526,440	37	41,405	109.2487	90	0.0001	1.4085	0.0013	2
			1030	60	526,500	37	2,239	5.9079	92	0.0001	0.0784	0.0013	2
				0	526,500								
MPE-2,3, SOMA-2,4			1430	240	526,740	64	15,472	40.8243	81	0.0001	0.4785	0.0020	3
	pause			0	526,740								
	restart	2/7/2011	1000	0	526,740								
			1100	60	526,800	65	3,877	10.2283	326	0.0003	0.4795	0.0080	12
			1300	120	526,920	64	7,660	20.2111	286	0.0003	0.8315	0.0069	10
		2/8/2011	1100	1320	528,240	73	96,965	255.8439	445	0.0004	16.3791	0.0124	18
			1200	60	528,300	73	4,409	11.6342	418	0.0004	0.6998	0.0117	17
		2/9/2011	1100	1380	529,680	78	107,250	282.9803	277	0.0003	11.2771	0.0082	12
	pause			0	529,680								
	restart	2/15/2011	1330	0	529,680								
	restart	2/16/2011	1030	1260	530,940	64	80,640	212.7704	277	0.0003	8.4870	0.0067	10
	restart	2/17/2011	1300	0	530,940								
			1400	60	531,000	64	3,819	10.0755	277	0.0003	0.4019	0.0067	10

Table 9
Dec 2008 - 2011 MPE Pilot Test
Extraction Data and VOC Mass Removal Rate

3820 Broadway
Oakland, California

WELL	COMMENT	DATE	CLOCK TIME	INCREMENTAL TIME	ELAPSED TIME	Q			PID		MASS REMOVAL		
						SCFM	ft ³ of extracted air	Moles of extracted air	ppmv as TPHss	mole %	lb VOC mass removal as TPHss	lbs/min	lbs/day
	pause	2/18/2011	200	720	531,720								
	restart	2/22/2011	1300	0	531,720								
			1400	60	531,780	64	3,851	10.1620	326	0.0003	0.4764	0.0079	11
	pause	2/25/2011	1500	1500	533,280	64	96,000	253.2982	326	0.0003	11.8908	0.0079	11
				0	533,280								
	restart	3/1/2011	1200	0	533,280								
		3/2/2011	1200	1440	534,720	64	92,160	243.1662	260	0.0003	9.1041	0.0063	9
		3/3/2011	1200	1440	536,160	64	92,160	243.1662	260	0.0003	9.1041	0.0063	9
		3/4/2011	1200	1440	537,600	64	92,160	243.1662	260	0.0003	9.1041	0.0063	9
		3/7/2011	1200	1440	539,040	64	92,160	243.1662	260	0.0003	9.1041	0.0063	9
				0	539,040								
		3/9/2011	1100	2820	541,860	64	181,016	477.6138	260	0.0003	17.9139	0.0064	9
			1300	120	541,980	64	7,703	20.3240	260	0.0003	0.7623	0.0064	9
				0	541,980								
		3/11/2011	1200	2820	544,800	74	209,019	551.5010	529	0.0005	42.0167	0.0149	21
	pause	3/13/2011	2000	2640	547,440	74	195,360	515.4617	163	0.0002	12.0989	0.0046	7
	restart	3/14/2011	1330	0	547,440								
		3/15/2011	1200	1350	548,790	74	99,900	263.5884	163	0.0002	6.1869	0.0046	7
		3/16/2011	1200	1440	550,230	74	106,560	281.1609	163	0.0002	6.5994	0.0046	7
	pause	3/17/2011	1300	1500	551,730	74	111,180	293.3516	163	0.0002	6.8767	0.0046	7
				0	551,730								
	restart	3/23/2011	1100	0	551,730								
		3/24/2011	1100	1440	553,170	74	106,560	281.1609	179	0.0002	7.2472	0.0050	7
		3/25/2011	1100	1440	554,610	74	106,560	281.1609	179	0.0002	7.2472	0.0050	7
	pause	3/28/2011	2300	5040	559,650	74	372,960	984.0633	179	0.0002	25.3652	0.0050	7
	restart	3/29/2011	1100	0	559,650								
	pause	3/30/2011	1800	540	560,190	74	39,960	105.4354	179	0.0002	2.7177	0.0050	7
	restart	3/30/2011	1330	0	560,190								
		3/31/2011	1330	1440	561,630	74	106,560	281.1609	179	0.0002	7.2472	0.0050	7
	TOTAL				561,630	27	15,993,832	42200	682	0.0007	4544.48	0.0081	11.65
	MEDIAN												

Notes

Q volumetric flow rate
SCFM standard cubic feet per minute
ft³ cubic feet per minute
VOC volatile organic compounds
PID photo-ionization detector
ppmv parts per million vapor
74 estimate

9360.5
390.020833 757.4129501
232

DERIVATION OF MASS REMOVAL RATE

ppmv as TPHss/1,000,000 = mole %
ft³ of extracted air/(379 ft³ air/lb-mole air) = moles of extracted air
(moles of extracted air)(mole %)(144 lb/lb-mole TPHss) = lbs of VOC removed as TPHss
(lbs of VOC mass removed as TPHss)(elapsed time) = lbs/min of VOC removed as TPHss
(lbs/min of VOC removed as TPHss)(60 min/1 hour)(24 hours/1 day) = lbs/day of VOC removed as TPHss

FIGURES



approximate scale in feet



Figure 1: Site vicinity map.







Figure 2: Map showing the approximate locations of groundwater monitoring wells.






Figure 4: Contour map of TPH-ss concentrations in groundwater February 10 and 11, 2011




Figure 5: Contour map of TPH-g concentrations in groundwater February 10 and 11, 2011




Figure 6: Contour map of MtBE concentrations in groundwater February 10 and 11, 2011





Figure 7: Map of Benzene concentrations in groundwater February 10 and 11, 2011









Figure 9: Contour map of TCE concentrations in groundwater February 10 and 11, 2011






cis-1,2-DCE
ug/L



- ▲ Extraction Wells May 2009
- ▲ SOMA Monitoring Well
- ▲ TOSCO Monitoring Well
- ▲ Geosolv Monitoring Well
- ▲ LFR Monitoring Wells
- < Less Than Laboratory Reporting Limit

Figure 10: Contour map of cis-1,2-dichloroethene concentrations in groundwater
February 10 and 11, 2011







Figure 11: Contour map of trans-1,2-dichloroethene concentrations in groundwater February 10 and 11, 2011







Figure 12: Contour map of dissolved oxygen concentrations in groundwater February 10 and 11, 2011

approximate scale in feet






Figure 15: Contour map of sulfate concentrations in groundwater, February 10 and 11, 2011




Figure 17: Contour map of methane concentrations in groundwater, February 10 and 11, 2011





Figure 18
Free Product Thickness
Former Glovatorium Site
3820 Manila Avenue, Oakland, California



APPENDIX A

SOMA's Groundwater Monitoring Procedures

Field Activities

Field activities were conducted on February 10 and 11, 2011. During this event, 19 monitoring wells were sampled. Depths to groundwater were measured in 30 groundwater monitoring wells and temporary sampling points.

Figure 2 shows locations of groundwater monitoring wells and temporary sampling points.

On February 10, 2011, SOMA's field crew measured depths to groundwater in the monitoring wells and temporary groundwater sampling points from the top of the casings to the nearest 0.01 feet using an electrical sounder. The depth to groundwater and top of the casing elevation were used to calculate the Site's groundwater elevation at each sounding location.

Prior to sample collection, each well was purged using a battery-operated, 2-inch-diameter pump (Model ES-60 DC) or a GeoTech pump (for the smaller ¾-inch diameter temporary wells). During the purging activities, the groundwater was measured for parameters such as DO, pH, temperature, EC, and the ORP using a Hanna HI-9828 multi-parameter instrument. Turbidity was measured using a Hanna HI-98703 portable turbidimeter. The equipment was calibrated at the Site using standard solutions and procedures provided by the manufacturer.

The purging continued until the parameters for pH, temperature, EC, DO, turbidity, and ORP stabilized, or three casing volumes were purged. The groundwater samples were also tested on-site for nitrate, nitrite, sulfate, total iron, ferrous iron and dissolved manganese concentrations, once stabilization occurred, using the Hach Colorimeter (Model 890). The Hach Colorimeter is a microprocessor-controlled photometer suitable for colorimetric testing in the laboratory or the field. The required reagents for each specific test were provided in AccuVac ampules.

Nitrate was measured colorimetrically using Method 8039, the Cadmium Reduction Method. Cadmium metal in the NitraVer 5 Nitrate Reagent reduces nitrates present in the sample to nitrite; the nitrite ion reacts in an acidic medium with sulfanilic acid to form an intermediate diazonium salt, which couples with getistic acid to form an amber-colored product. The intensity of the color is proportional to the nitrate concentration in the sample.

Nitrite was measured colorimetrically using Method 8507, the Diazotization Method. Nitrite in the sample reacts with sulfanilic acid in the NitriVer 3 Nitrite Reagent to form an intermediate diazonium salt. The salt couples with chromotropic acid to produce a pink colored complex. The intensity of the color is proportional to the nitrite concentration in the sample.

Sulfate was measured colorimetrically using Method 8051, the SulfaVer 4 Method. Sulfate ions in the sample react with barium in the SulfaVer 4 Sulfate Reagent to form insoluble barium sulfate. The intensity of the subsequent color development is proportional to the sulfate concentration.

Ferrous iron was measured colorimetrically using Method 8146 (1,10-phenanthroline Method). The 1,10-phenanthroline indicator in the ferrous iron reagent reacts with Fe^{+2} in the sample to form an orange color. The intensity of the orange color is proportional to the iron concentration.

Total iron was measured colorimetrically using Method 8008. The FerroVer Iron Reagent reacts with all soluble and most insoluble forms of iron in the sample to produce soluble ferrous iron. This reacts with the 1,10-phenanthroline indicator in the reagent to form an orange color in proportion to the iron concentration.

Dissolved manganese was measured colorimetrically using Method 8034, the Periodate Oxidation Method. Manganese in the sample is oxidized to the purple permanganate state by sodium periodate, after buffering the sample with citrate. The purple color that develops as a result of this reaction is directly proportional to the manganese concentration.

After purging, a disposable polyethylene bailer was used to collect sufficient samples from each monitoring well for laboratory analyses. The groundwater samples from the smaller diameter 3/4-inch temporary wells were collected using the GeoTech pump and a battery pack. A 1/4-inch poly tube was placed in the temporary well, and groundwater was extracted through the tubing using the GeoTech pump.

The groundwater sample was transferred to nine 40-mL VOA vials and preserved with hydrochloric acid. The vials were then sealed to prevent the development of air bubbles within the headspace. The VOA vials containing the samples were immediately placed on ice and maintained at 4°C in a cooler. A chain of custody form was written and placed with the samples in the cooler. SOMA's field crew delivered the samples to Curtis & Tompkins, Ltd. Laboratory, in Berkeley, California, upon sampling completion.

Laboratory Analysis

Curtis & Tompkins, Ltd., a state-certified laboratory, analyzed the groundwater samples for TPH-g, TPH-ss, purgeable organics, which included BTEX and MtBE constituents, and methane. TPH-g and TPH-ss were prepared using EPA Method 5030B and measured using EPA Method 8015B. Purgeable organics, which included BTEX and MtBE, were prepared using EPA Method 5030B and analyzed using EPA Method 8260B. Methane was analyzed using RSK-175.

APPENDIX B

Table of Elevations and Coordinates on Wells;
Field Notes, Field Measured Physical
and Chemical Parameter Values

Virgil Chavez Land Surveying

312 Georgia Street, Suite 225
Vallejo, California 94590-5907
(707) 553-2476 • Fax (707) 553-8698

November 6, 2001
Project No. 1974-06

Mansour
Soma Environmental Engineering, Inc.
2680 Bishop Drive, Suite 203
San Ramon, CA 94583

Subject: Monitoring Well Survey
3815 Broadway
Oakland, CA

Dear Mansour:

This is to confirm that we have proceeded at your request to survey the monitoring wells located at the above referenced location. The survey was performed on October 30, 2001. The benchmark for the survey was a USGS bronze disk located near the north end of the curb return at the Northwest corner of 38th Street and Broadway. The coordinates are for top of casing based on your coordinate system. Measurements taken at approximate north side of top of box and top of casing. Benchmark Elev. = 85.41 feet, (NGVD 29).

<u>Well No.</u>	<u>Rim Elevation</u>	<u>TOC Elevation</u>	<u>Northing</u>	<u>Easting</u>
SOMA - 1	82.31'	81.64'	270.13	326.38
SOMA - 2	81.62'	81.39'	270.39	392.29
SOMA - 3	81.65'	81.42'	270.60	394.89
SOMA - 4	81.51'	81.09'	237.74	392.79
SOMA - 5	81.68'	81.50'	227.76	392.24

Sincerely,



Virgil D. Chavez
Virgil D. Chavez, PLS 6323

Harrington Surveys

Land Surveying & Mapping

2278 Larkey Lane, Walnut Creek, Ca. 94596 Phone (925)935-7228 Fax (925)935-5118
Cel (925)788-7359 E-Mail (ben5132@pacbell.net)

Soma Environmental Engineering
6620 Owens Dr
Suite A
Pleasanton Ca. 94588

July 02 2009

Attn: Erica Fisker
Job # 2908

Ref: 3820 Manila Ave., Oakland Ca.

HORIZONTAL CONTROL, NAD 88:

Survey based on California Coordinate System, Zone 3, NAD 83.

B TIDAL PID AE5211 NORTH 2,121,308.82 EAST 6,032,659.16 LAT. N37°47'44.25088"
W122°16'47.37830", NAVD 88, ELEV. 9.39.

PID HT0654, NORTH 2117,057.95 EAST 6,047,431.59, LAT. N37°43'11.04190"
W122°07'09.20691", NAVD 88, ELEV. 13.65.

GPS: TRIMBLE 5800, LEICA TCA 1800, 1" HORZ. & VERT.

EPOCH DATE 2007.00

OBSERVATION: EPOCH=180.

FIELD SURVEY: 7-02-09.

Ben Harrington
PLS 5132




3820 MANILA AVE.
OAKLAND CA.

HARRINGTON SURVEYS
2278 LARKEY LANE
WALNUT CREEK CA 94597

JOB # 2908
DATE: 07/07, 2009
PAGE OF 2

PT#	NORTH	EAST	ELEV	DESC.	LATITUDE N.DMS	LONGTIDUDE W.DMS	LATITUDE DEC. DEG.	LONGTIDUDE W.DEC.DEG.
1	2128400.26	6053866.77	84.03	SET PK-TC-S	37°49'37.58019"N	122°15'29.87854"W	37.827105609°N	122.258299593°W
3	2128379.12	6053814.43	83.46	SET PK-TC-N	37°49'37.36145"N	122°15'30.52580"W	37.827044848°N	122.258479389°W
5	2128167.60	6053704.79	81.21	SET PK-TC-W	37°49'35.25021"N	122°15'31.84259"W	37.826458393°N	122.258845164°W
7	2128323.25	6053926.32	84.57	SET PK/S-TP	37°49'36.83002"N	122°15'29.11835"W	37.826897228°N	122.258088432°W
8	2128279.40	6053906.51	84.58	SET X-TP	37°49'36.39285"N	122°15'29.35491"W	37.826775791°N	122.258154113°W
9	2128267.32	6053922.80	84.59	SET X-TP	37°49'36.27652"N	122°15'29.14905"W	37.826743478°N	122.258096958°W
10	2128289.53	6053933.85	84.77	SET N/S-TP	37°49'36.27652"N	122°15'29.01656"W	37.826805020°N	122.258060156°W
11	2128307.69	6053943.14	84.90	SET X-TP	37°49'36.27652"N	122°15'28.90501"W	37.826855379°N	122.258029171°W
51	2128287.63	6053907.85	83.98	B-10R NOTCH	37°49'36.27652"N	122°15'29.34011"W	37.826798455°N	122.258150032°W
52	2128287.88	6053908.08	84.60	B-10R PUNCH	37°49'36.27652"N	122°15'29.33729"W	37.826799170°N	122.258149248°W
53	2128286.82	6053907.95	84.58	B-10R FF	37°49'36.27652"N	122°15'29.33866"W	37.826796242°N	122.258149628°W
54	2128279.68	6053904.41	84.38	SOMA-2 NOTCH	37°49'36.27652"N	122°15'29.38119"W	37.826776471°N	122.258161442°W
55	2128279.93	6053904.49	84.61	SOMA-2 PUNCH	37°49'36.27652"N	122°15'29.38022"W	37.826777136°N	122.258161172°W
56	2128278.63	6053904.50	84.59	SOMA-2 FF	37°49'36.27652"N	122°15'29.37976"W	37.826773586°N	122.258161045°W
57	2128309.67	6053884.35	84.41	MPE-1 NOTCH	37°49'36.27652"N	122°15'29.63818"W	37.826857770°N	122.258232829°W
58	2128309.44	6053884.49	84.65	MPE-1 PUNCH	37°49'36.27652"N	122°15'29.63631"W	37.826857149°N	122.258232309°W
59	2128308.72	6053884.79	84.65	MPE-1 FF	37°49'36.27652"N	122°15'29.63631"W	37.826855199°N	122.258231242°W
60	2128263.25	6053932.99	83.95	SOMA-4R NOTCH	37°49'36.27652"N	122°15'29.63631"W	37.826732814°N	122.258061416°W
61	2128263.39	6053932.72	84.49	SOMA-4R PUNCH	37°49'36.27652"N	122°15'29.63631"W	37.826733193°N	122.258062388°W
62	2128263.44	6053931.81	84.50	SOMA-4R FF	37°49'36.27652"N	122°15'29.63631"W	37.826733289°N	122.258065526°W
63	2128260.22	6053946.91	84.45	MPE-4 NOTCH	37°49'36.27652"N	122°15'29.63631"W	37.826725212°N	122.258013051°W
64	2128260.45	6053946.86	84.80	MPE-4 PUNCH	37°49'36.27652"N	122°15'29.63631"W	37.826725857°N	122.258013222°W
65	2128259.61	6053947.18	84.82	MPE-4 FF	37°49'36.27652"N	122°15'29.63631"W	37.826723563°N	122.258012083°W
66	2128258.29	6053957.28	84.64	MPE-5 NOTCH	37°49'36.27652"N	122°15'29.63631"W	37.826720467°N	122.257977014°W
67	2128258.06	6053957.18	85.23	MPE-5 PUNCH	37°49'36.27652"N	122°15'29.63631"W	37.826719808°N	122.257977358°W
68	2128258.09	6053958.22	85.26	MPE-5 FF	37°49'36.27652"N	122°15'29.63631"W	37.826719944°N	122.257973751°W
69	2128283.95	6053949.57	84.66	MPE-2 NOTCH	37°49'36.27652"N	122°15'29.63631"W	37.826790522°N	122.258005373°W
70	2128283.87	6053949.79	85.09	MPE-2 PUNCH	37°49'36.27652"N	122°15'29.63631"W	37.826790304°N	122.258004595°W
71	2128283.82	6053950.71	85.06	MPE-2 FF	37°49'36.27652"N	122°15'29.63631"W	37.826790210°N	122.258001410°W
72	2128302.87	6053952.63	84.66	B-8R NOTCH	37°49'36.27652"N	122°15'29.63631"W	37.826842611°N	122.257996005°W
73	2128302.78	6053952.89	85.07	B-8R PUNCH	37°49'36.27652"N	122°15'29.63631"W	37.826842379°N	122.257995115°W
74	2128302.48	6053953.60	85.05	B-8R FF	37°49'36.27652"N	122°15'29.63631"W	37.826841601°N	122.257992633°W



Well Name: B-2
 Casing Diameter: 3/4 inch
 Depth of Well: - feet
 Top of Casing Elevation: 82.09 feet
 Depth to Groundwater: 10.51 feet
 Groundwater Elevation: 71.58 feet
 Water Column Height: NC feet
 Purged Volume: - gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
 Jesse Acedillo

Not purged

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Not Sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: B-3
 Casing Diameter: 3/4 inch
 Depth of Well: — feet
 Top of Casing Elevation: 82.57 feet
 Depth to Groundwater: 10.82 feet
 Groundwater Elevation: 71.75 feet
 Water Column Height: NC feet
 Purged Volume: — gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo


Purging Method: Bailer Pump
 Sampling Method: Bailer Pump Not Sampled
 Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: B-7
 Casing Diameter: 3/4 inch
 Depth of Well: - feet
 Top of Casing Elevation: 76.96 feet
 Depth to Groundwater: DRY feet
 Groundwater Elevation: NC feet
 Water Column Height: NC feet
 Purged Volume: - gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump Not sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: B-8R
 Casing Diameter: 2 inch
 Depth of Well: 19.47 feet
 Top of Casing Elevation: 84.66 feet
 Depth to Groundwater: 12.80 feet
 Groundwater Elevation: 71.86 feet
 Water Column Height: 6.67 feet
 Purged Volume: 3 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
 Erica Fisker

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump


Color: No Yes Describe: Cloudy / Gray
 Sheen: No Yes Describe: Rainbow sheen
 Odor: No Yes Describe: Strong Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
15:36	Started purging well						
15:39	1	6.44	16.44	0.65	1320	999	-60.7
15:41	2	6.40	16.52	0.59	1319	999	-101.4
15:47	3	6.35	16.63	0.45	1307	999	-85.6
15:52	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
Water	too	cloudy - unable to measure				

Notes:



Well Name: B-9
 Casing Diameter: 3/4 inch
 Depth of Well: - feet
 Top of Casing Elevation: 77.37 feet
 Depth to Groundwater: 12.43 feet
 Groundwater Elevation: 64.94 feet
 Water Column Height: NC feet
 Purged Volume: - gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Not purged

Purging Method: Bailer
 Sampling Method: Bailer

Pump
 Pump Not sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well Name: B-10R
 Casing Diameter: 2 inch
 Depth of Well: 19.25 feet
 Top of Casing Elevation: 83.98 feet
 Depth to Groundwater: 12.41 feet
 Groundwater Elevation: 71.57 feet
 Water Column Height: 6.84 feet
 Purged Volume: 3 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy/Erray
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Strong Odor

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
10:14	Started purging well						
10:16	1	6.22	16.34	0.59	913	651	-26.7
10:18	2	6.05	16.25	0.45	972	999	-35.3
10:20	3	6.02	17.00	0.35	1021	999	-43.1
10:25	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
10:45	6.00	0.00	0.0	0.054	0	15.2

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well Name: B-13
 Casing Diameter: 3/4 inch
 Depth of Well: - feet
 Top of Casing Elevation: 84.58 feet
 Depth to Groundwater: DRY feet
 Groundwater Elevation: NC feet
 Water Column Height: NC feet
 Purged Volume: - gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
 Jesse Acedillo

Not purged

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Not sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well Name: GW-1
 Casing Diameter: 3/4 inch
 Depth of Well: 7.85 feet
 Top of Casing Elevation: 79.94 feet
 Depth to Groundwater: DRY feet
 Groundwater Elevation: NC feet
 Water Column Height: NC feet
 Purged Volume: - gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Not sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: GW-2
 Casing Diameter: 3/4 inch
 Depth of Well: 20.00 feet
 Top of Casing Elevation: 79.14 feet
 Depth to Groundwater: 13.24 feet
 Groundwater Elevation: 65.90 feet
 Water Column Height: 6.76 feet
 Purged Volume: 0.50 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer
 Sampling Method: Bailer

Pump Geotech
 Pump Geotech

Color: No
 Sheen: No
 Odor: No


Yes Describe: _____
 Yes Describe: _____
 Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
16:02	Started purging wells						
16:04	0.50	6.16	18.43	1.29	648	7.71	+15.1
16:09	0.50	Sampled					

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
16:24	0.06	0.88	2.4	0.000	43	0.2

Notes:



Well Name: GW-3
 Casing Diameter: 3/4 inch
 Depth of Well: 20.00 feet
 Top of Casing Elevation: 77.92 feet
 Depth to Groundwater: 10.43 feet
 Groundwater Elevation: 67.49 feet
 Water Column Height: 9.57 feet
 Purged Volume: 0.5 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer
 Sampling Method: Bailer

Pump Geotech
 Pump Geotech


Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
15:29	Started purging well						
15:32	0.5	6.15	15.48	1.12	406	5.47	+3.9
15:37	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
15:52	0.00	0.19	0.0	0.000	41	0.5

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well Name: GW-4
 Casing Diameter: 3/4 inch
 Depth of Well: 12.00 feet
 Top of Casing Elevation: 82.37 feet
 Depth to Groundwater: DRY feet
 Groundwater Elevation: NC feet
 Water Column Height: NC feet
 Purged Volume: — gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump Not sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: GW-5
 Casing Diameter: 3/4 inch
 Depth of Well: 12.87 feet
 Top of Casing Elevation: 81.01 feet
 Depth to Groundwater: 10.29 feet
 Groundwater Elevation: 70.72 feet
 Water Column Height: 2.58 feet
 Purged Volume: - gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump Not sampled

Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: GW-6A
 Casing Diameter: 3/4 inch
 Depth of Well: — feet
 Top of Casing Elevation: 81.61 feet
 Depth to Groundwater: DRY feet
 Groundwater Elevation: NC feet
 Water Column Height: NC feet
 Purged Volume: — gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

not purged

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Not Sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: MW-8
 Casing Diameter: 2 inch
 Depth of Well: - feet
 Top of Casing Elevation: 87.44 feet
 Depth to Groundwater: 9.76 feet
 Groundwater Elevation: 77.68 feet
 Water Column Height: NC feet
 Purged Volume: - gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump *Not sampled*


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: MW-9
 Casing Diameter: 2 inch
 Depth of Well: - feet
 Top of Casing Elevation: 86.56 feet
 Depth to Groundwater: 9.58 feet
 Groundwater Elevation: 76.98 feet
 Water Column Height: NC feet
 Purged Volume: - gallons
Not purged

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Not sampled


Color: No Yes Describe: Unknown
 Sheen: No Yes Describe: Unknown
 Odor: No Yes Describe: Unknown

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)

Notes:



Well Name: MW-11
 Casing Diameter: 2 inch
 Depth of Well: 19.00 feet
 Top of Casing Elevation: 34.13 feet
 Depth to Groundwater: 15.41 feet
 Groundwater Elevation: 68.72 feet
 Water Column Height: 3.59 feet
 Purged Volume: 2 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acadillo


Purging Method: Bailer Pump
 Sampling Method: Bailer Pump
 Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
12:15	started purging well						
12:18	1	5.86	18.07	1.63	1033	32.3	+29.4
12:21	1.5	5.75	18.72	1.47	1032	28.6	+38.0
12:24	2	5.72	18.98	1.22	1075	29.1	+33.8
12:29	sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
12:44	0.32	1.30	0.0	0.015	57	0.0

Notes:



Well Name: LFER-1
 Casing Diameter: 2 inch
 Depth of Well: 19.00 feet
 Top of Casing Elevation: 79.97 feet
 Depth to Groundwater: 10.07 feet
 Groundwater Elevation: 69.90 feet
 Water Column Height: 8.93 feet
 Purged Volume: 6 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer
 Sampling Method: Bailer

Pump
 Pump

Color: No
 Sheen: No
 Odor: No


Yes Describe: Cloudy
 Yes Describe: _____
 Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
16:32	Started purging well						
16:33	2	6.40	16.77	0.73	683	42.7	-5.7
16:34	4	6.27	16.77	0.65	688	21.7	+2.4
16:35	6	6.25	16.84	0.43	671	51.2	+8.1
16:40	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
16:55	0.00	0.00	3.3	0.000	34	0.6

Notes:



Well Name: LFR-2
 Casing Diameter: 2 inch
 Depth of Well: 19.00 feet
 Top of Casing Elevation: 81.89 feet
 Depth to Groundwater: 11.97 feet
 Groundwater Elevation: 69.92 feet
 Water Column Height: 7.03 feet
 Purged Volume: 3.5 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acadillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Grayish/Cloudy
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Strong Chemical Odor

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
13:30	Started purging well						
13:34	1	6.30	17.52	0.53	556	999	-41.8
13:37	2	6.15	17.84	0.47	685	999	-48.8
13:41	3	6.12	17.74	0.42	830	999	-62.0
13:43	3.5	6.09	17.94	0.30	833	999	-65.5
13:48	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
Water	too cloudy - unable to measure					

Notes:



Well Name: LFR-3
 Casing Diameter: 2 inch
 Depth of Well: 22.00 feet
 Top of Casing Elevation: 77.96 feet
 Depth to Groundwater: 13.45 feet
 Groundwater Elevation: 64.51 feet
 Water Column Height: 8.55 feet
 Purged Volume: 6 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
 Jesse Accedillo

Purging Method: Bailer
 Sampling Method: Bailer

Pump
 Pump

Color: No
 Sheen: No
 Odor: No


Yes Describe: Cloudy
 Yes Describe: _____
 Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
14:55	Started purging well						
14:56	2	6.27	18.48	0.89	460	34.8	-6.6
14:57	4	6.22	18.53	0.80	473	44.4	+0.4
14:58	6	6.19	18.82	0.76	492	206	+10.9
15:03	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
15:18	0.03	0.49	0.0	0.000	29	0.0

Notes:



Well Name: LFR-4
 Casing Diameter: 2 inch
 Depth of Well: 19.30 feet
 Top of Casing Elevation: 81.65 feet
 Depth to Groundwater: 16.50 feet
 Groundwater Elevation: 65.15 feet
 Water Column Height: 2.80 feet
 Purged Volume: 1.5 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acudillo

Purging Method: Bailer
 Sampling Method: Bailer

Pump Geotech
 Pump Geotech

Color: No
 Sheen: No
 Odor: No


Yes Describe: _____
 Yes Describe: _____
 Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
14:12	Started purging well						
14:17	0.5	6.05	18.18	0.65	551	3.20	-64.8
14:20	1	5.99	18.16	0.51	531	2.94	-39.2
14:23	1.5	5.97	18.28	0.44	544	3.90	-36.2
14:28	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
14:43	2.51	3.30	0.0	0.000	0	6.2

Notes:



Well Name: SOMA-1
 Casing Diameter: 4 inch
 Depth of Well: 40.00 feet
 Top of Casing Elevation: 81.64 feet
 Depth to Groundwater: 16.97 feet
 Groundwater Elevation: 64.67 feet
 Water Column Height: 23.03 feet
 Purged Volume: 14 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 10, 2011
 Sampler: Lizzie Hightower
Jesse Acedillo

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump
 Color: No Yes Describe: _____
 Sheen: No Yes Describe: _____
 Odor: No Yes Describe: _____

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
12:56	Started purging well						
12:57	2	6.13	18.09	1.27	1085	23.8	+19.9
12:59	6	6.02	18.13	1.12	1080	11.7	+21.6
13:01	10	5.93	18.19	1.03	1080	5.59	+23.0
13:03	14	5.92	18.25	0.91	1082	3.46	+23.4
13:08	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
13:23	0.00	0.00	0.0	0.027	19	13.0

Notes:



Well Name: SOMA-2
 Casing Diameter: 2 inch
 Depth of Well: 20.00 feet
 Top of Casing Elevation: 84.38 feet
 Depth to Groundwater: 12.81 feet
 Groundwater Elevation: 71.57 feet
 Water Column Height: 7.19 feet
 Purged Volume: 4 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer
 Sampling Method: Bailer

Pump
 Pump

Color: No
 Sheen: No
 Odor: No


Yes Describe: Dark gray/Cloudy
 Yes Describe: Rainbow Sheen
 Yes Describe: Petro Odor

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
10:50	Started Purging well						
10:52	2	6.67	16.86	0.92	1008	660	-68.9
10:53	4	6.63	16.92	0.71	1062	321	-73.9
10:58	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
11:12	1.56	3.30	14.8	0.000	30	10.5

Notes:



Well Name: SOMA-3
 Casing Diameter: 3.4 inch
 Depth of Well: 30.00 feet
 Top of Casing Elevation: 81.42 feet
 Depth to Groundwater: 14.65 feet
 Groundwater Elevation: 66.77 feet
 Water Column Height: 15.35 feet
 Purged Volume: 0.50 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer
 Sampling Method: Bailer

Pump Geotech
 Pump Geotech

Color: No
 Sheen: No
 Odor: No


Yes Describe: _____
 Yes Describe: _____
 Yes Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
11:30	Started purging well						
11:32	0.25	6.11	16.16	1.52	1070	46.4	-29.3
11:34	0.50	6.09	16.22	1.27	1055	6.49	-26.1
11:39	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
11:44	0.84	1.64	0.0	0.000	55	0.4

Notes:



Well Name: SOMA-4R
 Casing Diameter: 2 inch
 Depth of Well: 19.54 feet
 Top of Casing Elevation: 83.95 feet
 Depth to Groundwater: 13.74 feet
 Groundwater Elevation: 70.21 feet
 Water Column Height: 5.80 feet
 Purged Volume: 2.5 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisher

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump


Color: No Yes Describe: Cloudy / Grayish
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Strong Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
12:25	Started purging well						
12:27	1	6.16	16.88	0.75	1413	999	-60.5
12:29	2	6.14	17.02	0.61	1422	999	-73.8
12:31	2.5	6.11	17.28	0.47	1425	999	-73.1
12:36	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
Water too cloudy - unable to measure						

Notes:



Well Name: SOMA-5
 Casing Diameter: 3/4 inch
 Depth of Well: 25.60 feet
 Top of Casing Elevation: 81.50 feet
 Depth to Groundwater: 4.32 feet
 Groundwater Elevation: 77.18 feet
 Water Column Height: 21.28 feet
 Purged Volume: 0.25 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Enca Fister

Purging Method: Bailer
 Sampling Method: Bailer

Pump Geotech
 Pump Geotech

Color: No
 Sheen: No
 Odor: No


Yes Describe: Cloudy
 Yes Describe: _____
 Yes Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
12:51	Started purging well						
12:54	0.25	6.17	16.82	-	987	146	-65.2
13:06	0.50	Sampled					

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
13:21	0.00	1.03	0.0	0.035	31	1.6

Notes:



Well Name: MPE-1
 Casing Diameter: 2 inch
 Depth of Well: 19.82 feet
 Top of Casing Elevation: 84.41 feet
 Depth to Groundwater: 12.63 feet
 Groundwater Elevation: 71.78 feet
 Water Column Height: 7.19 feet
 Purged Volume: 4 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisher

Purging Method: Bailer
 Sampling Method: Bailer

Pump
 Pump

Color: No
 Sheen: No
 Odor: No

Yes Describe: Orange
 Yes Describe: _____
 Yes Describe: Slight Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
09:39	Started purging well						
09:40	2	6.31	16.48	0.69	492	999	+6.3
09:41	4	6.29	16.60	0.63	479	999	+22.0
09:46	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
Water	too	cloudy to measure				

Notes:



Well Name: MPE-2
 Casing Diameter: 2 inch
 Depth of Well: 19.00 feet
 Top of Casing Elevation: 84.66 feet
 Depth to Groundwater: 13.86 feet
 Groundwater Elevation: 70.80 feet
 Water Column Height: 5.14 feet
 Purged Volume: 2.5 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump


Color: No Yes Describe: Black
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Strong Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
15:02	Start purging well						
15:05	1	6.48	16.74	0.57	1103	999	-83.4
15:09	2	6.40	16.84	0.51	1118	999	-82.3
15:12	2.5	6.35	16.82	0.43	1122	999	-80.2
15:17	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
15:32	3.30	3.30	1.3	0.000	8	12.2

Notes:



Well Name: MPE-3
 Casing Diameter: 2 inch
 Depth of Well: 19.32 feet
 Top of Casing Elevation: 84.87 feet
 Depth to Groundwater: 11.00 feet
 Groundwater Elevation: 73.87 feet
 Water Column Height: 8.32 feet
 Purged Volume: 4 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump
 Color: No Yes
 Sheen: No Yes
 Odor: No Yes

Describe: Cloudy
 Describe: Rainbow sheen
 Describe: Strong Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
14:40	Started purging well						
14:41	2	6.34	16.48	0.61	1059	25.2	-64.7
14:42	4	6.35	16.64	0.48	1077	141	-73.2
14:47	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
15:02	2.36	3.30	0.0	0.000	25	15.2

Notes:



Well Name: MPE-4
 Casing Diameter: 2 inch
 Depth of Well: 18.56 feet
 Top of Casing Elevation: 84.45 feet
 Depth to Groundwater: 10.39 feet
 Groundwater Elevation: 74.06 feet
 Water Column Height: 8.17 feet
 Purged Volume: 4 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump


Color: No Yes Describe: Cloudy/Gray
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Petro Odor

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
13:31	Started purging well						
13:32	2	6.35	16.96	0.71	1083	153	-67.5
13:33	4	6.29	16.84	0.60	1047	31.6	-71.7
13:38	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
13:53	1.91	3.30	0.0	0.000	0	0.4

Notes:



Well Name: MPE-5
 Casing Diameter: 2 inch
 Depth of Well: 19.53 feet
 Top of Casing Elevation: 84.64 feet
 Depth to Groundwater: 10.40 feet
 Groundwater Elevation: 74.24 feet
 Water Column Height: 9.13 feet
 Purged Volume: 4 gallons

Project #: 2511
 Address: 3820 Manila Avenue
 Oakland, California
 Date: February 11, 2011
 Sampler: Lizzie Hightower
Erica Fisker

Purging Method: Bailer Pump
 Sampling Method: Bailer Pump

Color: No Yes Describe: Cloudy/Grayish
 Sheen: No Yes Describe: Rainbow Sheen
 Odor: No Yes Describe: Strong Petro

Field Measurements:

Time	Volume (gallons)	pH	Temp (°C)	D.O. (mg/L)	E.C. (µs/cm)	Turbidity (NTU)	ORP (mV)
14:04	Started purging well						
14:05	2	6.20	16.61	0.87	1060	288	-79.1
14:06	4	6.17	16.75	0.71	1026	204	-75.5
14:11	Sampled						

Time	Ferrous Iron (mg/L)	Total Iron (mg/L)	Nitrate (mg/L)	Nitrite (mg/L)	Sulfate (mg/L)	Dissolved Manganese (mg/L)
14:26	3.30	3.30	0.0	0.000	0	11.5

Notes:

APPENDIX C

Chain of Custody Forms and Laboratory Reports for Groundwater Monitoring Event



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

Laboratory Job Number 225943
ANALYTICAL REPORT

SOMA Environmental Engineering Inc. Project : 2511
6620 Owens Dr. Location : 3820 Manila Ave, Oakland, CA
Pleasanton, CA 94588 Level : II

Table with 2 columns: Sample ID and Lab ID. Lists various sample identifiers like GW-2, MW-11, LFR-1, SOMA-1, B-8R, MPE-1, etc.

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: [Handwritten Signature]
Project Manager

Date: 02/22/2011

CASE NARRATIVE

Laboratory number: 225943
Client: SOMA Environmental Engineering Inc.
Project: 2511
Location: 3820 Manila Ave, Oakland, CA
Request Date: 02/11/11
Samples Received: 02/11/11

This data package contains sample and QC results for nineteen water samples, requested for the above referenced project on 02/11/11. The samples were received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B):

High surrogate recoveries were observed for bromofluorobenzene (FID) in many samples. SOMA-2 (lab # 225943-009) was analyzed with more than 1 mL of headspace in the VOA vial. No other analytical problems were encountered.

Volatile Organics by GC/MS (EPA 8260B):

High response was observed for tert-butyl alcohol (TBA) in the ICV analyzed 12/20/10 22:11; affected data was qualified with "b". Low responses were observed for isopropyl ether (DIPE) and ethyl tert-butyl ether (ETBE) in the CCV analyzed 02/15/11 09:39; these analytes met minimum response criteria, and affected data was qualified with "b". Low responses were observed for isopropyl ether (DIPE) and ethyl tert-butyl ether (ETBE) in the CCV analyzed 02/16/11 09:17; these analytes met minimum response criteria, and affected data was qualified with "b". Low recovery was observed for ethyl tert-butyl ether (ETBE) in the MSD for batch 171830; the parent sample was not a project sample, the LCS was within limits, and the associated RPD was within limits. A number of samples were diluted due to high hydrocarbons. No other analytical problems were encountered.

Dissolved Gases by GC/FID (RSK-175):

No analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd.

Analytical Laboratory Since 1878
 2232 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

C&T LOGIN # 225943

Analyses

Sampler: Lizzie Hightower/ Jesse Acudillo
Erica Fisker

Project No: 2511

Report To: Joyce Bobek

Project Name: 3820 Manila Ave., Oakland, CA

Company: SOMA Environmental

Turnaround Time: Standard

Telephone: 925-734-6400

Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative				
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE	
1	GW-2	2/10/11 16:09	*			9-40ml VOAs	*			*	
2	GW-3	2/10/11 15:37	*			9-40ml VOAs	*			*	
	GW-4		*			9-40ml VOAs	*			*	
3	MW-11	2/10/11 12:29	*			9-40ml VOAs	*			*	
4	LFR-1	2/10/11 16:40	*			9-40ml VOAs	*			*	
5	LFR-2	2/10/11 13:48	*			9-40ml VOAs	*			*	
6	LFR-3	2/10/11 15:03	*			9-40ml VOAs	*			*	
7	LFR-4	2/10/11 14:28	*			9-40ml VOAs	*			*	
8	SOMA-1	2/10/11 13:08	*			9-40ml VOAs	*			*	
9	SOMA-2	2/11/11 10:58	*			9-40ml VOAs	*			*	
10	SOMA-3	2/11/11 11:39	*			9-40ml VOAs	*			*	
11	SOMA-4R	2/11/11 12:36	*			9-40ml VOAs	*			*	
12	SOMA-5	2/11/11 13:06	*			9-40ml VOAs	*			*	
13	B-8R	2/11/11 15:52	*			9-40ml VOAs	*			*	

TPHg (including Stoddard Solvent) 8015	8260 (Full List)	Methane																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		

Notes:
 EDF Output required
 8260B List to include gasoline oxygenates & lead scavengers, BTEX, MtBE
 Was on Blue ice. P.C.

RELINQUISHED BY:
Erica Fisker 2-11-11 17:20 DATE/TIME
 _____ DATE/TIME
 _____ DATE/TIME

RECEIVED BY:
Pat Moughly 2/11/11 17:20 DATE/TIME
 _____ DATE/TIME
 _____ DATE/TIME

3 OF 83

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd.
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

Analyses


C&T LOGIN # 225943
 Sampler: Lizzie Hightower/ Jesse Acuña, Erica Fisker


Project No: 2511 Report To: Joyce Bobek
 Project Name: 3820 Manila Ave., Oakland, CA Company: SOMA Environmental
 Turnaround Time: Standard Telephone: 925-734-6400
 Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative			
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE
14	B-10R	2/11/11 10:25	*			9-40ml VOAs	*			*
15	MPE-1	2/11/11 9:46	*			9-40ml VOAs	*			*
16	MPE-2	2/11/11 15:17	*			9-40ml VOAs	*			*
17	MPE-3	2/11/11 14:47	*			9-40ml VOAs	*			*
18	MPE-4	2/11/11 15:38	*			9-40ml VOAs	*			*
19	MPE-5	2/11/11 14:11	*			9-40ml VOAs	*			*

TPHg (including Stoddard Solvent) 8015	8260 (Full List)	Methane												
*	*	*												
*	*	*												
*	*	*												
*	*	*												
*	*	*												
*	*	*												

Notes:
 EDF Output required
 8260B List to include gasoline oxygenates & lead scavengers, BTEX, MtBE
 Was on Blue Ice P.G.

RELINQUISHED BY:
 2/11/11 17:20
 DATE/TIME
 DATE/TIME
 DATE/TIME

RECEIVED BY:
 2/11/11 17:20
 DATE/TIME
 DATE/TIME
 DATE/TIME

COOLER RECEIPT CHECKLIST



Curtis & Tompkins, Ltd.

Login # 225943 Date Received 2/11/04 Number of coolers 1
Client SOMA Project 254

Date Opened 2/11/04 By (print) J. G. Gault (sign)
Date Logged in 2/14/04 By (print) R. Paris (sign)

1. Did cooler come with a shipping slip (airbill, etc) YES NO
Shipping info

2A. Were custody seals present? ... YES (circle) on cooler on samples NO
How many Name Date

2B. Were custody seals intact upon arrival? YES NO N/A

3. Were custody papers dry and intact when received? YES NO

4. Were custody papers filled out properly (ink, signed, etc)? YES NO

5. Is the project identifiable from custody papers? (if so fill out top of form) YES NO

6. Indicate the packing in cooler: (if other, describe)
Bubble Wrap Foam blocks Bags None
Cloth material Cardboard Styrofoam Paper towels

7. Temperature documentation:
Type of ice used: Wet Blue/Gel None Temp(C)

Samples Received on ice & cold without a temperature blank
Samples received on ice directly from the field. Cooling process had begun

8. Were Method 5035 sampling containers present? YES NO
If YES, what time were they transferred to freezer?

9. Did all bottles arrive unbroken/unopened? YES NO

10. Are samples in the appropriate containers for indicated tests? YES NO

11. Are sample labels present, in good condition and complete? YES NO

12. Do the sample labels agree with custody papers? PP YES NO

13. Was sufficient amount of sample sent for tests requested? YES NO

14. Are the samples appropriately preserved? YES NO N/A

15. Are bubbles > 6mm absent in VOA samples? YES NO N/A

16. Was the client contacted concerning this sample delivery? YES NO
If YES, Who was called? By Date:

COMMENTS
-012 time collected does not agree w/ C.O.C
-011 3 of 9 VOA labels are labelled as 'SOMA-4' but correct date and time

Total Volatile Hydrocarbons			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	171904
Units:	ug/L	Received:	02/11/11

Field ID: GW-2 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-001 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	ND	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	93	75-130

Field ID: GW-3 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-002 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	72 Y Z	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	127	75-130

Field ID: MW-11 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-003 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	ND	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	111	75-130

Field ID: LFR-1 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-004 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	58 Y	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	113	75-130

*= Value outside of QC limits; see narrative
 Y= Sample exhibits chromatographic pattern which does not resemble standard
 Z= Sample exhibits unknown single peak or peaks
 ND= Not Detected
 RL= Reporting Limit

Total Volatile Hydrocarbons			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	171904
Units:	ug/L	Received:	02/11/11

Field ID: LFR-2 Diln Fac: 200.0
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-005 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	600,000 Y	10,000
Stoddard Solvent C7-C12	380,000	10,000

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	205 *	75-130

Field ID: LFR-3 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-006 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	ND	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	124	75-130

Field ID: LFR-4 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-007 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	450 Y	50
Stoddard Solvent C7-C12	290 Y	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	119	75-130

Field ID: SOMA-1 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/10/11
 Lab ID: 225943-008 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	59 Y Z	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	108	75-130

*= Value outside of QC limits; see narrative
 Y= Sample exhibits chromatographic pattern which does not resemble standard
 Z= Sample exhibits unknown single peak or peaks
 ND= Not Detected
 RL= Reporting Limit

Total Volatile Hydrocarbons

Lab #: 225943	Location: 3820 Manila Ave, Oakland, CA
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 2511	Analysis: EPA 8015B
Matrix: Water	Batch#: 171904
Units: ug/L	Received: 02/11/11

Field ID: SOMA-2 Diln Fac: 20.00
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-009 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	180,000 Y	1,000
Stoddard Solvent C7-C12	110,000	1,000

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	285 *	75-130

Field ID: SOMA-3 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-010 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	440 Y	50
Stoddard Solvent C7-C12	280	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	117	75-130

Field ID: SOMA-4R Diln Fac: 100.0
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-011 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	450,000 Y	5,000
Stoddard Solvent C7-C12	290,000	5,000

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	173 *	75-130

Field ID: SOMA-5 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-012 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	100 Y Z	50
Stoddard Solvent C7-C12	65 Y	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	106	75-130

*= Value outside of QC limits; see narrative
 Y= Sample exhibits chromatographic pattern which does not resemble standard
 Z= Sample exhibits unknown single peak or peaks
 ND= Not Detected
 RL= Reporting Limit

Total Volatile Hydrocarbons			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	171904
Units:	ug/L	Received:	02/11/11

Field ID: B-8R Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-013 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	1,600 Y	50
Stoddard Solvent C7-C12	1,000	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	155 *	75-130

Field ID: B-10R Diln Fac: 25.00
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-014 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	57,000 Y	1,300
Stoddard Solvent C7-C12	37,000	1,300

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	148 *	75-130

Field ID: MPE-1 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-015 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	5,200 Y	50
Stoddard Solvent C7-C12	3,300	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	246 *	75-130

Field ID: MPE-2 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-016 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	3,000 Y	50
Stoddard Solvent C7-C12	1,900	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	185 *	75-130

*= Value outside of QC limits; see narrative
 Y= Sample exhibits chromatographic pattern which does not resemble standard
 Z= Sample exhibits unknown single peak or peaks
 ND= Not Detected
 RL= Reporting Limit

Total Volatile Hydrocarbons			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	171904
Units:	ug/L	Received:	02/11/11

Field ID: MPE-3 Diln Fac: 100.0
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-017 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	620,000 Y	5,000
Stoddard Solvent C7-C12	390,000	5,000

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	213 *	75-130

Field ID: MPE-4 Diln Fac: 1.000
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-018 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	750 Y	50
Stoddard Solvent C7-C12	480	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	122	75-130

Field ID: MPE-5 Diln Fac: 50.00
 Type: SAMPLE Sampled: 02/11/11
 Lab ID: 225943-019 Analyzed: 02/17/11

Analyte	Result	RL
Gasoline C7-C12	28,000 Y	2,500
Stoddard Solvent C7-C12	18,000	2,500

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	109	75-130

Type: BLANK Diln Fac: 1.000
 Lab ID: QC580300 Analyzed: 02/16/11

Analyte	Result	RL
Gasoline C7-C12	ND	50
Stoddard Solvent C7-C12	ND	50

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	100	75-130

*= Value outside of QC limits; see narrative
 Y= Sample exhibits chromatographic pattern which does not resemble standard
 Z= Sample exhibits unknown single peak or peaks
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Volatile Hydrocarbons			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8015B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC580299	Batch#:	171904
Matrix:	Water	Analyzed:	02/16/11
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	900.2	90	75-126

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	90	75-130

Batch QC Report

Total Volatile Hydrocarbons			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8015B
Field ID:	GW-2	Batch#:	171904
MSS Lab ID:	225943-001	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Type: MS Lab ID: QC580301

Analyte	MSS Result	Spiked	Result	%REC	Limits
Gasoline C7-C12	39.10	2,000	1,916	94	68-120

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	115	75-130

Type: MSD Lab ID: QC580302


Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	2,000	1,866	91	68-120	3	26

Surrogate	%REC	Limits
Bromofluorobenzene (FID)	115	75-130

RPD= Relative Percent Difference

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-002,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-009
 Instrument: GC04 Vial: N/A Operator: lims2k3\tvh3
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\tvhbx246.met

Software Version 3.1.7
 Run Date: 2/16/2011 7:02:01 PM
 Analysis Date: 2/16/2011 7:31:29 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: d1.0



 ---< General Method Parameters >-----

No items selected for this section

 ---< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: C:\Documents and Settings\All Users\Application
 Data\ChromatographySystem\Recovery
 Data\Instrument.10047\047-009_BFE1.tmp

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
None				

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-004,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-011
 Instrument: GC04 Vial: N/A Operator: lims2k3\tvh3
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\tvhbx246.met

Software Version 3.1.7
 Run Date: 2/16/2011 8:20:17 PM
 Analysis Date: 2/16/2011 8:49:47 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: d1.0



 ---< General Method Parameters >-----

No items selected for this section

 ---< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: C:\Documents and Settings\All Users\Application
 Data\ChromatographySystem\Recovery
 Data\Instrument.10047\047-011_BFE3.tmp

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
None				

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-005,171904,200x,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-012
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTX246.met

Software Version 3.1.7
 Run Date: 2/16/2011 9:00:08 PM
 Analysis Date: 2/17/2011 12:00:13 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



 ---< General Method Parameters >-----

No items selected for this section

 ---< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-012

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.523	25.551	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-007,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-014
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 1. Analyst (lims2k3\tvh1)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\tvhbtxe246.met

Software Version 3.1.7
 Run Date: 2/16/2011 10:26:58 PM
 Analysis Date: 2/18/2011 12:14:12 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



 ---< General Method Parameters >-----

No items selected for this section

 ---< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-014

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.498	25.738	0
Yes	Split Peak	14.631	0	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-008,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-015
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTX246.met

Software Version 3.1.7
 Run Date: 2/16/2011 11:05:15 PM
 Analysis Date: 2/17/2011 12:04:50 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



Channel A

---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-015

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.469	25.392	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-009,171904,20x,stodd+tvh, //hm
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-036
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTX246.met

Software Version 3.1.7
 Run Date: 2/17/2011 1:22:01 PM
 Analysis Date: 2/17/2011 2:03:54 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0,hs>1



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-036

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.696	26.007	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-010,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-020
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\tvhbtxe246.met

Software Version 3.1.7
 Run Date: 2/17/2011 2:17:36 AM
 Analysis Date: 2/17/2011 12:07:30 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: d1.0



-----< General Method Parameters >-----

No items selected for this section

-----< A >-----

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-020

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.524	25.31	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-011,171904,100x,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-021
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTXE246.MET

Software Version 3.1.7
 Run Date: 2/17/2011 2:56:06 AM
 Analysis Date: 2/17/2011 12:08:27 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-021

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.342	25.343	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-012,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-022
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTX246.met

Software Version 3.1.7
 Run Date: 2/17/2011 3:34:38 AM
 Analysis Date: 2/17/2011 12:09:23 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: d1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-022

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.577	25.714	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-013,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-023
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTXE246.MET

Software Version 3.1.7
 Run Date: 2/17/2011 4:13:13 AM
 Analysis Date: 2/17/2011 12:11:42 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-023

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.56	25.846	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-014,171904,25x,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-024
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\lvhbtxe246.met

Software Version 3.1.7
 Run Date: 2/17/2011 4:51:28 AM
 Analysis Date: 2/17/2011 12:12:37 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-024

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.317	25.846	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-015,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-025
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\tvhbtxe246.met

Software Version 3.1.7
 Run Date: 2/17/2011 5:29:43 AM
 Analysis Date: 2/17/2011 12:13:55 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-025

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.408	25.819	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-016,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-026
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTXE246.MET

Software Version 3.1.7
 Run Date: 2/17/2011 6:07:56 AM
 Analysis Date: 2/17/2011 12:14:46 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: e1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-026

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.464	25.764	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-017,171904,100x,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-035
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTXE246.MET

Software Version 3.1.7
 Run Date: 2/17/2011 11:53:32 AM
 Analysis Date: 2/17/2011 4:14:39 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: g1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-035

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.534	25.818	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-018,171904,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-028
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTX246.met

Software Version 3.1.7
 Run Date: 2/17/2011 7:24:29 AM
 Analysis Date: 2/17/2011 12:15:45 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: d1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-028

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.154	25.872	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: 225943-019,171904,50x,stodd+tvh
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-032
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\lvhbtxe246.met

Software Version 3.1.7
 Run Date: 2/17/2011 9:57:40 AM
 Analysis Date: 2/17/2011 4:12:53 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: d1.0



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-032

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.443	25.765	0

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: ccv/lcs,qc580299,171904,tvh,s16603,2.5/5000
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-003
 Instrument: GC04 Vial: N/A Operator: Tvh 3. Analyst (lims2k3\tvh3)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\lvhbtxe246.met

Software Version 3.1.7
 Run Date: 2/16/2011 12:30:40 PM
 Analysis Date: 2/16/2011 4:28:08 PM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: {Data Description}



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50


Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-003

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
None				

Sequence File: \\Lims\gdrive\ezchrom\Projects\GC04\Sequence\047.seq
 Sample Name: ccv,stodd,s16713,5/5000
 Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-004
 Instrument: GC04 (Offline) Vial: N/A Operator: Tvh 2. Analyst (lims2k3\tvh2)
 Method Name: \\Lims\gdrive\ezchrom\Projects\GC04\Method\TVHBTXE246.MET

Software Version 3.1.7
 Run Date: 2/16/2011 1:24:39 PM
 Analysis Date: 2/17/2011 11:56:05 AM
 Sample Amount: 5 Multiplier: 5
 Vial & pH or Core ID: {Data Description}



---< General Method Parameters >---

No items selected for this section

---< A >---

No items selected for this section

Integration Events

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Width	0	0	0.2
Yes	Threshold	0	0	50

Manual Integration Fixes

Data File: \\Lims\gdrive\ezchrom\Projects\GC04\Data\047-004

Enabled	Event Type	Start (Minutes)	Stop (Minutes)	Value
Yes	Lowest Point Horizontal Baseli	0.317	25.656	0

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	GW-2	Batch#:	171830
Lab ID:	225943-001	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	3.7	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	35	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	GW-2	Batch#:	171830
Lab ID:	225943-001	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	117	80-125
1,2-Dichloroethane-d4	102	71-146
Toluene-d8	100	80-120
Bromofluorobenzene	87	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	GW-3	Batch#:	171830
Lab ID:	225943-002	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	2.500		

Analyte	Result	RL
Freon 12	ND	2.5
tert-Butyl Alcohol (TBA)	ND	25
Chloromethane	ND	2.5
Isopropyl Ether (DIPE)	ND	1.3
Vinyl Chloride	ND	1.3
Bromomethane	ND	2.5
Ethyl tert-Butyl Ether (ETBE)	ND	1.3
Chloroethane	ND	2.5
Methyl tert-Amyl Ether (TAME)	ND	1.3
Trichlorofluoromethane	ND	2.5
Ethanol	ND	2,500
Acetone	ND	25
Freon 113	ND	5.0
1,1-Dichloroethene	ND	1.3
Methylene Chloride	ND	25
Carbon Disulfide	ND	1.3
MTBE	ND	1.3
trans-1,2-Dichloroethene	ND	1.3
Vinyl Acetate	ND	25
1,1-Dichloroethane	ND	1.3
2-Butanone	ND	25
cis-1,2-Dichloroethene	1.4	1.3
2,2-Dichloropropane	ND	1.3
Chloroform	ND	1.3
Bromochloromethane	ND	1.3
1,1,1-Trichloroethane	ND	1.3
1,1-Dichloropropene	ND	1.3
Carbon Tetrachloride	ND	1.3
1,2-Dichloroethane	ND	1.3
Benzene	ND	1.3
Trichloroethene	ND	1.3
1,2-Dichloropropane	ND	1.3
Bromodichloromethane	ND	1.3
Dibromomethane	ND	1.3
4-Methyl-2-Pentanone	ND	25
cis-1,3-Dichloropropene	ND	1.3
Toluene	ND	1.3
trans-1,3-Dichloropropene	ND	1.3
1,1,2-Trichloroethane	ND	1.3
2-Hexanone	ND	25
1,3-Dichloropropane	ND	1.3
Tetrachloroethene	140	1.3
Dibromochloromethane	ND	1.3
1,2-Dibromoethane	ND	1.3
Chlorobenzene	ND	1.3
1,1,1,2-Tetrachloroethane	ND	1.3
Ethylbenzene	ND	1.3
m,p-Xylenes	ND	1.3
o-Xylene	ND	1.3
Styrene	ND	1.3
Bromoform	ND	2.5
Isopropylbenzene	ND	1.3
1,1,2,2-Tetrachloroethane	ND	1.3
1,2,3-Trichloropropane	ND	1.3

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	GW-3	Batch#:	171830
Lab ID:	225943-002	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	2.500		

Analyte	Result	RL
Propylbenzene	ND	1.3
Bromobenzene	ND	1.3
1,3,5-Trimethylbenzene	ND	1.3
2-Chlorotoluene	ND	1.3
4-Chlorotoluene	ND	1.3
tert-Butylbenzene	ND	1.3
1,2,4-Trimethylbenzene	ND	1.3
sec-Butylbenzene	ND	1.3
para-Isopropyl Toluene	ND	1.3
1,3-Dichlorobenzene	ND	1.3
1,4-Dichlorobenzene	ND	1.3
n-Butylbenzene	ND	1.3
1,2-Dichlorobenzene	ND	1.3
1,2-Dibromo-3-Chloropropane	ND	5.0
1,2,4-Trichlorobenzene	ND	1.3
Hexachlorobutadiene	ND	5.0
Naphthalene	ND	5.0
1,2,3-Trichlorobenzene	ND	1.3

Surrogate	%REC	Limits
Dibromofluoromethane	117	80-125
1,2-Dichloroethane-d4	100	71-146
Toluene-d8	98	80-120
Bromofluorobenzene	86	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MW-11	Batch#:	171830
Lab ID:	225943-003	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MW-11	Batch#:	171830
Lab ID:	225943-003	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	117	80-125
1,2-Dichloroethane-d4	101	71-146
Toluene-d8	99	80-120
Bromofluorobenzene	87	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-1	Batch#:	171830
Lab ID:	225943-004	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	2.6	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	7.3	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	0.5	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	0.8	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	32	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	76	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-1	Batch#:	171830
Lab ID:	225943-004	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	113	80-125
1,2-Dichloroethane-d4	98	71-146
Toluene-d8	98	80-120
Bromofluorobenzene	85	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-2	Units:	ug/L
Lab ID:	225943-005	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
Freon 12	ND	2.0	2.000	171830	02/15/11
tert-Butyl Alcohol (TBA)	ND	20	2.000	171830	02/15/11
Chloromethane	ND	2.0	2.000	171830	02/15/11
Isopropyl Ether (DIPE)	ND	1.0	2.000	171830	02/15/11
Vinyl Chloride	4.7	1.0	2.000	171830	02/15/11
Bromomethane	ND	2.0	2.000	171830	02/15/11
Ethyl tert-Butyl Ether (ETBE)	ND	1.0	2.000	171830	02/15/11
Chloroethane	ND	2.0	2.000	171830	02/15/11
Methyl tert-Amyl Ether (TAME)	ND	1.0	2.000	171830	02/15/11
Trichlorofluoromethane	ND	2.0	2.000	171830	02/15/11
Ethanol	ND	2,000	2.000	171830	02/15/11
Acetone	ND	20	2.000	171830	02/15/11
Freon 113	ND	4.0	2.000	171830	02/15/11
1,1-Dichloroethene	ND	1.0	2.000	171830	02/15/11
Methylene Chloride	ND	20	2.000	171830	02/15/11
Carbon Disulfide	ND	1.0	2.000	171830	02/15/11
MTBE	ND	1.0	2.000	171830	02/15/11
trans-1,2-Dichloroethene	ND	1.0	2.000	171830	02/15/11
Vinyl Acetate	ND	20	2.000	171830	02/15/11
1,1-Dichloroethane	ND	1.0	2.000	171830	02/15/11
2-Butanone	ND	20	2.000	171830	02/15/11
cis-1,2-Dichloroethene	25	1.0	2.000	171830	02/15/11
2,2-Dichloropropane	ND	1.0	2.000	171830	02/15/11
Chloroform	ND	1.0	2.000	171830	02/15/11
Bromochloromethane	ND	1.0	2.000	171830	02/15/11
1,1,1-Trichloroethane	ND	1.0	2.000	171830	02/15/11
1,1-Dichloropropene	ND	1.0	2.000	171830	02/15/11
Carbon Tetrachloride	ND	1.0	2.000	171830	02/15/11
1,2-Dichloroethane	ND	1.0	2.000	171830	02/15/11
Benzene	1.1	1.0	2.000	171830	02/15/11
Trichloroethene	ND	1.0	2.000	171830	02/15/11
1,2-Dichloropropane	ND	1.0	2.000	171830	02/15/11
Bromodichloromethane	ND	1.0	2.000	171830	02/15/11
Dibromomethane	ND	1.0	2.000	171830	02/15/11
4-Methyl-2-Pentanone	ND	20	2.000	171830	02/15/11
cis-1,3-Dichloropropene	ND	1.0	2.000	171830	02/15/11
Toluene	ND	1.0	2.000	171830	02/15/11
trans-1,3-Dichloropropene	ND	1.0	2.000	171830	02/15/11
1,1,2-Trichloroethane	ND	1.0	2.000	171830	02/15/11

ND= Not Detected

RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-2	Units:	ug/L
Lab ID:	225943-005	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
2-Hexanone	ND	20	2.000	171830	02/15/11
1,3-Dichloropropane	ND	1.0	2.000	171830	02/15/11
Tetrachloroethene	ND	1.0	2.000	171830	02/15/11
Dibromochloromethane	ND	1.0	2.000	171830	02/15/11
1,2-Dibromoethane	ND	1.0	2.000	171830	02/15/11
Chlorobenzene	ND	1.0	2.000	171830	02/15/11
1,1,1,2-Tetrachloroethane	ND	1.0	2.000	171830	02/15/11
Ethylbenzene	ND	1.0	2.000	171830	02/15/11
m,p-Xylenes	ND	1.0	2.000	171830	02/15/11
o-Xylene	ND	1.0	2.000	171830	02/15/11
Styrene	ND	1.0	2.000	171830	02/15/11
Bromoform	ND	2.0	2.000	171830	02/15/11
Isopropylbenzene	ND	7.1	14.29	171879	02/16/11
1,1,2,2-Tetrachloroethane	ND	7.1	14.29	171879	02/16/11
1,2,3-Trichloropropane	ND	7.1	14.29	171879	02/16/11
Propylbenzene	ND	7.1	14.29	171879	02/16/11
Bromobenzene	ND	7.1	14.29	171879	02/16/11
1,3,5-Trimethylbenzene	ND	7.1	14.29	171879	02/16/11
2-Chlorotoluene	ND	7.1	14.29	171879	02/16/11
4-Chlorotoluene	ND	7.1	14.29	171879	02/16/11
tert-Butylbenzene	ND	7.1	14.29	171879	02/16/11
1,2,4-Trimethylbenzene	ND	7.1	14.29	171879	02/16/11
sec-Butylbenzene	ND	7.1	14.29	171879	02/16/11
para-Isopropyl Toluene	ND	7.1	14.29	171879	02/16/11
1,3-Dichlorobenzene	ND	7.1	14.29	171879	02/16/11
1,4-Dichlorobenzene	ND	7.1	14.29	171879	02/16/11
n-Butylbenzene	ND	7.1	14.29	171879	02/16/11
1,2-Dichlorobenzene	ND	7.1	14.29	171879	02/16/11
1,2-Dibromo-3-Chloropropane	ND	29	14.29	171879	02/16/11
1,2,4-Trichlorobenzene	ND	7.1	14.29	171879	02/16/11
Hexachlorobutadiene	ND	29	14.29	171879	02/16/11
Naphthalene	ND	29	14.29	171879	02/16/11
1,2,3-Trichlorobenzene	ND	7.1	14.29	171879	02/16/11

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	116	80-125	2.000	171830	02/15/11
1,2-Dichloroethane-d4	102	71-146	2.000	171830	02/15/11
Toluene-d8	87	80-120	2.000	171830	02/15/11
Bromofluorobenzene	97	80-120	14.29	171879	02/16/11

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-3	Batch#:	171830
Lab ID:	225943-006	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	0.5	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	0.5	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-3	Batch#:	171830
Lab ID:	225943-006	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	117	80-125
1,2-Dichloroethane-d4	101	71-146
Toluene-d8	99	80-120
Bromofluorobenzene	86	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-4	Batch#:	171879
Lab ID:	225943-007	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	LFR-4	Batch#:	171879
Lab ID:	225943-007	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	111	80-125
1,2-Dichloroethane-d4	101	71-146
Toluene-d8	97	80-120
Bromofluorobenzene	94	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-1	Diln Fac:	5.000
Lab ID:	225943-008	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L		

Analyte	Result	RL	Batch#	Analyzed
Freon 12	ND	5.0	171879	02/16/11
tert-Butyl Alcohol (TBA)	ND	50	171879	02/16/11
Chloromethane	ND	5.0	171879	02/16/11
Isopropyl Ether (DIPE)	ND	2.5	171963	02/18/11
Vinyl Chloride	ND	2.5	171879	02/16/11
Bromomethane	ND	5.0	171879	02/16/11
Ethyl tert-Butyl Ether (ETBE)	ND	2.5	171879	02/16/11
Chloroethane	ND	5.0	171879	02/16/11
Methyl tert-Amyl Ether (TAME)	ND	2.5	171879	02/16/11
Trichlorofluoromethane	ND	5.0	171879	02/16/11
Ethanol	ND	5,000	171879	02/16/11
Acetone	ND	50	171879	02/16/11
Freon 113	ND	10	171879	02/16/11
1,1-Dichloroethene	ND	2.5	171879	02/16/11
Methylene Chloride	ND	50	171879	02/16/11
Carbon Disulfide	ND	2.5	171879	02/16/11
MTBE	400	2.5	171879	02/16/11
trans-1,2-Dichloroethene	ND	2.5	171879	02/16/11
Vinyl Acetate	ND	50	171879	02/16/11
1,1-Dichloroethane	ND	2.5	171879	02/16/11
2-Butanone	ND	50	171879	02/16/11
cis-1,2-Dichloroethene	180	2.5	171879	02/16/11
2,2-Dichloropropane	ND	2.5	171879	02/16/11
Chloroform	ND	2.5	171879	02/16/11
Bromochloromethane	ND	2.5	171879	02/16/11
1,1,1-Trichloroethane	ND	2.5	171879	02/16/11
1,1-Dichloropropene	ND	2.5	171879	02/16/11
Carbon Tetrachloride	ND	2.5	171879	02/16/11
1,2-Dichloroethane	ND	2.5	171879	02/16/11
Benzene	ND	2.5	171879	02/16/11
Trichloroethene	4.5	2.5	171879	02/16/11
1,2-Dichloropropane	ND	2.5	171879	02/16/11
Bromodichloromethane	ND	2.5	171879	02/16/11
Dibromomethane	ND	2.5	171879	02/16/11
4-Methyl-2-Pentanone	ND	50	171879	02/16/11
cis-1,3-Dichloropropene	ND	2.5	171879	02/16/11
Toluene	ND	2.5	171879	02/16/11
trans-1,3-Dichloropropene	ND	2.5	171879	02/16/11
1,1,2-Trichloroethane	ND	2.5	171879	02/16/11
2-Hexanone	ND	50	171879	02/16/11
1,3-Dichloropropane	ND	2.5	171879	02/16/11
Tetrachloroethene	46	2.5	171879	02/16/11
Dibromochloromethane	ND	2.5	171879	02/16/11
1,2-Dibromoethane	ND	2.5	171879	02/16/11
Chlorobenzene	ND	2.5	171879	02/16/11
1,1,1,2-Tetrachloroethane	ND	2.5	171879	02/16/11
Ethylbenzene	ND	2.5	171879	02/16/11
m,p-Xylenes	ND	2.5	171879	02/16/11
o-Xylene	ND	2.5	171879	02/16/11
Styrene	ND	2.5	171879	02/16/11
Bromoform	ND	5.0	171879	02/16/11
Isopropylbenzene	ND	2.5	171879	02/16/11
1,1,2,2-Tetrachloroethane	ND	2.5	171879	02/16/11
1,2,3-Trichloropropane	ND	2.5	171879	02/16/11
Propylbenzene	ND	2.5	171879	02/16/11

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-1	Diln Fac:	5.000
Lab ID:	225943-008	Sampled:	02/10/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L		

Analyte	Result	RL	Batch#	Analyzed
Bromobenzene	ND	2.5	171879	02/16/11
1,3,5-Trimethylbenzene	ND	2.5	171879	02/16/11
2-Chlorotoluene	ND	2.5	171879	02/16/11
4-Chlorotoluene	ND	2.5	171879	02/16/11
tert-Butylbenzene	ND	2.5	171879	02/16/11
1,2,4-Trimethylbenzene	ND	2.5	171879	02/16/11
sec-Butylbenzene	ND	2.5	171879	02/16/11
para-Isopropyl Toluene	ND	2.5	171879	02/16/11
1,3-Dichlorobenzene	ND	2.5	171879	02/16/11
1,4-Dichlorobenzene	ND	2.5	171879	02/16/11
n-Butylbenzene	ND	2.5	171879	02/16/11
1,2-Dichlorobenzene	ND	2.5	171879	02/16/11
1,2-Dibromo-3-Chloropropane	ND	10	171879	02/16/11
1,2,4-Trichlorobenzene	ND	2.5	171879	02/16/11
Hexachlorobutadiene	ND	10	171879	02/16/11
Naphthalene	ND	10	171879	02/16/11
1,2,3-Trichlorobenzene	ND	2.5	171879	02/16/11

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	104	80-125	171879	02/16/11
1,2-Dichloroethane-d4	96	71-146	171879	02/16/11
Toluene-d8	98	80-120	171879	02/16/11
Bromofluorobenzene	87	80-120	171879	02/16/11

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-2	Batch#:	171879
Lab ID:	225943-009	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	20.00		

Analyte	Result	RL
Freon 12	ND	20
tert-Butyl Alcohol (TBA)	ND	200
Chloromethane	ND	20
Isopropyl Ether (DIPE)	ND	10
Vinyl Chloride	ND	10
Bromomethane	ND	20
Ethyl tert-Butyl Ether (ETBE)	ND	10
Chloroethane	ND	20
Methyl tert-Amyl Ether (TAME)	ND	10
Trichlorofluoromethane	ND	20
Ethanol	ND	20,000
Acetone	ND	200
Freon 113	ND	40
1,1-Dichloroethene	ND	10
Methylene Chloride	ND	200
Carbon Disulfide	ND	10
MTBE	ND	10
trans-1,2-Dichloroethene	ND	10
Vinyl Acetate	ND	200
1,1-Dichloroethane	ND	10
2-Butanone	ND	200
cis-1,2-Dichloroethene	1,400	10
2,2-Dichloropropane	ND	10
Chloroform	ND	10
Bromochloromethane	ND	10
1,1,1-Trichloroethane	ND	10
1,1-Dichloropropene	ND	10
Carbon Tetrachloride	ND	10
1,2-Dichloroethane	ND	10
Benzene	ND	10
Trichloroethene	86	10
1,2-Dichloropropane	ND	10
Bromodichloromethane	ND	10
Dibromomethane	ND	10
4-Methyl-2-Pentanone	ND	200
cis-1,3-Dichloropropene	ND	10
Toluene	ND	10
trans-1,3-Dichloropropene	ND	10
1,1,2-Trichloroethane	ND	10
2-Hexanone	ND	200
1,3-Dichloropropane	ND	10
Tetrachloroethene	130	10
Dibromochloromethane	ND	10
1,2-Dibromoethane	ND	10
Chlorobenzene	ND	10
1,1,1,2-Tetrachloroethane	ND	10
Ethylbenzene	ND	10
m,p-Xylenes	ND	10
o-Xylene	ND	10
Styrene	ND	10
Bromoform	ND	20
Isopropylbenzene	ND	10
1,1,2,2-Tetrachloroethane	ND	10
1,2,3-Trichloropropane	ND	10

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-2	Batch#:	171879
Lab ID:	225943-009	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	20.00		

Analyte	Result	RL
Propylbenzene	ND	10
Bromobenzene	ND	10
1,3,5-Trimethylbenzene	ND	10
2-Chlorotoluene	ND	10
4-Chlorotoluene	ND	10
tert-Butylbenzene	ND	10
1,2,4-Trimethylbenzene	ND	10
sec-Butylbenzene	ND	10
para-Isopropyl Toluene	ND	10
1,3-Dichlorobenzene	ND	10
1,4-Dichlorobenzene	ND	10
n-Butylbenzene	ND	10
1,2-Dichlorobenzene	ND	10
1,2-Dibromo-3-Chloropropane	ND	40
1,2,4-Trichlorobenzene	ND	10
Hexachlorobutadiene	ND	40
Naphthalene	ND	40
1,2,3-Trichlorobenzene	ND	10

Surrogate	%REC	Limits
Dibromofluoromethane	106	80-125
1,2-Dichloroethane-d4	95	71-146
Toluene-d8	99	80-120
Bromofluorobenzene	88	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-3	Batch#:	171829
Lab ID:	225943-010	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	20.00		

Analyte	Result	RL
Freon 12	ND	20
tert-Butyl Alcohol (TBA)	ND	200
Chloromethane	ND	20
Isopropyl Ether (DIPE)	ND	10
Vinyl Chloride	ND	10
Bromomethane	ND	20
Ethyl tert-Butyl Ether (ETBE)	ND	10
Chloroethane	ND	20
Methyl tert-Amyl Ether (TAME)	ND	10
Trichlorofluoromethane	ND	20
Ethanol	ND	20,000
Acetone	ND	200
Freon 113	ND	40
1,1-Dichloroethene	ND	10
Methylene Chloride	ND	200
Carbon Disulfide	ND	10
MTBE	18	10
trans-1,2-Dichloroethene	ND	10
Vinyl Acetate	ND	200
1,1-Dichloroethane	ND	10
2-Butanone	ND	200
cis-1,2-Dichloroethene	1,000	10
2,2-Dichloropropane	ND	10
Chloroform	ND	10
Bromochloromethane	ND	10
1,1,1-Trichloroethane	ND	10
1,1-Dichloropropene	ND	10
Carbon Tetrachloride	ND	10
1,2-Dichloroethane	ND	10
Benzene	ND	10
Trichloroethene	ND	10
1,2-Dichloropropane	ND	10
Bromodichloromethane	ND	10
Dibromomethane	ND	10
4-Methyl-2-Pentanone	ND	200
cis-1,3-Dichloropropene	ND	10
Toluene	ND	10
trans-1,3-Dichloropropene	ND	10
1,1,2-Trichloroethane	ND	10
2-Hexanone	ND	200
1,3-Dichloropropane	ND	10
Tetrachloroethene	ND	10
Dibromochloromethane	ND	10
1,2-Dibromoethane	ND	10
Chlorobenzene	ND	10
1,1,1,2-Tetrachloroethane	ND	10
Ethylbenzene	ND	10
m,p-Xylenes	ND	10
o-Xylene	ND	10
Styrene	ND	10
Bromoform	ND	20
Isopropylbenzene	ND	10
1,1,2,2-Tetrachloroethane	ND	10
1,2,3-Trichloropropane	ND	10

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-3	Batch#:	171829
Lab ID:	225943-010	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	20.00		

Analyte	Result	RL
Propylbenzene	ND	10
Bromobenzene	ND	10
1,3,5-Trimethylbenzene	ND	10
2-Chlorotoluene	ND	10
4-Chlorotoluene	ND	10
tert-Butylbenzene	ND	10
1,2,4-Trimethylbenzene	ND	10
sec-Butylbenzene	ND	10
para-Isopropyl Toluene	ND	10
1,3-Dichlorobenzene	ND	10
1,4-Dichlorobenzene	ND	10
n-Butylbenzene	ND	10
1,2-Dichlorobenzene	ND	10
1,2-Dibromo-3-Chloropropane	ND	40
1,2,4-Trichlorobenzene	ND	10
Hexachlorobutadiene	ND	40
Naphthalene	ND	40
1,2,3-Trichlorobenzene	ND	10

Surrogate	%REC	Limits
Dibromofluoromethane	91	80-125
1,2-Dichloroethane-d4	92	71-146
Toluene-d8	97	80-120
Bromofluorobenzene	94	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-4R	Diln Fac:	4.000
Lab ID:	225943-011	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L		

Analyte	Result	RL	Batch#	Analyzed
Freon 12	ND	4.0	171829	02/15/11
tert-Butyl Alcohol (TBA)	40	40	171829	02/16/11
Chloromethane	ND	4.0	171829	02/15/11
Isopropyl Ether (DIPE)	4.0	2.0	171829	02/15/11
Vinyl Chloride	ND	2.0	171829	02/15/11
Bromomethane	ND	4.0	171829	02/15/11
Ethyl tert-Butyl Ether (ETBE)	ND	2.0	171829	02/15/11
Chloroethane	ND	4.0	171829	02/15/11
Methyl tert-Amyl Ether (TAME)	ND	2.0	171829	02/15/11
Trichlorofluoromethane	ND	4.0	171829	02/15/11
Ethanol	ND	4,000	171829	02/15/11
Acetone	ND	40	171829	02/15/11
Freon 113	ND	8.0	171829	02/15/11
1,1-Dichloroethene	ND	2.0	171829	02/15/11
Methylene Chloride	ND	40	171829	02/15/11
Carbon Disulfide	ND	2.0	171829	02/15/11
MTBE	23	2.0	171829	02/15/11
trans-1,2-Dichloroethene	ND	2.0	171829	02/15/11
Vinyl Acetate	ND	40	171829	02/15/11
1,1-Dichloroethane	ND	2.0	171829	02/15/11
2-Butanone	ND	40	171829	02/15/11
cis-1,2-Dichloroethene	79	2.0	171829	02/15/11
2,2-Dichloropropane	ND	2.0	171829	02/15/11
Chloroform	ND	2.0	171829	02/15/11
Bromochloromethane	ND	2.0	171829	02/15/11
1,1,1-Trichloroethane	ND	2.0	171829	02/15/11
1,1-Dichloropropene	ND	2.0	171829	02/15/11
Carbon Tetrachloride	ND	2.0	171829	02/15/11
1,2-Dichloroethane	ND	2.0	171829	02/15/11
Benzene	ND	2.0	171829	02/15/11
Trichloroethene	ND	2.0	171829	02/15/11
1,2-Dichloropropane	ND	2.0	171829	02/15/11
Bromodichloromethane	ND	2.0	171829	02/15/11
Dibromomethane	ND	2.0	171829	02/15/11
4-Methyl-2-Pentanone	ND	40	171829	02/15/11
cis-1,3-Dichloropropene	ND	2.0	171829	02/15/11
Toluene	ND	2.0	171829	02/15/11
trans-1,3-Dichloropropene	ND	2.0	171829	02/15/11
1,1,2-Trichloroethane	ND	2.0	171829	02/15/11
2-Hexanone	ND	40	171829	02/15/11
1,3-Dichloropropane	ND	2.0	171829	02/15/11
Tetrachloroethene	ND	2.0	171829	02/15/11
Dibromochloromethane	ND	2.0	171829	02/15/11
1,2-Dibromoethane	ND	2.0	171829	02/15/11
Chlorobenzene	ND	2.0	171829	02/15/11
1,1,1,2-Tetrachloroethane	ND	2.0	171829	02/15/11
Ethylbenzene	ND	2.0	171829	02/15/11
m,p-Xylenes	2.4	2.0	171829	02/15/11
o-Xylene	4.9	2.0	171829	02/15/11
Styrene	ND	2.0	171829	02/15/11
Bromoform	ND	4.0	171829	02/15/11
Isopropylbenzene	ND	2.0	171829	02/15/11
1,1,2,2-Tetrachloroethane	ND	2.0	171829	02/15/11
1,2,3-Trichloropropane	ND	2.0	171829	02/15/11
Propylbenzene	2.6	2.0	171829	02/15/11

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-4R	Diln Fac:	4.000
Lab ID:	225943-011	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L		

Analyte	Result	RL	Batch#	Analyzed
Bromobenzene	ND	2.0	171829	02/15/11
1,3,5-Trimethylbenzene	17	2.0	171829	02/15/11
2-Chlorotoluene	ND	2.0	171829	02/15/11
4-Chlorotoluene	ND	2.0	171829	02/15/11
tert-Butylbenzene	ND	2.0	171829	02/15/11
1,2,4-Trimethylbenzene	22	2.0	171829	02/15/11
sec-Butylbenzene	3.2	2.0	171829	02/15/11
para-Isopropyl Toluene	4.5	2.0	171829	02/15/11
1,3-Dichlorobenzene	ND	2.0	171829	02/15/11
1,4-Dichlorobenzene	ND	2.0	171829	02/15/11
n-Butylbenzene	ND	2.0	171829	02/15/11
1,2-Dichlorobenzene	ND	2.0	171829	02/15/11
1,2-Dibromo-3-Chloropropane	ND	8.0	171829	02/15/11
1,2,4-Trichlorobenzene	ND	2.0	171829	02/15/11
Hexachlorobutadiene	ND	8.0	171829	02/15/11
Naphthalene	ND	8.0	171829	02/15/11
1,2,3-Trichlorobenzene	ND	2.0	171829	02/15/11

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	92	80-125	171829	02/15/11
1,2-Dichloroethane-d4	97	71-146	171829	02/15/11
Toluene-d8	101	80-120	171829	02/15/11
Bromofluorobenzene	103	80-120	171829	02/15/11

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-5	Batch#:	171829
Lab ID:	225943-012	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	1.9	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	SOMA-5	Batch#:	171829
Lab ID:	225943-012	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	0.7	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	93	80-125
1,2-Dichloroethane-d4	103	71-146
Toluene-d8	100	80-120
Bromofluorobenzene	90	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	B-8R	Batch#:	171879
Lab ID:	225943-013	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	34	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	8.5	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	14	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	B-8R	Batch#:	171879
Lab ID:	225943-013	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	1.4	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	0.7	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	113	80-125
1,2-Dichloroethane-d4	97	71-146
Toluene-d8	93	80-120
Bromofluorobenzene	113	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	B-10R	Batch#:	171879
Lab ID:	225943-014	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	25.00		

Analyte	Result	RL
Freon 12	ND	25
tert-Butyl Alcohol (TBA)	ND	250
Chloromethane	ND	25
Isopropyl Ether (DIPE)	ND	13
Vinyl Chloride	ND	13
Bromomethane	ND	25
Ethyl tert-Butyl Ether (ETBE)	ND	13
Chloroethane	ND	25
Methyl tert-Amyl Ether (TAME)	ND	13
Trichlorofluoromethane	ND	25
Ethanol	ND	25,000
Acetone	ND	250
Freon 113	ND	50
1,1-Dichloroethene	ND	13
Methylene Chloride	ND	250
Carbon Disulfide	ND	13
MTBE	ND	13
trans-1,2-Dichloroethene	ND	13
Vinyl Acetate	ND	250
1,1-Dichloroethane	ND	13
2-Butanone	ND	250
cis-1,2-Dichloroethene	1,600	13
2,2-Dichloropropane	ND	13
Chloroform	ND	13
Bromochloromethane	ND	13
1,1,1-Trichloroethane	ND	13
1,1-Dichloropropene	ND	13
Carbon Tetrachloride	ND	13
1,2-Dichloroethane	ND	13
Benzene	ND	13
Trichloroethene	150	13
1,2-Dichloropropane	ND	13
Bromodichloromethane	ND	13
Dibromomethane	ND	13
4-Methyl-2-Pentanone	ND	250
cis-1,3-Dichloropropene	ND	13
Toluene	ND	13
trans-1,3-Dichloropropene	ND	13
1,1,2-Trichloroethane	ND	13
2-Hexanone	ND	250
1,3-Dichloropropane	ND	13
Tetrachloroethene	70	13
Dibromochloromethane	ND	13
1,2-Dibromoethane	ND	13
Chlorobenzene	ND	13
1,1,1,2-Tetrachloroethane	ND	13
Ethylbenzene	ND	13
m,p-Xylenes	ND	13
o-Xylene	ND	13
Styrene	ND	13
Bromoform	ND	25
Isopropylbenzene	ND	13
1,1,2,2-Tetrachloroethane	ND	13
1,2,3-Trichloropropane	ND	13

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	B-10R	Batch#:	171879
Lab ID:	225943-014	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	25.00		

Analyte	Result	RL
Propylbenzene	ND	13
Bromobenzene	ND	13
1,3,5-Trimethylbenzene	ND	13
2-Chlorotoluene	ND	13
4-Chlorotoluene	ND	13
tert-Butylbenzene	ND	13
1,2,4-Trimethylbenzene	ND	13
sec-Butylbenzene	ND	13
para-Isopropyl Toluene	ND	13
1,3-Dichlorobenzene	ND	13
1,4-Dichlorobenzene	ND	13
n-Butylbenzene	ND	13
1,2-Dichlorobenzene	ND	13
1,2-Dibromo-3-Chloropropane	ND	50
1,2,4-Trichlorobenzene	ND	13
Hexachlorobutadiene	ND	50
Naphthalene	ND	50
1,2,3-Trichlorobenzene	ND	13

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-125
1,2-Dichloroethane-d4	92	71-146
Toluene-d8	96	80-120
Bromofluorobenzene	86	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-1	Batch#:	171879
Lab ID:	225943-015	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	16	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	2.5	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	54	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	5.1	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	7.9	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-1	Batch#:	171879
Lab ID:	225943-015	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	105	80-125
1,2-Dichloroethane-d4	95	71-146
Toluene-d8	92	80-120
Bromofluorobenzene	107	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-2	Batch#:	171879
Lab ID:	225943-016	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	2.000		

Analyte	Result	RL
Freon 12	ND	2.0
tert-Butyl Alcohol (TBA)	26	20
Chloromethane	ND	2.0
Isopropyl Ether (DIPE)	ND	1.0
Vinyl Chloride	ND	1.0
Bromomethane	ND	2.0
Ethyl tert-Butyl Ether (ETBE)	ND	1.0
Chloroethane	ND	2.0
Methyl tert-Amyl Ether (TAME)	ND	1.0
Trichlorofluoromethane	ND	2.0
Ethanol	ND	2,000
Acetone	ND	20
Freon 113	ND	4.0
1,1-Dichloroethene	ND	1.0
Methylene Chloride	ND	20
Carbon Disulfide	ND	1.0
MTBE	5.3	1.0
trans-1,2-Dichloroethene	ND	1.0
Vinyl Acetate	ND	20
1,1-Dichloroethane	ND	1.0
2-Butanone	ND	20
cis-1,2-Dichloroethene	57	1.0
2,2-Dichloropropane	ND	1.0
Chloroform	ND	1.0
Bromochloromethane	ND	1.0
1,1,1-Trichloroethane	ND	1.0
1,1-Dichloropropene	ND	1.0
Carbon Tetrachloride	ND	1.0
1,2-Dichloroethane	ND	1.0
Benzene	ND	1.0
Trichloroethene	ND	1.0
1,2-Dichloropropane	ND	1.0
Bromodichloromethane	ND	1.0
Dibromomethane	ND	1.0
4-Methyl-2-Pentanone	ND	20
cis-1,3-Dichloropropene	ND	1.0
Toluene	1.4	1.0
trans-1,3-Dichloropropene	ND	1.0
1,1,2-Trichloroethane	ND	1.0
2-Hexanone	ND	20
1,3-Dichloropropane	ND	1.0
Tetrachloroethene	ND	1.0
Dibromochloromethane	ND	1.0
1,2-Dibromoethane	ND	1.0
Chlorobenzene	ND	1.0
1,1,1,2-Tetrachloroethane	ND	1.0
Ethylbenzene	ND	1.0
m,p-Xylenes	3.0	1.0
o-Xylene	6.3	1.0
Styrene	ND	1.0
Bromoform	ND	2.0
Isopropylbenzene	1.7	1.0
1,1,2,2-Tetrachloroethane	ND	1.0
1,2,3-Trichloropropane	ND	1.0

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-2	Batch#:	171879
Lab ID:	225943-016	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	2.000		

Analyte	Result	RL
Propylbenzene	2.2	1.0
Bromobenzene	ND	1.0
1,3,5-Trimethylbenzene	6.9	1.0
2-Chlorotoluene	ND	1.0
4-Chlorotoluene	ND	1.0
tert-Butylbenzene	ND	1.0
1,2,4-Trimethylbenzene	19	1.0
sec-Butylbenzene	2.8	1.0
para-Isopropyl Toluene	1.8	1.0
1,3-Dichlorobenzene	ND	1.0
1,4-Dichlorobenzene	ND	1.0
n-Butylbenzene	ND	1.0
1,2-Dichlorobenzene	ND	1.0
1,2-Dibromo-3-Chloropropane	ND	4.0
1,2,4-Trichlorobenzene	ND	1.0
Hexachlorobutadiene	ND	4.0
Naphthalene	5.6	4.0
1,2,3-Trichlorobenzene	ND	1.0

Surrogate	%REC	Limits
Dibromofluoromethane	106	80-125
1,2-Dichloroethane-d4	96	71-146
Toluene-d8	94	80-120
Bromofluorobenzene	93	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-3	Diln Fac:	1.000
Lab ID:	225943-017	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L		

Analyte	Result	RL	Batch#	Analyzed
Freon 12	ND	1.0	171879	02/16/11
tert-Butyl Alcohol (TBA)	15	10	171879	02/16/11
Chloromethane	ND	1.0	171879	02/16/11
Isopropyl Ether (DIPE)	0.6	0.5	171963	02/18/11
Vinyl Chloride	ND	0.5	171879	02/16/11
Bromomethane	ND	1.0	171879	02/16/11
Ethyl tert-Butyl Ether (ETBE)	ND	0.5	171879	02/16/11
Chloroethane	ND	1.0	171879	02/16/11
Methyl tert-Amyl Ether (TAME)	ND	0.5	171879	02/16/11
Trichlorofluoromethane	ND	1.0	171879	02/16/11
Ethanol	ND	1,000	171879	02/16/11
Acetone	19	10	171879	02/16/11
Freon 113	ND	2.0	171879	02/16/11
1,1-Dichloroethene	ND	0.5	171879	02/16/11
Methylene Chloride	ND	10	171879	02/16/11
Carbon Disulfide	1.1	0.5	171879	02/16/11
MTBE	ND	0.5	171879	02/16/11
trans-1,2-Dichloroethene	ND	0.5	171879	02/16/11
Vinyl Acetate	ND	10	171879	02/16/11
1,1-Dichloroethane	ND	0.5	171879	02/16/11
2-Butanone	ND	10	171879	02/16/11
cis-1,2-Dichloroethene	29	0.5	171879	02/16/11
2,2-Dichloropropane	ND	0.5	171879	02/16/11
Chloroform	ND	0.5	171879	02/16/11
Bromochloromethane	ND	0.5	171879	02/16/11
1,1,1-Trichloroethane	ND	0.5	171879	02/16/11
1,1-Dichloropropene	ND	0.5	171879	02/16/11
Carbon Tetrachloride	ND	0.5	171879	02/16/11
1,2-Dichloroethane	ND	0.5	171879	02/16/11
Benzene	0.7	0.5	171879	02/16/11
Trichloroethene	ND	0.5	171879	02/16/11
1,2-Dichloropropane	ND	0.5	171879	02/16/11
Bromodichloromethane	ND	0.5	171879	02/16/11
Dibromomethane	ND	0.5	171879	02/16/11
4-Methyl-2-Pentanone	ND	10	171879	02/16/11
cis-1,3-Dichloropropene	ND	0.5	171879	02/16/11
Toluene	ND	0.5	171879	02/16/11
trans-1,3-Dichloropropene	ND	0.5	171879	02/16/11
1,1,2-Trichloroethane	ND	0.5	171879	02/16/11
2-Hexanone	ND	10	171879	02/16/11
1,3-Dichloropropane	ND	0.5	171879	02/16/11
Tetrachloroethene	0.6	0.5	171879	02/16/11
Dibromochloromethane	ND	0.5	171879	02/16/11
1,2-Dibromoethane	ND	0.5	171879	02/16/11
Chlorobenzene	ND	0.5	171879	02/16/11
1,1,1,2-Tetrachloroethane	ND	0.5	171879	02/16/11
Ethylbenzene	ND	0.5	171879	02/16/11
m,p-Xylenes	2.2	0.5	171879	02/16/11
o-Xylene	5.4	0.5	171879	02/16/11
Styrene	ND	0.5	171879	02/16/11
Bromoform	ND	1.0	171879	02/16/11
Isopropylbenzene	0.6	0.5	171879	02/16/11
1,1,2,2-Tetrachloroethane	ND	0.5	171879	02/16/11
1,2,3-Trichloropropane	ND	0.5	171879	02/16/11
Propylbenzene	0.9	0.5	171879	02/16/11

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-3	Diln Fac:	1.000
Lab ID:	225943-017	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L		

Analyte	Result	RL	Batch#	Analyzed
Bromobenzene	ND	0.5	171879	02/16/11
1,3,5-Trimethylbenzene	8.7	0.5	171879	02/16/11
2-Chlorotoluene	ND	0.5	171879	02/16/11
4-Chlorotoluene	ND	0.5	171879	02/16/11
tert-Butylbenzene	0.5	0.5	171879	02/16/11
1,2,4-Trimethylbenzene	12	0.5	171879	02/16/11
sec-Butylbenzene	1.8	0.5	171879	02/16/11
para-Isopropyl Toluene	1.6	0.5	171879	02/16/11
1,3-Dichlorobenzene	ND	0.5	171879	02/16/11
1,4-Dichlorobenzene	ND	0.5	171879	02/16/11
n-Butylbenzene	ND	0.5	171879	02/16/11
1,2-Dichlorobenzene	ND	0.5	171879	02/16/11
1,2-Dibromo-3-Chloropropane	ND	2.0	171879	02/16/11
1,2,4-Trichlorobenzene	ND	0.5	171879	02/16/11
Hexachlorobutadiene	ND	2.0	171879	02/16/11
Naphthalene	3.2	2.0	171879	02/16/11
1,2,3-Trichlorobenzene	ND	0.5	171879	02/16/11

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	110	80-125	171879	02/16/11
1,2-Dichloroethane-d4	97	71-146	171879	02/16/11
Toluene-d8	90	80-120	171879	02/16/11
Bromofluorobenzene	99	80-120	171879	02/16/11

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-4	Batch#:	171829
Lab ID:	225943-018	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	1.3	0.5
trans-1,2-Dichloroethene	1.4	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	38	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	0.5	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-4	Batch#:	171829
Lab ID:	225943-018	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	1.1	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	1.7	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	90	80-125
1,2-Dichloroethane-d4	92	71-146
Toluene-d8	106	80-120
Bromofluorobenzene	100	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-5	Batch#:	171829
Lab ID:	225943-019	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	2.000		

Analyte	Result	RL
Freon 12	ND	2.0
tert-Butyl Alcohol (TBA)	ND	20
Chloromethane	ND	2.0
Isopropyl Ether (DIPE)	ND	1.0
Vinyl Chloride	ND	1.0
Bromomethane	ND	2.0
Ethyl tert-Butyl Ether (ETBE)	ND	1.0
Chloroethane	ND	2.0
Methyl tert-Amyl Ether (TAME)	ND	1.0
Trichlorofluoromethane	ND	2.0
Ethanol	ND	2,000
Acetone	ND	20
Freon 113	ND	4.0
1,1-Dichloroethene	ND	1.0
Methylene Chloride	ND	20
Carbon Disulfide	ND	1.0
MTBE	1.5	1.0
trans-1,2-Dichloroethene	2.8	1.0
Vinyl Acetate	ND	20
1,1-Dichloroethane	ND	1.0
2-Butanone	ND	20
cis-1,2-Dichloroethene	78	1.0
2,2-Dichloropropane	ND	1.0
Chloroform	ND	1.0
Bromochloromethane	ND	1.0
1,1,1-Trichloroethane	ND	1.0
1,1-Dichloropropene	ND	1.0
Carbon Tetrachloride	ND	1.0
1,2-Dichloroethane	ND	1.0
Benzene	ND	1.0
Trichloroethene	ND	1.0
1,2-Dichloropropane	ND	1.0
Bromodichloromethane	ND	1.0
Dibromomethane	ND	1.0
4-Methyl-2-Pentanone	ND	20
cis-1,3-Dichloropropene	ND	1.0
Toluene	ND	1.0
trans-1,3-Dichloropropene	ND	1.0
1,1,2-Trichloroethane	ND	1.0
2-Hexanone	ND	20
1,3-Dichloropropane	ND	1.0
Tetrachloroethene	ND	1.0
Dibromochloromethane	ND	1.0
1,2-Dibromoethane	ND	1.0
Chlorobenzene	ND	1.0
1,1,1,2-Tetrachloroethane	ND	1.0
Ethylbenzene	ND	1.0
m,p-Xylenes	ND	1.0
o-Xylene	ND	1.0
Styrene	ND	1.0
Bromoform	ND	2.0
Isopropylbenzene	ND	1.0
1,1,2,2-Tetrachloroethane	ND	1.0
1,2,3-Trichloropropane	ND	1.0

ND= Not Detected
 RL= Reporting Limit

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	MPE-5	Batch#:	171829
Lab ID:	225943-019	Sampled:	02/11/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	2.000		

Analyte	Result	RL
Propylbenzene	ND	1.0
Bromobenzene	ND	1.0
1,3,5-Trimethylbenzene	ND	1.0
2-Chlorotoluene	ND	1.0
4-Chlorotoluene	ND	1.0
tert-Butylbenzene	3.2	1.0
1,2,4-Trimethylbenzene	ND	1.0
sec-Butylbenzene	5.2	1.0
para-Isopropyl Toluene	ND	1.0
1,3-Dichlorobenzene	ND	1.0
1,4-Dichlorobenzene	ND	1.0
n-Butylbenzene	ND	1.0
1,2-Dichlorobenzene	ND	1.0
1,2-Dibromo-3-Chloropropane	ND	4.0
1,2,4-Trichlorobenzene	ND	1.0
Hexachlorobutadiene	ND	4.0
Naphthalene	ND	4.0
1,2,3-Trichlorobenzene	ND	1.0

Surrogate	%REC	Limits
Dibromofluoromethane	91	80-125
1,2-Dichloroethane-d4	94	71-146
Toluene-d8	100	80-120
Bromofluorobenzene	115	80-120

ND= Not Detected
 RL= Reporting Limit
 Page 2 of 2

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	171829
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Type: BS Lab ID: QC580003

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	142.8 b	114	45-152
Isopropyl Ether (DIPE)	25.00	20.49	82	53-138
Ethyl tert-Butyl Ether (ETBE)	25.00	21.49	86	56-130
Methyl tert-Amyl Ether (TAME)	25.00	22.96	92	63-120
1,1-Dichloroethene	25.00	20.05	80	65-138
Benzene	25.00	21.95	88	80-124
Trichloroethene	25.00	23.34	93	78-122
Toluene	25.00	24.24	97	80-120
Chlorobenzene	25.00	25.11	100	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	96	80-125
1,2-Dichloroethane-d4	103	71-146
Toluene-d8	98	80-120
Bromofluorobenzene	93	80-120

Type: BSD Lab ID: QC580004

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	141.1 b	113	45-152	1	32
Isopropyl Ether (DIPE)	25.00	20.66	83	53-138	1	20
Ethyl tert-Butyl Ether (ETBE)	25.00	20.09	80	56-130	7	20
Methyl tert-Amyl Ether (TAME)	25.00	23.22	93	63-120	1	20
1,1-Dichloroethene	25.00	19.03	76	65-138	5	20
Benzene	25.00	24.02	96	80-124	9	20
Trichloroethene	25.00	23.91	96	78-122	2	20
Toluene	25.00	23.07	92	80-120	5	20
Chlorobenzene	25.00	23.46	94	80-120	7	20

Surrogate	%REC	Limits
Dibromofluoromethane	92	80-125
1,2-Dichloroethane-d4	107	71-146
Toluene-d8	96	80-120
Bromofluorobenzene	88	80-120

b= See narrative
 RPD= Relative Percent Difference
 Page 1 of 1

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580005	Batch#:	171829
Matrix:	Water	Analyzed:	02/15/11
Units:	ug/L		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580005	Batch#:	171829
Matrix:	Water	Analyzed:	02/15/11
Units:	ug/L		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	97	80-125
1,2-Dichloroethane-d4	103	71-146
Toluene-d8	105	80-120
Bromofluorobenzene	90	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Field ID:	ZZZZZZZZZZ	Batch#:	171830
MSS Lab ID:	225927-033	Sampled:	02/09/11
Matrix:	Water	Received:	02/11/11
Units:	ug/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Type: MS Lab ID: QC580006

Analyte	MSS Result	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	<1.226	125.0	83.09	66	58-145
Isopropyl Ether (DIPE)	<0.1000	25.00	16.69 b	67	67-126
Ethyl tert-Butyl Ether (ETBE)	<0.1000	25.00	16.93 b	68	68-120
Methyl tert-Amyl Ether (TAME)	<0.1000	25.00	18.56	74	71-120
1,1-Dichloroethene	<0.1000	25.00	31.10	124	75-133
Benzene	<0.1000	25.00	25.63	103	80-121
Trichloroethene	1.750	25.00	26.06	97	75-124
Toluene	<0.1000	25.00	24.41	98	80-120
Chlorobenzene	<0.1000	25.00	25.37	101	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	104	80-125
1,2-Dichloroethane-d4	97	71-146
Toluene-d8	98	80-120
Bromofluorobenzene	82	80-120

Type: MSD Lab ID: QC580007

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	86.27	69	58-145	4	29
Isopropyl Ether (DIPE)	25.00	16.88 b	68	67-126	1	20
Ethyl tert-Butyl Ether (ETBE)	25.00	16.85 b	67 *	68-120	0	20
Methyl tert-Amyl Ether (TAME)	25.00	18.32	73	71-120	1	20
1,1-Dichloroethene	25.00	30.36	121	75-133	2	20
Benzene	25.00	25.02	100	80-121	2	20
Trichloroethene	25.00	24.87	92	75-124	5	20
Toluene	25.00	23.88	96	80-120	2	20
Chlorobenzene	25.00	24.84	99	80-120	2	20

Surrogate	%REC	Limits
Dibromofluoromethane	103	80-125
1,2-Dichloroethane-d4	97	71-146
Toluene-d8	97	80-120
Bromofluorobenzene	83	80-120

*= Value outside of QC limits; see narrative

b= See narrative

RPD= Relative Percent Difference

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580008	Batch#:	171830
Matrix:	Water	Analyzed:	02/15/11
Units:	ug/L		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580008	Batch#:	171830
Matrix:	Water	Analyzed:	02/15/11
Units:	ug/L		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	116	80-125
1,2-Dichloroethane-d4	101	71-146
Toluene-d8	100	80-120
Bromofluorobenzene	91	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC580049	Batch#:	171830
Matrix:	Water	Analyzed:	02/15/11
Units:	ug/L		

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	89.81	72	45-152
Isopropyl Ether (DIPE)	25.00	16.76 b	67	53-138
Ethyl tert-Butyl Ether (ETBE)	25.00	16.88 b	68	56-130
Methyl tert-Amyl Ether (TAME)	25.00	18.52	74	63-120
1,1-Dichloroethene	25.00	29.54	118	65-138
Benzene	25.00	24.90	100	80-124
Trichloroethene	25.00	23.77	95	78-122
Toluene	25.00	23.92	96	80-120
Chlorobenzene	25.00	24.53	98	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	102	80-125
1,2-Dichloroethane-d4	97	71-146
Toluene-d8	98	80-120
Bromofluorobenzene	84	80-120

b= See narrative

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	171879
Units:	ug/L	Analyzed:	02/16/11
Diln Fac:	1.000		

Type: BS Lab ID: QC580200

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	94.97	76	45-152
Isopropyl Ether (DIPE)	25.00	16.71 b	67	53-138
Ethyl tert-Butyl Ether (ETBE)	25.00	17.14 b	69	56-130
Methyl tert-Amyl Ether (TAME)	25.00	18.37	73	63-120
1,1-Dichloroethene	25.00	29.99	120	65-138
Benzene	25.00	24.74	99	80-124
Trichloroethene	25.00	23.30	93	78-122
Toluene	25.00	23.34	93	80-120
Chlorobenzene	25.00	24.04	96	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	106	80-125
1,2-Dichloroethane-d4	102	71-146
Toluene-d8	99	80-120
Bromofluorobenzene	87	80-120

Type: BSD Lab ID: QC580201

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	99.92	80	45-152	5	32
Isopropyl Ether (DIPE)	25.00	16.78 b	67	53-138	0	20
Ethyl tert-Butyl Ether (ETBE)	25.00	16.85 b	67	56-130	2	20
Methyl tert-Amyl Ether (TAME)	25.00	18.19	73	63-120	1	20
1,1-Dichloroethene	25.00	27.84	111	65-138	7	20
Benzene	25.00	23.82	95	80-124	4	20
Trichloroethene	25.00	22.32	89	78-122	4	20
Toluene	25.00	22.33	89	80-120	4	20
Chlorobenzene	25.00	23.26	93	80-120	3	20

Surrogate	%REC	Limits
Dibromofluoromethane	103	80-125
1,2-Dichloroethane-d4	100	71-146
Toluene-d8	97	80-120
Bromofluorobenzene	85	80-120

b= See narrative
 RPD= Relative Percent Difference
 Page 1 of 1

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580202	Batch#:	171879
Matrix:	Water	Analyzed:	02/16/11
Units:	ug/L		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580202	Batch#:	171879
Matrix:	Water	Analyzed:	02/16/11
Units:	ug/L		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	112	80-125
1,2-Dichloroethane-d4	97	71-146
Toluene-d8	97	80-120
Bromofluorobenzene	84	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	171963
Units:	ug/L	Analyzed:	02/18/11
Diln Fac:	1.000		

Type: BS Lab ID: QC580529

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	125.0	88.37	71	45-152
Isopropyl Ether (DIPE)	25.00	23.80	95	53-138
Ethyl tert-Butyl Ether (ETBE)	25.00	21.47	86	56-130
Methyl tert-Amyl Ether (TAME)	25.00	19.69	79	63-120
1,1-Dichloroethene	25.00	28.36	113	65-138
Benzene	25.00	26.07	104	80-124
Trichloroethene	25.00	24.38	98	78-122
Toluene	25.00	24.91	100	80-120
Chlorobenzene	25.00	26.19	105	80-120

Surrogate	%REC	Limits
Dibromofluoromethane	107	80-125
1,2-Dichloroethane-d4	85	71-146
Toluene-d8	96	80-120
Bromofluorobenzene	98	80-120

Type: BSD Lab ID: QC580530

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	125.0	91.80	73	45-152	4	32
Isopropyl Ether (DIPE)	25.00	23.54	94	53-138	1	20
Ethyl tert-Butyl Ether (ETBE)	25.00	21.54	86	56-130	0	20
Methyl tert-Amyl Ether (TAME)	25.00	19.65	79	63-120	0	20
1,1-Dichloroethene	25.00	26.96	108	65-138	5	20
Benzene	25.00	24.78	99	80-124	5	20
Trichloroethene	25.00	23.96	96	78-122	2	20
Toluene	25.00	24.47	98	80-120	2	20
Chlorobenzene	25.00	25.51	102	80-120	3	20

Surrogate	%REC	Limits
Dibromofluoromethane	105	80-125
1,2-Dichloroethane-d4	83	71-146
Toluene-d8	99	80-120
Bromofluorobenzene	102	80-120

RPD= Relative Percent Difference

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580531	Batch#:	171963
Matrix:	Water	Analyzed:	02/18/11
Units:	ug/L		

Analyte	Result	RL
Freon 12	ND	1.0
tert-Butyl Alcohol (TBA)	ND	10
Chloromethane	ND	1.0
Isopropyl Ether (DIPE)	ND	0.5
Vinyl Chloride	ND	0.5
Bromomethane	ND	1.0
Ethyl tert-Butyl Ether (ETBE)	ND	0.5
Chloroethane	ND	1.0
Methyl tert-Amyl Ether (TAME)	ND	0.5
Trichlorofluoromethane	ND	1.0
Ethanol	ND	1,000
Acetone	ND	10
Freon 113	ND	2.0
1,1-Dichloroethene	ND	0.5
Methylene Chloride	ND	10
Carbon Disulfide	ND	0.5
MTBE	ND	0.5
trans-1,2-Dichloroethene	ND	0.5
Vinyl Acetate	ND	10
1,1-Dichloroethane	ND	0.5
2-Butanone	ND	10
cis-1,2-Dichloroethene	ND	0.5
2,2-Dichloropropane	ND	0.5
Chloroform	ND	0.5
Bromochloromethane	ND	0.5
1,1,1-Trichloroethane	ND	0.5
1,1-Dichloropropene	ND	0.5
Carbon Tetrachloride	ND	0.5
1,2-Dichloroethane	ND	0.5
Benzene	ND	0.5
Trichloroethene	ND	0.5
1,2-Dichloropropane	ND	0.5
Bromodichloromethane	ND	0.5
Dibromomethane	ND	0.5
4-Methyl-2-Pentanone	ND	10
cis-1,3-Dichloropropene	ND	0.5
Toluene	ND	0.5
trans-1,3-Dichloropropene	ND	0.5
1,1,2-Trichloroethane	ND	0.5
2-Hexanone	ND	10
1,3-Dichloropropane	ND	0.5
Tetrachloroethene	ND	0.5
Dibromochloromethane	ND	0.5
1,2-Dibromoethane	ND	0.5
Chlorobenzene	ND	0.5
1,1,1,2-Tetrachloroethane	ND	0.5
Ethylbenzene	ND	0.5
m,p-Xylenes	ND	0.5
o-Xylene	ND	0.5
Styrene	ND	0.5
Bromoform	ND	1.0
Isopropylbenzene	ND	0.5
1,1,2,2-Tetrachloroethane	ND	0.5
1,2,3-Trichloropropane	ND	0.5

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Volatile Organics			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	2511	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC580531	Batch#:	171963
Matrix:	Water	Analyzed:	02/18/11
Units:	ug/L		

Analyte	Result	RL
Propylbenzene	ND	0.5
Bromobenzene	ND	0.5
1,3,5-Trimethylbenzene	ND	0.5
2-Chlorotoluene	ND	0.5
4-Chlorotoluene	ND	0.5
tert-Butylbenzene	ND	0.5
1,2,4-Trimethylbenzene	ND	0.5
sec-Butylbenzene	ND	0.5
para-Isopropyl Toluene	ND	0.5
1,3-Dichlorobenzene	ND	0.5
1,4-Dichlorobenzene	ND	0.5
n-Butylbenzene	ND	0.5
1,2-Dichlorobenzene	ND	0.5
1,2-Dibromo-3-Chloropropane	ND	2.0
1,2,4-Trichlorobenzene	ND	0.5
Hexachlorobutadiene	ND	2.0
Naphthalene	ND	2.0
1,2,3-Trichlorobenzene	ND	0.5

Surrogate	%REC	Limits
Dibromofluoromethane	112	80-125
1,2-Dichloroethane-d4	85	71-146
Toluene-d8	99	80-120
Bromofluorobenzene	103	80-120

ND= Not Detected
 RL= Reporting Limit

Dissolved Gases			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2511	Analysis:	RSK-175
Analyte:	Methane	Batch#:	171856
Matrix:	Water	Received:	02/11/11
Units:	mg/L	Analyzed:	02/15/11
Diln Fac:	1.000		

Field ID	Type	Lab ID	Result	RL	Sampled
GW-2	SAMPLE	225943-001	ND	0.0050	02/10/11
GW-3	SAMPLE	225943-002	0.011	0.0050	02/10/11
MW-11	SAMPLE	225943-003	ND	0.0050	02/10/11
LFR-1	SAMPLE	225943-004	ND	0.0050	02/10/11
LFR-2	SAMPLE	225943-005	8.9	0.0050	02/10/11
LFR-3	SAMPLE	225943-006	ND	0.0050	02/10/11
LFR-4	SAMPLE	225943-007	4.1	0.0050	02/10/11
SOMA-1	SAMPLE	225943-008	0.34	0.0050	02/10/11
SOMA-2	SAMPLE	225943-009	0.62	0.0050	02/11/11
SOMA-3	SAMPLE	225943-010	0.74	0.0050	02/11/11
SOMA-4R	SAMPLE	225943-011	1.8	0.0050	02/11/11
SOMA-5	SAMPLE	225943-012	0.046	0.0050	02/11/11
B-8R	SAMPLE	225943-013	3.4	0.0050	02/11/11
B-10R	SAMPLE	225943-014	1.1	0.0050	02/11/11
MPE-1	SAMPLE	225943-015	0.0094	0.0050	02/11/11
MPE-2	SAMPLE	225943-016	0.99	0.0050	02/11/11
MPE-3	SAMPLE	225943-017	4.5	0.0050	02/11/11
MPE-4	SAMPLE	225943-018	2.0	0.0050	02/11/11
MPE-5	SAMPLE	225943-019	3.7	0.0050	02/11/11
	BLANK	QC580100	ND	0.0050	

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Dissolved Gases			
Lab #:	225943	Location:	3820 Manila Ave, Oakland, CA
Client:	SOMA Environmental Engineering Inc.	Prep:	METHOD
Project#:	2511	Analysis:	RSK-175
Analyte:	Methane	Diln Fac:	1.000
Matrix:	Water	Batch#:	171856
Units:	mg/L	Analyzed:	02/15/11

Type	Lab ID	Spiked	Result	%REC	Limits	RPD	Lim
BS	QC580101	0.6544	0.6581	101	73-126		
BSD	QC580102	0.6544	0.6688	102	73-126	2	20

RPD= Relative Percent Difference