



Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, CA 94568-2611

RECEIVED
2:53 pm, Mar 19, 2009
Alameda County
Environmental Health

FACSIMILE COVER SHEET
DATE: 3/6/00
(GR #)

TO: Dave DeWitt FAX: 277-2361

COMPANY: Tosco

RE: #6419 Dublin R-149 data

FROM: Clyde Galantine

PHONE: (925) 551-7555
FAX: (925) 551-7888

COMMENTS:

7 pages including cover

If there are any problems with this transmission, please call (925) 551-7555

 Hardcopy to follow



**Sequoia
Analytical**

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673

14 February, 2000

Clyde Galantine
Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin, CA 94568

RE: Tosco

Enclosed are the results of analyses for samples received by the laboratory on 03-Feb-00 15:55. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Alan B. Kemp".

Alan B. Kemp
Laboratory Director

WESTERN REGION BOX:

#9512

Store #	2705748	Date:	2-14-00
Unit #	6419	Code:	LAB Color <input type="checkbox"/>
Description:	R-149 LAB RESULTS		

Form R-149: Acceptance Authorization for Remediation Wastewater to Tosco's San Francisco Area Refinery at Rodeo

WASTEWATER TREATMENT PLANT (UNIT 100) OPERATORS:

This form, if approved below, serves as an acceptance document to process the wastewater at the San Francisco Area Refinery at Rodeo Wastewater Treatment Plant, Unit 100.

Requester's Name/Signature:	David B. De Witt	<i>David B. De Witt</i>
Company:	Tosco Marketing Company	
Address:	2000 Crow Canyon Place, Suite 400, San Ramon, CA	
Telephone/Fax:	925-277-2384	925-277-2361
Station No. and Location:	Tosco/76 Products Service Station # 6419, Dublin, CA	
Description of Water Source:	Tank pit water	
Volume of Water/Solids Expected:	5,000/week; 12 weeks (60,000gal)	minimal
Volume of Water Expected:		
Pesticides/Fish Toxicity Expected:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Maximum Rate of Disposal (EAD):		

The remediation wastewater described above has been reviewed for Federal and California Hazardous Waste characteristics. The wastewater is (circle one) recommend / not recommended for processing at the WWTP.

This form is valid until: _____

EAD Personnel: _____ Recommended Date: _____

Operations Personnel: _____ Approval Date: _____

Truck drivers: Please provide a copy of this R-149 form upon delivery of wastewater to Unit 100.

Driver's info:

Truck No. _____	pH at site _____
-----------------	------------------

UNIT 100 OPERATORS: Please fill out the portion below and forward this completed form to EAD in Room 110 of the Administration Building.

Date and time of delivery:	Delivered on: ____ / ____ / ____	@ ____ AM / PM
Volume delivered:	_____ gallons or _____ bbl.	pH _____

COMMENTS: No free product accepted. Gravity off-load only.

Any questions? Call (510) 245-4465, (510) 245-4403 or Fax (510) 245-4476.



Sequoia Analytical

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673

Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA. 94568	Project: Tosco Project Number: Tosco # 6419 Project Manager: Clyde Galantine	Reported: 14-Feb-00 08:01
------------------------------------------------------------------------------	------------------------------------------------------------------------------------	-------------------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CC-1	W002083-01	Water	03-Feb-00 08:15	03-Feb-00 15:55

Sequoia Analytical - Walnut Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


 Alan B. Kemp, Laboratory Director





Sequoia Analytical

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673

Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA, 94568	Project: Tosco Project Number: Tosco # 6419 Project Manager: Clyde Galantine	Reported: 14-Feb-00 08:01
------------------------------------------------------------------------------	------------------------------------------------------------------------------------	-------------------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
CC-1 (W002083-01) Water Sampled: 03-Feb-00 08:15 Received: 03-Feb-00 15:55									P-01
Purgeable Hydrocarbons	2100	1000	ug/l	20	0804003	04-Feb-00	04-Feb-00	EPA	
Benzene	96	10	"	"	"	"	"	8015M/8020	
Toluene	240	10	"	"	"	"	"	"	
Ethylbenzene	ND	10	"	"	"	"	"	"	
Xylenes (total)	210	10	"	"	"	"	"	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		85.3 %		70-130	"	"	"	"	
CC-1 (W002083-01RE1) Water Sampled: 03-Feb-00 08:15 Received: 03-Feb-00 15:55									P-01
Methyl tert-butyl ether	120000	1300	ug/l	500	0804003	04-Feb-00	08-Feb-00	EPA	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		99.3 %		70-130	"	"	"	8015M/8020	

Sequoia Analytical - Walnut Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Alan B. Kemp, Laboratory Director





Sequoia Analytical

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673

Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA. 94568	Project: Tosco Project Number: Tosco # 6419 Project Manager: Clyde Galantine	Reported: 14-Feb-00 08:01
------------------------------------------------------------------------------	------------------------------------------------------------------------------------	------------------------------

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0B04003: Prepared 04-Feb-00 Using EPA 5030B [MeOH]										
Blank (0B04003-BLK1)										
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
Surrogate: <i>n,n,a-Trifluorotoluene</i>	29.6		"	30.0		98.7	70-130			
LCS (0B04003-BS1)										
Benzene	23.2	0.50	ug/l	20.0		116	70-130			
Toluene	23.6	0.50	"	20.0		118	70-130			
Ethylbenzene	23.8	0.50	"	20.0		119	70-130			
Xylenes (total)	68.9	0.50	"	60.0		115	70-130			
Surrogate: <i>n,n,a-Trifluorotoluene</i>	29.3		"	30.0		97.7	70-130			
Matrix Spike (0B04003-MS1) Source: W002098-09										
Benzene	20.5	0.50	ug/l	20.0	ND	103	70-130			
Toluene	21.1	0.50	"	20.0	ND	106	70-130			
Ethylbenzene	21.4	0.50	"	20.0	ND	107	70-130			
Xylenes (total)	62.3	0.50	"	60.0	ND	104	70-130			
Surrogate: <i>n,n,a-Trifluorotoluene</i>	28.1		"	30.0		93.7	70-130			
Matrix Spike Dup (0B04003-MSD1) Source: W002098-09										
Benzene	21.2	0.50	ug/l	20.0	ND	106	70-130	3.56	20	
Toluene	21.4	0.50	"	20.0	ND	107	70-130	1.41	20	
Ethylbenzene	21.4	0.50	"	20.0	ND	107	70-130	0	20	
Xylenes (total)	61.5	0.50	"	60.0	ND	103	70-130	1.29	20	
Surrogate: <i>n,n,a-Trifluorotoluene</i>	29.1		"	30.0		97.0	70-130			

Sequoia Analytical - Walnut Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Alan B. Kemp, Laboratory Director





**Sequoia
Analytical**

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673

Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA. 94568	Project: Tosco Project Number: Tosco # 6419 Project Manager: Clyde Galantine	Reported: 14-Feb-00 08:01
------------------------------------------------------------------------------	------------------------------------------------------------------------------------	-------------------------------------

Notes and Definitions

- P-01 Chromatogram Pattern: Gasoline C6-C12
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Sequoia Analytical - Walnut Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Alan B. Kemp, Laboratory Director



Nº 002039

TOSCO

- 885 Jarvis Drive • Morgan Hill, CA 95037 • (408) 776-9600 • FAX (408) 782-6308
- 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
- 404 N. Wiget Lane • Walnut Creek, CA 94598 • (925) 988-9600 FAX (925) 988-9673
- 1455 McDowell Blvd. North, Suite D • Petaluma, CA 94954 • (707) 792-1865 FAX (707) 792-0342
- 1551 Industrial Road • San Carlos, CA 94070 • (650) 232-9600 FAX (650) 232-9612

Consultant Company: <u>Gettler-Ryan Inc 140101.03</u>		Project Name: <u>Tosco #649</u>	
Address: <u>6747 Sierra Ct Suite J</u>		TOSCO Engineer (required) <u>Dave DeWitt</u>	
City: <u>Dublin</u>	State: <u>CA</u>	Zip Code: <u>94546</u>	
Telephone: <u>(925) 551-7555</u>		FAX #: <u>(925) 551-7888</u>	
Report To: <u>Clyde Galantine</u>		Sampler: <u>Clyde Galantine</u>	
Turnaround Time: <input checked="" type="checkbox"/> 10 Work Days <input type="checkbox"/> 5 Work Days <input type="checkbox"/> 3 Work Days <input type="checkbox"/> 2 Work Days <input type="checkbox"/> 1 Work Day <input type="checkbox"/> 2-8 Hours		Site #, City, State: <u>#649 Dublin CA</u>	
QC Data: <input type="checkbox"/> Level D (Standard) <input type="checkbox"/> Level C <input type="checkbox"/> Level B <input type="checkbox"/> Level A		Analyses Requested:	

CODE: Misc. Detect. Eval. Remed. Demol. Closure

Drinking Water Waste Water Other

Client Sample I.D.	Date/Time Sampled	Matrix Desc.	# of Cont.	Cont. Type	Sequoia's Sample #	Analyses Requested							Comments	
						TPH (EPA 8015 Mod. Gss)	BTEX (EPA 8020)	MTBE (EPA 8020)	TPH (EPA 8015 Mod. Dssd)	Volatile Organics (EPA 8260)	MTBE Confirmation (EPA 8260)			
1. <u>CC-1</u>	<u>2/3/00 8:15</u>	<u>H₂O</u>	<u>4</u>	<u>Voas</u>	<u>01A-1</u>	<u>X</u>	<u>X</u>	<u>X</u>						
2.														
3.														
4.														
5.														
6.														
7.														
8.														
9.														
10.														

Relinquished By: <u>Clyde Galantine</u>	Date: <u>2/3/00</u>	Time: <u>8:30</u>	Received By: <u>WJH</u>	Date: <u>2-3-00</u>	Time: <u>13:15</u>
Relinquished By: <u>WJH</u>	Date: <u>2/3/00</u>	Time: <u>16:55</u>	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By: <u>Ronald C. Jensen</u>	Date: <u>2/3/00</u>	Time: <u>15:55</u>

Were Samples Received in Good Condition? Yes No Samples on Ice? Yes No Method of Shipment _____ Page ___ of ___

To be completed upon receipt of report:

1) Were the analyses requested on the Chain of Custody reported? Yes No If no, what analyses are still needed? _____

2) Was the report issued within the requested turnaround time? Yes No If no, what was the turnaround time? _____

Approved by: _____ Signature: _____ Company: _____ Date: _____

MAR 6 '00 15:05 FROM GETTLER-RYAN INC TO 2772361 PAGE: 007/007
 Pink - Client
 Yellow - Sequoia
 White - Sequoia