



Sequoia Analytical

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673
www.sequoialabs.com

4 January, 2001

Doug Lee
Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin, CA 94568

RE: Tosco
Sequoia Report: W012318

Enclosed are the results of analyses for samples received by the laboratory on 13-Dec-00 13:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Charlie Westwater
Project Manager

CA ELAP Certificate #1271

RECEIVED

3:12 pm, Mar 19, 2009

Alameda County
Environmental Health



Form R-149: Acceptance Authorization for Remediation Wastewater to Tosco's San Francisco Area Refinery at Rodeo

WASTEWATER TREATMENT PLANT (UNIT 100) OPERATORS:

This form, if approved below, serves as an acceptance document to process the wastewater at the San Francisco Area Refinery at Rodeo Wastewater Treatment Plant, Unit 100.

Requester's Name/Signature:	David De Witt	<i>David B. De Witt</i>
Company:	Tosco Marketing Company	
Address:	2000 Crow Canyon Pl., Suite 400, San Ramon, CA	
Telephone/Fax:	925-277-2384	925-277-2361
Station No. and Location:	Tosco Service Station #6419 (2705748)	
Description of Water Source:	Tank pit water	
Volume of Water/Solids Expected:	Max. 5000gal/wk	<u>minimal</u>
Volume of Water Expected:	Maximum 250,000 gallons/year	
Pesticides/Fish Toxicity Expected:	Yes <u>No</u>	Yes <u>No</u>
Maximum Rate of Disposal (EAD):	<u>500 GPW</u>	

The remediation wastewater described above has been reviewed for Federal and California Hazardous Waste characteristics. The wastewater is (circle one) recommend / not recommended for processing at the WWTP.

This form is valid until: 2/7/02

EAD Personnel: *[Signature]*

Recommended Date: 2/7/01

Operations Personnel: *[Signature]*

Approval Date: 2/7/01

Truck drivers: Please provide a copy of this R-149 form upon delivery of wastewater to Unit 100.

Driver's info:

Truck No. _____	pH at site _____
-----------------	------------------

UNIT 100 OPERATORS: Please fill out the portion below and forward this completed form to EAD in Room 110 of the Administration Building.

Date and time of delivery:

Delivered on: ___/___/___	@ ___ AM/PM
---------------------------	-------------

Volume delivered:

_____ gallons or _____ bbl.	pH _____
-----------------------------	----------

COMMENTS: No free product accepted. Gravity off-load only.

Any questions? Call (510) 245-4465, (510) 245-4403 or Fax (510) 245-4476.

WESTERN REGION BOX:

#9512

2-SIDED

Store # <u>2705748</u>	Date: <u>2-7-01</u>
Unit # <u>6419</u>	Code: <u>LAB</u> Color <input type="checkbox"/>
Description: <u>R149 & LAB RESULTS</u>	

Process/Waste Water For Disposal to Unit 100

Name David De Witt
 Site # (Street address) Tosco Service Station # 6419, 6401 Dublin Blvd.
 City, State Dublin, CA
 Date you'll fax the info 02/02/2001

Unit 100 Feed Rate = 2
 Date R-149 Received

Water Description				5000 gal/week of tank pit water		
	Eff. Limit mg/L	Limit kg/day	HW mg/L	Conc mg/L	Loading kg/day	U100 mg/L
Volume (MGD, million gallons per day)				0.00500	0.00500	0.00500
Arsenic	0.2		5	< 0.1	0.002	0.0003
Cadmium	0.03		1	< 0.01	0.000	0.0000
Chromium	0.110	0.21	5	< 0.01	0.000	0.0000
Copper	0.037	0.176	25	< 0.01	0.000	0.0000
Lead	0.053		5	< 0.02	0.000	0.0001
Mercury	0.0002		0.2	< 0.0002	0.00000	0.00000
Nickel	0.065		20	0.012	0.000	0.0000
Selenium	0.4		1	< 0.1	0.002	0.0003
Silver	0.023		5	0.074	0.001	0.0002
Vanadium	1		24	< 0.2	0.004	0.0005
Zinc	0.58		250	0.038	0.001	0.0001
MTBE	none	453.72		3	0.057	0.0075
Bioassay (C-50)			>500 ppm		prev pass.	
Cyanides	0.025			< 0.01	0.00	0.000
O&G	8	115			0.00	0.00
PCBs						
pH (corrosivity)	6 - 8		2.1 <pH>12.4	7.1		
Sulfide	0.31	2		< 0.5	0.01	0.00
Phenol	10					
TCDD	1.4E-10					
TPH						
Reactive CN			250	< 10		
Reactive Sulfide			500	< 50		
Flash point			>60 C (>140 F)	> 95 C		
Pesticides				NA		

Volume in gallons/1000000
 Enter the detection limit (if ND) or
 Enter actual value in mg/L & remove the
 less than sign.

passed screen bioassay or
 no toxicity expected per generator

Recommended or Rejected

Recommended on

Authorization good thru

Enter date (typically 3 months for routine or
 30 days for single pump test or non-routine)

Benzene NESHAP / MISC.

Baker Tank #				Conc		
	Limit mg/L	Limit kg/day	HW mg/L	mg/L	Loading kg/day	U100 mg/L
Benzene	0.21	n/a	0.5*	< 0.02	0.00	0.000
EPA 608	0.00046	n/a	n/a			

* 0.5 ppm benzene criteria does not apply to
 remediation waste water (such waste is exempt).
 See correspondence in WCR Files.
 However, off-site non-remediation waste water
 are subject to the criteria (e.g., contaminated
 rainwater, tank draws, etc).



Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TPW-1	W012318-01	Water	12-Dec-00 00:00	13-Dec-00 13:30





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Purgeable Hydrocarbons by DHS LUFT
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Purgeable Hydrocarbons	ND	50	ug/l	1	0L24002	24-Dec-00	24-Dec-00	EPA 8015M	
Surrogate: <i>a,a,a</i> -Trifluorotoluene		100 %	70-130		"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Metals by EPA 6000/7000 Series Methods
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Antimony	ND	0.10	mg/l	1	0L21022	21-Dec-00	30-Dec-00	EPA 6010	
Arsenic	ND	0.10	"	"	"	"	30-Dec-00	"	
Barium	0.047	0.010	"	"	"	"	30-Dec-00	"	
Beryllium	ND	0.010	"	"	"	"	30-Dec-00	"	
Cadmium	ND	0.010	"	"	"	"	30-Dec-00	"	
Chromium	ND	0.010	"	"	"	"	30-Dec-00	"	
Cobalt	ND	0.010	"	"	"	"	30-Dec-00	"	
Copper	ND	0.010	"	"	"	"	30-Dec-00	"	
Lead	ND	0.020	"	"	"	"	30-Dec-00	"	
Molybdenum	ND	0.010	"	"	"	"	30-Dec-00	"	
Nickel	0.012	0.010	"	"	"	"	30-Dec-00	"	
Selenium	ND	0.10	"	"	"	"	30-Dec-00	"	
Silver	0.074	0.010	"	"	"	"	30-Dec-00	"	
Thallium	ND	0.10	"	"	"	"	"	"	
Vanadium	ND	0.20	"	"	"	"	30-Dec-00	"	
Zinc	0.038	0.020	"	"	"	"	30-Dec-00	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

Volatile Organic Compounds by EPA Method 8260B
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Dichlorodifluoromethane	ND	20	ug/l	10	0L18009	19-Dec-00	19-Dec-00	EPA 8260B	
Chloromethane	ND	20	"	"	"	"	"	"	
Vinyl chloride	ND	20	"	"	"	"	"	"	
Bromomethane	ND	50	"	"	"	"	"	"	
Chloroethane	ND	20	"	"	"	"	"	"	
Trichlorofluoromethane	ND	20	"	"	"	"	"	"	
1,1-Dichloroethene	ND	20	"	"	"	"	"	"	
Methylene chloride	ND	100	"	"	"	"	"	"	
Methyl tert-butyl ether	3000	20	"	"	"	"	"	"	OCR-1
trans-1,2-Dichloroethene	ND	20	"	"	"	"	"	"	
1,1-Dichloroethane	ND	20	"	"	"	"	"	"	
2,2-Dichloropropane	ND	50	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	20	"	"	"	"	"	"	
Bromochloromethane	ND	20	"	"	"	"	"	"	
Chloroform	ND	20	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	20	"	"	"	"	"	"	
Carbon tetrachloride	ND	20	"	"	"	"	"	"	
1,1-Dichloropropene	ND	20	"	"	"	"	"	"	
Benzene	ND	20	"	"	"	"	"	"	
1,2-Dichloroethane	ND	20	"	"	"	"	"	"	
Trichloroethene	ND	20	"	"	"	"	"	"	
1,2-Dichloropropane	ND	20	"	"	"	"	"	"	
Dibromomethane	ND	20	"	"	"	"	"	"	
Bromodichloromethane	ND	20	"	"	"	"	"	"	
2,2,5,5-Tetramethyltetrahydrofuran	ND	20	"	"	"	"	"	"	
cis-1,3-Dichloropropene	ND	20	"	"	"	"	"	"	
Toluene	ND	20	"	"	"	"	"	"	
trans-1,3-Dichloropropene	ND	50	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	20	"	"	"	"	"	"	
Tetrachloroethene	ND	20	"	"	"	"	"	"	
1,3-Dichloropropane	ND	20	"	"	"	"	"	"	
Dibromochloromethane	ND	20	"	"	"	"	"	"	
1,2-Dibromoethane	ND	20	"	"	"	"	"	"	
Chlorobenzene	ND	20	"	"	"	"	"	"	
Ethylbenzene	ND	20	"	"	"	"	"	"	
Total Xylenes	ND	20	"	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	20	"	"	"	"	"	"	
Styrene	ND	20	"	"	"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

Volatile Organic Compounds by EPA Method 8260B.

Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Bromoform	ND	20	ug/l	10	0L18009	19-Dec-00	19-Dec-00	EPA 8260B	
Isopropylbenzene	ND	20	"	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	20	"	"	"	"	"	"	
Bromobenzene	ND	20	"	"	"	"	"	"	
n-Propylbenzene	ND	20	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	20	"	"	"	"	"	"	
2-Chlorotoluene	ND	20	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	20	"	"	"	"	"	"	
4-Chlorotoluene	ND	20	"	"	"	"	"	"	
tert-Butylbenzene	ND	20	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	20	"	"	"	"	"	"	
sec-Butylbenzene	ND	20	"	"	"	"	"	"	
p-Isopropyltoluene	ND	20	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	20	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	20	"	"	"	"	"	"	
n-Butylbenzene	ND	20	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	20	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	50	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	20	"	"	"	"	"	"	
Naphthalene	ND	100	"	"	"	"	"	"	
Hexachlorobutadiene	ND	100	"	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	20	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		98.0 %	50-150		"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		96.0 %	50-150		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98.0 %	50-150		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		92.0 %	50-150		"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Conventional Chemistry Parameters by APHA/EPA Methods
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
pH	7.1	0.10	pHUnits	1	0L14006	13-Dec-00	13-Dec-00	EPA 150.1	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Physical Parameters by APHA/ASTM/EPA Methods
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Ignitability by Flashpoint	ND	5.0	°C	1	0L30003	28-Dec-00	28-Dec-00	EPA 1010	F-01





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Conventional Chemistry Parameters by APHA/EPA Methods
Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Cyanide (total)	ND	0.0100	mg/l	1	0120474	21-Dec-00	21-Dec-00	EPA 335.2	
Sulfide	ND	0.500	"	"	0120531	22-Dec-00	22-Dec-00	EPA 376.1	HT-01





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

Physical Parameters by APHA/ASTM/EPA Methods

Sequoia Analytical - Petaluma

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Reactivity in Water	ND	1.00	N/A	1	0120363	18-Dec-00	19-Dec-00	EPA Chapter 7	
Reactive Cyanide	ND	10.0	mg/l	"	"	"	19-Dec-00	SW846 Ch. 7.3	
Reactive Sulfide	ND	50.0	"	"	"	"	"	SW846 Ch 7.3	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Metals by EPA 6000/7000 Series Methods
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (W012318-01) Water Sampled: 12-Dec-00 00:00 Received: 13-Dec-00 13:30									
Mercury	ND	0.000200	mg/l	1	1010005	02-Jan-01	02-Jan-01	EPA 7470A	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Purgeable Hydrocarbons by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0L24002 - EPA 5030B [P/T]										
Blank (0L24002-BLK1)										
Prepared & Analyzed: 24-Dec-00										
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<i>Surrogate: a, a, a-Trifluorotoluene</i>	35.1		"	30.0		117	70-130			
LCS (0L24002-BS1)										
Prepared & Analyzed: 24-Dec-00										
Benzene	17.6	0.50	ug/l	20.0		88.0	70-130			
Toluene	17.6	0.50	"	20.0		88.0	70-130			
Ethylbenzene	17.4	0.50	"	20.0		87.0	70-130			
Xylenes (total)	51.7	0.50	"	60.0		86.2	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	29.1		"	30.0		97.0	70-130			
Matrix Spike (0L24002-MS1)										
Source: W012314-04 Prepared & Analyzed: 24-Dec-00										
Benzene	17.2	0.50	ug/l	20.0	ND	86.0	70-130			
Toluene	17.3	0.50	"	20.0	ND	86.5	70-130			
Ethylbenzene	17.1	0.50	"	20.0	ND	85.5	70-130			
Xylenes (total)	51.1	0.50	"	60.0	ND	85.2	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	29.1		"	30.0		97.0	70-130			
Matrix Spike Dup (0L24002-MSD1)										
Source: W012314-04 Prepared & Analyzed: 24-Dec-00										
Benzene	18.3	0.50	ug/l	20.0	ND	91.5	70-130	6.20	20	
Toluene	18.4	0.50	"	20.0	ND	92.0	70-130	6.16	20	
Ethylbenzene	18.2	0.50	"	20.0	ND	91.0	70-130	6.23	20	
Xylenes (total)	54.1	0.50	"	60.0	ND	90.2	70-130	5.70	20	
<i>Surrogate: a, a, a-Trifluorotoluene</i>	30.3		"	30.0		101	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Metals by EPA 6000/7000 Series Methods - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L21022 - 200.7

Blank (0L21022-BLK1)

Prepared: 21-Dec-00 Analyzed: 30-Dec-00

Antimony	ND	0.10	mg/l							
Arsenic	ND	0.10	"							
Barium	ND	0.010	"							
Beryllium	ND	0.010	"							
Cadmium	ND	0.010	"							
Chromium	ND	0.010	"							
Cobalt	ND	0.010	"							
Copper	ND	0.010	"							
Lead	ND	0.020	"							
Molybdenum	ND	0.010	"							
Nickel	ND	0.010	"							
Selenium	ND	0.10	"							
Silver	ND	0.010	"							
Vanadium	ND	0.20	"							
Zinc	ND	0.020	"							

LCS (0L21022-BS1)

Prepared: 21-Dec-00 Analyzed: 30-Dec-00

Cadmium	1.04	0.010	mg/l	1.00		104	80-120			
Chromium	1.08	0.010	"	1.00		108	80-120			
Copper	1.20	0.010	"	1.00		120	80-120			
Lead	0.978	0.020	"	1.00		97.8	80-120			
Nickel	1.07	0.010	"	1.00		107	80-120			
Zinc	1.02	0.020	"	1.00		102	80-120			

LCS Dup (0L21022-BSD1)

Prepared: 21-Dec-00 Analyzed: 30-Dec-00

Cadmium	1.07	0.010	mg/l	1.00		107	80-120	2.84	20	
Chromium	1.14	0.010	"	1.00		114	80-120	5.41	20	
Copper	1.20	0.010	"	1.00		120	80-120	0	20	
Lead	1.01	0.020	"	1.00		101	80-120	3.22	20	
Nickel	1.09	0.010	"	1.00		109	80-120	1.85	20	
Zinc	1.04	0.020	"	1.00		104	80-120	1.94	20	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Metals by EPA 6000/7000 Series Methods - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L21022 - 200.7

Matrix Spike (0L21022-MS1)

Source: W012313-01

Prepared: 21-Dec-00 Analyzed: 30-Dec-00

Cadmium	0.968	0.010	mg/l	1.00	ND	96.8	80-120			
Chromium	1.03	0.010	"	1.00	ND	103	80-120			
Copper	1.13	0.010	"	1.00	0.014	112	80-120			
Lead	0.929	0.020	"	1.00	ND	92.9	80-120			
Nickel	0.989	0.010	"	1.00	0.012	97.7	80-120			
Zinc	0.981	0.020	"	1.00	0.033	94.8	80-120			

Matrix Spike Dup (0L21022-MSD1)

Source: W012313-01

Prepared: 21-Dec-00 Analyzed: 30-Dec-00

Cadmium	0.999	0.010	mg/l	1.00	ND	99.9	80-120	3.15	20	
Chromium	1.02	0.010	"	1.00	ND	102	80-120	0.976	20	
Copper	1.10	0.010	"	1.00	0.014	109	80-120	2.69	20	
Lead	0.927	0.020	"	1.00	ND	92.7	80-120	0.216	20	
Nickel	1.00	0.010	"	1.00	0.012	98.8	80-120	1.11	20	
Zinc	1.07	0.020	"	1.00	0.033	104	80-120	8.68	20	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

Volatile Organic Compounds by EPA Method 8260B - Quality Control Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L18009 - EPA 5030B [P/T]

Blank (0L18009-BLK1)

Prepared: 13-Dec-00 Analyzed: 13-Dec-01

Dichlorodifluoromethane	ND	2.0	ug/l							
Chloromethane	ND	2.0	"							
Vinyl chloride	ND	2.0	"							
Bromomethane	ND	5.0	"							
Chloroethane	ND	2.0	"							
Trichlorofluoromethane	ND	2.0	"							
1,1-Dichloroethene	ND	2.0	"							
Methylene chloride	ND	10	"							
Methyl tert-butyl ether	ND	2.0	"							
trans-1,2-Dichloroethene	ND	2.0	"							
1,1-Dichloroethane	ND	2.0	"							
2,2-Dichloropropane	ND	5.0	"							
cis-1,2-Dichloroethene	ND	2.0	"							
Bromochloromethane	ND	2.0	"							
Chloroform	ND	2.0	"							
1,1,1-Trichloroethane	ND	2.0	"							
Carbon tetrachloride	ND	2.0	"							
1,1-Dichloropropene	ND	2.0	"							
Benzene	ND	2.0	"							
1,2-Dichloroethane	ND	2.0	"							
Trichloroethene	ND	2.0	"							
1,2-Dichloropropane	ND	2.0	"							
Dibromomethane	ND	2.0	"							
Bromodichloromethane	ND	2.0	"							
2,2,5,5-Tetramethyltetrahydrofuran	ND	2.0	"							
cis-1,3-Dichloropropene	ND	2.0	"							
Toluene	ND	2.0	"							
trans-1,3-Dichloropropene	ND	5.0	"							
1,1,2-Trichloroethane	ND	2.0	"							
Tetrachloroethene	ND	2.0	"							
1,3-Dichloropropane	ND	2.0	"							
Dibromochloromethane	ND	2.0	"							
1,2-Dibromoethane	ND	2.0	"							
Chlorobenzene	ND	2.0	"							

Sequoia Analytical - Walnut Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

Volatile Organic Compounds by EPA Method 8260B - Quality Control Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L18009 - EPA 5030B [P/T]

Blank (0L18009-BLK1)

Prepared: 13-Dec-00 Analyzed: 13-Dec-01

Ethylbenzene	ND	2.0	ug/l							
Total Xylenes	ND	2.0	"							
1,1,1,2-Tetrachloroethane	ND	2.0	"							
Styrene	ND	2.0	"							
Bromoform	ND	2.0	"							
Isopropylbenzene	ND	2.0	"							
1,1,2,2-Tetrachloroethane	ND	2.0	"							
Bromobenzene	ND	2.0	"							
n-Propylbenzene	ND	2.0	"							
1,2,3-Trichloropropane	ND	2.0	"							
2-Chlorotoluene	ND	2.0	"							
1,3,5-Trimethylbenzene	ND	2.0	"							
4-Chlorotoluene	ND	2.0	"							
tert-Butylbenzene	ND	2.0	"							
1,2,4-Trimethylbenzene	ND	2.0	"							
sec-Butylbenzene	ND	2.0	"							
p-Isopropyltoluene	ND	2.0	"							
1,3-Dichlorobenzene	ND	2.0	"							
1,4-Dichlorobenzene	ND	2.0	"							
n-Butylbenzene	ND	2.0	"							
1,2-Dichlorobenzene	ND	2.0	"							
1,2-Dibromo-3-chloropropane	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	2.0	"							
Naphthalene	ND	10	"							
Hexachlorobutadiene	ND	10	"							
1,2,3-Trichlorobenzene	ND	2.0	"							
Surrogate: Dibromofluoromethane	46.0		"	50.0		92.0	50-150			
Surrogate: 1,2-Dichloroethane-d4	47.0		"	50.0		94.0	50-150			
Surrogate: Toluene-d8	50.0		"	50.0		100	50-150			
Surrogate: 4-Bromofluorobenzene	48.0		"	50.0		96.0	50-150			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L18009 - EPA 5030B [P/T]

Blank (0L18009-BLK3)

Prepared & Analyzed: 19-Dec-00

Dichlorodifluoromethane	ND	2.0	ug/l							
Chloromethane	ND	2.0	"							
Vinyl chloride	ND	2.0	"							
Bromomethane	ND	5.0	"							
Chloroethane	ND	2.0	"							
Trichlorofluoromethane	ND	2.0	"							
1,1-Dichloroethene	ND	2.0	"							
Methylene chloride	ND	10	"							
Methyl tert-butyl ether	ND	2.0	"							
trans-1,2-Dichloroethene	ND	2.0	"							
1,1-Dichloroethane	ND	2.0	"							
2,2-Dichloropropane	ND	5.0	"							
cis-1,2-Dichloroethene	ND	2.0	"							
Bromochloromethane	ND	2.0	"							
Chloroform	ND	2.0	"							
1,1,1-Trichloroethane	ND	2.0	"							
Carbon tetrachloride	ND	2.0	"							
1,1-Dichloropropene	ND	2.0	"							
Benzene	ND	2.0	"							
1,2-Dichloroethane	ND	2.0	"							
Trichloroethene	ND	2.0	"							
1,2-Dichloropropane	ND	2.0	"							
Dibromomethane	ND	2.0	"							
Bromodichloromethane	ND	2.0	"							
2,2,5,5-Tetramethyltetrahydrofuran	ND	2.0	"							
cis-1,3-Dichloropropene	ND	2.0	"							
Toluene	ND	2.0	"							
trans-1,3-Dichloropropene	ND	5.0	"							
1,1,2-Trichloroethane	ND	2.0	"							
Tetrachloroethene	ND	2.0	"							
1,3-Dichloropropane	ND	2.0	"							
Dibromochloromethane	ND	2.0	"							
1,2-Dibromoethane	ND	2.0	"							
Chlorobenzene	ND	2.0	"							





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L18009 - EPA 5030B [P/T]

Blank (0L18009-BLK3)

Prepared & Analyzed: 19-Dec-00

Ethylbenzene	ND	2.0	ug/l							
Total Xylenes	ND	2.0	"							
1,1,1,2-Tetrachloroethane	ND	2.0	"							
Styrene	ND	2.0	"							
Bromoform	ND	2.0	"							
Isopropylbenzene	ND	2.0	"							
1,1,2,2-Tetrachloroethane	ND	2.0	"							
Bromobenzene	ND	2.0	"							
n-Propylbenzene	ND	2.0	"							
1,2,3-Trichloropropane	ND	2.0	"							
2-Chlorotoluene	ND	2.0	"							
1,3,5-Trimethylbenzene	ND	2.0	"							
4-Chlorotoluene	ND	2.0	"							
tert-Butylbenzene	ND	2.0	"							
1,2,4-Trimethylbenzene	ND	2.0	"							
sec-Butylbenzene	ND	2.0	"							
p-Isopropyltoluene	ND	2.0	"							
1,3-Dichlorobenzene	ND	2.0	"							
1,4-Dichlorobenzene	ND	2.0	"							
n-Butylbenzene	ND	2.0	"							
1,2-Dichlorobenzene	ND	2.0	"							
1,2-Dibromo-3-chloropropane	ND	5.0	"							
1,2,4-Trichlorobenzene	ND	2.0	"							
Naphthalene	ND	10	"							
Hexachlorobutadiene	ND	10	"							
1,2,3-Trichlorobenzene	ND	2.0	"							
Surrogate: Dibromofluoromethane	47.0		"	50.0		94.0	50-150			
Surrogate: 1,2-Dichloroethane-d4	47.0		"	50.0		94.0	50-150			
Surrogate: Toluene-d8	51.0		"	50.0		102	50-150			
Surrogate: 4-Bromofluorobenzene	47.0		"	50.0		94.0	50-150			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L18009 - EPA 5030B [P/T]

LCS (0L18009-BS1)

Prepared: 13-Dec-00 Analyzed: 13-Dec-01

I,1-Dichloroethene	64.0	2.0	ug/l	70.0		91.4	65-135			
Methyl tert-butyl ether	50.8	2.0	"	50.0		102	65-135			
Benzene	62.0	2.0	"	50.0		124	70-130			
Trichloroethene	60.6	2.0	"	50.0		121	70-130			
Toluene	61.2	2.0	"	50.0		122	70-130			
Chlorobenzene	63.0	2.0	"	50.0		126	70-130			
Surrogate: Dibromofluoromethane	47.0		"	50.0		94.0	50-150			
Surrogate: 1,2-Dichloroethane-d4	47.0		"	50.0		94.0	50-150			
Surrogate: Toluene-d8	51.0		"	50.0		102	50-150			
Surrogate: 4-Bromofluorobenzene	48.0		"	50.0		96.0	50-150			

LCS (0L18009-BS3)

Prepared & Analyzed: 19-Dec-00

I,1-Dichloroethene	59.0	2.0	ug/l	70.0		84.3	65-135			
Methyl tert-butyl ether	47.0	2.0	"	50.0		94.0	65-135			
Benzene	59.0	2.0	"	50.0		118	70-130			
Trichloroethene	59.0	2.0	"	50.0		118	70-130			
Toluene	58.0	2.0	"	50.0		116	70-130			
Chlorobenzene	58.0	2.0	"	50.0		116	70-130			
Surrogate: Dibromofluoromethane	48.0		"	50.0		96.0	50-150			
Surrogate: 1,2-Dichloroethane-d4	46.0		"	50.0		92.0	50-150			
Surrogate: Toluene-d8	49.0		"	50.0		98.0	50-150			
Surrogate: 4-Bromofluorobenzene	49.0		"	50.0		98.0	50-150			

Matrix Spike (0L18009-MS1)

Source: W012299-06

Prepared & Analyzed: 18-Dec-00

I,1-Dichloroethene	57.0	2.0	ug/l	70.0	ND	81.4	60-140			
Methyl tert-butyl ether	46.0	2.0	"	50.0	ND	92.0	60-140			
Benzene	58.0	2.0	"	50.0	ND	116	60-140			
Trichloroethene	57.0	2.0	"	50.0	ND	114	60-140			
Toluene	60.0	2.0	"	50.0	ND	120	60-140			
Chlorobenzene	56.0	2.0	"	50.0	ND	112	60-140			
Surrogate: Dibromofluoromethane	48.0		"	50.0		96.0	50-150			
Surrogate: 1,2-Dichloroethane-d4	49.0		"	50.0		98.0	50-150			
Surrogate: Toluene-d8	48.0		"	50.0		96.0	50-150			
Surrogate: 4-Bromofluorobenzene	47.0		"	50.0		94.0	50-150			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0L18009 - EPA 5030B [P/T]

Matrix Spike Dup (0L18009-MSD1)

Source: W012299-06

Prepared & Analyzed: 18-Dec-00

1,1-Dichloroethene	59.0	2.0	ug/l	70.0	ND	84.3	60-140	3.45	25	
Methyl tert-butyl ether	45.0	2.0	"	50.0	ND	90.0	60-140	2.20	25	
Benzene	58.0	2.0	"	50.0	ND	116	60-140	0	25	
Trichloroethene	58.0	2.0	"	50.0	ND	116	60-140	1.74	25	
Toluene	60.0	2.0	"	50.0	ND	120	60-140	0	25	
Chlorobenzene	58.0	2.0	"	50.0	ND	116	60-140	3.51	25	
<i>Surrogate: Dibromofluoromethane</i>	<i>49.0</i>		<i>"</i>	<i>50.0</i>		<i>98.0</i>	<i>50-150</i>			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>48.0</i>		<i>"</i>	<i>50.0</i>		<i>96.0</i>	<i>50-150</i>			
<i>Surrogate: Toluene-d8</i>	<i>48.0</i>		<i>"</i>	<i>50.0</i>		<i>96.0</i>	<i>50-150</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>46.0</i>		<i>"</i>	<i>50.0</i>		<i>92.0</i>	<i>50-150</i>			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 0L14006 - General Preparation

Duplicate (0L14006-DUP1)

Source: W012299-05

Prepared & Analyzed: 13-Dec-00

pH	7.9	0.10	pH Units		8.1			2.5	30	
----	-----	------	----------	--	-----	--	--	-----	----	--





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0L30003 - General Preparation										
Duplicate (0L30003-DUP1)		Source: W012386-01			Prepared & Analyzed: 28-Dec-00					
Ignitability by Flashpoint	ND	5.0	°C		ND				30	F-01
Reference (0L30003-SRM1)		Prepared & Analyzed: 28-Dec-00								
Ignitability by Flashpoint	30	5.0	°C	28		110	90-110			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control
Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits	RPD	RPD Limit	Notes
Batch 0120474 - General Preparation										
Blank (0120474-BLK1)				Prepared & Analyzed: 21-Dec-00						
Cyanide (total)	ND	0.0100	mg/l							
LCS (0120474-BS1)				Prepared & Analyzed: 21-Dec-00						
Cyanide (total)	0.181	0.0100	mg/l	0.200	ND	90.5	80-120			
Matrix Spike (0120474-MS1)				Source: P012329-03		Prepared & Analyzed: 21-Dec-00				
Cyanide (total)	0.187	0.0100	mg/l	0.200	ND	93.5	75-125			
Matrix Spike Dup (0120474-MSD1)				Source: P012329-03		Prepared & Analyzed: 21-Dec-00				
Cyanide (total)	0.187	0.0100	mg/l	0.200	ND	93.5	75-125	0	20	
Batch 0120531 - General Preparation										
Blank (0120531-BLK1)				Prepared & Analyzed: 22-Dec-00						
Sulfide	ND	0.500	mg/l							
LCS (0120531-BS1)				Prepared & Analyzed: 22-Dec-00						
Sulfide	6.75	0.500	mg/l	6.76		99.9	80-120			
LCS Dup (0120531-BSD1)				Prepared & Analyzed: 22-Dec-00						
Sulfide	6.75	0.500	mg/l	6.76		99.9	80-120	0	20	





Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA, 94568	Project: Tosco Project Number: Tosco # 6419 Project Manager: Doug Lee	Reported: 04-Jan-01 10:28
------------------------------------------------------------------------------	-----------------------------------------------------------------------------	------------------------------

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
Sequoia Analytical - Petaluma

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0120363 - General Preparation										
Blank (0120363-BLK1)				Prepared: 18-Dec-00 Analyzed: 19-Dec-00						
Reactive Cyanide	ND	10.0	mg/l							
Reactive Sulfide	ND	50.0	"							
Reactivity in Water	ND	1.00	N/A							
LCS (0120363-BS1)				Prepared: 18-Dec-00 Analyzed: 19-Dec-00						
Reactive Cyanide	62.4	10.0	mg/l	500		12.5	5-120			
LCS (0120363-BS2)				Prepared: 18-Dec-00 Analyzed: 19-Dec-00						
Reactive Sulfide	116	50.0	mg/l	2300		5.04	5-120			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Tosco
Project Number: Tosco # 6419
Project Manager: Doug Lee

Reported:
04-Jan-01 10:28

**Total Metals by EPA 6000/7000 Series Methods - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1010005 - EPA 7470A										
Blank (1010005-BLK1)										
Prepared & Analyzed: 02-Jan-01										
Mercury	ND	0.000200	mg/l							
LCS (1010005-BS1)										
Prepared & Analyzed: 02-Jan-01										
Mercury	0.00454	0.000200	mg/l	0.00500		90.8	80-120			
Matrix Spike (1010005-MS1)										
Source: W012318-01 Prepared & Analyzed: 02-Jan-01										
Mercury	0.00453	0.000200	mg/l	0.00500	ND	90.6	75-125			
Matrix Spike Dup (1010005-MSD1)										
Source: W012318-01 Prepared & Analyzed: 02-Jan-01										
Mercury	0.00416	0.000200	mg/l	0.00500	ND	83.2	75-125	8.52	20	



NO 002753

TOSCO

- 885 Jarvis Drive • Morgan Hill, CA 95037 • (408) 776-9600 • FAX (408) 762-0500
- 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
- 404 N. Wiget Lane • Walnut Creek, CA 94598 • (925) 988-9600 FAX (925) 988-9673
- 1455 McDowell Blvd. North, Suite D • Petaluma, CA 94954 • (707) 792-1865 FAX (707) 792-0342
- 1551 Industrial Road • San Carlos, CA 94070 • (650) 232-9600 FAX (650) 232-9612

Consultant Company: <u>Geller Ryan Inc.</u>		Project Name: <u>6401 Dublin BLVD 140101.03</u>	
Address: <u>6747 Sierra Ct Suite J</u>		TOSCO Engineer (required) <u>David DeWitt</u>	
City: <u>Dublin</u>	State: <u>CA</u>	Zip Code: <u>94568</u>	
Telephone: <u>925-551-7555</u>		FAX #: <u>925-551-7558</u>	
Report To: <u>David Lee</u>		Site #, City, State: <u>6419 Dublin CA</u>	
Sampler: <u>A. Smith</u>		QC Data: <input checked="" type="checkbox"/> Level D (Standard) <input type="checkbox"/> Level C <input type="checkbox"/> Level B <input type="checkbox"/> Level A	

Turnaround Time: <input checked="" type="checkbox"/> 10 Work Days <input type="checkbox"/> 5 Work Days <input type="checkbox"/> 3 Work Days <input type="checkbox"/> 2 Work Days <input type="checkbox"/> 1 Work Day <input type="checkbox"/> 2-8 Hours	<input type="checkbox"/> Drinking Water <input type="checkbox"/> Waste Water <input checked="" type="checkbox"/> Other	Analyses Requested	
CODE: <input type="checkbox"/> Misc. <input type="checkbox"/> Detect. <input type="checkbox"/> Eval. <input type="checkbox"/> Remed. <input type="checkbox"/> Demol. <input type="checkbox"/> Closure		TPH (EPA 8015 Mod. Gas)	BTEX (EPA 8020)
		MTBE (EPA 8220)	Volatile Organics (EPA 8260)
		RCT	CAM 17 Metals
		Total Solids	

Client Sample I.D.	Date/Time Sampled	Matrix Desc.	# of Cont.	Cont. Type	Sequoia's Sample #	TPH (EPA 8015 Mod. Gas)	BTEX (EPA 8020)	MTBE (EPA 8220)	Volatile Organics (EPA 8260)	MTBE Confirmation (EPA 8260)	RCT	CAM 17 Metals	Total Solids	Comments
1. TPW-1	12/12/00	H ₂ O	5	VOLAS		X			X	X				Full scan included BTEX for P260
2.	↓	↓	1	1-Ltr								X		
3.	↓	↓	1	500 ml PL w/HNO ₃								X		
4.	↓	↓	1	500 ml PL w/NaOH									X	
5.	↓	↓	1	500 ml PL w/20C-H ₂ O				X						
6.														
7.														
8.														
9.														
10.														<input checked="" type="checkbox"/> Do Not Include

Relinquished By: <u>A. Smith</u>	Date: <u>12/12/00</u>	Time: <u>17:30</u>	Received By: <u>Whitaker</u>	Date: <u>1/8</u>	Time: <u>11:28</u>
Relinquished By: _____	Date: _____	Time: _____	Received By: _____	Date: _____	Time: _____
Relinquished By: _____	Date: _____	Time: _____	Received By: _____	Date: _____	Time: _____

Were Samples Received in Good Condition? Yes No Samples on Ice? Yes No Method of Shipment _____ Page ___ of ___

To be completed upon receipt of report:

1) Were the analyses requested on the Chain of Custody reported? Yes No If no, what analyses are still needed? _____

2) Was the report issued within the requested turnaround time? Yes No If no, what was the turnaround time? _____

Approved by: _____ Signature: _____ Company: _____ Date: _____

Pink - Client

Yellow - Sequoia

White - Sequoia