



**Sequoia
Analytical**

819 Striker Ave Ste 8
Sacramento, CA 95834
(916) 921-9600
FAX (916) 921-0100
www.sequoialabs.com

RECEIVED
9:25 am, Mar 23, 2009
Alameda County
Environmental Health

RECEIVED
MAR 23 2009

GETTLER-RYAN INC.
GENERAL CONTRACTORS

13 February, 2003

Deanna L. Harding
Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin, CA 94568

RE: Tosco 6419, Dublin, CA
Sequoia Work Order: S301365

Enclosed are the results of analyses for samples received by the laboratory on 01/17/03 09:20. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Ron Chew
Client Services Representative

CA ELAP Certificate #1624

Page 1 of 27

WESTERN REGION BOX:

#9512

Store #	2705748	Date:	2-13-03
Unit #	6419	Code:	LAB <input type="checkbox"/> Color <input type="checkbox"/>
Description:	B-149 RESULTS		



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TPW-1	S301365-01	Water	01/17/03 08:30	01/17/03 09:20

Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Gasoline\BTEX\Oxygenates by EPA method 8260B
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Benzene	ND	0.50	ug/l	1	3010496	01/29/03	01/30/03	EPA 8260B	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	24	2.0	"	"	"	"	"	"	
Gasoline (C6-C10)	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		122 %		60-140	"	"	"	"	
<i>Surrogate: 4-BFB</i>		97 %		60-140	"	"	"	"	
TPW-1 (S301365-01RE1) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Gasoline (C6-C10)	ND	50	ug/l	1	3010521	01/29/03	01/31/03	EPA 8260B	
<i>Surrogate: Toluene-d8</i>		105 %		60-140	"	"	"	"	
<i>Surrogate: 4-BFB</i>		99 %		60-140	"	"	"	"	



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Total Metals by EPA 6000/7000 Series Methods
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Mercury	ND	0.00020	mg/l	1	3010325	01/20/03	01/20/03	EPA 7470A	



Gettler-Ryan - Dublin 6747 Sierra Court, Ste. J Dublin CA, 94568	Project: Tosco 6419, Dublin, CA Project Number: - Project Manager: Deanna L. Harding	S301365 Reported: 02/13/03 19:15
--	--	---

**Tentatively Identified Compounds by GC/MS
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
No TICs found	0.0		ug/l	1	3010496	01/29/03	01/30/03	EPA 8260B	

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
 Reported:
 02/13/03 19:15

Volatile Organic Compounds by EPA Method 8260B

Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Tert-butyl alcohol	ND	100	ug/l	1	3010496	01/29/03	01/30/03	EPA 8260B	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Ethanol	ND	500	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	2.0	"	"	"	"	"	"	
<i>Surrogate: 1,2-DCA-d4</i>		<i>107 %</i>	<i>60-140</i>						
Benzene	ND	0.50	"	"	"	"	"	"	
Bromobenzene	ND	0.50	"	"	"	"	"	"	
Bromochloromethane	ND	0.50	"	"	"	"	"	"	
Bromodichloromethane	ND	0.50	"	"	"	"	"	"	
Bromoform	ND	0.50	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
n-Butylbenzene	ND	0.50	"	"	"	"	"	"	
sec-Butylbenzene	ND	0.50	"	"	"	"	"	"	
tert-Butylbenzene	ND	0.50	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	0.50	"	"	"	"	"	"	
Chloroethane	ND	0.50	"	"	"	"	"	"	
Chloroform	0.82	0.50	"	"	"	"	"	"	
Chloromethane	ND	0.50	"	"	"	"	"	"	
2-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
4-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
Dibromochloromethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Dibromomethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	0.50	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
1,2-Dichloropropane	ND	0.50	"	"	"	"	"	"	
1,3-Dichloropropane	ND	0.50	"	"	"	"	"	"	
2,2-Dichloropropane	ND	0.50	"	"	"	"	"	"	

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Volatile Organic Compounds by EPA Method 8260B
Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
1,1-Dichloropropene	ND	0.50	ug/l	1	3010496	01/29/03	01/30/03	EPA 8260B	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	1.0	"	"	"	"	"	"	
Isopropylbenzene	ND	0.50	"	"	"	"	"	"	
p-Isopropyltoluene	ND	0.50	"	"	"	"	"	"	
Methylene chloride	ND	1.0	"	"	"	"	"	"	
Methyl tert-butyl ether	24	0.50	"	"	"	"	"	"	
Naphthalene	ND	1.0	"	"	"	"	"	"	
n-Propylbenzene	ND	0.50	"	"	"	"	"	"	
Styrene	ND	0.50	"	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	1.0	"	"	"	"	"	"	
Tetrachloroethene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.50	"	"	"	"	"	"	
Trichloroethene	ND	0.50	"	"	"	"	"	"	
Trichlorofluoromethane	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	1.0	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
Vinyl chloride	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		107 %		70-130	"	"	"	"	
<i>Surrogate: 1,2-DCA-d4</i>		111 %		70-130	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		122 %		70-130	"	"	"	"	
<i>Surrogate: 4-BFB</i>		97 %		70-130	"	"	"	"	



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Conventional Chemistry Parameters by APHA/EPA Methods
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
pH	7.24	2.00	pH Units	1	3010362	01/20/03	01/20/03	EPA 150.1	HT-04



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Physical Parameters by APHA/ASTM/EPA Methods
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Corrosivity	7.2		pH units	1	3010346	01/20/03	01/20/03	EPA 9045B	HT-01
Ignitability by Flashpoint	ND	25	°C	"	3010373	01/22/03	01/22/03	EPA 1010	



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Total Metals by EPA 6000/7000 Series Methods
Sequoia Analytical - Morgan Hill**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Antimony	ND	0.10	mg/l	1	3B09005	02/09/03	02/10/03	EPA 6010B	
Arsenic	ND	0.10	"	"	"	"	"	"	
Barium	ND	0.10	"	"	"	"	"	"	
Beryllium	ND	0.010	"	"	"	"	"	"	
Cadmium	ND	0.010	"	"	"	"	"	"	
Chromium	ND	0.010	"	"	"	"	"	"	
Cobalt	ND	0.050	"	"	"	"	"	"	
Copper	ND	0.010	"	"	"	"	"	"	
Lead	ND	0.10	"	"	"	"	"	"	
Molybdenum	ND	0.050	"	"	"	"	"	"	
Nickel	ND	0.050	"	"	"	"	"	"	
Selenium	ND	0.10	"	"	"	"	"	"	
Silver	ND	0.020	"	"	"	"	"	"	
Thallium	ND	0.10	"	"	"	"	"	"	
Vanadium	ND	0.050	"	"	"	"	"	"	
Zinc	ND	0.050	"	"	"	"	"	"	



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Conventional Chemistry Parameters by APHA/EPA Methods
Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TPW-1 (S301365-01) Water Sampled: 01/17/03 08:30 Received: 01/17/03 09:20									
Reactivity in Water	ND	1.0	N/A	1	3010455	01/20/03	01/20/03	SW846, Ch. 7	
Reactive Cyanide	ND	10	mg/l	"	"	"	"	SW846 Ch. 7.3	
Reactive Sulfide	ND	50	"	"	"	"	"	"	

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Gasoline\BTEX\Oxygenates by EPA method 8260B - Quality Control

Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010496 - EPA 5030B [P/T]
Blank (3010496-BLK1)

Prepared: 01/29/03 Analyzed: 01/30/03

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.0	"							
Gasoline (C6-C10)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	30.5		"	25.0		122	60-140			
<i>Surrogate: 4-BFB</i>	24.1		"	25.0		96	60-140			

Laboratory Control Sample (3010496-BS1)

Prepared: 01/29/03 Analyzed: 01/30/03

Benzene	24.0	0.50	ug/l	25.0		96	70-130			
Toluene	27.5	0.50	"	25.0		110	70-130			
Methyl tert-butyl ether	23.0	2.0	"	25.0		92	60-140			
<i>Surrogate: Toluene-d8</i>	30.9		"	25.0		124	60-140			
<i>Surrogate: 4-BFB</i>	23.9		"	25.0		96	60-140			

Laboratory Control Sample (3010496-BS2)

Prepared: 01/29/03 Analyzed: 01/30/03

Benzene	2.50	0.50	ug/l	2.72		92	70-130			
Toluene	16.8	0.50	"	16.7		101	70-130			
Methyl tert-butyl ether	3.77	2.0	"	4.48		84	60-140			
Gasoline (C6-C10)	170	50	"	220		77	70-130			
<i>Surrogate: Toluene-d8</i>	30.7		"	25.0		123	60-140			
<i>Surrogate: 4-BFB</i>	24.3		"	25.0		97	60-140			

Matrix Spike (3010496-MS1)

Source: S301425-01

Prepared: 01/29/03 Analyzed: 01/30/03

Benzene	24.7	0.50	ug/l	25.0	ND	99	70-130			
Toluene	27.7	0.50	"	25.0	ND	111	70-130			
Methyl tert-butyl ether	21.9	2.0	"	25.0	ND	88	60-140			
<i>Surrogate: Toluene-d8</i>	29.6		"	25.0		118	60-140			
<i>Surrogate: 4-BFB</i>	23.9		"	25.0		96	60-140			

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Gasoline\BTEX\Oxygenates by EPA method 8260B - Quality Control
Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010496 - EPA 5030B [P/T]
Matrix Spike Dup (3010496-MSD1)

Source: S301425-01

Prepared: 01/29/03

Analyzed: 01/30/03

Benzene	23.4	0.50	ug/l	25.0	ND	94	70-130	5	25	
Toluene	25.4	0.50	"	25.0	ND	102	70-130	9	25	
Methyl tert-butyl ether	21.2	2.0	"	25.0	ND	85	60-140	3	25	
<i>Surrogate: Toluene-d8</i>	<i>30.9</i>		"	<i>25.0</i>		<i>124</i>	<i>60-140</i>			
<i>Surrogate: 4-BFB</i>	<i>24.5</i>		"	<i>25.0</i>		<i>98</i>	<i>60-140</i>			

Batch 3010521 - EPA 5030B [P/T]
Blank (3010521-BLK1)

Prepared & Analyzed: 01/30/03

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.0	"							
Gasoline (C6-C10)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	<i>26.4</i>		"	<i>25.0</i>		<i>106</i>	<i>60-140</i>			
<i>Surrogate: 4-BFB</i>	<i>25.1</i>		"	<i>25.0</i>		<i>100</i>	<i>60-140</i>			

Blank (3010521-BLK2)

Prepared & Analyzed: 01/29/03

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.0	"							
Gasoline (C6-C10)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	<i>25.6</i>		"	<i>25.0</i>		<i>102</i>	<i>60-140</i>			
<i>Surrogate: 4-BFB</i>	<i>25.5</i>		"	<i>25.0</i>		<i>102</i>	<i>60-140</i>			

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Gasoline\BTEX\Oxygenates by EPA method 8260B - Quality Control
Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010521 - EPA 5030B [P/T]
Blank (3010521-BLK3)

Prepared & Analyzed: 01/31/03

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.0	"							
Gasoline (C6-C10)	ND	50	"							
<i>Surrogate: Toluene-d8</i>	25.3		"	25.0		101	60-140			
<i>Surrogate: 4-BFB</i>	25.2		"	25.0		101	60-140			

Laboratory Control Sample (3010521-BS1)

Prepared & Analyzed: 01/30/03

Benzene	12.1	0.50	ug/l	13.6		89	70-130			
Toluene	73.5	0.50	"	83.4		88	70-130			
Methyl tert-butyl ether	18.0	2.0	"	22.4		80	60-140			
Gasoline (C6-C10)	894	50	"	1100		81	70-130			
<i>Surrogate: Toluene-d8</i>	27.1		"	25.0		108	60-140			
<i>Surrogate: 4-BFB</i>	26.3		"	25.0		105	60-140			

Laboratory Control Sample (3010521-BS2)

Prepared & Analyzed: 01/29/03

Benzene	12.1	0.50	ug/l	13.6		89	70-130			
Toluene	75.1	0.50	"	83.4		90	70-130			
Methyl tert-butyl ether	16.8	2.0	"	22.4		75	60-140			
Gasoline (C6-C10)	920	50	"	1100		84	70-130			
<i>Surrogate: Toluene-d8</i>	27.2		"	25.0		109	60-140			
<i>Surrogate: 4-BFB</i>	25.7		"	25.0		103	60-140			

Laboratory Control Sample (3010521-BS3)

Prepared & Analyzed: 01/31/03

Benzene	12.8	0.50	ug/l	13.6		94	70-130			
Toluene	76.8	0.50	"	83.4		92	70-130			
Methyl tert-butyl ether	19.8	2.0	"	22.4		88	60-140			
Gasoline (C6-C10)	937	50	"	1100		85	70-130			
<i>Surrogate: Toluene-d8</i>	27.2		"	25.0		109	60-140			

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

Gasoline\BTEX\Oxygenates by EPA method 8260B - Quality Control
Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010521 - EPA 5030B [P/T]

Laboratory Control Sample (3010521-BS3)

Prepared & Analyzed: 01/31/03

Surrogate: 4-BFB	27.8		ug/l	25.0		111	60-140			
------------------	------	--	------	------	--	-----	--------	--	--	--

Matrix Spike (3010521-MS1)

Source: S301447-05

Prepared & Analyzed: 01/30/03

Benzene	13.4	0.50	ug/l	13.6	0.55	94	70-130			
Toluene	78.6	0.50	"	83.4	ND	94	70-130			
Methyl tert-butyl ether	19.8	2.0	"	22.4	ND	88	60-140			
Gasoline (C6-C10)	944	50	"	1100	ND	84	60-140			

Surrogate: Toluene-d8	25.2		"	25.0		101	60-140			
-----------------------	------	--	---	------	--	-----	--------	--	--	--

Surrogate: 4-BFB	25.9		"	25.0		104	60-140			
------------------	------	--	---	------	--	-----	--------	--	--	--

Matrix Spike Dup (3010521-MSD1)

Source: S301447-05

Prepared & Analyzed: 01/30/03

Benzene	12.2	0.50	ug/l	13.6	0.55	86	70-130	9	25	
Toluene	72.4	0.50	"	83.4	ND	87	70-130	8	25	
Methyl tert-butyl ether	17.8	2.0	"	22.4	ND	79	60-140	11	25	
Gasoline (C6-C10)	864	50	"	1100	ND	77	60-140	9	25	

Surrogate: Toluene-d8	26.7		"	25.0		107	60-140			
-----------------------	------	--	---	------	--	-----	--------	--	--	--

Surrogate: 4-BFB	26.4		"	25.0		106	60-140			
------------------	------	--	---	------	--	-----	--------	--	--	--

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

**Total Metals by EPA 6000/7000 Series Methods - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3010325 - EPA 7470A										
Blank (3010325-BLK1) Prepared & Analyzed: 01/20/03										
Mercury	ND	0.00020	mg/l							
Blank (3010325-BLK2) Prepared & Analyzed: 01/20/03										
Mercury	ND	0.00020	mg/l							
Laboratory Control Sample (3010325-BS1) Prepared & Analyzed: 01/20/03										
Mercury	0.00497	0.00020	mg/l	0.00500		99	80-120			
Matrix Spike (3010325-MS1) Source: S301312-01 Prepared & Analyzed: 01/20/03										
Mercury	0.00522	0.00020	mg/l	0.00500	ND	104	75-125			
Matrix Spike Dup (3010325-MSD1) Source: S301312-01 Prepared & Analyzed: 01/20/03										
Mercury	0.00509	0.00020	mg/l	0.00500	ND	102	75-125	3	20	



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Tentatively Identified Compounds by GC/MS - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3010496 - EPA 5030B [P/T]

Blank (3010496-BLK1)

Prepared: 01/29/03 Analyzed: 01/30/03

No TICs found 0.00 ug/l

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010496 - EPA 5030B [P/T]
Blank (3010496-BLK1)

Prepared: 01/29/03 Analyzed: 01/30/03

Benzene	ND	0.50	ug/l
Bromobenzene	ND	0.50	"
Tert-butyl alcohol	ND	100	"
Bromochloromethane	ND	0.50	"
Bromodichloromethane	ND	0.50	"
Di-isopropyl ether	ND	2.0	"
Bromoform	ND	0.50	"
Ethyl tert-butyl ether	ND	2.0	"
Bromomethane	ND	1.0	"
Tert-amyl methyl ether	ND	2.0	"
Ethanol	ND	500	"
n-Butylbenzene	ND	0.50	"
1,2-Dichloroethane	ND	2.0	"
sec-Butylbenzene	ND	0.50	"
1,2-Dibromoethane (EDB)	ND	2.0	"
tert-Butylbenzene	ND	0.50	"
Carbon tetrachloride	ND	0.50	"
Chlorobenzene	ND	0.50	"
Chloroethane	ND	0.50	"
Chloroform	ND	0.50	"
Chloromethane	ND	0.50	"
2-Chlorotoluene	ND	0.50	"
4-Chlorotoluene	ND	0.50	"
Dibromochloromethane	ND	0.50	"
1,2-Dibromoethane (EDB)	ND	0.50	"
Dibromomethane	ND	0.50	"
1,2-Dibromo-3-chloropropane	ND	1.0	"
1,2-Dichlorobenzene	ND	0.50	"
1,3-Dichlorobenzene	ND	0.50	"
1,4-Dichlorobenzene	ND	0.50	"
Dichlorodifluoromethane	ND	0.50	"
1,1-Dichloroethane	ND	0.50	"
1,2-Dichloroethane	ND	0.50	"
1,1-Dichloroethene	ND	0.50	"
cis-1,2-Dichloroethene	ND	0.50	"
trans-1,2-Dichloroethene	ND	0.50	"

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010496 - EPA 5030B [P/T]
Blank (3010496-BLK1)

Prepared: 01/29/03 Analyzed: 01/30/03

1,2-Dichloropropane	ND	0.50	ug/l							
1,3-Dichloropropane	ND	0.50	"							
2,2-Dichloropropane	ND	0.50	"							
1,1-Dichloropropene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Hexachlorobutadiene	ND	1.0	"							
Isopropylbenzene	ND	0.50	"							
p-Isopropyltoluene	ND	0.50	"							
Methylene chloride	1.00	1.0	"							A-01
Methyl tert-butyl ether	ND	0.50	"							
Naphthalene	ND	1.0	"							
n-Propylbenzene	ND	0.50	"							
Styrene	ND	0.50	"							
1,1,1,2-Tetrachloroethane	ND	0.50	"							
1,1,2,2-Tetrachloroethane	ND	1.0	"							
Tetrachloroethene	ND	0.50	"							
Toluene	ND	0.50	"							
1,2,3-Trichlorobenzene	ND	0.50	"							
1,2,4-Trichlorobenzene	ND	0.50	"							
1,1,1-Trichloroethane	ND	0.50	"							
1,1,2-Trichloroethane	ND	0.50	"							
Trichloroethene	ND	0.50	"							
Trichlorofluoromethane	ND	0.50	"							
1,2,3-Trichloropropane	ND	1.0	"							
1,2,4-Trimethylbenzene	ND	0.50	"							
1,3,5-Trimethylbenzene	ND	0.50	"							
Vinyl chloride	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<hr/>										
Surrogate: 1,2-DCA-d4	29.1		"	25.0		116	60-140			
Surrogate: Dibromofluoromethane	27.6		"	25.0		110	70-130			
Surrogate: 1,2-DCA-d4	29.1		"	25.0		116	70-130			
Surrogate: Toluene-d8	30.5		"	25.0		122	70-130			
Surrogate: 4-BFB	24.1		"	25.0		96	70-130			

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
 Reported:
 02/13/03 19:15

Volatile Organic Compounds by EPA Method 8260B - Quality Control Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010496 - EPA 5030B [P/T]

Laboratory Control Sample (3010496-BS1)				Prepared: 01/29/03 Analyzed: 01/30/03						
Benzene	24.0	0.50	ug/l	25.0	96	70-130				
Chlorobenzene	26.4	0.50	"	25.0	106	70-130				
1,1-Dichloroethene	23.3	0.50	"	25.0	93	70-130				
Toluene	27.5	0.50	"	25.0	110	70-130				
Trichloroethene	21.4	0.50	"	25.0	86	70-130				
<hr/>										
Surrogate: 1,2-DCA-d4	27.8		"	25.0	111	60-140				
Surrogate: Dibromofluoromethane	27.2		"	25.0	109	70-130				
Surrogate: 1,2-DCA-d4	27.8		"	25.0	111	70-130				
Surrogate: Toluene-d8	30.9		"	25.0	124	70-130				
Surrogate: 4-BFB	23.9		"	25.0	96	70-130				

Matrix Spike (3010496-MS1)				Source: S301425-01 Prepared: 01/29/03 Analyzed: 01/30/03						
Benzene	24.7	0.50	ug/l	25.0	ND	99	60-140			
Chlorobenzene	27.0	0.50	"	25.0	ND	108	60-140			
1,1-Dichloroethene	22.8	0.50	"	25.0	ND	91	60-140			
Toluene	27.7	0.50	"	25.0	ND	111	60-140			
Trichloroethene	22.2	0.50	"	25.0	ND	89	60-140			
<hr/>										
Surrogate: 1,2-DCA-d4	26.4		"	25.0	106	60-140				
Surrogate: Dibromofluoromethane	27.5		"	25.0	110	70-130				
Surrogate: 1,2-DCA-d4	26.4		"	25.0	106	70-130				
Surrogate: Toluene-d8	29.6		"	25.0	118	70-130				
Surrogate: 4-BFB	23.9		"	25.0	96	70-130				

Matrix Spike Dup (3010496-MSD1)				Source: S301425-01 Prepared: 01/29/03 Analyzed: 01/30/03						
Benzene	23.4	0.50	ug/l	25.0	ND	94	60-140	5	25	
Chlorobenzene	25.1	0.50	"	25.0	ND	100	60-140	7	25	
1,1-Dichloroethene	21.4	0.50	"	25.0	ND	86	60-140	6	25	
Toluene	25.4	0.50	"	25.0	ND	102	60-140	9	25	
Trichloroethene	20.8	0.50	"	25.0	ND	83	60-140	7	25	
<hr/>										
Surrogate: 1,2-DCA-d4	28.0		"	25.0	112	60-140				
Surrogate: Dibromofluoromethane	27.5		"	25.0	110	70-130				
Surrogate: 1,2-DCA-d4	28.0		"	25.0	112	70-130				

Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Volatile Organic Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010496 - EPA 5030B [P/T]

Matrix Spike Dup (3010496-MSD1)

Source: S301425-01

Prepared: 01/29/03 Analyzed: 01/30/03

Surrogate: Toluene-d8	30.9		ug/l	25.0		124	70-130			
Surrogate: 4-BFB	24.5		"	25.0		98	70-130			



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3010362 - General Preparation

Duplicate (3010362-DUP1)	Source: S301365-01			Prepared & Analyzed: 01/20/03						
pH	7.25	2.00	pH Units		7.24			0.1	20	



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010346 - General Preparation

Duplicate (3010346-DUP1)		Source: S301365-01			Prepared & Analyzed: 01/20/03					
Corrosivity	7.25		pH units		7.2			0.7	20	

Batch 3010373 - General Preparation

Duplicate (3010373-DUP1)		Source: S301365-01			Prepared & Analyzed: 01/22/03					
Ignitability by Flashpoint	ND	25	°C		ND				20	

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Total Metals by EPA 6000/7000 Series Methods - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3B09005 - 200.7/ No Digest
Blank (3B09005-BLK1)

Prepared & Analyzed: 02/09/03

Antimony	ND	0.10	mg/l							
Arsenic	ND	0.10	"							
Barium	ND	0.10	"							
Beryllium	ND	0.010	"							
Cadmium	ND	0.010	"							
Chromium	ND	0.010	"							
Cobalt	ND	0.050	"							
Copper	ND	0.010	"							
Lead	ND	0.10	"							
Molybdenum	ND	0.050	"							
Nickel	ND	0.050	"							
Selenium	ND	0.10	"							
Silver	ND	0.020	"							
Thallium	ND	0.10	"							
Vanadium	ND	0.050	"							
Zinc	ND	0.050	"							

Laboratory Control Sample (3B09005-BS1)

Prepared: 02/09/03 Analyzed: 02/10/03

Antimony	0.998	0.10	mg/l				88-119			
Arsenic	0.938	0.10	"				84-127			
Barium	0.968	0.10	"				86-113			
Beryllium	1.03	0.010	"				89-129			
Cadmium	0.987	0.010	"	1.00		98.7	89-119			
Chromium	1.00	0.010	"	1.00		100	91-118			
Cobalt	1.01	0.050	"				92-117			
Copper	0.973	0.010	"	1.00		97.3	88-117			
Lead	1.01	0.10	"	1.00		101	88-121			
Molybdenum	0.974	0.050	"				91-115			
Nickel	1.04	0.050	"				91-119			
Selenium	1.02	0.10	"				87-124			
Silver	0.950	0.020	"				90-115			
Thallium	0.979	0.10	"				86-117			
Vanadium	1.02	0.050	"				90-116			
Zinc	1.04	0.050	"	1.00		104	91-120			

Gettler-Ryan - Dublin
 6747 Sierra Court, Ste. J
 Dublin CA, 94568

 Project: Tosco 6419, Dublin, CA
 Project Number: -
 Project Manager: Deanna L. Harding

 S301365
Reported:
 02/13/03 19:15

Total Metals by EPA 6000/7000 Series Methods - Quality Control
Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3B09005 - 200.7/ No Digest
Matrix Spike (3B09005-MS1)

Source: S301365-01

Prepared: 02/09/03

Analyzed: 02/10/03

Antimony	1.02	0.10	mg/l		ND		88-119			
Arsenic	0.929	0.10	"		ND		84-127			
Barium	1.02	0.10	"		ND		86-113			
Beryllium	1.05	0.010	"		ND		89-129			
Cadmium	0.990	0.010	"	1.00	ND	99.0	89-119			
Chromium	1.00	0.010	"	1.00	ND	100	91-118			
Cobalt	1.01	0.050	"		ND		92-117			
Copper	0.971	0.010	"	1.00	ND	97.1	88-117			
Lead	1.00	0.10	"	1.00	ND	98.6	88-121			
Molybdenum	1.02	0.050	"		ND		91-115			
Nickel	1.04	0.050	"		ND		91-119			
Selenium	1.06	0.10	"		ND		87-124			
Silver	0.948	0.020	"		ND		90-115			
Thallium	0.979	0.10	"		ND		86-117			
Vanadium	1.04	0.050	"		ND		90-116			
Zinc	1.10	0.050	"	1.00	ND	108	91-120			

Matrix Spike Dup (3B09005-MSD1)

Source: S301365-01

Prepared: 02/09/03

Analyzed: 02/10/03

Antimony	0.993	0.10	mg/l		ND		88-119	2.68	14	
Arsenic	0.943	0.10	"		ND		84-127	1.50	20	
Barium	1.00	0.10	"		ND		86-113	1.98	9	
Beryllium	1.04	0.010	"		ND		89-129	0.957	9	
Cadmium	0.983	0.010	"	1.00	ND	98.3	89-119	0.710	8	
Chromium	0.993	0.010	"	1.00	ND	99.3	91-118	0.702	8	
Cobalt	0.999	0.050	"		ND		92-117	1.10	9	
Copper	0.964	0.010	"	1.00	ND	96.4	88-117	0.724	10	
Lead	0.997	0.10	"	1.00	ND	98.3	88-121	0.300	16	
Molybdenum	1.00	0.050	"		ND		91-115	1.98	11	
Nickel	1.03	0.050	"		ND		91-119	0.966	9	
Selenium	0.965	0.10	"		ND		87-124	9.38	16	
Silver	0.937	0.020	"		ND		90-115	1.17	10	
Thallium	0.975	0.10	"		ND		86-117	0.409	14	
Vanadium	1.03	0.050	"		ND		90-116	0.966	10	
Zinc	1.10	0.050	"	1.00	ND	108	91-120	0.00	9	

Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

**Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control
Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3010455 - General Preparation

Blank (3010455-BLK1)

Prepared & Analyzed: 01/20/03

Reactive Cyanide	ND	10	mg/l							
Reactive Sulfide	ND	50	"							
Reactivity in Water	ND	1.0	N/A							

Laboratory Control Sample (3010455-BS1)

Prepared & Analyzed: 01/20/03

Reactive Cyanide	109	10	mg/l	500		22	5-120			
------------------	-----	----	------	-----	--	----	-------	--	--	--

Laboratory Control Sample (3010455-BS2)

Prepared & Analyzed: 01/20/03

Reactive Sulfide	338	50	mg/l	1520		22	5-120			
------------------	-----	----	------	------	--	----	-------	--	--	--



Gettler-Ryan - Dublin
6747 Sierra Court, Ste. J
Dublin CA, 94568

Project: Tosco 6419, Dublin, CA
Project Number: -
Project Manager: Deanna L. Harding

S301365
Reported:
02/13/03 19:15

Notes and Definitions

- A-01 Although present in the blank, this analyte is not present in any of the associated samples.
- HT-01 This sample was received beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
- HT-04 This sample was analyzed beyond the EPA recommended holding time. The results may still be useful for their intended purpose.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Sample Receipt Checklist/Problem Chain of Custody

Chain of Custody: Present Absent
 CCC Properly Completed: Yes No
 Sample Labels Present: Yes No Biogible

CCC and Sample Labels Agree: Yes No
 Proper Preservatives Used: Yes No
 If proper preservation is not indicated, note in comments;

Sample Condition: Intact Broken Leaking
 If broken or leaking, note in comments;
 Sample Received on Ice: Yes No Thawed
 Temperature upon Receipt: 2 °C

Art Bill: Present Absent
 Art Bill #: _____

Custody Seal(s): Present Absent
 Custody Seal #'s: _____
 Date/Time Received: 1-17-03 10920 Employee: Mickey

Comments/Problems:
pH in WC measured by strip at approx. 6.0

Resolution:

P.M. Signature _____ Date/Time: _____

Sample Designation pH Value Initials

Gettler-Ryan Inc., Chain-of-Custody

Tosco Corp./ Phillips 66 Co. 2000 Crow Canyon Place Suite 400 San Ramon, CA 94583	Facility Number <u>TOSCO 55 # 6419</u>	Laboratory Name <u>SEQUIA ANALYTICAL</u>
	Facility Address <u>6401 Dublin BLVD</u>	Consultant <u>GETTLER-RYAN, INC. DEANNA L. HARDING</u>
	Global ID <u>N/A</u> Project <u>140101.01</u>	Address <u>8747 SIERRA CT., SUITE J, DUBLIN CA 94568</u>
	Client Contact <u>Dave De Witt</u>	Phone <u>(925) 551-7555</u> Fax <u>(925) 551-7899</u>
Phone _____		Samples Collected by <u>Andrew Smith</u>

SAMPLE ID	Number of Containers Matrix	S = Soil A = Air W = Water C = Chemical	Sample Preservation	Date/Time (2400 Hrs)	TPH-GAS/BTEX/MTBE EPA 8015/8021B	MTBE 8260	PCB	TCLP 8260 (8240 LIST)	TTC CAN17 METALS	PESTICIDES TTC 8081	TOTAL CYANIDE	TOTAL SULFIDE	FISH TOXICITY: ABBREVIATED	SCREEN w/ FATHEAD MINNOW	RCE	CAN-17 METALS (TTC)	8260 Full Scale	Remarks
TPW-1	1	W	HELD IN COOL	1/17/03/1830					S30136A-U1						X	X	X	* run TPH, BTEX & 8 OXYS BY EPA 8260B
																		run 8260 VOA standard & TICs (include BTEX and MTBE). per Andrew Smith - 1/17/03 (by phone)

Relinquished By (Signature) <u>[Signature]</u>	Organization <u>GRI</u>	Date/Time <u>1/17/03/920</u>	Received By (Signature) <u>T Linday</u>	Organization <u>Seq</u>	Date/Time <u>1/17/03/920</u>	Iced Y/N	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 72 Hrs. 5 Days <u>10 Days</u> As Contracted
Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced Y/N	
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature)	Organization	Date/Time	Iced Y/N	

Tosco Corp./
Phillips 66 Co.
2000 Crow Canyon Place
Suite 400
San Ramon, CA 94583

Facility Number TOSCO SS # 6419
Facility Address 6401 Dublin Blvd
Global ID N/A Project 140101.01
Client Contact Dave De Witt
Phone _____

Laboratory Name SEQUOIA ANALYTICAL
Consultant GETTLER-RYAN, INC. DEANNA L. HARDING
Address 8747 SIERRA CT., SUITE J, DUBLIN CA 94568
Phone (925) 551-7555 Fax (925) 651-7899
Samples Collected by Andrew Smith

SAMPLE ID	Number of Containers Matrix	S = Soil W = Water A = Air C = Charcoal	Sample Preservation	Date/Time (2400 Hrs)	TPH-GAS/BTEX/MTBE EPA 9015/8021B	MTBE 8260	REI	TOLP 8260 (8240 LIST)	TLC CAN/17 METALS	PESTICIDES TLC 8081	TOTAL CYANIDE	TOTAL SULFIDE	FISH TOXICITY: ABBREVIATED	SCREEN w/ FATHEAD MINNOW	R.C.I.	CAN-17 METALS (TTLG)	8260 Full Scan	Remarks
TPW-1	1	W	HCL HNO3	11/17/03 / 8:30					S30136F-01						X	X	X	* run TPHg. BTE & 8 oxys By EPA 8260B
																		run 8260 Vof Standard & TICs (include BTEX and MTBE). per Andrew Smith - 11/17/03 (by phone)
Relinquished By (Signature)		Organization	Date/Time	Received By (Signature)		Organization	Date/Time	Iced Y/N		Turn Around Time (Circle Choice)								
		GRI	11/17/03 / 9:20	T Lindkey		Seq	11/17/03 / 9:20			24 Hrs. 48 Hrs. 72 Hrs. 5 Days <u>10 Days</u> As Contracted								
Relinquished By (Signature)		Organization	Date/Time	Received By (Signature)		Organization	Date/Time	Iced Y/N										
Relinquished By (Signature)		Organization	Date/Time	Received For Laboratory By (Signature)		Organization	Date/Time	Iced Y/N										