

ALAMEDA COUNTY  
HEALTH CARE SERVICES

AGENCY

ALEX BRISCOE, Director



ENVIRONMENTAL HEALTH DEPARTMENT  
ENVIRONMENTAL PROTECTION  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577  
(510) 567-6700  
FAX (510) 337-9335

December 12, 2014

Ms. Alexis Coulter  
Chevron Environmental Management Co.  
6101 Bollinger Canyon Road  
San Ramon, CA 94583  
(sent via electronic mail to  
[acoulter@chevron.com](mailto:acoulter@chevron.com))

Mr. Mark Gomez  
City of Oakland  
250 Frank Ogawa Plaza,  
Suite 5301  
Oakland, CA, 9461  
(sent via electronic mail to  
[mgomez@oaklandnet.com](mailto:mgomez@oaklandnet.com))

Simgas LLC  
655 Montgomery St #1900  
San Francisco, CA 94111

Gurinder Grewal & Navdeep Singh Grewal  
349 Brianne Ct.  
Pleasanton, CA 94566  
(sent via electronic mail to [grewalngns@yahoo.com](mailto:grewalngns@yahoo.com))

Subject: Case Closure for Fuel Leak Case No. RO0000464; (Global ID # T0600102238); Chevron #9-1851,  
451 Hegenberger Road, Oakland, CA 94612

Dear Ladies and Gentlemen:

This letter transmits the enclosed underground storage tank (UST) case closure letter in accordance with Chapter 6.75 (Article 4, Section 25296.10[g]). The State Water Resources Control Board adopted this letter on February 20, 1997. As of March 1, 1997, the Alameda County Environmental Health (ACEH) is required to use this case closure letter for all UST leak sites. We are also transmitting to you the enclosed case closure summary. These documents confirm the completion of the investigation and cleanup of the reported release at the subject site. The subject fuel leak case is closed. This case closure letter and the case closure summary can also be viewed on the State Water Resources Control Board's Geotracker website (<http://geotracker.waterboards.ca.gov>) and the Alameda County Environmental Health website (<http://www.acgov.org/aceh/index.htm>).

Due to residual contamination, the site was closed with Site Management Requirements that limit future land use to the current commercial land use as an active fueling station. Site Management Requirements are further described in the attached Case Closure Summary.

If you have any questions, please call Mark Detterman at (510) 567-6876. Thank you.

Sincerely,

A handwritten signature in blue ink, appearing to read "Dilan Roe".

Dilan Roe, P.E.  
LOP and SCP Program Manager

Enclosures: 1. Remedial Action Completion Certification  
2. Case Closure Summary

Cc w/enc.: Leroy Griffin, Oakland Fire Department 250 Frank H. Ogawa Plaza, Ste. 3341, Oakland, CA 94612-2032; (sent via electronic mail to [lgriffin@oaklandnet.com](mailto:lgriffin@oaklandnet.com))

Responsible Parties

RO0000464

December 12, 2014, Page 2

Gopakumar Nair, City of Oakland Public Works, 250 Frank H. Ogawa Plaza, Suite 4314, Oakland, CA 94612; (sent via electronic mail to [gnair@oaklandnet.com](mailto:gnair@oaklandnet.com))

Mark Arniola, City of Oakland Public Works, 250 Frank H. Ogawa Plaza, Suite 5301, Oakland, CA 94612; (sent via electronic mail to [marniola@oaklandnet.com](mailto:marniola@oaklandnet.com))

Nathan Lee, Conestoga-Rovers & Assoc., 5900 Hollis Street, Suite A, Emeryville, CA 94608 (sent via electronic mail to [nlee@croworld.com](mailto:nlee@croworld.com))

Bob Clark-Riddell, Pangea Environmental Services, Inc., 1710 Franklin Street, Suite 200, Oakland, CA 94612 (sent via electronic mail to [BRiddell@pangeaenv.com](mailto:BRiddell@pangeaenv.com))

Mark Detterman (sent via electronic mail to [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org))  
eFile, GeoTracker



ALAMEDA COUNTY  
**HEALTH CARE SERVICES  
AGENCY**

ALEX BRISCOE, Agency Director



DEPARTMENT OF ENVIRONMENTAL HEALTH  
OFFICE OF THE DIRECTOR  
1131 HARBOR BAY PARKWAY  
ALAMEDA, CA 94502  
(510) 567-6777  
FAX (510) 337-9135

**REMEDIAL ACTION COMPLETION CERTIFICATION**

December 12, 2014

Ms. Alexis Coulter  
Chevron Environmental Management Co.  
6101 Bollinger Canyon Road  
San Ramon, CA 94583  
(sent via electronic mail to  
[acoulter@chevron.com](mailto:acoulter@chevron.com))

Mr. Mark Gomez  
City of Oakland  
250 Frank Ogawa Plaza,  
Suite 5301  
Oakland, CA, 9461  
(sent via electronic mail to  
[mgomez@oaklandnet.com](mailto:mgomez@oaklandnet.com))

Simgas LLC  
655 Montgomery St #1900  
San Francisco, CA 94111

Gurinder Grewal & Navdeep Singh Grewal  
349 Brienne Ct.  
Pleasanton, CA 94566  
(sent via electronic mail to [grewalngns@yahoo.com](mailto:grewalngns@yahoo.com))

Subject: Case Closure for Fuel Leak Case No. RO0000464; (Global ID # T0600102238); Chevron #9-1851, 451 Hegenberger Road, Oakland, CA 94612

Dear Ladies and Gentlemen:

This letter confirms the completion of a site investigation and remedial action for the underground storage tanks formerly located at the above-described location. Thank you for your cooperation throughout this investigation. Your willingness and promptness in responding to our inquiries concerning the former underground storage tank(s) are greatly appreciated.

Based on information in the above-referenced file and with the provision that the information provided to this agency was accurate and representative of site conditions, this agency finds that the site investigation and corrective action carried out at your underground storage tank(s) site is in compliance with the requirements of subdivisions (a) and (b) of Section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to Section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the site is required.

Please be aware that claims for reimbursement of corrective action costs submitted to the Underground Storage Tank Cleanup Fund more than 365 days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions applies:

- Claims are submitted pursuant to Section 25299.57, subdivision (k) (reopened UST case); or
- Submission within the timeframe was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

This notice is issued pursuant to subdivision (g) of Section 25296.10 of the Health and Safety Code. Please contact our office if you have any questions regarding this matter.

Sincerely,

  
Ariu Levi  
Director

# UST Case Closure Summary Form

**Agency Information**

Date: December 12, 2014

Agency Name: Alameda County Environmental Health	Address: 1131 Harbor Bay Parkway
City/State/Zip: Alameda, CA 94502-6577	Phone: (510) 567-6876
Responsible Staff Person: Mark Detterman	Title: Senior Hazardous Materials Specialist

**Case Information**

Site Facility Name: Chevron #9-1851		
Site Facility Address: 451 Hegenberger Road, Oakland, CA 94621		
RB LUSTIS Case No: 01-2429	Local Case No.: 541	LOP Case No.: RO0000464
URF Filing Date:	GeoTracker Global ID: T0600102238	
APN: 42-4425-10-12	Current Land Use: Active fueling station	
Responsible Party(s):	Address:	Phone:
Chevron Environmental Management Company c/o Alexis Coulter	6111 Bollinger Canyon Road, Room 3660 San Ramon, CA 94583	(925) 543-2961
City of Oakland c/o Mark Gomez	250 Frank Ogawa Plaza, Suite 5301 Oakland, CA 94612-2034	(510) 238-7314
Simgas LLC	655 Montgomery Street #1900 San Francisco, CA 94111	----
Gurinder Grewal and Navdeep Singh Grewal	349 Brianne Court Pleasanton, CA 94566	----

**Tank Information**

Tank No.	Size (gal)	Contents	Closed in-Place/ Removed/Active	Date
	1,000	Waste Oil	Removed	12/17/1998
	10,000	Diesel /	Removed	9/18/2012

**Conceptual Site Model (Attachment 1, 2 pages)**
**Closure Criteria Met (Attachment 2, 1 page)**
**LTCP Groundwater Specific Criteria (Attachment 3, 1 page)**
**LTCP Vapor Specific Criteria (Attachment 4, 1 page)**
**LTCP Direct Contact and Outdoor Air Exposure Criteria (Attachment 5, 1 page)**
**Optional Site Maps (Attachment 6, 17 pages)**
**Analytical Data (Attachment 7, 34 pages)**



# UST Case Closure Summary Form

**Additional Information:**

**Site Management Requirements:**

This fuel leak case has been evaluated for closure consistent with the State Water Resource Control Board Low-Threat Underground Storage Tank Closure Policy (LTCP). Under the current land use as an active fueling station, the site is not required to meet media-specific criteria for vapor intrusion to indoor air, and therefore has not been evaluated for vapor intrusion.

The site also does not meet the direct contact media-specific criteria; however, as a commercial fueling facility, maintenance or construction workers employed at the facility are required by California regulations to be trained in health and safety concerns associated with volatile motor fuels, and thus are expected to be prepared for potential exposures in their standard work routines. Potential exposures to the general public are expected to be transitory and could occur only while temporarily present for the purpose of fueling their vehicles or obtaining related automotive services. As an active fueling station the site is entirely paved except for limited areas around the perimeter of the site, and exposure to site soils is prevented, except in controlled conditions under the current land use. Therefore, case closure is granted for the current commercial land use as an active fueling station.

If a change in land use to any residential, commercial other than as a commercial fueling station, or conservative land use, or if any redevelopment occurs, Alameda County Environmental Health (ACEH) must be notified as required by Government Code Section 65850.2.2. Due to the potential for vapor intrusion to indoor air for future buildings, ACEH will re-evaluate the case upon receipt of approved development/construction plans.

Excavation or construction activities in areas of residual contamination require planning and implementation of appropriate health and safety procedures by the responsible party prior to and during excavation and construction activities.



This site is to be entered into the City of Oakland Permit Tracking System due to the residual contamination on site.

**RWQCB Notification**

Notification Date: May 27, 2014

RWQCB Staff Name: Cherie McCaulou	Title: Engineering Geologist
-----------------------------------	------------------------------

**Local Agency Representative**

Prepared by: Mark Detterman	Title: Senior Hazardous Materials Specialist
Signature: 	Date: Dec. 12, 2014
Approved by: Dilan Roe	Title: LOP and SCP Program Manager
Signature: 	Date: 12/12/2014

## UST Case Closure Summary Form

---

This Case Closure Summary along with the Case Closure Transmittal letter and the Remedial Action Completion Certification provides documentation of the case closure. This closure approval is based upon the available information and with the provision that the information provided to this agency was accurate and representative of site conditions. The Conceptual Site Model may not contain all available data. Additional information on the case can be viewed in the online case file. The entire case file can be viewed over the Internet on the Alameda County Environmental Health (ACEH) website (<http://www.acgov.org/aceh/lop/ust.htm>) or the State of California Water Resources Control Board GeoTracker website (<http://geotracker.waterboards.ca.gov>). Not all historic documents for the fuel leak case may be available on GeoTracker. A more complete historic case file for this site is located on the ACEH website.



# ATTACHMENT 1

CSM Report

[GEOTRACKER HOME](#) | [MANAGE PROJECTS](#) | [REPORTS](#) | [SEARCH](#) | [LOGOUT](#)

CHEVRON #9-1851 (T0600102238) - [MAP THIS SITE](#)

[OPEN - ELIGIBLE FOR CLOSURE](#)

451 HEGENBERGER ROAD  
OAKLAND, CA 94621  
ALAMEDA COUNTY

[ACTIVITIES REPORT](#)  
[PUBLIC WEBPAGE](#)

**CLEANUP OVERSIGHT AGENCIES**  
ALAMEDA COUNTY LOP (LEAD) - CASE #: R0000464  
CASEWORKER: [MARK DETTERMAN](#) - SUPERVISOR: [DILAN ROE](#)  
SAN FRANCISCO BAY RWQCB (REGION 2) - CASE #: 01-2429  
CASEWORKER: [Cherie McCaulou](#) - SUPERVISOR: [Cheryl L. Prowell](#)  
CUF Claim #: 15501 CUF Priority Assigned: D CUF Amount Paid: \$0  
CR Site ID #: NOT SPECIFIED

[VIEW PRINTABLE CASE SUMMARY FOR THIS SITE](#)

THIS PROJECT WAS LAST MODIFIED BY [MARK DETTERMAN](#) ON 12/4/2014 3:07:44 PM - [HISTORY](#)

THIS SITE HAS UNAPPROVED SUBMITTALS. [CLICK HERE](#) TO OPEN A NEW WINDOW WITH THE SUBMITTAL APPROVAL PAGE FOR THIS SITE.

CSM REPORT - [VIEW PUBLIC NOTICING VERSION OF THIS REPORT](#)

**UST CLEANUP FUND CLAIM INFORMATION (DATA PULLED FROM SCUFIS)**

CLAIM NO	PRIORITY	CLAIMANT	SITE ADDRESS	AMT REIMB TO DATE	AGE OF LOC	IMPACTED WELLS?	REVIEW NUM	REVIEWER	FIVE YEAR REVIEW INFORMATION		
									FUND RECOMMENDATION	TO OVERSIGHT DATE	TO CLAIMANT DATE
15501	D	CHEVRON PRODUCTS COMPANY 6101 BOLLINGER CANYON RD BLD BR1X #5339, SAN RAMON CA 94583	451 HEGENBERGER RD OAKLAND, CA 94621				1	Abdul Karim Yusufzal	Recommended Case Closure	3/24/2014	

**PROJECT INFORMATION (DATA PULLED FROM GEOTRACKER) - [MAP THIS SITE](#)**

SITE NAME / ADDRESS	STATUS	STATUS DATE	RELEASE REPORT DATE	AGE OF CASE	CLEANUP OVERSIGHT AGENCIES
CHEVRON #9-1851 (Global ID: T0600102238) 451 HEGENBERGER ROAD OAKLAND, CA 94621	Open - Eligible for Closure	5/27/2014	2/23/1996	19	ALAMEDA COUNTY LOP (LEAD) - CASE #: R0000464 CASEWORKER: <a href="#">MARK DETTERMAN</a> - SUPERVISOR: <a href="#">DILAN ROE</a> SAN FRANCISCO BAY RWQCB (REGION 2) - CASE #: 01-2429 CASEWORKER: <a href="#">Cherie McCaulou</a> - SUPERVISOR: <a href="#">Cheryl L. Prowell</a>

**STAFF NOTES (INTERNAL)**

Not all historic documents for the fuel leak case may be available on GeoTracker. A complete case file for this site is located on the Alameda County Environmental Health website at: <http://ehgis.acgov.org/dehpublic/dehpublic.jsp>.

**SITE HISTORY**

Not all historic documents for the fuel leak case may be available on GeoTracker. A complete case file for this site is located on the Alameda County Environmental Health website at: <http://ehgis.acgov.org/dehpublic/dehpublic.jsp>.

In October 1995 wells MW-1 to MW-4, and soil bore SB-1 were installed at the site. In December 1998 a used oil UST was removed; free product was observed on groundwater. Soil sampling was conducted under the gasoline dispensers. In October 2000 wells MW-5 to MW-7 were installed. Between 2001 and 2005 eight events of overpurgings of site wells occurred in an attempt to remove free phase and elevated concentrations. In March 2012 bores B-1 to B-5 were installed in order to delineate the extent of waste oil contamination and free phase product around destroyed well MW-2. In August 2012 soil bores B-6 to B-17, and B-22 were installed in preparation to delineate the water oil contamination for a remedial excavation. Soil bores B-18 to B-21 were used to pre-profile the soil for offsite disposal. The excavation was completed by November 2012. In September 2012 a 10,000-gallon diesel UST and related equipment were removed from the site. This UST had previously contained methanol.

**RESPONSIBLE PARTIES**

NAME	ORGANIZATION	ADDRESS	CITY	EMAIL
AARON COSTA	CHEVRON CORPORATION	6111 BOLLINGER CANYON ROAD RM 3660	SAN RAMON	
GURINDER GREWALL	Gurinder Grewall	349 BRIANNE CT	PLEASANTON	
MARK GOMEZ	CITY OF OAKLAND	250 FRANK OSAWA PLAZA STE #5301	OAKLAND	
SINGH NAVDEEP	Singh Navdeep	349 BRIANNE CT	PLEASANTON	

**CLEANUP ACTION INFO**

ACTION TYPE	BEGIN DATE	END DATE	PHASE	CONTAMINANT MASS REMOVED	DESCRIPTION
EXCAVATION	11/5/2012	11/29/2012	Soil	910 Tons	

**RISK INFORMATION**

[VIEW LTCP CHECKLIST](#)

[VIEW PATH TO CLOSURE PLAN](#)

[VIEW CASE REVIEWS](#)

**CONTAMINANTS OF CONCERN**

Gasoline, MTBE / TBA / Other Fuel Oxygenates, Waste Oil / Motor / Hydraulic / Lubricating

CURRENT LAND USE	BENEFICIAL USE	DISCHARGE SOURCE	DATE REPORTED	STOP METHOD	NEARBY / IMPACTED WELLS
Commercial	GW - Municipal and Domestic Supply	Piping, Tank	2/23/1996	Close and Remove Tank, Other Means	0

**FREE PRODUCT**

NO

**OTHER CONSTITUENTS**

NO

**NAME OF WATER SYSTEM**

EBMUD

**LAST REGULATORY ACTIVITY**

5/28/2014

**LAST ESI UPLOAD**

11/21/2014

**LAST EDF UPLOAD**

6/6/2014

**EXPECTED CLOSURE DATE**

**MOST RECENT CLOSURE REQUEST**

1/11/2013

**CDPH WELLS WITHIN 1500 FEET OF THIS SITE**

NONE

**CALCULATED FIELDS (BASED ON LATITUDE / LONGITUDE)**

APN	GW BASIN NAME	WATERSHED NAME
042 442501008	Santa Clara Valley - East Bay Plain (2-9.04)	South Bay - East Bay Cities (20420)
COUNTY	PUBLIC WATER SYSTEM(S)	
Alameda	EAST BAY MUD - 375 ELEVENTH STREET, OAKLAND, CA 94607	

**MOST RECENT CONCENTRATIONS OF PETROLEUM CONSTITUENTS IN GROUNDWATER - [HIDE](#)**

[VIEW ESI SUBMITTALS](#)

FIELD PT NAME	DATE	TPHs	BENZENE	TOLUENE	ETHYL-BENZENE	XYLENES	MTBE	TBA
B-1	3/26/2012	OTHER	0.6 UG/L	ND	ND	ND	5 UG/L	3 UG/L
B-2	3/26/2012	OTHER	100 UG/L	8 UG/L	10 UG/L	52 UG/L	24 UG/L	6 UG/L
B-3	3/26/2012	OTHER	0.6 UG/L	ND	ND	ND	18 UG/L	33 UG/L
B-5	3/27/2012	OTHER	ND	ND	ND	ND	6 UG/L	2 UG/L
MW-1	2/26/2013	OTHER	ND	ND	ND	ND	2 UG/L	
MW-2	3/31/2009	OTHER	ND	ND	ND	ND	46 UG/L	
MW-2-POST	10/13/2005	OTHER	ND	ND	ND	ND	6 UG/L	
MW-2-PRE	10/13/2005	OTHER	ND	ND	ND	ND	14 UG/L	
MW-3	9/13/2012	OTHER	ND	ND	ND	ND	24 UG/L	
MW-4	3/18/2014	OTHER	ND	ND	ND	ND	23 UG/L	
MW-4-POST	10/13/2005	OTHER	ND	ND	ND	ND	100 UG/L	
MW-4-PRE	10/13/2005	OTHER	ND	ND	ND	ND	390 UG/L	
MW-5	3/18/2014	OTHER	ND	ND	ND	ND	4 UG/L	
MW-6	2/28/2013	OTHER	ND	ND	ND	ND	6 UG/L	
MW-7	9/13/2012	OTHER	ND	ND	ND	ND	3 UG/L	
MW-7-POST	10/13/2005	OTHER	ND	ND	ND	ND	32 UG/L	
MW-7-PRE	10/13/2005	OTHER	ND	ND	ND	ND	34 UG/L	
QA	3/23/2011	OTHER	ND	ND	ND	ND	ND	
QCTB	9/21/2013	OTHER	ND	ND	ND	ND	ND	

**MOST RECENT CONCENTRATIONS OF PETROLEUM CONSTITUENTS IN SOIL - [HIDE](#)**

[VIEW ESI SUBMITTALS](#)

FIELD PT NAME	DATE	TPHs	BENZENE	TOLUENE	ETHYL-BENZENE	XYLENES	MTBE	TBA
B-1	3/26/2012	ND	ND	ND	ND	ND	0.001 MG/KG	ND
B-2	3/26/2012	0.021 MG/KG	ND	0.002 MG/KG	0.006 MG/KG	0.041 MG/KG	0.009 MG/KG	ND
B-23	8/5/2013	ND	ND	ND	ND	ND	ND	ND
B-3	3/26/2012	ND	0.002 MG/KG	ND	ND	ND	0.005 MG/KG	ND
B-4	3/27/2012	ND	ND	ND	ND	ND	0.003 MG/KG	ND
B-5	3/27/2012	ND	ND	ND	ND	0.001 MG/KG	0.008 MG/KG	ND

**MOST RECENT GEO\_WELL DATA - [HIDE](#)**

[VIEW ESI SUBMITTALS](#)



<u>FIELD PT NAME</u>	<u>DATE</u>	<u>DEPTH TO WATER (FT)</u>	<u>SHEEN</u>	<u>DEPTH TO FREE PRODUCT (FT)</u>
MW-1	3/18/2014			
MW-2	9/13/2012	4.66	Y	4.56
MW-3	9/13/2012	4.31	N	
MW-4	3/18/2014	4.46	N	
MW-5	3/18/2014	5.03	N	
MW-6	9/21/2013			
MW-7	9/13/2012	6.16	N	

LOGGED IN AS MARKDETT

[CONTACT GEOTRACKER HELP](#)

---

# ATTACHMENT 2



<b>LTCP Checklist</b>	<input type="button" value="Go"/>	<a href="#">GEOTRACKER HOME</a>   <a href="#">MANAGE PROJECTS</a>   <a href="#">REPORTS</a>   <a href="#">SEARCH</a>   <a href="#">LOGOUT</a>
CHEVRON #9-1851 (T0600102238) - <a href="#">MAP THIS SITE</a> <span style="float: right;">OPEN - ELIGIBLE FOR CLOSURE</span>		
451 HEGENBERGER ROAD OAKLAND, CA 94621 ALAMEDA COUNTY  <a href="#">VIEW PRINTABLE CASE SUMMARY FOR THIS SITE</a>	<a href="#">ACTIVITIES REPORT</a>  <a href="#">PUBLIC WEBPAGE</a>	<b>CLEANUP OVERSIGHT AGENCIES</b> ALAMEDA COUNTY LOP (LEAD) - CASE #: R00000464 CASEWORKER: <a href="#">MARK DETTERMAN</a> - SUPERVISOR: <a href="#">DILAN ROE</a> SAN FRANCISCO BAY RWQCB (REGION 2) - CASE #: 01-2429 CASEWORKER: <a href="#">Cherie McCaulou</a> - SUPERVISOR: <a href="#">Cheryl L. Prowell</a>  CUF Claim #: 15501 CUF Priority Assigned: D CUF Amount Paid: \$0
THIS PROJECT WAS LAST MODIFIED BY <a href="#">MARK DETTERMAN</a> ON 6/25/2014 9:41:44 AM - <a href="#">HISTORY</a>		
THIS SITE HAS UNAPPROVED SUBMITTALS. CLICK <a href="#">HERE</a> TO OPEN A NEW WINDOW WITH THE SUBMITTAL APPROVAL PAGE FOR THIS SITE.		
<b>CLOSURE POLICY</b>	THIS VERSION IS FINAL AS OF 6/25/2014	CHECKLIST INITIATED ON 5/14/2013 <a href="#">CLOSURE POLICY HISTORY</a>
<b>General Criteria - The site satisfies the policy general criteria - <a href="#">CLEAR SECTION ANSWERS</a></b> <span style="float: right;"><input type="button" value="YES"/></span>		
a. Is the unauthorized release located within the service area of a public water system? Name of Water System: <input type="text" value="EBMUD"/> <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
b. The unauthorized release consists only of petroleum ( <a href="#">info</a> ). <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
c. The unauthorized ("primary") release from the UST system has been stopped. <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
d. Free product has been removed to the maximum extent practicable ( <a href="#">info</a> ). <span style="float: right;"><input type="radio"/> FP Not Encountered <input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
e. A conceptual site model that assesses the nature, extent, and mobility of the release has been developed ( <a href="#">info</a> ). <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
f. Secondary source has been removed to the extent practicable ( <a href="#">info</a> ). <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
g. Soil or groundwater has been tested for MTBE and results reported in accordance with Health and Safety Code Section 25296.15. <span style="float: right;"><input type="radio"/> Not Required <input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
h. Does a nuisance exist, as defined by <a href="#">Water Code section 13050</a> . <span style="float: right;"><input type="radio"/> YES <input checked="" type="radio"/> NO</span>		
<b>1. Media-Specific Criteria: Groundwater - The contaminant plume that exceeds water quality objectives is stable or decreasing in areal extent, and meets all of the additional characteristics of one of the five classes of sites listed below. - <a href="#">CLEAR SECTION ANSWERS</a></b> <span style="float: right;"><input type="button" value="YES"/></span>		
EXEMPTION - Soil Only Case (Release has <u>not</u> Affected Groundwater - <a href="#">Info</a> ) <span style="float: right;"><input type="radio"/> YES <input checked="" type="radio"/> NO</span>		
Does the site meet any of the Groundwater specific criteria scenarios? 1.2 - The contaminant plume that exceeds water quality objectives is <250 feet in length. There is no free product. The nearest existing water supply well or surface water body is >1,000 feet from the defined plume boundary. The dissolved concentration of benzene is <3,000 µg/L. The dissolved concentration of MTBE is <1,000 µg/L. <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
<b>2. Media Specific Criteria: Petroleum Vapor Intrusion to Indoor Air - The site is considered low-threat for the vapor-intrusion-to-air pathway if site-specific conditions satisfy items 2a, 2b, or 2c - <a href="#">CLEAR SECTION ANSWERS</a></b> <span style="float: right;"><input type="button" value="YES"/></span>		
EXEMPTION - Active Commercial Petroleum Fueling Facility <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
<b>3. Media Specific Criteria: Direct Contact and Outdoor Air Exposure - The site is considered low-threat for direct contact and outdoor air exposure if it meets 1, 2, or 3 below. - <a href="#">CLEAR SECTION ANSWERS</a></b> <span style="float: right;"><input type="button" value="YES"/></span>		
EXEMPTION - The upper 10 feet of soil is free of petroleum contamination <span style="float: right;"><input type="radio"/> YES <input checked="" type="radio"/> NO</span>		
Does the site meet any of the Direct Contact and Outdoor Air Exposure criteria scenarios? 3.3 - The regulatory agency has determined the concentration of petroleum constituents in soil will have no significant risk or adversely affect human health. <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
<b>Additional Information</b>		
This case should be kept OPEN in spite of meeting policy criteria. <span style="float: right;"><input type="radio"/> YES <input checked="" type="radio"/> NO</span>		
Has this LTCP Checklist been updated for FY 13/14? <span style="float: right;"><input checked="" type="radio"/> YES <input type="radio"/> NO</span>		
<a href="#">SPELL CHECK</a>		
<input type="button" value="Save Form as Partially Completed"/> <input type="button" value="Save Form as Complete"/>		

LOGGED IN AS MARKDETT

[CONTACT GEOTRACKER HELP](#)

**ATTACHMENT 3  
LTCP GROUNDWATER SPECIFIC CRITERIA**

**LTCP Groundwater Specific Scenario under which case was closed: Scenario 2**

Site Data		LTCP Scenario 1 Criteria	LTCP Scenario 2 Criteria	LTCP Scenario 3 Criteria	LTCP Scenario 4 Criteria
Plume Length	200 feet	<100 feet	<250 feet	<250 feet	<1,000 feet
Free Product	No free product.	No free product	No free product	Removed to maximum extent practicable	No free product
Plume Stable or Decreasing	Stable and Decreasing	Stable or decreasing	Stable or decreasing	Stable or decreasing for minimum of 5 Years	Stable or decreasing
Distance to Nearest Water Supply Well	1,500 feet crossgradient	>250 feet	>1,000 feet	>1,000 feet	>1,000 feet
Distance to Nearest Surface Water and Direction	1,380 feet downgradient, San Leandro Creek Channel	>250 feet	>1,000 feet	>1,000 feet	>1,000 feet
Property Owner Willing to Accept a Land Use Restriction?	Not applicable for groundwater specific criteria.	Not applicable	Not applicable	Yes	Not applicable

**GROUNDWATER CONCENTRATIONS**

Constituent	Historic Site Maximum (µg/L)	Current Site Maximum (µg/L)	LTCP Scenario 1 Criteria (µg/L)	LTCP Scenario 2 Criteria (µg/L)	LTCP Scenario 3 Criteria (µg/L)	LTCP Scenario 4 Criteria (µg/L)
Benzene	715	<0.5	No criteria	3,000	No criteria	1,000
MTBE	16,100	31	No criteria	1,000	No criteria	1,000

Scenario 5: If the site does not meet scenarios 1 through 4, has a determination been made that under current and reasonably expected future scenarios, the contaminant plume poses a low threat to human health and safety and to the environment and water quality objectives will be achieved within a reasonable time frame?

----

Comments: The closest open water body is the unlined San Leandro Creek channel at a distance of approximately 1,500 feet downgradient to the southwest.

Using the water well survey results from the GeoTracker Groundwater Ambient Monitoring Assessment (GAMA) tool indicates no public water supply wells, no Calif. Dept. of Public Health (CDPH) wells, no Dept. Pesticide Regulation (DPR), and no Dept. of Water Resources (DWR) water wells within a 2,000 foot radius.

Using the Alameda County Public Works Agency (ACPWA) resources for water wells indicates the closest water supply well to the subject site is approximately 1,500 feet to the south. Based on the predominant flow of groundwater at the site the well is in a crossgradient direction and is over ¼-mile from the site. It is not expected to be a receptor based on the direction of groundwater flow at the site, the extent, and decreasing size of the plume. No other water supply wells were identified within 1,500 feet of the site.



**ATTACHMENT 4  
LTCP VAPOR SPECIFIC CRITERIA**

**LTCP Vapor Specific Scenario under which case was closed: Active fueling station exempt from vapor specific criteria.**

Active Fueling Station		Active as of 12/12/2014					
Site Data		LTCP Scenario 1 Criteria	LTCP Scenario 2 Criteria	LTCP Scenario 3A Criteria	LTCP Scenario 3B Criteria	LTCP Scenario 3C Criteria	LTCP Scenario 4 Criteria
Unweathered LNAPL	No LNAPL	LNAPL in groundwater	LNAPL in soil	No LNAPL	No LNAPL	No LNAPL	No criteria
Thickness of Bioattenuation Zone Beneath Foundation	<5 feet	≥30 feet	≥30 feet	≥5 feet	≥10 feet	≥5 feet	≥5 feet
Total TPH in Soil in Bioattenuation Zone	3,800 mg/kg	<100 mg/kg	<100 mg/kg	<100 mg/kg	<100 mg/kg	<100 mg/kg	<100 mg/kg
Maximum Current Benzene Concentration in Groundwater	< 0.5 µg/L	No criteria	No criteria	<100 µg/L	≥100 and <1,000 µg/L	<1,000 µg/L	No criteria
Oxygen Data within Bioattenuation Zone	No oxygen data	No criteria	No criteria	No oxygen data or <4%	No oxygen data or <4%	≥4% at lower end of zone	≥4% at lower end of zone
Depth of soil vapor measurement beneath foundation	----	No criteria	No criteria	No criteria	No criteria	No criteria	≥5 feet

**SCENARIO 4 DIRECT MEASUREMENT OF SOIL VAPOR CONCENTRATIONS**

Site Soil Vapor Data			No Bioattenuation Zone		Bioattenuation Zone	
Constituent	Historic Maximum (µg/m <sup>3</sup> )	Current Maximum (µg/m <sup>3</sup> )	Residential	Commercial	Residential	Commercial
Benzene	----	----	<85	<280	<85,000	<280,000
Ethylbenzene	----	----	<1,100	<3,600	<1,100,000	<3,600,000
Naphthalene	----	----	<93	<310	<93,000	<310,000

If the site does not meet scenarios 1 through 4, does a site-specific risk assessment for the vapor intrusion pathway demonstrate that human health is protected?	----
If the site does not meet scenarios 1 through 4, has a determination been made that petroleum vapors from soil or groundwater will have no significant risk of adversely affecting human health?	----

Comments: The site is an active service station and has not been evaluated for the potential of vapor intrusion. Please see the Site Management Requirements.



**ATTACHMENT 5  
LTCP DIRECT CONTACT AND OUTDOOR AIR EXPOSURE CRITERIA**

**LTCP Direct Contact and Outdoor Air Exposure Specific Scenario under which case was closed: A determination has been made that the concentrations of petroleum in soil will have no significant risk of adversely affecting human health as a result of controlling exposure through the use of mitigation measures.**

Are maximum concentrations less than those in Table 1 below? No

Constituent		Residential		Commercial/Industrial		Utility Worker
		0 to 5 feet bgs (mg/kg)	Volatilization to outdoor air (5 to 10 feet bgs) mg/kg	0 to 5 feet bgs (mg/kg)	Volatilization to outdoor air (5 to 10 feet bgs) mg/kg	0 to 10 feet bgs (mg/kg)
Site Maximum	Benzene	200	0.63	200	0.63	200
LTCP Criteria	Benzene	≤1.9	≤2.8	≤8.2	≤12	≤14
Site Maximum	Ethylbenzene	310	12	310	12	310
LTCP Criteria	Ethylbenzene	≤21	≤32	≤89	≤134	≤314
Site Maximum	Naphthalene	---	1.5	---	1.5	1.5
LTCP Criteria	Naphthalene	≤9.7	≤9.7	≤45	≤45	≤219
Site Maximum	PAHs	----	----	----	----	----
LTCP Criteria	PAHs	≤0.063	NA	≤0.68	NA	≤4.5

If maximum concentrations are greater than those in Table 1, are they less than levels from a site-specific risk assessment? ----


If maximum concentrations are greater than those in Table 1, has a determination been made that the concentrations of petroleum in soil will have no significant risk of adversely affecting human health as a result of controlling exposure through the use of mitigation measures or through the use of institutional controls? Yes

Comments: The maximum concentration of gasoline remaining at the site is reported to be 3,800 milligrams per kilogram (mg/kg) at a depth of 2 feet below grade surface (bgs). The LUFT manual indicates that naphthalene is present at an average of 0.25% and a maximum of 0.36% in fresh gasoline product. This indicates that naphthalene may be present at a concentration up to 13.68 mg/kg in this sample. This is below the Table 1 criteria for a commercial facility. Poly-Aromatic Hydrocarbons (PAHs) were not analyzed for in soil samples. The maximum concentration of motor oil remaining at the site is reported to be 150 mg/kg at a depth of 6 feet bgs. The potential for PAH concentrations to be present above the Table 1 values is considered to be unlikely.


The maximum concentration of benzene and ethylbenzene documented at the site are reported to be 200 and 310 mg/kg. These concentrations are above Table 1 values for all categories. However, the analytical data is older (1998) and has likely degraded in the intervening 16 years. The residual concentrations are located beneath a dispenser and are generally isolated beneath pavement. Additionally, concentrations in groundwater downgradient of the dispenser do not indicate a significant source to be present. Therefore the site is considered to have a low risk to human health. Except for limited areas around the perimeter of the site, the site is entirely paved and exposure to site soils is prevented, except in controlled conditions. Additionally, exposure to contaminated soil and soil vapors is limited by low permeability pavements. As a commercial fueling facility, maintenance or construction workers employed at the facility are required by California regulations to be trained in health and safety concerns associated with volatile motor fuels, and thus are expected to be prepared for potential exposures in their standard work routines. Potential exposures to the general public are expected to be transitory and could occur only while temporarily present for the purpose of fueling their vehicles or obtaining related automotive services.



# ATTACHMENT 6








SOURCE: USGS QUADRANGLE MAP;  
 EAST OAKLAND, CALIFORNIA; DATE: 1997  
 SAN LEANDRO, CALIFORNIA; DATE: 1993

Figure 1  
 VICINITY MAP  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 Oakland, California







SOURCE: USGS QUADRANGLE MAP;  
 EAST OAKLAND, CALIFORNIA; DATE: 1997  
 SAN LEANDRO, CALIFORNIA; DATE: 1993

**LEGEND**

- A ▲ IRRIGATION WELL  
 (191 98TH STREET, OAKLAND, CA.)



Figure 13


**SENSITIVE RECEPTOR SURVEY MAP**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*




**LEGEND**

- MONITORING WELL LOCATION
- 7.0 — GROUNDWATER ELEVATION CONTOUR, IN FEET ABOVE MEAN SEA LEVEL (MSL),
- GROUNDWATER FLOW DIRECTION AND GRADIENT
- WELL**  

ELEV	GROUNDWATER ELEVATION (MSL)
TPHmo	TPHmo CONCENTRATION (µg/L)
TPHg	TPHg CONCENTRATION (µg/L)
BENZ	BENZENE CONCENTRATION (µg/L)
MTBE	MTBE CONCENTRATION (µg/L)
- LNAPL** LIGHT NON-AQUEOUS PHASE LIQUID
- J** ESTIMATED VALUE BETWEEN METHOD DETECTION LIMIT AND LABORATORY REPORTING LIMIT
- NA** NOT ANALYZED



HISTORICAL GROUNDWATER FLOW DIRECTION  
1995 - 3Q 2012




HEGENBERGER ROAD

EDGEWATER DRIVE


Figure 11

**GROUNDWATER ELEVATION CONTOUR AND  
HYDROCARBON CONCENTRATION MAP  
CHEVRON SERVICE STATION 91851  
451 HEGENBERGER ROAD  
Oakland, California  
September 13, 2012**



**LEGEND**


- MONITORING WELL LOCATION
- ⊗ DESTROYED MONITORING WELL LOCATION
- SOIL BORING LOCATION
- ▲ PRE-PROFILE SOIL BORING LOCATION
- ☒ SOIL SAMPLE LOCATION
- ☑ CONFIRMATION SOIL SAMPLE LOCATION
- E — ELECTRICAL LINE
- S — SEWER LINE
- ▨ PREVIOUS USED OIL UST EXCAVATION
- ☐ REMEDIAL EXCAVATION (2012)
- ☐ DIESEL UST EXCAVATION (2012) PROPERTY OWNER





**Figure 2**  
**SITE PLAN**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*







HISTORICAL GROUNDWATER FLOW DIRECTION  
1995 - 3Q 2011




- LEGEND**
- MW-1 ● MONITORING WELL LOCATION
  - SB-1 ■ SOIL BORING LOCATION
  - TB1-6 ⊕ COMPLIANCE OR STOCKPILE SOIL SAMPLE LOCATION

Figure  
**1**



**LEGEND**

- MONITORING WELL LOCATION
- DESTROYED MONITORING WELL LOCATION
- SOIL BORING LOCATION
- ▲ PRE-PROFILE SOIL BORING LOCATION
- ☒ SOIL SAMPLE LOCATION
- ☑ CONFIRMATION SOIL SAMPLE LOCATION
- E — ELECTRICAL LINE
- S — SEWER LINE
- ▨ PREVIOUS USED OIL UST EXCAVATION
- ☐ REMEDIAL EXCAVATION (2012)
- ☐ DIESEL UST EXCAVATION (2012) PROPERTY OWNER



**Figure 3**  
**GEOLOGIC CROSS-SECTION LOCATIONS**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*





**EXPLANATION**

	ASPH - ASPHALT / CONCRETE		Well ID — Well Designation
	FILL - GRAVEL, SAND, AND SILT MIXTURE; SP; OR SW		Elev. — Top of Casing Elevation
	SP - POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES		Groundwater Monitoring Well
	SW - WELL-GRADED SAND, GRAVELLY SANDS, LITTLE OR NO FINES		Well Screen Interval
	SM - SILTY SANDS, SAND-SILT MIXTURES		Bottom of boring
	SC - CLAYEY SANDS, SAND-CLAY MIXTURES		Approximate sample location
	ML CL - INORGANIC SILT, AND CLAY MIXTURES WITH LOW TO MODERATE PLASTICITY		TPHmo concentrations in soil, in milligrams per kilogram (mg/kg)
	GW - WELL GRADED GRAVEL WITH SAND		Depth to groundwater (9/13/12)

NOTE: Depths of sewer and electrical line are approximate.






Figure 4A  
**GEOLOGIC CROSS-SECTION A-A' PRE-EXCAVATION**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*







**EXPLANATION**

	ASPH - ASPHALT / CONCRETE		Well ID
	FILL - GRAVEL, SAND, AND SILT MIXTURE; SP; OR SW		Elev. (offset)
	SP - POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES		Groundwater Monitoring Well
	SW - WELL-GRADED SAND, GRAVELLY SANDS, LITTLE OR NO FINES		Well Screen Interval
	SM - SILTY SANDS, SAND-SILT MIXTURES		Bottom of boring
	SC - CLAYEY SANDS, SAND-CLAY MIXTURES		Approximate sample location
	ML:CL - INORGANIC SILT, AND CLAY MIXTURES WITH LOW TO MODERATE PLASTICITY		TPHmo concentrations in soil, in milligrams per kilogram (mg/kg)
	GW - WELL GRADED GRAVEL WITH SAND		TPHmo concentrations in groundwater (9/13/12)

NOTE: Depths of sewer and electrical line are approximate. Depth to groundwater (9/13/12)




Figure 4B

GEOLOGIC CROSS-SECTION A-A' POST-EXCAVATION  
CHEVRON SERVICE STATION 91851  
451 HEGENBERGER ROAD  
Oakland, California











Figure 5A  
**GEOLOGIC CROSS-SECTION B-B' PRE-EXCAVATION**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*







**EXPLANATION**

	ASPH - ASPHALT / CONCRETE		Well ID — Well Designation
	FILL - GRAVEL, SAND, AND SILT MIXTURE; SP, SW, OR PEA GRAVEL		Elev. — Top of Casing Elevation
	SP - POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES		Groundwater Monitoring Well
	SW - WELL-GRADED SAND, GRAVELLY SANDS, LITTLE OR NO FINES		Well Screen Interval
	SM - SILTY SANDS, SAND-SILT MIXTURES		Bottom of boring
	SC - CLAYEY SANDS, SAND-CLAY MIXTURES		Approximate sample location
	ML:CL - INORGANIC SILT, AND CLAY MIXTURES WITH LOW TO MODERATE PLASTICITY		TPH <sub>10</sub> isoconcentration contour, in milligrams per kilogram (mg/kg) (dashed where inferred)
	OH - ORGANIC SOIL		TPH <sub>10</sub> concentrations in soil, in milligrams per kilogram (mg/kg)
NOTE: Depths of sewer and electrical line are approximate.			TPH <sub>10</sub> DATE
			Depth to groundwater (9/13/12)





Figure 5B  
**GEOLOGIC CROSS-SECTION B-B' POST-EXCAVATION**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*



**LEGEND**


- MONITORING WELL LOCATION
  - ⊗ DESTROYED MONITORING WELL LOCATION
  - SOIL BORING LOCATION
  - ▲ PRE-PROFILE SOIL BORING LOCATION
  - ⊠ SOIL SAMPLE LOCATION
  - ⊡ CONFIRMATION SOIL SAMPLE LOCATION
  - E — ELECTRICAL LINE
  - S — SEWER LINE
  - ▨ PREVIOUS USED OIL UST EXCAVATION
  - ⬡ REMEDIAL EXCAVATION (2012)
  - ⬢ DIESEL UST EXCAVATION (2012)
  - 100 — CHEMICAL CONCENTRATION CONTOUR (mg/kg); DASHED WHERE INFERRED
- | SAMPLE | SAMPLE DESIGNATION          |
|--------|-----------------------------|
| TPHmo  | TPHmo CONCENTRATION (mg/kg) |
| DEPTH  | SAMPLE DEPTH (ft)           |
| DATE   | SAMPLE DATE                 |






**LEGEND**

- MONITORING WELL LOCATION
  - ⊗ DESTROYED MONITORING WELL LOCATION
  - SOIL BORING LOCATION
  - ▲ PRE-PROFILE SOIL BORING LOCATION
  - ⊠ SOIL SAMPLE LOCATION
  - ⊡ CONFIRMATION SOIL SAMPLE LOCATION
  - E — ELECTRICAL LINE
  - S — SEWER LINE
  - ▨ PREVIOUS USED OIL UST EXCAVATION
  - ⊞ REMEDIAL EXCAVATION (2012)
  - ⊞ DIESEL UST EXCAVATION (2012) PROPERTY OWNER
  - 100 — CHEMICAL CONCENTRATION CONTOUR (mg/kg); DASHED WHERE INFERRED
- | SAMPLE | SAMPLE DESIGNATION         |
|--------|----------------------------|
| TPHd   | TPHd CONCENTRATION (mg/kg) |
| DEPTH  | SAMPLE DEPTH (fbg)         |
| DATE   | SAMPLE DATE                |



**LEGEND**


- MONITORING WELL LOCATION
  - DESTROYED MONITORING WELL LOCATION
  - SOIL BORING LOCATION
  - ▲ PRE-PROFILE SOIL BORING LOCATION
  - ☒ SOIL SAMPLE LOCATION
  - ☑ CONFIRMATION SOIL SAMPLE LOCATION
  - E — ELECTRICAL LINE
  - S — SEWER LINE
  - ▨ PREVIOUS USED OIL UST EXCAVATION
  - ▭ REMEDIAL EXCAVATION (2012)
  - ▭ DIESEL UST EXCAVATION (2012)
  - 100 — CHEMICAL CONCENTRATION CONTOUR (mg/kg); DASHED WHERE INFERRED
- | SAMPLE | SAMPLE DESIGNATION | TPHd CONCENTRATION (mg/kg) | SAMPLE DEPTH (fbg) | SAMPLE DATE |
|--------|--------------------|----------------------------|--------------------|-------------|
| TPHd   |                    |                            |                    |             |
| DEPTH  |                    |                            |                    |             |
| DATE   |                    |                            |                    |             |





**LEGEND**

- MONITORING WELL LOCATION
- DESTROYED MONITORING WELL LOCATION
- SOIL BORING LOCATION
- ▲ PRE-PROFILE SOIL BORING LOCATION
- ☒ SOIL SAMPLE LOCATION
- ☑ CONFIRMATION SOIL SAMPLE LOCATION
- | SAMPLE | SAMPLE DESIGNATION            |
|--------|-------------------------------|
| BENZ   | BENZENE CONCENTRATION (mg/kg) |
| DEPTH  | SAMPLE DEPTH (ft)             |
| DATE   | SAMPLE DATE                   |
- E — ELECTRICAL LINE
- S — SEWER LINE
- ▨ PREVIOUS USED OIL UST EXCAVATION
- ▭ REMEDIAL EXCAVATION (2012)
- ▭ DIESEL UST EXCAVATION (2012)
- 100 — CHEMICAL CONCENTRATION CONTOUR (mg/kg); DASHED WHERE INFERRED



**Figure 9**  
**MAXIMUM BENZENE CONCENTRATIONS IN SOIL**  
**POST-EXCAVATION**  
**CHEVRON SERVICE STATION 91851**  
**451 HEGENBERGER ROAD**  
*Oakland, California*




Figure 10  
 MAXIMUM MTBE CONCENTRATIONS IN SOIL  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 Oakland, California






Figure 12  
 DISSOLVED MTBE CONCENTRATIONS  
 IN GROUNDWATER MAP  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 Oakland, California

---

# ATTACHMENT 7



TABLE 1

**MONITORING WELL CONSTRUCTION DETAIL  
CHEVRON SERVICE STATION 91851  
451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

<i>Well ID</i>	<i>Date Installed</i>	<i>Consultant</i>	<i>Well Casing Diameter (inches)</i>	<i>Depth (fbg)</i>	<i>Screen Interval (fbg)</i>	<i>Top of Casing (msl)</i>	<i>Status</i>	<i>Top of Screen</i>	<i>Screen Length</i>
MW-1	10/12/1995	Gettler-Ryan	2	15.5	3.0-15.0	8.61	Active	3	12
MW-2	10/12/1995	Gettler-Ryan	2	18.5	3.0-15.0	9.52	Destroyed (Sept. 2012)	3	12
MW-3	10/11/1995	Gettler-Ryan	2	16.5	3.0-15.0	9.08	Destroyed (Sept. 2012)	3	12
MW-4	10/11/1995	Gettler-Ryan	2	16.5	3.0-15.0	9.48	Active	3	12
MW-5	10/17/2000	Delta	2	10.0	2.5-10.0	8.77	Active	2.5	7.5
MW-6	10/17/2000	Delta	2	10.0	2.5-10.0	11.45	Active	2.5	7.5
MW-7	10/17/2000	Delta	2	13.0	3-13.0	10.58	Destroyed (Oct. 2012)	3	10

**Notes:**

fbg = Feet below grade  
msl = mean sea level

TABLE 2

SOIL ANALYTICAL DATA - PETROLEUM HYDROCARBONS  
and METALS  
CHEVRON STATION 91851  
451 HEGENBERGER DRIVE  
OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo with Silica gel	TPHd with Silica gel	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	Ethanol	Naphtha- lene	VOCs	HVOCs	Methanol	MEK	Cd	Cr	Pb	Ni	Zn	
																											Reported in milligrams per kilogram (mg/kg)
<b>Tank Case Closure Policy - Table</b>																											
<b>1" - Commercial/Industrial (0 to 5 fbg)</b>																											
			NE	NE	NE	NE	8.2	NE	89	NE	NE	NE	NE	NE	NE	NE	45	0.68	NE	NE	NE	NE	NE	NE	NE	NE	
<b>Low-Threat Underground Storage Tank Case Closure Policy - Table</b>																											
<b>1" - Utility Worker (0 to 10 fbg)</b>																											
			NE	NE	NE	NE	14	NE	314	NE	NE	NE	NE	NE	NE	NE	219	4.5	NE	NE	NE	NE	NE	NE	NE		
<b>2012 CRA Remedial Excavation</b>																											
EX-1	11/9/2012	9	--	<20	--	<8.0	<1	0.008	<0.001	<0.001	<0.001	0.01	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-2	11/9/2012	9	--	<20	--	<8.0	<1	0.004	<0.001	<0.001	<0.001	0.002	--	--	--	--	<0.003	--	--	--	--	--	--	--	--		
EX-3	11/9/2012	9	--	<20	--	<8.0	<1.0	0.002	<0.001	<0.001	<0.001	0.007	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-4	11/9/2012	9	--	<20	--	<8.0	26	0.0007	<0.001	<0.001	<0.001	0.005	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-5	11/14/2012	9	--	<20	--	<8.0	<1	0.003	<0.001	<0.001	<0.001	0.001	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-6	11/14/2012	9	--	<20	--	<8.0	<1.0	0.003	<0.0009	<0.0009	<0.0009	0.001	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-7	11/14/2012	9	--	<20	--	<8.0	<1	0.012	0.002	0.001	0.001	0.018	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-8	11/14/2012	9	--	<20	--	<8.0	<1	0.001	<0.0009	<0.0009	<0.0009	0.021	--	--	--	--	<0.007	--	--	--	--	--	--	--	--		
EX-9	11/21/2012	9	--	<20	--	<8.0	<1.0	<0.0005	<0.001	<0.001	<0.001	0.006	--	--	--	--	<0.003	--	--	--	--	--	--	--	--		
EX-10	11/21/2012	9	--	<20	--	<8.0	<1	<0.0005	<0.001	<0.001	<0.001	0.009	--	--	--	--	<0.003	--	--	--	--	--	--	--	--		
EX-11	11/21/2012	9	--	<20	--	11	<1.0	0.002	<0.001	<0.001	<0.001	0.045	--	--	--	--	0.019	--	--	--	--	--	--	--	--		
EX-12	11/21/2012	9	--	<20	--	<7.6	<1.0	<0.005	<0.001	<0.001	<0.001	0.002	--	--	--	--	<0.003	--	--	--	--	--	--	--	--		
<b>2012 CRA Soil Borings</b>																											
B-6	8/16/2012	3	--	50	--	18	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-6	8/16/2012	6	--	<10	--	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-6	8/16/2012	9	--	<10	--	4.2	<1.0	0.015	<0.001	<0.001	<0.001	0.057	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-7	8/16/2012	3.5	--	<10	--	<4.0	<1.0	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-7	8/16/2012	6	--	27	--	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	0.0008	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-7	8/16/2012	9	--	<10	--	<4.0	<1	0.037	0.001	<0.001	<0.001	0.030	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-8	8/17/2012	3	--	52	--	14	<1	<0.0005	<0.001	<0.001	<0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-8	8/17/2012	6	--	<10	--	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-8	8/17/2012	9	--	<10	--	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	0.002	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-9	8/17/2012	3	--	<10	--	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-9	8/17/2012	6	--	<10	--	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	0.001	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-9	8/17/2012	9	--	<10	--	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	0.003	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-10	8/17/2012	3	--	<10	--	5.4	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-10	8/17/2012	6	--	1,900	--	1,100	54	<0.0005	<0.0009	<0.0009	0.003	0.003	<0.019	<0.001	<0.0009	0.001	<0.095	<0.0009	See Table 3	--	--	--	0.526	41.5	35.4	42.1	39
B-10	8/17/2012	9	--	480	--	340	3.0	0.003	<0.001	<0.001	<0.001	0.061	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B-11	8/16/2012	3	--	<10	--	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--		
B-11	8/16/2012	6	--	150	--	130	8.5	0.015	<0.001	0.090	0.008	0.0008	<0.020	<0.0009	<0.001	<0.001	<0.098	0.19	See Table 3	--	--	--	0.701	40.6	15.0	42.1	39
B-11	8/16/2012	9	--	11	--	12	3.8	0.63	0.004	0.090	0.017	0.37	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
B-12	8/16/2012	3	--	<10	--	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	



TABLE 2

SOIL ANALYTICAL DATA - PETROLEUM HYDROCARBONS  
and METALS  
CHEVRON STATION 91851  
451 HEGENBERGER DRIVE  
OAKLAND, CALIFORNIA

Sample ID	Date	Depth (ftg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	Ethanol	Naphtha- lene	VOCs	HVOCs	Methanol	MEK	Cd	Cr	Pb	Ni	Zn
				with Silica gel	with Silica gel																					
Reported in milligrams per kilogram (ng/kg)																										
<i>Tank Case Closure Policy - Table</i>																										
<i>1" - Commerical/Industrial (0 to 5 ftg)</i>																										
			NE	NE	NE	NE	8.2	NE	89	NE	NE	NE	NE	NE	NE	NE	45	0.68	NE	NE	NE	NE	NE	NE	NE	NE
<i>Low-Threat Underground Storage Tank Case Closure Policy - Table</i>																										
<i>1" - Utility Worker (0 to 10 ftg)</i>																										
			NE	NE	NE	NE	14	NE	314	NE	NE	NE	NE	NE	NE	NE	219	4.5	NE	NE	NE	NE	NE	NE	NE	NE
B-12	8/16/2012	6	-	<10	-	<4.0	9.5	0.006	<0.001	0.14	0.002	0.002	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	8/16/2012	9	-	<10	-	<4.0	1.0	0.006	0.001	0.018	0.001	0.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	8/16/2012	3	-	<10	-	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	8/16/2012	6	-	<10	-	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	8/16/2012	9	-	<10	-	7.4	<1.0	<0.0005	<0.001	<0.001	<0.001	0.010	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	8/16/2012	3	-	<10	-	15	5.4	0.001	<0.001	0.18	1.1	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	8/16/2012	6	-	<10	-	140	160	0.058	<0.052	12	37	<0.026	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	8/16/2012	9	-	<10	-	4.3	100	<0.024	<0.047	2.8	9.9	0.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	8/17/2012	3	-	<10	-	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	8/17/2012	4.5	-	<10	-	34	15	0.020	<0.001	0.083	0.003	0.002	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	8/17/2012	6	-	<10	-	6.4	15	0.040	<0.001	0.28	0.020	0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	8/17/2012	9	-	<10	-	<4.0	3.5	0.008	<0.001	0.083	0.009	0.083	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-16	8/17/2012	3	-	<10	-	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-16	8/17/2012	6	-	<10	-	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-16	8/17/2012	9	-	<10	-	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	0.021	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-17	8/17/2012	3	-	<10	-	12	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-17	8/17/2012	6	-	<10	-	<4.0	<1	<0.0005	<0.0009	<0.0009	<0.0009	<0.0005	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-22	8/17/2012	3	-	<10	-	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	0.003	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-22	8/17/2012	6	-	52	-	17	<1	<0.0005	<0.001	<0.001	<0.001	0.001	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-22	8/17/2012	9	-	<10	-	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	0.032	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	3/26/2012	5	-	510	-	300	<10	<0.0005	<0.001	<0.001	<0.001	0.0008	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-1	3/26/2012	10	-	<9.8	-	7.6	<1.0	<0.0005	<0.001	<0.001	<0.001	0.001	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-1	3/26/2012	15	-	<10	-	10	1.1	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-1	3/26/2012	19.5	-	34	-	22	4.3	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-2	3/26/2012	5	-	15,000	-	9,900	52	0.016	0.002	0.006	0.041	0.002	<0.019	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-2	3/26/2012	10	-	<9.9	-	5.0	<0.9	0.021	<0.001	<0.001	<0.001	0.009	<0.021	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-2	3/26/2012	15	-	<9.8	-	8.4	<1	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-2	3/26/2012	19.5	-	<9.9	-	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-3	3/26/2012	5	-	4,800	-	3,200	330	<0.026	<0.053	<0.053	<0.053	<0.026	<1.1	<0.053	<0.053	<0.053	-	-	-	-	-	-	-	-	-	-
B-3	3/26/2012	10	-	<10	-	9.4	<1	0.002	<0.001	<0.001	<0.001	0.005	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-3	3/26/2010	15	-	<9.9	-	4.5	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.019	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-
B-3	3/26/2012	19.5	-	<9.8	-	<3.9	<1.1	<0.0005	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	-	-	-	-	-	-	-	-	-	-

TABLE 2

SOIL ANALYTICAL DATA - PETROLEUM HYDROCARBONS  
and METALS  
CHEVRON STATION 91851  
451 HEGENBERGER DRIVE  
OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo with Silica		TPHd with Silica		TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	Ethanol	Naphtha- lene	VOCs	HVOCs	Methanol	MEK	Cd	Cr	Pb	Ni	Zn	
				gel	TPHd gel	TPHd gel	TPHd gel																						
<b>Tank Case Closure Policy - Table</b>																													
<b>1<sup>a</sup> - Commerical/Industrial (0 to 5 fbg)</b>																													
			NE	NE	NE	NE	NE	NE	8.2	NE	89	NE	NE	NE	NE	NE	NE	NE	NE	45	0.68	NE	NE	NE	NE	NE	NE	NE	
<b>Low-Threat Underground Storage Tank Case Closure Policy - Table</b>																													
<b>1<sup>a</sup> - Utility Worker (0 to 10 fbg)</b>																													
			NE	NE	NE	NE	NE	NE	14	NE	314	NE	NE	NE	NE	NE	NE	NE	NE	219	4.5	NE	NE	NE	NE	NE	NE	NE	
B-4	3/27/2012	5	--	<10	--	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.001	0.003	<0.021	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-4	3/27/2012	10	--	<9.9	--	4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-4	3/27/2012	15	--	<10	--	4.1	<0.9	<0.0005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-4	3/27/2012	19.5	--	<10	--	4.7	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-5	3/27/2012	5	--	<9.9	--	<4.0	<1	<0.0005	<0.001	<0.001	<0.001	<0.001	0.0009	<0.021	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-5	3/27/2012	10	--	<10	--	<4.0	<1.0	<0.0005	<0.001	<0.001	<0.001	<0.001	0.0005	<0.019	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-5	3/27/2012	15	--	<10	--	4.1	<1	<0.0005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.020	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
B-5	3/27/2012	19.5	--	<10	--	5.1	<1	<0.0005	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.021	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	--	--	
<b>2001 Delta Monitoring Well Installation and Groundwater Sampling Results - Revised</b>																													
MW-5.4	10/17/2000	4	--	--	--	--	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	0.147	<10.0	<0.1	<0.1	<0.1	<150	--	--	--	--	--	--	--	--	--	--	--
MW-6.4.5	10/17/2000	4.5	--	--	--	--	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<10.0	<0.1	<0.1	<0.1	<150	--	--	--	--	--	--	--	--	--	--	--
MW-7-6.0	10/17/2000	6	--	--	--	--	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1	<10.0	<0.1	<0.1	<0.1	<150	--	--	--	--	--	--	--	--	--	--	--
MW-7-9.0	10/17/2000	9	--	--	--	--	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	0.172	<10.0	<0.1	<0.1	<0.1	<150	--	--	--	--	--	--	--	--	--	--	--
<b>1998 Geo-Logic Report of Soil Sampling below Waste Oil Tank and Fuel Dispensers</b>																													
WCE	12/17/1998	5	240*	--	<0.1**	--	<0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.1***	--	--	--	--	--	--	40.5	--	--	0.89	1.2	2	14	39		
Disp NW	12/17/1998	2	--	--	--	--	200	<0.005	<0.005	27	14	<0.1***	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Disp NE	12/17/1998	2	--	--	--	--	2,700	200	64	310	290	<0.1***	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Disp SW	12/17/1998	2	--	--	--	--	120	<0.005	27	41	33	<0.1***	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Disp SE	12/17/1998	2	--	--	--	--	3,800	170	93	240	270	<0.1***	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
<b>1995 Gettler-Ryan Preliminary Investigation</b>																													
SB1-5.5	10/12/1995	5.5	--	--	--	--	<1	<0.0050	<0.0050	<0.0050	<0.0050	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW1-4	10/12/1995	4	--	--	--	--	<1	<0.0050	<0.0050	<0.0050	<0.0050	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW2-5.5	10/12/1995	5.5	2,100	--	77	--	8.4	<0.005	<0.0050	0.0097	0.025	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
MW3-5	10/12/1995	5	--	--	--	--	<1	<0.0050	<0.0050	<0.0050	<0.0050	--	--	--	--	--	--	--	ND	--	--	<1.0	<0.20	--	--	--	--	--	
MW4-5	10/12/1995	5	--	--	--	--	<1	<0.0050	<0.0050	<0.0050	<0.0050	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

**Notes:**

Total oil and grease (TOG) by EPA Standard Method 5520E&amp;F unless otherwise noted

Total petroleum hydrocarbons as diesel (TPHd) and gasoline (TPHg) by EPA Method 8015M unless otherwise noted

Benzene, toluene, ethylbenzene, xylenes (BTEX) by EPA Method 8020 prior to year 2000, by EPA Method 8260 after year 1998

Methyl tertiary butyl ether (MTBE) by EPA Method 8260 unless otherwise noted

Tertiary butyl alcohol (TBA), di-isopropyl ether (DIPE), ethyl tertiary butyl ether (ETBE), tert-amyl methyl ether (TAME) and ethanol by EPA Method 8260

Volatile organic compounds (VOCs) by EPA Method 8240 unless otherwise noted

Halogenated volatile organic compounds (HVOCs) by EPA Method 8010 unless otherwise noted

Methanol by EPA Method 8015



TABLE 2

SOIL ANALYTICAL DATA - PETROLEUM HYDROCARBONS  
and METALS  
CHEVRON STATION 91851  
451 HEGENBERGER DRIVE  
OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	Ethanol	Naphtha- lene	VOCs	HVOCs	Methanol	MEK	Cd	Cr	Pb	Ni	Zn	
				with Silica gel	with Silica gel																						
<i>Tank Case Closure Policy - Table</i>																											
1 <sup>a</sup> - Commercial/Industrial (0 to 5 fbg)			NE	NE	NE	NE	8.2	NE	89	NE	NE	NE	NE	NE	NE	NE	45	0.68	NE	NE	NE	NE	NE	NE	NE	NE	
<i>Low-Threat Underground Storage Tank Case Closure Policy - Table</i>																											
1 <sup>a</sup> - Utility Worker (0 to 10 fbg)			NE	NE	NE	NE	14	NE	314	NE	NE	NE	NE	NE	NE	NE	219	4.5	NE	NE	NE	NE	NE	NE	NE		

Methyl ethyl ketone (MEK) by EPA Method 8015

Cadmium (Cd), chromium (Cr), lead (Pb), nickel (Ni), zinc (Zn) by EPA 7000 Series Methods

fbg = Feet below grade

-- = Not analyzed

<x = Not detected above laboratory method detection limit x

Strike through = Soil removed during the Chevron remedial excavation activities in 2012

\* = TOG analyzed by EPA Method 8020

\*\* = TPHd analyzed by EPA Method 8020

\*\*\* = MTBE analyzed by EPA Method 8020

ND = No constituents detected above various detection limits

a = Table 1 - Concentration of Petroleum Constituents in Soil That Will Have No Significant Risk of Adversely Affecting Human Health,

Low-Threat Underground Storage Tank Case Closure Policy, California State Water Resource Control Board, August 17, 2012

b = 9.2 mg/kg chloroform, no other analyzed HVOCs detected

NE = Not Evaluated







TABLE 4

SOIL ANALYTICAL DATA - SEMI-VOLATILE ORGANIC COMPOUNDS  
 CHEVRON STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	4-Bromophenyl-phenylether	Butylbenzylphthalate	Di-n-butylphthalate	Carbazole	4-Chloro-3-methylphenol	4-Chloroaniline	Bis (2-Chloro-3-methylphenol)	Bis (2-Chloroethyl) ether	2-Chloronaphthalene	2-Chlorophenol	4-Chlorophenyl-phenylether	2,2'-oxybis (1-Chloropropane)	Chrysene	Dibenz (a,h) anthracene	Dibenzofuran	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	3,3'-Dichlorophenol	2,4-Dichlorophenol	Diethyl phthalate	2,4-Dimethylphenol	Dimethylphthalate		
<i>Low-Threat Underground Storage Tank Case Closure Policy - Table 1<sup>a</sup> - Commerical/Industrial (0 to 5 fbg)</i>			NE	NE	NE	0.68	0.68	0.68	NE	0.68	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	0.68	0.68	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
<i>Low-Threat Underground Storage Tank Case Closure Policy - Table 1<sup>a</sup> - Utility Worker (0 to 10 fbg)</i>			NE	NE	NE	4.5	4.5	4.5	NE	4.5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	4.5	4.5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
B-10	08/17/12	6	0.045	0.058	0.19	0.70	0.32	0.31	0.65	0.098	<0.083	<0.33	<0.33	<0.083	<0.083	<0.083	<0.083	<0.083	<0.083	<0.083	<0.083	<0.083	0.53	<0.017	<0.083	<0.083	<0.083	<0.083	<0.083	<0.50	<0.083	<0.33	<0.083	<0.33	
B-11	08/16/12	6	<0.003	0.015	0.031	0.015	0.012	0.013	0.033	0.003	<0.017	<0.067	<0.067	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	<0.017	0.013	<0.003	<0.017	<0.017	<0.017	<0.017	<0.017	<0.10	<0.017	<0.067	<0.017	<0.067	



TABLE 4

SOIL ANALYTICAL DATA - SEMI-VOLATILE ORGANIC COMPOUNDS  
 CHEVRON STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Sample ID	Date	Depth (ftg)	4,6-Dinitro-2-methylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	bis (2-Ethylhexyl) phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno (1,2,3-cd) pyrene	Isophorone	2-Methylphthalene	2-Methylphenol	4-Methylphenol	Naphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Nitrobenzene	2-Nitrophenol	4-Nitrophenol	N-nitroso-di-n-propylamine	N-Nitrosodiphenylamine	Di-n-octylphthalate	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	1,2,4-Trichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol			
<i>Low-Threat Underground Storage Tank Case Closure Policy - Table 1" - Commerical/Industrial (0 to 5 ftg)</i>			NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	0.68	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	
<i>Low-Threat Underground Storage Tank Case Closure Policy - Table 1" - Utility Worker (0 to 10 ftg)</i>			NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	4.5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
B-10	08/17/12	6	<0.083	<1.5	<0.33	<0.083	3.6	0.51	0.17	<0.017	<0.083	<0.83	<0.17	0.14	<0.083	<0.017	<0.083	<0.083	0.027	<0.083	<0.33	<0.33	<0.083	<0.083	<0.83	<0.083	0.24	<0.33	<0.17	<0.017	<0.083	0.96	<0.083	<0.083	<0.083			
B-11	08/16/12	6	<0.17	<0.30	<0.067	<0.017	0.073	0.026	0.039	<0.003	<0.017	<0.17	<0.033	0.009	<0.017	1.8	<0.017	<0.017	1.5	<0.017	<0.067	<0.067	<0.017	<0.017	<0.17	<0.017	<0.017	<0.067	<0.033	0.069	<0.017	0.041	<0.017	<0.017	<0.017			

**Notes:**  
 All analytes were analyzed by EPA Method 8260 Full Scan.  
 <x = Not detected above method detection limit  
 Concentrations are in milligrams per kilogram  
 Strike through = Soil removed during the Chevron remedial excavation activities in 2012  
 NE = Not Evaluated  
 a = Table 1 - Concentration of Petroleum Constituents in Soil That Will Have No Significant Risk of Adversely Affecting Human Health,  
 Low-Threat Underground Storage Tank Case Closure Policy, California State Water Resource Control Board, August 17, 2012

# Pangea

**Table 1. Soil Analytical Data - 451 Hegenberger Road, Oakland, California**

Sample ID	Date Sampled	Sample Depth (ft)	TPHd	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	Other VOCs
			← mg/kg →						
<b>UST Compliance Samples</b>									
TB1-6	9/18/2012	6.0	3.6	<0.005	<0.005	<0.005	<0.005	<0.05	ND
TB2-6	9/18/2012	6.0	5.5	<0.005	<0.005	<0.005	<0.005	<0.05	TBA (0.25)
<b>Stockpile Samples</b>									
1A,B,C,D	9/18/2012	--	4.9	<0.005	<0.005	<0.005	<0.005	<0.05	ND

**Notes, Abbreviations and Methods:**

mg/kg = Milligrams per kilogram, approximately equivalent to parts per million (ppm).  
 TPHd = Total petroleum hydrocarbons as diesel by EPA Method 8015Cm.  
 BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8021B.  
 MTBE = Methyl tertiary-butyl ether by EPA Method 8021B.  
 Other VOCs = Other volatile organic compounds (VOCs) detected by EPA method 8206B.  
 TBA = tertiary butyl alcohol by EPA Method 8260B.  
 -- = Not available or not analyzed.  
 < n = Chemical not present at a concentration in excess of detection limit shown.  
 ND = Not detected above reporting limit/method detection limit.





Pangea Environmental Svcs., Inc. 1710 Franklin Street, Ste. 200 Oakland, CA 94612	Client Project ID: #1465.001; Grewel-451 Hegenberger	Date Sampled: 09/18/12
	Client Contact: Tina De La Fuente	Date Received: 09/18/12
	Client P.O.:	Date Extracted: 09/18/12
		Date Analyzed: 09/19/12

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1209438

Lab ID	1209438-002A						
Client ID	TB1-6						
Matrix	Soil						
Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	Chloroform	ND	1.0	0.005
Chloromethane	ND	1.0	0.005	2-Chlorotoluene	ND	1.0	0.005
4-Chlorotoluene	ND	1.0	0.005	Dibromochloromethane	ND	1.0	0.005
1,2-Dibromo-3-chloropropane	ND	1.0	0.004	1,2-Dibromoethane (EDB)	ND	1.0	0.004
Dibromomethane	ND	1.0	0.005	1,2-Dichlorobenzene	ND	1.0	0.005
1,3-Dichlorobenzene	ND	1.0	0.005	1,4-Dichlorobenzene	ND	1.0	0.005
Dichlorodifluoromethane	ND	1.0	0.005	1,1-Dichloroethane	ND	1.0	0.005
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.004	1,1-Dichloroethene	ND	1.0	0.005
cis-1,2-Dichloroethene	ND	1.0	0.005	trans-1,2-Dichloroethene	ND	1.0	0.005
1,2-Dichloropropane	ND	1.0	0.005	1,3-Dichloropropane	ND	1.0	0.005
2,2-Dichloropropane	ND	1.0	0.005	1,1-Dichloropropene	ND	1.0	0.005
cis-1,3-Dichloropropene	ND	1.0	0.005	trans-1,3-Dichloropropene	ND	1.0	0.005
Diisopropyl ether (DIPE)	ND	1.0	0.005	Ethylbenzene	ND	1.0	0.005
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005	Freon 113	ND	1.0	0.1
Hexachlorobutadiene	ND	1.0	0.005	Hexachloroethane	ND	1.0	0.005
2-Hexanone	ND	1.0	0.005	Isopropylbenzene	ND	1.0	0.005
4-Isopropyl toluene	ND	1.0	0.005	Methyl-t-butyl ether (MTBE)	ND	1.0	0.005
Methylene chloride	ND	1.0	0.005	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005
Naphthalene	ND	1.0	0.005	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes, Total	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	102	%SS2:	107
%SS3:	112		

Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.



Pangea Environmental Svcs., Inc.  
1710 Franklin Street, Ste. 200  
Oakland, CA 94612

Client Project ID: #1465.001; Grewel-451 Hegenberger  
Client Contact: Tina De La Fuente  
Client P.O.:

Date Sampled: 09/18/12  
Date Received: 09/18/12  
Date Extracted: 09/18/12  
Date Analyzed: 09/19/12

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1209438

Lab ID	1209438-003A						
Client ID	TB2-6						
Matrix	Soil						
Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	0.25	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	Chloroform	ND	1.0	0.005
Chloromethane	ND	1.0	0.005	2-Chlorotoluene	ND	1.0	0.005
4-Chlorotoluene	ND	1.0	0.005	Dibromochloromethane	ND	1.0	0.005
1,2-Dibromo-3-chloropropane	ND	1.0	0.004	1,2-Dibromoethane (EDB)	ND	1.0	0.004
Dibromomethane	ND	1.0	0.005	1,2-Dichlorobenzene	ND	1.0	0.005
1,3-Dichlorobenzene	ND	1.0	0.005	1,4-Dichlorobenzene	ND	1.0	0.005
Dichlorodifluoromethane	ND	1.0	0.005	1,1-Dichloroethane	ND	1.0	0.005
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.004	1,1-Dichloroethene	ND	1.0	0.005
cis-1,2-Dichloroethene	ND	1.0	0.005	trans-1,2-Dichloroethene	ND	1.0	0.005
1,2-Dichloropropane	ND	1.0	0.005	1,3-Dichloropropane	ND	1.0	0.005
2,2-Dichloropropane	ND	1.0	0.005	1,1-Dichloropropene	ND	1.0	0.005
cis-1,3-Dichloropropene	ND	1.0	0.005	trans-1,3-Dichloropropene	ND	1.0	0.005
Diisopropyl ether (DIPE)	ND	1.0	0.005	Ethylbenzene	ND	1.0	0.005
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005	Freon 113	ND	1.0	0.1
Hexachlorobutadiene	ND	1.0	0.005	Hexachloroethane	ND	1.0	0.005
2-Hexanone	ND	1.0	0.005	Isopropylbenzene	ND	1.0	0.005
4-Isopropyl toluene	ND	1.0	0.005	Methyl-t-butyl ether (MTBE)	ND	1.0	0.005
Methylene chloride	ND	1.0	0.005	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005
Naphthalene	ND	1.0	0.005	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes, Total	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	102	%SS2:	108
%SS3:	116		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.





Pangea Environmental Svcs., Inc.  1710 Franklin Street, Ste. 200  Oakland, CA 94612	Client Project ID: #1465.001; Grewel - 451 Hegenberger	Date Sampled: 09/18/12
	Client Contact: Tina De La Fuente	Date Received: 09/18/12
	Client P.O.:	Date Extracted: 09/18/12
		Date Analyzed: 09/20/12

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1209445

Lab ID	1209445-001A
Client ID	1A, B, C, D
Matrix	Soil

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	0.05	tert-Amyl methyl ether (TAME)	ND	1.0	0.005
Benzene	ND	1.0	0.005	Bromobenzene	ND	1.0	0.005
Bromochloromethane	ND	1.0	0.005	Bromodichloromethane	ND	1.0	0.005
Bromoform	ND	1.0	0.005	Bromomethane	ND	1.0	0.005
2-Butanone (MEK)	ND	1.0	0.02	t-Butyl alcohol (TBA)	ND	1.0	0.05
n-Butyl benzene	ND	1.0	0.005	sec-Butyl benzene	ND	1.0	0.005
tert-Butyl benzene	ND	1.0	0.005	Carbon Disulfide	ND	1.0	0.005
Carbon Tetrachloride	ND	1.0	0.005	Chlorobenzene	ND	1.0	0.005
Chloroethane	ND	1.0	0.005	Chloroform	ND	1.0	0.005
Chloromethane	ND	1.0	0.005	2-Chlorotoluene	ND	1.0	0.005
4-Chlorotoluene	ND	1.0	0.005	Dibromochloromethane	ND	1.0	0.005
1,2-Dibromo-3-chloropropane	ND	1.0	0.004	1,2-Dibromoethane (EDB)	ND	1.0	0.004
Dibromomethane	ND	1.0	0.005	1,2-Dichlorobenzene	ND	1.0	0.005
1,3-Dichlorobenzene	ND	1.0	0.005	1,4-Dichlorobenzene	ND	1.0	0.005
Dichlorodifluoromethane	ND	1.0	0.005	1,1-Dichloroethane	ND	1.0	0.005
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.004	1,1-Dichloroethene	ND	1.0	0.005
cis-1,2-Dichloroethene	ND	1.0	0.005	trans-1,2-Dichloroethene	ND	1.0	0.005
1,2-Dichloropropane	ND	1.0	0.005	1,3-Dichloropropane	ND	1.0	0.005
2,2-Dichloropropane	ND	1.0	0.005	1,1-Dichloropropene	ND	1.0	0.005
cis-1,3-Dichloropropene	ND	1.0	0.005	trans-1,3-Dichloropropene	ND	1.0	0.005
Diisopropyl ether (DIPE)	ND	1.0	0.005	Ethylbenzene	ND	1.0	0.005
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.005	Freon 113	ND	1.0	0.1
Hexachlorobutadiene	ND	1.0	0.005	Hexachloroethane	ND	1.0	0.005
2-Hexanone	ND	1.0	0.005	Isopropylbenzene	ND	1.0	0.005
4-Isopropyl toluene	ND	1.0	0.005	Methyl-t-butyl ether (MTBE)	ND	1.0	0.005
Methylene chloride	ND<0.010	1.0	0.005	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.005
Naphthalene	ND	1.0	0.005	n-Propyl benzene	ND	1.0	0.005
Styrene	ND	1.0	0.005	1,1,1,2-Tetrachloroethane	ND	1.0	0.005
1,1,2,2-Tetrachloroethane	ND	1.0	0.005	Tetrachloroethene	ND	1.0	0.005
Toluene	ND	1.0	0.005	1,2,3-Trichlorobenzene	ND	1.0	0.005
1,2,4-Trichlorobenzene	ND	1.0	0.005	1,1,1-Trichloroethane	ND	1.0	0.005
1,1,2-Trichloroethane	ND	1.0	0.005	Trichloroethene	ND	1.0	0.005
Trichlorofluoromethane	ND	1.0	0.005	1,2,3-Trichloropropane	ND	1.0	0.005
1,2,4-Trimethylbenzene	ND	1.0	0.005	1,3,5-Trimethylbenzene	ND	1.0	0.005
Vinyl Chloride	ND	1.0	0.005	Xylenes, Total	ND	1.0	0.005

**Surrogate Recoveries (%)**

%SS1:	114	%SS2:	122
%SS3:	119		

Comments:

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

# surrogate diluted out of range or coelutes with another peak; (&) low surrogate due to matrix interference.



TABLE 5

**GRAB-GROUNDWATER ANALYTICAL DATA  
FORMER CHEVRON STATION 91851  
451 HEGENBERGER DRIVE, OAKLAND, CALIFORNIA**

Final Groundwater Screening Levels - Current or Potential Drinking Water Resource (ug/L) Table F-1a	TPH <sub>mo</sub>	TPH <sub>d</sub> With Silica Gel	TPH <sub>g</sub>	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	TBA	DIPE	ETBE	TAME	Other VOCs
		100	100	100	1	40	30	20	5	12	NE	NE	NE

Sample ID	Date	Reported in micrograms per liter (µg/L)												
TB*	9/18/2012	--	960	--	<10	<10	<10	<10	15	1,800	<10	<10	<10	ND
B-1-W	3/26/2012	1,900,000	2,300,00	2,300	0.6	<0.5	<0.5	<0.5	5	3	<0.5	<0.5	1	--
B-2-W	3/26/2012	650,000	460,000	1,800	100	8	10	52	24	6	<0.5	<0.5	9	--
B-3-W	3/26/2012	190,000	140,000	850	0.6	<0.5	<0.5	<0.5	18	33	<0.5	<0.5	2	--
B-5-W	3/27/2012	<200	<160	<50	<0.5	<0.5	<0.5	<0.5	6	2	<0.5	<0.5	<0.5	--

**Notes:**

Total petroleum hydrocarbons as motor oil (TPH<sub>mo</sub>), diesel (TPH<sub>d</sub>) and gasoline (TPH<sub>g</sub>) by EPA Method 8015B Modified

Benzene, toluene, ethylbenzene and total xylenes by EPA Method 8260B

Methyl tertiary butyl ether (MTBE), tertiary butyl alcohol (TBA), di-isopropyl ether (DIPE), ethyl tertiary butyl ether (ETBE), and tertiary-amyl methyl ether by EPA Method 8260B

Other volatile organic compounds (Other VOCs) by EPA Method 8260B.

\* = Sample collected by property owner's consultant, Pangea

-- = Not analyzed

<x = Not detected above stated laboratory method detection limit x

ND = Not detected above stated laboratory method detection limit

**Bold** = Exceeded ESL

Grab-groundwater samples were collected during a 1998 preferential pathway study. Petroleum hydrocarbon constituents were not detected in any of the samples according to a the 2001 Delta Monitoring Well Installation and Groundwater Sampling Results - Revised Report. The analyticals for these samples are not currently available.

# Pangea

**Table 2. Groundwater Analytical Data - 451 Hegenberger Road, Oakland, California**

Sample ID	Sample Depth (ft)	Date Sampled	TPHd	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE ug/L	TBA	TAME	DIPE	ETBE	Other VOCs
TB	14	9/18/2012	960	<10	<10	<10	<10	15	1,800	<10	<10	<10	ND

**Abbreviations and Notes:**

TPHd = Total petroleum hydrocarbons as diesel by EPA Method 8015C.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8021B.

MTBE = Methyl tert-butyl ether by EPA Method 8260B.

TBA = tertiary butyl alcohol by EPA Method 8260B.

DIPE = diisopropyl ether by EPA Method 8260B.

ETBE = ethyl tert-butyl ether by EPA Method 8260B.

TAME = tert-amyl methyl ether by EPA Method 8260B.

Other VOCs = Other volatile organic compounds (VOCs) detected by EPA method 8206B.

ug/L = Micrograms per Liter

<n = Below detection limit of n ug/L

-- = Not analyzed

bgs = below grade surface

ND = Not detected above reporting limit/method detection limit.





Pangea Environmental Svcs., Inc. 1710 Franklin Street, Ste. 200 Oakland, CA 94612	Client Project ID: #1465.001; Grewel-451 Hegenberger	Date Sampled: 09/18/12
	Client Contact: Tina De La Fuente	Date Received: 09/18/12
	Client P.O.:	Date Extracted: 09/23/12
		Date Analyzed: 09/23/12

**Volatile Organics by P&T and GC/MS (Basic Target List)\***

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 1209438

Lab ID	1209438-001A
Client ID	TB
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND<200	20	10	tert-Amyl methyl ether (TAME)	ND<10	20	0.5
Benzene	ND<10	20	0.5	Bromobenzene	ND<10	20	0.5
Bromochloromethane	ND<10	20	0.5	Bromodichloromethane	ND<10	20	0.5
Bromoform	ND<10	20	0.5	Bromomethane	ND<10	20	0.5
2-Butanone (MEK)	ND<40	20	2.0	t-Butyl alcohol (TBA)	1800	20	2.0
n-Butyl benzene	ND<10	20	0.5	sec-Butyl benzene	ND<10	20	0.5
tert-Butyl benzene	ND<10	20	0.5	Carbon Disulfide	ND<10	20	0.5
Carbon Tetrachloride	ND<10	20	0.5	Chlorobenzene	ND<10	20	0.5
Chloroethane	ND<10	20	0.5	Chloroform	ND<10	20	0.5
Chloromethane	ND<10	20	0.5	2-Chlorotoluene	ND<10	20	0.5
4-Chlorotoluene	ND<10	20	0.5	Dibromochloromethane	ND<10	20	0.5
1,2-Dibromo-3-chloropropane	ND<4.0	20	0.2	1,2-Dibromoethane (EDB)	ND<10	20	0.5
Dibromomethane	ND<10	20	0.5	1,2-Dichlorobenzene	ND<10	20	0.5
1,3-Dichlorobenzene	ND<10	20	0.5	1,4-Dichlorobenzene	ND<10	20	0.5
Dichlorodifluoromethane	ND<10	20	0.5	1,1-Dichloroethane	ND<10	20	0.5
1,2-Dichloroethane (1,2-DCA)	ND<10	20	0.5	1,1-Dichloroethene	ND<10	20	0.5
cis-1,2-Dichloroethene	ND<10	20	0.5	trans-1,2-Dichloroethene	ND<10	20	0.5
1,2-Dichloropropane	ND<10	20	0.5	1,3-Dichloropropane	ND<10	20	0.5
2,2-Dichloropropane	ND<10	20	0.5	1,1-Dichloropropene	ND<10	20	0.5
cis-1,3-Dichloropropene	ND<10	20	0.5	trans-1,3-Dichloropropene	ND<10	20	0.5
Diisopropyl ether (DIPE)	ND<10	20	0.5	Ethylbenzene	ND<10	20	0.5
Ethyl tert-butyl ether (ETBE)	ND<10	20	0.5	Freon 113	ND<200	20	10
Hexachlorobutadiene	ND<10	20	0.5	Hexachloroethane	ND<10	20	0.5
2-Hexanone	ND<10	20	0.5	Isopropylbenzene	ND<10	20	0.5
4-Isopropyl toluene	ND<10	20	0.5	Methyl-t-butyl ether (MTBE)	15	20	0.5
Methylene chloride	ND<10	20	0.5	4-Methyl-2-pentanone (MIBK)	ND<10	20	0.5
Naphthalene	ND<10	20	0.5	n-Propyl benzene	ND<10	20	0.5
Styrene	ND<10	20	0.5	1,1,1,2-Tetrachloroethane	ND<10	20	0.5
1,1,2,2-Tetrachloroethane	ND<10	20	0.5	Tetrachloroethene	ND<10	20	0.5
Toluene	ND<10	20	0.5	1,2,3-Trichlorobenzene	ND<10	20	0.5
1,2,4-Trichlorobenzene	ND<10	20	0.5	1,1,1-Trichloroethane	ND<10	20	0.5
1,1,2-Trichloroethane	ND<10	20	0.5	Trichloroethene	ND<10	20	0.5
Trichlorofluoromethane	ND<10	20	0.5	1,2,3-Trichloropropane	ND<10	20	0.5
1,2,4-Trimethylbenzene	ND<10	20	0.5	1,3,5-Trimethylbenzene	ND<10	20	0.5
Vinyl Chloride	ND<10	20	0.5	Xylenes, Total	ND<10	20	0.5

**Surrogate Recoveries (%)**

%SS1:	102	%SS2:	101
%SS3:	107		

**Comments:**

\* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS = Percent Recovery of Surrogate Standard; DF = Dilution Factor

# surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS									
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THME				
	Units	ft	ft	ft-anst	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-1	10/17/1995	2.61	4.12	-1.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/29/1996	2.61	3.33	-0.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9.5	-	-	-	-	-	-	-	-	-	-
MW-1	06/26/1996	2.61	3.84	-1.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	46	-	-	-	-	-	-	-	-	-	-
MW-1	09/25/1996	2.61	4.02	-1.41	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	940	-	-	-	-	-	-	-	-	-	-
MW-1	12/17/1996	2.61	3.57	-0.96	0.00	0.00	-	-	-	-	<50	0.9	<0.5	<0.5	<0.5	260	-	-	-	-	-	-	-	-	-	-
MW-1	03/20/1997	2.61	4.15	-1.54	0.00	0.00	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	76	-	-	-	-	-	-	-	-	-	-
MW-1	06/20/1997	2.61	4.33	-1.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	64	-	-	-	-	-	-	-	-	-	-
MW-1	09/09/1997	2.61	4.35	-1.74	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	110	-	-	-	-	-	-	-	-	-	-
MW-1	12/12/1997	2.61	3.00	-0.39	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	27	-	-	-	-	-	-	-	-	-	-
MW-1	02/19/1998	2.61	1.83	0.78	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	14	-	-	-	-	-	-	-	-	-	-
MW-1	06/23/1998	2.61	3.34	-0.73	0.00	0.00	-	-	-	-	210	<0.5	<0.5	<0.5	<0.5	3,400	-	<50,000	<10,000	<200	<200	<200	<200	<200	<200	<200
MW-1	08/31/1998	2.61	3.49	-0.88	0.00	0.00	-	-	-	-	1,400	630	<5.0	<5.0	<5.0	16,000	-	-	-	-	-	-	-	-	-	-
MW-1	12/29/1998	2.61	3.83	-1.22	0.00	0.00	-	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,090	-	-	-	-	-	-	-	-	-	-
MW-1	03/11/1999	2.61	3.04	-0.43	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	33.9	-	-	-	-	-	-	-	-	-	-
MW-1	06/24/1999	2.61	3.38	-0.77	0.00	0.00	-	-	-	-	<500	65.7	<5.0	<5.0	<5.0	1,160	-	<10,000	<2,000	<20	<20	<20	<20	258	<20	<20
MW-1	09/29/1999	2.61	3.62	-1.01	0.00	0.00	-	-	-	-	81.7	<0.5	<0.5	<0.5	<0.5	1,130	-	-	-	-	-	-	-	-	-	-
MW-1	12/08/1999	2.61	4.07	-1.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	233	-	-	-	-	-	-	-	-	-	-
MW-1	03/01/2000	2.61	1.95	0.66	0.00	0.00	-	-	-	-	100	<0.5	<0.5	<0.5	<0.5	37.9	-	-	-	-	-	-	-	-	-	-
MW-1	06/19/2000	2.61	3.41	-0.80	0.00	0.00	-	-	-	-	<50	3.8	<0.50	<0.50	<0.50	88	91 <sup>2</sup>	<500	<100	<2.0	<2.0	<2.0	11	<2.0	<2.0	11
MW-1	09/30/2000	2.61	3.84	-1.23	0.00	0.00	-	-	-	-	<130	<1.3	<1.3	<1.3	<1.3	460	530 <sup>2</sup>	-	-	-	-	-	-	-	-	-
MW-1	10/05/2000	2.61	3.93	-1.32	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	12/08/2000	8.61	4.20	4.41	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	58.7	-	-	-	-	-	-	-	-	-	-
MW-1	03/03/2001 <sup>11</sup>	8.61	2.31	6.30	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	8.9	-	-	-	-	-	-	-	-	-	-
MW-1	06/19/2001	8.61	3.34	5.27	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	51	-	-	-	-	-	-	-	-	-	-
MW-1	09/05/2001	8.61	3.77	4.84	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	180	-	-	-	-	-	-	-	-	-	-
MW-1	12/10/2001	8.61	2.47	6.14	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	21	-	-	-	-	-	-	-	-	-	-
MW-1	03/04/2002	8.61	3.13	5.48	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	47	-	-	-	-	-	-	-	-	-	-
MW-1	06/03/2002	8.61	5.71	2.90	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-	-	-	-	-
MW-1	09/14/2002	8.61	3.75	4.86	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	140	-	-	-	-	-	-	-	-	-	-
MW-1	12/13/2002	8.61	3.29	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs											
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-CRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME						
	Units	ft	ft	ft-ansl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
MW-1	03/14/2003	8.61	3.07	5.54	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	35	-	-	-	-	-	-	-	-	-	-	-	
MW-1	06/09/2003 <sup>13</sup>	8.61	3.52	5.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	-	-	-	-	-	-	-	-	-	-	
MW-1	09/03/2003 <sup>13</sup>	8.61	4.12	4.49	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/01/2003 <sup>13</sup>	8.61	3.27	5.34	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	100	<50	-	-	-	-	-	-	-	-	-	
MW-1	03/01/2004 <sup>13</sup>	8.61	2.06	6.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/02/2004 <sup>13</sup>	8.61	3.30	5.31	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-	-	-	-	-	-	
MW-1	09/03/2004 <sup>13</sup>	8.61	4.14	4.47	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/20/2004 <sup>13</sup>	8.61	3.62	4.99	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	37	<50	-	-	-	-	-	-	-	-	-	
MW-1	03/12/2005 <sup>13</sup>	8.61	3.04	5.57	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	190	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/28/2005 <sup>13</sup>	8.61	3.28	5.33	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-	-	-	-	-	-	
MW-1	09/01/2005 <sup>13</sup>	8.61	3.58	5.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	59	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/01/2005 <sup>13</sup>	8.61	3.05	5.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-	-	-	-	-	-	
MW-1	03/04/2006 <sup>13</sup>	8.61	3.31	5.30	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	88	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/01/2006 <sup>13</sup>	8.61	3.44	5.17	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-	-	-	-	-	-	
MW-1	09/01/2006 <sup>13</sup>	8.61	2.99	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/15/2006 <sup>13</sup>	8.61	2.91	5.70	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-	-	-	
MW-1	03/15/2007 <sup>13</sup>	8.61	3.43	5.18	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/15/2007 <sup>13</sup>	8.61	3.67	4.94	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-	-	-	
MW-1	09/06/2007 <sup>13</sup>	8.61	3.42	5.19	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/07/2007 <sup>13</sup>	8.61	3.31	5.30	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	-	-	-	-	
MW-1	03/07/2008 <sup>13</sup>	8.61	3.45	5.16	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/24/2008 <sup>13</sup>	8.61	3.76	4.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-	
MW-1	09/11/2008 <sup>13</sup>	8.61	4.50	4.11	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	-	-	-	-	-	-	-	-	-	-	
MW-1	12/19/2008 <sup>13</sup>	8.61	3.73	4.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/01/2009	8.61	4.77	3.84	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-	
MW-1	09/30/2009	8.61	4.81	3.80	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/10/2009	8.61	3.95	4.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-	-	-	
MW-1	12/11/2009	8.61	3.81	4.80	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/08/2010	8.61	2.90	5.71	0.00	0.00	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-	-	-	
MW-1	06/06/2010	8.61	3.40	5.21	0.00	0.00	280	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-	-	-	



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS											
							Motor Oil	Motor Oil w/ Sl Gel	TPH-DRO	TPH-DRO w/ Sl Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	FEAME						
	Units	ft	ft	ft-anst	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-1	09/02/2010	8.61	4.02	4.59	0.00	0.00	320	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-	-	-	-
MW-1	12/09/2010	8.61	3.23	5.38	0.00	0.00	320	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-	-
MW-1	03/23/2011	8.61	2.33	6.28	0.00	0.00	1,100	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-	-
MW-1	06/24/2011	8.61	3.06	5.55	0.00	0.00	-	85 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-	-
MW-1	09/30/2011	8.61	3.75	4.86	0.00	0.00	-	<39	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1 J	<50	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-1	03/16/2012	8.61	3.32	5.29	0.00	0.00	-	<41	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-	-
MW-1	09/13/2012	8.61	3.52	5.09	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-	-	-	-
MW-1	02/28/2013	8.61	3.45	5.16	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-	-	-	-
MW-1	09/21/2013 <sup>24</sup>	8.61	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/18/2014 <sup>24</sup>	8.61	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	10/17/1995 <sup>3</sup>	3.51	5.33	-1.82	0.00	0.00	-	-	1,600 <sup>4</sup>	-	170	3.5	<0.5	1.0	6.1	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/29/1996	3.51	3.95	-0.44	0.00	0.00	-	-	3,000 <sup>4</sup>	-	89	11 / 4.7	<0.5	0.64	2.5 / 0.74	21	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/26/1996	3.51	4.60	-1.09	0.00	0.00	-	-	2,000 <sup>4</sup>	-	80	8.7 / 11	<0.5	1.2	<2.0 / 1.3	31	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/25/1996	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/17/1996	3.51	3.92	-0.41	0.00	0.00	-	-	2,400 <sup>4</sup>	-	110	<0.5 / 10	<0.5	0.75	<2.0 / 2.1	27	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/20/1997	3.51	4.83	-1.32	0.00	0.00	-	-	3,400 <sup>4</sup>	-	140	8.2	<2.0	<2.0	<2.0	58	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/20/1997	3.51	5.04	-1.53	0.00	0.00	-	-	1,600 <sup>4</sup>	-	62	7.7 / 7.2	<0.5	<0.5	<0.5 / <2.0	38	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/09/1997	3.51	4.98	-1.47	0.00	0.00	-	-	82 <sup>4</sup>	-	190	9.4 / 11	<0.5	<0.5	<2.0 / 0.86	48	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/12/1997	3.51	3.91	-0.40	0.00	0.00	-	-	8,500 <sup>4</sup>	-	180	<2.0 / 1.8	<0.5	<0.5	<2.0 / 3.2	34	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	02/19/1998	3.51	2.96	0.55	0.00	0.00	-	-	3,800 <sup>4</sup>	-	<100	<3.3 / 1.8	<1.0	<1.0	<3.3 / <1.0	230	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/23/1998	3.51	4.05	-0.54	0.00	0.00	-	-	-	-	60	<0.5	<0.5	<0.5	<0.5	55	-	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	
MW-2	08/31/1998	3.51	4.31	-0.80	0.00	0.00	-	-	-	-	61	2.2	<0.5	<0.5	1.1	53	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/29/1998	3.51	4.63	-1.12	0.00	0.00	-	-	-	-	54	1.3	<0.5	<0.5	0.752	38.1	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/11/1999	3.51	3.52	-0.01	0.00	0.00	-	-	-	-	648	2.9	<2.0	<2.0	<2.0	73.2	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/24/1999	3.51	4.00	-0.49	0.00	0.00	-	-	-	-	264	0.58	<0.5	1.01	<0.5	44.1	-	<1,000	<200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	
MW-2	09/29/1999	3.51	4.44	-0.93	0.00	0.00	-	-	-	-	54.3	0.66	<0.5	<0.5	<0.5	35.7	-	-	-	-	-	-	-	-	-	-	-	
MW-2	12/08/1999	3.51	4.89	-1.38	0.00	0.00	-	-	-	-	<50	1.27	<0.5	<0.5	<0.5	56.9	-	-	-	-	-	-	-	-	-	-	-	
MW-2	03/01/2000	3.51	3.03	0.48	0.00	0.00	-	-	-	-	68	1.57	<0.5	<0.5	<0.5	110	-	-	-	-	-	-	-	-	-	-	-	
MW-2	06/19/2000	3.51	4.17	-0.66	0.00	0.00	-	-	-	-	58.00 <sup>1</sup>	1.5	<0.50	<0.50	<0.50	90	59 <sup>2</sup>	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	4.0		

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS										
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME					
	Units	ft	ft	ft-ansl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-2	09/30/2000	3.51	4.66	-1.15	0.00	0.00	-	-	-	-	<50	<0.50	0.82	<0.50	1.1	48	50 <sup>2</sup>	-	-	-	-	-	-	-	-	-	-
MW-2	10/05/2000 <sup>9</sup>	3.51	4.71	-1.20	0.00	0.00	-	-	4,000 <sup>7</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/08/2000	9.52	4.97	4.55	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	61.8	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/03/2001 <sup>11</sup>	9.52	3.27	6.25	0.00	0.00	-	-	-	-	310 <sup>12</sup>	0.60	<0.50	<0.50	1.3	97	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/19/2001	9.52	4.05	5.47	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	30	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/05/2001	9.52	4.54	4.98	0.00	0.00	-	-	-	-	<50	<0.50	1.2	<0.50	<1.5	46	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/10/2001	9.52	3.45	6.07	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	22	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/04/2002	9.52	3.94	5.58	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	61	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/03/2002	9.52	4.08	5.44	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/14/2002	9.52	4.65	4.87	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	77	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/13/2002	9.52	4.31	5.21	0.00	0.00	-	-	-	-	53	<0.50	<0.50	<0.50	<1.5	44	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/14/2003	9.52	3.91	5.61	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	55	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/09/2003 <sup>13</sup>	9.52	4.33	5.19	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	67	-	-	-	-	-	-	-	-	-	-
MW-2	09/03/2003 <sup>13</sup>	9.52	4.93	4.59	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9	<50	-	-	-	-	-	-	-	-	-
MW-2	12/01/2003 <sup>13</sup>	9.52	4.15	5.37	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	72	<50	-	-	-	-	-	-	-	-	-
MW-2	03/01/2004 <sup>13</sup>	9.52	3.12	6.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-	-	-	-
MW-2	06/02/2004 <sup>13</sup>	9.52	4.21	5.31	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	46	<50	-	-	-	-	-	-	-	-	-
MW-2	09/03/2004 <sup>13</sup>	9.52	4.14	5.38	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	<50	-	-	-	-	-	-	-	-	-
MW-2	12/20/2004	9.52	4.60	4.96**	0.05	0.01 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/12/2005 <sup>13</sup>	9.52	3.90	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	57	<50	-	-	-	-	-	-	-	-	-
MW-2	06/28/2005 <sup>13</sup>	9.52	4.06	5.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-	-	-
MW-2	09/01/2005	9.52	4.52	5.03**	0.04	1.10 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/01/2005 <sup>13</sup>	9.52	4.01	5.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-
MW-2	03/04/2006 <sup>13</sup>	9.52	4.27	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-	-	-	-
MW-2	06/01/2006 <sup>13</sup>	9.52	4.40	5.12	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-	-	-	-	-
MW-2	09/01/2006 <sup>13</sup>	9.52	3.90	5.62	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	31	<50	-	-	-	-	-	-	-	-	-
MW-2	12/15/2006 <sup>13</sup>	9.52	3.88	5.64	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-	-	-	-	-
MW-2	03/15/2007 <sup>13</sup>	9.52	4.27	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-	-	-
MW-2	06/15/2007 <sup>16</sup>	9.52	4.49	5.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/06/2007 <sup>13</sup>	9.52	4.32	5.20	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	43	<50	-	-	-	-	-	-	-	-	-





TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS										
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME					
	Units	ft	ft	ft-anst	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	06/23/1998	3.08	3.25	-0.17	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	390	-	<5,000	<1,000	<20	<20	26					
MW-3	08/31/1998	3.08	3.86	-0.78	0.00	0.00	-	-	-	-	<50	19	<0.5	<0.5	<0.5	830	-	-	-	-	-	-					
MW-3	12/29/1998	3.08	3.53	-0.45	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	416	-	-	-	-	-	-					
MW-3	03/11/1999	3.08	3.35	-0.27	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	262	-	-	-	-	-	-					
MW-3	06/24/1999	3.08	3.61	-0.53	0.00	0.00	-	-	-	-	<50	12.8	<0.5	<0.5	<0.5	620	-	<6,670	<1,330	<13.3	<13.3	<13.3					
MW-3	09/29/1999	3.08	3.95	-0.87	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	2,840	-	-	-	-	-	-					
MW-3	12/08/1999	3.08	3.54	-0.46	0.00	0.00	-	-	-	-	73.4	<0.5	<0.5	<0.5	<0.5	1,620	-	-	-	-	-	-					
MW-3	03/01/2000	3.08	2.43	0.65	0.00	0.00	-	-	-	-	<200	<2.0	<2.0	<2.0	<2.0	1,880	-	-	-	-	-	-					
MW-3	06/19/2000	3.08	3.38	-0.30	0.00	0.00	-	-	-	-	<250	20	<2.5	<2.5	<2.5	1,200	920 <sup>2</sup>	570	<100	<2.0	<2.0	65					
MW-3	09/30/2000	3.08	4.00	-0.92	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	730	2,100 <sup>2</sup>	-	-	-	-	-					
MW-3	10/05/2000	3.08	4.02	-0.94	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
MW-3	12/08/2000	9.08	3.70	5.38	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	1,620	-	-	-	-	-	-					
MW-3	03/03/2001 <sup>11</sup>	9.08	2.24	6.84	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	1,000	-	-	-	-	-	-					
MW-3	06/19/2001	9.08	3.71	5.37	0.00	0.00	-	-	-	-	<120	4.8	<1.2	<1.2	<1.2	510	-	-	-	-	-	-					
MW-3	09/05/2001	9.08	4.04	5.04	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,400	-	-	-	-	-	-					
MW-3	12/10/2001	9.08	2.54	6.54	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,000	-	-	-	-	-	-					
MW-3	03/04/2002	9.08	2.84	6.24	0.00	0.00	-	-	-	-	120	<0.50	<0.50	<0.50	<1.5	720	-	-	-	-	-	-					
MW-3	06/03/2002	9.08	3.28	5.80	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	710	-	-	-	-	-	-					
MW-3	09/14/2002	9.08	4.15	4.93	0.00	0.00	-	-	-	-	590	<20	<1.0	<1.0	<3.0	2,600	-	-	-	-	-	-					
MW-3	12/13/2002	9.08	3.85	5.23	0.00	0.00	-	-	-	-	430	<0.50	<0.50	<0.50	<1.5	2,000	-	-	-	-	-	-					
MW-3	03/14/2003	9.08	2.99	6.09	0.00	0.00	-	-	-	-	310	<0.50	<0.50	<0.50	<1.5	1,600	-	-	-	-	-	-					
MW-3	06/09/2003 <sup>13</sup>	9.08	3.34	5.74	0.00	0.00	-	-	-	-	330	<0.5	<0.5	<0.5	<0.5	-	1,800	-	-	-	-	-					
MW-3	09/03/2003 <sup>13</sup>	9.08	3.97	5.11	0.00	0.00	-	-	-	-	720	<3	<3	<3	<3	-	4,100	<250	-	-	-	-					
MW-3	12/01/2003 <sup>13</sup>	9.08	3.76	5.32	0.00	0.00	-	-	-	-	520	<1	<1	<1	<1	-	2,400	<130	-	-	-	-					
MW-3	03/01/2004 <sup>13</sup>	9.08	2.11	6.97	0.00	0.00	-	-	-	-	140	<0.5	<0.5	<0.5	<0.5	-	850	<50	-	-	-	-					
MW-3	06/02/2004 <sup>13</sup>	9.08	3.65	5.43	0.00	0.00	-	-	-	-	220	<0.5	<0.5	<0.5	<0.5	-	1,500	<50	-	-	-	-					
MW-3	09/03/2004 <sup>13</sup>	9.08	5.01	4.07	0.00	0.00	-	-	-	-	300	<1	<1	<1	<1	-	1,800	<100	-	-	-	-					
MW-3	12/20/2004 <sup>13</sup>	9.08	4.85	4.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	86	<50	-	-	-	-					
MW-3	03/12/2005 <sup>13</sup>	9.08	4.39	4.69	0.00	0.00	-	-	-	-	<50	0.6	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-					
MW-3	06/28/2005 <sup>13</sup>	9.08	4.56	4.52	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-					



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs									
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-CRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME				
	Units	ft	ft	ft-ansl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-4	03/29/1996	3.48	4.61	-1.13	0.00	0.00	-	-	-	-	<1,000	<10	<10	<10	<10	6,700	-	-	-	-	-	-	-	-	-	-
MW-4	06/26/1996	3.48	4.30	-0.82	0.00	0.00	-	-	-	-	<2,000	<20	<20	<20	<20	7,200	-	-	-	-	-	-	-	-	-	-
MW-4	09/25/1996	3.48	5.33	-1.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-	-
MW-4	12/17/1996	3.48	2.81	0.67	0.00	0.00	-	-	-	-	<2,000	120	<20	<20	<20	11,000	-	-	-	-	-	-	-	-	-	-
MW-4	03/20/1997	3.48	4.50	-1.02	0.00	0.00	-	-	-	-	250 <sup>4</sup>	<2.0	<2.0	<2.0	<2.0	10,000	8,600 <sup>6</sup>	-	-	-	-	-	-	-	-	-
MW-4	06/20/1997	3.48	5.68	-2.20	0.00	0.00	-	-	-	-	<2,500	<25	<25	<25	<25	9,300	-	-	-	-	-	-	-	-	-	-
MW-4	09/09/1997	3.48	5.50	-2.02	0.00	0.00	-	-	-	-	460 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-	-	-	-	-
MW-4	12/12/1997	3.48	5.03	-1.55	0.00	0.00	-	-	-	-	430 <sup>4</sup>	120	<2.5	<2.5	<2.5	7,800	-	-	-	-	-	-	-	-	-	-
MW-4	02/19/1998	3.48	3.35	0.13	0.00	0.00	-	-	-	-	510 <sup>4</sup>	130	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-	-	-	-	-
MW-4	06/23/1998	3.48	4.98	-1.50	0.00	0.00	-	-	-	-	550 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,800	-	<50,000	<10,000	<200	<200	860	-	-	-	-
MW-4	08/31/1998	3.48	5.42	-1.94	0.00	0.00	-	-	-	-	<500	450	<5.0	<5.0	<5.0	14,000	-	-	-	-	-	-	-	-	-	-
MW-4	12/29/1998	3.48	5.06	-1.58	0.00	0.00	-	-	-	-	<5,000	<50	<50	<50	<50	16,100	-	-	-	-	-	-	-	-	-	-
MW-4	03/11/1999	3.48	3.78	-0.30	0.00	0.00	-	-	-	-	979	<5.0	<5.0	<5.0	<5.0	15,100	-	-	-	-	-	-	-	-	-	-
MW-4	06/24/1999	3.48	4.31	-0.83	0.00	0.00	-	-	-	-	<2,500	715	<25	<25	<25	12,400	-	<125,000	<25,000	<250	<250	2,600	-	-	-	-
MW-4	09/29/1999	3.48	5.58	-2.10	0.00	0.00	-	-	-	-	1,380	<5.0	<5.0	<5.0	<5.0	11,700	-	-	-	-	-	-	-	-	-	-
MW-4	12/08/1999	3.48	5.33	-1.85	0.00	0.00	-	-	-	-	318	<0.5	<0.5	<0.5	<0.5	11,100	-	-	-	-	-	-	-	-	-	-
MW-4	03/01/2000	3.48	5.20	-1.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9,940	-	-	-	-	-	-	-	-	-	-
MW-4	06/19/2000	3.48	5.36	-1.88	0.00	0.00	-	-	-	-	<1,000	220	<10	<10	<10	7,300	9,500 <sup>2</sup>	<25,000	<5,000	<100	<100	1,100	-	-	-	-
MW-4	09/30/2000	3.48	3.77	-0.29	0.00	0.00	-	-	-	-	740 <sup>1</sup>	<2.5	<2.5	<2.5	<2.5	6,000	7,800 <sup>2</sup>	-	-	-	-	-	-	-	-	-
MW-4	10/05/2000	3.48	3.86	-0.38	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	12/08/2000	9.48	4.45	5.03	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	6,230	-	-	-	-	-	-	-	-	-	-
MW-4	03/03/2001 <sup>11</sup>	9.48	3.83	5.65	0.00	0.00	-	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	3,600	-	-	-	-	-	-	-	-	-	-
MW-4	06/19/2001	9.48	3.37	6.11	0.00	0.00	-	-	-	-	<500	140	<5.0	<5.0	<5.0	2,500	-	-	-	-	-	-	-	-	-	-
MW-4	09/05/2001	9.48	3.96	5.52	0.00	0.00	-	-	-	-	400	<0.50	<0.50	<0.50	<1.5	2,800	-	-	-	-	-	-	-	-	-	-
MW-4	12/10/2001	9.48	5.05	4.43	0.00	0.00	-	-	-	-	700	<0.50	<0.50	<0.50	<1.5	3,400	-	-	-	-	-	-	-	-	-	-
MW-4	03/04/2002	9.48	3.67	5.81	0.00	0.00	-	-	-	-	660	<0.50	<0.50	<0.50	<1.5	2,900	-	-	-	-	-	-	-	-	-	-
MW-4	06/03/2002	9.48	5.24	4.24	0.00	0.00	-	-	-	-	610	<0.50	<0.50	<0.50	<1.5	3,000	-	-	-	-	-	-	-	-	-	-
MW-4	09/14/2002	9.48	5.22	4.26	0.00	0.00	-	-	-	-	490	<10	<1.0	<1.0	<3.0	2,400	-	-	-	-	-	-	-	-	-	-
MW-4	12/13/2002	9.48	4.67	4.81	0.00	0.00	-	-	-	-	440	<0.50	<0.50	<0.50	<1.5	2,200	-	-	-	-	-	-	-	-	-	-
MW-4	03/14/2003	9.48	4.64	4.84	0.00	0.00	-	-	-	-	490	<0.50	<0.50	<0.50	<1.5	2,600	-	-	-	-	-	-	-	-	-	-



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs								
							Motor Oil	Motor Oil w/ Si Cel	TPH-DRO	TPH-DRO w/ Si Cel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME			
Units	ft	ft	ft-anst	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	06/09/2003 <sup>13</sup>	9.48	5.03	4.45	0.00	0.00	-	-	-	-	340	<0.5	<0.5	<0.5	<0.5	-	1,700	-	-	-	-	-	-	-	-
MW-4	09/03/2003 <sup>13</sup>	9.48	5.65	3.83	0.00	0.00	-	-	-	-	320	<1	<1	<1	<1	-	1,600	<130	-	-	-	-	-	-	-
MW-4	12/01/2003 <sup>13</sup>	9.48	4.97	4.51	0.00	0.00	-	-	-	-	350	<1	<1	<1	<1	-	1,700	<100	-	-	-	-	-	-	-
MW-4	03/01/2004 <sup>13</sup>	9.48	4.68	4.80	0.00	0.00	-	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,200	<50	-	-	-	-	-	-	-
MW-4	06/02/2004 <sup>13</sup>	9.48	4.93	4.55	0.00	0.00	-	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,600	<50	-	-	-	-	-	-	-
MW-4	09/03/2004 <sup>13</sup>	9.48	4.99	4.49	0.00	0.00	-	-	-	-	270	<1	<1	<1	<1	-	1,500	<100	-	-	-	-	-	-	-
MW-4	12/20/2004 <sup>13</sup>	9.48	4.18	5.30	0.00	0.00	-	-	-	-	230	<3	<3	<3	<3	-	1,900	<250	-	-	-	-	-	-	-
MW-4	03/12/2005 <sup>13</sup>	9.48	5.32	4.16	0.00	0.00	-	-	-	-	180	<1	<1	<1	<1	-	1,200	<100	-	-	-	-	-	-	-
MW-4	06/28/2005 <sup>13</sup>	9.48	5.26	4.22	0.00	0.00	-	-	-	-	180	<0.5	<0.5	<0.5	<0.5	-	920	<50	-	-	-	-	-	-	-
MW-4	09/01/2005 <sup>13</sup>	9.48	4.91	4.57	0.00	0.00	-	-	-	-	250	<1	<1	<1	<1	-	1,500	<100	-	-	-	-	-	-	-
MW-4	12/01/2005 <sup>13</sup>	9.48	4.88	4.60	0.00	0.00	-	-	-	-	61	<0.5	<0.5	<0.5	<0.5	-	260	<50	-	-	-	-	-	-	-
MW-4	03/04/2006 <sup>18</sup>	9.48	5.02	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-	-	-	-
MW-4	06/01/2006 <sup>13</sup>	9.48	4.23	5.25	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	51	<50	-	-	-	-	-	-	-
MW-4	09/01/2006 <sup>13</sup>	9.48	5.36	4.12	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-	-	-
MW-4	12/15/2006 <sup>13</sup>	9.48	4.94	4.54	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-	-	-
MW-4	03/15/2007 <sup>13</sup>	9.48	5.02	4.46	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-
MW-4	06/15/2007 <sup>13</sup>	9.48	5.00	4.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-
MW-4	09/06/2007 <sup>13</sup>	9.48	4.97	4.51	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-4	12/07/2007 <sup>13</sup>	9.48	4.51	4.97	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-
MW-4	03/07/2008 <sup>13</sup>	9.48	4.85	4.63	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-
MW-4	06/24/2008 <sup>13</sup>	9.48	3.73	5.75	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-
MW-4	09/11/2008 <sup>13</sup>	9.48	5.71	3.77	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	34	<50	-	-	-	-	-	-	-
MW-4	12/19/2008 <sup>13</sup>	9.48	4.89	4.59	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-	-	-	-
MW-4	06/01/2009	9.48	4.45	5.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-	-
MW-4	09/30/2009	9.48	4.37	5.11	0.00	0.00	-	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-	-
MW-4	12/10/2009	9.48	9.04	0.44	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-	-	-	-
MW-4	03/08/2010	9.48	4.93	4.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-	-	-	-
MW-4	06/06/2010	9.48	4.60	4.88	0.00	0.00	400	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-	-	-	-
MW-4	09/02/2010	9.48	5.00	4.48	0.00	0.00	500	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-
MW-4	12/09/2010	9.48	4.91	4.57	0.00	0.00	370	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	48	<50	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS										
							Motor Oil	Motor Oil w/ SI Gel	TPH-DRO	TPH-DRO w/ SI Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	MTAME					
	Units	ft	ft	ft-anst	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-4	03/23/2011	9.48	5.12	4.36	0.00	0.00	500	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-	-	-
MW-4	06/24/2011	9.48	5.33	4.15	0.00	0.00	-	94 J	-	90 J	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-	-	-
MW-4	09/30/2011	9.48	5.31	4.17	0.00	0.00	-	<39	-	<50	<50	<5	<5	<5	<5	-	13 J	<500	680 J	<5	<5	<5	<5	<5	<5	<5	<5
MW-4	03/16/2012	9.48	4.45	5.03	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-	-	-
MW-4	09/13/2012	9.48	5.00	4.48	0.00	0.00	-	260	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	31	<50	-	-	-	-	-	-	-	-	-
MW-4	02/28/2013	9.48	5.30	4.18	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-	-	-	-	-
MW-4	09/21/2013	9.48	4.52	4.96	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	28	<50	-	-	-	-	-	-	-	-	-
MW-4	03/18/2014	9.48	4.46	5.02	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-	-	-	-
MW-5	10/23/2000 <sup>10</sup>	8.77	4.59	4.18	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	4.34	-	<1,000	<100	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00
MW-5	12/08/2000	8.77	3.43	5.34	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	11.0	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/03/2001 <sup>11</sup>	8.77	2.40	6.37	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	24	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/19/2001	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/05/2001	8.77	3.75	5.02	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/10/2001	8.77	2.79	5.98	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	45	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/04/2002	8.77	2.52	6.25	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	29	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/03/2002	8.77	3.20	5.57	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	40	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/14/2002	8.77	3.85	4.92	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	92	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/13/2002	8.77	3.45	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	32	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/14/2003	8.77	2.95	5.82	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/09/2003 <sup>13</sup>	8.77	3.19	5.58	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	79	-	-	-	-	-	-	-	-	-	-
MW-5	09/03/2003 <sup>13</sup>	8.77	3.79	4.98	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-	-	-
MW-5	12/01/2003 <sup>13</sup>	8.77	3.34	5.43	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	52	<50	-	-	-	-	-	-	-	-	-
MW-5	03/01/2004 <sup>13</sup>	8.77	2.48	6.29	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	120	<50	-	-	-	-	-	-	-	-	-
MW-5	06/02/2004 <sup>13</sup>	8.77	3.11	5.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-	-	-	-	-	-
MW-5	09/03/2004 <sup>13</sup>	8.77	5.11	3.66	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-	-	-	-	-	-
MW-5	12/20/2004 <sup>13</sup>	8.77	5.10	3.67	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-	-	-	-	-	-
MW-5	03/12/2005 <sup>13</sup>	8.77	4.71	4.06	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	58	<50	-	-	-	-	-	-	-	-	-
MW-5	06/28/2005 <sup>13</sup>	8.77	4.93	3.84	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	64	<50	-	-	-	-	-	-	-	-	-
MW-5	09/01/2005 <sup>13</sup>	8.77	4.92	3.85	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	61	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS																	
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME												
	Units	ft	ft	ft-ansl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	12/01/2005 <sup>13</sup>	8.77	4.81	3.96	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	50	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/04/2006 <sup>13</sup>	8.77	4.78	3.99	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/01/2006 <sup>13</sup>	8.77	4.89	3.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	38	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/01/2006 <sup>13</sup>	8.77	4.94	3.83	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/15/2006 <sup>13</sup>	8.77	4.68	4.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/15/2007 <sup>13</sup>	8.77	4.88	3.89	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/15/2007 <sup>13</sup>	8.77	4.87	3.90	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/06/2007 <sup>13</sup>	8.77	4.77	4.00	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/07/2007 <sup>13</sup>	8.77	4.99	3.78	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/07/2008 <sup>13</sup>	8.77	4.89	3.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/24/2008 <sup>13</sup>	8.77	5.12	3.65	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/11/2008 <sup>13</sup>	8.77	5.21	3.56	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/19/2008 <sup>13</sup>	8.77	4.98	3.79	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/01/2009	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/30/2009	8.77	3.45	5.32	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/10/2009	8.77	4.76	4.01	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/06/2010	8.77	4.93	3.84	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/02/2010	8.77	5.30	3.47	0.00	0.00	190	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/09/2010 <sup>23,24</sup>	8.77	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/23/2011	8.77	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/24/2011	8.77	4.88	3.89	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/30/2011	8.77	5.22	3.55	0.00	0.00	-	43 J	-	<50	<50	<5	<5	<5	<5	-	8 J	<500	<50	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-5	03/16/2012	8.77	4.73	4.04	0.00	0.00	-	-	-	58 J	<50	<0.5	<0.5	<0.5	<0.5	-	5	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/13/2012	8.77	4.90	3.87	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	02/28/2013	8.77	5.08	3.69	0.00	0.00	-	<43	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/21/2013	8.77	5.44	3.33	0.00	0.00	-	2,100	-	11,000	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/18/2014	8.77	5.03	3.74	0.00	0.00	-	550	-	330	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	10/23/2000 <sup>10</sup>	11.45	7.15	4.30	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	5.96	-	<1,000	<100	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	
MW-6	12/08/2000	11.45	6.84	4.61	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs										
							Motor OH	Motor OH w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME					
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	03/03/2001 <sup>11</sup>	11.45	6.13	5.32	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	9.0	-	-	-	-	-	-	-	-	-	-	-
MW-6	06/19/2001	11.45	5.80	5.65	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/05/2001	11.45	5.16	6.29	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/10/2001	11.45	4.81	6.64	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/04/2002	11.45	4.16	7.29	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	06/03/2002	11.45	5.71	5.74	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/14/2002	11.45	6.65	4.80	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/13/2002	11.45	6.39	5.06	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/14/2003	11.45	6.47	4.98	0.00	0.00	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-	-	-
MW-6	06/09/2003 <sup>13</sup>	11.45	6.78	4.67	0.00	0.00	-	-	-	-	<50	<0.5	0.7	<0.5	<0.5	-	1	-	-	-	-	-	-	-	-	-	-
MW-6	09/03/2003 <sup>13</sup>	11.45	7.08	4.37	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-	-	-	-	-	-
MW-6	12/01/2003 <sup>13</sup>	11.45	3.57	7.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	03/01/2004 <sup>13</sup>	11.45	3.18	8.27	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-	-	-	-	-
MW-6	06/02/2004 <sup>13</sup>	11.45	3.50	7.95	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	09/03/2004 <sup>13</sup>	11.45	2.17	9.28	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-	-	-	-	-
MW-6	12/20/2004 <sup>13</sup>	11.45	6.03	5.42	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-	-	-	-	-
MW-6	03/12/2005 <sup>13</sup>	11.45	5.05	6.40	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	06/28/2005 <sup>13</sup>	11.45	2.36	9.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	09/01/2005 <sup>13</sup>	11.45	2.87	8.58	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-
MW-6	12/01/2005 <sup>13</sup>	11.45	2.90	8.55	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	03/04/2006 <sup>13</sup>	11.45	3.71	7.74	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	06/01/2006 <sup>13</sup>	11.45	2.57	8.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	09/01/2006 <sup>13</sup>	11.45	2.36	9.09	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-
MW-6	12/15/2006 <sup>13</sup>	11.45	3.16	8.29	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	03/15/2007 <sup>13</sup>	11.45	2.42	9.03	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	06/15/2007 <sup>13</sup>	11.45	3.32	8.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	09/06/2007 <sup>13</sup>	11.45	5.41	6.04	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-	-	-	-	-
MW-6	12/07/2007 <sup>13</sup>	11.45	5.94	5.51	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-	-	-
MW-6	03/07/2008 <sup>13</sup>	11.45	6.22	5.23	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-
MW-6	06/24/2008 <sup>13</sup>	11.45	2.48	8.97	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	MTBE	FLAME			
Units	ft	ft	ft-ansl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	09/11/2008 <sup>13</sup>	11.45	2.57	8.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-
MW-6	12/19/2008 <sup>13</sup>	11.45	3.67	7.78	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	-	-
MW-6	06/01/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9 J	<50	-	-	-	-	-	-	-
MW-6	09/30/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-
MW-6	12/10/2009	11.45	2.54	8.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/08/2010	11.45	3.30	8.15	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-6	06/06/2010	11.45	2.42	9.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/02/2010	11.45	3.03	8.42	0.00	0.00	110 J	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
MW-6	12/09/2010 <sup>23</sup>	11.45	2.34	9.11	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/23/2011	11.45	2.62	8.83	0.00	0.00	180	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	-	-
MW-6	06/24/2011	11.45	5.11	6.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/30/2011	11.45	3.86	7.59	0.00	0.00	-	51 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	4 J	<50	<5	<0.5	<0.5	<0.5	0.6 J	-	-
MW-6	03/16/2012 <sup>26</sup>	11.45	3.69	7.76	0.00	0.00	-	190/66 J	-	78 J/<50	<50/<50	<0.5/<0.5	<0.5/<0.5	<0.5/<0.5	<0.5/<0.5	-	3/<0.5	<50/<50	-	-	-	-	-	-	-
MW-6	09/13/2012	11.45	4.31	7.14	0.00	0.00	-	180	-	180	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-
MW-6	02/28/2013	11.45	4.25	7.20	0.00	0.00	-	70 J	-	110 J	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	-	-
MW-6	09/21/2013 <sup>28,29</sup>	11.45	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/18/2014 <sup>27</sup>	11.45	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	10/23/2000 <sup>10</sup>	10.58	6.25	4.33	0.00	0.00	-	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	1,210	-	<6,670	<667	13.3	13.3	199	-	-	-
MW-7	12/08/2000	10.58	7.23	3.35	0.00	0.00	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	338	-	-	-	-	-	-	-	-	-
MW-7	03/03/2001 <sup>11</sup>	10.58	6.27	4.31	0.00	0.00	-	-	-	-	72 <sup>12</sup>	<0.50	<0.50	<0.50	<0.50	460	-	-	-	-	-	-	-	-	-
MW-7	06/19/2001	10.58	5.82	4.76	0.00	0.00	-	-	-	-	110 <sup>1</sup>	18	<0.50	<0.50	<0.50	440	-	-	-	-	-	-	-	-	-
MW-7	09/05/2001	10.58	6.54	4.04	0.00	0.00	-	-	-	-	180	<0.50	<0.50	<0.50	<1.5	640	-	-	-	-	-	-	-	-	-
MW-7	12/10/2001	10.58	5.54	5.04	0.00	0.00	-	-	-	-	110	<0.50	<0.50	<0.50	<1.5	390	-	-	-	-	-	-	-	-	-
MW-7	03/04/2002	10.58	6.90	3.68	0.00	0.00	-	-	-	-	220	1.1	<0.50	3.0	<1.5	460	-	-	-	-	-	-	-	-	-
MW-7	06/03/2002	10.58	5.64	4.94	0.00	0.00	-	-	-	-	130	<0.50	<0.50	<0.50	<1.5	350	-	-	-	-	-	-	-	-	-
MW-7	09/14/2002	10.58	7.03	3.55	0.00	0.00	-	-	-	-	120	<2.0	<0.50	<0.50	<1.5	340	-	-	-	-	-	-	-	-	-
MW-7	12/13/2002	10.58	5.59	4.99	0.00	0.00	-	-	-	-	57	<0.50	<0.50	<0.50	<1.5	150	-	-	-	-	-	-	-	-	-
MW-7	03/14/2003	10.58	5.98	4.60	0.00	0.00	-	-	-	-	77	<0.50	<0.50	<0.50	<1.5	240	-	-	-	-	-	-	-	-	-
MW-7	06/09/2003 <sup>13</sup>	10.58	6.26	4.32	0.00	0.00	-	-	-	-	79	<0.5	<0.5	<0.5	<0.5	-	210	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-CRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME			
	Units	ft	ft	ft-ansi	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	09/03/2003 <sup>13</sup>	10.58	6.86	3.72	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-	-	-	-
MW-7	12/01/2003 <sup>13</sup>	10.58	5.47	5.11	0.00	0.00	-	-	-	-	58	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-	-
MW-7	03/01/2004 <sup>13</sup>	10.58	5.98	4.60	0.00	0.00	-	-	-	-	71	<0.5	<0.5	<0.5	<0.5	-	180	<50	-	-	-	-	-	-	-
MW-7	06/02/2004 <sup>13</sup>	10.58	4.81	5.77	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	87	<50	-	-	-	-	-	-	-
MW-7	09/03/2004 <sup>13</sup>	10.58	6.42	4.16	0.00	0.00	-	-	-	-	55	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-	-	-	-
MW-7	12/20/2004 <sup>13</sup>	10.58	6.22	4.36	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-	-
MW-7	03/12/2005 <sup>13</sup>	10.58	5.79	4.79	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-	-	-	-
MW-7	06/28/2005 <sup>13</sup>	10.58	4.62	5.96	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-	-	-	-
MW-7	09/01/2005 <sup>13</sup>	10.58	4.78	5.80	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	70	<50	-	-	-	-	-	-	-
MW-7	12/01/2005 <sup>13</sup>	10.58	4.01	6.57	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-	-	-
MW-7	03/04/2006 <sup>13</sup>	10.58	5.89	4.69	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-	-	-	-
MW-7	06/01/2006 <sup>13</sup>	10.58	5.10	5.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-	-	-
MW-7	09/01/2006 <sup>13</sup>	10.58	5.31	5.27	0.00	0.00	-	-	-	-	<50	0.5	5	<0.5	5	-	17	<50	-	-	-	-	-	-	-
MW-7	12/15/2006 <sup>13</sup>	10.58	5.89	4.69	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-	-	-	-
MW-7	03/15/2007 <sup>13</sup>	10.58	5.67	4.91	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-	-	-
MW-7	06/15/2007 <sup>13</sup>	10.58	5.05	5.53	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-	-	-	-
MW-7	09/06/2007 <sup>13</sup>	10.58	5.42	5.16	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-	-	-
MW-7	12/07/2007 <sup>13</sup>	10.58	5.38	5.20	0.00	0.00	-	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-
MW-7	03/07/2008 <sup>13</sup>	10.58	5.54	5.04	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	-	-
MW-7	06/24/2008 <sup>13</sup>	10.58	6.10	4.48	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-7	09/11/2008 <sup>13</sup>	10.58	6.86	3.72	0.00	0.00	-	-	-	-	99	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-	-	-
MW-7	12/19/2008 <sup>13</sup>	10.58	6.54	4.04	0.00	0.00	-	-	-	-	<50	<0.5	0.7	<0.5	1	-	9	<50	-	-	-	-	-	-	-
MW-7	06/01/2009	10.58	4.10	6.48	0.00	0.00	-	-	-	-	70 J	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	-	-
MW-7	09/30/2009	10.58	3.11	7.47	0.00	0.00	-	-	-	-	110	<0.5	<0.5	<0.5	<0.5	-	11	<50	-	-	-	-	-	-	-
MW-7	12/10/2009	10.58	6.93	3.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/08/2010	10.58	5.70	4.88	0.00	0.00	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	-	-
MW-7	06/06/2010	10.58	5.56	5.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/02/2010	10.58	5.87	4.71	0.00	0.00	390	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	-	-
MW-7	12/09/2010 <sup>23</sup>	10.58	5.44	5.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/23/2011	10.58	4.64	5.94	0.00	0.00	480	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	-	-



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor OH	Motor OH w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-CRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THAME			
	Units	ft	ft	ft-ansi	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	06/24/2011	10.58	5.70	4.88	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/30/2011	10.58	6.60	3.98	0.00	0.00	-	48 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	81	<0.5	<0.5	0.7 J	-	-	-
MW-7	03/16/2012	10.58	5.93	4.65	0.00	0.00	-	<38	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	5	<50	-	-	-	-	-	-	-
MW-7	09/13/2012	10.58	6.16	4.42	0.00	0.00	-	54 J	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	-	-
MW-7	02/28/2013 <sup>27</sup>											Monitoring well destroyed													
QA	12/10/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	03/04/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	06/03/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	09/14/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	12/13/2002	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	03/14/2003	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-
QA	06/09/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	09/03/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	12/01/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	03/01/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	06/02/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	09/03/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	12/20/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	03/12/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	06/28/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	09/01/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	315 <sup>15</sup>	<0.5	215 <sup>15</sup>	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	12/01/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	03/04/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	06/01/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	09/01/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	12/15/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	03/15/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	06/15/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
QA	09/06/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCs					ADDITIONAL VOCs								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-CRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	THME			
	Units	ft	ft	ft-ansl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	12/07/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	03/07/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	06/24/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	09/11/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	12/19/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	06/01/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	09/30/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	12/10/2009	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	03/08/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	06/06/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	09/02/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	12/09/2010	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	03/23/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	06/24/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	09/30/2011	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	03/16/2012	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	09/13/2012	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	02/28/2013	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-	-	-
QA	09/21/2013	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-
QA	03/18/2014	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	03/29/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-
Trip Blank	06/26/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	09/25/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	12/17/1996	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	03/20/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	06/20/1997	-	-	-	-	-	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/09/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	12/12/1997	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	02/19/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENBERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor Oil	Motor Oil w/ Si Gel	TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE	MTBE by SW6260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	06/23/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	08/31/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	12/29/1998	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0	-	-	-	-	-	-	-	-	-
Trip Blank	03/11/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-	-	-	-
Trip Blank	06/24/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-	-	-	-
Trip Blank	09/29/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	12/08/1999	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-	-	-	-
Trip Blank	03/01/2000	-	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	06/19/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	09/30/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	10/05/2000	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	12/08/2000	-	-	-	-	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-	-	-	-	-	-	-	-
Trip Blank	03/03/2001 <sup>11</sup>	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	06/19/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-	-	-
Trip Blank	09/05/2001	-	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-	-	-

Abbreviations and Notes:

- TOC = Top of casing.
- DTW = Depth to water.
- GWE = Groundwater Elevation.
- LNAPLT = Light non-aqueous phase liquid thickness.
- TPH-DRO = Total petroleum hydrocarbons - diesel range organics.
- TPH-GRO = Total petroleum hydrocarbons - gasoline range organics.
- VOCS = Volatile Organic Compounds
- BTEX = Benzene, toluene, ethylbenzene, xylenes.
- MTBE = Methyl tertiary butyl ether.
- TBA = Tertiary butyl alcohol.
- DIPE = Di-isopropyl ether.
- ETBE = Ethyl tertiary butyl ether.
- TAME = Tert amyl methyl ether.
- Ft = Feet.
- Ft-amsl = Feet above mean sea level.
- Gal = Gallons.
- µg/L = Micrograms per liter.
- = Not analyzed/not applicable.



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 CHEVRON SERVICE STATION 91851  
 451 HEGENERGER ROAD  
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS								
							Motor Oil	Motor Oil w/ Si Gel	IPH-DRO	IPH-DRO w/ Si Gel	IPH-GRO	B	T	E	X	MTBE	MTBE by SW8260	Ethanol	TBA	DIPE	ETBE	TAME			
Units	Units	ft	ft	ft-amsl	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

<x = Not detected above laboratory method detection limit x.

J = Estimated value.

- \* TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).
- \*\* GWE was corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPLT x 0.80)].
- 1 Laboratory report indicates gasoline C6-C12.
- 2 MTBE by EPA Method 8260.
- 3 Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.
- 4 Chromatogram pattern indicates an unidentified hydrocarbon.
- 5 Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.
- 6 Confirmation run.
- 7 Laboratory report indicates unidentified hydrocarbons >C16.
- 8 Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024 ppm.
- 9 Laboratory report indicates that Semi-Volatile Organic Compounds
- 10 Data was provided by Delta Environmental Consultants, Inc.
- 11 Laboratory report indicates sample was analyzed outside the EPA recommended holding time.
- 12 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 13 BTEX and MTBE by EPA Method 8260.
- 14 LNAPL + Water removed.
- 15 Analytical result confirmed.
- 16 Probe did not detect LNAPL but was covered with product; LNAPL was confirmed with bailer.
- 17 Laboratory report indicates due to excessive foaming of the sample, normal reporting limits were not attained.
- 18 Water plus 15 milliliters of product removed from well.
- 19 The vial submitted for volatile analysis did not have a pH<2 at the time of analysis, pH = 7.
- 20 Due to excessive foaming of the sample, normal reporting limits were not attained.
- 21 Laboratory report indicates the result reported for xylene (total) is possibly the result of carryover from the sample injected prior to this sample. Since only one vial was submitted, a repeat analysis without headspace could not be performed to confirm the results.
- 22 Not sampled due to presence of LNAPL.
- 23 Sampled semi-annually.
- 24 Inaccessible - Well covered.
- 25 Monitoring and sampling occurred on 06/10/2010; however, the sample collection date was incorrectly written on the COC.
- 26 Pre-purge / post purge samples.
- 27 Monitoring well destroyed.
- 28 Dry.
- 29 Well damaged.