



Chevron

#541

Chevron U.S.A. Products Company
6001 Bollinger Canyon Rd. Bldg. L
P. O. Box 6004
San Ramon, CA 94583-0804

Site Assessment and
Remediation Group
Phone (510) 842-9500
Fax (510) 842-8370

Date: August 10, 1999
To: Distribution
Re: Groundwater Monitoring Report

The enclosed groundwater monitoring report has been properly reviewed by a Chevron authorized representative. Agency guidelines have been followed. Blaine Tech Services is authorized to distribute the report directly to interested parties.

If you have any questions, please call me at (510) 842-8695.

Sincerely,

Brett L. Hunter

Brett Hunter
Site Assessment and Remediation
Project Manager

/ replaces Phil Burgis

need to install addnl offsite downgradient well(s) to delineate MTBE plume. The offsite gw study (4/98) not conducted.

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE

August 10, 1999

Brett Hunter
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

2nd Quarter 1999 Monitoring at 9-1851

Second Quarter 1999 Groundwater Monitoring at
Chevron Service Station Number 9-1851
451 Hegenberger Rd.
Oakland, CA

Monitoring Performed on June 24, 1999

Groundwater Sampling Report 990624-P-2

This report covers the routine monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waste Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table also contains new groundwater elevation calculations taken from the computer plotted gradient


map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,





Christine Lillie
Project Coordinator

CAL/sb

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

cc: ~~Barney Chan~~, Alameda County Health Care Services, Dept. of
Environmental Health
Ben Shimek

Professional Engineering Appendix




SCALE (ft)



EXPLANATION

- ⊙ MONITORING WELL LOCATION
- SOIL BORING LOCATION
- 0.53 GROUNDWATER ELEVATION (FT, MSL)
- 0.50 — GROUNDWATER ELEVATION CONTOUR (FT, MSL)
- ← APPROXIMATE GROUNDWATER FLOW DIRECTION;
APPROXIMATE GRADIENT = 0.006

EDGEWATER ROAD



HEGENBERGER ROAD

Basemap from Geoconsultants, Inc.

PREPARED BY



Chevron Station 9-1851
451 Hegenberger Road
Oakland, California

GROUNDWATER ELEVATION CONTOUR MAP,
JUNE 24, 1999

FIGURE:
1

PROJECT:
DAC04

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	Benzene by (EPA 8240)	Xylene by (EPA 8240)	C-1, 2-DCE	Carbon Disulfide	Vinyl Chloride	MTBE	
MW-1																		
10/17/95	2.61	-1.51	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/29/96	2.61	-0.72	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	9.5
06/26/96	2.61	-1.23	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	46
09/25/96	2.61	-1.41	4.02	--	<250	<2.5	<2.5	<2.5	<2.5	--	--	--	--	--	--	--	--	940
12/17/96	2.61	-0.96	3.57	--	<50	0.86	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	260
03/20/97	2.61	-1.54	4.15	--	<50	<2.0	<2.0	<2.0	<2.0	--	--	--	--	--	--	--	--	76
06/20/97	2.61	-1.72	4.33	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	64
09/09/97	2.61	-1.74	4.35	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	110
12/12/97	2.61	-0.39	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	27
02/19/98	2.61	0.78	1.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	14
06/23/98	2.61	-0.73	3.34	*	210	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	3400
08/31/98	2.61	-0.88	3.49	*	1400	630	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	--	16,000
12/29/98	2.61	-1.22	3.83	--	<500	<5.0	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	--	1090
03/11/99	2.61	-0.43	3.04	*	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	33.9
06/24/99	2.61	-0.77	3.38	*	<500	65.7	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	--	1160

* See Table of Additional Analyses

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	Benzene by (EPA 8240)	Xylene by (EPA 8240)	C-1, 2-DCE	Carbon Disulfide	Vinyl Chloride	MTBE
MW-2																	
10/17/95	3.51	-1.82	5.33	*	170	3.5	<0.5	1.0	6.1	<5000	1600**	--	--	11	--	--	--
03/29/96	3.51	-0.44	3.95	--	89	4.7	<0.5	0.64	0.74	--	3000**	11	2.5	17	--	5.4	21
06/26/96	3.51	-1.09	4.60	--	80	8.7	<0.5	1.2	1.3	--	2000**	11	<2.0	15	--	12	31
09/25/96	3.51	--	--	Inaccessible	--	--	--	--	--	--	--	--	--	--	--	--	--
12/17/96	3.51	-0.41	3.92	--	110	<0.5	<0.5	0.75	2.1	--	2400**	10	<2.0	2.3	--	5.5	27
03/20/97	3.51	-1.32	4.83	--	140	8.2	<2.0	<2.0	<2.0	--	3400**	--	--	<2.0	--	3.2	58
06/20/97	3.51	-1.53	5.04	--	62	7.7	<0.5	<0.5	<0.5	--	1600**	7.2	<2.0	4.6	2.2	5.2	38
09/09/97	3.51	-1.47	4.98	--	190	9.4	<0.5	<0.5	0.86	--	82**	11	<2.0	<2.0	<2.0	<2.0	48
12/12/97	3.51	-0.40	3.91	--	180	1.8	<0.5	<0.5	3.2	--	8500**	<2.0	<2.0	<2.0	<2.0	<2.0	34
02/19/98	3.51	0.55	2.96	--	<100	1.8	<1.0	<1.0	<1.0	--	3800**	<3.3	<3.3	<3.3	<3.3	<3.3	230
06/23/98	3.51	-0.54	4.05	***	60	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	55
08/31/98	3.51	-0.80	4.31	--	61	2.2	<0.5	<0.5	1.1	--	--	--	--	--	--	--	53
12/29/98	3.51	-1.12	4.63	--	54	1.32	<0.5	<0.5	0.752	--	--	--	--	--	--	--	38.1
03/11/99	3.51	-0.01	3.52	***	648	2.88	<2.0	<2.0	<2.0	--	--	--	--	--	--	--	73.2
06/24/99	3.51	-0.49	4.00	***	264	0.575	<0.5	1.01	<0.5	--	--	--	--	--	--	--	44.1

* Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane is 1.7 ppb.

** Chromatogram pattern indicates an unidentified hydrocarbon.

*** See Table of Additional Analyses

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	Benzene (EPA 8240)	Xylene (EPA 8240)	1,2-DCE	Carbon Disulfide	Vinyl Chloride	MTBE
MW-3																	
10/17/95	3.08	-1.34	4.42	***	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/29/96	3.08	0.08	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	26
06/26/96	3.08	-0.52	3.60	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	47
09/25/96	3.08	-1.06	4.14	--	<125	<1.2	<1.2	<1.2	<1.2	--	--	--	--	--	--	--	570
12/17/96	3.08	-0.12	3.20	--	<500	<5.0	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	680
03/20/97	3.08	-0.22	3.30	--	<50	<5.7	<5.7	<5.7	<5.7	--	--	--	--	--	--	--	430
06/20/97	3.08	-0.78	3.86	--	<500	<5.0	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	1400
09/09/97	3.08	-1.11	4.19	--	76**	22	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	920
12/12/97	3.08	0.12	2.96	--	52	15	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	710
02/19/98	3.08	0.86	2.22	--	<50	6.6	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	380
06/23/98	3.08	-0.17	3.25	*	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	390
08/31/98	3.08	-0.78	3.86	--	<50	19	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	830
12/29/98	3.08	-0.45	3.53	--	<250	<2.5	<2.5	<2.5	<2.5	--	--	--	--	--	--	--	416
03/11/99	3.08	-0.27	3.35	*	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	262
06/24/99	3.08	-0.53	3.61	*	<50	12.8	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	620
MW-4																	
10/17/95	3.48	-1.60	5.08	--	<125	<1.2	<1.2	<1.2	<1.2	--	--	--	--	--	--	--	--
03/29/96	3.48	-1.13	4.61	--	<1000	<10	<10	<10	<10	--	--	--	--	--	--	--	6700
06/26/96	3.48	-0.82	4.30	--	<2000	<20	<20	<20	<20	--	--	--	--	--	--	--	7200
09/25/96	3.48	-1.85	5.33	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
12/17/96	3.48	0.67	2.81	--	<2000	120	<20	<20	<20	--	--	--	--	--	--	--	11,000
03/20/97	3.48	-1.02	4.50	--	250**	<2.0	<2.0	<2.0	<2.0	--	--	--	--	--	--	--	10,000
03/20/97	3.48	-1.02	4.50	Conf. run	--	--	--	--	--	--	--	--	--	--	--	--	8600
06/20/97	3.48	-2.20	5.68	--	<2500	<25	<25	<25	<25	--	--	--	--	--	--	--	9300
09/09/97	3.48	-2.02	5.50	--	460**	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	6600
12/12/97	3.48	-1.55	5.03	--	430**	120	<2.5	<2.5	<2.5	--	--	--	--	--	--	--	7800
02/19/98	3.48	0.13	3.35	--	510**	130	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	6600
06/23/98	3.48	-1.50	4.98	*	550**	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	6800
08/31/98	3.48	-1.94	5.42	--	<500	450	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	14,000
12/29/98	3.48	-1.58	5.06	--	<5000	<50	<50	<50	<50	--	--	--	--	--	--	--	16,100
03/11/99	3.48	-0.30	3.78	*	979	5.0	<5.0	<5.0	<5.0	--	--	--	--	--	--	--	15,100
06/24/99	3.48	-0.83	4.31	*	<2500	715	<25	<25	<25	--	--	--	--	--	--	--	12,400

* See Table of Additional Analyses

** Chromatogram pattern indicates an unidentified hydrocarbon.

*** Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	TOG	TPH-Diesel	Benzene (EPA 8240)	Xylene (EPA 8240)	1,2-DCE	Carbon Disulfide	Vinyl Chloride	MTBE
TRIP BLANK																	
10/17/95																	
03/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
06/26/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
09/25/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
12/17/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
06/20/97	--	--	--	--	<50	<2.0	<2.0	<2.0	<2.0	--	--	--	--	--	--	--	--
09/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
12/12/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
02/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
06/23/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.5
12/29/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<2.0
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<5.0
06/24/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	<5.0

Cumulative Table of Well Data and Analytical Results

ADDITIONAL ANALYSES

Vertical Measurements are in feet.

8260 results

Analytical values are in parts per billion (ppb)

DATE	Notes	Ethanol	t-Butanol	MTBE	DIPE	ETBE	TAME
MW-1							
06/23/98	--	<50,000	<10,000	4500	<200	<200	<200
08/31/98	--	--	--	17,000	--	--	--
03/11/99	--	--	--	54.1	--	--	--
06/24/99	--	<10,000	<2000	1800 ✓	<20	<20	258 ✓ <i>8260</i>
MW-2							
06/23/98	--	<500	<100	56	<2.0	<2.0	<2.0
03/11/99	--	--	--	181	--	--	--
06/24/99	--	<1000	<200	52.5	<2.0	<2.0	<2.0
MW-3							
06/23/98	--	<5000	<1000	420	<20	<20	26
03/11/99	--	--	--	580	--	--	--
06/24/99	--	<6670	<1330	900	<13.3	<13.3	<13.3 <i>52.4 8260</i>
MW-4							
06/23/98	--	<50000	<10000	11,000	<200	<200	860
03/11/99	--	--	--	17,800	--	--	--
06/24/99	--	<125,000	<25,000	17,000	<250	<250	2600
TRIP BLANK							
03/11/99	--	--	--	<2.0	--	--	--

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on March 29, 1996. Earlier field data and analytical results are drawn from the December 29, 1995 Gettler-Ryan, Inc. report.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons
 ND = Not detected at or above the minimum quantitation limit. See laboratory reports for minimum quantitation limits.
 TOG = Total Oil Grease
 MTBE = Methyl t-butyl Ether
 DIPE = Di-Isopropyl Ether
 ETBE = Ethyl t-Butyl Ether
 TAME = t-Amyl Methyl Ether
 C-1,2 DCE = Cis-1,2-Dichloroethylene
 Conf. run = Confirmation run

Analytical Appendix



July 12, 1999

Christine Lillie
Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

RE: Chevron(8)

Dear Christine Lillie

Enclosed are the results of analyses for sample(s) received by the laboratory on June 25, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

for Wayne Stevenson
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

ANALYTICAL REPORT FOR SAMPLES:

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
MW-3	L906321-01	Water	6/24/99
MW-2	L906321-02	Water	6/24/99
MW-1	L906321-03	Water	6/24/99
MW-4	L906321-04	Water	6/24/99
TB	L906321-05	Water	6/24/99





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**MW-3
[L906321-01]**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
---------	--------------	---------------	---------------	--------------------------------------	-----------------	--------	-------	--------

Sequoia Analytical - San Carlos

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT

Purgeable Hydrocarbons as Gasoline	9070017	7/6/99	7/7/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	12.8	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		50.0	620	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	"	"	"	70.0-130		94.2	%	

Volatile Organic Oxygenated Compounds by EPA Method 8260A

Ethanol	9060165	7/1/99	7/1/99		6670	ND	ug/l	
Tert-butyl alcohol	"	"	"		1330	ND	"	
Methyl tert-butyl ether	"	"	"		13.3	900	"	
Di-isopropyl ether	"	"	"		13.3	ND	"	
Ethyl tert-butyl ether	"	"	"		13.3	ND	"	
Tert-amyl methyl ether	"	"	"		13.3	52.4	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	"	"	76.0-114		103	%	





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**MW-2
[L906321-02]**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
---------	--------------	---------------	---------------	--------------------------------------	-----------------	--------	-------	--------

Sequoia Analytical - San Carlos

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT

Purgeable Hydrocarbons as Gasoline	9070017	7/6/99	7/7/99		50.0	264	ug/l	
Benzene	"	"	"		0.500	0.575	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	1.01	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		5.00	44.1	"	
Surrogate: <i>a,a,a-Trifluorotoluene</i>	"	"	"	70.0-130		96.5	%	

Volatile Organic Oxygenated Compounds by EPA Method 8260A

Ethanol	9060168	6/30/99	6/30/99		1000	ND	ug/l	
Tert-butyl alcohol	"	"	"		200	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	52.5	"	
Di-isopropyl ether	"	"	"		2.00	ND	"	
Ethyl tert-butyl ether	"	"	"		2.00	ND	"	
Tert-amyl methyl ether	"	"	"		2.00	ND	"	
Surrogate: <i>1,2-Dichloroethane-d4</i>	"	"	"	76.0-114		110	%	





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**MW-1
[L906321-03]**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
---------	--------------	---------------	---------------	--------------------------------------	-----------------	--------	-------	--------

Sequoia Analytical - San Carlos

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT

Purgeable Hydrocarbons as Gasoline	9070017	7/6/99	7/7/99		500	ND	ug/l	
Benzene	"	"	"		5.00	65.7	"	
Toluene	"	"	"		5.00	ND	"	
Ethylbenzene	"	"	"		5.00	ND	"	
Xylenes (total)	"	"	"		5.00	ND	"	
Methyl tert-butyl ether	"	"	"		50.0	1160	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	"	"	"	70.0-130		88.8	%	

Volatile Organic Oxygenated Compounds by EPA Method 8260A

Ethanol	9060168	6/30/99	6/30/99		10000	ND	ug/l	
Tert-butyl alcohol	"	"	"		2000	ND	"	
Methyl tert-butyl ether	"	"	"		20.0	1800	"	
Di-isopropyl ether	"	"	"		20.0	ND	"	
Ethyl tert-butyl ether	"	"	"		20.0	ND	"	
Tert-amyl methyl ether	"	"	"		20.0	258	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	"	"	76.0-114		114	%	





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**MW-4
[L906321-04]**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
---------	--------------	---------------	---------------	--------------------------------------	-----------------	--------	-------	--------

Sequoia Analytical - San Carlos

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT

Purgeable Hydrocarbons as Gasoline	9070017	7/6/99	7/7/99		2500	ND	ug/l	
Benzene	"	"	"		25.0	715	"	
Toluene	"	"	"		25.0	ND	"	
Ethylbenzene	"	"	"		25.0	ND	"	
Xylenes (total)	"	"	"		25.0	ND	"	
Methyl tert-butyl ether	"	"	"		250	12400	"	✓
Surrogate: <i>a,a,a-Trifluorotoluene</i>	"	"	"	70.0-130		89.0	%	

Volatile Organic Oxygenated Compounds by EPA Method 8260A

Ethanol	9060165	7/1/99	7/1/99		125000	ND	ug/l	
Tert-butyl alcohol	"	"	"		25000	ND	"	
Methyl tert-butyl ether	"	"	"		250	17000	"	✓
Di-isopropyl ether	"	"	"		250	ND	"	
Ethyl tert-butyl ether	"	"	"		250	ND	"	
Tert-amyl methyl ether	"	"	"		250	2600	"	
Surrogate: <i>1,2-Dichloroethane-d4</i>	"	"	"	76.0-114		100	%	





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**TB
[L906321-05]**

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
---------	--------------	---------------	---------------	--------------------------------------	-----------------	--------	-------	--------

Sequoia Analytical - San Carlos

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT

Purgeable Hydrocarbons as Gasoline	9070014	7/4/99	7/8/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		5.00	ND	"	
Surrogate: <i>a,a,a</i> -Trifluorotoluene	"	"	"	70.0-130		105	%	





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - San Carlos**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9070014			Date Prepared: 7/4/99			Extraction Method: EPA 5030B [P/T]				
Blank			9070014-BLK1							
Purgeable Hydrocarbons as Gasoline	7/8/99			ND	ug/l	50.0				
Benzene	"			ND	"	0.500				
Toluene	"			ND	"	0.500				
Ethylbenzene	"			ND	"	0.500				
Xylenes (total)	"			ND	"	0.500				
Methyl tert-butyl ether	"			ND	"	5.00				
Surrogate: a,a,a-Trifluorotoluene	"	10.0		8.28	"	70.0-130	82.8			
LCS			9070014-BS1							
Purgeable Hydrocarbons as Gasoline	7/8/99	250		281	ug/l	70.0-130	112			
Surrogate: a,a,a-Trifluorotoluene	"	10.0		11.8	"	70.0-130	118			
Matrix Spike			9070014-MS1 L906310-01							
Purgeable Hydrocarbons as Gasoline	7/8/99	250	80.4	327	ug/l	60.0-140	98.6			1
Surrogate: a,a,a-Trifluorotoluene	"	10.0		11.9	"	70.0-130	119			
Matrix Spike Dup			9070014-MSD1 L906310-01							
Purgeable Hydrocarbons as Gasoline	7/8/99	250	80.4	417	ug/l	60.0-140	135	25.0	31.2	1
Surrogate: a,a,a-Trifluorotoluene	"	10.0		11.3	"	70.0-130	113			
Batch: 9070017			Date Prepared: 7/6/99			Extraction Method: EPA 5030B [P/T]				
Blank			9070017-BLK1							
Purgeable Hydrocarbons as Gasoline	7/6/99			ND	ug/l	50.0				
Benzene	"			ND	"	0.500				
Toluene	"			ND	"	0.500				
Ethylbenzene	"			ND	"	0.500				
Xylenes (total)	"			ND	"	0.500				
Methyl tert-butyl ether	"			ND	"	5.00				
Surrogate: a,a,a-Trifluorotoluene	"	10.0		9.23	"	70.0-130	92.3			
LCS			9070017-BS1							
Benzene	7/6/99	10.0		8.99	ug/l	70.0-130	89.9			
Toluene	"	10.0		8.66	"	70.0-130	86.6			
Ethylbenzene	"	10.0		9.38	"	70.0-130	93.8			
Xylenes (total)	"	30.0		27.7	"	70.0-130	92.3			
Surrogate: a,a,a-Trifluorotoluene	"	10.0		10.3	"	70.0-130	103			
Matrix Spike			9070017-MS1 L906311-13							
Benzene	7/6/99	10.0	ND	8.51	ug/l	60.0-140	85.1			
Toluene	"	10.0	ND	8.03	"	60.0-140	80.3			





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - San Carlos**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Matrix Spike (continued)		9070017-MS1	L906311-13							
Ethylbenzene	7/6/99	10.0	ND	8.88	ug/l	60.0-140	88.8			
Xylenes (total)	"	30.0	ND	26.0	"	60.0-140	86.7			
Surrogate: a,a,a-Trifluorotoluene	"	10.0		9.39	"	70.0-130	93.9			
Matrix Spike Dup		9070017-MSD1	L906311-13							
Benzene	7/6/99	10.0	ND	8.63	ug/l	60.0-140	86.3	25.0	1.40	
Toluene	"	10.0	ND	7.89	"	60.0-140	78.9	25.0	1.76	
Ethylbenzene	"	10.0	ND	9.05	"	60.0-140	90.5	25.0	1.90	
Xylenes (total)	"	30.0	ND	26.5	"	60.0-140	88.3	25.0	1.83	
Surrogate: a,a,a-Trifluorotoluene	"	10.0		9.35	"	70.0-130	93.5			





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

**Volatile Organic Oxygenated Compounds by EPA Method 8260A/Quality Control
Sequoia Analytical - San Carlos**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9060165			Date Prepared: 6/30/99			Extraction Method: EPA 5030B [P/T]				
Blank			9060165-BLK1							
Ethanol	6/30/99			ND	ug/l	1000				
Tert-butyl alcohol	"			ND	"	200				
Methyl tert-butyl ether	"			ND	"	2.00				
Di-isopropyl ether	"			ND	"	2.00				
Ethyl tert-butyl ether	"			ND	"	2.00				
Tert-amyl methyl ether	"			ND	"	2.00				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	50.0		50.5	"	76.0-114	101			
Blank			9060165-BLK2							
Ethanol	7/1/99			ND	ug/l	1000				
Tert-butyl alcohol	"			ND	"	200				
Methyl tert-butyl ether	"			ND	"	2.00				
Di-isopropyl ether	"			ND	"	2.00				
Ethyl tert-butyl ether	"			ND	"	2.00				
Tert-amyl methyl ether	"			ND	"	2.00				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	50.0		51.9	"	76.0-114	104			
Blank			9060165-BLK3							
Ethanol	7/2/99			ND	ug/l	1000				
Tert-butyl alcohol	"			ND	"	200				
Methyl tert-butyl ether	"			ND	"	2.00				
Di-isopropyl ether	"			ND	"	2.00				
Ethyl tert-butyl ether	"			ND	"	2.00				
Tert-amyl methyl ether	"			ND	"	2.00				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	50.0		52.4	"	76.0-114	105			
LCS			9060165-BS1							
Methyl tert-butyl ether	6/30/99	50.0		52.5	ug/l	70.0-130	105			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	50.0		50.6	"	76.0-114	101			
LCS			9060165-BS2							
Methyl tert-butyl ether	7/1/99	50.0		49.5	ug/l	70.0-130	99.0			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	50.0		49.3	"	76.0-114	98.6			
LCS			9060165-BS3							
Methyl tert-butyl ether	7/2/99	50.0		49.7	ug/l	70.0-130	99.4			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	"	50.0		51.0	"	76.0-114	102			
Matrix Spike			9060165-MS1			L906340-01				
Methyl tert-butyl ether	6/30/99	50.0	ND	52.1	ug/l	60.0-140	104			





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Project: Chevron(8) Project Number: Chevron 9-1851/990624-P2 Project Manager: Christine Lillie	Sampled: 6/24/99 Received: 6/25/99 Reported: 7/12/99 09:29
--	--	--

Volatile Organic Oxygenated Compounds by EPA Method 8260A/Quality Control
Sequoia Analytical - San Carlos

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Matrix Spike (continued)										
		9060165-MS1	L906340-01							
Surrogate: 1,2-Dichloroethane-d4	6/30/99	50.0		50.0	ug/l	76.0-114	100			
Matrix Spike Dup										
		9060165-MSD1	L906340-01							
Methyl tert-butyl ether	6/30/99	50.0	ND	52.8	ug/l	60.0-140	106	25.0	1.90	
Surrogate: 1,2-Dichloroethane-d4	"	50.0		50.8	"	76.0-114	102			
Batch: 9060168										
		Date Prepared: 6/30/99			Extraction Method: EPA 5030B [P/T]					
Blank										
		9060168-BLK1								
Ethanol	6/30/99			ND	ug/l	1000				
Tert-butyl alcohol	"			ND	"	200				
Methyl tert-butyl ether	"			ND	"	2.00				
Di-isopropyl ether	"			ND	"	2.00				
Ethyl tert-butyl ether	"			ND	"	2.00				
Tert-amyl methyl ether	"			ND	"	2.00				
Surrogate: 1,2-Dichloroethane-d4	"	50.0		53.0	"	76.0-114	106			
Blank										
		9060168-BLK2								
Ethanol	7/1/99			ND	ug/l	1000				
Tert-butyl alcohol	"			ND	"	200				
Methyl tert-butyl ether	"			ND	"	2.00				
Di-isopropyl ether	"			ND	"	2.00				
Ethyl tert-butyl ether	"			ND	"	2.00				
Tert-amyl methyl ether	"			ND	"	2.00				
Surrogate: 1,2-Dichloroethane-d4	"	50.0		51.0	"	76.0-114	102			
LCS										
		9060168-BS1								
Methyl tert-butyl ether	6/30/99	50.0		49.6	ug/l	70.0-130	99.2			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		56.5	"	76.0-114	113			
LCS										
		9060168-BS2								
Methyl tert-butyl ether	7/1/99	50.0		42.6	ug/l	70.0-130	85.2			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		51.8	"	76.0-114	104			
Matrix Spike										
		9060168-MS1	L906321-02							
Methyl tert-butyl ether	6/30/99	50.0	52.5	100	ug/l	60.0-140	95.0			
Surrogate: 1,2-Dichloroethane-d4	"	50.0		52.6	"	76.0-114	105			
Matrix Spike Dup										
		9060168-MSD1	L906321-02							
Methyl tert-butyl ether	6/30/99	50.0	52.5	111	ug/l	60.0-140	117	25.0	20.8	
Surrogate: 1,2-Dichloroethane-d4	"	50.0		56.1	"	76.0-114	112			





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Project: Chevron(8)
Project Number: Chevron 9-1851/990624-P2
Project Manager: Christine Lillie

Sampled: 6/24/99
Received: 6/25/99
Reported: 7/12/99 09:29

Notes and Definitions

#	Note
---	------

- | | |
|--------|--|
| 1 | The RPD and/or percent recovery for this QC spike sample cannot be accurately calculated due to the high concentration of analyte already present in the sample. |
| DET | Analyte DETECTED |
| ND | Analyte NOT DETECTED at or above the reporting limit |
| NR | Not Reported |
| dry | Sample results reported on a dry weight basis |
| Recov. | Recovery |
| RPD | Relative Percent Difference |



Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>901062A-P2</u>	Station #: <u>9-1851</u>
Sampler: <u>P-1</u>	Date: <u>6-24-99</u>
Well I.D.: <u>MW-1</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: <u>14.70</u>	Depth to Water: <u>3.38</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
<u>2"</u>	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u> Disposable Bailer <input checked="" type="checkbox"/> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: <u>Bailer</u> Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other: _____
---	--

<u>1.8</u>	x	<u>3</u>	=	<u>5.4</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>15:17</u>	<u>73.2</u>	<u>7.0</u>	<u>3624</u>	<u>2.0</u>	
<u>15:20</u>	<u>72.8</u>	<u>6.9</u>	<u>3596</u>	<u>4.0</u>	
<u>15:23</u>	<u>72.6</u>	<u>6.9</u>	<u>3528</u>	<u>5.5</u>	

Did well dewater? Yes No Gallons actually evacuated: 5.5

Sampling Time: 15:27 Sampling Date: 6-24-99

Sample I.D.: MW-1 Laboratory: Sequoia CORE N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8260

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 990624-P2	Station #: 9-1851
Sampler: PA-1	Date: 6-24-99
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: 15.00	Depth to Water: 4.00
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other: _____
--	---

1.7	x	3	=	5.2	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
4:51	71.2	7.3	6724	1.5	
4:54	71.4	7.2	6639	3.0	
4:56	70.8	7.2	6621	5.5	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 5.5
Sampling Time: 15:03	Sampling Date: 6-24-99
Sample I.D.: MW-2	Laboratory: Sequoia CORE N. Creek Assoc. Labs
Analyzed for: TPH-G BTEX MTBE TPH-D Other: 8260	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: <input type="text"/> mg/L Post-purge: <input type="text"/> mg/L
R.P. (if req'd):	Pre-purge: <input type="text"/> mV Post-purge: <input type="text"/> mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>990624-P2</u>	Station #: <u>01-1851</u>
Sampler: <u>Paul</u>	Date: <u>6-24-99</u>
Well I.D.: <u>MW-3</u>	Well Diameter: <u>(2)</u> 3 4 6 8 <u> </u>
Total Well Depth: <u>14.75</u>	Depth to Water: <u>3.01</u>
Depth to Free Product: <u> </u>	Thickness of Free Product (feet): <u> </u>
Referenced to: <u>PVC</u> <u>Grade</u>	D.O. Meter (if req'd): <u>YSI</u> <u>HACH</u>

Well Diameter	Multiplier	Well Diameter	Multiplier
<u>2"</u>	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: <u>Bailer</u> <u>Disposable Bailer</u> ✓ <u>Middleburg</u> <u>Electric Submersible</u> <u>Extraction Pump</u> Other: <u> </u>	Sampling Method: <u>Bailer</u> <u>Disposable Bailer</u> ✓ <u>Extraction Port</u> Other: <u> </u>
---	--

<u>1.7</u>	x	<u>3</u>	=	<u>5.3</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>14:27</u>	<u>73.2</u>	<u>7.2</u>	<u>4674</u>	<u>2</u>	
<u>14:30</u>	<u>72.8</u>	<u>7.1</u>	<u>4624</u>	<u>4</u>	
<u>14:33</u>	<u>71.6</u>	<u>7.1</u>	<u>4613</u>	<u>5.5</u>	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>5.5</u>
Sampling Time: <u>14:37</u>	Sampling Date: <u>6-24-99</u>
Sample I.D.: <u>MW-3</u>	Laboratory: <u>Sequoia</u> CORE N. Creek Assoc. Labs
Analyzed for: <u>(TPH-G BTEX MTBE TPH-D Other: 9260)</u>	
Duplicate I.D.: <u> </u>	Analyzed for: <u>TPH-G BTEX MTBE TPH-D Other: </u>
D.O. (if req'd):	Pre-purge: <u> </u> mg/L Post-purge: <u> </u> mg/L
D.R.P. (if req'd):	Pre-purge: <u> </u> mV Post-purge: <u> </u> mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>90624-P2</u>	Station #: <u>9-1851</u>
Sampler: <u>Dr-1</u>	Date: <u>6-24-95</u>
Well I.D.: <u>MW-4</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>15.15</u>	Depth to Water: <u>4.31</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
<u>2"</u>	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.165

Purge Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: Bailer Disposable Bailer <input checked="" type="checkbox"/> Extraction Port Other: _____
--	---

<u>1.7</u>	x	<u>3</u>	=	<u>5.2</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>15:41</u>	<u>72.8</u>	<u>7.0</u>	<u>5625</u>	<u>2.0</u>	
<u>15:43</u>	<u>71.6</u>	<u>7.1</u>	<u>4926</u>	<u>4.0</u>	
<u>15:45</u>	<u>71.4</u>	<u>7.1</u>	<u>4911</u>	<u>5.5</u>	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>5.5</u>
Sampling Time: <u>15:50</u>	Sampling Date: <u>6-24-95</u>
Sample I.D.: <u>MW-4</u>	Laboratory: <u>Sequoia</u> CORE N. Creek Assoc. Labs
Analyzed for: TPH-G BTEX MTBE TPH-D <u>Other: 8260</u>	
Duplicate I.D.: _____	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: mg/L Post-purge: mg/L
D.R.P. (if req'd):	Pre-purge: mV Post-purge: mV