

Environmental Management
Company
6001 Bollinger Canyon Rd, L4050
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

January 6, _____, 200~~3~~⁴ *YAH*

ChevronTexaco

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County

JAN 27 2004

Environmental Health

Re: Chevron Service Station # 9-1851

Address: 451 Hegenberger Road, Oakland, California


I have reviewed the attached routine groundwater monitoring report dated December 30, 2003.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

December 30, 2003

G-R #385145

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-1851
451 Hegenberger Road
Oakland, California
Alameda County
JAN 27 2004
Environmental Health

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	December 30, 2003	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of December 1, 2003

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **January 22, 2004**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Ben Shimek, (Owner), 31 Industrial Way, Greenbrae, CA 94904

Enclosures

trans/9-1851-ks



GETTLER - RYAN INC.

December 30, 2003
G-R Job #385145

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Fourth Quarter Event of December 1, 2003
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator




Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-1851
 451 Hegenberger Road
 Oakland, California

FIGURE

1

PROJECT NUMBER
 385145

REVIEWED BY

DATE
 December 1, 2003

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1										
10/17/95	2.61	-1.51	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/96	2.61	-0.72	3.33	--	<50	<0.5	<0.5	<0.5	<0.5	9.5
06/26/96	2.61	-1.23	3.84	--	<50	<0.5	<0.5	<0.5	<0.5	46
09/25/96	2.61	-1.41	4.02	--	<250	<2.5	<2.5	<2.5	<2.5	940
12/17/96	2.61	-0.96	3.57	--	<50	0.9	<0.5	<0.5	<0.5	260
03/20/97	2.61	-1.54	4.15	--	<50	<2.0	<2.0	<2.0	<2.0	76
06/20/97	2.61	-1.72	4.33	--	<50	<0.5	<0.5	<0.5	<0.5	64
09/09/97	2.61	-1.74	4.35	--	<50	<0.5	<0.5	<0.5	<0.5	110
12/12/97	2.61	-0.39	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	27
02/19/98	2.61	0.78	1.83	--	<50	<0.5	<0.5	<0.5	<0.5	14
06/23/98	2.61	-0.73	3.34	--	210	<0.5	<0.5	<0.5	<0.5	3,400
08/31/98	2.61	-0.88	3.49	--	1,400	630	<5.0	<5.0	<5.0	16,000
12/29/98	2.61	-1.22	3.83	--	<500	<5.0	<5.0	<5.0	<5.0	1,090
03/11/99	2.61	-0.43	3.04	--	<50	<0.5	<0.5	<0.5	<0.5	33.9
06/24/99	2.61	-0.77	3.38	--	<500	65.7	<5.0	<5.0	<5.0	1,160
09/29/99	2.61	-1.01	3.62	--	81.7	<0.5	<0.5	<0.5	<0.5	1,130
12/08/99	2.61	-1.46	4.07	--	<50	<0.5	<0.5	<0.5	<0.5	233
03/01/00	2.61	0.66	1.95	--	100	<0.5	<0.5	<0.5	<0.5	37.9
06/19/00	2.61	-0.80	3.41	--	<50	3.8	<0.50	<0.50	<0.50	88/91 ²
09/30/00	2.61	-1.23	3.84	--	<130	<1.3	<1.3	<1.3	<1.3	460/530 ²
10/05/00	2.61	-1.32	3.93	--	--	--	--	--	--	--
12/08/00	8.61	4.41	4.20	--	<50.0	<0.500	<0.500	<0.500	<0.500	58.7
03/03/01 ¹¹	8.61	6.30	2.31	--	<50	<0.50	<0.50	<0.50	<0.50	8.9
06/19/01	8.61	5.27	3.34	--	<50	<0.50	<0.50	<0.50	<0.50	51
09/05/01	8.61	4.84	3.77	--	<50	<0.50	<0.50	<0.50	<1.5	180
12/10/01	8.61	6.14	2.47	--	<50	<0.50	<0.50	<0.50	<1.5	21
03/04/02	8.61	5.48	3.13	--	<50	<0.50	<0.50	<0.50	<1.5	47
06/03/02	8.61	2.90	5.71	--	<50	<0.50	<0.50	<0.50	<1.5	31
09/14/02	8.61	4.86	3.75	--	<50	<0.50	<0.50	<0.50	<1.5	140
12/13/02	8.61	5.32	3.29	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	8.61	5.54	3.07	--	<50	<0.50	<0.50	<0.50	<1.5	35

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-1 (cont)										
06/09/03 ¹³	8.61	5.09	3.52	--	<50	<0.5	<0.5	<0.5	<0.5	69
09/03/03 ¹³	8.61	4.49	4.12	--	<50	<0.5	<0.5	<0.5	<0.5	1
12/01/03 ¹³	8.61	5.34	3.27	--	<50	<0.5	<0.5	<0.5	<0.5	100
MW-2										
10/17/95 ³	3.51	-1.82	5.33	1,600 ⁴	170	3.5	<0.5	1.0	6.1	--
03/29/96	3.51	-0.44	3.95	3,000 ⁴	89	4.7	<0.5	0.64	0.74	21
06/26/96	3.51	-1.09	4.60	2,000 ⁴	80	8.7	<0.5	1.2	1.3	31
09/25/96	3.51	INACCESSIBLE	--	--	--	--	--	--	--	--
12/17/96	3.51	-0.41	3.92	2,400 ⁴	110	<0.5	<0.5	0.75	2.1	27
03/20/97	3.51	-1.32	4.83	3,400 ⁴	140	8.2	<2.0	<2.0	<2.0	58
06/20/97	3.51	-1.53	5.04	1,600 ⁴	62	7.7	<0.5	<0.5	<0.5	38
09/09/97	3.51	-1.47	4.98	82 ⁴	190	9.4	<0.5	<0.5	0.86	48
12/12/97	3.51	-0.40	3.91	8,500 ⁴	180	1.8	<0.5	<0.5	3.2	34
02/19/98	3.51	0.55	2.96	3,800 ⁴	<100	1.8	<1.0	<1.0	<1.0	230
06/23/98	3.51	-0.54	4.05	--	60	<0.5	<0.5	<0.5	<0.5	55
08/31/98	3.51	-0.80	4.31	--	61	2.2	<0.5	<0.5	1.1	53
12/29/98	3.51	-1.12	4.63	--	54	1.3	<0.5	<0.5	0.752	38.1
03/11/99	3.51	-0.01	3.52	--	648	2.9	<2.0	<2.0	<2.0	73.2
06/24/99	3.51	-0.49	4.00	--	264	.58	<0.5	1.01	<0.5	44.1
09/29/99	3.51	-0.93	4.44	--	54.3	.66	<0.5	<0.5	<0.5	35.7
12/08/99	3.51	-1.38	4.89	--	<50	1.27	<0.5	<0.5	<0.5	56.9
03/01/00	3.51	0.48	3.03	--	68	1.57	<0.5	<0.5	<0.5	110
06/19/00	3.51	-0.66	4.17	--	58 ¹	1.5	<0.50	<0.50	<0.50	90/59 ²
09/30/00	3.51	-1.15	4.66	--	<50	<0.50	0.82	<0.50	1.1	48/50 ²
10/05/00 ^{8,9}	3.51	-1.20	4.71	4,000 ⁷	--	--	--	--	--	--
12/08/00	9.52	4.55	4.97	--	<50.0	<0.500	<0.500	<0.500	<0.500	61.8
03/03/01 ¹¹	9.52	6.25	3.27	--	310 ¹²	0.60	<0.50	<0.50	1.3	97
06/19/01	9.52	5.47	4.05	--	<50	<0.50	<0.50	<0.50	<0.50	30
09/05/01	9.52	4.98	4.54	--	<50	<0.50	1.2	<0.50	<1.5	46
12/10/01	9.52	6.07	3.45	--	<50	<0.50	<0.50	<0.50	<1.5	22
03/04/02	9.52	5.58	3.94	--	<50	<0.50	<0.50	<0.50	<1.5	61

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-2 (cont)										
06/03/02	9.52	5.44	4.08	--	<50	<0.50	<0.50	<0.50	<1.5	71
09/14/02	9.52	4.87	4.65	--	<50	<0.50	<0.50	<0.50	<1.5	77
12/13/02	9.52	5.21	4.31	--	53	<0.50	<0.50	<0.50	<1.5	44
03/14/03	9.52	5.61	3.91	--	<50	<0.50	<0.50	<0.50	<1.5	55
06/09/03 ¹³	9.52	5.19	4.33	--	<50	<0.5	<0.5	<0.5	<0.5	67
09/03/03 ¹³	9.52	4.59	4.93	--	<50	<0.5	<0.5	<0.5	<0.5	0.9
12/01/03 ¹³	9.52	5.37	4.15	--	<50	<0.5	<0.5	<0.5	<0.5	72
MW-3										
10/17/95 ⁵	3.08	-1.34	4.42	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/29/96	3.08	0.08	3.00	--	<50	<0.5	<0.5	<0.5	<0.5	26
06/26/96	3.08	-0.52	3.60	--	<50	<0.5	<0.5	<0.5	<0.5	47
09/25/96	3.08	-1.06	4.14	--	<125	<1.2	<1.2	<1.2	<1.2	570
12/17/96	3.08	-0.12	3.20	--	<500	<5.0	<5.0	<5.0	<5.0	680
03/20/97	3.08	-0.22	3.30	--	<50	<5.7	<5.7	<5.7	<5.7	430
06/20/97	3.08	-0.78	3.86	--	<500	<5.0	<5.0	<5.0	<5.0	1,400
09/09/97	3.08	-1.11	4.19	--	76 ⁴	22	<0.5	<0.5	<0.5	920
12/12/97	3.08	0.12	2.96	--	52	15	<0.5	<0.5	<0.5	710
02/19/98	3.08	0.86	2.22	--	<50	6.6	<0.5	<0.5	<0.5	380
06/23/98	3.08	-0.17	3.25	--	<50	<0.5	<0.5	<0.5	<0.5	390
08/31/98	3.08	-0.78	3.86	--	<50	19	<0.5	<0.5	<0.5	830
12/29/98	3.08	-0.45	3.53	--	<250	<2.5	<2.5	<2.5	<2.5	416
03/11/99	3.08	-0.27	3.35	--	<50	<0.5	<0.5	<0.5	<0.5	262
06/24/99	3.08	-0.53	3.61	--	<50	12.8	<0.5	<0.5	<0.5	620
09/29/99	3.08	-0.87	3.95	--	<50	<0.5	<0.5	<0.5	<0.5	2,840
12/08/99	3.08	-0.46	3.54	--	73.4	<0.5	<0.5	<0.5	<0.5	1,620
03/01/00	3.08	0.65	2.43	--	<200	<2.0	<2.0	<2.0	<2.0	1,880
06/19/00	3.08	-0.30	3.38	--	<250	20	<2.5	<2.5	<2.5	1,200/920 ²
09/30/00	3.08	-0.92	4.00	--	<250	<2.5	<2.5	<2.5	<2.5	730/2,100 ²
10/05/00	3.08	-0.94	4.02	--	--	--	--	--	--	--
12/08/00	9.08	5.38	3.70	--	<50.0	<0.500	<0.500	<0.500	<0.500	1,620
03/03/01 ¹¹	9.08	6.84	2.24	--	<50	<0.50	<0.50	<0.50	<0.50	1,000

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-3 (cont)										
06/19/01	9.08	5.37	3.71	--	<120	4.8	<1.2	<1.2	<1.2	510
09/05/01	9.08	5.04	4.04	--	130	<0.50	<0.50	<0.50	<1.5	1,400
12/10/01	9.08	6.54	2.54	--	130	<0.50	<0.50	<0.50	<1.5	1,000
03/04/02	9.08	6.24	2.84	--	120	<0.50	<0.50	<0.50	<1.5	720
06/03/02	9.08	5.80	3.28	--	130	<0.50	<0.50	<0.50	<1.5	710
09/14/02	9.08	4.93	4.15	--	590	<20	<1.0	<1.0	<3.0	2,600
12/13/02	9.08	5.23	3.85	--	430	<0.50	<0.50	<0.50	<1.5	2,000
03/14/03	9.08	6.09	2.99	--	310	<0.50	<0.50	<0.50	<1.5	1,600
06/09/03 ¹³	9.08	5.74	3.34	--	330	<0.5	<0.5	<0.5	<0.5	1,800
09/03/03 ¹³	9.08	5.11	3.97	--	720	<3	<3	<3	<3	4,100
12/01/03 ¹³	9.08	5.32	3.76	--	520	<1	<1	<1	<1	2,400
MW-4										
10/17/95	3.48	-1.60	5.08	--	<125	<1.2	<1.2	<1.2	<1.2	--
03/29/96	3.48	-1.13	4.61	--	<1,000	<10	<10	<10	<10	6,700
06/26/96	3.48	-0.82	4.30	--	<2,000	<20	<20	<20	<20	7,200
09/25/96	3.48	-1.85	5.33	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/96	3.48	0.67	2.81	--	<2,000	120	<20	<20	<20	11,000
03/20/97	3.48	-1.02	4.50	--	250 ⁴	<2.0	<2.0	<2.0	<2.0	10,000/8,600 ⁶
06/20/97	3.48	-2.20	5.68	--	<2,500	<25	<25	<25	<25	9,300
09/09/97	3.48	-2.02	5.50	--	460 ⁴	<0.5	<0.5	<0.5	<0.5	6,600
12/12/97	3.48	-1.55	5.03	--	430 ⁴	120	<2.5	<2.5	<2.5	7,800
02/19/98	3.48	0.13	3.35	--	510 ⁴	130	<0.5	<0.5	<0.5	6,600
06/23/98	3.48	-1.50	4.98	--	550 ⁴	<0.5	<0.5	<0.5	<0.5	6,800
08/31/98	3.48	-1.94	5.42	--	<500	450	<5.0	<5.0	<5.0	14,000
12/29/98	3.48	-1.58	5.06	--	<5,000	<50	<50	<50	<50	16,100
03/11/99	3.48	-0.30	3.78	--	979	<5.0	<5.0	<5.0	<5.0	15,100
06/24/99	3.48	-0.83	4.31	--	<2,500	715	<25	<25	<25	12,400
09/29/99	3.48	-2.10	5.58	--	1,380	<5.0	<5.0	<5.0	<5.0	11,700
12/08/99	3.48	-1.85	5.33	--	318	<0.5	<0.5	<0.5	<0.5	11,100
03/01/00	3.48	-1.72	5.20	--	<50	<0.5	<0.5	<0.5	<0.5	9,940
06/19/00	3.48	-1.88	5.36	--	<1,000	220	<10	<10	<10	7,300/9,500 ²

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4 (cont)										
09/30/00	3.48	-0.29	3.77	--	740 ¹	<2.5	<2.5	<2.5	<2.5	6,000/7,800 ²
10/05/00	3.48	-0.38	3.86	--	--	--	--	--	--	--
12/08/00	9.48	5.03	4.45	--	<50.0	<0.500	<0.500	<0.500	<0.500	6,230
03/03/01 ¹¹	9.48	5.65	3.83	--	<250	<2.5	<2.5	<2.5	<2.5	3,600
06/19/01	9.48	6.11	3.37	--	<500	140	<5.0	<5.0	<5.0	2,500
09/05/01	9.48	5.52	3.96	--	400	<0.50	<0.50	<0.50	<1.5	2,800
12/10/01	9.48	4.43	5.05	--	700	<0.50	<0.50	<0.50	<1.5	3,400
03/04/02	9.48	5.81	3.67	--	660	<0.50	<0.50	<0.50	<1.5	2,900
06/03/02	9.48	4.24	5.24	--	610	<0.50	<0.50	<0.50	<1.5	3,000
09/14/02	9.48	4.26	5.22	--	490	<10	<1.0	<1.0	<3.0	2,400
12/13/02	9.48	4.81	4.67	--	440	<0.50	<0.50	<0.50	<1.5	2,200
03/14/03	9.48	4.84	4.64	--	490	<0.50	<0.50	<0.50	<1.5	2,600
06/09/03 ¹³	9.48	4.45	5.03	--	340	<0.5	<0.5	<0.5	<0.5	1,700
09/03/03 ¹³	9.48	3.83	5.65	--	320	<1	<1	<1	<1	1,600
12/01/03 ¹³	9.48	4.51	4.97	--	350	<1	<1	<1	<1	1,700
MW-5										
10/23/00 ¹⁰	8.77	4.18	4.59	--	<50	<0.500	<0.500	<0.500	<0.500	4.34
12/08/00	8.77	5.34	3.43	--	<50.0	<0.500	<0.500	<0.500	<0.500	11.0
03/03/01 ¹¹	8.77	6.37	2.40	--	<50	<0.50	<0.50	<0.50	<0.50	24
06/19/01	8.77	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--	--	--
09/05/01	8.77	5.02	3.75	--	<50	<0.50	<0.50	<0.50	<1.5	31
12/10/01	8.77	5.98	2.79	--	<50	<0.50	<0.50	<0.50	<1.5	45
03/04/02	8.77	6.25	2.52	--	<50	<0.50	<0.50	<0.50	<1.5	29
06/03/02	8.77	5.57	3.20	--	<50	<0.50	<0.50	<0.50	<1.5	40
09/14/02	8.77	4.92	3.85	--	<50	<0.50	<0.50	<0.50	<1.5	92
12/13/02	8.77	5.32	3.45	--	<50	<0.50	<0.50	<0.50	<1.5	32
03/14/03	8.77	5.82	2.95	--	<50	<0.50	<0.50	<0.50	<1.5	71
06/09/03 ¹³	8.77	5.58	3.19	--	<50	<0.5	<0.5	<0.5	<0.5	79
09/03/03 ¹³	8.77	4.98	3.79	--	<50	<0.5	<0.5	<0.5	<0.5	2
12/01/03 ¹³	8.77	5.43	3.34	--	<50	<0.5	<0.5	<0.5	<0.5	52

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-6										
10/23/00 ¹⁰	11.45	4.30	7.15	--	<50	<0.500	<0.500	<0.500	<0.500	5.96
12/08/00	11.45	4.61	6.84	--	<50.0	<0.500	<0.500	<0.500	<0.500	8.80
03/03/01 ¹¹	11.45	5.32	6.13	--	<50	<0.50	<0.50	<0.50	<0.50	9.0
06/19/01	11.45	5.65	5.80	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/01	11.45	6.29	5.16	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/10/01	11.45	6.64	4.81	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/04/02	11.45	7.29	4.16	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/03/02	11.45	5.74	5.71	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/14/02	11.45	4.80	6.65	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/13/02	11.45	5.06	6.39	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	11.45	4.98	6.47	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/09/03 ¹³	11.45	4.67	6.78	--	<50	<0.5	0.7	<0.5	<0.5	1
09/03/03 ¹³	11.45	4.37	7.08	--	<50	<0.5	<0.5	<0.5	<0.5	0.8
12/01/03¹³	11.45	7.88	3.57	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7										
10/23/00 ¹⁰	10.58	4.33	6.25	--	<50	<0.500	<0.500	<0.500	<0.500	1,210
12/08/00	10.58	3.35	7.23	--	<50.0	<0.500	<0.500	<0.500	<0.500	338
03/03/01 ¹¹	10.58	4.31	6.27	--	72 ¹²	<0.50	<0.50	<0.50	<0.50	460
06/19/01	10.58	4.76	5.82	--	110 ¹	18	<0.50	<0.50	<0.50	440
09/05/01	10.58	4.04	6.54	--	180	<0.50	<0.50	<0.50	<1.5	640
12/10/01	10.58	5.04	5.54	--	110	<0.50	<0.50	<0.50	<1.5	390
03/04/02	10.58	3.68	6.90	--	220	1.1	<0.50	3.0	<1.5	460
06/03/02	10.58	4.94	5.64	--	130	<0.50	<0.50	<0.50	<1.5	350
09/14/02	10.58	3.55	7.03	--	120	<2.0	<0.50	<0.50	<1.5	340
12/13/02	10.58	4.99	5.59	--	57	<0.50	<0.50	<0.50	<1.5	150
03/14/03	10.58	4.60	5.98	--	77	<0.50	<0.50	<0.50	<1.5	240
06/09/03 ¹³	10.58	4.32	6.26	--	79	<0.5	<0.5	<0.5	<0.5	210
09/03/03 ¹³	10.58	3.72	6.86	--	<50	<0.5	<0.5	<0.5	<0.5	0.8
12/01/03¹³	10.58	5.11	5.47	--	58	<0.5	<0.5	<0.5	<0.5	130

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TRIP BLANK										
10/17/95	--	--	--	--	--	--	--	--	--	--
03/29/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/26/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/25/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/17/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/20/97	--	--	--	--	<50	<2.0	<2.0	<2.0	<2.0	--
09/09/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/12/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/23/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/29/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/24/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
12/08/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/01/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/05/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
12/08/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
03/03/01 ¹¹	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
06/19/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
09/05/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA										
12/10/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/04/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/03/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/14/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
12/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/14/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
QA (cont)										
06/09/03 ¹³	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/03/03 ¹³	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
12/01/03 ¹³	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	TPH-D = Total Petroleum Hydrocarbons as Diesel	X = Xylenes
(ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline	MTBE = Methyl tertiary butyl ether
GWE = Groundwater Elevation	B = Benzene	(ppb) = Parts per billion
(msl) = Mean sea level	T = Toluene	-- = Not Measured/Not Analyzed
DTW = Depth to Water	E = Ethylbenzene	QA = Quality Assurance/Trip Blank

- * TOC elevations were surveyed on November 15, 2000, by Virgil Chavez Land Surveying. The benchmark for the survey was the letter "O" in Oakland on an inlet in the westerly curb of Oakport Road, 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).
- ¹ Laboratory report indicates gasoline C6-C12.
- ² MTBE by EPA Method 8260.
- ³ Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.
- ⁴ Chromatogram pattern indicates an unidentified hydrocarbon.
- ⁵ Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.
- ⁶ Confirmation run.
- ⁷ Laboratory report indicates unidentified hydrocarbons >C16.
- ⁸ Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024ppm.
- ⁹ Laboratory report indicates that Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270 were all less then the reporting limit except for Bis(2-ethylhexyl)phthalate was detected at 14 ppb, which may be a possible contamination.
- ¹⁰ Data was provided by Delta Environmental Consultants, Inc.
- ¹¹ Laboratory report indicates sample was analyzed outside the EPA recommended holding time.
- ¹² Laboratory report indicates unidentified hydrocarbons C6-C12.
- ¹³ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-1						
06/23/98	<50,000	<10,000	4,500	<200	<200	<200
08/31/98	--	--	17,000	--	--	--
03/11/99	--	--	54.1	--	--	--
06/24/99	<10,000	<2,000	1,800	<20	<20	258
06/19/00	<500	<100	91	<2.0	<2.0	11
09/30/00	--	--	530	--	--	--
06/09/03	--	--	69	--	--	--
09/03/03	<50	--	1	--	--	--
12/01/03	<50	--	100	--	--	--
MW-2						
06/23/98	<500	<100	56	<2.0	<2.0	<2.0
03/11/99	--	--	101	--	--	--
06/24/99	<1,000	<200	52.5	<2.0	<2.0	<2.0
06/19/00	<500	<100	59	<2.0	<2.0	4.0
09/30/00	--	--	50	--	--	--
06/09/03	--	--	67	--	--	--
09/03/03	<50	--	0.9	--	--	--
12/01/03	<50	--	72	--	--	--
MW-3						
06/23/98	<5,000	<1,000	420	<20	<20	26
03/11/99	--	--	580	--	--	--
06/24/99	<6,670	<1,330	900	<13.3	<13.3	<13.3
06/19/00	570	<100	920	<2.0	<2.0	65
09/30/00	--	--	2,100	--	--	--
06/09/03	--	--	1,800	--	--	--
09/03/03	<250	--	4,100	--	--	--
12/01/03	<130	--	2,400	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-4						
06/23/98	<50,000	<10,000	11,000	<200	<200	860
03/11/99	--	--	17,600	--	--	--
06/24/99	<125,000	<25,000	17,000	<250	<250	2600
06/19/00	<25,000	<5,000	9,500	<100	<100	1,100
09/30/00	--	--	7,800	--	--	--
06/09/03	--	--	1,700	--	--	--
09/03/03	<130	--	1,600	--	--	--
12/01/03	<100	--	1,700	--	--	--
MW-5						
10/23/00	<1,000	<100	4.34	<2.00	<2.00	<2.00
06/09/03	--	--	79	--	--	--
09/03/03	<50	--	2	--	--	--
12/01/03	<50	--	52	--	--	--
MW-6						
10/23/00	<1,000	<100	5.96	<2.00	<2.00	<2.00
06/09/03	--	--	1	--	--	--
09/03/03	<50	--	0.8	--	--	--
12/01/03	<50	--	<0.5	--	--	--
MW-7						
10/23/00	<6,670	<667	1,210	13.3	13.3	199
06/09/03	--	--	210	--	--	--
09/03/03	<50	--	0.8	--	--	--
12/01/03	<50	--	130	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to June 19, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1851
451 Hegenberger Road
Oakland, California

WELL ID/ DATE	TOG (ppb)	Benzene by (EPA 8240) (ppb)	Xylene by (EPA 8240) (ppb)	C-1,2- DCE (ppb)	Carbon Disulfide (ppb)	Vinyl Chloride (ppb)
MW-2						
10/17/95	<5,000	--	--	11	--	--
03/29/96	--	11	2.5	17	--	5.4
06/26/96	--	11	<2.0	15	--	12
09/25/96	--	--	--	--	--	--
12/17/96	--	10	<2.0	2.3	--	5.5
03/20/97	--	--	--	<2.0	--	3.2
06/20/97	--	7.2	<2.0	4.6	2.2	5.2
09/09/97	--	11	<2.0	<2.0	<2.0	<2.0
12/12/97	--	<2.0	<2.0	<2.0	<2.0	<2.0
02/19/98	--	<3.3	<3.3	<3.3	<3.3	<3.3

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

TOG = Total Oil and Grease

c-1,2-DCE = cis-1,2-Dichloroethene

(ppb) = Parts per billion

-- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/1/03 (inclusive)
 Sampler: Andrew Smith

Well ID: MW-1 Date Monitored: 12/1/03 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 14.70 ft.
 Depth to Water: 3.27 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

11.43 x VF 0.17 = 1.94 x3 (case volume) = Estimated Purge Volume: 5.82 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1000 Weather Conditions: overcast / raining
 Sample Time/Date: 1020 / 12/1/03 Water Color: Clear Odor: None
 Purging Flow Rate: NA gpm. Sediment Description: None
 Did well de-water? NO If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1004</u>	<u>2</u>	<u>7.29</u>	<u>3097</u>	<u>18.5</u>	_____	_____
<u>1009</u>	<u>4</u>	<u>7.29</u>	<u>3251</u>	<u>18.2</u>	_____	_____
<u>1014</u>	<u>6</u>	<u>7.29</u>	<u>3179</u>	<u>18.1</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145
 Site Address: 451 Hegenberger Road Event Date: 12/1/03 (inclusive)
 City: Oakland, CA Sampler: Andrew Smith

Well ID: MW-2 Date Monitored: 12/1/03 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 14.96 ft.
 Depth to Water: 4.15 ft.
10.83 xVF 0.17 = 1.84 x3 (case volume) = Estimated Purge Volume: 5.52 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1030 Weather Conditions: Overcast / raining
 Sample Time/Date: 1035 / 12/1/03 Water Color: Clear Odor: yes
 Purging Flow Rate: NA gpm. Sediment Description: Shreen
 Did well de-water? NO If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1034</u>	<u>2</u>	<u>7.27</u>	<u>3999*</u>	<u>20.7</u>	_____	_____
<u>1039</u>	<u>4</u>	<u>7.27</u>	<u>3999*</u>	<u>21.3</u>	_____	_____
<u>1033</u>	<u>6</u>	<u>7.27</u>	<u>3999*</u>	<u>21.2</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>

COMMENTS: * Conductivity off the meter

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/1/03 (inclusive)
 Sampler: Andrew Smith

Well ID: MW-3
 Well Diameter: 2 in.
 Total Depth: 14.77 ft.
 Depth to Water: 3.76 ft.
11.01

Date Monitored: 12/1/03 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF 0.17 = 1.87 x3 (case volume) = Estimated Purge Volume: 5.61 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1045 Weather Conditions: Overcast / raining
 Sample Time/Date: 1100 12/1/03 Water Color: Clear Odor: Yes
 Purging Flow Rate: NA gpm. Sediment Description: Shenan
 Did well de-water? no If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1048</u>	<u>2</u>	<u>7.16</u>	<u>3098</u>	<u>19.6</u>	_____	_____
<u>1053</u>	<u>4</u>	<u>7.27</u>	<u>3922</u>	<u>20.0</u>	_____	_____
<u>1059</u>	<u>6</u>	<u>7.29</u>	<u>3797</u>	<u>21.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145
 Site Address: 451 Hegenberger Road Event Date: 12/1/03 (inclusive)
 City: Oakland, CA Sampler: Andrew Smith

Well ID: MW- 4 Date Monitored: 12/1/03 Well Condition: OK

Well Diameter: 2 in.

Total Depth: 15.15 ft.

Depth to Water: 4.97 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

10.18 xVF 0.17 = 1.73 x3 (case volume) = Estimated Purge Volume: 5.19 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1230 Weather Conditions: overcast/raining

Sample Time/Date: 1255/12/1/03 Water Color: clear/yellowish Odor: yes

Purging Flow Rate: NA gpm. Sediment Description: None

Did well de-water? NO If yes, Time: Ø Volume: Ø gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1234</u>	<u>2</u>	<u>7.28</u>	<u>1697</u>	<u>19.6</u>	_____	_____
<u>1238</u>	<u>4</u>	<u>7.27</u>	<u>2660</u>	<u>20.1</u>	_____	_____
<u>1244</u>	<u>6</u>	<u>7.27</u>	<u>3526</u>	<u>21.0</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW- 4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145
 Site Address: 451 Hegenberger Road Event Date: 12/1/03 (inclusive)
 City: Oakland, CA Sampler: Andrew Smith

Well ID: MW-5 Date Monitored: 12/1/03 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 10.10 ft.
 Depth to Water: 3.34 ft.
6.76 x VF 0.17 = 1.15 x3 (case volume) = Estimated Purge Volume: 3.45 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1110 Weather Conditions: overcast / Raining
 Sample Time/Date: 1124 / 12/1/03 Water Color: Clear yellowish Odor: yes
 Purging Flow Rate: NA gpm. Sediment Description: None
 Did well de-water? NO If yes, Time: φ Volume: φ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1115</u>	<u>2</u>	<u>7.27</u>	<u>3999*</u>	<u>20.1</u>		
<u>1117</u>	<u>3</u>	<u>7.27</u>	<u>3999*</u>	<u>21.2</u>		
<u>1119</u>	<u>4</u>	<u>7.27</u>	<u>3999*</u>	<u>21.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>

COMMENTS: * Conductivity off Meter.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851 Job Number: 385145
 Site Address: 451 Hegenberger Road Event Date: 12/1/03 (inclusive)
 City: Oakland, CA Sampler: Andrew Smith

Well ID: MW-6 Date Monitored: 12/1/03 Well Condition: ok
 Well Diameter: 2 in.
 Total Depth: 10.08 ft.
 Depth to Water: 3.57 ft.
6.51 xVF 0.17 = 1.11 x3 (case volume) = Estimated Purge Volume: 3.33 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1140 Weather Conditions: overcast
 Sample Time/Date: 1152 12/1/03 Water Color: grayish Odor: none
 Purging Flow Rate: NA gpm. Sediment Description: Some silt
 Did well de-water? no If yes, Time: 0 Volume: 0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1144</u>	<u>2</u>	<u>7.27</u>	<u>2717</u>	<u>17.4</u>	_____	_____
<u>1146</u>	<u>3</u>	<u>7.27</u>	<u>2032</u>	<u>17.6</u>	_____	_____
<u>1149</u>	<u>4</u>	<u>7.27</u>	<u>1830</u>	<u>18.2</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ ETHANOL(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1851
 Site Address: 451 Hegenberger Road
 City: Oakland, CA

Job Number: 385145
 Event Date: 12/1/03 (inclusive)
 Sampler: Andrew Smith

Well ID: MW-7
 Well Diameter: 2 in.
 Total Depth: 13.36 ft.
 Depth to Water: 5.47 ft.
7.89

Date Monitored: 12/1/03 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

xVF 0.17 = 1.34 x3 (case volume) = Estimated Purge Volume: 4.02 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: _____ ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1200 Weather Conditions: Overcast
 Sample Time/Date: 12/01/12/1/03 Water Color: Cloudy, Brownish Odor: yes
 Purging Flow Rate: NA gpm. Sediment Description: none
 Did well de-water? no If yes, Time: ∅ Volume: ∅ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1203</u>	<u>2</u>	<u>7.28</u>	<u>747</u>	<u>19.1</u>		
<u>1205</u>	<u>3</u>	<u>7.27</u>	<u>826</u>	<u>17.8</u>		
<u>1207</u>	<u>4</u>	<u>7.28</u>	<u>847</u>	<u>19.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BT EX+MTBE(8260)/ ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



120303-004

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 4170842-49 SCR#: _____

Gr. #877195

Facility #: SS#9-1851 G-R#385145 Global ID#T0600102238
 Site Address: 451 HEGENBERGER ROAD, OAKLAND, CA
 Chevron PM: KS Lead Consultant: CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Andrew Smith
 Service Order #: _____ Non SAR: _____

Matrix		Analyses Requested										
		Preservation Codes										
Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
											<u>Ethanol (8260)</u>	

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421
<u>QA</u>	<u>12/1/03</u>	<u>—</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-1</u>	<u>12/1/03</u>	<u>1020</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-2</u>	<u>12/1/03</u>	<u>1035</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-3</u>	<u>12/1/03</u>	<u>1100</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-4</u>	<u>12/1/03</u>	<u>1255</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-5</u>	<u>12/1/03</u>	<u>1124</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-6</u>	<u>12/1/03</u>	<u>1152</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-7</u>	<u>12/1/03</u>	<u>1210</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 STD: TAT
 24 hour 72 hour 48 hour
 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk _____

Relinquished by: <u>[Signature]</u>	Date: <u>12/1/03</u>	Time: <u>1430</u>	Received by: <u>[Signature]</u>	Date: <u>12/3/03</u>	Time: <u>1202</u>
Relinquished by: <u>[Signature]</u>	Date: <u>12/2/03</u>	Time: _____	Received by: <u>[Signature]</u>	Date: <u>12/3/03</u>	Time: <u>1445</u>
Relinquished by: <u>[Signature]</u>	Date: <u>12/30/03</u>	Time: <u>1545</u>	Received by: <u>[Signature]</u>	Date: <u>12/3/03</u>	Time: _____
Relinquished by Commercial Carrier: UPS FedEx Other: <u>[Signature]</u>	Temperature Upon Receipt: <u>7.5°C</u>		Received by: <u>[Signature]</u>	Date: <u>11/18/03</u>	Time: <u>0945</u>
Custody Seal Intact? <u>Yes</u> No					

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425SAMPLE GROUP


The sample group for this submittal is 877195. Samples arrived at the laboratory on Thursday, December 04, 2003. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-031201	NA Water	4176842
MW-1-W-031201	Grab Water	4176843
MW-2-W-031201	Grab Water	4176844
MW-3-W-031201	Grab Water	4176845
MW-4-W-031201	Grab Water	4176846
MW-5-W-031201	Grab Water	4176847
MW-6-W-031201	Grab Water	4176848
MW-7-W-031201	Grab Water	4176849

1 COPY TO
ELECTRONIC
COPY TOCambria C/O Gettler- Ryan
Gettler-RyanAttn: Deanna L. Harding
Attn: Cheryl Hansen

Questions? Contact your Client Services Representative
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,



Robert E. Mellinger
Senior Chemist, Coordinator

Lancaster Laboratories Sample No. WW 4176842

 QA-T-031201 NA Water GRD
 Facility# 91851 Job# 385145
 451 Hegenberger, Oakland T0600102238 QA
 Collected: 12/01/2003 00:00

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:31
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGEQ

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N, CA LUFT Gasoline Method	1	12/05/2003	20:38	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	12/09/2003	14:52	Stephanie R Sherant	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2003	20:38	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003	14:52	Stephanie R Sherant	n.a.

Lancaster Laboratories Sample No. WW 4176843

 MW-1-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-1
 Collected: 12/01/2003 10:20 by AS

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:31
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	100.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/05/2003 22:18	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 15:02	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2003 22:18	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003 15:02	Lauren C Marzario	n.a.

Lancaster Laboratories Sample No. **WW 4176844**

 MW-2-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-2
 Collected: 12/01/2003 10:35 by AS

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:31
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	72.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/05/2003 22:51	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 15:23	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2003 22:51	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003 15:23	Lauren C Marzario	n.a.

Lancaster Laboratories Sample No. **WW 4176845**

 MW-3-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-3
 Collected: 12/01/2003 11:00 by AS

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:31
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	520.	100.	ug/l	2
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	130.	ug/l	2.5
02010	Methyl Tertiary Butyl Ether	1634-04-4	2,400.	13.	ug/l	25
05401	Benzene	71-43-2	N.D.	1.	ug/l	2.5
05407	Toluene	108-88-3	N.D.	1.	ug/l	2.5
05415	Ethylbenzene	100-41-4	N.D.	1.	ug/l	2.5
06310	Xylene (Total)	1330-20-7	N.D.	1.	ug/l	2.5
Due to the level of methyl tertiary butyl ether, the reporting limits for all GC/MS volatile compounds were raised.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/06/2003 02:09	Michael F Barrow	2
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 15:44	Lauren C Marzario	2.5
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 16:05	Lauren C Marzario	25
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2003 02:09	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003 15:44	Lauren C Marzario	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4176846**

MW-4-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-4
 Collected: 12/01/2003 12:55 by AS

Account Number: 10904

Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:32
 Discard: 01/14/2004

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	350.	50.	ug/l	1
<p>The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.</p>						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	100.	ug/l	2
02010	Methyl Tertiary Butyl Ether	1634-04-4	1,700.	10.	ug/l	20
05401	Benzene	71-43-2	N.D.	1.	ug/l	2
05407	Toluene	108-88-3	N.D.	1.	ug/l	2
05415	Ethylbenzene	100-41-4	N.D.	1.	ug/l	2
06310	Xylene (Total)	1330-20-7	N.D.	1.	ug/l	2
<p>Due to the level of methyl tertiary butyl ether, the reporting limits for all GC/MS volatile compounds were raised.</p>						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/05/2003 23:24		Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 16:27		Lauren C Marzario	2
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 16:48		Lauren C Marzario	20
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2003 23:24		Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003 16:27		Lauren C Marzario	n.a.

Lancaster Laboratories Sample No. **WW 4176847**

 MW-5-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-5
 Collected:12/01/2003 11:24 by AS

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:32
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	52.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1
The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 7.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/05/2003 23:57	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/10/2003 10:25	Shawn J Rice	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/05/2003 23:57	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/10/2003 10:25	Shawn J Rice	n.a.

Lancaster Laboratories Sample No. **WW 4176848**

 MW-6-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-6
 Collected: 12/01/2003 11:52 by AS

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:32
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/06/2003 00:30	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003 12:34	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2003 00:30	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003 12:34	Lauren C Marzario	n.a.

Lancaster Laboratories Sample No. **WW 4176849**

 MW-7-W-031201 Grab Water
 Facility# 91851 Job# 385145 GRD
 451 Hegenberger, Oakland T0600102238 MW-7
 Collected: 12/01/2003 12:10 by AS

Account Number: 10904

 Submitted: 12/04/2003 09:45
 Reported: 12/14/2003 at 21:32
 Discard: 01/14/2004

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

HEGE7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	58.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	130.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/06/2003	01:03	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/09/2003	17:09	Lauren C Marzario	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/06/2003	01:03	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/09/2003	17:09	Lauren C Marzario	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 12/14/03 at 09:32 PM

Group Number: 877195

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 03339A07B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4176842 ug/l	104	108	70-130	4	30
Batch number: 03339A07C TPH-GRO - Waters	N.D.	50.	Sample number(s): 4176843-4176849 ug/l	104	108	70-130	4	30
Batch number: P033431AA Ethanol	N.D.	50.	Sample number(s): 4176843-4176846, 4176848-4176849 ug/l	108		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	92		77-127		
Benzene	N.D.	0.5	ug/l	92		85-117		
Toluene	N.D.	0.5	ug/l	93		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	95		84-120		
Batch number: P033441AA Ethanol	N.D.	50.	Sample number(s): 4176847 ug/l	128		46-145		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	98		77-127		
Benzene	N.D.	0.5	ug/l	97		85-117		
Toluene	N.D.	0.5	ug/l	96		85-115		
Ethylbenzene	N.D.	0.5	ug/l	97		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		84-120		
Batch number: W033421AB Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4176842 ug/l	105	103	77-127	2	30
Benzene	N.D.	0.5	ug/l	107	104	85-117	3	30
Toluene	N.D.	0.7	ug/l	99	97	85-115	2	30
Ethylbenzene	N.D.	0.8	ug/l	104	102	82-119	2	30
Xylene (Total)	N.D.	0.8	ug/l	100	99	84-120	1	30

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	Conc	DUP	DUP RPD	Dup RPD Max
Batch number: 03339A07B TPH-GRO - Waters	146		Sample number(s): 4176842 63-154						
Batch number: 03339A07C TPH-GRO - Waters	146		Sample number(s): 4176843-4176849 63-154						
Batch number: P033431AA Ethanol	112	118	Sample number(s): 4176843-4176846, 4176848-4176849 38-149	5	30				
Methyl Tertiary Butyl Ether	95	95	69-134	1	30				
Benzene	97	96	83-128	0	30				
Toluene	97	99	83-127	1	30				
Ethylbenzene	99	100	82-129	1	30				
Xylene (Total)	98	98	82-130	1	30				
Batch number: P033441AA Ethanol	133	120	Sample number(s): 4176847 38-149	11	30				
Methyl Tertiary Butyl Ether	90	87	69-134	3	30				
Benzene	94	93	83-128	1	30				
Toluene	95	92	83-127	3	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 12/14/03 at 09:32 PM

Group Number: 877195

Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup
	%REC	%REC	Limits	RPD	MAX	Conc	RPD	RPD
Ethylbenzene	98	96	82-129	3	30			Max
Xylene (Total)	98	96	82-130	2	30			

Batch number: W033421AB	Sample number(s): 4176842
Methyl Tertiary Butyl Ether	98
Benzene	112
Toluene	101
Ethylbenzene	103
Xylene (Total)	104

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 03339A07B
 Trifluorotoluene-F

4176842	75
Blank	77
LCS	103
LCSD	103
MS	110

Limits: 57-146

 Analysis Name: TPH-GRO - Waters
 Batch number: 03339A07C
 Trifluorotoluene-F

4176843	75
4176844	76
4176845	78
4176846	79
4176847	75
4176848	75
4176849	77
Blank	75
LCS	103
LCSD	103
MS	110

Limits: 57-146

 Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
 Batch number: P033431AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4176843	100	101	104	97
4176844	100	102	103	98
4176845	101	102	105	98
4176846	99	101	104	97
4176848	101	102	104	97
4176849	99	102	104	97

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 12/14/03 at 09:32 PM

Group Number: 877195

Surrogate Quality Control

Blank	101	102	103	97
LCS	100	101	104	98
MS	99	100	104	98
MSD	99	103	104	99
<hr/>				
Limits:	81-120	82-112	85-112	83-113
Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH				
Batch number: P033441AA				
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4176847	101	100	103	97
Blank	100	100	104	97
LCS	100	100	103	98
MS	100	100	104	98
MSD	99	101	104	98
<hr/>				
Limits:	81-120	82-112	85-112	83-113
Analysis Name: BTEX+MTBE by 8260B				
Batch number: W033421AB				
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4176842	94	89	87	95
Blank	91	87	87	97
LCS	94	91	88	99
LCSD	94	92	88	100
MS	91	88	90	95
<hr/>				
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.