



**RECEIVED**

9:32 am, Nov 16, 2010

Alameda County  
Environmental Health

**Dave Patten**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6111 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 543-1740  
Fax (925) 543-2324  
drpatten@chevron.com

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-1851  
451 Hegenberger Drive  
Oakland, CA

I have reviewed the attached report dated November 15, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Dave Patten  
Project Manager

Attachment: Report



**CONESTOGA-ROVERS  
& ASSOCIATES**

5900 Hollis Street, Suite A  
Emeryville, California 94608  
Telephone: (510) 420-0700 Fax: (510) 420-9170  
<http://www.craworld.com>

November 15, 2010

Reference No. 311976

Mr. Mark Detterman  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: Third Quarter 2010  
Groundwater Monitoring and Sampling Report  
Former Chevron Service Station 9-1851  
451 Hegenberger Road  
Oakland, California  
Fuel Leak Case RO0000464

---

Dear Mr. Mark Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Third Quarter 2010 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's September 3, 2010 *Third Quarter Monitoring* report is presented as Attachment A. Groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' September 15, 2010 *Analytical Results* is included as Attachment B.

### **RESULTS OF THIRD QUARTER 2010 EVENT**

On September 2, 2010, Blaine Tech monitored and sampled the site wells per the established schedule. Results of the current monitoring event indicate the following:

- Groundwater Flow Direction West
- Hydraulic Gradient 0.04
- Depth to Water 3.03 to 5.87 feet below top of casing

---

Equal  
Employment Opportunity  
Employer

---



November 15, 2010

Reference No. 311976

- 2 -

Results of the current sampling event are presented below in Table A:

<i>Well ID</i>	<i>TPH<sub>mo</sub></i>	<i>TPHg (µg/L)</i>	<i>Benzene (µg/L)</i>	<i>Toluene (µg/L)</i>	<i>Ethylbenzene (µg/L)</i>	<i>Total Xylenes (µg/L)</i>	<i>MTBE (µg/L)</i>
<i>ESLs<sup>1</sup></i>	<b>100</b>	<b>100</b>	<b>1.0</b>	<b>40</b>	<b>30</b>	<b>20</b>	<b>5</b>
MW-1	<b>320</b>	<50	<0.5	<0.5	<0.5	<0.5	2
MW-2	<b>LNAPL</b>						
MW-3	<b>240</b>	<50	<0.5	<0.5	<0.5	<0.5	<b>22</b>
MW-4	<b>500</b>	<50	<0.5	<0.5	<0.5	<0.5	<b>17</b>
MW-5	<b>190</b>	<50	<0.5	<0.5	<0.5	<0.5	<b>12</b>
MW-6	<b>110 J</b>	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	<b>390</b>	<50	<0.5	<0.5	<0.5	<0.5	<b>7</b>
<i>J = Estimated value</i>							

## CONCLUSIONS AND RECOMMENDATIONS

The results of ongoing groundwater monitoring and sampling at the site indicate the following:

- LNAPL thickness of 0.05 feet was observed in well MW-2. LNAPL has been detected in MW-2 intermittently since December 2004 with a maximum thickness of 0.65 in June 2008
- Dissolved hydrocarbon concentrations are within historical ranges, seasonal fluctuations, and are stable or decreasing

CRA recommends continuing quarterly monitoring and sampling to verify decreasing concentration trends over time.

Blaine Tech will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.

---

<sup>1</sup> RWQCB-San Francisco Bay Region, *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*, Interim final, November 2007, revised May 2008, Table F1-a



**CONESTOGA-ROVERS  
& ASSOCIATES**

November 15, 2010

Reference No. 311976

- 3 -

Please contact Mr. Nathan Lee at (510) 420-3333 or at nlee@croworld.com if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Christine Orłowski

Nathan Lee, PG 8486



CO/doh/8  
Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Mr. David Patten, Chevron  
SimGas, LLC, property owner

## FIGURES





Figure 1  
 VICINITY MAP  
 FORMER CHEVRON SERVICE STATION 9-1851  
 451 HEGENBERGER ROAD  
 Oakland, California





## TABLE



**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS						
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	10/17/1995	2.61	4.12	-1.51	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
MW-1	03/29/1996	2.61	3.33	-0.72	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9.5	-	-	-	-	-	-	-
MW-1	06/26/1996	2.61	3.84	-1.23	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	46	-	-	-	-	-	-	-
MW-1	09/25/1996	2.61	4.02	-1.41	0.00	0.00	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	940	-	-	-	-	-	-	-
MW-1	12/17/1996	2.61	3.57	-0.96	0.00	0.00	-	-	-	<50	0.9	<0.5	<0.5	<0.5	260	-	-	-	-	-	-	-
MW-1	03/20/1997	2.61	4.15	-1.54	0.00	0.00	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	76	-	-	-	-	-	-	-
MW-1	06/20/1997	2.61	4.33	-1.72	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	64	-	-	-	-	-	-	-
MW-1	09/09/1997	2.61	4.35	-1.74	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	110	-	-	-	-	-	-	-
MW-1	12/12/1997	2.61	3.00	-0.39	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	27	-	-	-	-	-	-	-
MW-1	02/19/1998	2.61	1.83	0.78	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	14	-	-	-	-	-	-	-
MW-1	06/23/1998	2.61	3.34	-0.73	0.00	0.00	-	-	-	210	<0.5	<0.5	<0.5	<0.5	3,400	-	<50,000	<10,000	<200	<200	<200	<200
MW-1	08/31/1998	2.61	3.49	-0.88	0.00	0.00	-	-	-	1,400	630	<5.0	<5.0	<5.0	16,000	-	-	-	-	-	-	-
MW-1	12/29/1998	2.61	3.83	-1.22	0.00	0.00	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,090	-	-	-	-	-	-	-
MW-1	03/11/1999	2.61	3.04	-0.43	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	33.9	-	-	-	-	-	-	-
MW-1	06/24/1999	2.61	3.38	-0.77	0.00	0.00	-	-	-	<500	65.7	<5.0	<5.0	<5.0	1,160	-	<10,000	<2,000	<20	<20	258	-
MW-1	09/29/1999	2.61	3.62	-1.01	0.00	0.00	-	-	-	81.7	<0.5	<0.5	<0.5	<0.5	1,130	-	-	-	-	-	-	-
MW-1	12/08/1999	2.61	4.07	-1.46	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	233	-	-	-	-	-	-	-
MW-1	03/01/2000	2.61	1.95	0.66	0.00	0.00	-	-	-	100	<0.5	<0.5	<0.5	<0.5	37.9	-	-	-	-	-	-	-
MW-1	06/19/2000	2.61	3.41	-0.80	0.00	0.00	-	-	-	<50	3.8	<0.50	<0.50	<0.50	88	91 <sup>2</sup>	<500	<100	<2.0	<2.0	11	-
MW-1	09/30/2000	2.61	3.84	-1.23	0.00	0.00	-	-	-	<130	<1.3	<1.3	<1.3	<1.3	460	530 <sup>2</sup>	-	-	-	-	-	-
MW-1	10/05/2000	2.61	3.93	-1.32	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	12/08/2000	8.61	4.20	4.41	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	58.7	-	-	-	-	-	-	-
MW-1	03/03/2001 <sup>11</sup>	8.61	2.31	6.30	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	8.9	-	-	-	-	-	-	-
MW-1	06/19/2001	8.61	3.34	5.27	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	51	-	-	-	-	-	-	-
MW-1	09/05/2001	8.61	3.77	4.84	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	180	-	-	-	-	-	-	-
MW-1	12/10/2001	8.61	2.47	6.14	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	21	-	-	-	-	-	-	-
MW-1	03/04/2002	8.61	3.13	5.48	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	47	-	-	-	-	-	-	-
MW-1	06/03/2002	8.61	5.71	2.90	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-	-
MW-1	09/14/2002	8.61	3.75	4.86	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	140	-	-	-	-	-	-	-
MW-1	12/13/2002	8.61	3.29	5.32	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-
MW-1	03/14/2003	8.61	3.07	5.54	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	35	-	-	-	-	-	-	-
MW-1	06/09/2003 <sup>15</sup>	8.61	3.52	5.09	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	-	-	-	-	-	-
MW-1	09/03/2003 <sup>15</sup>	8.61	4.12	4.49	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME		
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-1	12/01/2003 <sup>13</sup>	8.61	3.27	5.34	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	100	<50	-	-	-	-	-	
MW-1	03/01/2004 <sup>13</sup>	8.61	2.06	6.55	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-	-	
MW-1	06/02/2004 <sup>13</sup>	8.61	3.30	5.31	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-	-	
MW-1	09/03/2004 <sup>13</sup>	8.61	4.14	4.47	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-	-	
MW-1	12/20/2004 <sup>15</sup>	8.61	3.62	4.99	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	37	<50	-	-	-	-	-	
MW-1	03/12/2005 <sup>15</sup>	8.61	3.04	5.57	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	
MW-1	06/28/2005 <sup>15</sup>	8.61	3.28	5.33	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	93	<50	-	-	-	-	-	
MW-1	09/01/2005 <sup>13</sup>	8.61	3.58	5.03	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	59	<50	-	-	-	-	-	
MW-1	12/01/2005 <sup>13</sup>	8.61	3.05	5.56	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-	-	
MW-1	03/04/2006 <sup>13</sup>	8.61	3.31	5.30	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	88	<50	-	-	-	-	-	
MW-1	06/01/2006 <sup>15</sup>	8.61	3.44	5.17	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-	-	
MW-1	09/01/2006 <sup>15</sup>	8.61	2.99	5.62	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-	
MW-1	12/15/2006 <sup>15</sup>	8.61	2.91	5.70	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	
MW-1	03/15/2007 <sup>13</sup>	8.61	3.43	5.18	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-	-	
MW-1	06/15/2007 <sup>15</sup>	8.61	3.67	4.94	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-	-	
MW-1	09/06/2007 <sup>15</sup>	8.61	3.42	5.19	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	
MW-1	12/07/2007 <sup>13</sup>	8.61	3.31	5.30	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-	-	
MW-1	03/07/2008 <sup>15</sup>	8.61	3.45	5.16	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-	-	
MW-1	06/24/2008 <sup>15</sup>	8.61	3.76	4.85	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	
MW-1	09/11/2008 <sup>13</sup>	8.61	4.50	4.11	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	-	-	-	-	-	-	
MW-1	12/19/2008 <sup>13</sup>	8.61	3.73	4.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-	
MW-1	06/01/2009	8.61	4.77	3.84	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-	
MW-1	09/30/2009	8.61	4.81	3.80	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-	
MW-1	12/10/2009	8.61	3.95	4.66	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	
MW-1	12/11/2009	8.61	3.81	4.80	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-1	03/08/2010	8.61	2.90	5.71	0.00	0.00	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-	
MW-1	06/06/2010	8.61	3.40	5.21	0.00	0.00	280	280	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-	-	
<b>MW-1</b>	<b>09/02/2010</b>	<b>8.61</b>	<b>4.02</b>	<b>4.59</b>	<b>0.00</b>	<b>0.00</b>	<b>320</b>	<b>320</b>	<b>-</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>	<b>2</b>	<b>&lt;50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	
MW-2	10/17/1995 <sup>3</sup>	3.51	5.33	-1.82	0.00	0.00	-	-	1,600 <sup>4</sup>	170	3.5	<0.5	1.0	6.1	-	-	-	-	-	-	-	-	-
MW-2	03/29/1996	3.51	3.95	-0.44	0.00	0.00	-	-	3,000 <sup>4</sup>	89	11 / 4.7	<0.5	0.64	2.5 / 0.74	21	-	-	-	-	-	-	-	-
MW-2	06/26/1996	3.51	4.60	-1.09	0.00	0.00	-	-	2,000 <sup>4</sup>	80	8.7 / 11	<0.5	1.2	<2.0 / 1.3	31	-	-	-	-	-	-	-	-
MW-2	09/25/1996	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME		
		Units	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	12/17/1996	3.51	3.92	-0.41	0.00	0.00	-	-	2,400 <sup>4</sup>	110	<0.5 / 10	<0.5	0.75	<2.0 / 2.1	27	-	-	-	-	-	-	-	-
MW-2	03/20/1997	3.51	4.83	-1.32	0.00	0.00	-	-	3,400 <sup>4</sup>	140	8.2	<2.0	<2.0	<2.0	58	-	-	-	-	-	-	-	-
MW-2	06/20/1997	3.51	5.04	-1.53	0.00	0.00	-	-	1,600 <sup>4</sup>	62	7.7 / 7.2	<0.5	<0.5	<0.5 / <2.0	38	-	-	-	-	-	-	-	-
MW-2	09/09/1997	3.51	4.98	-1.47	0.00	0.00	-	-	82 <sup>4</sup>	190	9.4 / 11	<0.5	<0.5	<2.0 / 0.86	48	-	-	-	-	-	-	-	-
MW-2	12/12/1997	3.51	3.91	-0.40	0.00	0.00	-	-	8,500 <sup>4</sup>	180	<2.0 / 1.8	<0.5	<0.5	<2.0 / 3.2	34	-	-	-	-	-	-	-	-
MW-2	02/19/1998	3.51	2.96	0.55	0.00	0.00	-	-	3,800 <sup>4</sup>	<100	<3.3 / 1.8	<1.0	<1.0	<3.3 / <1.0	230	-	-	-	-	-	-	-	-
MW-2	06/23/1998	3.51	4.05	-0.54	0.00	0.00	-	-	-	60	<0.5	<0.5	<0.5	<0.5	55	-	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0
MW-2	08/31/1998	3.51	4.31	-0.80	0.00	0.00	-	-	-	61	2.2	<0.5	<0.5	1.1	53	-	-	-	-	-	-	-	-
MW-2	12/29/1998	3.51	4.63	-1.12	0.00	0.00	-	-	-	54	1.3	<0.5	<0.5	0.752	38.1	-	-	-	-	-	-	-	-
MW-2	03/11/1999	3.51	3.52	-0.01	0.00	0.00	-	-	-	648	2.9	<2.0	<2.0	<2.0	73.2	-	-	-	-	-	-	-	-
MW-2	06/24/1999	3.51	4.00	-0.49	0.00	0.00	-	-	-	264	0.58	<0.5	1.01	<0.5	44.1	-	<1,000	<200	<2.0	<2.0	<2.0	<2.0	<2.0
MW-2	09/29/1999	3.51	4.44	-0.93	0.00	0.00	-	-	-	54.3	0.66	<0.5	<0.5	<0.5	35.7	-	-	-	-	-	-	-	-
MW-2	12/08/1999	3.51	4.89	-1.38	0.00	0.00	-	-	-	<50	1.27	<0.5	<0.5	<0.5	56.9	-	-	-	-	-	-	-	-
MW-2	03/01/2000	3.51	3.03	0.48	0.00	0.00	-	-	-	68	1.57	<0.5	<0.5	<0.5	110	-	-	-	-	-	-	-	-
MW-2	06/19/2000	3.51	4.17	-0.66	0.00	0.00	-	-	-	58.00 <sup>1</sup>	1.5	<0.50	<0.50	<0.50	90	59 <sup>2</sup>	<500	<100	<2.0	<2.0	<2.0	4.0	
MW-2	09/30/2000	3.51	4.66	-1.15	0.00	0.00	-	-	-	<50	<0.50	0.82	<0.50	1.1	48	50 <sup>2</sup>	-	-	-	-	-	-	-
MW-2	10/05/2000 <sup>8,9</sup>	3.51	4.71	-1.20	0.00	0.00	-	-	4,000 <sup>7</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/08/2000	9.52	4.97	4.55	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	61.8	-	-	-	-	-	-	-	-
MW-2	03/03/2001 <sup>11</sup>	9.52	3.27	6.25	0.00	0.00	-	-	-	310 <sup>12</sup>	0.60	<0.50	<0.50	1.3	97	-	-	-	-	-	-	-	-
MW-2	06/19/2001	9.52	4.05	5.47	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	30	-	-	-	-	-	-	-	-
MW-2	09/05/2001	9.52	4.54	4.98	0.00	0.00	-	-	-	<50	<0.50	1.2	<0.50	<1.5	46	-	-	-	-	-	-	-	-
MW-2	12/10/2001	9.52	3.45	6.07	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	22	-	-	-	-	-	-	-	-
MW-2	03/04/2002	9.52	3.94	5.58	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	61	-	-	-	-	-	-	-	-
MW-2	06/03/2002	9.52	4.08	5.44	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-	-	-
MW-2	09/14/2002	9.52	4.65	4.87	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	77	-	-	-	-	-	-	-	-
MW-2	12/13/2002	9.52	4.31	5.21	0.00	0.00	-	-	-	53	<0.50	<0.50	<0.50	<1.5	44	-	-	-	-	-	-	-	-
MW-2	03/14/2003	9.52	3.91	5.61	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	55	-	-	-	-	-	-	-	-
MW-2	06/09/2003 <sup>13</sup>	9.52	4.33	5.19	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	67	-	-	-	-	-	-	-
MW-2	09/03/2003 <sup>13</sup>	9.52	4.93	4.59	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9	<50	-	-	-	-	-	-
MW-2	12/01/2003 <sup>13</sup>	9.52	4.15	5.37	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	72	<50	-	-	-	-	-	-
MW-2	03/01/2004 <sup>13</sup>	9.52	3.12	6.40	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-	-	-
MW-2	06/02/2004 <sup>13</sup>	9.52	4.21	5.31	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	46	<50	-	-	-	-	-	-
MW-2	09/03/2004 <sup>13</sup>	9.52	4.14	5.38	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	69	<50	-	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS						
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	12/20/2004	9.52	4.60	4.96**	0.05	0.01 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/12/2005 <sup>13</sup>	9.52	3.90	5.62	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	57	<50	-	-	-	-	-
MW-2	06/28/2005 <sup>13</sup>	9.52	4.06	5.46	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	6	<50	-	-	-	-	-
MW-2	09/01/2005	9.52	4.52	5.03**	0.04	1.10 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/01/2005 <sup>15</sup>	9.52	4.01	5.51	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-
MW-2	03/04/2006 <sup>15</sup>	9.52	4.27	5.25	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-
MW-2	06/01/2006 <sup>15</sup>	9.52	4.40	5.12	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-	-
MW-2	09/01/2006 <sup>13</sup>	9.52	3.90	5.62	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	31	<50	-	-	-	-	-
MW-2	12/15/2006 <sup>13</sup>	9.52	3.88	5.64	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-
MW-2	03/15/2007 <sup>13</sup>	9.52	4.27	5.25	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-	-
MW-2	06/15/2007 <sup>16</sup>	9.52	4.49	5.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/06/2007 <sup>15</sup>	9.52	4.32	5.20	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	43	<50	-	-	-	-	-
MW-2	12/07/2007 <sup>15</sup>	9.52	4.46	5.06	0.00	0.00	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	28	<50	-	-	-	-	-
MW-2	03/07/2008 <sup>13</sup>	9.52	4.38	5.15**	0.01	0.01	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-
MW-2	06/24/2008	9.52	5.16	4.88**	0.65	0.73 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/11/2008	9.52	5.50	4.30**	0.35	0.13 <sup>14</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/19/2008	9.52	4.80	4.75**	0.04	0.50 <sup>18</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/01/2009	9.52	4.90	4.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/30/2009	9.52	4.82	4.70**	0.09	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/10/2009	9.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	12/11/2009	9.52	4.89	4.63**	0.10	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/08/2010	9.52	3.82	5.74**	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/06/2010	9.52	4.52	5.06**	0.07	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-2</b>	<b>09/02/2010<sup>24</sup></b>	<b>9.52</b>	<b>4.89</b>	<b>4.67**</b>	<b>0.05</b>	<b>0.00</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	10/17/1995 <sup>5</sup>	3.08	4.42	-1.34	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-
MW-3	03/29/1996	3.08	3.00	0.08	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	26	-	-	-	-	-	-	-
MW-3	06/26/1996	3.08	3.60	-0.52	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	47	-	-	-	-	-	-	-
MW-3	09/25/1996	3.08	4.14	-1.06	0.00	0.00	-	-	-	<125	<1.2	<1.2	<1.2	<1.2	570	-	-	-	-	-	-	-
MW-3	12/17/1996	3.08	3.20	-0.12	0.00	0.00	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	680	-	-	-	-	-	-	-
MW-3	03/20/1997	3.08	3.30	-0.22	0.00	0.00	-	-	-	<50	<5.7	<5.7	<5.7	<5.7	430	-	-	-	-	-	-	-
MW-3	06/20/1997	3.08	3.86	-0.78	0.00	0.00	-	-	-	<500	<5.0	<5.0	<5.0	<5.0	1,400	-	-	-	-	-	-	-
MW-3	09/09/1997	3.08	4.19	-1.11	0.00	0.00	-	-	-	76 <sup>4</sup>	22	<0.5	<0.5	<0.5	920	-	-	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	HYDROCARBONS									PRIMARY VOCS					ADDITIONAL VOCS					
		TOC	DTW	GWE	LNAPL	LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	12/12/1997	3.08	2.96	0.12	0.00	0.00	-	-	-	52	15	<0.5	<0.5	<0.5	710	-	-	-	-	-	-
MW-3	02/19/1998	3.08	2.22	0.86	0.00	0.00	-	-	-	<50	6.6	<0.5	<0.5	<0.5	380	-	-	-	-	-	-
MW-3	06/23/1998	3.08	3.25	-0.17	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	390	-	<5,000	<1,000	<20	<20	26
MW-3	08/31/1998	3.08	3.86	-0.78	0.00	0.00	-	-	-	<50	19	<0.5	<0.5	<0.5	830	-	-	-	-	-	-
MW-3	12/29/1998	3.08	3.53	-0.45	0.00	0.00	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	416	-	-	-	-	-	-
MW-3	03/11/1999	3.08	3.35	-0.27	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	262	-	-	-	-	-	-
MW-3	06/24/1999	3.08	3.61	-0.53	0.00	0.00	-	-	-	<50	12.8	<0.5	<0.5	<0.5	620	-	<6,670	<1,330	<13.3	<13.3	<13.3
MW-3	09/29/1999	3.08	3.95	-0.87	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	2,840	-	-	-	-	-	-
MW-3	12/08/1999	3.08	3.54	-0.46	0.00	0.00	-	-	-	73.4	<0.5	<0.5	<0.5	<0.5	1,620	-	-	-	-	-	-
MW-3	03/01/2000	3.08	2.43	0.65	0.00	0.00	-	-	-	<200	<2.0	<2.0	<2.0	<2.0	1,880	-	-	-	-	-	-
MW-3	06/19/2000	3.08	3.38	-0.30	0.00	0.00	-	-	-	<250	20	<2.5	<2.5	<2.5	1,200	920 <sup>2</sup>	570	<100	<2.0	<2.0	65
MW-3	09/30/2000	3.08	4.00	-0.92	0.00	0.00	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	730	2,100 <sup>2</sup>	-	-	-	-	-
MW-3	10/05/2000	3.08	4.02	-0.94	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/08/2000	9.08	3.70	5.38	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	1,620	-	-	-	-	-	-
MW-3	03/03/2001 <sup>11</sup>	9.08	2.24	6.84	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	1,000	-	-	-	-	-	-
MW-3	06/19/2001	9.08	3.71	5.37	0.00	0.00	-	-	-	<120	4.8	<1.2	<1.2	<1.2	510	-	-	-	-	-	-
MW-3	09/05/2001	9.08	4.04	5.04	0.00	0.00	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,400	-	-	-	-	-	-
MW-3	12/10/2001	9.08	2.54	6.54	0.00	0.00	-	-	-	130	<0.50	<0.50	<0.50	<1.5	1,000	-	-	-	-	-	-
MW-3	03/04/2002	9.08	2.84	6.24	0.00	0.00	-	-	-	120	<0.50	<0.50	<0.50	<1.5	720	-	-	-	-	-	-
MW-3	06/03/2002	9.08	3.28	5.80	0.00	0.00	-	-	-	130	<0.50	<0.50	<0.50	<1.5	710	-	-	-	-	-	-
MW-3	09/14/2002	9.08	4.15	4.93	0.00	0.00	-	-	-	590	<20	<1.0	<1.0	<3.0	2,600	-	-	-	-	-	-
MW-3	12/13/2002	9.08	3.85	5.23	0.00	0.00	-	-	-	430	<0.50	<0.50	<0.50	<1.5	2,000	-	-	-	-	-	-
MW-3	03/14/2003	9.08	2.99	6.09	0.00	0.00	-	-	-	310	<0.50	<0.50	<0.50	<1.5	1,600	-	-	-	-	-	-
MW-3	06/09/2003 <sup>15</sup>	9.08	3.34	5.74	0.00	0.00	-	-	-	330	<0.5	<0.5	<0.5	<0.5	-	1,800	-	-	-	-	-
MW-3	09/03/2003 <sup>15</sup>	9.08	3.97	5.11	0.00	0.00	-	-	-	720	<3	<3	<3	<3	-	4,100	<250	-	-	-	-
MW-3	12/01/2003 <sup>15</sup>	9.08	3.76	5.32	0.00	0.00	-	-	-	520	<1	<1	<1	<1	-	2,400	<130	-	-	-	-
MW-3	03/01/2004 <sup>15</sup>	9.08	2.11	6.97	0.00	0.00	-	-	-	140	<0.5	<0.5	<0.5	<0.5	-	850	<50	-	-	-	-
MW-3	06/02/2004 <sup>15</sup>	9.08	3.65	5.43	0.00	0.00	-	-	-	220	<0.5	<0.5	<0.5	<0.5	-	1,500	<50	-	-	-	-
MW-3	09/03/2004 <sup>15</sup>	9.08	5.01	4.07	0.00	0.00	-	-	-	300	<1	<1	<1	<1	-	1,800	<100	-	-	-	-
MW-3	12/20/2004 <sup>15</sup>	9.08	4.85	4.23	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	86	<50	-	-	-	-
MW-3	03/12/2005 <sup>15</sup>	9.08	4.39	4.69	0.00	0.00	-	-	-	<50	0.6	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-
MW-3	06/28/2005 <sup>15</sup>	9.08	4.56	4.52	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-3	09/01/2005 <sup>15</sup>	9.08	4.67	4.41	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	47	<50	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS						
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	12/01/2005 <sup>13</sup>	9.08	4.43	4.65	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-	-
MW-3	03/04/2006 <sup>13</sup>	9.08	4.32	4.76	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	36	<50	-	-	-	-	-
MW-3	06/01/2006 <sup>13</sup>	9.08	4.52	4.56	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-
MW-3	09/01/2006 <sup>13</sup>	9.08	4.66	4.42	0.00	0.00	-	-	-	75	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-
MW-3	12/15/2006 <sup>15</sup>	9.08	4.07	5.01	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-
MW-3	03/15/2007 <sup>15</sup>	9.08	4.26	4.82	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	24	<50	-	-	-	-	-
MW-3	06/15/2007 <sup>15</sup>	9.08	4.62	4.46	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-	-
MW-3	09/06/2007 <sup>13</sup>	9.08	4.70	4.38	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-	-
MW-3	12/07/2007 <sup>13</sup>	9.08	4.60	4.48	0.00	0.00	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-	-
MW-3	03/07/2008 <sup>13</sup>	9.08	4.31	4.77	0.00	0.00	-	-	-	51	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-	-
MW-3	06/24/2008 <sup>15</sup>	9.08	4.68	4.40	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-	-
MW-3	09/11/2008 <sup>15</sup>	9.08	5.02	4.06	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-
MW-3	12/19/2008 <sup>15</sup>	9.08	4.67	4.41	0.00	0.00	-	-	-	59	<0.5	<0.5	<0.5	0.9	-	21	<50	-	-	-	-	-
MW-3	06/01/2009	9.08	4.48	4.60	0.00	0.00	-	-	-	60 J	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-	-
MW-3	09/30/2009	9.08	3.98	5.10	0.00	0.00	-	-	-	72 J	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-
MW-3	12/10/2009	9.08	4.95	4.13	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/11/2009	9.08	4.60	4.48	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/08/2010	9.08	3.70	5.38	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-	-
MW-3	06/06/2010	9.08	4.37	4.71	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-3</b>	<b>09/02/2010</b>	<b>9.08</b>	<b>4.82</b>	<b>4.26</b>	<b>0.00</b>	<b>0.00</b>	<b>240</b>	<b>240</b>	<b>-</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>	<b>22</b>	<b>&lt;50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
MW-4	10/17/1995	3.48	5.08	-1.60	0.00	0.00	-	-	-	<125	<1.2	<1.2	<1.2	<1.2	-	-	-	-	-	-	-	-
MW-4	03/29/1996	3.48	4.61	-1.13	0.00	0.00	-	-	-	<1,000	<10	<10	<10	<10	6,700	-	-	-	-	-	-	-
MW-4	06/26/1996	3.48	4.30	-0.82	0.00	0.00	-	-	-	<2,000	<20	<20	<20	<20	7,200	-	-	-	-	-	-	-
MW-4	09/25/1996	3.48	5.33	-1.85	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-	-
MW-4	12/17/1996	3.48	2.81	0.67	0.00	0.00	-	-	-	<2,000	120	<20	<20	<20	11,000	-	-	-	-	-	-	-
MW-4	03/20/1997	3.48	4.50	-1.02	0.00	0.00	-	-	-	250 <sup>4</sup>	<2.0	<2.0	<2.0	<2.0	10,000	8,600 <sup>6</sup>	-	-	-	-	-	-
MW-4	06/20/1997	3.48	5.68	-2.20	0.00	0.00	-	-	-	<2,500	<25	<25	<25	<25	9,300	-	-	-	-	-	-	-
MW-4	09/09/1997	3.48	5.50	-2.02	0.00	0.00	-	-	-	460 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-	-
MW-4	12/12/1997	3.48	5.03	-1.55	0.00	0.00	-	-	-	430 <sup>4</sup>	120	<2.5	<2.5	<2.5	7,800	-	-	-	-	-	-	-
MW-4	02/19/1998	3.48	3.35	0.13	0.00	0.00	-	-	-	510 <sup>4</sup>	130	<0.5	<0.5	<0.5	6,600	-	-	-	-	-	-	-
MW-4	06/23/1998	3.48	4.98	-1.50	0.00	0.00	-	-	-	550 <sup>4</sup>	<0.5	<0.5	<0.5	<0.5	6,800	-	<50,000	<10,000	<200	<200	860	-
MW-4	08/31/1998	3.48	5.42	-1.94	0.00	0.00	-	-	-	<500	450	<5.0	<5.0	<5.0	14,000	-	-	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS						
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	12/29/1998	3.48	5.06	-1.58	0.00	0.00	-	-	-	<5,000	<50	<50	<50	<50	16,100	-	-	-	-	-	-	-
MW-4	03/11/1999	3.48	3.78	-0.30	0.00	0.00	-	-	-	979	<5.0	<5.0	<5.0	<5.0	15,100	-	-	-	-	-	-	-
MW-4	06/24/1999	3.48	4.31	-0.83	0.00	0.00	-	-	-	<2,500	715	<25	<25	<25	12,400	-	<125,000	<25,000	<250	<250	2,600	-
MW-4	09/29/1999	3.48	5.58	-2.10	0.00	0.00	-	-	-	1,380	<5.0	<5.0	<5.0	<5.0	11,700	-	-	-	-	-	-	-
MW-4	12/08/1999	3.48	5.33	-1.85	0.00	0.00	-	-	-	318	<0.5	<0.5	<0.5	<0.5	11,100	-	-	-	-	-	-	-
MW-4	03/01/2000	3.48	5.20	-1.72	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	9,940	-	-	-	-	-	-	-
MW-4	06/19/2000	3.48	5.36	-1.88	0.00	0.00	-	-	-	<1,000	220	<10	<10	<10	7,300	9,500 <sup>2</sup>	<25,000	<5,000	<100	<100	1,100	-
MW-4	09/30/2000	3.48	3.77	-0.29	0.00	0.00	-	-	-	740 <sup>1</sup>	<2.5	<2.5	<2.5	<2.5	6,000	7,800 <sup>2</sup>	-	-	-	-	-	-
MW-4	10/05/2000	3.48	3.86	-0.38	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	12/08/2000	9.48	4.45	5.03	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	6,230	-	-	-	-	-	-	-
MW-4	03/03/2001 <sup>11</sup>	9.48	3.83	5.65	0.00	0.00	-	-	-	<250	<2.5	<2.5	<2.5	<2.5	3,600	-	-	-	-	-	-	-
MW-4	06/19/2001	9.48	3.37	6.11	0.00	0.00	-	-	-	<500	140	<5.0	<5.0	<5.0	2,500	-	-	-	-	-	-	-
MW-4	09/05/2001	9.48	3.96	5.52	0.00	0.00	-	-	-	400	<0.50	<0.50	<0.50	<1.5	2,800	-	-	-	-	-	-	-
MW-4	12/10/2001	9.48	5.05	4.43	0.00	0.00	-	-	-	700	<0.50	<0.50	<0.50	<1.5	3,400	-	-	-	-	-	-	-
MW-4	03/04/2002	9.48	3.67	5.81	0.00	0.00	-	-	-	660	<0.50	<0.50	<0.50	<1.5	2,900	-	-	-	-	-	-	-
MW-4	06/03/2002	9.48	5.24	4.24	0.00	0.00	-	-	-	610	<0.50	<0.50	<0.50	<1.5	3,000	-	-	-	-	-	-	-
MW-4	09/14/2002	9.48	5.22	4.26	0.00	0.00	-	-	-	490	<10	<1.0	<1.0	<3.0	2,400	-	-	-	-	-	-	-
MW-4	12/13/2002	9.48	4.67	4.81	0.00	0.00	-	-	-	440	<0.50	<0.50	<0.50	<1.5	2,200	-	-	-	-	-	-	-
MW-4	03/14/2003	9.48	4.64	4.84	0.00	0.00	-	-	-	490	<0.50	<0.50	<0.50	<1.5	2,600	-	-	-	-	-	-	-
MW-4	06/09/2003 <sup>13</sup>	9.48	5.03	4.45	0.00	0.00	-	-	-	340	<0.5	<0.5	<0.5	<0.5	-	1,700	-	-	-	-	-	-
MW-4	09/03/2003 <sup>13</sup>	9.48	5.65	3.83	0.00	0.00	-	-	-	320	<1	<1	<1	<1	-	1,600	<130	-	-	-	-	-
MW-4	12/01/2003 <sup>13</sup>	9.48	4.97	4.51	0.00	0.00	-	-	-	350	<1	<1	<1	<1	-	1,700	<100	-	-	-	-	-
MW-4	03/01/2004 <sup>13</sup>	9.48	4.68	4.80	0.00	0.00	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,200	<50	-	-	-	-	-
MW-4	06/02/2004 <sup>13</sup>	9.48	4.93	4.55	0.00	0.00	-	-	-	240	<0.5	<0.5	<0.5	<0.5	-	1,600	<50	-	-	-	-	-
MW-4	09/03/2004 <sup>13</sup>	9.48	4.99	4.49	0.00	0.00	-	-	-	270	<1	<1	<1	<1	-	1,500	<100	-	-	-	-	-
MW-4	12/20/2004 <sup>13</sup>	9.48	4.18	5.30	0.00	0.00	-	-	-	230	<3	<3	<3	<3	-	1,900	<250	-	-	-	-	-
MW-4	03/12/2005 <sup>13</sup>	9.48	5.32	4.16	0.00	0.00	-	-	-	180	<1	<1	<1	<1	-	1,200	<100	-	-	-	-	-
MW-4	06/28/2005 <sup>13</sup>	9.48	5.26	4.22	0.00	0.00	-	-	-	180	<0.5	<0.5	<0.5	<0.5	-	920	<50	-	-	-	-	-
MW-4	09/01/2005 <sup>13</sup>	9.48	4.91	4.57	0.00	0.00	-	-	-	250	<1	<1	<1	<1	-	1,500	<100	-	-	-	-	-
MW-4	12/01/2005 <sup>13</sup>	9.48	4.88	4.60	0.00	0.00	-	-	-	61	<0.5	<0.5	<0.5	<0.5	-	260	<50	-	-	-	-	-
MW-4	03/04/2006 <sup>13</sup>	9.48	5.02	4.46	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-	-
MW-4	06/01/2006 <sup>13</sup>	9.48	4.23	5.25	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	51	<50	-	-	-	-	-
MW-4	09/01/2006 <sup>13</sup>	9.48	5.36	4.12	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	29	<50	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS					
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	12/15/2006 <sup>13</sup>	9.48	4.94	4.54	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-
MW-4	03/15/2007 <sup>13</sup>	9.48	5.02	4.46	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-4	06/15/2007 <sup>13</sup>	9.48	5.00	4.48	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-4	09/06/2007 <sup>13</sup>	9.48	4.97	4.51	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-4	12/07/2007 <sup>15</sup>	9.48	4.51	4.97	0.00	0.00	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-4	03/07/2008 <sup>15</sup>	9.48	4.85	4.63	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-4	06/24/2008 <sup>15</sup>	9.48	3.73	5.75	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	15	<50	-	-	-	-
MW-4	09/11/2008 <sup>13</sup>	9.48	5.71	3.77	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	34	<50	-	-	-	-
MW-4	12/19/2008 <sup>13</sup>	9.48	4.89	4.59	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-
MW-4	06/01/2009	9.48	4.45	5.03	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-4	09/30/2009	9.48	4.37	5.11	0.00	0.00	-	-	-	<500	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-4	12/10/2009	9.48	9.04	0.44	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	33	<50	-	-	-	-
MW-4	12/11/2009	-	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	03/08/2010	9.48	4.93	4.55	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-
MW-4	06/06/2010	9.48	4.60	4.88	0.00	0.00	400	400	-	<50	<0.5	<0.5	<0.5	<0.5	-	21	<50	-	-	-	-
<b>MW-4</b>	<b>09/02/2010</b>	<b>9.48</b>	<b>5.00</b>	<b>4.48</b>	<b>0.00</b>	<b>0.00</b>	<b>500</b>	<b>500</b>	<b>-</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>	<b>17</b>	<b>&lt;50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
MW-5	10/23/2000 <sup>10</sup>	8.77	4.59	4.18	0.00	0.00	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	4.34	-	<1,000	<100	<2.00	<2.00	<2.00
MW-5	12/08/2000	8.77	3.43	5.34	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	11.0	-	-	-	-	-	-
MW-5	03/03/2001 <sup>11</sup>	8.77	2.40	6.37	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	24	-	-	-	-	-	-
MW-5	06/19/2001	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/05/2001	8.77	3.75	5.02	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	31	-	-	-	-	-	-
MW-5	12/10/2001	8.77	2.79	5.98	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	45	-	-	-	-	-	-
MW-5	03/04/2002	8.77	2.52	6.25	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	29	-	-	-	-	-	-
MW-5	06/03/2002	8.77	3.20	5.57	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	40	-	-	-	-	-	-
MW-5	09/14/2002	8.77	3.85	4.92	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	92	-	-	-	-	-	-
MW-5	12/13/2002	8.77	3.45	5.32	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	32	-	-	-	-	-	-
MW-5	03/14/2003	8.77	2.95	5.82	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	71	-	-	-	-	-	-
MW-5	06/09/2003 <sup>13</sup>	8.77	3.19	5.58	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	79	-	-	-	-	-
MW-5	09/03/2003 <sup>13</sup>	8.77	3.79	4.98	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	2	<50	-	-	-	-
MW-5	12/01/2003 <sup>13</sup>	8.77	3.34	5.43	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	52	<50	-	-	-	-
MW-5	03/01/2004 <sup>15</sup>	8.77	2.48	6.29	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	120	<50	-	-	-	-
MW-5	06/02/2004 <sup>15</sup>	8.77	3.11	5.66	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-



**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS					
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	09/03/2004 <sup>13</sup>	8.77	5.11	3.66	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	80	<50	-	-	-	-
MW-5	12/20/2004 <sup>13</sup>	8.77	5.10	3.67	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	62	<50	-	-	-	-
MW-5	03/12/2005 <sup>13</sup>	8.77	4.71	4.06	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	58	<50	-	-	-	-
MW-5	06/28/2005 <sup>13</sup>	8.77	4.93	3.84	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	64	<50	-	-	-	-
MW-5	09/01/2005 <sup>15</sup>	8.77	4.92	3.85	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	61	<50	-	-	-	-
MW-5	12/01/2005 <sup>15</sup>	8.77	4.81	3.96	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	50	<50	-	-	-	-
MW-5	03/04/2006 <sup>15</sup>	8.77	4.78	3.99	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-
MW-5	06/01/2006 <sup>13</sup>	8.77	4.89	3.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	38	<50	-	-	-	-
MW-5	09/01/2006 <sup>13</sup>	8.77	4.94	3.83	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	32	<50	-	-	-	-
MW-5	12/15/2006 <sup>13</sup>	8.77	4.68	4.09	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	26	<50	-	-	-	-
MW-5	03/15/2007 <sup>15</sup>	8.77	4.88	3.89	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	23	<50	-	-	-	-
MW-5	06/15/2007 <sup>15</sup>	8.77	4.87	3.90	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-5	09/06/2007 <sup>15</sup>	8.77	4.77	4.00	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-
MW-5	12/07/2007 <sup>13</sup>	8.77	4.99	3.78	0.00	0.00	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	22	<50	-	-	-	-
MW-5	03/07/2008 <sup>15</sup>	8.77	4.89	3.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-5	06/24/2008 <sup>15</sup>	8.77	5.12	3.65	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-5	09/11/2008 <sup>15</sup>	8.77	5.21	3.56	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	18	<50	-	-	-	-
MW-5	12/19/2008 <sup>15</sup>	8.77	4.98	3.79	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	17	<50	-	-	-	-
MW-5	06/01/2009	8.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/30/2009	8.77	3.45	5.32	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-5	12/10/2009	8.77	4.76	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	12/11/2009	-	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	03/08/2010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/06/2010	8.77	4.93	3.84	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-5</b>	<b>09/02/2010</b>	<b>8.77</b>	<b>5.30</b>	<b>3.47</b>	<b>0.00</b>	<b>0.00</b>	<b>190</b>	<b>190</b>	<b>-</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>	<b>12</b>	<b>&lt;50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
MW-6	10/23/2000 <sup>10</sup>	11.45	7.15	4.30	0.00	0.00	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	5.96	-	<1,000	<100	<2.00	<2.00	<2.00
MW-6	12/08/2000	11.45	6.84	4.61	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	8.80	-	-	-	-	-	-
MW-6	03/03/2001 <sup>11</sup>	11.45	6.13	5.32	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	9.0	-	-	-	-	-	-
MW-6	06/19/2001	11.45	5.80	5.65	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
MW-6	09/05/2001	11.45	5.16	6.29	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	12/10/2001	11.45	4.81	6.64	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
MW-6	03/04/2002	11.45	4.16	7.29	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPLT	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS						
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME	
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	06/03/2002	11.45	5.71	5.74	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-
MW-6	09/14/2002	11.45	6.65	4.80	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-
MW-6	12/13/2002	11.45	6.39	5.06	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-
MW-6	03/14/2003	11.45	6.47	4.98	0.00	0.00	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-
MW-6	06/09/2003 <sup>15</sup>	11.45	6.78	4.67	0.00	0.00	-	-	-	<50	<0.5	0.7	<0.5	<0.5	-	1	-	-	-	-	-	-
MW-6	09/03/2003 <sup>15</sup>	11.45	7.08	4.37	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-	-
MW-6	12/01/2003 <sup>15</sup>	11.45	3.57	7.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	03/01/2004 <sup>15</sup>	11.45	3.18	8.27	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	25	<50	-	-	-	-	-
MW-6	06/02/2004 <sup>15</sup>	11.45	3.50	7.95	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	09/03/2004 <sup>15</sup>	11.45	2.17	9.28	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-
MW-6	12/20/2004 <sup>15</sup>	11.45	6.03	5.42	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-
MW-6	03/12/2005 <sup>15</sup>	11.45	5.05	6.40	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	06/28/2005 <sup>15</sup>	11.45	2.36	9.09	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	09/01/2005 <sup>15</sup>	11.45	2.87	8.58	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-
MW-6	12/01/2005 <sup>15</sup>	11.45	2.90	8.55	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	03/04/2006 <sup>15</sup>	11.45	3.71	7.74	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	06/01/2006 <sup>15</sup>	11.45	2.57	8.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	09/01/2006 <sup>15</sup>	11.45	2.36	9.09	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-
MW-6	12/15/2006 <sup>15</sup>	11.45	3.16	8.29	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	03/15/2007 <sup>15</sup>	11.45	2.42	9.03	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	06/15/2007 <sup>15</sup>	11.45	3.32	8.13	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	09/06/2007 <sup>15</sup>	11.45	5.41	6.04	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.6	<50	-	-	-	-	-
MW-6	12/07/2007 <sup>15</sup>	11.45	5.94	5.51	0.00	0.00	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-
MW-6	03/07/2008 <sup>15</sup>	11.45	6.22	5.23	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	06/24/2008 <sup>15</sup>	11.45	2.48	8.97	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-	-
MW-6	09/11/2008 <sup>15</sup>	11.45	2.57	8.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-
MW-6	12/19/2008 <sup>15</sup>	11.45	3.67	7.78	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	1	<50	-	-	-	-	-
MW-6	06/01/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.9 J	<50	-	-	-	-	-
MW-6	09/30/2009	11.45	5.32	6.13	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	4	<50	-	-	-	-	-
MW-6	12/10/2009	11.45	2.54	8.91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	12/11/2009	-	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	03/08/2010	11.45	3.30	8.15	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	3	<50	-	-	-	-	-
MW-6	06/06/2010	11.45	2.42	9.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS					
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	09/02/2010	11.45	3.03	8.42	0.00	0.00	110 J	110 J	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	<50	-	-	-	-
MW-7	10/23/2000 <sup>10</sup>	10.58	6.25	4.33	0.00	0.00	-	-	-	<50	<0.500	<0.500	<0.500	<0.500	1,210	-	<6,670	<667	13.3	13.3	199
MW-7	12/08/2000	10.58	7.23	3.35	0.00	0.00	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	338	-	-	-	-	-	-
MW-7	03/03/2001 <sup>11</sup>	10.58	6.27	4.31	0.00	0.00	-	-	-	72 <sup>12</sup>	<0.50	<0.50	<0.50	<0.50	460	-	-	-	-	-	-
MW-7	06/19/2001	10.58	5.82	4.76	0.00	0.00	-	-	-	110 <sup>1</sup>	18	<0.50	<0.50	<0.50	440	-	-	-	-	-	-
MW-7	09/05/2001	10.58	6.54	4.04	0.00	0.00	-	-	-	180	<0.50	<0.50	<0.50	<1.5	640	-	-	-	-	-	-
MW-7	12/10/2001	10.58	5.54	5.04	0.00	0.00	-	-	-	110	<0.50	<0.50	<0.50	<1.5	390	-	-	-	-	-	-
MW-7	03/04/2002	10.58	6.90	3.68	0.00	0.00	-	-	-	220	1.1	<0.50	3.0	<1.5	460	-	-	-	-	-	-
MW-7	06/03/2002	10.58	5.64	4.94	0.00	0.00	-	-	-	130	<0.50	<0.50	<0.50	<1.5	350	-	-	-	-	-	-
MW-7	09/14/2002	10.58	7.03	3.55	0.00	0.00	-	-	-	120	<2.0	<0.50	<0.50	<1.5	340	-	-	-	-	-	-
MW-7	12/13/2002	10.58	5.59	4.99	0.00	0.00	-	-	-	57	<0.50	<0.50	<0.50	<1.5	150	-	-	-	-	-	-
MW-7	03/14/2003	10.58	5.98	4.60	0.00	0.00	-	-	-	77	<0.50	<0.50	<0.50	<1.5	240	-	-	-	-	-	-
MW-7	06/09/2003 <sup>15</sup>	10.58	6.26	4.32	0.00	0.00	-	-	-	79	<0.5	<0.5	<0.5	<0.5	-	210	-	-	-	-	-
MW-7	09/03/2003 <sup>15</sup>	10.58	6.86	3.72	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	0.8	<50	-	-	-	-
MW-7	12/01/2003 <sup>13</sup>	10.58	5.47	5.11	0.00	0.00	-	-	-	58	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-
MW-7	03/01/2004 <sup>13</sup>	10.58	5.98	4.60	0.00	0.00	-	-	-	71	<0.5	<0.5	<0.5	<0.5	-	180	<50	-	-	-	-
MW-7	06/02/2004 <sup>13</sup>	10.58	4.81	5.77	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	87	<50	-	-	-	-
MW-7	09/03/2004 <sup>13</sup>	10.58	6.42	4.16	0.00	0.00	-	-	-	55	<0.5	<0.5	<0.5	<0.5	-	140	<50	-	-	-	-
MW-7	12/20/2004 <sup>15</sup>	10.58	6.22	4.36	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	130	<50	-	-	-	-
MW-7	03/12/2005 <sup>15</sup>	10.58	5.79	4.79	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	110	<50	-	-	-	-
MW-7	06/28/2005 <sup>15</sup>	10.58	4.62	5.96	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	30	<50	-	-	-	-
MW-7	09/01/2005 <sup>13</sup>	10.58	4.78	5.80	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	70	<50	-	-	-	-
MW-7	12/01/2005 <sup>13</sup>	10.58	4.01	6.57	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-
MW-7	03/04/2006 <sup>13</sup>	10.58	5.89	4.69	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	49	<50	-	-	-	-
MW-7	06/01/2006 <sup>15</sup>	10.58	5.10	5.48	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	35	<50	-	-	-	-
MW-7	09/01/2006 <sup>15</sup>	10.58	5.31	5.27	0.00	0.00	-	-	-	<50	0.5	5	<0.5	5	-	17	<50	-	-	-	-
MW-7	12/15/2006 <sup>15</sup>	10.58	5.89	4.69	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	20	<50	-	-	-	-
MW-7	03/15/2007 <sup>13</sup>	10.58	5.67	4.91	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	19	<50	-	-	-	-
MW-7	06/15/2007 <sup>13</sup>	10.58	5.05	5.53	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	12	<50	-	-	-	-
MW-7	09/06/2007 <sup>13</sup>	10.58	5.42	5.16	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	14	<50	-	-	-	-
MW-7	12/07/2007 <sup>15</sup>	10.58	5.38	5.20	0.00	0.00	-	-	-	<250 <sup>17</sup>	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-
MW-7	03/07/2008 <sup>15</sup>	10.58	5.54	5.04	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	8	<50	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPLT	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS					
						LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	06/24/2008 <sup>13</sup>	10.58	6.10	4.48	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-7	09/11/2008 <sup>13</sup>	10.58	6.86	3.72	0.00	0.00	-	-	-	99	<0.5	<0.5	<0.5	<0.5	-	16	<50	-	-	-	-
MW-7	12/19/2008 <sup>13</sup>	10.58	6.54	4.04	0.00	0.00	-	-	-	<50	<0.5	0.7	<0.5	1	-	9	<50	-	-	-	-
MW-7	06/01/2009	10.58	4.10	6.48	0.00	0.00	-	-	-	70 J	<0.5	<0.5	<0.5	<0.5	-	9	<50	-	-	-	-
MW-7	09/30/2009	10.58	3.11	7.47	0.00	0.00	-	-	-	110	<0.5	<0.5	<0.5	<0.5	-	11	<50	-	-	-	-
MW-7	12/10/2009	10.58	6.93	3.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/11/2009	-	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/08/2010	10.58	5.70	4.88	0.00	0.00	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	7	<50	-	-	-	-
MW-7	06/06/2010	10.58	5.56	5.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>MW-7</b>	<b>09/02/2010</b>	<b>10.58</b>	<b>5.87</b>	<b>4.71</b>	<b>0.00</b>	<b>0.00</b>	<b>390</b>	<b>390</b>	<b>-</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>-</b>	<b>7</b>	<b>&lt;50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
QA	12/10/2001	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	03/04/2002	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	06/03/2002	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	09/14/2002	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	12/13/2002	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	03/14/2003	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-
QA	06/09/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/03/2003 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/01/2003 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/01/2004 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/02/2004 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/03/2004 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/20/2004 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/12/2005 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/28/2005 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/01/2005 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	315 <sup>1b</sup>	<0.5	215 <sup>1b</sup>	-	<0.5	-	-	-	-	-
QA	12/01/2005 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/04/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/01/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/01/2006 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/15/2006 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/15/2007 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-

**TABLE 1**  
**GROUNDWATER MONITORING AND SAMPLING DATA**  
**FORMER CHEVRON SERVICE STATION 9-1851**  
**451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	HYDROCARBONS									PRIMARY VOCS					ADDITIONAL VOCS					
		TOC	DTW	GWE	LNAPL	LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	06/15/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/06/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/07/2007 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/07/2008 <sup>13</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/24/2008 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/11/2008 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/19/2008 <sup>15</sup>	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/01/2009	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/30/2009	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	12/10/2009	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	03/08/2010	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	06/06/2010	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
QA	09/02/2010	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-
Trip Blank	03/29/1996	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-
Trip Blank	06/26/1996	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	09/25/1996	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/17/1996	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	03/20/1997	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	06/20/1997	-	-	-	-	-	-	-	-	<50	<2.0	<2.0	<2.0	<2.0	-	-	-	-	-	-	-
Trip Blank	09/09/1997	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/12/1997	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	02/19/1998	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	06/23/1998	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	08/31/1998	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/29/1998	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0	-	-	-	-	-	-
Trip Blank	03/11/1999	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-
Trip Blank	06/24/1999	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-
Trip Blank	09/29/1999	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	12/08/1999	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-	-	-	-	-	-
Trip Blank	03/01/2000	-	-	-	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-	-	-	-	-	-
Trip Blank	06/19/2000	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-
Trip Blank	09/30/2000	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-

**TABLE 1  
GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	Motor Oil	HYDROCARBONS				PRIMARY VOCS					ADDITIONAL VOCS					
								Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME	
		Units	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	10/05/2000	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-
Trip Blank	12/08/2000	-	-	-	-	-	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	-	-	-	-	-	-	-
Trip Blank	03/03/2001 <sup>11</sup>	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-
Trip Blank	06/19/2001	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-	-	-	-	-	-	-
<b>Trip Blank</b>	09/05/2001	-	-	-	-	-	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-	-	-	-	-	-	-

**TABLE 1  
GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS							
							Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME			
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	

**Abbreviations and Notes:**

- TOC = Top of casing.
- DTW = Depth to water.
- GWE = Groundwater Elevation.
- LNAPLT = Light non-aqueous phase liquid thickness.
- TPH-DRO = Total petroleum hydrocarbons - diesel range organics.
- TPH-GRO = Total petroleum hydrocarbons - gasoline range organics.
- BTEX = Benzene, toluene, ethylbenzene, xylenes.
- MTBE = Methyl tertiary butyl ether.
- TBA = Tertiary butyl alcohol.
- DIPE = Di-isopropyl ether.
- ETBE = Ethyl tertiary butyl ether.
- TAME = Tert amyl methyl ether.
- Ft = Feet.
- Ft-amsl = Feet above mean sea level.
- Gal = Gallons.
- µg/L = Micrograms per liter.
- = Not analyzed/not applicable.
- <x = Not detected above laboratory method detection limit x.
- J = Estimated value.

**TABLE 1  
GROUNDWATER MONITORING AND SAMPLING DATA  
FORMER CHEVRON SERVICE STATION 9-1851  
451 HEGENBERGER ROAD, OAKLAND, CALIFORNIA**

Location	Date	HYDROCARBONS					PRIMARY VOCS					ADDITIONAL VOCS									
		TOC	DTW	GWE	LNAPL	LNAPL REMOVED	Motor Oil	Total TPH	TPH-DRO	TPH-GRO	B	T	E	X	MTBE	MTBE by SWS260	Ethanol	TBA	DIPE	ETBE	TAME
	Units	ft	ft	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- \* 150' southerly of the end of curve. (Benchmark Elevation = 7.82 feet, msl).
- \*\* GWE was corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPL x 0.80)].
- 1 Laboratory report indicates gasoline C6-C12.
- 2 MTBE by EPA Method 8260.
- 3 Results of EPA 8010 test indicates that the detection of 1,1-Dichloroethane (1,1-DCA) was detected at 1.7 ppb.
- 4 Chromatogram pattern indicates an unidentified hydrocarbon.
- 5 Results of EPA 8015 test indicates that levels of Methanol and Methyl ethyl ketone are respectively <1000 and <200 ppb.
- 6 Confirmation run.
- 7 Laboratory report indicates unidentified hydrocarbons >C16.
- 8 Sample analyzed for Total Metals by EPA 200 Series Methods. All Analytes were less then the reporting limit except for Nickel was detected at 0.067 ppm and Zinc was detected at 0.024 ppm.
- 9 Laboratory report indicates that Semi-Volatile Organic Compounds
- 10 Data was provided by Delta Environmental Consultants, Inc.
- 11 Laboratory report indicates sample was analyzed outside the EPA recommended holding time.
- 12 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 13 BTEX and MTBE by EPA Method 8260.
- 14 LNAPL + Water removed.
- 15 Analytical result confirmed.
- 16 Probe did not detect LNAPL but was covered with product; LNAPL was confirmed with bailer.
- 17 Laboratory report indicates due to excessive foaming of the sample, normal reporting limits were not attained.
- 18 Water plus 15 milliliters of product removed from well.
- 19 The vial submitted for volatile analysis did not have a pH<2 at the time of analysis, pH = 7.
- 20 Due to excessive foaming of the sample, normal reporting limits were not attained.
- 21 without headspace could not be performed to confirm the results.
- 22 Not sampled due to presence of LNAPL.
- 23 Sampled semi-annually.
- 24 Inaccessible - car parked over well.
- 25 Monitoring and sampling occurred on 06/10/2010; however, the sample collection date was incorrectly written on the COC.



ATTACHMENT A

MONITORING DATA PACKAGE



September 3, 2010

Chevron Environmental Management Company  
Aaron Costa  
6111 Bollinger Canyon Rd.  
San Ramon, CA 94583

Third Quarter 2010 Monitoring at  
Chevron Service Station 91851  
451 Hegenberger Rd.  
Oakland, CA

Monitoring performed on September 2, 2010

---

**Blaine Tech Services, Inc. Groundwater Monitoring Event 100902-JO2**

This submission covers the routine monitoring of groundwater wells conducted on September 2, 2010 at this location. Seven monitoring wells were measured for depth to groundwater (DTW). Six monitoring wells were sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Third Quarter Groundwater Monitoring at Chevron 91851, 451 Hegenberger Rd., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

[www.blainetech.com](http://www.blainetech.com)

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker  
Blaine Tech Services, Inc.  
Senior Project Manager

attachments: SOP  
Well Gauging Sheet  
Individual Well Monitoring Data Sheets  
Chain of Custody  
Wellhead Inspection Form  
Bill of Lading  
Calibration Log

cc: CRA  
Attn: Nathan Lee  
5900 Hollis St. Suite A  
Emeryville, CA 94608

Third Quarter Groundwater Monitoring at Chevron 91851, 451 Hegenberger Rd., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

[www.blainetech.com](http://www.blainetech.com)

# BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

---

## SAMPLING PROCEDURES OVERVIEW

### SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

### INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

### EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

## PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

## DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

## MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

## PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

## SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

## SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

## TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

## DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

## SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

## DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

## DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

## DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

## OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

## FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

## WELL GAUGING DATA

Project # 100902-J02 Date 9-2-10 Client Chewon

Site 451 Hegenberger Rd Oakland CA.

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MW-1	0910	2					4.02	14.03	↓	
MW-2	0906	2	yes	4.89	0.05	—	4.89	—		
MW-3	0859	2					4.82	14.46		
MW-4	0913	2					5.00	14.95		
MW-5	0857	2					5.30	7.12		
MW-6	0920	2					3.03	9.93		
MW-7	0917	2					5.87	13.22		↓



# CHEVRON WELL MONITORING DATA SHEET

Project #: 100902-102	Station #: 9-1851
Sampler: JO	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 85° F
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8
Total Well Depth: 14.03	Depth to Water: 4.02
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.02	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other \_\_\_\_\_

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: \_\_\_\_\_

$$\underline{1.6} \text{ (Gals.)} \times \underline{3} = \underline{4.8} \text{ Gals.}$$
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0955	79.6	6.88	1991	57	1.6	
0957	79.9	6.84	1980	51	3.2	
0959	79.1	6.87	1987	44	4.8	

Did well dewater? Yes  No  Gallons actually evacuated: 4.8

Sampling Date: 9-2-10      Sampling Time: 1005      Depth to Water: 5.78

Sample I.D.: MW-1      Laboratory: (Lancaster) Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coe

Duplicate I.D.:      Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

# CHEVRON WELL MONITORING DATA SHEET

Project #: 100902-002	Station #: 9-1851
Sampler: JO	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 90° F
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth: —	Depth to Water: 4.99
Depth to Free Product: 4.94	Thickness of Free Product (feet): 0.05
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: —	

Purge Method:

- Bailer
- Disposabe Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other \_\_\_\_\_

Sampling Method:

Bailer

- Disposabe Bailer
- Extraction Port
- Dedicated Tubing

Other: \_\_\_\_\_

_____ (Gals.) X	3	=	_____ Gals.
I Case Volume	Specified Volumes		Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
SP4	In	well	NO	Sample	taken	

Did well dewater? Yes No Gallons actually evacuated: \_\_\_\_\_

Sampling Date: 9-2-10 Sampling Time: \_\_\_\_\_ Depth to Water: \_\_\_\_\_

Sample I.D.: MW- Laboratory: Lancaster Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coe

Duplicate I.D.: \_\_\_\_\_ Analyzed for: TPH-G BTEX MTBE OXYS Other: \_\_\_\_\_

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

# CHEVRON WELL MONITORING DATA SHEET

Project #: 100902-002	Station #: 9-1851
Sampler: JO	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 80°
Well I.D.: MW-3	Well Diameter: (2) 3 4 6 8
Total Well Depth: 14.46	Depth to Water: 4.92
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.75	

Purge Method:  Bailer  Disposable Bailer  Waterra  Peristaltic  Extraction Pump  Electric Submersible  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing  Other: \_\_\_\_\_

1.5 (Gals.) X 3 = 4.5 Gals.  
 I Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0932	73.1	6.91	13.85	107	1.5	
0933	73.6	6.99	13.84	91	3.0	
0935	73.6	7.02	13.82	98	4.5	
Reaction in vial      HCL rinsed out.						

Did well dewater?    Yes     No    Gallons actually evacuated: 4.5

Sampling Date: 9-2-10    Sampling Time: 0940    Depth to Water: 5.92

Sample I.D.: MW-3    Laboratory: Lancaster Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see col

Duplicate I.D.:    Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

# CHEVRON WELL MONITORING DATA SHEET

Project #: 100902-102	Station #: 9-1851
Sampler: JO	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 85° F
Well I.D.: MW-4	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: 14.95	Depth to Water: 5.00
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>1.6</u> 6.99	

Purge Method: Disposable Bailer      Waterra      Peristaltic      Extraction Pump      Other \_\_\_\_\_

Sampling Method: Bailer      Disposable Bailer      Extraction Port      Dedicated Tubing      Other: \_\_\_\_\_

1.6 (Gals.) X 3 = 4.8 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1024	78.1	7.38	882	361	1.6	cloudy
1026	78.6	6.98	6031	388	3.2	" "
1028	78.9	6.91	6021	371	4.8	" "

Did well dewater?    Yes    No    Gallons actually evacuated: 4.8

Sampling Date: 9-2-10    Sampling Time: 1035    Depth to Water: 6.87

Sample I.D.: MW-4    Laboratory: Lancaster    Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other: see coe

Duplicate I.D.:    Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

# CHEVRON WELL MONITORING DATA SHEET

Project #: 100902-102	Station #: 9-1851
Sampler: JO	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 80° F
Well I.D.: MW-5	Well Diameter: (2) 3 4 6 8
Total Well Depth: 7.12	Depth to Water: 5.30
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.67	

Purge Method: Disposable Bailer      Waterra      Disposable Bailer  
 Bailer      Peristaltic      Extraction Port  
 Positive Air Displacement      Extraction Pump      Dedicated Tubing  
 Electric Submersible      Other \_\_\_\_\_      Other: \_\_\_\_\_

0.3 (Gals.) X 3 = 0.9 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0920	71.7	6.98	9613	40	0.3	
0921	71.0	6.81	9658	38	0.6	
0922	71.1	6.82	9662	46	0.9	
reaction in vial      HCl rinsed out						

Did well dewater?      Yes      (No)      Gallons actually evacuated: 0.9

Sampling Date: 9-2-10      Sampling Time: 0925      Depth to Water: ~~5.30~~ 5.58

Sample I.D.: MW-5      Laboratory: (Lancaster) Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other: see coe

Duplicate I.D.:      Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

# CHEVON WELL MONITORING DATA SHEET

Project #: 100902-102	Station #: 9-1851
Sampler: 10	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 85°
Well I.D.: MW-6	Well Diameter: (2) 3 4 6 8
Total Well Depth: 9.93	Depth to Water: 3.03
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.41	

Purge Method: Disposable Bailer      Waterra      Peristaltic      Extraction Pump      Other \_\_\_\_\_

Sampling Method: Bailer      Disposable Bailer      Extraction Port      Dedicated Tubing      Other: \_\_\_\_\_

1.1 (Gals.) X 3 = 3.3 Gals.  
 1 Case Volume      Specified Volumes      Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1107	79.7	6.90	629	421	1.1	
1109	79.3	6.91	1221	588	2.2	
1110	79.4	6.88	1192	507	3.3	

Did well dewater?    Yes    No    Gallons actually evacuated: 3.3

Sampling Date: 9-2-10    Sampling Time: 1115    Depth to Water: 4.31

Sample I.D.: MW-6    Laboratory: Lancaster    Other \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other: see coe

Duplicate I.D.:    Analyzed for: TPH-G    BTEX    MTBE    OXYS    Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

# CHEVRON WELL MONITORING DATA SHEET

Project #: 100902-002	Station #: 9-1851
Sampler: JO	Date: 9-2-10
Weather: Sunny	Ambient Air Temperature: 85° F
Well I.D.: MW-7	Well Diameter: (2) 3 4 6 8
Total Well Depth: 13.22	Depth to Water: 5.87
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.37	

Purge Method:  Bailer  Disposable Bailer  Positive Air Displacement  Electric Submersible

Sampling Method:  Waterra  Disposable Bailer  Extraction Port  Dedicated Tubing

Peristaltic  Extraction Pump  Other \_\_\_\_\_

Other: \_\_\_\_\_

1.2	(Gals.) X 3	= 3.6 Gals.
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1038	79.1	7.21	836	37	1.2	
1040	80.2	6.91	779	36	2.4	
1042	80.1	6.88	780	39	3.6	

Did well dewater? Yes  No  Gallons actually evacuated: 3.6

Sampling Date: 9-2-10 Sampling Time: 1049 Depth to Water: 6.21

Sample I.D.: MW-7 Laboratory: Lancaster Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE OXYS Other: see coe

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

090210-06

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 1

Chevron Site Number: 91851  
 Chevron Site Global ID: T060012238  
 Chevron Site Address: 451 Hegenberger Rd.,  
 Oakland, CA  
 Chevron PM: AARON COSTA  
 Chevron PM Phone No.: (925)543-2961  
 Retail and Terminal Business Unit (RTBU) Job  
 Construction/Retail Job

Chevron Consultant: CRA  
 Address: 5900 Hollis St. Suite A Emeryville.  
 CA Consultant Contact: Nathan Lee  
 Consultant Phone No. 510-420-3351  
 Consultant Project No. 100902-802  
 Sampling Company: Blaine Tech Services  
 Sampled By (Print): J. O'Neil  
 Sampler Signature: [Signature]

ANALYSES REQUIRED										Preservation Codes	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>										H = HCL T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other
											Special Instructions Must meet lowest detection limits possible for 8260 Compounds

Charge Code: NWR TB-0091851-0-OML  
 NWR TB 00SITE NUMBER-0-WBS  
**(WBS ELEMENTS:**  
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L  
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L  
**THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.**

Lancaster Laboratories  
 Lancaster, PA  
 Lab Contact: Jill Parker  
 2425 New Holland Pike,  
 Lancaster, PA 17601  
 Phone No: (717)656-2300  
 Other Lab  
 Temp. Blank Check Time Temp.  
 0900 20  
 1100 20  
 1300 20

SAMPLE ID				Sample Time	# of Containers	Container Type	ANALYSES REQUIRED										Notes/Comment
Field Point Name	Matrix	Top Depth	Date (yymmdd)				EPA 8260B/GC/MS TPH-G	EPA 8015B GRO	EPA 8021B BTEX	EPA 6010 Ca, Fe, K, Mg, Mn, Na	EPA 6010/7000 TITLE 22 METALS	EPA 150.1 PH	SM2510B SPECIFIC CONDUCTIVITY	EPA 418.1 TRPH	EPA 8260 ETHANOL	EPA 8015 TPH-D	
QA	F		100902	0855	2	VOCs											
MW-1	W			1005	8	mixed	X	X									
MW-3				0940			X	X				X		X			
MW-4				1035			X	X				X		X	NO HCL		
MW-5				0925			X	X				X		X	NO HCL		
MW-6				1115			X	X				X		X			
MW-7	b			1049			X	X				X		X			

Relinquished By: [Signature]	Company: BTS	Date/Time: 9/2/10/1336	Relinquished To: [Signature]	Company: BTS	Date/Time: 9/2/10/1336
Relinquished By: [Signature]	Company: BTS	Date/Time: 9/2/10/	Relinquished To: [Signature]	Company: WI	Date/Time: 9/2/10/1450

Turnaround Time:  
 Standard: 24 Hours  48 hours  72  
 Hours  Other   
 Sample Integrity: (Check by lab on arrival)  
 Intact: On Ice: Temp:  
 COC #



# WELLHEAD INSPECTION CHECKLIST

Client Chevron Date 9-2-10

Site Address 451 Hegenberger Rd Oakland CA

Job Number 100902-102 Technician JO

Well ID	Well Inspected - No Corrective Action Required	WELL IS SECURABLE BY DESIGN (12" or less)	WELL IS CLEARLY MARKED WITH THE WORDS "MONITORING WELL" (12" or less)	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-1	<input checked="" type="checkbox"/>	X	X					X		
MW-2	X	X	X							
MW-3	<input checked="" type="checkbox"/>	X	X					X		
MW-4	<input checked="" type="checkbox"/>	X	X					X		
MW-5	X	X	X							
MW-6	X	X	X							
MW-7	X	X	X							

NOTES: MW-3 2/2 Bolts missing Broken lid where Bolt goes.  
 MW-1 Broken Lid 2/3 tabs Stripped. MW-4 1/2 Tabs Stripped

CHEVRON-NORTHERN CALIFORNIA TYPE **A** BILL OF LADING

SOURCE RECORD **BILL OF LADING**

FOR NON-HAZARDOUS PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE NON-HAZARDOUS PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR, MADE UP INTO LOADS OF APPROPRIATE SIZE AND HAULED BY IWM TO THEIR FACILITY IN SAN JOSE, CALIFORNIA.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BTS), 1680 Rogers Ave. San Jose CA (408)573-0555). Blaine Tech Services, Inc. is authorized by CHEVRON PRODUCTS COMPANY (CHEVRON) to recover, collect, apportion into loads, and haul the Non-Hazardous Well Purgewater that is drawn from wells at the CHEVRON facility indicated below and to deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one Chevron facility to BTS; from one Chevron facility to BTS via another Chevron facility; or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of CHEVRON.

This Source Record **BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-1851 CHEVRON # Aaron Costa Chevron Engineer  
451 Hegenberger rd. Oakland CA  
 street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
MW-1	4.9		
MW-3	4.5		
MW-4	4.9		
MW-5	0.9		
MW-6	3.3		
MW-7	3.6		
added equip. rinse water	<del>21.9</del> * 3	any other adjustments	/
<b>TOTAL GALS. RECOVERED</b>	<u>24.9</u> <del>21.9</del> *	loaded onto BTS vehicle #	<u>71</u>

BTS event # 100902-102 time 1115 date 9/2/10  
 signature [Signature]

\*\*\*\*\*  
 REC'D AT BTS time 1700 date 9/2/10

unloaded by signature [Signature]



ATTACHMENT B

LABORATORY ANALYTICAL REPORT

## ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

September 15, 2010

Project: 91851

Submittal Date: 09/03/2010  
Group Number: 1210366  
PO Number: 0015061031  
Release Number: COSTA  
State of Sample Origin: CA


<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
QA-T-100902 NA Water	6076738
MW-1-W-100902 NA Water	6076739
MW-3-W-100902 NA Water	6076740
MW-4-W-100902 NA Water	6076741
MW-5-W-100902 NA Water	6076742
MW-6-W-100902 NA Water	6076743
MW-7-W-100902 NA Water	6076744

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee
ELECTRONIC COPY TO	CRA	Attn: Ian Hull

Questions? Contact your Client Services Representative  
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



**Susan M. Goshert**  
Group Leader

**Sample Description: QA-T-100902 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger-Oakland T0600102238 QA**

**LLI Sample # WW 6076738**  
**LLI Group # 1210366**  
**Account # 10991**

**Project Name: 91851**

Collected: 09/02/2010 08:55

Chevron

Submitted: 09/03/2010 09:00

6001 Bollinger Canyon Rd L4310

Reported: 09/15/2010 15:26

San Ramon CA 94583

Discard: 10/16/2010

HOQA-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D102512AA	09/08/2010 12:11	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 12:11	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 11:58	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 11:58	Tyler O Griffin	1

**Sample Description: MW-1-W-100902 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger-Oakland T0600102238 MW-1**

**LLI Sample # WW 6076739**  
**LLI Group # 1210366**  
**Account # 10991**

**Project Name: 91851**

Collected: 09/02/2010 10:05 by JO

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 09/03/2010 09:00

Reported: 09/15/2010 15:26

Discard: 10/16/2010

HOMW1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
<b>GC Extractable TPH SW-846 8015B modified</b>						
02500	Total TPH	n.a.	320	40	120	1
02500	TPH Motor Oil C16-C36	n.a.	320	40	120	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D102512AA	09/08/2010 19:00	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 19:00	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 12:49	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 12:49	Tyler O Griffin	1
02500	TPH Fuels by GC (Waters)	SW-846 8015B modified	1	102510016A	09/09/2010 22:13	Heather E Williams	1
11191	TPH Fuels Waters Extraction	SW-846 3510C	1	102510016A	09/09/2010 09:25	Karen R Rettew	1



**Sample Description: MW-3-W-100902 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger-Oakland T0600102238 MW-3**

**LLI Sample # WW 6076740**  
**LLI Group # 1210366**  
**Account # 10991**

**Project Name: 91851**

Collected: 09/02/2010 09:40 by JO

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 09/03/2010 09:00

Reported: 09/15/2010 15:26

Discard: 10/16/2010

HOMW3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	22	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

The pH of the GC/MS volatile fraction was pH = 7 at the time of analysis.

<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

<b>GC Extractable TPH SW-846 8015B modified</b>						
02500	Total TPH	n.a.	240	41	120	1
02500	TPH Motor Oil C16-C36	n.a.	240	41	120	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D102512AA	09/08/2010 19:22	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 19:22	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 13:15	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 13:15	Tyler O Griffin	1
02500	TPH Fuels by GC (Waters)	SW-846 8015B modified	1	102510016A	09/09/2010 22:38	Heather E Williams	1
11191	TPH Fuels Waters Extraction	SW-846 3510C	1	102510016A	09/09/2010 09:25	Karen R Rettew	1

**Sample Description: MW-4-W-100902 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger-Oakland T0600102238 MW-4**

**LLI Sample # WW 6076741**  
**LLI Group # 1210366**  
**Account # 10991**

**Project Name: 91851**

Collected: 09/02/2010 10:35 by JO

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 09/03/2010 09:00

Reported: 09/15/2010 15:26

Discard: 10/16/2010

HOMW4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	17	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
<b>GC Extractable TPH SW-846 8015B modified</b>						
02500	Total TPH	n.a.	500	40	120	1
02500	TPH Motor Oil C16-C36	n.a.	500	40	120	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D102512AA	09/08/2010 19:45	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 19:45	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 13:41	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 13:41	Tyler O Griffin	1
02500	TPH Fuels by GC (Waters)	SW-846 8015B modified	1	102510016A	09/09/2010 23:03	Heather E Williams	1
11191	TPH Fuels Waters Extraction	SW-846 3510C	1	102510016A	09/09/2010 09:25	Karen R Rettew	1

**Sample Description: MW-5-W-100902 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger-Oakland T0600102238 MW-5**

**LLI Sample # WW 6076742**  
**LLI Group # 1210366**  
**Account # 10991**

**Project Name: 91851**

Collected: 09/02/2010 09:25 by JO

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 09/03/2010 09:00

Reported: 09/15/2010 15:26

Discard: 10/16/2010

HOMW5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	12	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1

The pH of the GC/MS volatile fraction was pH = 7 at the time of analysis.

<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

<b>GC Extractable TPH SW-846 8015B modified</b>						
02500	Total TPH	n.a.	190	43	130	1
02500	TPH Motor Oil C16-C36	n.a.	190	43	130	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D102512AA	09/08/2010 20:08	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 20:08	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 14:07	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 14:07	Tyler O Griffin	1
02500	TPH Fuels by GC (Waters)	SW-846 8015B modified	1	102510016A	09/09/2010 23:28	Heather E Williams	1
11191	TPH Fuels Waters Extraction	SW-846 3510C	1	102510016A	09/09/2010 09:25	Karen R Rettew	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

**Sample Description:** MW-6-W-100902 NA Water  
 Facility #91851 BTST  
 451 Hegenberger-Oakland T0600102238 MW-6

LLI Sample # WW 6076743  
 LLI Group # 1210366  
 Account # 10991

**Project Name:** 91851

Collected: 09/02/2010 11:15 by JO

Chevron

6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

Submitted: 09/03/2010 09:00

Reported: 09/15/2010 15:26

Discard: 10/16/2010

HOMW6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
<b>GC Extractable TPH SW-846 8015B modified</b>						
02500	Total TPH	n.a.	110	J 41	120	1
02500	TPH Motor Oil C16-C36	n.a.	110	J 41	120	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D102512AA	09/08/2010 20:31	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 20:31	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 14:32	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 14:32	Tyler O Griffin	1
02500	TPH Fuels by GC (Waters)	SW-846 8015B modified	1	102510016A	09/09/2010 23:53	Heather E Williams	1
11191	TPH Fuels Waters Extraction	SW-846 3510C	1	102510016A	09/09/2010 09:25	Karen R Rettew	1

\*=This limit was used in the evaluation of the final result

**Sample Description: MW-7-W-100902 NA Water**  
**Facility #91851 BTST**  
**451 Hegenberger-Oakland T0600102238 MW-7**

**LLI Sample # WW 6076744**  
**LLI Group # 1210366**  
**Account # 10991**

**Project Name: 91851**

Collected: 09/02/2010 10:49 by JO

Chevron

6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

Submitted: 09/03/2010 09:00

Reported: 09/15/2010 15:26

Discard: 10/16/2010

HOMW7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	7	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
<b>GC Volatiles SW-846 8015B</b>						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
<b>GC Extractable TPH SW-846 8015B modified</b>						
02500	Total TPH	n.a.	390	43	130	1
02500	TPH Motor Oil C16-C36	n.a.	390	43	130	1

TPH quantitation is based on peak area comparison of the sample pattern to that of a hydrocarbon component mix calibration in a range that includes C8 (n-octane) through C40 (n-tetracontane) normal hydrocarbons.

### General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D102512AA	09/08/2010 20:53	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D102512AA	09/08/2010 20:53	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10253B07A	09/13/2010 14:58	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	10253B07A	09/13/2010 14:58	Tyler O Griffin	1
02500	TPH Fuels by GC (Waters)	SW-846 8015B modified	1	102510016A	09/10/2010 00:18	Heather E Williams	1
11191	TPH Fuels Waters Extraction	SW-846 3510C	1	102510016A	09/09/2010 09:25	Karen R Rettew	1

## Quality Control Summary

 Client Name: Chevron  
 Reported: 09/15/10 at 03:26 PM

Group Number: 1210366

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D102512AA	Sample number(s): 6076738-6076744								
Benzene	N.D.	0.5	1	ug/l	103		79-120		
Ethanol	N.D.	50.	250	ug/l	80		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	102		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	100		76-120		
Toluene	N.D.	0.5	1	ug/l	101		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	104		80-120		
Batch number: 10253B07A	Sample number(s): 6076738-6076744								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	109	118	75-135	8	30
Batch number: 102510016A	Sample number(s): 6076739-6076744								
Total TPH	N.D.	40.	120	ug/l	78	80	60-120	3	20
TPH Motor Oil C16-C36	N.D.	40.	120	ug/l					

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D102512AA	Sample number(s): 6076738-6076744 UNSPK: P076745								
Benzene	116	121	80-126	4	30				
Ethanol	81	103	37-164	24	30				
Ethylbenzene	120	110	71-134	8	30				
Methyl Tertiary Butyl Ether	140*	128*	72-126	3	30				
Toluene	104	120	80-125	14	30				
Xylene (Total)	120	112	79-125	7	30				
Batch number: 10253B07A	Sample number(s): 6076738-6076744 UNSPK: P076750								
TPH-GRO N. CA water C6-C12	109		63-154						

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water  
 Batch number: D102512AA

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 09/15/10 at 03:26 PM

Group Number: 1210366

### Surrogate Quality Control

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6076738	102	96	91	104
6076739	100	94	96	104
6076740	100	99	85	96
6076741	100	96	94	100
6076742	102	99	95	99
6076743	115	106	95	99
6076744	100	96	94	99
Blank	98	98	99	101
LCS	96	97	95	105
MS	99	98	94	112
MSD	98	97	110	108
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 10253B07A  
Trifluorotoluene-F

6076738	90
6076739	92
6076740	88
6076741	89
6076742	92
6076743	92
6076744	91
Blank	93
LCS	100
LCSD	101
MS	101
Limits:	63-135

Analysis Name: TPH Fuels by GC (Waters)  
Batch number: 102510016A

	Chlorobenzene	Orthoterphenyl
6076739	73	82
6076740	35	89
6076741	74	87
6076742	72	86
6076743	76	87
6076744	70	82
Blank	71	85
LCS	67	91
LCSD	67	94
Limits:	28-152	52-131

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

090210-06

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 1

Chevron Site Number: 91851  
 Chevron Site Global ID: T060012238  
 Chevron Site Address: 451 Hegenberger Rd., Oakland, CA  
 Chevron PM: AARON COSTA  
 Chevron PM Phone No.: (925)543-2961  
 Retail and Terminal Business Unit (RTBU) Job  
 Construction/Retail Job

Chevron Consultant: CRA  
 Address: 5900 Hollis St. Suite A Emeryville  
 CA Consultant Contact: Nathan Lee  
 Consultant Phone No. 510-420-3351  
 Consultant Project No. 100902-502  
 Sampling Company: Blaine Tech Services  
 Sampled By (Print): J. Ortiz  
 Sampler Signature: [Signature]

ANALYSES REQUIRED

<input checked="" type="checkbox"/> EPA 8260B/GC/MS TPH-G	<input checked="" type="checkbox"/> BTEX	<input checked="" type="checkbox"/> MTBE	<input checked="" type="checkbox"/> OXYGENATES	<input type="checkbox"/> HVOC	<input type="checkbox"/> HC SCREEN	<input type="checkbox"/> DRO	<input type="checkbox"/> ORO	<input type="checkbox"/> STLC	<input type="checkbox"/> EPA 310.1 ALKALINITY	<input type="checkbox"/> EPA 413.1 OIL & GREASE	<input type="checkbox"/> EPA 8260	<input type="checkbox"/> ETHANOL	<input type="checkbox"/> EPA 8015	<input type="checkbox"/> TPH-D
---	--	--	--	-------------------------------	------------------------------------	------------------------------	------------------------------	-------------------------------	---	---	-----------------------------------	----------------------------------	-----------------------------------	--------------------------------

Preservation Codes

H = HCL T = Thiosulfate  
 N = HNO<sub>3</sub> B = NaOH  
 S = H<sub>2</sub>SO<sub>4</sub> O = Other

Acct # 10991  
 Grp # 121036  
 Sample # 6076738-44

Special Instructions  
 Must meet lowest detection limits possible for 8260 Compounds

Charge Code: NWRTB-0091851-0-OML  
 NWRTB 00SITE NUMBER-0-WBS  
**(WBS ELEMENTS:**  
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L  
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L  
**THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.**

**Lancaster Laboratories**  
 Lancaster, PA Lab Contact: Jill Parker  
 2425 New Holland Pike, Lancaster, PA 17601  
 Phone No: (717)656-2300

Other Lab  
 Temp. Blank Check Time Temp.  
 0700 20  
 1100 20  
 1300 20

SAMPLE ID				Sample Time	# of Containers	Container Type	ANALYSES REQUIRED													
Field Point Name	Matrix	Top Depth	Date (yyymmdd)				EPA 8260B/GC/MS TPH-G	BTEX	MTBE	OXYGENATES	HVOC	HC SCREEN	DRO	ORO	STLC	EPA 310.1 ALKALINITY	EPA 413.1 OIL & GREASE	EPA 8260	ETHANOL	EPA 8015
QA	t		100902	0855	2	VOCs	X	X												
Mw-1	w			1005	8	mixed	X	X								X				X
Mw-3				0940			X	X								X				X NO HCL
Mw-4				1035			X	X								X				X NO HCL
Mw-5				0925			X	X								X				X
Mw-6				1115			X	X								X				X
Mw-7	b			1049			X	X								X				X

Relinquished By: <u>[Signature]</u>	Company: <u>BTS</u>	Date/Time: <u>9/2/10/1336</u>	Relinquished To: <u>[Signature]</u>	Company: <u>BTS</u>	Date/Time: <u>9/2/10/1336</u>
Relinquished By: <u>[Signature]</u>	Company: <u>BTS</u>	Date/Time: <u>9/2/10/</u>	Relinquished To: <u>[Signature]</u>	Company: <u>UI</u>	Date/Time: <u>9/2/10/ 1450</u>
Relinquished By: <u>[Signature]</u>	Company: <u>UI</u>	Date/Time: <u>9/2/10</u>	Relinquished To: <u>[Signature]</u>	Company: <u>UI</u>	Date/Time: <u>9/2/10</u>

Turnaround Time: Standard  24 Hours  48 hours  72 Hours  Other   
 Sample Integrity: (Check by lab on arrival)  
 Intact:  On Ice:  Temp: 19.32  
 COC #



# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>ug</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>ml</b>	milliliter(s)	<b>l</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>ul</b>	microliter(s)
<b>&lt;</b>	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>J</b>	estimated value – The result is $\geq$ the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
<b>A</b> TIC is a possible aldol-condensation product	<b>B</b> Value is $<$ CRDL, but $\geq$ IDL
<b>B</b> Analyte was also detected in the blank	<b>E</b> Estimated due to interference
<b>C</b> Pesticide result confirmed by GC/MS	<b>M</b> Duplicate injection precision not met
<b>D</b> Compound quantitated on a diluted sample	<b>N</b> Spike sample not within control limits
<b>E</b> Concentration exceeds the calibration range of the instrument	<b>S</b> Method of standard additions (MSA) used for calculation
<b>N</b> Presumptive evidence of a compound (TICs only)	<b>U</b> Compound was not detected
<b>P</b> Concentration difference between primary and confirmation columns $>$ 25%	<b>W</b> Post digestion spike out of control limits
<b>U</b> Compound was not detected	<b>*</b> Duplicate analysis not within control limits
<b>X,Y,Z</b> Defined in case narrative	<b>+</b> Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.