

April 25, 2011

Jerry Wickham

DATE:

To:

5900 Hollis Street, Suite A Emeryville, California 94608 Telephone: (510) 420-0700

www.CRAworld.com

Fax: (510) 420-9170

TRANSMITTAL 240503 REFERENCE NO.: **PROJECT NAME:** 6039 College Avenue, Oakland RECEIVED Alameda County Environmental Health 11:37 am, Apr 28, 2011 1131 Harbor Bay Parkway, Suite 250 Alameda County Alameda, California 94502-6577 Environmental Health Draft Final Other Originals **Prints** Mail Same Day Courier **Overnight Courier** Other GeoTracker and Alameda County FTP **DESCRIPTION** Well Destruction Report For Review and Comment

## **COMMENTS:**

Please find enclosed:

**QUANTITY** 

As Requested

For Your Use

Sent via:

If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Copy to:

Denis Brown, Shell Oil Products US (electronic copy)

Russell J. Bruzzone, Inc., c/o Joan Bruzzone, 899 Hope Lane, Lafayette, CA 94549 Montrose Investment Co., Attn: Jim Graham, 242 Rivera Circle, Greenbrae Marina,

Larkspur, CA 94939

SF Data Room (electronic copy)

Correspondence File Filing:

Completed by: Peter Schaefer

Signed: Jehn Sold



Denis L. Brown Shell Oil Products US

HSE – Environmental Services 20945 S. Wilmington Ave. Carson, CA 90810-1039 Tel (707) 865 0251 Fax (707) 865 2542 Email denis.1.brown@shell.com

Jerry Wickham Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Re:

Shell-branded Service Station

6039 College Avenue Oakland, California SAP Code 135685 Incident No. 98995745 ACEH Case No. RO0000469

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

Denis L. Brown

Senior Program Manager



## WELL DESTRUCTION REPORT

SHELL-BRANDED SERVICE STATION **6039 COLLEGE AVENUE** OAKLAND, CALIFORNIA

SAP CODE 135685 INCIDENT NO.

98995745

AGENCY NO.

RO0000469

APRIL 25, 2011 REF. NO. 240503 (12) This report is printed on recycled paper. Prepared by: **Conestoga-Rovers** & Associates

5900 Hollis Street, Suite A Emeryville, California U.S.A. 94608

Office: (510) 420-0700 (510) 420-9170

web: http://www.CRAworld.com

## TABLE OF CONTENTS

			<u>Page</u>
1.0	INTRO	ODUCTION	1
2.0	WELL	DESTRUCTION	1
	2.1	FIELD DATE	1
	2.2	PERSONNEL PRESENT	1
	2.3	DESTRUCTION METHOD	
	2.4	WASTE DISPOSAL	

# LIST OF FIGURES (Following Text)

FIGURE 1

VICINITY MAP

FIGURE 2

SITE PLAN

## LIST OF APPENDICES

APPENDIX A

PERMIT

### 1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) to document the recent well destructions at the referenced site.

The well destructions are required for case closure per Alameda County Environmental Health's (ACEH's) January 21, 2011 letter. CRA followed the scope of work and procedures presented in our March 9, 2011 *Well Destruction Work Plan*.

### 2.0 WELL DESTRUCTION

### 2.1 FIELD DATE

March 8 to March 11, 2011.

### 2.2 PERSONNEL PRESENT

CRA field staff member Belew Yifru directed the well destruction under the supervision of California Professional Geologist Peter Schaefer.

### 2.3 DESTRUCTION METHOD

Seven monitoring wells (MW-1 through MW-7) were destroyed by pressure grouting and six soil vapor probes (SVP-1 through SVP-6) were destroyed by over-drilling using an air-/water-knife drill rig. A copy of the Alameda County Public Works Agency well destruction permit is included in Appendix A.

## 2.4 WASTE DISPOSAL

Water-knife sludge generated during the well destructions was stored on site in 55-gallon drums, tested, and profiled for disposal. Construction debris generated by the well destruction activities was transported by Vapor Tech Services of Berkeley, California to Commercial Waste and Recycling of Oakland, California for recycling. The disposal documentation is pending and will be provided upon request.


# All of Which is Respectfully Submitted, CONESTOGA-ROVERS & ASSOCIATES

Peter Schaefer, CEG, CHG

PETER L SCHAEFER NO. 5612

Eric A. Syrstad, PG

**FIGURES** 




## **Shell-branded Service Station**

6039 College Avenue Oakland, California



**Vicinity Map** 



APPENDIX A

PERMIT



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 02/15/2011 By jamesy

Permit Numbers: W2011-0067 to W2011-0074 Permits Valid from 03/15/2011 to 03/18/2011

Application Id:

1296601335689

City of Project Site: Oakland

Site Location:

6039 College Ave.

**Project Start Date:** 

03/08/2011

Completion Date:03/11/2011

Assigned Inspector: **Extension Start Date:** 

Contact Vicky Hamlin at (510) 670-5443 or vickyh@acpwa.org 03/15/2011

Extension End Date: 03/18/2011

Extension Count:

Extended By: vickyh1

Applicant:

Conestoga Rovers & Associates - Belew Yifru

Phone: 510-420-3356

**Property Owner:** 

5900 Hollis Street Suite A, Emeryville, CA 94608 c/o Jim Graham; Montirose Invetment Co

Phone: 415-924-5550

242 Rivera Circle, Lakspur, CA 94969

Phone: --

Client:

Shell Shell Oil Products 20945 S. Wilmington, Carson, CA 90810

Phone: --

Contact: Belew Yifru

Cell: 510-385-0307

**Total Due:** 

\$3044.00

Receipt Number: WR2011-0037 Total Amount Paid:

\$3044.00

Payer Name : Conestoga Rovers & Paid By: CHECK

PAID IN FULL

**Associates** 

### **Works Requesting Permits:**

Well Destruction-Vapor monitoring well - 6 Wells

Driller: Vapor Tech Services - Lic #: 916085 - Method: over

Work Total: \$265.00

#### **Specifications**

Permit #	Issued Date	Expire Date	Owner Well	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR#
W2011- 0067	02/15/2011	06/06/2011	SVP-1	3.00 in.	0.25 in.	3.00 ft	5.00 ft	1S/4W13B	W2010- 0092	e0109904
W2011- 0067	02/15/2011	06/06/2011	SVP-2	3.00 in.	0.25 in.	3.00 ft	5.00 ft	1S/4W13B	W2010- 0092	e0109906
W2011- 0067	02/15/2011	06/06/2011	SVP-3	3.00 in.	0.25 in.	3.00 ft	5.00 ft	1S/4W13B	W2010- 0092	e0109906
W2011- 0067	02/15/2011	06/06/2011	SVP-4	3.00 in.	0.25 in.	3.00 ft	5.00 ft	1S/4W13B	W2010- 0092	e0109907
W2011- 0067	02/15/2011	06/06/2011	SVP-5	3.00 in.	0.25 in.	3.00 ft	5.00 ft	1S/4W13B	W2010- 0092	e0109909
W2011- 0067	02/15/2011	06/06/2011	SVP-6	3.00 in.	0.25 in.	3,00 ft	5.00 ft	1S/4W13B	W2010- 0092	e0109910

#### **Specific Work Permit Conditions**

- 1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.
- 2. Compliance with the above well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate state reporting-requirements related to well destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days, including permit number and site

map.

- 3. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
- 4. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
- 5. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.
- 6. No changes in construction procedures or well type shall change, as described on this permit application. This permit may be voided if it contains incorrect information.
- 7. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.
- 8. Applicant shall contact Vicky Hamlin for an inspection time at 510-670-5443 or email to vickyh@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
- 9. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
- 10. Vapor monitoring wells constructed with tubing shall be decomissioned by complete removal of tubing, grout seal, and fill material of sand or bentonite. Fill material may be removed by hand auger if material can be removed completely.

Vapor monitoring wells constructed with pvc pipe less than 2" shall be overdrilled to total depth.

Vapor monitoring wells constructed with 2" pvc pipe or larger may be grouted by tremie pipe (any depth) or pressure grouted (less than 30', 25 psi for 5 min).

Well Destruction-Monitoring - 7 Wells

Work Total: \$2779.00 Driller: Vapor Tech Services - Lic #: 916085 - Method: press

Specifications										
Permit #	Issued Date	<b>Expire Date</b>	Owner Well	Hole Diam.	Casing	Seal Depth	Max. Depth	State Well #	Orig.	DWR#
			ld-		Diam.				Permit #	
W2011-	02/15/2011	06/06/2011	MW-1	10.00 in.	4.00 in.	13.00 ft	25.00 ft	1S/4W13B3	90047	No Records
0068 W2011-	02/15/2011	06/06/2011	MW-2	10.00 in.	4.00 in.	13.00 ft	25.00 ft	1S/4W13B4	90047	No Records

0069										
W2011- 0070	02/15/2011	06/06/2011	MW-3	10.00 in.	4.00 in.	13.00 ft	25.00 ft	1S/4W13B	No Records	No Records
W2011- 0071	02/15/2011	06/06/2011	MW-4	10.00 in.	4.00 in.	13.00 ft	25.00 ft	1S/4W13B	No Records	No Records
W2011- 0072	02/15/2011	06/06/2011	MW-5	10.00 in.	4.00 in.	13.00 ft	27.00 ft	1S/4W13B	No Records	No Records
W2011- 0073	02/15/2011	06/06/2011	MW-6	10.00 in.	4.00 in.	7.00 ft	25.00 ft	1S/4W13C1 0	92481	398620
W2011- 0074	02/15/2011	06/06/2011	MW-7	10.00 in.	4.00 in.	21.00 ft	35.00 ft	1S/4W13B	W2006- 0243	No Records

### **Specific Work Permit Conditions**

- 1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.
- 2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.
- 3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Including permit number and site map.
- 4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.
- 5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.
- 6. Applicant shall contact Vicky Hamlin for an inspection time at 510-670-5443 or email to vickyh@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
- 7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
- 8. Remove the Christy box or similar structure. Pressure Grout with Cement (Less than 30 ft in depth). After the seal has set, backfill the remaining hole with concrete or compacted material to match existing.
- 9. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit

application on site shall result in a fine of \$500.00.							