



SECOR
INTERNATIONAL
INCORPORATED

www.secor.com

2301 Leghorn Street
Mountain View, CA 94043
650-691-0131 TEL
650-691-9837 FAX

RECEIVED

12:45 pm, May 09, 2007

**Alameda County
Environmental Health**

May 8, 2007

Ms. Donna Drogos
Alameda County Health Care Services Agency
Environmental Health Department
1131 Harbor Bay Parkway
Alameda, CA, 94502-6577

**SUBJECT: FREE PRODUCT RECOVERY AND RESULTS OF SEMI-ANNUAL 2006 GROUNDWATER MONITORING EVENT (DECEMBER 2006)
Former Merritt Tire Sales/Goodyear DEX #9578
3430 Castro Valley Boulevard, Castro Valley, California
SECOR PN: 06GY.66050.06**

Dear Ms. Drogos:

SECOR International Incorporated (SECOR) has prepared this report describing the free product recovery and semi-annual groundwater monitoring activities conducted at the Former Merritt Tire Sales/Goodyear DEX #9578 (Site). The Goodyear Tire & Rubber Company (Goodyear) retained the services of SECOR to perform free product recovery (FPR) and groundwater monitoring at the Site in response to a Notice of Violation issued by the Alameda County Health Care Services Agency (ACHCSA) dated December 4, 2001. The objectives of this activity were to remove free product associated with a selected on-Site groundwater monitoring well (MW-3); sample and analyze groundwater for constituents of concern in groundwater monitoring wells MW-1, M-2, and MW-4; and evaluate analytical data for historical trends.

On May 30, 2006, SECOR noted that the integrity of the well box for MW-3 had been comprised to the extent that field data could not be collected and groundwater could not be sampled until the well box was repaired. Before leaving the Site that day, SECOR field staff removed a spent absorbent sock from MW-3 and temporarily secured the well box. On October 10, 2006, SECOR replaced the well box for MW-3 and resumed FPR activities and the collection of monthly groundwater level measurements.

The Site location is shown on Figure 1; monitoring well locations and groundwater elevation contours are shown on Figure 2. Field activities performed between July and December 2006 are summarized below.

FREE PRODCUT RECOVERY

SECOR performed three FPR events on groundwater monitoring well MW-3 between October 10, 2006 and December 14, 2006. A summary of FPR activities is provided in Table 1.

GROUNDWATER MONITORING

Groundwater Level Measurements

Groundwater levels were measured in monitoring wells MW-1, MW-2, MW-3, and MW-4 to the nearest 0.01-foot on December 14, 2006 using a Solinst™ electronic water level meter. Groundwater elevation levels are summarized in Table 2 and current groundwater elevation levels are shown on Figure 2.

Groundwater Purging and Sampling

Groundwater monitoring wells MW-1, MW-2, and MW-4 were purged and sampled on December 14, 2006. A minimum of three casing volumes of water were purged from the groundwater monitoring wells prior to sampling. Physical parameters including pH, temperature and conductivity were monitored during purging and

recorded on a standard SECOR Groundwater Sample Field Data Sheet (Attachment A). After the measured physical parameters stabilized, the wells were allowed to recharge sufficiently to allow the collection of groundwater samples. Groundwater samples were collected using disposable bailers and transferred to sterile, analysis-specific, laboratory-supplied containers. The containers were sealed, labeled and placed on ice for transport to a California certified analytical laboratory. Purge water was containerized in a 55-gallon drum for subsequent transportation to an appropriate disposal facility.

Analytical Methods

The groundwater samples were transported under chain-of-custody protocol to Test America of Morgan Hill, California. The groundwater samples were analyzed for total petroleum hydrocarbons (TPH – GRO/DRO) by EPA Method 8015B, total recoverable petroleum hydrocarbons (TRPH) by EPA Method 1664, volatile organic compounds (VOCs) by EPA Method 8260B, and lead (Pb) by EPA Method 6010B. Copies of laboratory reports and chain-of-custody documents are included in Attachment B.

GROUNDWATER MONITORING RESULTS

The depth to groundwater at the Site ranged from 4.20 and 6.15 feet below ground surface. Based upon depth to groundwater data collected from groundwater monitoring wells (MW-1, MW-2, MW-3, and MW-4) on December 14, 2006, the local direction of groundwater flow appears to flow generally to the southeast, which is consistent with the historical groundwater flow direction.

Review of the laboratory analytical results show that concentrations of TPH GRO/DRO, TRPH, VOC's, and Pb were below the laboratory detection limit in groundwater samples collected from MW-1 and MW-2. Only TPH-DRO at 87 micrograms per liter ($\mu\text{g/L}$) was detected from the groundwater sample collected from MW-4 during this sampling event. This is below the San Francisco Bay Regional Water Quality Control Board's Environmental Screening Levels (ESLs) of 100 $\mu\text{g/L}$ for TPH-DRO in shallow soils (≤ 3 meters below ground surface) where groundwater is a current or potential source of drinking water (February 2005).

Historical analytical results for the groundwater samples are summarized in Table 2.

PLANNED ACTIVITIES (FIRST AND SECOND QUARTERS 2007)

In a telephone conversation on February 27, 2007, Ms. Donna Drogos of the ACHCSA stated that there is currently no ACHCSA case worker for the Site and that the ACHCSA requests that SECOR continue performing the agreed-upon environmental services for the Site (i.e. FPR and monthly gauging) until further notice.

SECOR re-instituted the FPR activities and monthly groundwater level measurements on January 17, 2007. Groundwater monitoring and sampling of groundwater monitoring wells MW-1, MW-2, and MW-4 will be completed in June 2007 for the first Semi-Annual 2007 Groundwater Monitoring Event. SECOR will also sample MW-3 (if no floating product or sheen is observed) during the June 2007 event. If MW-3 is sampled no absorbent sock will be replaced and all wells will be sampled in December 2007. Depending on the analytical results from both the June and December 2007 events, SECOR may request for case closure from the ACHCSA.

If you have any questions regarding this submittal, please contact our office at (650) 691-0131.

Sincerely,
SECOR International Incorporated



Gay Howard, P.E.
Senior Engineer



Jack Hardin, R.E.A.
Principal Geologist

- Table 1 – Extracted Floating Product Information
- Table 2 – Groundwater Analytical Results
- Figure 1 – Site Location Map
- Figure 2 – Site Plan With Groundwater Elevation Contours
- Attachment A - Groundwater Sampling Field Data Sheets
- Attachment B - Laboratory Reports and Chain-of-Custody Documentation for Groundwater Samples

cc: Ms. Julie Few, The Goodyear Tire & Rubber Company

TABLES

TABLE 1
Extracted Floating Product Information
Free Product Removal and Groundwater Sampling

Former Meritt Tire Sales/Goodyear DEX #9578
3430 Castro Valley Blvd.,
Castro Valley, California

Well ID	Date Removed	Depth to Water (feet)	Depth to Floating Product (feet)	Product Thickness (feet)	Product Removed (gallons)	Cumulative Floating Product Removed (gallons)
MW-3	09/30/94	--	--	--	--	--
	04/24/95	4.91	--	--	--	--
	02/09/96	--	--	--	--	--
	12/31/96	--	--	--	--	--
	08/28/02	11.25	5.56	5.69	--	--
	7/10/03*	11.01	5.19	5.82	0.93	0.93
	7/29/2003*	9.02	5.45	3.57	0.57	1.50
	8/12/2003*	6.61	5.76	0.85	0.14	1.64
	8/24/2003*	6.30	5.89	0.41	0.07	1.70
	9/9/2003*	6.24	5.89	0.35	0.06	1.76
	9/23/2003*	6.19	5.92	0.27	0.04	1.80
	9/30/2003*	6.07	5.94	0.13	0.02	1.82
	8/4/2004**	8.25	6.90	1.35	0.22	2.04
	8/19/2004	8.01	5.94	2.07	0.33	2.37
	9/2/2004	7.06	6.03	1.03	0.16	2.53
	9/15/2004	6.60	6.31	0.29	0.05	2.58
	9/30/2004	6.35	6.30	0.05	0.01	2.59
	10/14/2004	6.43	6.42	0.01	0.00	2.59
	10/27/2004	5.16	5.16	0.00	0.00	2.59
	11/11/2004	5.80	5.80	0.00	0.00	2.59
	12/9/2004	4.54	4.54	0.00	0.00	2.59
	12/20/2004	5.71	5.71	0.00	0.00	2.59
	1/6/2005	4.70	4.70	0.00	0.00	2.59
	1/21/2005	5.00	5.00	0.00	0.00	2.59
	2/1/2005	4.89	4.89	0.00	0.00	2.59
	2/15/2005	4.61	4.61	0.00	0.00	2.59
	3/2/2005	4.23	4.23	0.00	0.00	2.59
	3/17/2005	4.98	4.98	0.00	0.00	2.59
	3/29/2005	3.77	3.77	0.00	0.00	2.59
	8/30/2005	8.68	5.87	2.81	0.00	2.59
	9/29/2005	7.71	5.71	2.00	0.00	2.59
	10/31/2005	6.81	5.95	0.86	0.00	2.59
	11/29/2005	5.55	5.52	0.03	0.00	2.59
	12/16/2005	5.85	5.85	0.00 ***	0.00	2.59
	1/30/2006	4.87	4.87	0.00 ***	0.00	2.59
	2/28/2006	4.55	4.55	0.00 ***	0.00	2.59
	3/27/2006	3.90	3.90	0.00 ***	0.00	2.59
	10/10/2006	5.50	5.00	0.50	0.00	2.59
	11/14/2006	5.13	5.13	0.00	0.00	2.59
	12/14/2006	4.75	4.75	0.00 ***	0.00	2.59

Notes:

* Measured during Enhanced Fluid Recovery 2003.

** Commencement of Free Product Removal (FPR, i.e. installation of absorbent sock [Soakease]). Data taken from initial depth to water and depth to product measurement.

*** Sheen present in well

Sample ID	Date Sampled	TOC Elevation (feet above MSL)	Depth to Water (feet)	Depth to Product (feet)	Groundwater Elevation (feet above MSL)	TPH as Gasoline (µg/L)	TPH as Diesel (µg/L)	TRPH** (mg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Total VOCs (µg/L)	Chromium (µg/L)	Lead (mg/L)	Nickel (µg/L)	Zinc (µg/L)
MW-1	04/24/95	177.17	4.43	--	--	ND	ND	ND	ND	ND	ND	ND	--	NA	50	0.0025	8.2	81
	08/28/02		6.04	--	171.41	<50	<50	0.207	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	52	0.0056	60	130
	09/30/03		5.76*	--	170.94	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	92	0.0200	98	135
	09/30/04		6.23	--	173.73	<100	87	<5.00	<1	<1	<1	<1	<1	<1	NT	<0.0050	NT	NT
	03/29/05		3.44	--	172.24	<100	<100	<5.21	<1	<1	<1	<1	<1	<1	NT	<0.0050	NT	NT
	05/30/06		4.93	--	172.12	<50	<50	<2.5	<50****	<50****	<50****	<50****	NT	NT	NT	<0.10****	NT	NT
06/15/06		5.05	--	172.62	NT	NT	NT	<50	<50	<50	<50	NT	NT	NT	<0.10	NT	NT	
12/14/06		4.55	--			<50	<70	<0.0026	<5	<5	<5	<5	NT	NT	<0.10	NT	NT	
MW-2	04/24/95	176.55	4.38	--	--	ND	ND	ND	ND	ND	ND	ND	--	--	54	0.0075	67	120
	08/28/02		5.66	--	171.15	<50	<50	0.162	<0.5	<0.5	<0.5	<0.5	<0.5	<1	43	0.0100	52	59
	09/30/03		5.40*	--	170.69	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NT	<0.0050	NT	NT
	09/30/04		5.86	--	173.52	<100	78	<5.00	<1	<1	<1	<1	<1	<1	NT	<0.0050	NT	NT
	03/29/05		3.03	--	171.96	<100	<100	<2.4	<1	<1	<1	<1	<1	<1	NT	<0.0050	NT	NT
	05/30/06		4.59	--	171.84	<50	<50	<2.4	<50****	<50****	<50****	<50****	NT	NT	NT	<0.10****	NT	NT
06/15/06		4.71	--	172.35	NT	NT	NT	<50	<50	<50	<50	NT	NT	NT	<0.10	NT	NT	
12/14/06		4.20	--			<50	<70	<0.0027	<5	<5	<5	<5	NT	NT	<0.10	NT	NT	
MW-3	09/30/94	176.97	--	--	--	--	--	--	29	3.2	3.3	29	--	12	10	ND	ND	20
	04/24/95		4.91	--		53	960	ND	12	0.84	0.69	2.4	--	--	29	0.0071	75	84
	02/09/96		--	--		--	--	--	9.6	1.4	1.2	2	--	--	NT	NT	NT	NT
	12/31/96		--	--		--	--	--	95	7	19	53	--	--	NT	NT	NT	NT
	08/28/02		11.25	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	09/30/03		6.19*	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
09/30/04		6.35	--	-6.35	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
03/29/05		3.77	--	173.20	274	2,430	<5.26	81	7.8	8	11.5	23.6	127.3	NT	<0.0050	NT	NT	
05/30/06		--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
12/14/06		4.75	--	172.22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
MW-4	04/24/95		--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/31/96	176.98	--	--		ND	ND	ND	ND	ND	ND	ND	NT	ND	NT	NT	NT	NT
	08/28/02		7.40	--	169.77	<50	<50	<0.100	<0.5	<0.5	<0.5	<0.5	<0.5	<1	24	0.0110	77	78
	09/30/03		7.21*	--	169.42	<50	<50	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NT	<0.0050	NT	NT
	09/30/04		7.56	--	171.75	<50	103	<5.00	<1	<1	<1	<1	<1	<1	NT	0.0110	NT	NT
	03/29/05		5.23	--	170.31	<100	<100	<5.32	<1	<1	<1	<1	<1	<1	NT	<0.0050	NT	NT
05/30/06		6.67	--	170.83	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
12/14/06		6.15	--			<50	87	<0.0035	<50	<50	<50	<50	NT	NT	<0.10	NT	NT	

Notes: mg/L = milligrams per Liter



- NA = Not applicable
- ND = Not detected above laboratory reporting limits
- NS = Not Sampled
- NT = Not tested

ESL = Environmental Screening Levels from California Regional Water Quality Control Board San Francisco Bay Region - Interim Final - February 2005


- TPH = Total petroleum hydrocarbons
- TRPH = Total recoverable petroleum hydrocarbons
- MTBE = Methyl tert-butyl ether
- TPHd analyzed by EPA Method 8015B
- TPHd analyzed by EPA Method 8015B/3510
- TRPH analyzed by EPA Method 418.1
- BTEX compounds analyzed by EPA Method 8021B
- MTBE analyzed by EPA Method 8021B
- Tetrachlorethane analyzed by EPA Method 8021B
- Metals analyzed by EPA Method 6010B

* DTW measurements taken on 9/23/03
 ** TRPH analyzed by EPA Method 1664 beginning September 30, 2003.
 *** VOCs, including MTBE, were analyzed by EPA Method 8260B beginning September 30, 2003.
 **** Due to the laboratory exceeding the hold time, MW-1 and MW-2 were resampled on 6/15/06 and resubmitted to the lab for VOC analysis.


FIGURES



CALIFORNIA




SCALE (MILES)



SCALE (FEET)

REFERENCE: USGS 7.5 MINUTE QUADRANGLE, HAYWARD, CALIFORNIA

 SECOR 2301 LEGHORN ST. MOUNTAIN VIEW, CALIFORNIA 94043 PHONE (650) 691-0131/691-9837 (FAX)	FOR: GOODYEAR DEX #9578 3430 CASTRO VALLEY BOULEVARD CASTRO VALLEY, CALIFORNIA		SITE LOCATION MAP		FIGURE: 1
	JOB NUMBER: 06GY.66050.01	DRAWN BY: MDR	CHECKED BY: AF	APPROVED BY: --	DATE: 10/18/06




- LEGEND**
- - - - - APPROXIMATE PROPERTY BOUNDARY
 - ⊕ GROUNDWATER MONITORING WELL
 - EMCON SOIL BORING LOCATION
 - ⊕ SEMCO HAND AUGER SAMPLE LOCATION
 - ← GROUNDWATER FLOW DIRECTION
 - ? - - - - GROUNDWATER ELEVATION CONTOUR (DASHED WHERE INFERRED)
- (172.24) GROUNDWATER ELEVATION (FT-MSL)

NOTES

CONTOUR INTERVAL = 0.50 FT

GROUNDWATER ELEVATIONS IN FEET ABOVE MEAN SEA LEVEL

CASTRO VALLEY BOULEVARD



<p>2301 LEGHORN ST. MOUNTAIN VIEW, CALIFORNIA 94043 PHONE (650) 691-0131/691-9837 (FAX)</p>	FOR: FORMER MERITT TIRE SALES GOODYEAR DEX #9578 3430 CASTRO VALLEY BOULEVARD CASTRO VALLEY, CALIFORNIA		SITE PLAN WITH GROUNDWATER ELEVATION CONTOURS		FIGURE: 2
	JOB NUMBER: 06GY.66050.01	DRAWN BY: MDR	CHECKED BY: AF	APPROVED BY: JH	DATE: 05/01/07

**ATTACHMENT A
GROUNDWATER SAMPLING FIELD DATA SHEETS**

SECOR International Incorporated
GROUNDWATER SAMPLE FIELD DATA SHEET

Project No. 0667.66050.05 Purged By: A. Galk Well I.D.: MW-1
 Client Name: Goodyear Sampled By: ↓ Sample I.D.: ↓
 Location: 3430 Costa Valley What QA Samples?: no

Date Purged: 12-14-06 Start (2400hr): 1415 End (2400hr): 1440
 Date Sampled: ↓ Sample Time (2400hr): 1435

Casing Diameter: 2" 3" 4" 5" 6" 8" Other
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = 19.15 Casing Volume (gal) = 2.48
 Depth to water (feet) = 4.55 Calculated Purge (gal) = 7.45 (3 casing vols.)
 Water column height (feet) = 14.60 Actual Purge (gal) = _____

FIELD MEASUREMENTS

Date	Time (2400hr)	Volume (gal)	Temp. (degrees C)	Conductivity (umhos/cm)	pH (units)	Color (visual)	DTW (ft)
<u>12/14</u>	<u>1415</u>	<u>0</u>	<u>19.2</u>	<u>584.4</u>	<u>6.05</u>	<u>clear</u>	_____
<u>↓</u>	<u>1420</u>	<u>2</u>	<u>19.7</u>	<u>570.5</u>	<u>6.17</u>	<u>"</u>	_____
<u>↓</u>	<u>1430</u>	<u>4</u>	<u>19.7</u>	<u>568.6</u>	<u>6.20</u>	<u>"</u>	_____
<u>↓</u>	<u>1435</u>	<u>7.45</u>	<u>19.9</u>	<u>567.8</u>	<u>6.21</u>	<u>H. brown</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

D.O. _____ mg/l, _____ %

PURGING EQUIPMENT

Well Wizard Bladder Pump Bailer (disposable)
 Active Extraction Well Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____
 Pump Depth: _____ (feet)

SAMPLING EQUIPMENT

WW Bladder Pump Bailer (disposable)
 Sample Port Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated: _____
 Other: _____

Analyses: 8015, 8260, 1164, 6010-lead only
 Sample Vessel / Preservative: Hel, HNO3 Odor: NO

Well Integrity: Good
 Remarks: _____

Signature: *A. Galk*

SECOR International Incorporated
GROUNDWATER SAMPLE FIELD DATA SHEET

Project No. 0664.66050.05 Purged By: A.F. WK Well I.D.: MW-2
 Client Name: Goodyear Sampled By: ↓ Sample I.D.: ↓
 Location: 3430 Castro Valley What QA Samples?: _____

Date Purged: 12/14/02 Start (2400hr): 1343 End (2400hr): 1412
 Date Sampled: ↓ Sample Time (2400hr): 1410

Casing Diameter: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = 18.02 Casing Volume (gal) = 2.35
 Depth to water (feet) = 4.20 Calculated Purge (gal) = 7.05 (3 casing vols.)
 Water column height (feet) = 13.82 Actual Purge (gal) = _____

FIELD MEASUREMENTS

Date	Time (2400hr)	Volume (gal)	Temp. (degrees C)	Conductivity (umhos/cm)	pH (units)	Color (visual)	DTW (ft)
<u>12/14/02</u>	<u>1350</u>	<u>0</u>	<u>19.1</u>	<u>575.7</u>	<u>6.01</u>	<u>Clear</u>	_____
<u>↓</u>	<u>1355</u>	<u>2</u>	<u>19.8</u>	<u>575.8</u>	<u>6.10</u>	<u>"</u>	_____
<u>↓</u>	<u>1400</u>	<u>4</u>	<u>20.4</u>	<u>569.3</u>	<u>6.13</u>	<u>"</u>	_____
<u>↓</u>	<u>1410</u>	<u>7.05</u>	<u>20.4</u>	<u>566.8</u>	<u>6.17</u>	<u>"</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

D.O. _____ mg/l, % _____

PURGING EQUIPMENT

___ Well Wizard Bladder Pump
 ___ Active Extraction Well Pump
 ___ Submersible Pump
 ___ Peristaltic Pump
 Other: _____
 Pump Depth: _____ (feet)

Bailer (disposable)
 ___ Bailer (PVC)
 ___ Bailer (Stainless Steel)
 ___ Dedicated _____

SAMPLING EQUIPMENT

___ WW Bladder Pump
 ___ Sample Port
 ___ Submersible Pump
 ___ Peristaltic Pump
 Other: _____

Bailer (disposable)
 ___ Bailer (PVC)
 ___ Bailer (Stainless Steel)
 ___ Dedicated _____

Analyses: 8015, 8260, 1664, 6010-lead only
 Sample Vessel / Preservative: HCl, HNO3 Odor: NO

Well Integrity: Good
 Remarks: _____

Signature: A. F. WK

SECOR International Incorporated
GROUNDWATER SAMPLE FIELD DATA SHEET

Project No. 0607-66050.05 Purged By: A. Falk Well I.D.: MW-3
 Client Name: Goodyear Sampled By: A. Falk Sample I.D.: _____
 Location: Castro Valley What QA Samples?: _____

Date Purged: 12/14/06 Start (2400hr): 1323 End (2400hr): 1337
 Date Sampled: ↓ Sample Time (2400hr): _____

Casing Diameter: 2" X 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

Total depth (feet) = NM Casing Volume (gal) = _____
 Depth to water (feet) = 4.75 Calculated Purge (gal) = _____ (3 casing vols.)
 Water column height (feet) = - Actual Purge (gal) = _____

FIELD MEASUREMENTS

Date	Time (2400hr)	Volume (gal)	Temp. (degrees C)	Conductivity (umhos/cm)	pH (units)	Color (visual)	DTW (ft)
<u>Gauge / Remove Sock</u>							

D.O. mg/l, %

PURGING EQUIPMENT

___ Well Wizard Bladder Pump ___ Bailer (disposable)
 ___ Active Extraction Well Pump ___ Bailer (PVC)
 ___ Submersible Pump ___ Bailer (Stainless Steel)
 ___ Peristaltic Pump ___ Dedicated _____
 Other: _____
 Pump Depth: _____ (feet)

SAMPLING EQUIPMENT

___ WW Bladder Pump ___ Bailer (disposable)
 ___ Sample Port ___ Bailer (PVC)
 ___ Submersible Pump ___ Bailer (Stainless Steel)
 ___ Peristaltic Pump ___ Dedicated: _____
 Other: _____

Analyses: _____
 Sample Vessel / Preservative: NA Odor: _____

Well Integrity: _____
 Remarks: No product detected w/ Intake probe. Sheen Present

Signature: A. Falk

J:\Field Forms\Groundwater field data sheet.doc, rev 6/99

SECOR International Incorporated
GROUNDWATER SAMPLE FIELD DATA SHEET

Project No. 0604.46050.05 Purged By: A. Falk Well I.D.: MW-4
 Client Name: Goodyear Sampled By: ↓ Sample I.D.: ↓
 Location: 3430 Castro Valley Blvd What QA Samples?: NO

Date Purged: 12/14/06 Start (2400hr): 1110 End (2400hr): 1330
 Date Sampled: ↓ Sample Time (2400hr): 1239

Casing Diameter: 2" ___ 3" ___ 4" ___ 5" ___ 6" ___ 8" ___ Other X 1.5"
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) (0.09)

Total depth (feet) = 15.22 Casing Volume (gal) = 0.82
 Depth to water (feet) = 6.15 Calculated Purge (gal) = 2.45 (3 casing vols.)
 Water column height (feet) = 9.07 Actual Purge (gal) = 2.50

FIELD MEASUREMENTS

Date	Time (2400hr)	Volume (gal)	Temp. (degrees C)	Conductivity (umhos/cm)	pH (units)	Color (visual)	DTW (ft)
<u>12/14</u>	<u>1159</u>	<u>0</u>	<u>20.0</u>	<u>1057</u>	<u>5.85</u>	<u>Clear</u>	
<u>↓</u>	<u>1210</u>	<u>1</u>	<u>19.2</u>	<u>854.9</u>	<u>6.09</u>	<u>Brown</u>	
<u>↓</u>	<u>1220</u>	<u>2</u>	<u>20.0</u>	<u>676.7</u>	<u>6.19</u>	<u>"</u>	
<u>↓</u>	<u>1239</u>	<u>2.5</u>	<u>20.6</u>	<u>677.7</u>	<u>6.19</u>	<u>"</u>	

D.O. mg/l, %

PURGING EQUIPMENT

- Well Wizard Bladder Pump
 Active Extraction Well Pump
 Submersible Pump
 Peristaltic Pump
 Other: _____
 Pump Depth: _____ (feet)
- Bailer (disposable)
 Bailer (PVC)
 Bailer (Stainless Steel)
 Dedicated _____

SAMPLING EQUIPMENT

- WW Bladder Pump
 Sample Port
 Submersible Pump
 Peristaltic Pump
 Other: _____
- Bailer (disposable)
 Bailer (PVC)
 Bailer (Stainless Steel)
 Dedicated: _____

Analyses: 8015, 8260, 1664, 6010-lead only
 Sample Vessel / Preservative: Hel, HNO3 Odor: NO

Well Integrity: Good
 Remarks: _____

Signature: [Signature]

**ATTACHMENT B
LABORATORY REPORTS AND CHAIN-OF-CUSTODY
DOCUMENTATION FOR GROUNDWATER SAMPLES**


10 January, 2007

Dennis Middleton
Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville, OH 44685

RE: 3430 Castro Valley Blvd.,
Work Order: MPL0572

Enclosed are the results of analyses for samples received by the laboratory on 12/15/06 17:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Theresa Allen For Leticia Reyes
Project Manager

CA ELAP Certificate # 1210

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH, 44685	Project: 3430 Castro Valley Blvd., Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	---

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	MPL0572-01	Water	12/14/06 14:35	12/15/06 17:30
MW-2	MPL0572-02	Water	12/14/06 14:10	12/15/06 17:30
MW-4	MPL0572-03	Water	12/14/06 12:39	12/15/06 17:30

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Purgeable Hydrocarbons by EPA 8015B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MPL0572-01) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6L26023	12/26/06	12/27/06	EPA 8015B-VOA	
Surrogate: 4-Bromofluorobenzene		113 %	75-125		"	"	"	"	
MW-2 (MPL0572-02) Water Sampled: 12/14/06 14:10 Received: 12/15/06 17:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6L26023	12/26/06	12/27/06	EPA 8015B-VOA	
Surrogate: 4-Bromofluorobenzene		110 %	75-125		"	"	"	"	
MW-4 (MPL0572-03) Water Sampled: 12/14/06 12:39 Received: 12/15/06 17:30									
Gasoline Range Organics (C4-C12)	ND	50	ug/l	1	6L26023	12/26/06	12/27/06	EPA 8015B-VOA	
Surrogate: 4-Bromofluorobenzene		108 %	75-125		"	"	"	"	

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH. 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Extractable Hydrocarbons by EPA 8015B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MPL0572-01) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30									
Diesel Range Organics (C10-C28)	ND	70	ug/l	1	6L19031	12/19/06	12/20/06	EPA 8015B-SVOA	
<i>Surrogate: n-Octacosane</i>		88 %	30-115		"	"	"	"	
MW-2 (MPL0572-02) Water Sampled: 12/14/06 14:10 Received: 12/15/06 17:30									
Diesel Range Organics (C10-C28)	ND	70	ug/l	1	6L19031	12/19/06	12/20/06	EPA 8015B-SVOA	
<i>Surrogate: n-Octacosane</i>		80 %	30-115		"	"	"	"	
MW-4 (MPL0572-03) Water Sampled: 12/14/06 12:39 Received: 12/15/06 17:30									
Diesel Range Organics (C10-C28)	87	51	ug/l	1	6L19031	12/19/06	12/20/06	EPA 8015B-SVOA	Q1
<i>Surrogate: n-Octacosane</i>		79 %	30-115		"	"	"	"	

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH, 44685	Project: 3430 Castro Valley Blvd., Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	--

Total Metals by EPA 6000/7000 Series Methods
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MPL0572-01) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30									
Lead	ND	0.10	mg/l	1	6L26006	12/26/06	01/07/07	EPA 6010B	
MW-2 (MPL0572-02) Water Sampled: 12/14/06 14:10 Received: 12/15/06 17:30									
Lead	ND	0.10	mg/l	1	6L26006	12/26/06	01/06/07	EPA 6010B	
MW-4 (MPL0572-03) Water Sampled: 12/14/06 12:39 Received: 12/15/06 17:30									
Lead	ND	0.40	mg/l	1	6L26006	12/26/06	01/06/07	EPA 6010B	

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH, 44685	Project: 3430 Castro Valley Blvd.. Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	--

Volatile Organic Compounds by EPA Method 8260B

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

MW-1 (MPL0572-01) Water **Sampled: 12/14/06 14:35** **Received: 12/15/06 17:30**

Benzene	ND	0.50	ug/l	1	6L27002	12/27/06	12/27/06	EPA 8260B	
Bromobenzene	ND	0.50	"	"	"	"	"	"	
Bromochloromethane	ND	0.50	"	"	"	"	"	"	
Bromodichloromethane	ND	0.50	"	"	"	"	"	"	
Bromoform	ND	0.50	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	0.50	"	"	"	"	"	"	
tert-Butylbenzene	ND	0.50	"	"	"	"	"	"	
n-Butylbenzene	ND	0.50	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	0.50	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Chloroform	ND	0.50	"	"	"	"	"	"	
Chloromethane	ND	0.50	"	"	"	"	"	"	
2-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
4-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
Dibromochloromethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Dibromomethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	0.50	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
1,2-Dichloropropane	ND	0.50	"	"	"	"	"	"	
1,3-Dichloropropane	ND	0.50	"	"	"	"	"	"	
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	
Isopropylbenzene	ND	0.50	"	"	"	"	"	"	
Naphthalene	ND	5.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	0.50	"	"	"	"	"	"	
n-Propylbenzene	ND	0.50	"	"	"	"	"	"	
Styrene	ND	0.50	"	"	"	"	"	"	

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

MW-1 (MPL0572-01) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30

1,1,1,2-Tetrachloroethane	ND	0.50	ug/l	1	6L27002	12/27/06	12/27/06	EPA 8260B	
1,1,2,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
Tetrachloroethene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.50	"	"	"	"	"	"	
Trichloroethene	ND	0.50	"	"	"	"	"	"	
Trichlorofluoromethane	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.50	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
Vinyl chloride	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		104 %	75-130		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		113 %	60-145		"	"	"	"	
Surrogate: Toluene-d8		99 %	70-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	60-120		"	"	"	"	

MW-1 (MPL0572-01RE1) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30

Benzene	ND	0.50	ug/l	1	6L28002	12/28/06	12/28/06	EPA 8260B	
Bromobenzene	ND	0.50	"	"	"	"	"	"	
Bromochloromethane	ND	0.50	"	"	"	"	"	"	
Bromodichloromethane	ND	0.50	"	"	"	"	"	"	
Bromoform	ND	0.50	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	0.50	"	"	"	"	"	"	
tert-Butylbenzene	ND	0.50	"	"	"	"	"	"	
n-Butylbenzene	ND	0.50	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	0.50	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Chloroform	ND	0.50	"	"	"	"	"	"	
Chloromethane	ND	0.50	"	"	"	"	"	"	
2-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
4-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
Dibromochloromethane	ND	0.50	"	"	"	"	"	"	

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MPL0572-01RE1) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30									
1,2-Dibromoethane (EDB)	ND	0.50	ug/l	1	6L28002	12/28/06	12/28/06	EPA 8260B	
Dibromomethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	0.50	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
1,2-Dichloropropane	ND	0.50	"	"	"	"	"	"	
1,3-Dichloropropane	ND	0.50	"	"	"	"	"	"	
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	
Isopropylbenzene	ND	0.50	"	"	"	"	"	"	
Methylene chloride	ND	0.50	"	"	"	"	"	"	
Naphthalene	ND	5.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	0.50	"	"	"	"	"	"	
n-Propylbenzene	ND	0.50	"	"	"	"	"	"	
Styrene	ND	0.50	"	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
Tetrachloroethene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.50	"	"	"	"	"	"	
Trichloroethene	ND	0.50	"	"	"	"	"	"	
Trichlorofluoromethane	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.50	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
Vinyl chloride	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		99 %	75-130		"	"	"	"	

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MPL0572-01RE1) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30									
Surrogate: 1,2-Dichloroethane-d4		87 %	60-145		6L28002	12/28/06	12/28/06	EPA 8260B	
Surrogate: Toluene-d8		98 %	70-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		96 %	60-120		"	"	"	"	
MW-2 (MPL0572-02) Water Sampled: 12/14/06 14:10 Received: 12/15/06 17:30									
Benzene	ND	0.50	ug/l	1	6L27002	12/27/06	12/27/06	EPA 8260B	
Bromobenzene	ND	0.50	"	"	"	"	"	"	
Bromochloromethane	ND	0.50	"	"	"	"	"	"	
Bromodichloromethane	ND	0.50	"	"	"	"	"	"	
Bromoform	ND	0.50	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	0.50	"	"	"	"	"	"	
tert-Butylbenzene	ND	0.50	"	"	"	"	"	"	
n-Butylbenzene	ND	0.50	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	0.50	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Chloroform	ND	0.50	"	"	"	"	"	"	
Chloromethane	ND	0.50	"	"	"	"	"	"	
2-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
4-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
Dibromochloromethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Dibromomethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	0.50	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
1,2-Dichloropropane	ND	0.50	"	"	"	"	"	"	
1,3-Dichloropropane	ND	0.50	"	"	"	"	"	"	
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

MW-2 (MPL0572-02) Water **Sampled: 12/14/06 14:10** **Received: 12/15/06 17:30**

Isopropylbenzene	ND	0.50	ug/l	1	6L27002	12/27/06	12/27/06	EPA 8260B	
Methylene chloride	ND	0.50	"	"	"	"	"	"	
Naphthalene	ND	5.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	0.50	"	"	"	"	"	"	
n-Propylbenzene	ND	0.50	"	"	"	"	"	"	
Styrene	ND	0.50	"	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
1,1,1,2,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
Tetrachloroethene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.50	"	"	"	"	"	"	
Trichloroethene	ND	0.50	"	"	"	"	"	"	
Trichlorofluoromethane	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.50	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
Vinyl chloride	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		108 %	75-130		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		121 %	60-145		"	"	"	"	
Surrogate: Toluene-d8		98 %	70-130		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99 %	60-120		"	"	"	"	

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-4 (MPL0572-03) Water Sampled: 12/14/06 12:39 Received: 12/15/06 17:30									
Benzene	ND	0.50	ug/l	1	6L27002	12/27/06	12/27/06	EPA 8260B	
Bromobenzene	ND	0.50	"	"	"	"	"	"	
Bromochloromethane	ND	0.50	"	"	"	"	"	"	
Bromodichloromethane	ND	0.50	"	"	"	"	"	"	
Bromoform	ND	0.50	"	"	"	"	"	"	
Bromomethane	ND	1.0	"	"	"	"	"	"	
sec-Butylbenzene	ND	0.50	"	"	"	"	"	"	
tert-Butylbenzene	ND	0.50	"	"	"	"	"	"	
n-Butylbenzene	ND	0.50	"	"	"	"	"	"	
Carbon tetrachloride	ND	0.50	"	"	"	"	"	"	
Chlorobenzene	ND	0.50	"	"	"	"	"	"	
Chloroethane	ND	1.0	"	"	"	"	"	"	
Chloroform	ND	0.50	"	"	"	"	"	"	
Chloromethane	ND	0.50	"	"	"	"	"	"	
2-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
4-Chlorotoluene	ND	0.50	"	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	1.0	"	"	"	"	"	"	
Dibromochloromethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Dibromomethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,3-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,4-Dichlorobenzene	ND	0.50	"	"	"	"	"	"	
Dichlorodifluoromethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,1-Dichloroethene	ND	0.50	"	"	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.50	"	"	"	"	"	"	
1,2-Dichloropropane	ND	0.50	"	"	"	"	"	"	
1,3-Dichloropropane	ND	0.50	"	"	"	"	"	"	
2,2-Dichloropropane	ND	2.0	"	"	"	"	"	"	
1,1-Dichloropropene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Hexachlorobutadiene	ND	2.0	"	"	"	"	"	"	
Isopropylbenzene	ND	0.50	"	"	"	"	"	"	
Methylene chloride	ND	0.50	"	"	"	"	"	"	
Naphthalene	ND	5.0	"	"	"	"	"	"	
p-Isopropyltoluene	ND	0.50	"	"	"	"	"	"	
n-Propylbenzene	ND	0.50	"	"	"	"	"	"	

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

MW-4 (MPL0572-03) Water **Sampled: 12/14/06 12:39** **Received: 12/15/06 17:30**

Styrene	ND	0.50	ug/l	1	6L27002	12/27/06	12/27/06	EPA 8260B	
1,1,1,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.50	"	"	"	"	"	"	
Tetrachloroethene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.50	"	"	"	"	"	"	
1,1,1-Trichloroethane	ND	0.50	"	"	"	"	"	"	
1,1,2-Trichloroethane	ND	0.50	"	"	"	"	"	"	
Trichloroethene	ND	0.50	"	"	"	"	"	"	
Trichlorofluoromethane	ND	0.50	"	"	"	"	"	"	
1,2,3-Trichloropropane	ND	0.50	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.50	"	"	"	"	"	"	
Vinyl chloride	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		107 %	75-130		"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		116 %	60-145		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		98 %	70-130		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	60-120		"	"	"	"	

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH, 44685	Project: 3430 Castro Valley Blvd., Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	--

Oil & Grease with Silica Gel Cleanup (SGT-HEM) by EPA 1664A
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-1 (MPL0572-01) Water Sampled: 12/14/06 14:35 Received: 12/15/06 17:30									
TRPH	ND	2.6	mg/l	1	7A03026	01/03/07	01/03/07	EPA 1664A	
MW-2 (MPL0572-02) Water Sampled: 12/14/06 14:10 Received: 12/15/06 17:30									
TRPH	ND	2.7	mg/l	1	7A03026	01/03/07	01/03/07	EPA 1664A	
MW-4 (MPL0572-03) Water Sampled: 12/14/06 12:39 Received: 12/15/06 17:30									
TRPH	ND	3.5	mg/l	1	7A03026	01/03/07	01/03/07	EPA 1664A	

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH. 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Purgeable Hydrocarbons by EPA 8015B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L26023 - EPA 5030B [P/T] / EPA 8015B-VOA

Blank (6L26023-BLK1)				Prepared & Analyzed: 12/26/06						
Gasoline Range Organics (C4-C12)	ND	50	ug/l							
Surrogate: 4-Bromofluorobenzene	86.7		"	80.0		108	75-125			
Laboratory Control Sample (6L26023-BS1)				Prepared & Analyzed: 12/26/06						
Gasoline Range Organics (C4-C12)	223	50	ug/l	275		81	60-115			
Surrogate: 4-Bromofluorobenzene	90.1		"	80.0		113	75-125			
Matrix Spike (6L26023-MS1)				Prepared & Analyzed: 12/26/06						
Gasoline Range Organics (C4-C12)	227	50	ug/l	275	ND	83	60-115			
Surrogate: 4-Bromofluorobenzene	89.0		"	80.0		111	75-125			
Matrix Spike Dup (6L26023-MSD1)				Prepared & Analyzed: 12/26/06						
Gasoline Range Organics (C4-C12)	216	50	ug/l	275	ND	79	60-115	5	20	
Surrogate: 4-Bromofluorobenzene	89.2		"	80.0		112	75-125			

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

**Extractable Hydrocarbons by EPA 8015B - Quality Control
TestAmerica - Morgan Hill, CA**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L19031 - EPA 3510C / EPA 8015B-SVOA

Blank (6L19031-BLK1)				Prepared: 12/19/06 Analyzed: 12/20/06						
Diesel Range Organics (C10-C28)	ND	50	ug/l							
Surrogate: <i>n-Octacosane</i>	37.4		"	50.0		75	30-115			
Laboratory Control Sample (6L19031-BS1)				Prepared: 12/19/06 Analyzed: 12/20/06						
Diesel Range Organics (C10-C28)	356	50	ug/l	500		71	40-140			
Surrogate: <i>n-Octacosane</i>	38.1		"	50.0		76	30-115			
Laboratory Control Sample Dup (6L19031-BSD1)				Prepared: 12/19/06 Analyzed: 12/20/06						
Diesel Range Organics (C10-C28)	345	50	ug/l	500		69	40-140	3	35	
Surrogate: <i>n-Octacosane</i>	36.0		"	50.0		72	30-115			

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH, 44685	Project: 3430 Castro Valley Blvd., Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	--

Total Metals by EPA 6000/7000 Series Methods - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L26006 - EPA 3005A / EPA 6010B

Blank (6L26006-BLK1)				Prepared: 12/26/06 Analyzed: 01/04/07						
Lead	ND	0.10	mg/l							
Laboratory Control Sample (6L26006-BS1)				Prepared: 12/26/06 Analyzed: 01/04/07						
Lead	1.01	0.10	mg/l	1.00		101	80-120			
Matrix Spike (6L26006-MS1)				Prepared: 12/26/06 Analyzed: 01/04/07						
Lead	0.915	0.30	mg/l	1.00	ND	92	80-120			
Matrix Spike Dup (6L26006-MSD1)				Prepared: 12/26/06 Analyzed: 01/04/07						
Lead	0.931	0.30	mg/l	1.00	ND	93	80-120	2	20	

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH. 44685	Project: 3430 Castro Valley Blvd.. Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Blank (6L27002-BLK1)

Prepared & Analyzed: 12/27/06

Benzene	ND	0.50	ug/l							
Bromobenzene	ND	0.50	"							
Bromochloromethane	ND	0.50	"							
Bromodichloromethane	ND	0.50	"							
Bromoform	ND	0.50	"							
Bromomethane	ND	1.0	"							
sec-Butylbenzene	ND	0.50	"							
tert-Butylbenzene	ND	0.50	"							
n-Butylbenzene	ND	0.50	"							
Carbon tetrachloride	ND	0.50	"							
Chlorobenzene	ND	0.50	"							
Chloroethane	ND	1.0	"							
Chloroform	ND	0.50	"							
Chloromethane	ND	0.50	"							
2-Chlorotoluene	ND	0.50	"							
4-Chlorotoluene	ND	0.50	"							
1,2-Dibromo-3-chloropropane	ND	1.0	"							
Dibromochloromethane	ND	0.50	"							
1,2-Dibromoethane (EDB)	ND	0.50	"							
Dibromomethane	ND	0.50	"							
1,2-Dichlorobenzene	ND	0.50	"							
1,3-Dichlorobenzene	ND	0.50	"							
1,4-Dichlorobenzene	ND	0.50	"							
Dichlorodifluoromethane	ND	0.50	"							
1,1-Dichloroethane	ND	0.50	"							
1,2-Dichloroethane	ND	0.50	"							
1,1-Dichloroethene	ND	0.50	"							
cis-1,2-Dichloroethene	ND	0.50	"							
trans-1,2-Dichloroethene	ND	0.50	"							
1,2-Dichloropropane	ND	0.50	"							
1,3-Dichloropropane	ND	0.50	"							
2,2-Dichloropropane	ND	2.0	"							
1,1-Dichloropropene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Hexachlorobutadiene	ND	2.0	"							
Isopropylbenzene	ND	0.50	"							

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd..
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Blank (6L27002-BLK1)

Prepared & Analyzed: 12/27/06

Methylene chloride	0.610	0.50	ug/l							
Naphthalene	ND	5.0	"							
p-Isopropyltoluene	ND	0.50	"							
n-Propylbenzene	ND	0.50	"							
Styrene	ND	0.50	"							
1,1,1,2-Tetrachloroethane	ND	0.50	"							
1,1,2,2-Tetrachloroethane	ND	0.50	"							
Tetrachloroethene	ND	0.50	"							
Toluene	ND	0.50	"							
1,2,3-Trichlorobenzene	ND	0.50	"							
1,2,4-Trichlorobenzene	ND	0.50	"							
1,1,1-Trichloroethane	ND	0.50	"							
1,1,2-Trichloroethane	ND	0.50	"							
Trichloroethene	ND	0.50	"							
Trichlorofluoromethane	ND	0.50	"							
1,2,3-Trichloropropane	ND	0.50	"							
1,2,4-Trimethylbenzene	ND	0.50	"							
1,3,5-Trimethylbenzene	ND	0.50	"							
Vinyl chloride	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
<i>Surrogate: Dibromofluoromethane</i>	2.58		"	2.50		103	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.86		"	2.50		114	60-145			
<i>Surrogate: Toluene-d8</i>	2.50		"	2.50		100	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.57		"	2.50		103	60-120			

Laboratory Control Sample (6L27002-BS1)

Prepared & Analyzed: 12/27/06

Benzene	11.1	0.50	ug/l	10.0		111	70-125			
Bromobenzene	10.3	0.50	"	10.0		103	80-120			
Bromochloromethane	11.8	0.50	"	10.0		118	40-150			
Bromodichloromethane	12.7	0.50	"	10.0		127	80-130			
Bromoform	10.8	0.50	"	10.0		108	75-130			
Bromomethane	11.8	1.0	"	10.0		118	10-150			
sec-Butylbenzene	11.4	0.50	"	10.0		114	70-135			
tert-Butylbenzene	11.3	0.50	"	10.0		113	75-130			
n-Butylbenzene	11.7	0.50	"	10.0		117	70-135			
Carbon tetrachloride	13.2	0.50	"	10.0		132	70-130			L

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Laboratory Control Sample (6L27002-BS1)

Prepared & Analyzed: 12/27/06

Chlorobenzene	10.7	0.50	ug/l	10.0		107	80-120			
Chloroethane	12.2	1.0	"	10.0		122	45-150			
Chloroform	11.9	0.50	"	10.0		119	80-125			
Chloromethane	11.7	0.50	"	10.0		117	15-150			
2-Chlorotoluene	11.1	0.50	"	10.0		111	80-125			
4-Chlorotoluene	11.0	0.50	"	10.0		110	80-125			
1,2-Dibromo-3-chloropropane	10.4	1.0	"	10.0		104	70-125			
Dibromochloromethane	12.9	0.50	"	10.0		129	75-130			
1,2-Dibromoethane (EDB)	11.7	0.50	"	10.0		117	80-125			
Dibromomethane	12.1	0.50	"	10.0		121	70-140			
1,2-Dichlorobenzene	10.8	0.50	"	10.0		108	80-120			
1,3-Dichlorobenzene	11.0	0.50	"	10.0		110	80-125			
1,4-Dichlorobenzene	10.8	0.50	"	10.0		108	70-120			
Dichlorodifluoromethane	10.8	0.50	"	10.0		108	10-150			
1,1-Dichloroethane	11.4	0.50	"	10.0		114	60-150			
1,2-Dichloroethane	12.4	0.50	"	10.0		124	75-125			
1,1-Dichloroethene	10.8	0.50	"	10.0		108	65-130			
cis-1,2-Dichloroethene	11.2	0.50	"	10.0		112	80-130			
trans-1,2-Dichloroethene	11.0	0.50	"	10.0		110	70-130			
1,2-Dichloropropane	11.3	0.50	"	10.0		113	80-125			
1,3-Dichloropropane	11.4	0.50	"	10.0		114	80-125			
2,2-Dichloropropane	14.3	2.0	"	10.0		143	30-150			
1,1-Dichloropropene	12.1	0.50	"	10.0		121	80-130			
Ethylbenzene	11.0	0.50	"	10.0		110	70-130			
Hexachlorobutadiene	14.1	2.0	"	10.0		141	65-145			
Isopropylbenzene	10.1	0.50	"	10.0		101	70-120			
Methylene chloride	12.1	0.50	"	10.0		121	80-150			
Naphthalene	9.93	5.0	"	10.0		99	50-140			
p-Isopropyltoluene	11.6	0.50	"	10.0		116	70-135			
n-Propylbenzene	10.9	0.50	"	10.0		109	80-125			
Styrene	11.4	0.50	"	10.0		114	75-120			
1,1,1,2-Tetrachloroethane	11.3	0.50	"	10.0		113	80-125			
1,1,2,2-Tetrachloroethane	10.1	0.50	"	10.0		101	70-140			
Tetrachloroethene	12.2	0.50	"	10.0		122	75-130			
Toluene	11.6	0.50	"	10.0		116	70-120			
1,2,3-Trichlorobenzene	11.8	0.50	"	10.0		118	65-140			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH. 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control

TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Laboratory Control Sample (6L27002-BS1)

Prepared & Analyzed: 12/27/06

1,2,4-Trichlorobenzene	12.6	0.50	ug/l	10.0		126	70-140			
1,1,1-Trichloroethane	12.6	0.50	"	10.0		126	75-130			
1,1,2-Trichloroethane	11.3	0.50	"	10.0		113	80-130			
Trichloroethene	12.0	0.50	"	10.0		120	75-125			
Trichlorofluoromethane	12.5	0.50	"	10.0		125	65-125			
1,2,3-Trichloropropane	10.5	0.50	"	10.0		105	75-120			
1,2,4-Trimethylbenzene	11.5	0.50	"	10.0		115	75-135			
1,3,5-Trimethylbenzene	11.5	0.50	"	10.0		115	75-130			
Vinyl chloride	12.6	0.50	"	10.0		126	35-150			
Xylenes (total)	33.5	0.50	"	30.0		112	80-125			
<i>Surrogate: Dibromofluoromethane</i>	2.65		"	2.50		106	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.83		"	2.50		113	60-145			
<i>Surrogate: Toluene-d8</i>	2.58		"	2.50		103	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.51		"	2.50		100	60-120			

Matrix Spike (6L27002-MS1)

Source: MPL0572-01

Prepared & Analyzed: 12/27/06

Benzene	11.7	0.50	ug/l	10.0	ND	117	70-125			
Bromobenzene	10.8	0.50	"	10.0	ND	108	80-120			
Bromochloromethane	12.2	0.50	"	10.0	ND	122	40-150			
Bromodichloromethane	13.7	0.50	"	10.0	ND	137	80-130			M7
Bromoform	11.0	0.50	"	10.0	ND	110	75-130			
Bromomethane	12.9	1.0	"	10.0	ND	129	10-150			
sec-Butylbenzene	12.4	0.50	"	10.0	ND	124	70-135			
tert-Butylbenzene	12.1	0.50	"	10.0	ND	121	75-130			
n-Butylbenzene	12.8	0.50	"	10.0	ND	128	70-135			
Carbon tetrachloride	14.6	0.50	"	10.0	ND	146	70-130			M7
Chlorobenzene	11.1	0.50	"	10.0	ND	111	80-120			
Chloroethane	13.5	1.0	"	10.0	ND	135	45-150			
Chloroform	13.2	0.50	"	10.0	0.33	129	80-125			M7
Chloromethane	12.3	0.50	"	10.0	ND	123	15-150			
2-Chlorotoluene	11.9	0.50	"	10.0	ND	119	80-125			
4-Chlorotoluene	11.8	0.50	"	10.0	ND	118	80-125			
1,2-Dibromo-3-chloropropane	9.97	1.0	"	10.0	ND	100	70-125			
Dibromochloromethane	13.6	0.50	"	10.0	ND	136	75-130			M7
1,2-Dibromoethane (EDB)	12.0	0.50	"	10.0	ND	120	80-125			
Dibromomethane	12.1	0.50	"	10.0	ND	121	70-140			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Matrix Spike (6L27002-MS1)	Source: MPL0572-01			Prepared & Analyzed: 12/27/06						
1,2-Dichlorobenzene	11.5	0.50	ug/l	10.0	ND	115	80-120			
1,3-Dichlorobenzene	11.7	0.50	"	10.0	ND	117	80-125			
1,4-Dichlorobenzene	11.5	0.50	"	10.0	ND	115	70-120			
Dichlorodifluoromethane	13.5	0.50	"	10.0	ND	135	10-150			
1,1-Dichloroethane	12.2	0.50	"	10.0	ND	122	60-150			
1,2-Dichloroethane	13.3	0.50	"	10.0	ND	133	75-125			M7
1,1-Dichloroethene	11.7	0.50	"	10.0	ND	117	65-130			
cis-1,2-Dichloroethene	11.9	0.50	"	10.0	ND	119	80-130			
trans-1,2-Dichloroethene	11.6	0.50	"	10.0	ND	116	70-130			
1,2-Dichloropropane	11.6	0.50	"	10.0	ND	116	80-125			
1,3-Dichloropropane	11.8	0.50	"	10.0	ND	118	80-125			
2,2-Dichloropropane	15.4	2.0	"	10.0	ND	154	30-150			M7
1,1-Dichloropropene	12.7	0.50	"	10.0	ND	127	80-130			
Ethylbenzene	11.8	0.50	"	10.0	ND	118	70-130			
Hexachlorobutadiene	15.9	2.0	"	10.0	ND	159	65-145			M7
Isopropylbenzene	10.9	0.50	"	10.0	ND	109	70-120			
Methylene chloride	12.7	0.50	"	10.0	0.96	117	80-150			
Naphthalene	9.89	5.0	"	10.0	ND	99	50-140			
p-Isopropyltoluene	12.6	0.50	"	10.0	ND	126	70-135			
n-Propylbenzene	11.5	0.50	"	10.0	ND	115	80-125			
Styrene	11.9	0.50	"	10.0	ND	119	75-120			
1,1,1,2-Tetrachloroethane	12.0	0.50	"	10.0	ND	120	80-125			
1,1,2,2-Tetrachloroethane	9.87	0.50	"	10.0	ND	99	70-140			
Tetrachloroethene	13.1	0.50	"	10.0	ND	131	75-130			M7
Toluene	12.4	0.50	"	10.0	ND	124	70-120			M7
1,2,3-Trichlorobenzene	12.2	0.50	"	10.0	ND	122	65-140			
1,2,4-Trichlorobenzene	13.4	0.50	"	10.0	ND	134	70-140			
1,1,1-Trichloroethane	13.9	0.50	"	10.0	ND	139	75-130			M7
1,1,2-Trichloroethane	11.4	0.50	"	10.0	ND	114	80-130			
Trichloroethene	13.0	0.50	"	10.0	ND	130	75-125			M7
Trichlorofluoromethane	14.3	0.50	"	10.0	ND	143	65-125			M7
1,2,3-Trichloropropane	10.3	0.50	"	10.0	ND	103	75-120			
1,2,4-Trimethylbenzene	12.4	0.50	"	10.0	ND	124	75-135			
1,3,5-Trimethylbenzene	12.3	0.50	"	10.0	ND	123	75-130			
Vinyl chloride	13.6	0.50	"	10.0	ND	136	35-150			
Xylenes (total)	35.5	0.50	"	30.0	ND	118	80-125			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH, 44685	Project: 3430 Castro Valley Blvd., Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	--

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Matrix Spike (6L27002-MS1)		Source: MPL0572-01		Prepared & Analyzed: 12/27/06						
Surrogate: Dibromofluoromethane	2.65		ug/l	2.50		106	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.85		"	2.50		114	60-145			
Surrogate: Toluene-d8	2.59		"	2.50		104	70-130			
Surrogate: 4-Bromofluorobenzene	2.59		"	2.50		104	60-120			
Matrix Spike Dup (6L27002-MSD1)		Source: MPL0572-01		Prepared & Analyzed: 12/27/06						
Benzene	11.9	0.50	ug/l	10.0	ND	119	70-125	2	15	
Bromobenzene	11.2	0.50	"	10.0	ND	112	80-120	4	15	
Bromochloromethane	12.4	0.50	"	10.0	ND	124	40-150	2	15	
Bromodichloromethane	14.1	0.50	"	10.0	ND	141	80-130	3	15	M7
Bromoform	11.2	0.50	"	10.0	ND	112	75-130	2	15	
Bromomethane	13.2	1.0	"	10.0	ND	132	10-150	2	35	
sec-Butylbenzene	12.7	0.50	"	10.0	ND	127	70-135	2	20	
tert-Butylbenzene	12.6	0.50	"	10.0	ND	126	75-130	4	20	
n-Butylbenzene	13.0	0.50	"	10.0	ND	130	70-135	2	25	
Carbon tetrachloride	15.0	0.50	"	10.0	ND	150	70-130	3	15	M7
Chlorobenzene	11.4	0.50	"	10.0	ND	114	80-120	3	15	
Chloroethane	13.6	1.0	"	10.0	ND	136	45-150	0.7	35	
Chloroform	13.6	0.50	"	10.0	0.33	133	80-125	3	15	M7
Chloromethane	12.9	0.50	"	10.0	ND	129	15-150	5	35	
2-Chlorotoluene	12.3	0.50	"	10.0	ND	123	80-125	3	20	
4-Chlorotoluene	12.1	0.50	"	10.0	ND	121	80-125	3	20	
1,2-Dibromo-3-chloropropane	10.2	1.0	"	10.0	ND	102	70-125	2	20	
Dibromochloromethane	13.8	0.50	"	10.0	ND	138	75-130	1	15	M7
1,2-Dibromoethane (EDB)	12.1	0.50	"	10.0	ND	121	80-125	0.8	15	
Dibromomethane	12.5	0.50	"	10.0	ND	125	70-140	3	15	
1,2-Dichlorobenzene	11.8	0.50	"	10.0	ND	118	80-120	3	15	
1,3-Dichlorobenzene	12.0	0.50	"	10.0	ND	120	80-125	3	15	
1,4-Dichlorobenzene	11.9	0.50	"	10.0	ND	119	70-120	3	15	
Dichlorodifluoromethane	13.9	0.50	"	10.0	ND	139	10-150	3	35	
1,1-Dichloroethane	12.6	0.50	"	10.0	ND	126	60-150	3	15	
1,2-Dichloroethane	13.6	0.50	"	10.0	ND	136	75-125	2	10	M7
1,1-Dichloroethene	11.8	0.50	"	10.0	ND	118	65-130	0.9	20	
cis-1,2-Dichloroethene	12.0	0.50	"	10.0	ND	120	80-130	0.8	15	
trans-1,2-Dichloroethene	12.1	0.50	"	10.0	ND	121	70-130	4	15	
1,2-Dichloropropane	12.1	0.50	"	10.0	ND	121	80-125	4	15	

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L27002 - EPA 5030B P/T / EPA 8260B

Matrix Spike Dup (6L27002-MSD1)	Source: MPL0572-01	Prepared & Analyzed: 12/27/06								
1,3-Dichloropropane	12.2	0.50	ug/l	10.0	ND	122	80-125	3	10	
2,2-Dichloropropane	16.0	2.0	"	10.0	ND	160	30-150	4	35	M7
1,1-Dichloropropene	13.1	0.50	"	10.0	ND	131	80-130	3	20	M7
Ethylbenzene	11.9	0.50	"	10.0	ND	119	70-130	0.8	15	
Hexachlorobutadiene	16.1	2.0	"	10.0	ND	161	65-145	1	25	M7
Isopropylbenzene	11.0	0.50	"	10.0	ND	110	70-120	0.9	15	
Methylene chloride	12.6	0.50	"	10.0	0.96	116	80-150	0.8	15	
Naphthalene	10.2	5.0	"	10.0	ND	102	50-140	3	35	
p-Isopropyltoluene	13.1	0.50	"	10.0	ND	131	70-135	4	20	
n-Propylbenzene	12.0	0.50	"	10.0	ND	120	80-125	4	20	
Styrene	12.1	0.50	"	10.0	ND	121	75-120	2	10	M7
1,1,1,2-Tetrachloroethane	12.3	0.50	"	10.0	ND	123	80-125	2	15	
1,1,2,2-Tetrachloroethane	10.3	0.50	"	10.0	ND	103	70-140	4	15	
Tetrachloroethene	13.2	0.50	"	10.0	ND	132	75-130	0.8	20	M7
Toluene	12.6	0.50	"	10.0	ND	126	70-120	2	15	M7
1,2,3-Trichlorobenzene	12.4	0.50	"	10.0	ND	124	65-140	2	35	
1,2,4-Trichlorobenzene	13.6	0.50	"	10.0	ND	136	70-140	1	35	
1,1,1-Trichloroethane	14.2	0.50	"	10.0	ND	142	75-130	2	15	M7
1,1,2-Trichloroethane	11.7	0.50	"	10.0	ND	117	80-130	3	15	
Trichloroethene	13.2	0.50	"	10.0	ND	132	75-125	2	20	M7
Trichlorofluoromethane	14.4	0.50	"	10.0	ND	144	65-125	0.7	20	M7
1,2,3-Trichloropropane	10.5	0.50	"	10.0	ND	105	75-120	2	10	
1,2,4-Trimethylbenzene	12.7	0.50	"	10.0	ND	127	75-135	2	20	
1,3,5-Trimethylbenzene	12.8	0.50	"	10.0	ND	128	75-130	4	20	
Vinyl chloride	14.2	0.50	"	10.0	ND	142	35-150	4	35	
Xylenes (total)	36.2	0.50	"	30.0	ND	121	80-125	2	15	
Surrogate: Dibromofluoromethane	2.74		"	2.50		110	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.83		"	2.50		113	60-145			
Surrogate: Toluene-d8	2.54		"	2.50		102	70-130			
Surrogate: 4-Bromofluorobenzene	2.55		"	2.50		102	60-120			

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Blank (6L28002-BLK1)

Prepared & Analyzed: 12/28/06

1,2,3-Trimethylbenzene	ND	0.50	ug/l
Benzene	ND	0.50	"
Bromobenzene	ND	0.50	"
Bromochloromethane	ND	0.50	"
Bromodichloromethane	ND	0.50	"
Bromoform	ND	0.50	"
Bromomethane	ND	1.0	"
sec-Butylbenzene	ND	0.50	"
tert-Butylbenzene	ND	0.50	"
n-Butylbenzene	ND	0.50	"
Carbon tetrachloride	ND	0.50	"
Chlorobenzene	ND	0.50	"
Chloroethane	ND	1.0	"
Chloroform	ND	0.50	"
Chloromethane	ND	0.50	"
2-Chlorotoluene	ND	0.50	"
4-Chlorotoluene	ND	0.50	"
1,2-Dibromo-3-chloropropane	ND	1.0	"
Dibromochloromethane	ND	0.50	"
1,2-Dibromoethane (EDB)	ND	0.50	"
Dibromomethane	ND	0.50	"
1,2-Dichlorobenzene	ND	0.50	"
1,3-Dichlorobenzene	ND	0.50	"
1,4-Dichlorobenzene	ND	0.50	"
Dichlorodifluoromethane	ND	0.50	"
1,1-Dichloroethane	ND	0.50	"
1,2-Dichloroethane	ND	0.50	"
1,1-Dichloroethene	ND	0.50	"
cis-1,2-Dichloroethene	ND	0.50	"
trans-1,2-Dichloroethene	ND	0.50	"
1,2-Dichloropropane	ND	0.50	"
1,3-Dichloropropane	ND	0.50	"
2,2-Dichloropropane	ND	2.0	"
1,1-Dichloropropene	ND	0.50	"
Ethylbenzene	ND	0.50	"
Hexachlorobutadiene	ND	2.0	"

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH. 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Blank (6L28002-BLK1)

Prepared & Analyzed: 12/28/06

Isopropylbenzene	ND	0.50	ug/l							
Methylene chloride	ND	0.50	"							
Naphthalene	ND	5.0	"							
p-Isopropyltoluene	ND	0.50	"							
n-Propylbenzene	ND	0.50	"							
Styrene	ND	0.50	"							
1,1,1,2-Tetrachloroethane	ND	0.50	"							
1,1,2,2-Tetrachloroethane	ND	0.50	"							
Tetrachloroethene	ND	0.50	"							
Toluene	ND	0.50	"							
1,2,3-Trichlorobenzene	ND	0.50	"							
1,2,4-Trichlorobenzene	ND	0.50	"							
1,1,1-Trichloroethane	ND	0.50	"							
1,1,2-Trichloroethane	ND	0.50	"							
Trichloroethene	ND	0.50	"							
Trichlorofluoromethane	ND	0.50	"							
1,2,3-Trichloropropane	ND	0.50	"							
1,2,4-Trimethylbenzene	ND	0.50	"							
1,3,5-Trimethylbenzene	ND	0.50	"							
Vinyl chloride	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Surrogate: Dibromofluoromethane	2.43		"	2.50		97	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.22		"	2.50		89	60-145			
Surrogate: Toluene-d8	2.47		"	2.50		99	70-130			
Surrogate: 4-Bromofluorobenzene	2.43		"	2.50		97	60-120			

Laboratory Control Sample (6L28002-BS1)

Prepared & Analyzed: 12/28/06

Benzene	9.86	0.50	ug/l	10.0		99	70-125			
Bromobenzene	11.0	0.50	"	10.0		110	80-120			
Bromochloromethane	10.9	0.50	"	10.0		109	40-150			
Bromodichloromethane	9.70	0.50	"	10.0		97	80-130			
Bromoform	10.7	0.50	"	10.0		107	75-130			
Bromomethane	10.5	1.0	"	10.0		105	10-150			
sec-Butylbenzene	10.0	0.50	"	10.0		100	70-135			
tert-Butylbenzene	10.2	0.50	"	10.0		102	75-130			
n-Butylbenzene	10.1	0.50	"	10.0		101	70-135			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH. 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Laboratory Control Sample (6L28002-BS1)

Prepared & Analyzed: 12/28/06

Carbon tetrachloride	9.19	0.50	ug/l	10.0	92	70-130
Chlorobenzene	10.2	0.50	"	10.0	102	80-120
Chloroethane	8.85	1.0	"	10.0	88	45-150
Chloroform	8.44	0.50	"	10.0	84	80-125
Chloromethane	9.01	0.50	"	10.0	90	15-150
2-Chlorotoluene	10.4	0.50	"	10.0	104	80-125
4-Chlorotoluene	10.4	0.50	"	10.0	104	80-125
1,2-Dibromo-3-chloropropane	9.07	1.0	"	10.0	91	70-125
Dibromochloromethane	10.1	0.50	"	10.0	101	75-130
1,2-Dibromoethane (EDB)	10.5	0.50	"	10.0	105	80-125
Dibromomethane	10.2	0.50	"	10.0	102	70-140
1,2-Dichlorobenzene	10.2	0.50	"	10.0	102	80-120
1,3-Dichlorobenzene	10.7	0.50	"	10.0	107	80-125
1,4-Dichlorobenzene	9.97	0.50	"	10.0	100	70-120
Dichlorodifluoromethane	7.07	0.50	"	10.0	71	10-150
1,1-Dichloroethane	9.29	0.50	"	10.0	93	60-150
1,2-Dichloroethane	9.04	0.50	"	10.0	90	75-125
1,1-Dichloroethene	9.56	0.50	"	10.0	96	65-130
cis-1,2-Dichloroethene	10.1	0.50	"	10.0	101	80-130
trans-1,2-Dichloroethene	9.74	0.50	"	10.0	97	70-130
1,2-Dichloropropane	9.51	0.50	"	10.0	95	80-125
1,3-Dichloropropane	9.79	0.50	"	10.0	98	80-125
2,2-Dichloropropane	9.17	2.0	"	10.0	92	30-150
1,1-Dichloropropene	9.75	0.50	"	10.0	98	80-130
Ethylbenzene	10.5	0.50	"	10.0	105	70-130
Hexachlorobutadiene	8.59	2.0	"	10.0	86	65-145
Isopropylbenzene	9.15	0.50	"	10.0	92	70-120
Methylene chloride	10.2	0.50	"	10.0	102	80-150
Naphthalene	7.85	5.0	"	10.0	78	50-140
p-Isopropyltoluene	10.3	0.50	"	10.0	103	70-135
n-Propylbenzene	10.1	0.50	"	10.0	101	80-125
Styrene	11.1	0.50	"	10.0	111	75-120
1,1,1,2-Tetrachloroethane	10.4	0.50	"	10.0	104	80-125
1,1,2,2-Tetrachloroethane	9.74	0.50	"	10.0	97	70-140
Tetrachloroethene	10.6	0.50	"	10.0	106	75-130
Toluene	9.86	0.50	"	10.0	99	70-120

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Laboratory Control Sample (6L28002-BS1)

Prepared & Analyzed: 12/28/06

1,2,3-Trichlorobenzene	7.63	0.50	ug/l	10.0		76	65-140			
1,2,4-Trichlorobenzene	9.03	0.50	"	10.0		90	70-140			
1,1,1-Trichloroethane	9.16	0.50	"	10.0		92	75-130			
1,1,2-Trichloroethane	9.81	0.50	"	10.0		98	80-130			
Trichloroethene	10.3	0.50	"	10.0		103	75-125			
Trichlorofluoromethane	8.12	0.50	"	10.0		81	65-125			
1,2,3-Trichloropropane	9.61	0.50	"	10.0		96	75-120			
1,2,4-Trimethylbenzene	11.1	0.50	"	10.0		111	75-135			
1,3,5-Trimethylbenzene	10.4	0.50	"	10.0		104	75-130			
Vinyl chloride	8.81	0.50	"	10.0		88	35-150			
Xylenes (total)	32.2	0.50	"	30.0		107	80-125			
<i>Surrogate: Dibromofluoromethane</i>	2.43		"	2.50		97	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.12		"	2.50		85	60-145			
<i>Surrogate: Toluene-d8</i>	2.51		"	2.50		100	70-130			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.41		"	2.50		96	60-120			

Matrix Spike (6L28002-MS1)

Source: MPL0595-03

Prepared & Analyzed: 12/28/06

Benzene	106	5.0	ug/l	100	1.4	105	70-125			
Bromobenzene	115	5.0	"	100	ND	115	80-120			
Bromochloromethane	113	5.0	"	100	ND	113	40-150			
Bromodichloromethane	102	5.0	"	100	ND	102	80-130			
Bromoform	111	5.0	"	100	ND	111	75-130			
Bromomethane	126	10	"	100	ND	126	10-150			
sec-Butylbenzene	106	5.0	"	100	ND	106	70-135			
tert-Butylbenzene	119	5.0	"	100	9.9	109	75-130			
n-Butylbenzene	103	5.0	"	100	ND	103	70-135			
Carbon tetrachloride	92.9	5.0	"	100	ND	93	70-130			
Chlorobenzene	108	5.0	"	100	ND	108	80-120			
Chloroethane	95.2	10	"	100	ND	95	45-150			
Chloroform	89.5	5.0	"	100	ND	90	80-125			
Chloromethane	94.7	5.0	"	100	ND	95	15-150			
2-Chlorotoluene	109	5.0	"	100	ND	109	80-125			
4-Chlorotoluene	109	5.0	"	100	ND	109	80-125			
1,2-Dibromo-3-chloropropane	98.1	10	"	100	ND	98	70-125			
Dibromochloromethane	106	5.0	"	100	ND	106	75-130			
1,2-Dibromoethane (EDB)	108	5.0	"	100	ND	108	80-125			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Matrix Spike (6L28002-MS1)

Source: MPL0595-03

Prepared & Analyzed: 12/28/06

Dibromomethane	104	5.0	ug/l	100	ND	104	70-140			
1,2-Dichlorobenzene	106	5.0	"	100	ND	106	80-120			
1,3-Dichlorobenzene	112	5.0	"	100	ND	112	80-125			
1,4-Dichlorobenzene	104	5.0	"	100	ND	104	70-120			
Dichlorodifluoromethane	65.8	5.0	"	100	ND	66	10-150			
1,1-Dichloroethane	99.0	5.0	"	100	ND	99	60-150			
1,2-Dichloroethane	93.9	5.0	"	100	ND	94	75-125			
1,1-Dichloroethene	96.9	5.0	"	100	ND	97	65-130			
cis-1,2-Dichloroethene	108	5.0	"	100	ND	108	80-130			
trans-1,2-Dichloroethene	101	5.0	"	100	ND	101	70-130			
1,2-Dichloropropane	99.4	5.0	"	100	ND	99	80-125			
1,3-Dichloropropane	102	5.0	"	100	ND	102	80-125			
2,2-Dichloropropane	75.1	20	"	100	ND	75	30-150			
1,1-Dichloropropene	100	5.0	"	100	ND	100	80-130			
Ethylbenzene	111	5.0	"	100	ND	111	70-130			
Hexachlorobutadiene	94.0	20	"	100	ND	94	65-145			
Isopropylbenzene	96.0	5.0	"	100	ND	96	70-120			
Methylene chloride	110	5.0	"	100	ND	110	80-150			
Naphthalene	95.2	50	"	100	5.1	90	50-140			
p-Isopropyltoluene	107	5.0	"	100	ND	107	70-135			
n-Propylbenzene	106	5.0	"	100	ND	106	80-125			
Styrene	116	5.0	"	100	ND	116	75-120			
1,1,1,2-Tetrachloroethane	108	5.0	"	100	ND	108	80-125			
1,1,1,2,2-Tetrachloroethane	98.8	5.0	"	100	ND	99	70-140			
Tetrachloroethene	109	5.0	"	100	ND	109	75-130			
Toluene	104	5.0	"	100	ND	104	70-120			
1,2,3-Trichlorobenzene	99.2	5.0	"	100	ND	99	65-140			
1,2,4-Trichlorobenzene	102	5.0	"	100	ND	102	70-140			
1,1,1-Trichloroethane	95.6	5.0	"	100	ND	96	75-130			
1,1,2-Trichloroethane	103	5.0	"	100	ND	103	80-130			
Trichloroethene	108	5.0	"	100	ND	108	75-125			
Trichlorofluoromethane	79.6	5.0	"	100	ND	80	65-125			
1,2,3-Trichloropropane	100	5.0	"	100	ND	100	75-120			
1,2,4-Trimethylbenzene	118	5.0	"	100	2.5	116	75-135			
1,3,5-Trimethylbenzene	110	5.0	"	100	ND	110	75-130			
Vinyl chloride	91.4	5.0	"	100	ND	91	35-150			

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Matrix Spike (6L28002-MS1)		Source: MPL0595-03			Prepared & Analyzed: 12/28/06					
Xylenes (total)	341	5.0	ug/l	300	3.9	112	80-125			
Surrogate: Dibromofluoromethane	2.45		"	2.50		98	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.11		"	2.50		84	60-145			
Surrogate: Toluene-d8	2.51		"	2.50		100	70-130			
Surrogate: 4-Bromofluorobenzene	2.40		"	2.50		96	60-120			
Matrix Spike Dup (6L28002-MSD1)		Source: MPL0595-03			Prepared & Analyzed: 12/28/06					
Benzene	89.9	5.0	ug/l	100	1.4	88	70-125	16	15	R
Bromobenzene	97.7	5.0	"	100	ND	98	80-120	16	15	R
Bromochloromethane	97.3	5.0	"	100	ND	97	40-150	15	15	
Bromodichloromethane	88.0	5.0	"	100	ND	88	80-130	15	15	
Bromoform	98.6	5.0	"	100	ND	99	75-130	12	15	
Bromomethane	118	10	"	100	ND	118	10-150	7	35	
sec-Butylbenzene	88.2	5.0	"	100	ND	88	70-135	18	20	
tert-Butylbenzene	102	5.0	"	100	9.9	92	75-130	15	20	
n-Butylbenzene	86.5	5.0	"	100	ND	86	70-135	17	25	
Carbon tetrachloride	79.5	5.0	"	100	ND	80	70-130	16	15	R
Chlorobenzene	92.2	5.0	"	100	ND	92	80-120	16	15	R
Chloroethane	80.6	10	"	100	ND	81	45-150	17	35	
Chloroform	76.3	5.0	"	100	ND	76	80-125	16	15	R2, M2
Chloromethane	81.8	5.0	"	100	ND	82	15-150	15	35	
2-Chlorotoluene	92.3	5.0	"	100	ND	92	80-125	17	20	
4-Chlorotoluene	92.5	5.0	"	100	ND	92	80-125	16	20	
1,2-Dibromo-3-chloropropane	85.6	10	"	100	ND	86	70-125	14	20	
Dibromochloromethane	91.9	5.0	"	100	ND	92	75-130	14	15	
1,2-Dibromoethane (EDB)	94.8	5.0	"	100	ND	95	80-125	13	15	
Dibromomethane	90.8	5.0	"	100	ND	91	70-140	14	15	
1,2-Dichlorobenzene	91.6	5.0	"	100	ND	92	80-120	15	15	
1,3-Dichlorobenzene	96.0	5.0	"	100	ND	96	80-125	15	15	
1,4-Dichlorobenzene	90.0	5.0	"	100	ND	90	70-120	14	15	
Dichlorodifluoromethane	55.0	5.0	"	100	ND	55	10-150	18	35	
1,1-Dichloroethane	84.5	5.0	"	100	ND	84	60-150	16	15	R
1,2-Dichloroethane	81.2	5.0	"	100	ND	81	75-125	15	10	R
1,1-Dichloroethene	81.8	5.0	"	100	ND	82	65-130	17	20	
cis-1,2-Dichloroethene	91.8	5.0	"	100	ND	92	80-130	16	15	R
trans-1,2-Dichloroethene	86.7	5.0	"	100	ND	87	70-130	15	15	

TestAmerica - Morgan Hill, CA

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH, 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Volatile Organic Compounds by EPA Method 8260B - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6L28002 - EPA 5030B P/T / EPA 8260B

Matrix Spike Dup (6L28002-MSD1)

Source: MPL0595-03

Prepared & Analyzed: 12/28/06

1,2-Dichloropropane	85.6	5.0	ug/l	100	ND	86	80-125	15	15	
1,3-Dichloropropane	88.8	5.0	"	100	ND	89	80-125	14	10	R
2,2-Dichloropropane	62.9	20	"	100	ND	63	30-150	18	35	
1,1-Dichloropropene	83.8	5.0	"	100	ND	84	80-130	18	20	
Ethylbenzene	97.0	5.0	"	100	ND	97	70-130	13	15	
Hexachlorobutadiene	79.6	20	"	100	ND	80	65-145	17	25	
Isopropylbenzene	82.5	5.0	"	100	ND	82	70-120	15	15	
Methylene chloride	94.7	5.0	"	100	ND	95	80-150	15	15	
Naphthalene	96.3	50	"	100	5.1	91	50-140	1	35	
p-Isopropyltoluene	89.2	5.0	"	100	ND	89	70-135	18	20	
n-Propylbenzene	88.3	5.0	"	100	ND	88	80-125	18	20	
Styrene	100	5.0	"	100	ND	100	75-120	15	10	R
1,1,1,2-Tetrachloroethane	93.8	5.0	"	100	ND	94	80-125	14	15	
1,1,2,2-Tetrachloroethane	84.4	5.0	"	100	ND	84	70-140	16	15	R
Tetrachloroethene	91.9	5.0	"	100	ND	92	75-130	17	20	
Toluene	88.2	5.0	"	100	ND	88	70-120	16	15	R
1,2,3-Trichlorobenzene	94.7	5.0	"	100	ND	95	65-140	5	35	
1,2,4-Trichlorobenzene	92.5	5.0	"	100	ND	92	70-140	10	35	
1,1,1-Trichloroethane	81.1	5.0	"	100	ND	81	75-130	16	15	R
1,1,2-Trichloroethane	90.5	5.0	"	100	ND	90	80-130	13	15	
Trichloroethene	91.1	5.0	"	100	ND	91	75-125	17	20	
Trichlorofluoromethane	67.2	5.0	"	100	ND	67	65-125	17	20	
1,2,3-Trichloropropane	84.4	5.0	"	100	ND	84	75-120	17	10	R
1,2,4-Trimethylbenzene	99.4	5.0	"	100	2.5	97	75-135	17	20	
1,3,5-Trimethylbenzene	92.8	5.0	"	100	ND	93	75-130	17	20	
Vinyl chloride	75.6	5.0	"	100	ND	76	35-150	19	35	
Xylenes (total)	297	5.0	"	300	3.9	98	80-125	14	15	
Surrogate: Dibromofluoromethane	2.38		"	2.50		95	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.15		"	2.50		86	60-145			
Surrogate: Toluene-d8	2.49		"	2.50		100	70-130			
Surrogate: 4-Bromofluorobenzene	2.47		"	2.50		99	60-120			

Secor - Ohio (Goodyear)
1505 Corporate Woods Parkway, Suite 150
Unionville OH. 44685

Project: 3430 Castro Valley Blvd.,
Project Number: 06GY.66050.05
Project Manager: Dennis Middleton

MPL0572
Reported:
01/10/07 16:55

Oil & Grease with Silica Gel Cleanup (SGT-HEM) by EPA 1664A - Quality Control
TestAmerica - Morgan Hill, CA

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 7A03026 - General Prep / EPA 1664A

Blank (7A03026-BLK1)				Prepared & Analyzed: 01/03/07						
TRPH	ND	2.5	mg/l							
Laboratory Control Sample (7A03026-BS1)				Prepared & Analyzed: 01/03/07						
TRPH	8.40	2.5	mg/l	10.0	84	60-135				
Matrix Spike (7A03026-MS1)				Prepared & Analyzed: 01/03/07						
TRPH	286	2.4	mg/l	9.62	220	686	60-135			M7
Matrix Spike Dup (7A03026-MSD1)				Prepared & Analyzed: 01/03/07						
TRPH	282	2.4	mg/l	9.62	220	644	60-135	1	35	M7

Secor - Ohio (Goodyear) 1505 Corporate Woods Parkway, Suite 150 Unionville OH. 44685	Project: 3430 Castro Valley Blvd., Project Number: 06GY.66050.05 Project Manager: Dennis Middleton	MPL0572 Reported: 01/10/07 16:55
--	--	---

Notes and Definitions

- R2 The RPD exceeded the acceptance limit.
- R The RPD exceeded the method control limit due to sample matrix effects. The individual analyte QA/QC recoveries, however, were within acceptance limits.
- Q1 Does not match typical pattern
- M7 The MS and/or MSD were above the acceptance limits. See Blank Spike (LCS).
- M2 The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
- L Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

CHAIN OF CUSTODY RECORD

CLIENT ACCOUNT NO. 3862



TestAmerica Nashville
2960 Foster Creighton Dr.
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

State in which sampling occurred CA

Compliance Monitoring? Yes No

Enforcement Action? Yes No

Client Name: SECOR Client Account No. is 3862

Address: 1505 Corporate Woods Parkway Suite 150

City/State/Zip: Unionville, Ohio 44685

Project Manager: Dennis Middleton email: dmiddleton@secor.com

Telephone Number: 330-896-9226 Fax No.: 330-986-9232

Sampler Name: (Print) Alicia Falk

Sampler Signature: [Signature]

PO & Quote Number: Goodyear PO No. 307905 Quote No. 120401PLK40

Report To: Dennis Middleton SECOR 1505 Corporate Woods Pkwy Unionville, Oh 44685

Invoice To: Karen Burlingame Goodyear Dept. 110F 1144 E. Market St. Akron, OH 44136-0001

Site ID: 3430 Castro Valley Blvd.

Project No: GASC Facility ID No. 9578

Project No: 0664.66050.05

MPL 0572

Sample ID	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative							Matrix		Analyze For:	RUSH TAT (Pre-Schedule)	RUSH Due Date	Standard TAT 5-10 Business Day	Fax Results	TestAmerica QC Level 2	Electronic Deliverables	REMARKS			
							HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Soil	Other (specify)									8015 - TPHD + TRHG	11664 - TRPH	8260P - Full Crst
MW-1 #1	12/14/06	1435	9				X	X						X												
MW-2 #2		1410																								
MW-3																										
MW-4 #7		1239					X	X						X												

Special Instructions:

Laboratory Comments:

Relinquished by:	Date	Time	Received by:	Date	Time
<u>[Signature]</u>	12/15/06	9:37	<u>[Signature]</u>	12/15/06	9:40
Received by:	Date	Time	Received by TestAmerica:	Date	Time
<u>[Signature]</u>	12/15/06	17:30	<u>[Signature]</u>	12/15/06	17:30

Temperature Upon Receipt: 20
 Sample Containers Intact? 88 N
 VOCs Free of Headspace? 88 N

** Level 4 Deliverables is a Full CLP like data package there is a surcharge on all Level 4 data packages.

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: SECOR
 REC. BY (PRINT) Bhanu
 WORKORDER: MP20572

DATE REC'D AT LAB: 12/15/06
 TIME REC'D AT LAB: 17:36
 DATE LOGGED IN: 12-18-06

For Regulatory Purposes?
 DRINKING WATER YES NO
 WASTE WATER YES NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / <input checked="" type="radio"/> Absent Intact / Broken*	01	MW-1	2 (L) Amber	—	—	L	12/14/06	/
2. Chain-of-Custody Present / <input checked="" type="radio"/> Absent*	↓	↓	2 (L) Amber 500ml Poly (W)	HCL	↓	↓	↓	
3. Traffic Reports or Packing List: Present / <input checked="" type="radio"/> Absent	↓	↓	3 (roA)	HCL	↓	↓	↓	
4. Airbill: Airbill / Sticker Present / <input checked="" type="radio"/> Absent	02	MW-2	same	↓	↓	↓	↓	
5. Airbill #:	03	MW-4	same	↓	↓	↓	↓	
6. Sample Labels: <input checked="" type="radio"/> Present / Absent								
7. Sample IDs: <input checked="" type="radio"/> Listed / Not Listed on Chain-of-Custody								
8. Sample Condition: <input checked="" type="radio"/> Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? <input checked="" type="radio"/> Yes / No*								
10. Sample received within hold time? <input checked="" type="radio"/> Yes / No*								
11. Adequate sample volume received? <input checked="" type="radio"/> Yes / No*								
12. Proper preservatives used? <input checked="" type="radio"/> Yes / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / <input checked="" type="radio"/> No								
14. Read Temp: <u>1.0</u> Corrected Temp: <u>2.0</u> Is corrected temp 4 +/-2°C? <input checked="" type="radio"/> Yes / No**								

(Acceptance range for samples requiring thermal pres.)
 **Exception (if any): METALS / DFF ON ICE Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.