

## Drogos, Donna, Env. Health

---

**Subject:** RO474 - 3430 CVB  
**Entry Type:** Phone call  
**Start:** Tue 8/28/2007 3:00 PM  
**End:** Tue 8/28/2007 3:00 PM  
**Duration:** 0 hours

alicia fanrek, Selon

proposing hydrogen Peroxide

Discus site she indicated no d/g wells,  
when water levels decrease FP increases  
told her to complete characterization & then propose cleanup, premature to propose cleanup when lat & vert extent is  
unknown

## Drogos, Donna, Env. Health

---

**Subject:** RO474 - 3430 CVB  
**Entry Type:** Phone call

**Start:** Thu 2/22/2007 3:00 PM  
**End:** Thu 2/22/2007 3:00 PM  
**Duration:** 0 hours

02/22/07, 306p,  
RO474 - 3430 CVB  
Alicia Folks, Secor  
3430 CVB  
Don CW, RO# for site  
Historical reports or this point fwd  
Trends? ND in 3 MW & slight sheen in well, installing socks  
650-691-0131 x261

02/27/07, 140p, discussed report upload to ftp site all reports  
FP in one well at service bay, not sure why, planning addtl investigation

## Drogos, Donna, Env. Health

---

**Subject:** RO474 - 3430 CVB  
**Entry Type:** Phone call  
**Start:** Thu 1/18/2007 2:51 PM  
**End:** Thu 1/18/2007 2:51 PM  
**Duration:** 0 hours

01/18/07, 1134a, Alicia Faulk, Secor, 650-691-0131 x261  
sent report 2 wks ago  
For 3430 CVB  
Have not relly had very much corresp from office  
Receiving reports

01/18/07, 240p, rcvd report fwd to CW Don Hwang  
She will followup with Don on how to submit reports to ftp site.

**Subject:** RO474 - 3430 castro valley blvd  
**Entry Type:** Phone call

**Start:** Wed 4/14/2004 9:15 AM  
**End:** Wed 4/14/2004 9:15 AM  
**Duration:** 0 hours

RO474 - 4/6, 1122a, jack, Secor, re: 3430 castro valley blvd, castro valley, goodyear tire retained then FP removal & GWM, report sent last year, , 650-691-0131 x230  
4/14, 915a, lft msg, lft eva's #

#1715

Phone Log

12/11/96 John Young w/EMCON called to say 11/11/96 w/p will be implemented on 12/13/96.

1/29/97 John w/Emcon called. Have implemented w/p. Confirmed FP is from hydraulic lift tank which was abated last year. Complete a Tier-1 and all came out ok. He recommends 2-4 more quarters of sampling to confirm plume ~~good~~ is stable & then request no further action.

171

# 1915

Phone Log (3430 Castro Valley Blvd)

3/4/96

Jeff Ethre called to discuss this site. I referred him to Lori Casias regarding his billing question. I gave him a brief overview of current site status: 1) monitoring free product @ MW-3; 2) Nabas removing his UST soon; 3) maybe able to reduce sampling frequency after review of next GMR

9/10/96

Call from J. Young w/EMCON to discuss site evaluation per Goodyear.

9/11/96

Call from Jim Lust(?) w/an env. consulting firm ~~was~~ to discuss site per Joe Emergia w/Goodyear.

10/01/96

Call from <sup>(408) 453-7300</sup> John Young w/EMCON. They rec'd a contract from Goodyear to complete Env. investigation @ this site. He will call & check w/Doukstone to see if they have completed the work that was requested in our 8/22/96 letter - if not they will follow through ASAP. They ~~are~~ are also planning to submit a w/p for dg invest. & complete a RBCA on this site

11/05/96

~~Per~~ Per Ron Dworny, there maybe a 500-1500 gal oil/H<sub>2</sub>O separator located south of MW-3. Left msg w J. Young re: same. Ron also indicated that site has unmarked drums on side of building from removal of hydraulic lift

Louis Green

Gray, Cary, Ware + Freiderrich

400 Hamilton Ave

P Alto 94301

ADD TO LIST OF CC: S

ms

RC Stevens installed above ground tanks

6/28/93

filed for installation permits

#/92(93) <sup>?</sup> ERS Inc corresp. to CUSD

re: requirements for above ground installation

cc: Phyllis St. George

Steve Walsh

#4223

contractor:

Stetson Constr. Co.

4/93 FAX from ERS, Inc to CUSD

re: above ground storage tank

schematics, technical info

LRS Inc

800 - 966 - 4577

1903 Durfe Rd.

818 - 450 - 7707

S. El Monte, CA

(At Alvarado)

Jim Berhoef

RL Stevens

889 - 0908

22240 Meeklad Ave

Hayward

Robert C. Stevens



Merritt Tiro  
3430 Castro Valley Blvd  
Castro Valley

7/28/94

MEMO to file:

Mike Tambroni (Touchstone Development) called today indicating he is currently working on a PSA w.p. for the Goodyear site. He will be in Aug 2, 1994 to review the file for this and other nearby sites. He said Goodyear had requested an extension. I informed that I hadn't heard any word at all from Goodyear since requesting the work plan. I also informed him of the 8/16/94 TERP meeting.

SOS