

Stacie H. Frerichs
Team Lead
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

April 19, 2010
(date)

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 9-6991

Address: 2920 Castro Valley Boulevard, Castro Valley, California

I have reviewed the attached report titled Revised Work Plan Addendum
_____ and dated April 19, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Stacie H. Frerichs
Project Manager

Enclosure: Report



April 19, 2010

Reference No. 611633

Mr. Mark Detterman, PG, CEG
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Revised Work Plan Addendum
Chevron Service Station No. 9-6991
2920 Castro Valley Boulevard
Castro Valley, California
Case No. RO0000475

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) has prepared this *Revised Work Plan Addendum* on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above (Figure 1). CRA has previously submitted to Alameda County Environmental Health (ACEH) the January 11, 2008 *Site Conceptual Model and Investigation Work Plan* (work plan) and, as requested by ACEH in a letter dated September 25, 2008, the October 27, 2008 *Work Plan Addendum* (work plan addendum). The proposed scope of work outlined in the work plan addendum was the destruction of downgradient groundwater monitoring well MW-6 (located in Castro Valley Boulevard) due to safety concerns, the installation of an additional well approximately 80 feet downgradient (southwest) of MW-6 and the drilling of a transect of four exploratory borings across Castro Valley Boulevard to the south-southwest of the site to further evaluate the extent of impacted groundwater, and the drilling of a hand-auger boring within the backfill material of a nearby sanitary sewer trench in Castro Valley Boulevard to evaluate if the trench may be acting as a preferential pathway.

A response to the work plan addendum has not been received from ACEH to date. However, based on the monitoring results in well MW-6, the downgradient extent of impacted groundwater appears to be adequately defined and an additional downgradient well is no longer warranted. Additionally, in our opinion further evaluation of the extent of impacted groundwater to the south-southwest of the site can be accomplished with the drilling of two borings rather than the previously requested transect of four borings 30 feet apart. Therefore, we propose these modifications to the work plan addendum; the following sections present the details of, and rationale for, these changes.



April 19, 2010

Reference No. 611633

- 2 -

MW-6 AND THE DOWNGRADIENT EXTENT OF IMPACTED GROUNDWATER

As mentioned above, in the work plan addendum the destruction of downgradient well MW-6 was proposed due to safety concerns with sampling in Castro Valley Boulevard. The installation of an additional well southwest of MW-6 was also proposed to further evaluate the downgradient extent of impacted groundwater. However, generally only low concentrations of petroleum hydrocarbons have historically been detected in well MW-6. Concentrations in this well have further decreased and during the most recent event (third quarter 2009), only low concentrations of total petroleum hydrocarbons as diesel (TPHd) (52 micrograms per liter [$\mu\text{g}/\text{L}$]) and methyl tertiary butyl ether (MTBE) (5 $\mu\text{g}/\text{L}$) were detected. TPH as gasoline (TPHg) and benzene, toluene, ethylbenzene, and xylenes (BTEX) were not detected; benzene has not been detected in this well since 2004. A copy of the third quarter 2009 groundwater monitoring report is included as Attachment A.

Based on the monitoring results, only low concentrations of petroleum hydrocarbons (TPHd and MTBE) remain in well MW-6. Therefore, the downgradient extent of impacted groundwater appears to be adequately defined and an additional well further downgradient of MW-6 no longer appears warranted. Rather than destroy MW-6, we propose to keep this well as the downgradient monitoring point. The sampling frequency of this well was recently reduced to semi-annual.

ADDITIONAL EXPLORATORY BORINGS

As requested by ACEH, the drilling of a transect of four exploratory borings approximately 30 feet apart to the south-southwest of the site was proposed in the work plan addendum to further evaluate the extent of impacted groundwater. However, as was originally proposed in the January 11, 2008 work plan, in our opinion this objective can be accomplished through the drilling of two borings rather than four; thus implementing a more cost-effective alternative. In addition, difficulties have been experienced in attempting to gain access to the properties in this area. As a result, it appears the borings will have to be drilled in Castro Valley Boulevard and hence, it is desirable to minimize the amount of work in the public right-of-way. Therefore, we propose to drill only two borings to further evaluate the extent of impacted groundwater to the south-southwest of the site; the approximate proposed boring locations are shown on Figure 2.

All other components of the work plan addendum, including the proposed drilling of the hand-auger boring in the sanitary sewer trench, remain in place and will be implemented.



**CONESTOGA-ROVERS
& ASSOCIATES**

April 19, 2010

Reference No. 611633

- 3 -

Please let us know if ACEH concurs with the proposed changes. Upon concurrence from ACEH, or if at least 60 days have passed since this revised addendum was submitted, CRA will implement the proposed scope of work.

We appreciate your assistance on this project and look forward to your reply. Please contact Mr. James Kiernan at (916) 889-8917 if you have any questions or need any additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

A handwritten signature in blue ink, appearing to read 'J. Kiernan', is written over a horizontal line.

James P. Kiernan, P.E. #C68498




KR/jt/7
Encl.

Figure 1 Vicinity Map
Figure 2 Site Plan with Proposed Soil Boring Locations

Attachment A Third Quarter 2009 Groundwater Monitoring Report

cc: Ms. Stacie Frerichs, Chevron
Mr. Surinder Goswamy, K&K Petroleum, LLC

FIGURES



SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP
 CHEVRON SERVICE STATION 9-6991
 2920 CASTRO VALLEY BOULEVARD
 Castro Valley, California






figure 2
 SITE PLAN WITH PROPOSED SOIL BORING LOCATIONS
 CHEVRON SERVICE STATION 9-6991
 2920 CASTRO VALLEY BOULEVARD
 Castro Valley, California



ATTACHMENT A

THIRD QUARTER 2009 GROUNDWATER MONITORING AND SAMPLING REPORT



GETTLER-RYAN Inc.



TRANSMITTAL

September 29, 2009

G-R #385296

TO: Mr. James Kiernan
Conestoga-Rovers & Associates
10969 Trade Center Drive, Suite 107
Rancho Cordova, CA 95670

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-6991 (MTI)
2920 Castro Valley Boulevard
Castro Valley, California
RO 0000475

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	September 23, 2009	Groundwater Monitoring and Sampling Report Second Semi-Annual Event of September 1, 2009

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for **your use and distribution to the following:**

Ms. Stacie H. Frerichs, Chevron Environmental Management Company, 6111 Bollinger Canyon Road, Room 3596, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 13, 2009**, at which time this final report will be distributed to the following:

cc: Mr. Chuck Headlee, RWQCB-San Francisco Bay Region, 1515 Clay Street, Oakland, CA 94612 (No Hard Copy)
K & K Petroleum, (Property Owner), 2920 Castro Valley Blvd., Castro Valley, CA 94546
Mr. Mark Detterman, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
(No Hard Copy-UPLOAD TO ALAMEDA CO.)

Enclosures



Stacie H. Frerichs
Team Lead
Marketing Business Unit

Chevron Environmental
Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

September 29, 2009
(date)

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 9-6991

Address: 2920 Castro Valley Blvd., Castro Valley, California

I have reviewed the attached routine groundwater monitoring report dated September 29, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Stacie H. Frerichs".

Stacie H. Frerichs
Project Manager

Enclosure: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-6991
 Site Address: 2920 Castro Valley Blvd
 City: Castro Valley, CA

Job # 385296
 Event Date: 9/1/09
 Sampler: 34

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	OK							~	~	8" Morrison	~
MW-2	OK							↓	↓	"	
MW-4	OK							↓	↓	12" Universal	↓
MW-6	OK							↓	↓	12" emco	
MW-7	OK							↓	↓	12" Universal	↓

Comments _____



September 23, 2009
G-R Job #385296

Ms. Stacie H. Frerichs
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3596
San Ramon, CA 94583

RE: Second Semi-Annual Event of September 1, 2009
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

Dear Ms. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and the laboratory analytical reports are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Field Measurements and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-6991
 2920 Castro Valley Boulevard
 Castro Valley, California

FIGURE
1

PROJECT NUMBER
385296

REVIEWED BY

DATE
 September 1, 2009

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>l</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)
MW-1												
10/08/91	169.30	158.20	11.10	--	230	45	<0.5	0.9	9.1	--	<5,000	--
11/04/91	169.30	158.27	11.03	--	340	120	<0.5	<0.5	6.1	--	--	--
12/04/91	169.30	158.25	11.05	170	<50	3.9	<0.5	<0.5	<0.5	--	<5,000	--
06/05/92	169.30	158.26	11.04	<50	100	26	0.6	0.5	1.0	--	--	--
10/27/92	169.30	158.20	11.10	54	<50	11	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.30	--	--	170	<50	24	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.30	158.67	10.63	--	--	--	--	--	--	--	--	--
03/05/93	169.30	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.30	158.59	10.71	--	--	--	--	--	--	--	--	--
06/18/93	169.30	158.29	11.01	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.30	157.35	11.95	<50	<50	0.8	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.30	158.34	10.96	<50	<50	8.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.30	158.49	10.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.30	158.38	10.92	<50	<50	1.0	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.30	158.40	10.90	<50	<50	1.3	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.30	158.76	10.54	570 ²	<50	8.9	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.30	158.60	10.70	110 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.30	158.38	10.92	570 ¹	61	15	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.30	158.30	11.00	550 ¹	<50	4.7	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.30	158.50	10.80	330 ¹	72	9.1	0.65	<0.5	<0.5	6.0	--	--
03/05/96	169.30	159.20	10.10	780 ¹	<50	7.8	<0.5	<0.5	<0.5	<2.5	--	--
09/13/96	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/19/96	169.30	158.08	11.22	--	--	--	--	--	--	--	--	--
03/20/97	169.30	158.40	10.90	350 ¹	<50	2.2	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	169.30	158.27	11.03	--	--	--	--	--	--	--	--	--
09/19/97	169.30	158.34	10.96	--	--	--	--	--	--	--	--	--
12/05/97	169.30	158.62	10.68	--	--	--	--	--	--	--	--	--
03/31/98	169.30	158.67	10.63	760 ¹	<50	6.7	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	169.30	159.62	9.68	--	--	--	--	--	--	--	--	--
08/13/98	169.30	157.67	11.63	--	--	--	--	--	--	--	--	--
12/17/98	169.30	158.25	11.05	--	--	--	--	--	--	--	--	--
03/19/99	169.30	158.35	10.95	890 ¹	124	14.8	<0.5	<0.5	<0.5	6.49/<2.5 ¹³	--	--
06/23/99	169.30	158.23	11.07	--	--	--	--	--	--	--	--	--
09/16/99	169.30	158.41	10.89	--	--	--	--	--	--	--	--	--
12/16/99	169.30	158.46	10.84	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)	
MW-1 (cont)													
03/02/00	169.30	158.83	10.47	2,300 ¹	155	10.4	<0.5	<0.5	<0.5	10.3	--	--	
06/30/00	169.30	159.04	10.26	--	--	--	--	--	--	--	--	--	
09/30/00	NP	169.30	158.30	11.00	--	--	--	--	--	--	--	--	
12/19/00		169.30	158.44	10.86	--	--	--	--	--	--	--	--	
03/13/01	NP	169.30	158.45	10.85	-- ¹⁴	50.4	4.50	0.553	0.522	2.10	1.65	--	
06/12/01		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/18/01		169.30	158.23	11.07	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/17/01		169.30	158.59	10.71	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/21/02		169.30	158.54	10.76	-- ¹⁴	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/08/02		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/02		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/13/02		169.30	158.47	10.83	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/17/03		169.30	158.60	10.70	250	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	
06/16/03		169.30	158.34	10.96	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/15/03		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/15/03		169.30	158.71	10.59	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/01/04		169.30	158.78	10.52	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/28/04		169.30	158.27	11.03	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/13/04		169.30	156.96	12.34	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/22/04		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/04/05		169.30	158.81	10.49	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
06/30/05		169.30	158.54	10.76	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/16/05		169.30	158.33	10.97	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/21/05		169.30	158.70	10.60	--	--	--	--	--	--	--	--	
03/21/06 ¹⁶		169.30	158.93	10.37	1,100	<50	0.6	<0.5	<0.5	<0.5	1	<50	
06/21/06		169.30	158.37	10.93	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/05/06		169.30	158.32	10.98	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/28/06		169.30	157.52	11.78	SAMPLED ANNUALLY		--	--	--	--	--	--	
03/26/07 ¹⁶		169.30	158.39	10.91	730	<50	0.6	<0.5	<0.5	<0.5	<0.5	<50	
06/26/07		169.30	158.30	11.00	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/26/07		169.30	158.26	11.04	SAMPLED ANNUALLY		--	--	--	--	--	--	
12/20/07		169.30	158.66	10.64	SAMPLED ANNUALLY		--	--	--	--	--	--	
02/29/08 ¹⁶	PER	169.30	158.57	10.73	64	87	4	<0.5	<0.5	<0.5	1	<50	
05/09/08		169.30	158.38	10.92	SAMPLED ANNUALLY		--	--	--	--	--	--	
09/19/08		169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-1 (cont)												
12/04/08	169.30	158.28	11.02	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/05/09 ¹⁶	PER-NP ²³	169.30	159.10	10.20	77	<50	<0.5	<0.5	<0.5	<0.5	--	<50
06/23/09		169.30	158.36	10.94	SAMPLED ANNUALLY		--	--	--	--	--	--
09/01/09		169.30	158.26	11.04	SAMPLED ANNUALLY		--	--	--	--	--	--
MW-2												
10/08/91	169.15	157.20	11.95	--	110	5.1	1.1	0.8	26	--	--	--
11/19/91	169.15	157.40	11.75	--	120	11	1.1	<0.5	17	--	--	--
12/04/91	169.15	157.35	11.80	130	440	30	2.5	<0.5	52	--	--	--
06/05/92	169.15	157.35	11.80	130	80	13	<0.5	<0.5	1.0	--	--	--
10/27/92	169.15	157.15	12.00	110	54	13	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.15	--	--	92	180	30	<0.5	<0.5	1.0	--	--	--
01/27/93	169.15	158.24	10.91	--	--	--	--	--	--	--	--	--
03/05/93	169.15	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.15	158.26	10.89	--	--	--	--	--	--	--	--	--
06/18/93	169.15	157.41	11.74	<50	<50	1.4	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.15	157.97	11.18	<50	<50	0.6	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.15	158.34	21.00	<50	<50	0.9	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.15	158.40	10.75	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.15	158.35	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.15	157.50	11.65	120	<50	0.7	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.15	158.41	10.74	570 ^d	55	2.9	<0.5	1.4	0.94	--	--	--
03/30/95	169.15	158.25	10.90	430 ¹	91	4.5	<0.5	3.8	<0.5	--	--	--
06/06/95	169.15	157.73	11.42	410 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.15	157.52	11.63	220 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.15	157.98	11.17	120 ¹	<2,000	<20	<20	<20	<20	5,000	--	--
03/05/96	169.15	159.09	10.06	860 ¹	<2,000	<20	<20	<20	<20	10,000	--	--
09/13/96	169.15	157.37	11.78	1,300	1,100	25	<10	<10	<10	20,000	--	--
12/19/96	169.15	158.30	10.85	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/20/97	169.15	157.75	11.40	190 ¹	2400	<10	<10	46	<10	6,200	--	--
06/27/97	169.15	157.35	11.80	--	--	--	--	--	--	--	--	--
09/19/97	169.15	157.43	11.72	60 ¹	<50	<0.5	<0.5	<0.5	<0.5	280	--	--
12/08/97	169.15	158.27	10.88	--	--	--	--	--	--	--	--	--
03/31/98	169.15	158.46	10.69	220 ¹	110	30	0.74	0.74	0.59	1,000	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-2 (cont)												
06/19/98	169.15	159.31	9.84	--	--	--	--	--	--	--	--	--
08/31/98	169.15	157.43	11.72	380 ¹	<100	3.4	<1.0	<1.0	<1.0	980	--	--
12/17/98	169.15	157.60	11.55	--	--	--	--	--	--	480	--	--
03/19/99	169.15	158.63	10.52	107 ⁴	<250	12.7	<2.5	<2.5	<2.5	1,040/819 ¹³	--	--
06/23/99	169.15	159.61	9.54	--	--	--	--	--	--	--	--	--
09/16/99	169.15	157.54	11.61	84.9	<100	<1.0	<1.0	<1.0	<1.0	216	--	--
12/16/99	169.15	157.86	11.29	--	--	--	--	--	--	--	--	--
03/02/00	169.15	158.70	10.45	<50	84.8	21.5	<0.5	<0.5	0.636	413	--	--
06/30/00	169.15	159.08	10.07	--	--	--	--	--	--	--	--	--
09/30/00	NP	169.15	157.54	11.61	100 ¹¹	<50	<0.50	0.57	<0.50	1.0	2,800	--
12/19/00		169.15	158.04	11.11	--	--	--	--	--	--	--	--
03/13/01	NP	169.15	158.22	10.93	-- ¹⁴	179	11.6	2.01	0.856	3.66	1,290	--
06/12/01		169.15	157.52	11.63	--	--	--	--	--	--	--	--
09/18/01	NP	169.15	157.37	11.78	100	<50	<0.50	<0.50	<0.50	<1.5	670	--
12/17/01		169.15	158.29	10.86	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/13/02		169.15	157.50	11.65	200	<50	<0.50	<0.50	<0.50	<1.5	260	--
12/13/02		169.15	158.07	11.08	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/17/03		169.15	158.38	10.77	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/16/03		169.15	157.77	11.38	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/15/03 ^{16,17}		169.15	157.55	11.60	110	<50	<0.5	<0.5	<0.5	0.6	400	--
12/15/03		169.15	158.40	10.75	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/01/04		169.15	158.49	10.66	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/28/04		169.15	157.63	11.52	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/13/04		169.15	156.27	12.88	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
12/22/04		169.15	157.93	11.22	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/04/05		169.15	158.58	10.57	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/30/05		169.15	158.08	11.07	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/16/05 ¹⁶	NP	169.15	156.64	12.51	130	<50	<0.5	<0.5	<0.5	<0.5	140	<50
12/21/05		169.15	158.41	10.74	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/21/06 ¹⁶		169.15	158.74	10.41	72	<50	<0.5	<0.5	<0.5	<0.5	530	<50
06/21/06		169.15	157.64	11.51	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/05/06 ¹⁶		169.15	157.51	11.64	620	<50	<0.5	<0.5	<0.5	<0.5	150	<50
12/28/06		169.15	158.19	10.96	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/26/07 ¹⁶		169.15	157.74	11.41	86	<50	<0.5	<0.5	<0.5	<0.5	160	<50
06/26/07		169.15	157.60	11.55	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>fk</i>)	GWE (<i>msl</i>)	DTW (<i>fk</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)
MW-2 (cont)												
09/26/07 ¹⁶	169.15	157.52	11.63	140	<50	<0.5	<0.5	<0.5	<0.5	69	--	<50
12/20/07	169.15	158.50	10.65	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
02/29/08 ¹⁶	PER	169.15	158.18	10.97	73	<50	<0.5	<0.5	<0.5	54	--	<50
05/09/08		169.15	157.74	11.41	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/19/08	PER	169.15	157.48	11.67	120	<50	<0.5	<0.5	<0.5	12	--	<50
12/04/08		169.15	157.67	11.48	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
03/05/09 ¹⁶	PER-NP ²³	169.15	158.65	10.50	<50	<50	<0.5	<0.5	<0.5	55	--	<50
06/23/09		169.15	157.65	11.50	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
09/01/09 ¹⁶	PER	169.15	157.55	11.60	75	<50	<0.5	<0.5	<0.5	10	--	--
MW-4												
10/27/92	169.18	157.79	11.39	<50	<50	<0.5	0.6	0.5	4.3	--	--	--
12/30/92	169.18	159.05	10.13	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.18	160.09	9.09	--	--	--	--	--	--	--	--	--
03/05/93	169.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	169.18	159.28	9.90	--	--	--	--	--	--	--	--	--
06/18/93	169.18	158.50	10.68	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.18	159.82	9.36	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.18	159.91	9.27	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.18	160.37	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.18	160.27	8.91	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.18	158.79	10.39	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.18	160.08	9.10	58 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	169.18	160.66	8.52	61 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.18	158.70	10.48	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.18	158.38	10.80	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.18	159.23	9.95	<50	<50	<0.5	<0.5	<0.5	<0.5	9.9	--	--
12/21/05 ¹⁶	169.18	159.65	9.53	76 ¹⁸	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	<50
03/21/06 ¹⁶	169.18	160.35	8.83	<50	<50	<0.5	<0.5	<0.5	<0.5	0.5	--	<50
06/21/06 ¹⁶	169.18	158.55	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
09/05/06 ¹⁶	169.18	158.24	10.94	170	<50	<0.5	<0.5	<0.5	<0.5	1	--	<50
12/28/06 ¹⁶	169.18	159.06	10.12	120	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
03/26/07 ¹⁶	169.18	158.73	10.45	290	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/26/07 ¹⁶	169.18	158.22	10.96	<50	<50	<0.5	<0.5	<0.5	<0.5	1	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-4 (cont)												
09/26/07 ¹⁶	169.18	157.98	11.20	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
12/20/07 ¹⁶	169.18	159.01	10.17	62	<50	<0.5	<0.5	<0.5	<0.5	0.5	--	<50
02/29/08 ¹⁶	169.18	159.32	9.86	180	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
05/09/08 ¹⁶	169.18	158.41	10.77	80	<50	<0.5	<0.5	<0.5	<0.5	0.6	--	<50
09/19/08 ¹⁶	169.18	157.97	11.21	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
12/04/08 ¹⁶	169.18	158.20	10.98	58	<50	<0.5	<0.5	<0.5	<0.5	0.8	--	<50
03/05/09 ¹⁶	169.18	159.36	9.82	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50
06/23/09	169.18	158.45	10.73	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/01/09	169.18	158.10	11.08	SAMPLED ANNUALLY		--	--	--	--	--	--	--
MW-6												
10/27/92	166.46	153.92	12.54	<50	600	22	22	24	130	--	--	--
12/30/92	166.46	156.26	10.20	470	1,700	170	16	46	160	--	--	--
01/27/93	166.46	156.44	10.02	--	--	--	--	--	--	--	--	--
03/05/93	166.46	--	--	150	480	76	0.9	3.1	7.1	--	--	--
03/17/93	166.46	155.79	10.67	--	--	--	--	--	--	--	--	--
06/18/93	166.46	154.63	11.83	51	240	37	3.4	2.9	18	--	--	--
09/28/93	166.46	154.90	11.56	120	150	11	1.2	1.3	4.3	--	--	--
12/30/93	166.46	154.81	11.65	290	680	77	5.1	5.5	13	--	--	--
04/07/94	166.46	155.34	11.12	<10	190	24	2.9	1.9	8.0	--	--	--
05/31/94	166.46	--	--	--	--	--	--	--	--	--	--	--
09/23/94	166.46	155.05	11.41	--	--	--	--	--	--	--	--	--
11/30/94	166.46	156.58	9.88	150 ²	320	49	0.58	1.4	1.2	--	--	--
12/15/03 ¹⁶	166.46	156.60	9.86	71	210	0.5	0.9	0.7	2	14	--	<50
03/01/04 ^{16,21}	166.46	157.16	9.30	<250	150	<0.5	4	3	18	10	--	<50
06/28/04 ^{16,21}	166.46	155.13	11.33	66	100	<0.5	<0.5	<0.5	<0.5	18	--	--
09/13/04 ^{16,21}	166.46	154.88	11.58	<50	<50	<0.5	<0.5	<0.5	<0.5	17	--	<50
12/22/04 ^{16,21}	166.46	155.75	10.71	300	440	1	1	2	3	10	--	<50
03/04/05 ^{16,21}	166.46	157.25	9.21	75	65	<0.5	<0.5	<0.5	1	8	--	<50
06/30/05 ^{16,21}	166.46	155.49	10.97	73	<50	<0.5	<0.5	<0.5	<0.5	7	--	<50
09/16/05 ^{16,21}	166.46	155.02	11.44	58 ¹⁷	<50	<0.5	<0.5	<0.5	<0.5	13	--	<50
12/21/05 ^{16,21}	166.46	156.66	9.80	120 ¹⁹	140	<0.5	<0.5	<0.5	1	8	--	<50
03/21/06 ^{16,21}	166.46	157.54	8.92	75	52	<0.5	<0.5	0.9	3	8	--	<50
06/21/06 ^{16,21}	166.46	155.38	11.08	56	92	<0.5	<0.5	0.5	2	10	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>fl.</i>)	GWE (<i>msl</i>)	DTW (<i>fl.</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)	
MW-6 (cont)													
09/05/06 ^{16,21}	166.46	155.07	11.39	67	62	<0.5	<0.5	<0.5	<0.5	9	--	<50	
12/28/06 ^{16,21}	166.46	156.32	10.14	300	260	<0.5	0.5	<0.5	1	3	--	<50	
03/26/07 ²¹	166.46	INACCESSIBLE - VEHICLE PARKED OVER WELL						--	--	--	--	--	--
06/26/07 ¹⁶	166.46	155.32	11.14	67	<50	<0.5	<0.5	<0.5	<0.5	8	--	<50	
09/26/07 ¹⁶	166.46	155.02	11.44	84	180	<0.5	0.5	3	5	6	--	--	
12/20/07 ¹⁶	166.46	156.41	10.05	220	530	<0.5	0.7	1	7	2	--	-- ²²	
02/29/08 ¹⁶	166.46	156.49	9.97	110	110	<0.5	<0.5	1	4	4	--	<50	
05/09/08 ¹⁶	166.46	155.19	11.27	100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	<50	
09/19/08 ¹⁶	166.46	154.85	11.61	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50	
12/04/08 ¹⁶	166.46	155.08	11.38	<50	<50	<0.5	<0.5	<0.5	<0.5	5	--	<50	
03/05/09 ¹⁶	166.46	157.57	8.89	140	160	<0.5	<0.5	1	7	2	--	<50	
06/23/09	166.46	155.14	11.32	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--	
09/01/09 ¹⁶	166.46	154.82	11.64	52	<50	<0.5	<0.5	<0.5	<0.5	5	--	--	
MW-7													
09/25/95	168.80	157.20	11.60	1,400 ¹	220	0.79	<0.5	0.67	<0.5	--	--	--	
12/28/95	168.80	158.14	10.66	590 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
03/05/96	168.80	159.74	9.06	320 ¹	1,400	<10	<10	47	<10	5,300	--	--	
06/27/96	168.80	157.27	11.53	630 ¹	<2,500	<25	<25	<25	<25	14,000	--	--	
09/13/96	168.80	156.88	11.92	1,400	1,100	26	<10	24	<10	20,000	--	--	
12/19/96	168.80	158.29	10.51	1,100 ³	<5,000	<50	<50	<50	<50	12,000	--	--	
03/20/97	168.80	157.84	10.96	1,600 ³	<1,000	<10	<10	<10	<10	2,100/2,000 ¹³	--	--	
06/27/97	168.80	157.02	11.78	1,600 ¹	2,000	<20	<20	<20	<20	11,000	--	--	
09/19/97	168.80	156.87	11.93	1,900 ¹	<1,000	35	<10	<10	<10	13,000	--	--	
12/05/97	168.80	158.40	10.40	1,100 ¹	2,100	47	2.7	28	<2.5	15,000	--	--	
03/31/98	168.80	158.89	9.91	780 ¹	410	4.0	0.61	2.2	<0.5	<2.5	--	--	
06/19/98	168.80	159.09	9.71	480 ¹	1,100	16	<10	17	<10	12,000	--	--	
08/31/98	168.80	157.11	11.69	580 ¹	<500	350	22	<5.0	<5.0	47,000	--	--	
12/17/98	168.80	157.70	11.10	970	1,800	<10	<10	24	<10	13,000/14,000 ¹	--	--	
03/19/99	168.80	158.51	10.29	615 ¹	1,280	<5.0	5.0	16.3	<5.0	2,240/2,910 ¹³	--	--	
06/23/99	168.80	157.25	11.55	1,240 ¹	<5,000	<50	<50	<50	<50	18,000	--	--	
09/16/99	168.80	157.31	11.49	2,230	<5,000	<50	<50	<50	<50	13,700	--	--	
12/16/99	168.80	158.27	10.53	973 ¹	1,330	<1.0	6.44	14	5.17	10,800	--	--	
03/02/00	168.80	159.25	9.55	880 ¹	1,980	7.22	<5.0	6.11	<5.0	4,230	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-7 (cont)												
06/30/00		157.68	11.12	620 ⁷	2,500 ⁶	6.0	8.5	16	72	6,900	--	--
09/30/00	NP	157.23	11.57	1,600 ⁷	1,700 ¹⁰	750	<5.0	<5.0	<5.0	7,300	--	--
12/19/00		158.26	10.54	1,100 ¹²	1,800 ¹⁰	<10	<10	<10	<10	4,900	--	--
03/13/01		158.74	10.06	1,500 ¹²	1,470	9.34	5.09	6.08	2.69	2,920	--	--
06/12/01		157.45	11.35	910 ¹⁵	920 ¹⁰	260	4.2	9.7	2.8	4,500	--	--
09/18/01		156.87	11.93	3,000	2,000	<0.50	<0.50	<0.50	<1.5	5,300	--	--
12/17/01		157.99	10.81	7,000	1,700	<5.0	<0.50	7.1	<1.5	4,100	--	--
03/21/02		158.56	10.24	13,000	3,200	<5.0	<0.50	24	<1.5	980	--	--
06/08/02		157.32	11.48	3,500	1,500	3.6	<0.50	8.5	<1.5	2,800	--	--
09/13/02		157.02	11.78	2,400	1,200	1.8	<1.0	2.8	<1.5	3,300	--	--
12/13/02		157.97	10.83	3,400	1,100	2.4	<0.50	2.3	<1.5	2,000	--	--
03/17/03		158.71	10.09	3,700	1,600	<10	<0.50	5.1	<1.5	1,000	--	--
06/16/03 ¹⁶		157.81	10.99	4,400	2,500	1	0.5	14	<0.5	260	--	--
09/15/03 ¹⁶		157.38	11.42	4,700	1,700	1	<0.5	6	0.5	790	--	<50
12/15/03 ¹⁶		158.58	10.22	3,200	610	<0.5	<0.5	1	<0.5	780	--	<50
03/01/04 ¹⁶		159.19	9.61	2,200	1,500	<0.5	<0.5	4	<0.5	16	--	<50
06/28/04 ¹⁶		157.38	11.42	3,700	2,500	2	<0.5	8	<0.5	300	--	--
09/13/04 ¹⁶		156.78	12.02	2,000	2,000	1	<1	4	<1	700	--	<100
12/22/04 ¹⁶		158.39	10.41	1,300	970	0.8	<0.5	5	<0.5	370	--	<50
03/04/05 ¹⁶		159.12	9.68	890	790	<0.5	<0.5	1	<0.5	5	--	<50
06/30/05 ¹⁶		157.63	11.17	2,600	1,300	<0.5	<0.5	3	<0.5	68	--	<50
09/16/05 ¹⁶		157.29	11.51	1,300	1,200	<0.5	<0.5	1	<0.5	380	--	<50
12/21/05 ¹⁶		158.74	10.06	1,600 ²⁰	1,300	<0.5	<0.5	2	<0.5	170	--	<50
03/21/06 ¹⁶		159.28	9.52	2,800	810	<0.5	<0.5	<0.5	<0.5	200	--	<50
06/21/06 ¹⁶		157.35	11.45	1,100	1,800	0.5	<0.5	2	<0.5	260	--	<50
09/05/06 ¹⁶		157.01	11.79	2,100	910	<0.5	<0.5	<0.5	<0.5	370	--	<50
12/28/06 ¹⁶		158.34	10.46	7,200	2,700	0.5	<0.5	3	<0.5	140	--	<50
03/26/07 ¹⁶		157.46	11.34	6,500	1,300	<0.5	<0.5	1	<0.5	150	--	<50
06/26/07 ¹⁶		157.15	11.65	2,100	1,900	0.6	<0.5	2	<0.5	170	--	<50
09/26/07 ¹⁶		156.98	11.82	2,200	670	<0.5	<0.5	<0.5	<0.5	420	--	<50
12/20/07 ¹⁶		158.23	10.57	4,300	2,600	0.8	<0.5	4	<0.5	130	--	<50
02/29/08 ¹⁶		158.56	10.24	2,400	1,400	<0.5	<0.5	2	<0.5	35	--	<50
05/09/08 ¹⁶		157.27	11.53	1,700	2,200	0.6	0.6	2	<0.5	76	--	<50
09/19/08 ¹⁶		156.86	11.94	10,000	610	<0.5	<0.5	<0.5	<0.5	430	--	<50
12/04/08 ¹⁶		157.16	11.64	3,000	1,100	<0.5	<0.5	<0.5	<0.5	440	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
MW-7 (cont)												
03/05/09 ¹⁶	168.80	159.46	9.34	1,000	2,100	<0.5	<0.5	3	<0.5	57	--	<50
06/23/09 ¹⁶	168.80	157.41	11.39	2,300	1,800	<0.5	<0.5	1	<0.5	100	--	--
09/01/09 ¹⁶	168.80	156.88	11.92	6,800	2,100	<0.5	<0.5	1	<0.5	150	--	--
MW-3												
10/08/91	169.11	160.84	8.27	--	81	1.9	0.7	0.8	2.4	--	--	--
11/04/91	169.11	158.26	10.85	--	60	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	169.11	158.06	11.05	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	169.11	157.96	11.15	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/27/92	169.11	157.51	11.60	120	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	169.11	--	--	170	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	169.11	160.00	9.11	--	--	--	--	--	--	--	--	--
03/05/93	169.11	--	--	--	--	--	--	--	--	--	--	--
03/17/93	169.11	159.16	9.95	--	--	--	--	--	--	--	--	--
06/18/93	169.11	158.22	10.89	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	169.11	159.49	9.62	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
12/30/93	169.11	159.80	9.31	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	169.11	160.30	8.81	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	169.11	160.21	8.90	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	169.11	158.48	10.63	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	169.11	160.19	8.92	--	--	--	--	--	--	--	--	--
03/30/95	169.11	160.01	9.10	290 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	169.11	158.79	10.32	150 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	169.11	158.11	11.00	260 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	169.11	158.96	10.15	200 ¹	<250	<2.5	<2.5	<2.5	<2.5	1,400	--	--
12/17/98	169.11	158.86	10.25	130 ¹	<250	<2.5	<2.5	<2.5	<2.5	62,000	--	--
03/19/99	169.11	159.37	9.74	139 ¹	<1,000	<10	<10	<10	<10	5,650/5,850 ¹³	--	--
06/23/99	169.11	158.40	10.71	61.6 ¹	<2,000	<20	<20	<20	<20	6,700	--	--
09/16/99	169.11	157.44	11.67	122	<1,000	<10	<10	<10	<10	1,910	--	--
12/16/99	169.11	158.79	10.32	--	--	--	--	--	--	5,850	--	--
12/20/00	169.11	158.91	10.20	96.8 ¹	65.2	<0.5	<0.5	<0.5	<0.5	1,790	--	--
03/02/00	169.11	160.26	8.85	<50	<50	<0.5	<0.5	<0.5	<0.5	5,600	--	--
06/30/00	169.11	158.81	10.30	<50	360 ⁵	<0.50	<0.50	<0.50	<0.50	1,300	--	--
09/30/00	NP	169.11	158.07	11.04	--	150 ⁹	75	<1.3	<1.3	8,200	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl.</i>)	DTW (<i>ft.</i>)	TPH-DRO (<i>ug/L.</i>)	TPH-GRO (<i>ug/L.</i>)	B (<i>ug/L.</i>)	T (<i>ug/L.</i>)	E (<i>ug/L.</i>)	X (<i>ug/L.</i>)	MTBE (<i>ug/L.</i>)	TOG (<i>ug/L.</i>)	ETHANOL (<i>ug/L.</i>)
MW-3 (cont)												
12/19/00	NP	169.11	159.06	10.05	-- ¹⁴	<1,000	<10	<10	<10	<10	4,600	--
03/13/01	NP	169.11	159.76	9.35	-- ¹⁴	284	0.601	1.00	<0.500	1.27	3,670	--
06/12/01	NP	169.11	158.08	11.03	<50	140 ⁹	67	<0.50	<0.50	<0.50	2,600	--
09/18/01	NP	169.11	157.96	11.15	100	240	<0.50	<0.50	<0.50	<1.5	3,200	--
12/17/01		169.11	159.22	9.89	270	55	<0.50	<0.50	<0.50	<1.5	930	--
03/21/02		169.11	159.38	9.73	290	190	<0.50	<0.50	<0.50	<1.5	2,600	--
06/08/02		169.11	158.21	10.90	110	110	<0.50	<0.50	<0.50	<1.5	2,200	--
09/13/02		169.11	158.26	10.85	<50	<50	<0.50	<0.50	<0.50	<1.5	650	--
12/13/02		169.11	159.11	10.00	120	<50	<0.50	<0.50	<0.50	<1.5	450	--
03/17/03		169.11	159.66	9.45	370	80	<0.50	<0.50	<0.50	<1.5	1,600	--
06/16/03		169.11	158.98	10.13	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
09/15/03		169.11	157.85	11.26	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
12/15/03 ¹⁶		169.11	159.78	9.33	-- ¹⁴	<50	<0.5	3	0.6	4	220	<50
03/01/04		169.11	159.22	9.89	NOT SAMPLED DUE TO INSUFFICIENT WATER			--	--	--	--	--
06/28/04 ¹⁶		169.11	158.26	10.85	95	<50	<0.5	<0.5	<0.5	<0.5	980	--
09/13/04		169.11	DRY AT 12.96 FEET		--	--	--	--	--	--	--	--
12/22/04 ¹⁶	NP	169.11	159.14	9.97	-- ¹⁴	53	<0.5	<0.5	<0.5	<0.5	110	<50
03/04/05 ¹⁶	NP	169.11	159.68	9.43	<50	<50	<0.5	<0.5	<0.5	<0.5	460	<50
06/30/05 ¹⁶	NP	169.11	158.66	10.45	58 ¹⁷	<50	<0.5	<0.5	<0.5	<0.5	600	<50
09/16/05 ¹⁶	NP	169.11	158.26	10.85	-- ¹⁴	<50	<0.5	<0.5	<0.5	<0.5	530	<50
NOT MONITORED/SAMPLED												
MW-5												
10/27/92		167.41	157.46	9.95	<50	74	<0.5	<0.5	0.6	7.1	--	--
12/30/92		167.41	158.21	9.20	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/93		167.41	157.80	9.61	--	--	--	--	--	--	--	--
03/05/93		167.41	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/17/93		167.41	157.90	9.51	--	--	--	--	--	--	--	--
06/18/93		167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/28/93		167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
12/30/93		167.41	157.08	10.33	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/94		167.41	157.69	9.72	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/31/94		167.41	157.68	9.73	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/23/94		167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94		167.41	157.73	9.68	79 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (<i>fl.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-DRO (<i>ug/L</i>)	TPH-GRO (<i>ug/L</i>)	B (<i>ug/L</i>)	T (<i>ug/L</i>)	E (<i>ug/L</i>)	X (<i>ug/L</i>)	MTBE (<i>ug/L</i>)	TOG (<i>ug/L</i>)	ETHANOL (<i>ug/L</i>)
MW-5 (cont)												
03/30/95	167.41	157.79	9.62	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	167.41	157.55	9.86	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	167.41	157.56	9.85	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	167.41	157.67	9.74	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
NOT MONITORED/SAMPLED												
TRIP BLANK												
10/08/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/04/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/04/91	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/27/93	--	--	--	<50	--	--	--	--	--	--	--	--
03/05/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/17/93	--	--	--	--	--	--	--	--	--	--	--	--
06/18/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--	--
09/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
04/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
05/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/23/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
11/30/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/06/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/25/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/28/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/05/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/13/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/19/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/20/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/27/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/19/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (mst)	DTW (fl.)	TPH-DRO (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
TRIP BLANK (cont)												
03/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/19/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/31/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
09/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/16/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/02/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/00 ⁸	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/19/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
03/13/01	--	--	--	--	<50.0	<0.500	0.534	<0.500	1.25	<0.500	--	--
06/12/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/18/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
QA												
12/17/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/17/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/16/03 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/15/03 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/15/03 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/01/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/28/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/13/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/22/04 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/04/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/30/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/16/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/21/05 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/21/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/21/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/05/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-6991
 2920 Castro Valley Boulevard
 Castro Valley, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (ft.)	TPH-DRG (ug/L)	TPH-GRO (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	TOG (ug/L)	ETHANOL (ug/L)
QA (cont)												
12/28/06 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/26/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/26/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/26/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/20/07 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
02/29/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
05/09/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/19/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/04/08 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/05/09 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/23/09 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/01/09 ¹⁶	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 30, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

TPH = Total Petroleum Hydrocarbons

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

TPH-D = Total Petroleum Hydrocarbons as Diesel

TOG = Total Oil and Grease

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

NP = No Purge

PER = Peristaltic Pump

QA = Quality Assurance/Trip Blank

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Chromatogram pattern indicates a non-diesel mix.
- 3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 4 Chromatogram pattern indicates a non-diesel mix + discrete peaks.
- 5 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 6 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 7 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 9 Laboratory report indicates discrete peaks.
- 10 Laboratory report indicates gasoline C6-C12.
- 11 Laboratory report indicates unidentified hydrocarbons >C16.
- 12 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- 13 Confirmation run.
- 14 Insufficient water to obtain sample for TPH-D.
- 15 Laboratory report indicates unidentified hydrocarbons C9-C17.
- 16 BTEX and MTBE by EPA Method 8260.
- 17 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to individual peak(s) eluting in the DRO range.
- 18 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel and contains individual peaks eluting in the DRO range.
- 19 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range, and individual peaks eluting in the DRO range.
- 20 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and additional patterns which elute earlier and later in the DRO range.
- 21 Incorrect TOC elevation (168.80) was used in past reports. Correct TOC and GWE are shown.
- 22 Analysis inadvertently missed in the field.
- 23 No Purge due to insufficient water.

Table 2
Field Measurements and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	D.O. (mg/L)	ORP (mV)	ALKALINITY (ug/L)	SULFATE (ug/L)	NITRATE as NITROGEN (ug/L)	FERROUS IRON (ug/L)
MW-1	12/21/05	3.7	151	581,000	184,000	6,400	29
	03/21/06	4.7	32	546,000	147,000	5,800	600
	06/21/06	SAMPLED ANNUALLY		--	--	--	--
	09/05/06	SAMPLED ANNUALLY		--	--	--	--
	12/28/06	SAMPLED ANNUALLY		--	--	--	--
	03/26/07	3.4	47	844,000 ³	112,000	3,600	22,400
	02/29/08	2.6	153	¹ <460/584,000 ²	158,000	4,500	730
MW-4	12/21/05	1.4	89	396,000	137,000	2,300	<8.0
	03/21/06	3.0	82	407,000	139,000	2,200	<8.0
	06/21/06	0.3	86	¹ 710/403,000 ²	136,000	2,700	12
	09/05/06	2.1	106	¹ <460/412,000 ²	147,000	2,700	210
	12/28/06	1.1	114	¹ <460/396,000 ²	175,000	2,500	<8.0
	03/26/07	1.2	188	393,000 ³	151,000	1,800	190
	06/26/07	1.9	31	392,000	179,000	2,900	<8.0
	09/26/07	2.3	110	¹ <460/412,000 ²	182,000	1,600	<8.0
	12/20/07	2.1	76	¹ <460/402,000 ²	169,000	1,400	<8.0
	02/29/08	1.6	88	¹ <460/396,000 ²	193,000	1,500	15
	05/09/08	1.1	77	¹ <460/399,000 ²	165,000	1,500	23
	09/19/08	1.7	43	¹ <460/420,000 ²	167,000	2,500	<8.0
MW-7	12/21/05	1.4	53	475,000	2,700	<400	820
	03/21/06	2.5	12	439,000	3,800	<400	3,800
	06/21/06	0.1	-62	¹ 1,400/480,000 ²	1,600	<250	5,000
	09/05/06	1.2	-23	¹ <460/419,000 ²	1,700	<250	3,500
	12/28/06	0.80	-36	¹ <460/498,000 ²	2,100	<250	1,000
	03/26/07	1.1	-24	490,000 ³	2,000	<250	2,200
	06/26/07	1.0	-72	426,000	1,800	<250	4,700
	09/26/07	.90	26	¹ <460/423,000 ²	2,400	<250	3,800
	12/20/07	1.3	-8	¹ <460/539,000 ²	3,200	<250	910
	02/29/08	1.2	80	¹ <460/510,000 ²	8,100	<250	690
	05/09/08	1.0	65	¹ <460/157,000 ²	2,700	<250	1,800
	09/19/08	1.7	25	¹ <460/403,000 ²	8,100	<250	8,000

Table 2
Field Measurements and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

WELL ID	DATE	D.O. (mg/L)	ORP (mV)	ALKALINITY (ug/L)	SULFATE (ug/L)	NITRATE as NITROGEN (ug/L)	FERROUS IRON (ug/L)
MW-1	12/21/05	3.7	151	581,000	184,000	6,400	29
	03/21/06	4.7	32	546,000	147,000	5,800	600
	06/21/06	SAMPLED ANNUALLY		--	--	--	--
	09/05/06	SAMPLED ANNUALLY		--	--	--	--
	12/28/06	SAMPLED ANNUALLY		--	--	--	--
	03/26/07	3.4	47	844,000 ¹	112,000	3,600	22,400
	02/29/08	2.6	153	¹ <460/584,000 ²	158,000	4,500	730
MW-4	12/21/05	1.4	89	396,000	137,000	2,300	<8.0
	03/21/06	3.0	82	407,000	139,000	2,200	<8.0
	06/21/06	0.3	86	¹ 710/403,000 ²	136,000	2,700	12
	09/05/06	2.1	106	¹ <460/412,000 ²	147,000	2,700	210
	12/28/06	1.1	114	¹ <460/396,000 ²	175,000	2,500	<8.0
	03/26/07	1.2	188	393,000 ¹	151,000	1,800	190
	06/26/07	1.9	31	392,000	179,000	2,900	<8.0
	09/26/07	2.3	110	¹ <460/412,000 ²	182,000	1,600	<8.0
	12/20/07	2.1	76	¹ <460/402,000 ²	169,000	1,400	<8.0
	02/29/08	1.6	88	¹ <460/396,000 ²	193,000	1,500	15
	05/09/08	1.1	77	¹ <460/399,000 ²	165,000	1,500	23
	09/19/08	1.7	43	¹ <460/420,000 ²	167,000	2,500	<8.0
MW-7	12/21/05	1.4	53	475,000	2,700	<400	820
	03/21/06	2.5	12	439,000	3,800	<400	3,800
	06/21/06	0.1	-62	¹ 1,400/480,000 ²	1,600	<250	5,000
	09/05/06	1.2	-23	¹ <460/419,000 ²	1,700	<250	3,500
	12/28/06	0.80	-36	¹ <460/498,000 ²	2,100	<250	1,000
	03/26/07	1.1	-24	490,000 ³	2,000	<250	2,200
	06/26/07	1.0	-72	426,000	1,800	<250	4,700
	09/26/07	.90	26	¹ <460/423,000 ²	2,400	<250	3,800
	12/20/07	1.3	-8	¹ <460/539,000 ²	3,200	<250	910
	02/29/08	1.2	80	¹ <460/510,000 ²	8,100	<250	690
	05/09/08	1.0	65	¹ <460/157,000 ²	2,700	<250	1,800
	09/19/08	1.7	25	¹ <460/403,000 ²	8,100	<250	8,000

Table 2
Field Measurements and Analytical Results
Chevron Service Station #9-6991
2920 Castro Valley Boulevard
Castro Valley, California

EXPLANATIONS:

D.O. = Dissolved Oxygen

(mg/L) = milligrams per liter

ORP = Oxidation Reduction Potential

(mV) = millivolts

-- = Not Analyzed

(µg/L) = Micrograms per liter

¹ pH 8.3.

² pH 4.5.

³ Laboratory report indicates this sample was analyzed past the 14-day hold time.

ANALYTICAL METHODS:

Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 8.3

Alkalinity by EPA Method SM20 2320 B for Alkalinity to pH 4.5

Sulfate by EPA Method 300.0

Nitrate as Nitrogen by EPA Method 300.00

Ferrous Iron by EPA Method SM20 3500-Fe B

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 9/1/09 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-1
 Well Diameter: 3/4" / 2 in.
 Total Depth: 17.70 ft.
 Depth to Water: 11.04 ft.
6.66 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/1/09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

- Purge Equipment:**
- Disposable Bailer _____
 - Stainless Steel Bailer _____
 - Stack Pump _____
 - Suction Pump _____
 - Grundfos _____
 - Peristaltic Pump _____
 - QED Bladder Pump _____
 - Other: _____

- Sampling Equipment:**
- Disposable Bailer _____
 - Pressure Bailer _____
 - Discrete Bailer _____
 - Peristaltic Pump _____
 - QED Bladder Pump _____
 - Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 9/1/09 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-2
 Well Diameter: 8 1/2 in.
 Total Depth: 14.70 ft.
 Depth to Water: 11.60 ft.
3.10 xVF .02 = .06

Date Monitored: 9/1/09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: .18 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.24

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump X
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump X
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 1330 Weather Conditions: Clear
 Sample Time/Date: 1400 1 9/1/09 Water Color: cloudy Odor: Y 10
 Approx. Flow Rate: - gpm. Sediment Description: 1.12
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.24

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>GS</u>)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1332</u>	<u>.6</u>	<u>7.61</u>	<u>692</u>	<u>24.2</u>		
<u>1334</u>	<u>.12</u>	<u>7.55</u>	<u>705</u>	<u>24.1</u>		
<u>1336</u>	<u>.18</u>	<u>7.93</u>	<u>711</u>	<u>24.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 9/1/09 (inclusive)
 City: Castro Valley, CA Sampler: SH

Well ID: MW-4
 Well Diameter: 3/4 (2) in.
 Total Depth: 19.73 ft.
 Depth to Water: 11.08 ft.
8.65 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/1/09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: M/D

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 9/1/09 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-6
 Well Diameter: 3/4 (2) in.
 Total Depth: 23.37 ft.
 Depth to Water: 11.64 ft.
11.73 xVF .17 = 1.99

Date Monitored: 9/1/09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.98 x3 case volume = Estimated Purge Volume: 5.98 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1435 Weather Conditions: clear
 Sample Time/Date: 1510 / 9/1/09 Water Color: cloudy Odor: Y / 10
 Approx. Flow Rate: - gpm. Sediment Description: 1.945
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 13.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (S))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1440</u>	<u>2</u>	<u>7.45</u>	<u>891</u>	<u>24.8</u>	_____	_____
<u>1445</u>	<u>4</u>	<u>7.32</u>	<u>944</u>	<u>24.2</u>	_____	_____
<u>1450</u>	<u>6</u>	<u>7.20</u>	<u>963</u>	<u>24.1</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NO</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-6991 Job Number: 385296
 Site Address: 2920 Castro Valley Blvd Event Date: 9/1/09 (inclusive)
 City: Castro Valley, CA Sampler: JH

Well ID: MW-7
 Well Diameter: 3/4 (2) in.
 Total Depth: 19.72 ft.
 Depth to Water: 11.92 ft.
7.80 xVF .17 = 1.32 x3 case volume = Estimated Purge Volume: 3.97 gal.

Date Monitored: 9/1/09

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.48

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): 1230 Weather Conditions: clear
 Sample Time/Date: 1305 / 9/1/09 Water Color: clear Odor: YIB
 Approx. Flow Rate: _____ gpm. Sediment Description: light
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 13.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (US)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1234</u>	<u>1.5</u>	<u>7.61</u>	<u>681</u>	<u>23.1</u>		
<u>1238</u>	<u>3.0</u>	<u>7.47</u>	<u>695</u>	<u>23.0</u>		
<u>1242</u>	<u>4.0</u>	<u>7.42</u>	<u>722</u>	<u>23.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	<u>2</u> x 500ml ambers	YES	NO	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only

Acct. #: 12099 Sample # 5767668-71 Group #: 018891

CRA MTI Project #: 61H-1633

1160383

Facility #: SS#9-6991 G-R#385296 Global ID#T0600100324
 Site Address: 2920 CASTRO VALLEY BLVD, CASTRO VALLEY, CA
 Chevron PM: MTI Lead Consultant: CRAKJ
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Jim Heenan

Matrix	Analyses Requested										
	Preservation Codes										
<input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air	Total Number of Containers	<input type="checkbox"/> BTEX + MTBE 8260	<input type="checkbox"/> 8021	<input type="checkbox"/> TPH 8015 MOD GRO	<input type="checkbox"/> TPH 8015 MOD DRO	<input type="checkbox"/> Silica Gel Cleanup	<input type="checkbox"/> 8260 full scan	<input type="checkbox"/> Oxygenates	<input type="checkbox"/> Total Lead Method	<input type="checkbox"/> Dissolved Lead Method	
		<input checked="" type="checkbox"/> 8021	<input checked="" type="checkbox"/> TPH 8015 MOD GRO	<input checked="" type="checkbox"/> TPH 8015 MOD DRO	<input checked="" type="checkbox"/> Silica Gel Cleanup	<input checked="" type="checkbox"/> 8260 full scan	<input checked="" type="checkbox"/> Oxygenates	<input checked="" type="checkbox"/> Total Lead Method	<input checked="" type="checkbox"/> Dissolved Lead Method		

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds
 8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	
<u>QA</u>	<u>9/1/09</u>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>MW-2</u>	<u>↓</u>	<u>1400</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>MW-6</u>	<u>↓</u>	<u>1510</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<u>MW-7</u>	<u>↓</u>	<u>1305</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
~~STD. TAT~~ 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 OC Summary Type I - Full **EDF/EDD**
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>9/1/09</u>	Time: <u>1700</u>	Received by: <u>[Signature]</u>	Date: <u>9/2/09</u>	Time: <u>1515</u>
Relinquished by: <u>[Signature]</u>	Date: <u>9/2/09</u>	Time: _____	Received by: <u>[Signature]</u>	Date: <u>9/2/09</u>	Time: _____
Relinquished by: <u>[Signature]</u>	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: UPS FedEx Other _____	Received by: <u>[Signature]</u>		Date: <u>9/1/09</u>	Time: <u>0910</u>	
Temperature Upon Receipt: <u>15.3</u> °C	Date: <u>9/1/09</u>	C°	Custody Seals Intact? <u>Yes</u> No		



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

916-677-3407

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

September 15, 2009

RECEIVED

SEP 17 2009

GETTLER-RYAN INC.
GENERAL CONTRACTORS

SAMPLE GROUP

The sample group for this submittal is 1160383. Samples arrived at the laboratory on Thursday, September 03, 2009. The PO# for this group is 96991 and the release number is MTI.

Client Description

QA-T-090901 NA Water
MW-2-W-090901 Grab Water
MW-6-W-090901 Grab Water
MW-7-W-090901 Grab Water

Lancaster Labs Number

5767668
5767669
5767670
5767671

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Gettler-Ryan, Inc.
COPY TO

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink that reads "Valerie L. Tomayko".

Valerie L. Tomayko
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5767668

Group No. 1160383
CA

QA-T-090901 NA Water
Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
2920 Castro Valley Blvd-Ca T0600100324 QA

Collected: 09/01/2009

Account Number: 12099

Submitted: 09/03/2009 09:10
Reported: 09/15/2009 at 09:43
Discard: 10/16/2009

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

CV-TB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D092473AA	09/05/2009 00:53	Kelly E Brickley	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	D092473AA	09/05/2009 00:53	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	09247D20A	09/08/2009 15:04	Fanella S Zamcho	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09247D20A	09/08/2009 15:04	Fanella S Zamcho	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-658-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5767669

Group No. 1160383

CA

MW-2-W-090901 Grab Water

Facility# 96991 Job# 385296 MTI# 61H-1633 GRD

2920 Castro Valley Blvd-Ca T0600100324 MW-2

Collected: 09/01/2009 14:00 by JH

Account Number: 12099

Submitted: 09/03/2009 09:10

Chevron c/o CRA

Reported: 09/15/2009 at 09:43

Suite 110

Discard: 10/16/2009

2000 Opportunity Drive

Roseville CA 95678

CV-M2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	10	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	75	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D092473AA	09/04/2009 21:27	Kelly E Brickley	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	D092473AA	09/04/2009 21:27	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	09247D20A	09/08/2009 18:19	Fanella S Zamcho	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09247D20A	09/08/2009 18:19	Fanella S Zamcho	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	092460022A	09/04/2009 08:45	Cynthia J Salvatori	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	092460022A	09/08/2009 11:47	Diane V Do	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5767670

Group No. 1160383
CA

MW-6-W-090901 Grab Water

Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
2920 Castro Valley Blvd-Ca T0600100324 MW-6

Collected: 09/01/2009 15:10 by JH

Account Number: 12099

Submitted: 09/03/2009 09:10

Chevron c/o CRA

Reported: 09/15/2009 at 09:43

Suite 110

Discard: 10/16/2009

2000 Opportunity Drive
Roseville CA 95678

CV-M6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06054	Benzene	71-43-2	N.D.	0.5 ug/l	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50 ug/l	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	52	50 ug/l	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D092473AA	09/05/2009 01:16	Kelly E Brickley	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	D092473AA	09/05/2009 01:16	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	09247D20A	09/08/2009 18:41	Fanella S Zamcho	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09247D20A	09/08/2009 18:41	Fanella S Zamcho	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	092460022A	09/04/2009 08:45	Cynthia J Salvatori	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	092460022A	09/08/2009 15:16	Diane V Do	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5767671

Group No. 1160383
CA

MW-7-W-090901 Grab Water

Facility# 96991 Job# 385296 MTI# 61H-1633 GRD
2920 Castro Valley Blvd-Ca T0600100324 MW-7

Collected: 09/01/2009 13:05 by JH

Account Number: 12099

Submitted: 09/03/2009 09:10

Chevron c/o CRA

Reported: 09/15/2009 at 09:43

Suite 110

Discard: 10/16/2009

2000 Opportunity Drive
Roseville CA 95678

CV-M7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	1	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	150	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	2,100	50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	6,800	66	2

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D092473AA	09/05/2009 01:39	Kelly E Brickley	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	D092473AA	09/05/2009 01:39	Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	09247D20A	09/08/2009 19:03	Fanella S Zamcho	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09247D20A	09/08/2009 19:03	Fanella S Zamcho	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	092460022A	09/04/2009 08:45	Cynthia J Salvatori	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	092460022A	09/09/2009 10:18	Diane V Do	2

Quality Control Summary

 Client Name: Chevron c/o CRA
 Reported: 09/15/09 at 09:43 AM

Group Number: 1160383

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D092473AA	Sample number(s): 5767668-5767671							
Benzene	N.D.	0.5	ug/l	95		79-120		
Ethylbenzene	N.D.	0.5	ug/l	69		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	87		76-120		
Toluene	N.D.	0.5	ug/l	91		79-120		
Xylene (Total)	N.D.	0.5	ug/l	91		80-120		
Batch number: 09247D20A	Sample number(s): 5767668-5767671							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	109	109	75-135	0	30
Batch number: 092460022A	Sample number(s): 5767669-5767671							
TPH-DRO CA C10-C28	N.D.	32.	ug/l	84	78	56-122	8	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: D092473AA	Sample number(s): 5767668-5767671 UNSPK: 5767669								
Benzene	106	110	80-126	3	30				
Ethylbenzene	102	103	71-134	1	30				
Methyl Tertiary Butyl Ether	110	100	72-126	7	30				
Toluene	104	106	80-125	1	30				
Xylene (Total)	103	105	79-125	2	30				
Batch number: 09247D20A	Sample number(s): 5767668-5767671 UNSPK: 5767669								
TPH-GRO N. CA water C6-C12	118		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: D092473AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5767668	99	93	89	93
5767669	96	91	90	94

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike amount not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
J	Estimated value	U	Compound was not detected
N	Presumptive evidence of a compound (TICs only)	W	Post digestion spike out of control limits
P	Concentration difference between primary and confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA <0.995
X,Y,Z	Defined in case narrative		

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.