



GETTLER-RYAN INC.

TRANSMITTAL

March 31, 2004
G-R #386448

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Unit #9
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-1924
4904 Southfront Road
Livermore, California
MTI: 61D-1961**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 26, 2004	Groundwater Monitoring and Sampling Report First Quarter - Event of March 1, 2004

COMMENTS:

This report is being sent for you review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **April 19, 2004**, at which time the final report will be distributed to the following:

cc: Ms. Eva Chu, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway,
Suite 250, Alameda, CA 94502-6577

Enclosures

trans/9-1924-ks



GETTLER - RYAN INC.

March 26, 2004
G-R Job #386448

Ms. Karen Streich
ChevronTexaco Company
P.O. Box 6004
San Ramon, CA 94583

RE: First Quarter Event of March 1, 2004
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

FIGURE

1

PROJECT NUMBER
 386448

REVIEWED BY

DATE
 March 1, 2004

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-7										
03/28/86	520.30	508.63	11.67	--	--	--	--	--	--	--
03/15/88	520.30	506.82	13.48	8,000	98	690	120	120	--	--
05/10/88	520.30	506.70	13.60	--	--	--	--	--	--	--
06/10/88	520.30	505.62	14.68	--	--	--	--	--	--	--
07/25/88	520.30	506.87	13.43	--	--	--	--	--	--	--
10/13/88	520.30	506.69	13.61	16,000	4,400	220	1,000	3,000	--	--
01/01/89	520.30	507.64	12.66	--	--	--	--	--	--	--
01/12/89	520.30	--	--	8,000	950	47	670	640	--	--
04/12/89	520.30	506.70	13.60	6,000	1,100	30	760	370	--	ND
06/26/89	520.30	506.42	13.88	6,000	1,300	50	600	340	--	ND
10/13/89	520.30	506.49	13.81	3,900	1,300	ND	160	150	--	--
01/03/90	520.30	506.59	13.71	5,600	1,200	13	180	200	--	--
05/08/90	520.30	506.45	13.85	3,500	1,100	15	110	140	--	--
09/29/90	520.30	506.50	13.80	2,400	580	ND	46	68	--	--
01/03/91	520.30	506.59	13.71	2,500	300	2.0	110	120	--	--
04/12/91	520.30	506.84	13.46	2,300	190	1.0	81	87	--	--
09/04/91	520.30	506.21	14.09	--	--	--	--	--	--	--
10/07/91	520.30	--	--	4,700	170	1.9	97	59	--	--
04/06/92	520.30	507.28	13.02	2,400	95	0.8	110	100	--	--
07/28/92	520.30	506.54	13.76	2,000	120	3.4	110	110	--	--
10/16/92	520.30	505.88	14.42	2,700	130	4.2	68	74	--	--
01/14/93	520.30	509.32	10.98	7,800	160	33	380	210	--	--
03/26/93	520.30	509.69	10.61	1,400	39	9.0	28	15	--	--
04/22/93	520.30	508.46	11.84	3,800	130	18	43	36	--	--
07/20-21/93 ¹	520.30	504.94	15.36	1,900	35	18	61	87	--	--
10/20/93	520.30	506.89	13.41	5,500	72	26	250	160	--	--
01/20/94 ¹	520.30	507.11	13.19	3,600	12	12	150	69	--	--
04/21/94	520.30	506.97	13.33	2,100	62	11	170	68	--	--
07/21-22/94	520.30	506.91	13.39	1,700	50	4.4	110	22	--	--
01/18/95	520.30	508.71	11.59	920	16	<0.5	30	12	--	--
04/17/95	520.30	508.56	11.74	730	4.3	1.6	12	1.8	--	--
07/18/95	520.30	508.32	11.98	1,200	63	<5.0	12	<5.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-7 (cont)										
10/17/95	520.30	507.82	12.48	1,100	45	<5.0	12	<5.0	8,100	--
01/18/96	520.30	508.90	11.40	930	7.3	<5.0	<5.0	<5.0	1,900	--
04/17/96	520.30	509.34	10.96	980	5.5	<1.0	7.4	1.1	340	--
07/16/96	520.30	508.79	11.51	1,400	96	<5.0	11	9.9	3,000	--
10/16/96	520.30	508.30	12.00	4,100	40	<5.0	7.5	5.5	3,800	--
03/23/01	520.30	508.50	11.80	329	<0.500	<0.500	<0.500	<0.500	33.2/38 ⁴	--
09/28/01	520.30	508.17	12.13	1,100	3.8	<1.0	3.2	<5.0	130	--
12/28/01	520.30	509.18	11.12	800	3.1	2.6	2.6	16	42	--
03/29/02	520.30	508.65	11.65	360	0.73	<0.50	1.4	2.7	13/12 ⁴	--
06/13/02	520.30	508.01	12.29	1,100	2.1	<2.0	3.3	6.4	35	--
09/10/02	520.30	508.11	12.19	460	<0.50	<0.50	0.69	<1.5	52	--
12/09/02	520.30	508.04	12.26	1,200	3.1	1.4	3.5	5.5	70	--
03/04/03	520.30	508.54	11.76	260	<2.0	<0.50	0.97	<1.5	12/11 ⁴	--
06/06/03 ^S	521.16	507.80	13.36	610	<0.5	<0.5	0.9	<0.5	20	--
09/04/03 ^S	521.16	507.25	13.91	970	1	<0.5	1	<0.5	86	--
12/03/03 ^S	521.16	507.40	13.76	1,100	0.5	<0.5	1	0.6	77	--
03/01/04 ^S	521.16	508.71	12.45	--	<0.5	<0.5	0.7	<0.5	15	--
C-9										
03/28/86	519.52	508.28	11.24	--	--	--	--	--	--	--
03/15/88	519.52	506.60	12.92	29,000	540	560	580	3,900	--	--
05/10/88	519.52	506.40	13.12	--	--	--	--	--	--	--
06/10/88	519.52	505.36	14.16	--	--	--	--	--	--	--
07/25/88	519.52	506.52	13.00	--	--	--	--	--	--	--
10/13/88	519.52	506.39	13.13	2,200	57	8.0	20	150	--	--
01/01/89	519.52	507.33	12.19	--	--	--	--	--	--	--
01/12/89	519.52	--	--	2,000	39	12	51	46	--	--
04/12/89	519.52	506.41	13.11	6,000	16	20	55	240	--	ND
04/11/89	519.52	506.41	13.11	6,000	14	25	45	290	--	--
06/26/89	519.52	506.12	13.40	3,900	37	63	140	690	--	ND
10/13/89	519.52	506.06	13.46	1,300	7.0	ND	26	50	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-9 (cont)										
01/03/90	519.52	506.22	13.30	1,500	ND	0.7	202	37	--	--
05/07/90	519.52	506.04	13.48	7,100	21	33	89	500	--	--
09/29/90	519.52	506.13	13.39	1,000	21	3.9	31	110	--	--
01/03/91	519.72	506.44	13.28	3,200	ND	ND	32	140	--	--
04/12/91	519.72	506.72	13.00	--	--	--	--	--	--	--
09/04/91	519.72	506.11	13.61	--	--	--	--	--	--	--
04/06/92	519.72	507.18	12.54	2,800	ND	ND	33	130	--	--
07/28/92	519.72	506.27	13.45	1,000	6.5	2.4	17	37	--	--
10/16/92	519.72	505.74	13.98	190,000	ND	730	960	2,000	--	--
01/14/93	519.72	509.28	10.44	2,200	ND	ND	27	77	--	--
03/26/93	519.72	--	--	--	--	--	--	--	--	--
04/22/93	519.72	508.29	11.43	7,300	60	40	68	98	--	--
07/20-21/93	519.72	504.52	15.20	30,000	160	130	450	1,100	--	--
10/20/93	519.72	506.76	12.96	36,000	22	200	440	930	--	--
01/20/94	519.72	506.88	12.84	12,000	55	57	27	210	--	--
04/21/94	519.72	506.58	13.14	2,200	11	12	23	19	--	--
07/21-22/94	519.72	506.77	12.95	1,100	ND	4.0	14	10	--	--
01/18/95	519.72	508.57	11.15	2,100	9.2	13	19	13	--	--
04/17/95	519.72	508.41	11.31	3,800	4.8	3.6	5.9	7.2	--	--
07/18/95	519.72	508.06	11.66	1,700	<2.0	<2.0	9.6	8.3	--	--
10/17/95	519.72	507.99	11.73	1,200	<1.2	<1.2	2.2	4.3	450	--
01/18/96	519.72	509.04	10.68	1,400	3.1	<2.5	<2.5	<2.5	750	--
04/17/96	519.72	509.67	10.05	480	0.94	<0.5	1.7	1.1	380	--
07/16/96	519.72	508.80	10.92	290	2.7	<0.5	2.0	3.3	420	--
10/16/96	519.72	508.42	11.30	2,200	13	<10	<10	<10	1,300	--
04/10/97	519.72	508.52	11.20	680	<5.0	<5.0	<5.0	<5.0	630	--
10/20/97	519.72	508.28	11.44	650	11	<5.0	8.1	7.2	1,000	--
04/30/98	519.72	509.11	10.61	880	4.4	3.9	2.0	8.5	200	--
10/07/98	519.72	508.87	10.85	<50	0.68	<0.5	<0.5	<0.5	130	--
04/14/99	519.72	508.89	10.83	534	3.28	<0.5	3.0	<0.5	94.4	--
01/21/00	519.72	508.82	10.90	937	<0.5	0.718	1.64	1.3	144	--
03/23/01	519.72	508.44	11.28	434	<0.500	<0.500	<0.500	<0.500	19.7/22 ⁴	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-9 (cont)										
09/28/01	519.72	508.14	11.58	480	0.92	<1.0	1.1	<5.0	21	--
12/28/01	519.72	509.01	10.71	340	1.0	0.51	<2.0	<5.0	17	--
03/29/02	519.72	508.55	11.17	350	0.67	<0.50	<2.0	<5.0	18/16 ⁴	--
06/13/02	519.72	507.93	11.79	300	0.50	<0.50	<1.0	<3.0	5.9	--
09/10/02	519.72	508.20	11.52	320	<0.50	0.57	<1.0	2.6	6.8	--
12/09/02	519.72	507.99	11.73	400	<0.50	0.78	1.5	5.5	14/15 ⁴	--
03/07/03	519.72	508.33	11.39	340	0.85	0.55	1.1	<5.0	5.6/5 ⁴	--
06/06/03 ⁵	519.64	507.42	12.22	220	<0.5	<0.5	<0.5	<1	4	--
09/04/03 ⁵	519.64	506.92	12.72	290	<0.5	<0.5	<0.5	<1.0	39	--
12/03/03 ⁵	519.64	507.03	12.61	310	<0.5	<0.7	<0.8	<1.6	49	--
03/01/04 ⁵	519.64	508.32	11.32	--	<0.5	<0.5	<0.5	<0.5	10	--
C-11										
03/28/86	520.04	506.22	13.82	--	--	--	--	--	--	--
03/15/88	520.04	505.55	14.49	--	--	--	--	--	--	--
05/10/88	520.04	505.73	14.31	--	--	--	--	--	--	--
06/10/88	520.04	504.57	15.47	--	--	--	--	--	--	--
07/25/88	520.04	506.44	13.60	--	--	--	--	--	--	--
10/14/88	520.04	505.51	14.53	2.0	240	33	4.7	67	--	--
01/01/89	520.04	505.94	14.10	--	--	--	--	--	--	--
01/12/89	520.04	--	--	ND	ND	0.8	ND	ND	--	--
04/12/89	520.04	505.68	14.36	ND	4.3	ND	ND	ND	--	ND
06/26/89	520.04	505.46	14.58	ND	2.0	ND	ND	ND	--	4.0
10/13/89	520.04	505.33	14.71	ND	ND	ND	ND	ND	--	ND
01/03/90	520.04	505.43	14.61	ND	ND	ND	ND	0.7	--	--
05/08/90	520.04	504.51	15.53	110	12	11	0.9	22	--	--
09/28/90	520.04	504.53	15.51	ND	2.0	1.4	ND	3.3	--	--
01/03/91	520.04	505.41	14.63	ND	2.0	ND	ND	2.0	--	--
04/12/91	520.04	505.74	14.30	--	--	--	--	--	--	--
09/04/91	520.04	505.20	14.84	--	--	--	--	--	--	--
04/06/92	520.04	506.48	13.56	ND	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-11 (cont)										
07/28/92	520.04	505.65	14.39	ND	ND	ND	ND	ND	--	--
10/16/92	520.04	504.25	15.79	ND	ND	ND	ND	ND	--	--
01/14/93	520.04	507.90	12.14	94	ND	1.3	0.7	6.0	--	--
03/26/93	520.04	508.23	11.81	130	2.0	ND	0.6	1.0	--	--
04/22/93	520.04	507.10	12.94	ND	0.8	ND	ND	ND	--	--
07/20-21/93	520.04	503.56	16.48	1,200	3.0	1.0	ND	1.0	--	--
10/20/93	520.04	505.58	14.46	ND	2.0	ND	ND	ND	--	--
01/20/94	520.04	505.92	14.12	140	5.0	0.6	3.0	4.0	--	--
04/21/94	520.04	505.80	14.24	86	1.7	0.6	1.2	1.6	--	--
07/21-22/94	520.04	505.83	14.21	ND	ND	ND	ND	ND	--	--
01/18/95	520.04	506.81	13.23	50	3.7	<0.5	0.9	1.9	--	--
04/17/95	520.04	507.03	13.01	89	1.4	1.3	0.69	0.79	--	--
07/18/95	520.04	507.04	13.00	89	0.95	<0.5	1.1	1.0	--	--
10/17/95	520.04	506.72	13.32	73	<0.5	<0.5	<0.5	<0.5	390	--
01/18/96	520.04	507.14	12.90	240	12	29	4.3	33	<2.5	--
04/17/96	519.95	507.47	12.48	<50	<0.5	<0.5	<0.5	<0.5	26	--
07/16/96	519.95	507.28	12.67	<500	17	<5.0	<5.0	20	5,900	--
10/16/96	519.95	506.90	13.05	<125	<1.2	<1.2	<1.2	<1.2	910	--
04/10/97	519.95	506.77	13.18	<100	<1.0	<1.0	<1.0	<1.0	460	--
10/20/97	519.95	506.70	13.25	190	<0.5	7.2	2.6	16	8,900	--
04/30/98	519.95	507.19	12.76	<1,000	<10	<10	<10	<10	2,100	--
10/07/98	519.95	507.27	12.68	<50,000	930	<500	<500	<500	700,000	--
01/08/99	519.95	506.74	13.21	<500	16	<5.0	<5.0	<5.0	11,000/9,900 ²	--
04/14/99	519.95	506.84	13.11	99.6	2.13	<0.5	1.08	<0.5	853	--
01/21/00	-- ³	--	13.21	52.5	<0.5	<0.5	<0.5	0.756	261	--
03/23/01	-- ³	--	13.11	<50.0	<0.500	<0.500	<0.500	<0.500	92.3/110 ⁴	--
09/28/01	-- ³	--	13.35	73	<0.50	<0.50	<0.50	<1.5	140	--
12/28/01	-- ³	--	11.43	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	-- ³	--	13.15	<50	<0.50	<0.50	<0.50	<1.5	4.1/3 ⁴	--
06/13/02	-- ³	--	13.38	56	<0.50	<0.50	<0.50	<1.5	69	--
09/10/02	-- ³	INACCESSIBLE - CAR PARKED OVER WELL			--	--	--	--	--	--
12/09/02	-- ³	--	13.23	96	<0.50	<0.50	<0.50	<1.5	27	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	
C-11 (cont)											
03/04/03	-- ³	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--
06/06/03 ⁵	-- ³	--	13.27	<50	<0.5	<0.5	0.6	<0.5	9	--	
09/04/03 ⁵	-- ³	--	13.53	<50	<0.5	<0.5	<0.5	<0.5	11	--	
12/03/03 ⁵	-- ³	--	13.62	<50	<0.5	<0.5	<0.5	<0.5	7	--	
03/01/04 ⁵	-- ³	--	12.75	--	<0.5	<0.5	<0.5	<0.5	9	--	
C-12											
03/28/86	519.82	506.21	13.61	--	--	--	--	--	--	--	
03/15/88	519.82	505.27	14.55	ND	ND	ND	ND	ND	--	--	
05/10/88	519.82	505.25	14.57	--	--	--	--	--	--	--	
06/10/88	519.82	504.19	15.63	--	--	--	--	--	--	--	
07/25/88	519.82	505.31	14.51	--	--	--	--	--	--	--	
10/13/88	519.82	505.22	14.60	ND	ND	ND	ND	ND	--	--	
01/12/89	519.82	505.20	14.62	ND	ND	ND	ND	ND	--	--	
04/11/89	519.82	505.21	14.61	ND	ND	ND	ND	ND	--	ND	
06/26/89	519.82	505.07	14.75	ND	ND	ND	ND	ND	--	ND	
10/13/89	519.82	505.05	14.77	ND	ND	ND	ND	ND	--	ND	
01/03/90	519.82	504.97	14.85	ND	ND	ND	ND	0.6	--	--	
05/07/90	519.82	505.07	14.75	ND	ND	ND	ND	ND	--	--	
09/27/90	519.82	505.21	14.61	ND	ND	ND	ND	ND	--	--	
01/03/91	519.82	505.12	14.70	ND	ND	ND	ND	ND	--	--	
04/12/91	519.82	505.30	14.52	--	--	--	--	--	--	--	
09/04/91	519.82	504.99	14.83	--	--	--	--	--	--	--	
04/06/92	519.82	506.01	13.81	ND	ND	ND	ND	ND	--	--	
07/28/92	519.82	505.50	14.32	ND	ND	ND	ND	ND	--	--	
10/16/92	519.82	504.70	15.12	ND	ND	ND	ND	ND	--	--	
01/14/93	519.82	506.59	13.23	65	ND	ND	ND	1.7	--	--	
03/26/93	519.82	507.62	12.20	ND	0.9	ND	ND	ND	--	--	
04/22/93	519.82	506.61	13.21	ND	ND	ND	ND	ND	--	--	
07/20-21/93	519.82	503.11	16.71	ND	ND	ND	ND	ND	--	--	
10/20/93	519.82	505.63	14.19	ND	ND	ND	ND	ND	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-12 (cont)										
01/20/94	519.82	505.77	14.05	ND	ND	ND	ND	ND	--	--
04/21/94	519.82	505.76	14.06	ND	ND	ND	ND	ND	--	--
07/21-22/94	519.82	505.70	14.12	ND	ND	ND	ND	ND	--	--
01/08/99	519.82	506.51	13.31	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ²	--
03/23/01	519.82	506.86	12.96	--	--	--	--	--	--	--
09/28/01	519.82	506.10	13.72	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	519.82	506.68	13.14	240	1.3	18	3.4	55	4.5	--
03/29/02	519.82	506.26	13.56	2,100	<0.50	<0.50	<0.50	600	<2.5/<2 ⁴	--
06/13/02	519.82	506.08	13.74	940	<0.50	<0.50	<0.50	19	<2.5	--
09/10/02	519.82	506.32	13.50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	519.82	506.08	13.74	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	519.82	506.20	13.62	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	519.87	506.09	13.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	519.87	505.42	14.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	519.87	505.76	14.11	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	519.87	506.19	13.68	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
C-13										
03/28/86	522.24	509.29	12.95	--	--	--	--	--	--	--
03/15/88	522.24	507.42	14.82	250	2.0	ND	9.0	3.0	--	--
05/10/88	522.24	507.21	15.03	--	--	--	--	--	--	--
06/10/88	522.24	506.14	16.10	--	--	--	--	--	--	--
07/25/88	522.24	507.51	14.73	--	--	--	--	--	--	--
10/13/88	522.24	507.33	14.91	ND	1.9	ND	ND	ND	--	--
01/01/89	522.24	508.14	14.10	--	--	--	--	--	--	--
01/12/89	522.24	--	--	ND	ND	0.6	4.0	ND	--	--
04/10/89	522.24	507.25	14.99	ND	ND	ND	8.0	ND	--	ND
06/26/89	522.24	507.08	15.16	ND	0.3	ND	ND	ND	--	ND
10/13/89	522.24	507.01	15.23	ND	ND	ND	ND	ND	--	ND
01/03/90	522.24	507.09	15.15	ND	ND	ND	0.5	0.6	--	--
05/08/90	522.24	507.22	15.02	ND	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-13 (cont)										
09/27/90	522.24	507.13	15.11	ND	ND	0.6	ND	ND	--	--
01/03/91	522.24	507.16	15.08	ND	ND	ND	ND	0.6	--	--
04/12/91	522.24	507.47	14.77	--	--	--	--	--	--	--
09/04/91	522.24	506.81	15.43	--	--	--	--	--	--	--
04/06/92	522.24	507.81	14.43	66	ND	ND	ND	ND	--	--
07/28/92	522.24	506.87	15.37	60	8.2	ND	ND	1.1	--	--
10/16/92	522.24	506.37	15.87	ND	ND	ND	ND	ND	--	--
01/14/93	522.24	509.41	12.83	100	ND	ND	ND	1.3	--	--
03/26/93	522.24	509.65	12.59	ND	ND	ND	ND	ND	--	--
04/22/93	522.24	509.08	13.16	ND	ND	ND	ND	ND	--	--
07/20-21/93	522.24	505.72	16.52	99	4.0	13	2.0	7.0	--	--
10/20/93	522.24	507.11	15.13	ND	ND	ND	ND	ND	--	--
01/20/94	522.24	507.59	14.65	ND	ND	ND	ND	ND	--	--
04/21/94	522.24	507.36	14.88	ND	ND	ND	ND	ND	--	--
07/21-22/94	522.24	507.29	14.95	ND	ND	ND	ND	ND	--	--
03/23/01	522.24	508.96	13.28	--	--	--	--	--	--	--
09/28/01	522.24	508.59	13.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	522.24	509.26	12.98	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	522.24	509.08	13.16	<50	<0.50	<0.50	<0.50	<1.5	8.0/7 ⁴	--
06/13/02	522.24	508.37	13.87	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/10/02	522.24	508.98	13.26	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	522.24	508.40	13.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	522.24	508.93	13.31	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	522.30	508.24	14.06	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	522.30	507.65	14.65	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	522.30	507.81	14.49	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	522.30	509.21	13.09	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
C-20										
10/12/95	520.67	507.17	13.50	--	--	--	--	--	--	--
05/16/96	520.67	507.89	12.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-20 (cont)										
07/16/96	520.67	507.74	12.93	<50	2.5	1.5	0.82	2.4	4.1	--
10/16/96	520.67	507.43	13.24	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/97	520.67	507.35	13.32	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/20/97	520.67	507.21	13.46	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.67	507.82	12.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/07/98	520.67	507.99	12.68	--	--	--	--	--	--	--
04/14/99	520.67	507.37	13.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/21/00	520.67	507.21	13.46	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	520.67	507.11	13.56	--	--	--	--	--	--	--
09/28/01	520.67	506.83	13.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	520.67	507.50	13.17	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	520.67	507.06	13.61	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁴	--
06/13/02	520.67	506.85	13.82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/10/02	520.67	507.33	13.34	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	520.67	506.78	13.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	520.67	506.99	13.68	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	520.63	506.94	13.69	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	520.63	506.56	14.07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	520.63	506.53	14.10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	520.63	507.10	13.53	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
C-21										
10/12/95	519.64	507.49	12.15	--	--	--	--	--	--	--
05/16/96	519.64	508.36	11.28	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	519.64	508.24	11.40	<50	0.93	1.1	0.81	2.3	2.5	--
10/16/96	519.64	508.17	11.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	519.64	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--
09/28/01	519.64	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--
12/28/01	519.64	UNABLE TO LOCATE			--	--	--	--	--	--
03/29/02	519.64	506.89	12.75	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁴	--
06/13/02	519.64	506.64	13.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-21 (cont)										
09/10/02	519.64	506.94	12.70	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	519.64	506.56	13.08	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	519.64	506.83	12.81	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	519.64	506.76	12.88	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	519.64	506.43	13.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	519.64	506.34	13.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	519.64	506.96	12.68	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
C-1										
03/28/86	520.39	508.64	11.75	--	--	--	--	--	--	--
03/15/88	520.39	506.89	13.50	27,000	770	87	610	2,100	--	--
05/10/88	520.39	506.74	13.65	--	--	--	--	--	--	--
06/10/88	520.39	505.67	14.72	--	--	--	--	--	--	--
07/25/88	520.39	506.89	13.50	--	--	--	--	--	--	--
10/13/88	520.39	507.50	12.89	3,200	220	11	62	130	--	--
01/01/89	520.39	507.50	12.89	--	--	--	--	--	--	--
01/12/89	520.39	--	--	4,000	820	43	490	260	--	--
04/10/89	520.39	506.74	13.65	4,000	100	ND	70	50	--	ND
04/10/89	520.39	506.74	13.65	4,000	100	ND	60	50	--	--
06/26/89	520.39	506.45	13.94	600	97	20	60	50	--	ND
06/26/89	520.39	506.45	13.94	570	86	15	44	35	--	--
10/13/89	520.39	506.47	13.92	1,600	64	ND	51	48	--	ND
01/03/90	520.39	506.59	13.80	1,100	36	0.68	30	30	--	--
05/08/90	520.39	506.48	13.91	1,300	37	9.2	40	32	--	--
09/29/90	520.39	506.46	13.93	350	19	1.2	32	31	--	--
01/03/91	520.39	506.54	13.85	400	12	ND	17	14	--	--
04/12/91	520.39	506.88	13.51	--	--	--	--	--	--	--
09/04/91	520.39	506.29	14.10	--	--	--	--	--	--	--
04/06/92	520.39	507.33	13.06	1,000	12	0.8	31	31	--	--
07/28/92	520.39	506.46	13.93	4,200	47	110	96	260	--	--
10/16/92	520.39	505.94	14.45	1,800	11	ND	32	55	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-1 (cont)										
01/14/93	520.39	509.16	11.23	2,000	24	ND	98	62	--	--
03/26/93	520.39	509.45	10.94	4,400	21	12	120	100	--	--
04/22/93 ¹	520.39	504.14	16.25	18,000	26	44	580	330	--	--
07/20-21/93	520.39	505.10	15.29	7,100	73	11	470	470	--	--
10/20/93	520.39	506.89	13.50	880	19	26	260	190	--	--
01/20/94	520.39	507.13	13.26	2,900	13	10	130	60	--	--
04/21/94	520.39	506.93	13.46	1,400	8.8	7.8	82	34	--	--
07/21-22/94	520.39	506.93	13.46	800	4.7	2.7	34	13	--	--
01/18/95	520.39	508.67	11.72	2,000	18	10	130	10	--	--
04/17/95	520.39	508.58	11.81	2,500	13	1.9	33	4.3	--	--
07/18/95	520.39	508.27	12.12	1,100	<10	<10	27	<10	--	--
10/17/95	520.39	507.81	12.58	2,000	13	<5.0	24	<5.0	6,400	--
01/18/96	520.39	509.07	11.32	<2,000	35	30	<20	23	6,600	--
04/17/96	520.39	509.52	10.87	<1,000	31	<10	<10	<10	<50	--
07/16/96	520.39	509.01	11.38	830	15	<5.0	13	<5.0	9,000	--
10/16/96	520.39	508.58	11.81	<5,000	<50	<50	<50	<50	6,300	--
01/08/99	520.39	508.33	12.06	1,600	22	<10	10	<10	1,500/1,400 ²	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE										
ASSUMED DESTROYED (Per Lead Consultant 11/30/01)										
C-2										
03/28/86	520.76	508.78	11.98	--	--	--	--	--	--	--
03/15/88	520.76	506.99	13.77	22,000	3,900	1,900	1,200	1,200	--	--
05/10/88	520.76	506.73	14.03	--	--	--	--	--	--	--
06/10/88	520.76	505.64	15.12	--	--	--	--	--	--	--
07/25/88	520.76	506.90	13.86	--	--	--	--	--	--	--
10/13/88	520.76	506.65	14.11	ND	ND	ND	ND	ND	--	--
01/01/89	520.76	507.93	12.83	--	--	--	--	--	--	--
01/12/89	520.76	--	--	1,000	25	3.0	83	59	--	--
04/10/89	520.76	506.72	14.04	600	2.5	ND	15	12	--	ND
04/10/89	520.76	506.72	14.04	ND	ND	ND	11	11	--	--
06/26/89	520.76	506.42	14.34	640	5.3	8.0	18	14	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-2 (cont)										
06/26/89	520.76	506.42	14.34	750	3.7	0.6	13	8.2	--	--
10/13/89	520.76	506.84	13.92	630	ND	ND	17	10	--	--
01/03/90	520.76	506.65	14.11	880	3	ND	19	17	--	--
05/08/90	520.76	506.48	14.28	340	1.3	2.7	8.4	11	--	--
09/29/90	520.76	506.51	14.25	74	ND	ND	4.6	1.8	--	--
01/03/91	520.76	506.61	14.15	2,000	270	ND	79	93	--	--
04/12/91	520.76	506.90	13.86	--	--	--	--	--	--	--
09/04/91	520.76	506.26	14.50	--	--	--	--	--	--	--
04/06/92	520.76	507.29	13.47	1,200	ND	ND	54	6.1	--	--
07/28/92	520.76	506.41	14.35	1,000	5.2	2.9	26	16	--	--
10/16/92	520.76	505.92	14.84	2,000	ND	2.2	20	10	--	--
01/14/93	520.76	509.54	11.22	1,800	49	50	31	29	--	--
03/26/93	520.76	509.99	10.77	820	15	12	14	6.0	--	--
04/22/93	520.76	507.83	12.93	2,000	12	12	28	29	--	--
07/20-21/93	520.76	504.74	16.02	1,100	28	8.0	4.0	4.0	--	--
10/20/93	520.76	506.92	13.84	1,600	140	18	22	27	--	--
01/20/94	520.76	507.16	13.60	760	36	3.0	7.0	3.0	--	--
04/21/94	520.76	506.66	14.10	430	23	2.8	6.8	6.8	--	--
07/21-22/94	520.76	506.93	13.83	1,200	10	2.8	5.2	53	--	--
01/18/95	520.76	508.94	11.82	640	1.0	<0.5	5.7	7.7	--	--
04/17/95	520.76	508.72	12.04	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/18/95	520.76	508.34	12.42	81	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.76	507.97	12.79	390	<0.5	<0.5	1.2	1.2	14	--
01/18/96	520.76	509.18	11.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/17/96	520.76	509.49	11.27	62	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	520.76	508.81	11.95	370	2.1	1.5	3.1	3.9	47	--
10/16/96	520.76	508.36	12.40	460	2.4	1.3	1.8	1.9	200	--
04/10/97	520.76	508.49	12.27	480	0.63	<0.5	<0.5	<0.5	15	--
10/20/97	520.76	508.45	12.31	SAMPLED ANNUALLY			--	--	--	--
04/30/98	520.76	509.50	11.26	140	1.0	0.61	1.1	1.9	6.4	--
10/07/98	520.76	509.22	11.54	--	--	--	--	--	--	--
04/14/99	520.76	509.35	11.41	201	1.96	<0.5	0.57	<0.5	11.2	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-2 (cont)										
01/21/00	520.76	509.31	11.45	320	0.949	<0.5	0.967	0.62	8.48	--
DESTROYED										
C-3										
03/28/86	521.31	509.07	12.24	--	--	--	--	--	--	--
03/15/88	521.31	507.10	14.21	2,100	86	8.0	30	36	--	--
05/10/88	521.31	506.88	14.43	--	--	--	--	--	--	--
06/10/88	521.31	505.78	15.53	--	--	--	--	--	--	--
07/25/88	521.31	507.09	14.22	--	--	--	--	--	--	--
10/13/88	521.31	507.21	14.10	ND	ND	ND	ND	ND	--	--
01/01/89	521.31	508.61	12.70	--	--	--	--	--	--	ND
04/10/89	521.31	506.95	14.36	200	2.1	ND	4.4	2.6	--	ND
06/26/89	521.31	506.57	14.74	260	1.1	0.7	4.9	1.6	--	--
10/13/89	521.31	506.61	14.70	ND	ND	ND	ND	ND	--	--
01/03/90	521.31	506.89	14.42	ND	ND	ND	0.9	1.4	--	--
05/08/90	521.31	506.66	14.65	ND	ND	ND	ND	ND	--	--
09/27/90	521.31	506.64	14.67	71	ND	1.0	ND	ND	--	--
01/03/91	521.31	506.73	14.58	57	ND	ND	ND	ND	--	--
04/12/91	521.31	507.08	14.23	98	ND	ND	1.6	ND	--	--
09/04/91	521.31	506.43	14.88	64	ND	ND	ND	ND	--	--
04/06/92	521.31	507.48	13.83	88	ND	ND	0.8	ND	--	--
07/28/92	521.31	506.51	14.80	80	ND	ND	0.5	1.1	--	--
10/16/92	521.31	506.08	15.23	1,400	ND	ND	6.6	11	--	--
01/14/93	521.31	509.86	11.45	100	ND	ND	ND	1.3	--	--
03/26/93	521.31	510.04	11.27	74	0.7	1.0	ND	ND	--	--
04/22/93	521.31	508.70	12.61	ND	ND	ND	ND	ND	--	--
07/20-21/93	521.31	505.14	16.17	ND	ND	ND	ND	ND	--	--
10/20/93	521.31	507.08	14.23	ND	ND	1.0	ND	0.8	--	--
01/20/94	521.31	507.30	14.01	ND	ND	ND	ND	ND	--	--
04/21/94	521.31	506.98	14.33	ND	ND	ND	ND	ND	--	--
07/21-22/94	521.31	507.00	14.31	ND	ND	ND	ND	ND	--	--
DESTROYED										

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-5										
03/28/86	520.82	508.82	12.00	--	--	--	--	--	--	--
03/15/88	520.82	507.07	13.75	1,600	82	7.0	77	95	--	--
05/10/88	520.82	506.90	13.92	--	--	--	--	--	--	--
07/10/88	520.82	507.10	13.72	--	--	--	--	--	--	--
07/25/88	520.82	507.10	13.72	--	--	--	--	--	--	--
10/13/88	520.82	506.98	13.84	2,500	ND	ND	ND	ND	--	--
01/01/89	520.82	507.41	13.41	--	--	--	--	--	--	--
01/12/89	520.82	--	--	ND	42	3.0	44	52	--	--
04/10/89	520.82	--	13.88	180	2.6	ND	6.2	5.5	--	ND
06/26/89	520.82	506.68	14.14	420	7.6	0.8	40	56	--	ND
10/13/89	520.82	506.67	14.15	620	ND	ND	10	ND	--	ND
01/03/90	520.82	506.72	14.10	ND	0.7	ND	8.0	6.0	--	--
05/08/90	520.82	506.82	14.00	140	0.6	0.8	11	7.2	--	--
09/27/90	520.82	506.82	14.00	360	ND	3.2	5.2	6.4	--	--
01/03/91	520.82	506.82	14.00	90	ND	ND	ND	3.0	--	--
04/12/91	520.82	507.11	13.71	270	12	ND	19	7.0	--	--
09/04/91	520.82	506.52	14.30	ND	ND	ND	ND	ND	--	--
04/06/92	520.82	507.53	13.29	670	12	ND	40	ND	--	--
07/28/92	520.82	506.69	14.13	130	15	ND	1.8	0.5	--	--
10/16/92	520.82	506.14	14.68	ND	ND	ND	ND	1.2	--	--
01/14/93	520.82	508.95	11.87	2,300	13	ND	110	10	--	--
03/26/93	520.82	--	--	--	--	--	--	--	--	--
04/22/93	520.82	508.70	12.12	2,300	220	18	120	65	--	--
07/20-21/93	520.82	504.78	16.04	970	18	5.0	8.0	14	--	--
10/20/93	520.82	506.72	14.10	2,200	7.0	5.0	3.0	15	--	--
01/20/94	520.82	507.22	13.60	440	2.0	1.0	11	0.6	--	--
04/21/94	520.82	507.01	13.81	490	2.7	2.6	21	1.5	--	--
07/21-22/94	520.82	507.00	13.82	370	0.9	ND	6.5	1.0	--	--
01/18/95	520.82	508.55	12.27	940	37	22	14	7.3	--	--
04/17/95	520.82	508.65	12.17	14,000	1,200	340	160	80	--	--
07/18/95	520.82	508.51	12.31	<2,000	180	<20	<20	<20	--	--
10/17/95	520.82	508.36	12.46	92	4.9	<0.5	<0.5	<0.5	240	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-5 (cont)										
01/18/96	520.82	509.04	11.78	1,300	180	<5.0	10	7.9	4,300	--
04/17/96	520.82	509.71	11.11	2,200	140	<10	<10	<10	5,400	--
07/16/96	520.82	509.40	11.42	380	4.5	<0.5	3.4	3.1	1,400	--
10/16/96	520.82	508.82	12.00	320	3.4	<1.0	<1.0	1.5	660	--
04/10/97	520.82	509.07	11.75	980	12	<2.5	3.0	<2.5	1,700	--
10/20/97	520.82	508.76	12.06	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.82	510.02	10.80	1,500	38	<5.0	17	5.4	1,700	--
10/07/98	520.82	509.78	11.04	--	--	--	--	--	--	--
04/14/99	520.82	509.53	11.29	227	10.9	0.511	1.17	1.06	468	--
01/21/00	520.82	509.42	11.40	909	11.5	<2.0	4.48	<2.0	493	--
03/23/01	520.82	INACCESSIBLE - DUE TO OBSTRUCTION IN WELL				--	--	--	--	--
09/28/01	520.82	INACCESSIBLE - DUE TO OBSTRUCTION IN WELL				--	--	--	--	--
DESTROYED										
C-6										
03/26/86	519.62	508.50	11.12	--	--	--	--	--	--	--
03/15/88	519.62	506.69	12.93	46,000	870	4,600	1,500	8,200	--	--
05/10/88	519.62	506.59	13.03	86,000	1,400	10,000	3,000	19,000	--	--
06/10/88	519.62	505.51	14.11	--	--	--	--	--	--	--
07/25/88	519.62	506.67	12.95	--	--	--	--	--	--	--
10/13/88	519.62	506.48	13.14	5,300	300	600	260	1,600	--	--
01/01/89	519.62	507.48	12.14	--	--	--	--	--	--	--
01/12/89	519.62	--	--	5,000	260	110	270	720	--	--
04/12/89	519.62	506.64	12.98	5,000	90	190	190	680	--	4.0
06/26/89	519.62	506.23	13.39	3,600	77	250	140	610	--	ND
10/13/89	519.62	506.22	13.40	3,500	32	81	100	530	--	ND
01/03/90	519.62	506.44	13.18	3,200	20	97	65	410	--	--
05/08/90	519.62	506.23	13.39	1,800	17	140	ND	400	--	--
09/29/90	519.62	506.30	13.32	8,000	58	210	260	2,100	--	--
01/03/91	519.62	506.43	13.19	2,300	4.0	79	59	380	--	--
04/12/91	519.62	506.71	12.91	--	--	--	--	--	--	--
09/04/91	519.62	506.06	13.56	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-6 (cont)										
04/06/92	519.62	507.14	12.48	44,000	ND	120	740	3,400	--	--
07/28/92	519.62	506.15	13.47	120,000	220	1,100	3,000	13,000	--	--
10/16/92	519.62	505.67	13.95	570,000	ND	830	3,300	9,600	--	--
01/14/93	519.62	509.23	10.39	19,000	ND	25	460	980	--	--
03/26/93	519.62	509.79	9.83	11,000	30	90	290	1,100	--	--
04/22/93	519.62	508.30	11.32	20,000	29	170	640	2,400	--	--
07/20-21/93	519.62	504.70	14.92	32,000	130	490	1,000	4,900	--	--
10/20/93	519.62	506.71	12.91	77,000	290	790	2,500	7,600	--	--
01/20/94	519.62	506.94	12.68	22,000	10	86	510	29	--	--
04/21/94	519.62	506.74	12.88	6,500	17	42	160	210	--	--
07/21-22/94	519.62	506.78	12.84	4,500	ND	7.1	130	130	--	--
01/18/95	519.62	508.61	11.01	3,600	3.3	6.7	62	78	--	--
04/17/95	519.62	508.35	11.27	1,500	1.6	2.2	14	12	--	--
07/18/95	519.62	508.16	11.46	4,000	<10	<10	40	22	--	--
10/17/95	519.62	507.64	11.98	6,000	<10	<10	100	58	5,200	--
01/18/96	519.62	508.78	10.84	1,200	<5.0	<5.0	10	<5.0	2,600	--
04/17/96	519.62	509.15	10.47	510	<2.5	<2.5	10	3.0	490	--
07/16/96	519.62	508.65	10.97	1,300	10	<10	51	<10	2,700	--
10/16/96	519.62	508.12	11.50	2,600	31	<10	12	11	5,100	--
04/10/97	519.62	508.35	11.27	1,300	5.1	<2.5	17	<2.5	1,300	--
10/20/97	519.62	507.85	11.77	2,200	<2.5	4.6	14	13	1,300	--
04/30/98	519.62	509.01	10.61	1,300	6.5	8.6	5.6	7.0	180	--
10/07/98	519.62	508.71	10.91	1,200	11	<10	15	<10	710	--
04/14/99	519.62	508.77	10.85	2,180	13.6	<2.0	5.52	4.12	116	--
01/21/00	519.62	508.73	10.89	1,230	10.3	<5.0	5.89	6.09	217	--
DESTROYED										
C-8										
03/28/86	519.74	507.96	11.78	--	--	--	--	--	--	--
03/15/88	519.74	506.11	13.63	7,500	360	25	10	ND	--	--
05/10/88	519.74	506.00	13.74	--	--	--	--	--	--	--
06/10/88	519.74	504.85	14.89	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)		
C-8 (cont)												
07/25/88	519.74	506.09	13.65	--	--	--	--	--	--	--		
10/13/88	519.74	505.96	13.78	ND	6.0	5.3	ND	ND	--	--		
01/01/89	519.74	507.06	12.68	--	--	--	--	--	--	--		
01/12/89	519.74	--	--	ND	37	4.0	1.0	5.0	--	--		
04/12/89	519.74	505.97	13.77	3,000	13	ND	ND	ND	--	12		
06/26/89	519.74	505.71	14.03	780	14	6.0	ND	6.0	--	ND		
10/13/89	519.74	505.68	14.06	ND	ND	ND	ND	ND	--	ND		
01/03/90	519.74	506.00	13.74	910	ND	ND	1.0	1.0	--	--		
05/07/90	519.74	505.64	14.10	620	3.9	6.0	0.5	3.4	--	--		
09/29/90	519.74	505.77	13.97	77	ND	1.4	ND	ND	--	--		
01/03/91	519.74	505.93	13.81	67	2.0	2.0	ND	2.0	--	--		
04/12/91	519.74	506.14	13.60	180	4.0	ND	ND	ND	--	--		
09/04/91	519.74	505.60	14.14	140	1.8	4.7	0.8	4.8	--	--		
04/06/92	519.74	506.62	13.12	150	ND	ND	ND	ND	--	--		
07/28/92	519.74	505.64	14.10	90	ND	ND	ND	0.8	--	--		
10/16/92	519.74	505.17	14.57	51	ND	ND	ND	ND	--	--		
01/14/93	519.74	508.79	10.95	120	ND	1.6	1.0	3.5	--	--		
03/26/93	519.74	--	--	--	--	--	--	--	--	--		
04/22/93	519.74	507.67	12.07	68	ND	0.6	0.6	0.8	--	--		
07/20-21/93	519.74	504.04	15.70	ND	ND	ND	ND	ND	--	--		
10/20/93	519.74	506.23	13.51	ND	ND	ND	ND	ND	--	--		
01/20/94	519.74	506.23	13.51	ND	ND	ND	ND	ND	--	--		
04/21/94	519.74	506.06	13.68	ND	ND	ND	ND	ND	--	--		
07/21-22/94	519.74	506.24	13.50	51	ND	ND	ND	ND	--	--		
01/18/95	519.74	DRY	--	--	--	--	--	--	--	--		
04/17/95	519.74	DRY	--	--	--	--	--	--	--	--		
07/18/95	519.74	DRY	--	--	--	--	--	--	--	--		
10/17/95	519.74	507.54	12.20	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
01/18/96	519.74	507.64	12.10	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
04/17/96	519.74	508.87	10.87	SAMPLED SEMI-ANNUALLY							--	--
07/16/96	519.74	508.26	11.48	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--
10/16/96	519.74	507.78	11.96	--	--	--	--	--	--	--		

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-8 (cont)										
03/23/01	519.74	507.78	11.96	--	--	--	--	--	--	--
09/28/01	519.74	DRY	--	--	--	--	--	--	--	--
DESTROYED										
C-10										
03/28/86	520.41	--	--	--	--	--	--	--	--	--
03/15/88	520.41	505.55	14.86	90	7.0	ND	ND	ND	--	--
05/10/88	520.41	505.51	14.90	--	--	--	--	--	--	--
06/10/88	520.41	504.47	15.94	--	--	--	--	--	--	--
07/25/88	520.41	505.56	14.85	--	--	--	--	--	--	--
10/13/88	520.41	505.51	14.90	ND	ND	ND	ND	ND	--	--
01/01/89	520.41	505.58	14.83	--	--	--	--	--	--	--
01/12/89	520.41	--	--	ND	ND	ND	ND	ND	--	--
04/11/89	520.41	505.51	14.90	ND	4.8	ND	ND	ND	--	ND
06/26/89	520.41	505.29	15.12	ND	0.7	ND	ND	1.5	--	4.0
10/13/89	520.41	505.30	15.11	ND	ND	ND	ND	ND	--	ND
01/03/90	520.41	505.40	15.01	ND	ND	ND	ND	ND	--	--
05/07/90	520.41	504.88	15.53	ND	ND	ND	ND	ND	--	--
09/27/90	520.41	505.21	15.20	ND	ND	ND	ND	ND	--	--
01/03/91	520.41	505.35	15.06	ND	ND	ND	ND	ND	--	--
04/12/91	520.41	505.55	14.86	110	16	ND	2.9	2.7	--	--
09/04/91	520.41	505.19	15.22	ND	ND	ND	ND	ND	--	--
04/06/92	520.41	506.20	14.21	57	ND	ND	ND	ND	--	--
07/28/92	520.41	505.63	14.78	ND	ND	ND	ND	ND	--	--
10/16/92	520.41	504.90	15.51	ND	ND	ND	ND	ND	--	--
01/14/93	520.41	506.97	13.44	88	4.7	ND	2.3	1.6	--	--
03/26/93	520.41	507.86	12.55	ND	ND	ND	ND	ND	--	--
04/22/93	520.41	506.67	13.74	ND	ND	ND	ND	ND	--	--
07/20-21/93	520.41	503.92	16.49	100	ND	ND	ND	ND	--	--
10/20/93	520.41	505.77	14.64	ND	ND	ND	ND	ND	--	--
01/20/94	520.41	506.02	14.39	ND	ND	ND	ND	ND	--	--
04/21/94	520.41	505.79	14.62	ND	0.8	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-10 (cont)										
07/21-22/94	520.41	505.84	14.57	ND	ND	ND	ND	ND	--	--
01/18/95	520.41	506.77	13.64	<50	1.2	<0.5	<0.5	<0.5	--	--
04/17/95	520.41	506.87	13.54	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
07/18/95	520.41	506.97	13.44	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.41	506.63	13.78	--	--	--	--	--	1,000	--
01/18/96	520.41	506.81	13.60	<125	3.7	<1.2	<1.2	--	--	--
04/17/96	520.41	507.23	13.18	--	--	--	--	--	1,000	--
07/16/96	520.41	507.30	13.11	<200	<2.0	<2.0	<2.0	<2.0	--	--
10/16/96	520.41	506.91	13.50	--	--	--	--	--	--	--
09/28/01	520.41	506.36	14.05	--	--	--	--	--	--	--
DESTROYED										
C-14										
03/28/86	520.08	--	--	--	--	--	--	--	--	--
03/15/88	520.08	--	--	--	--	--	--	--	--	--
05/10/88	520.08	506.69	13.39	120,000	13,000	29,000	2,700	18	--	--
06/10/88	520.08	505.43	14.65	--	--	--	--	--	--	--
07/25/88	520.08	506.61	13.47	--	--	--	--	--	--	--
10/13/88	520.08	506.50	13.58	ND	ND	ND	ND	ND	--	--
01/01/89	520.08	507.08	13.00	--	--	--	--	--	--	--
01/12/89	520.08	--	--	--	ND	ND	ND	ND	--	--
04/12/89	520.08	506.61	13.47	--	ND	ND	ND	ND	--	ND
06/26/89	520.08	506.28	13.80	140,000	14,000	25,000	3,400	26,000	--	--
10/13/89	520.08	506.46	13.62	86,000	12,000	16,000	1,600	13,000	--	--
01/03/90	520.08	506.17	13.91	120,000	9,500	16,000	1,800	13,000	--	--
01/04/90	520.08	506.17	13.91	76,000	3,900	8,100	1,200	7,700	--	--
05/08/90	520.08	506.19	13.89	62,000	7,500	17,000	1,400	14,000	--	--
09/27/90	520.08	506.30	13.78	--	--	--	--	--	--	--
01/03/91	520.08	506.36	13.72	--	--	--	--	--	--	--
04/12/91	520.08	507.11	12.97	60,000	750	3,800	720	9,200	--	--
09/04/91	520.08	506.24	13.84	110,000	2,800	11,000	1,300	13,000	--	--
04/06/92	520.08	507.64	12.44	41,000	190	1,800	440	5,100	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-14 (cont)										
07/28/92	520.08	506.38	13.70	130,000	2,300	9,700	1,800	15,000	--	--
10/16/92	520.08	505.70	14.38	--	--	--	--	--	--	--
01/14/93	520.08	511.28	8.80	27,000	220	790	220	2,700	--	--
03/26/93	520.08	510.96	9.12	23,000	330	1,600	460	4,000	--	--
04/22/93 ¹	520.08	507.98	12.10	17,000	840	2,300	130	3,500	--	--
07/20-21/93	520.08	INACCESSIBLE		--	--	--	--	--	--	--
10/20/93	520.08	505.77	14.31	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
01/20/94	520.08	507.94	12.14	22,000	130	790	270	2,400	--	--
04/21/94	520.08	508.15	11.93	9,400	88	330	72	960	--	--
07/21-22/94	520.08	506.94	13.14	6,200	92	180	30	530	--	--
01/18/95	520.08	DRY	--	--	--	--	--	--	--	--
04/17/95	520.08	DRY	--	--	--	--	--	--	--	--
07/18/95	520.08	DRY	--	--	--	--	--	--	--	--
10/17/95	520.08	507.64	12.44	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
01/18/96	520.08	507.84	12.24	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
04/17/96	520.08	507.91	12.17	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
07/16/96	520.08	508.55	11.53	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
10/16/96	520.08	507.98	12.10	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
04/10/97	520.08	508.11	11.97	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
10/20/97	520.08	507.79	12.29	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
10/07/98	520.08	508.27	11.81	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
04/14/99	520.08	508.15	11.93	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
04/27/99	520.08	508.36	11.72	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
01/21/00	520.08	507.85	12.23	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
03/23/01	520.08	508.12	11.96	--	--	--	--	--	--	--
09/28/01	520.08	DRY	--	--	--	--	--	--	--	--
DESTROYED										
C-15										
03/28/86	522.41	509.27	13.14	--	--	--	--	--	--	--
03/15/88	522.41	507.28	15.13	ND	ND	ND	ND	ND	--	--
05/10/88	522.41	507.01	15.40	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-15 (cont)										
06/10/88	522.41	505.92	16.49	--	--	--	--	--	--	--
07/25/88	522.41	507.24	15.17	--	--	--	--	--	--	--
10/13/88	522.41	507.08	15.33	ND	ND	ND	ND	ND	--	--
01/01/89	522.41	508.71	13.70	--	--	--	--	--	--	--
01/12/89	522.41	--	--	ND	ND	ND	ND	ND	--	ND
04/12/89	522.41	507.07	15.34	ND	ND	ND	ND	ND	--	ND
06/26/89	522.41	506.69	15.72	ND	ND	ND	ND	ND	--	ND
10/13/89	522.41	506.45	15.96	ND	ND	ND	ND	ND	--	--
01/03/90	522.41	506.99	15.42	ND	ND	ND	ND	ND	--	--
05/08/90	522.41	506.79	15.62	ND	ND	ND	ND	ND	--	--
09/27/90	522.41	506.82	15.59	ND	ND	ND	ND	ND	--	--
01/03/91	522.41	506.91	15.50	ND	ND	ND	ND	0.6	--	--
04/12/91	522.41	507.20	15.21	--	--	--	--	--	--	--
09/04/91	522.41	506.51	15.90	--	--	--	--	--	--	--
04/06/92	522.41	507.53	14.88	ND	ND	ND	ND	ND	--	--
07/28/92	522.41	506.59	15.82	ND	ND	ND	ND	ND	--	--
10/16/92	522.41	506.16	16.25	ND	ND	ND	ND	ND	--	--
01/14/93	522.41	509.93	12.48	61	ND	1.9	0.8	5.1	--	--
03/26/93	522.41	509.74	12.67	ND	ND	ND	ND	1.0	--	--
04/22/93	522.41	508.81	13.60	ND	ND	ND	ND	ND	--	--
07/20-21/93	522.41	505.54	16.87	ND	ND	ND	ND	ND	--	--
10/20/93	522.41	507.17	15.24	ND	ND	ND	ND	ND	--	--
01/20/94	522.41	507.40	15.01	ND	ND	ND	ND	ND	--	--
04/21/94	522.41	507.19	15.22	ND	ND	ND	ND	ND	--	--
07/21-22/94	522.41	507.06	15.35	ND	ND	ND	ND	ND	--	--
DESTROYED										
C-16										
03/28/86	519.68	--	--	--	--	--	--	--	--	--
03/15/88	519.68	--	--	--	--	--	--	--	--	--
05/10/88	519.68	505.90	13.78	4,500	1,000	73	140	180	--	--
06/10/88	519.68	504.80	14.88	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
C-16 (cont)										
07/25/88	519.68	505.99	13.69	--	--	--	--	--	--	--
10/13/88	519.68	505.88	13.80	1,600	16	5.5	ND	16	--	--
01/01/89	519.68	506.23	13.45	--	--	--	--	--	--	--
01/12/89	519.68	--	--	1,000	360	11	78	51	--	--
04/11/89	519.68	505.90	13.78	15,800	130	4.0	21	19	--	ND
06/26/89	519.68	505.66	14.02	1,300	170	8.0	37	43	--	ND
10/13/89	519.68	505.67	14.01	1,000	20	ND	7.0	ND	--	ND
01/03/90	519.68	505.71	13.97	1,300	150	3.0	41	24	--	--
05/07/90	519.68	505.23	14.45	480	49	4.4	29	13	--	--
09/29/90	519.68	505.36	14.32	360	18	2.1	11	8.0	--	--
01/03/91	519.68	505.72	13.96	230	12	ND	6.0	6.0	--	--
04/12/91	519.68	505.94	13.74	--	--	--	--	--	--	--
09/04/91	519.68	505.46	14.22	--	--	--	--	--	--	--
04/06/92	519.68	506.50	13.18	360	30	ND	14	12	--	--
07/28/92	519.68	505.75	13.93	210	31	ND	6.8	16	--	--
10/16/92	519.68	504.76	14.92	140	11	ND	5.1	3.4	--	--
01/14/93	519.68	507.87	11.81	740	24	ND	36	21	--	--
03/26/93	519.68	508.32	11.36	730	22	2.0	16	10	--	--
04/22/93	519.68	507.38	12.30	850	46	ND	24	6.0	--	--
07/20-21/93	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
10/20/93	519.68	505.68	14.00	290	18	2.0	16	17	--	--
01/20/94	519.68	506.20	13.48	360	10	1.0	12	9.0	--	--
04/21/94	519.68	505.76	13.92	220	15	ND	13	11	--	--
07/21-22/94	519.68	506.12	13.56	72	1.2	ND	ND	1.0	--	--
01/18/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
04/17/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
07/18/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
10/17/95	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
01/18/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
04/17/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
07/16/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--
10/16/96	519.68	INACCESSIBLE	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-16 (cont)										
03/23/01	519.68	UNABLE TO LOCATE		--	--	--	--	--	--	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE										
C-17										
03/28/86	520.82	507.34	13.48	--	--	--	--	--	--	--
03/15/88	520.82	506.06	14.76	--	--	--	--	--	--	--
05/10/88	520.82	506.05	14.77	--	--	--	--	--	--	--
06/10/88	520.82	504.98	15.84	--	--	--	--	--	--	--
07/25/88	520.82	506.19	14.63	--	--	--	--	--	--	--
10/13/88	520.82	505.99	14.83	270,000	18	900	760	5,500	--	--
01/01/89	520.82	506.04	14.78	--	--	--	--	--	--	--
01/12/89	520.82	--	--	190,000	ND	490	2,100	6,700	--	--
04/11/89	520.82	505.99	14.83	27,000	30	150	320	1,000	--	6.0
06/26/89	520.82	505.79	15.03	20,000	50	390	660	2,000	--	ND
06/26/89	520.82	505.79	15.03	27,000	40	420	740	2,200	--	--
10/13/89	520.82	505.80	15.02	17,000	ND	48	230	480	--	ND
01/03/90	520.82	505.72	15.10	14,000	ND	29	120	210	--	--
05/08/90	520.82	505.70	15.12	9,500	25	130	210	470	--	--
09/29/90	520.82	505.83	14.99	ND	ND	ND	ND	ND	--	--
09/29/90	520.82	505.83	14.99	ND	ND	3.4	ND	ND	--	--
01/03/91	520.82	505.90	14.92	3,700	ND	28	56	140	--	--
01/03/91	520.82	505.90	14.92	8,600	ND	10	59	150	--	--
04/12/91	520.82	506.11	14.71	8,600	ND	5.0	47	120	--	--
04/12/91	520.82	506.11	14.71	4,400	ND	11	48	120	--	--
09/04/91	520.82	505.65	15.17	5,800	ND	27	49	79	--	--
09/04/91	520.82	505.65	15.17	4,100	ND	21	36	61	--	--
04/06/92	520.82	506.68	14.14	2,300	ND	5.8	27	29	--	--
07/28/92	520.82	505.64	15.18	11,000	99	180	170	430	--	--
10/16/92	520.82	505.06	15.76	1,200,000	ND	4,800	3,900	6,600	--	--
01/14/93	520.82	507.38	13.44	3,500	9.3	9.1	23	34	--	--
03/26/93	520.82	508.36	12.46	3,700	ND	19	20	35	--	--
04/22/93	520.82	507.52	13.30	8,900	16	68	44	97	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
C-17 (cont)										
07/20-21/93	520.82	503.61	17.21	4,200	5.0	35	33	62	--	--
10/20/93	520.82	505.73	15.09	4,500	5.0	12	43	64	--	--
01/20/94	520.82	506.35	14.47	1,900	4.0	42	24	73	--	--
04/21/94	520.82	505.87	14.95	1,100	5.0	20	23	42	--	--
07/21-22/94	520.82	506.22	14.60	72	ND	ND	ND	0.9	--	--
01/18/95	520.82	507.12	13.70	530	1.7	<0.5	5.6	8.8	--	--
04/17/95	520.82	507.57	13.25	440	1.9	3.0	3.6	2.4	--	--
07/18/95	520.82	507.38	13.44	140	5.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.82	507.32	13.50	110	<0.5	<0.5	<0.5	0.62	<2.5	--
01/18/96	520.82	507.80	13.02	310	19	30	5.6	40	28	--
04/17/96	520.53	507.83	12.70	<50	<0.5	<0.5	<0.5	<0.5	7.2	--
07/16/96	520.53	507.86	12.67	54	1.7	1.0	0.97	3.3	34	--
10/16/96	520.53	506.83	13.70	200	0.50	0.57	<0.5	2.2	15	--
04/10/97	520.53	507.34	13.19	100	<0.5	<0.5	<0.5	<0.5	66	--
10/20/97	520.53	507.18	13.35	64	<0.5	<0.5	<0.5	<0.5	22	--
04/30/98	520.53	507.83	12.70	<50	<0.5	<0.5	<0.5	<0.5	47	--
10/07/98	520.53	507.60	12.93	56	0.81	<0.5	<0.5	<0.5	72	--
04/14/99	520.53	507.48	13.05	<50	<0.5	0.549	<0.5	<0.5	82	--
01/21/00	520.53	507.25	13.28	<50	<0.5	<0.5	<0.5	<0.5	29.9	--
03/23/01	520.53	507.14	13.39	<50.0	<0.500	<0.500	<0.500	<0.500	9.40/8.9 ⁴	--
09/28/01	520.53	506.84	13.69	83	<0.50	<0.50	<0.50	<1.5	27	--
DESTROYED										
C-18										
03/28/86	518.96	--	--	--	--	--	--	--	--	--
03/15/88	518.96	--	--	--	--	--	--	--	--	--
05/10/88	518.96	--	--	--	--	--	--	--	--	--
06/10/88	518.96	504.07	14.89	--	--	--	--	--	--	--
07/25/88	518.96	505.17	13.79	--	--	--	--	--	--	--
10/13/88	518.96	505.10	13.86	ND	ND	ND	ND	ND	--	--
01/01/89	518.96	505.02	13.94	--	--	--	--	--	--	--
01/12/89	518.96	--	--	ND	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-18 (cont)										
04/11/89	518.96	504.10	14.86	ND	ND	ND	ND	ND	--	ND
06/26/89	518.96	504.94	14.02	ND	ND	ND	ND	ND	--	ND
10/13/89	518.96	503.90	15.06	ND	ND	ND	ND	ND	--	ND
01/03/90	518.96	504.89	14.07	ND	ND	ND	ND	ND	--	--
05/07/90	518.96	504.95	14.01	ND	ND	ND	ND	ND	--	--
09/27/90	518.96	505.05	13.91	ND	ND	ND	ND	ND	--	--
01/03/91	518.96	504.98	13.98	ND	ND	ND	ND	ND	--	--
04/12/91	518.96	505.13	13.83	ND	ND	ND	ND	ND	--	--
09/04/91	518.96	504.76	14.20	ND	ND	ND	ND	ND	--	--
04/06/92	518.96	505.89	13.07	ND	ND	ND	ND	ND	--	--
07/28/92	518.96	505.41	13.55	ND	ND	ND	ND	ND	--	--
10/16/92	518.96	504.58	14.38	ND	ND	ND	ND	ND	--	--
01/14/93	518.96	506.50	12.46	56	ND	ND	ND	1.8	--	--
03/26/93	518.96	507.50	11.46	ND	ND	ND	ND	ND	--	--
04/22/93	518.96	506.38	12.58	ND	ND	ND	ND	ND	--	--
07/20-21/93	518.96	503.32	15.64	92	ND	0.5	ND	ND	--	--
10/20/93	518.96	--	--	--	--	--	--	--	--	--
01/20/94	518.96	--	--	--	--	--	--	--	--	--
04/21/94	518.96	--	--	--	--	--	--	--	--	--
07/16/96	518.96	--	--	--	--	--	--	--	--	--
03/23/01	518.96	UNABLE TO LOCATE	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED										
C-19										
03/28/86	520.99	--	--	--	--	--	--	--	--	--
03/15/88	520.99	--	--	--	--	--	--	--	--	--
05/10/88	520.99	505.76	15.23	18	1,400	360	350	1,300	--	--
06/10/88	520.99	504.41	16.58	--	--	--	--	--	--	--
07/25/88	520.99	505.80	15.19	--	--	--	--	--	--	--
10/13/88	520.99	505.72	15.27	ND	8.3	4.7	4.4	ND	--	--
01/01/89	520.99	505.79	15.20	--	--	--	--	--	--	--
01/12/89	520.99	--	--	ND	5.0	4.0	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
C-19 (cont)										
04/11/89	520.99	505.75	15.24	ND	1.8	ND	ND	ND	--	ND
04/11/89	520.99	505.75	15.24	500	1.2	ND	0.6	0.6	--	--
06/26/89	520.99	505.55	15.44	500	2.5	ND	ND	ND	--	ND
10/13/89	520.99	505.52	15.47	540	ND	ND	ND	ND	13	ND
01/03/90	520.99	505.54	15.45	ND	1.2	0.7	1.3	0.9	--	--
05/07/90	520.99	505.31	15.68	ND	ND	ND	ND	ND	--	--
09/28/90	520.99	505.47	15.52	ND	ND	ND	ND	ND	--	--
01/03/91	520.99	505.43	15.56	66	ND	ND	ND	ND	--	--
04/12/91	520.99	505.79	15.20	--	--	--	--	--	--	--
09/04/91	520.99	505.39	15.60	--	--	--	--	--	--	--
04/06/92	520.99	506.41	14.58	110	0.7	ND	1.0	ND	--	--
07/28/92	520.99	505.73	15.26	ND	1.4	ND	1.0	4.2	--	--
10/16/92	520.99	504.99	16.00	ND	ND	ND	ND	ND	--	--
01/14/93	520.99	507.30	13.69	100	1.1	ND	0.9	0.9	--	--
03/26/93	520.99	508.03	12.96	80	ND	ND	ND	ND	--	--
04/22/93	520.99	506.81	14.18	250	0.6	1.0	1.0	1.0	--	--
07/20-21/93	520.99	504.41	16.58	390	ND	ND	0.8	2.0	--	--
10/20/93	520.99	505.76	15.23	ND	ND	ND	ND	ND	--	--
01/20/94	520.99	506.15	14.84	ND	ND	ND	ND	ND	--	--
04/21/94	520.99	505.73	15.26	60	ND	ND	1.0	ND	--	--
07/21-22/94	520.99	506.09	14.90	ND	ND	ND	ND	ND	--	--
01/18/95	520.99	506.97	14.02	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/17/95	520.99	507.19	13.80	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
07/18/95	520.99	507.27	13.72	150	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.99	506.89	14.10	--	--	--	--	--	--	--
01/18/96	520.99	507.18	13.81	76	<0.5	<0.5	<0.5	<0.5	120	--
04/17/96	520.96	507.56	13.40	--	--	--	--	--	--	--
07/16/96	520.96	507.49	13.47	530	<2.5	<2.5	<2.5	<2.5	1,200	--
10/16/96	520.96	507.13	13.83	--	--	--	--	--	--	--
04/10/97	520.96	507.06	13.90	<500	<5.0	<5.0	<5.0	<5.0	1,600	--
10/20/97	520.96	506.94	14.02	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.96	507.49	13.47	<500	<5.0	<5.0	<5.0	<5.0	1,100	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC ⁺ (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-19 (cont)										
10/07/98	520.96	507.87	13.09	--	--	--	--	--	--	--
04/14/99	520.96	INACCESSIBLE		--	--	--	--	--	434	--
04/27/99	520.96	507.17	13.79	124	<0.5	<0.5	<0.5	<0.5	239	--
01/21/00	520.96	507.01	13.95	109	<0.5	<0.5	<0.5	--	--	--
03/23/01	520.96	506.98	13.98	--	--	--	--	--	--	--
09/28/01	520.96	506.70	14.26	--	--	--	--	--	--	--
DESTROYED										
RW-1										
09/28/01	--	UNABLE TO LOCATE		--	--	--	--	--	--	--
12/28/01	--	UNABLE TO LOCATE		--	--	--	--	--	--	--
03/29/02	--	UNABLE TO LOCATE		--	--	--	--	--	--	--
ASSUMED DESTROYED (Per Lead Consultant 11/30/01)										
TRIP BLANK										
01/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/17/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/20/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/30/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/08/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
04/27/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/21/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
TRIP BLANK (cont)										
03/23/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/28/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
QA										
12/28/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/13/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/10/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/06/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to March 23, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

ND = Not Detected

QA = Quality Assurance/Trip Blank

* TOC elevations for C-7, C-9, C-12, C-13, and C-20 were surveyed June 10, 2003, by Virgil Chavez Land Surveying. The benchmark used for the survey was a City of Livermore monument at First and "Q" Streets, (Benchmark Elevation = 469.246 feet, NGVD 29).

1 Sheen.

2 Confirmation run.

3 Well head elevation altered due to casing repairs.

4 MTBE by EPA Method 8260.

5 BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-7						
03/23/01	--	<50	38	<2.0	<2.0	<2.0
03/29/02	--	<100	12	<2	<2	<2
03/04/03	--	<5	11	<0.5	<0.5	<0.5
06/06/03	--	--	20	--	--	--
09/04/03	<50	--	86	--	--	--
12/03/03	<50	--	77	--	--	--
03/01/04	--	--	15	--	--	--
C-9						
04/14/99	<3,750	<250	114	<2.5	<2.5	<2.5
03/23/01	--	<50	22	<2.0	<2.0	<2.0
03/29/02	--	<100	16	<2	<2	<2
12/09/02	--	--	15	--	--	--
03/04/03	--	13	5	<0.5	<0.5	<0.5
06/06/03	--	--	4	--	--	--
09/04/03	<50	--	39	--	--	--
12/03/03	<50	--	49	--	--	--
03/01/04	--	--	10	--	--	--
C-11						
04/14/99	<30,000	<2,000	1,390	<20	<20	<20
03/23/01	--	<50	110	<2.0	<2.0	<2.0
03/29/02	--	<100	3	<2	<2	<2
03/04/03	INACCESSIBLE - VEHICLE PARKED OVER WELL					
06/06/03	--	--	9	--	--	--
09/04/03	<50	--	11	--	--	--
12/03/03	<50	--	7	--	--	--
03/01/04	--	--	9	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-12						
03/29/02	--	<100	<2	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
C-13						
03/29/02	--	<100	7	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
C-20						
04/14/99	<3,000	<200	<2.0	<2.0	<2.0	<2.0
03/29/02	--	<100	<2	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
C-21						
03/29/02	--	<100	<2	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-2 04/14/99 DESTROYED	<3,000	<200	5.35	<2.0	<2.0	<2.0
C-5 04/14/99 DESTROYED	<9,990	<666	619	<6.66	<6.66	27.3
C-6 04/14/99 DESTROYED	<3,000	<200	138	<2.0	<2.0	10.7
C-17 04/14/99	<3,000	<200	83.1	<2.0	<2.0	<2.0
03/23/01	--	<50	8.9	<2.0	<2.0	<2.0

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to March 23, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

- TBA = Tertiary butyl alcohol
- MTBE = Methyl tertiary butyl ether
- DIPE = Di-isopropyl ether
- ETBE = Ethyl tertiary butyl ether
- TAME = Tertiary amyl methyl ether
- (ppb) = Parts per billion
- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-7									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.7	--	ND	--	ND	--	--	--	--
09/29/90	0.7	--	ND	ND	ND	ND	--	--	--
01/03/91	0.7	--	ND	ND	ND	ND	--	--	--
04/12/91	0.6	--	ND	ND	ND	ND	--	--	--
10/07/91	ND	--	24	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/20-21/93 ¹	--	--	--	--	--	--	--	--	--
01/20/94 ¹	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-9									
04/12/89	2.1	--	--	--	--	--	--	--	--
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.5	--	--	--	--	--	--	--	--
05/07/90	1.9	--	ND	--	ND	--	--	--	--
09/29/90	1.0	--	0.7	1.8	1.0	--	--	--	--
01/03/91	0.8	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	13	--	--
04/10/97	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
04/30/98	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
04/14/99 ¹	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
01/21/00	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
09/28/01 ²	<2	<1	<2	<1	<1	<1	--	--	--
12/28/01 ²	<2	<1	<2	<1	<1	<1	--	--	--
03/29/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
06/13/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
09/10/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
12/09/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
03/04/03 ²	<0.5	<1	<2	<0.8	<1	<0.8	--	--	--
06/06/03 ²	<0.5	<1	<2	<0.8	<1	<0.8	--	--	--
09/04/03 ²	<0.5	<1	<2	<0.8	<1	<0.8	--	--	--
12/03/03 ²	<1	<1	<2	<0.8	<1	<0.8	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-11									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/28/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	1.0	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	7.0	--	--
10/20/97	--	--	--	--	--	--	--	25	--
C-12									
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-13									
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.7	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-1									
04/10/89	ND	--	--	--	--	--	--	--	--
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	3.0	--	--	--	--	--	--	--	--
06/26/89	1.7	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	5.0
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.2	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	0.7	1.4	ND	--	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-1 (cont)

01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
04/23/93 ¹									
07/21,22/94	--	--	--	--	--	--	ND	--	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE ASSUMED DESTROYED (Per Lead Consultant 11/30/01)									

C-2

04/10/89	ND	--	--	--	--	--	--	--	--
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
06/26/89	2.0	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.1	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	1.7	0.5	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

C-3

04/10/89	1.4	--	--	--	--	--	--	--	--
06/26/89	1.5	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	0.7	--	--	--	--	--	--	--	--
05/08/90	0.7	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.1	1.6	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

C-5

04/10/89	1.4	--	--	--	--	--	--	--	--
06/26/89	1.5	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	0.8	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	0.7	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	0.5	--	ND	ND	ND	ND	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-5 (cont)									
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-6									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.6	--	ND	--	ND	--	--	--	--
09/29/90	1.0	--	ND	2.4	1.6	--	--	--	--
01/03/91	0.5	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
DESTROYED									
C-8									
04/12/89	5.0	--	--	--	--	--	--	--	--
06/26/89	4.0	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.5	--	--	--	--	--	--	--	--
05/07/90	1.9	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	0.6	ND	ND	--	--	--	--
01/03/91	ND	--	0.7	ND	ND	ND	--	--	--
04/12/91	0.6	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-10									
04/11/89	6.1	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	3.0	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	1.0	--	ND	ND	ND	ND	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-10 (cont)									
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	1.1	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-14									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	30	--	--	--	--	--	--	--	--
01/03/90	25	3.0	--	--	--	--	--	--	--
01/04/90	18	1.0	--	--	--	--	--	--	--
05/08/90	13	--	ND	--	ND	--	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
04/22/93 ¹	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	330	--	--
DESTROYED									
C-15									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	ND	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	2.9	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-16									
04/11/89	8.0	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	5.0	--	--	--	--	--	--	--	--
05/07/90	4.5	--	ND	--	ND	--	--	--	--
09/29/90	1.8	--	ND	ND	ND	--	--	--	--
01/03/91	2.0	--	0.8	ND	ND	ND	--	--	--
04/06/92	1.0	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	8.0	--	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE									

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-17									
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	ND	1.9	ND	--	--	--	--
09/29/90	ND	--	1.8	1.9	ND	--	--	--	--
01/03/91	ND	--	1.8	1.9	ND	ND	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
04/30/98	--	--	--	--	--	--	--	--	--
10/07/98	--	--	--	--	--	--	--	--	--
04/14/99	--	--	--	--	--	--	--	--	--
01/21/00	--	--	--	--	--	--	--	--	--
DESTROYED									
C-18									
04/11/89	3.6	--	--	--	--	--	--	--	--
06/26/89	3.1	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	0.6	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
NOT MONITORED/SAMPLED									
C-19									
04/11/89	13	--	--	--	--	--	--	--	--
04/11/89	14	--	--	--	--	--	--	--	--
06/26/89	26	--	--	--	--	--	--	--	--
10/13/89	13	--	--	--	--	--	--	--	13
01/03/90	11	--	--	--	--	--	--	--	--
05/07/90	4.6	--	ND	--	ND	--	--	--	--
09/28/90	ND	--	1.2	ND	ND	--	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-19 (cont)									
01/03/91	1.0	--	ND	ND	ND	0.9	--	--	--
04/06/92	1.9	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 28, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

1,2-DCA = 1,2-Dichloroethane

VC = Vinyl Chloride

MC = Methylene Chloride

1,1,1-TCA = 1,1,1-Trichloroethane

1,1-DCA = 1,1-Dichloroethane

PCE = Tetrachloroethene

T. Lead = Total Lead

D. Lead = Dissolved Lead

CDS = Carbon Disulfide

(ppb) = Parts per billion

ND = Not detected

-- = Not Analyzed

- ¹ Sampled for Volatile Organic Compounds (VOCs) by EPA Method 8010B. All analytes were ND above the detection limits <0.5 to <5.0.
- ² Hologenated Volatile Organic Compounds (HVOCs) analyzed by EPA Method 8260. All other HVOCs were less than the reporting limit; see specific lab report.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924
 Site Address: 4904 Southfront Road
 City: Livermore, CA

Job Number: 386448
 Event Date: 3/1/04 (inclusive)
 Sampler: R. Kelly

Well ID: C-7
 Well Diameter: 2 1/8 in.
 Total Depth: 20.89 ft.
 Depth to Water: 12.45 ft.
8.44

Date Monitored: 3/1/04 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF 0.38 = 3.20 x3 (case volume) = Estimated Purge Volume: 9.62 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Bailed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1420 Weather Conditions: Rain
 Sample Time/Date: 1435 13/1/04 Water Color: Clear Odor: yes
 Purging Flow Rate: 1.5+ gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1422</u>	<u>3.0</u>	<u>9.47</u>	<u>545</u>	<u>16.0</u>		
<u>1424</u>	<u>6.0</u>	<u>7.56</u>	<u>537</u>	<u>14.2</u>		
<u>1426</u>	<u>9.5</u>	<u>7.15</u>	<u>548</u>	<u>17.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-7</u>	<u>6</u> x vva vial	YES	HCL	LANCASTER	BTEX+MTBE(8260)

COMMENTS:

New Total Well Depth

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/04 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-9 Date Monitored: 3/1/04 Well Condition: OK
 Well Diameter: 2 (3) in.
 Total Depth: 23.06 ft.
 Depth to Water: 11.32 ft.
 Volume Factor (VF): 11.74 xVF: 0.38 = 4.46 x3(case volume) = Estimated Purge Volume: 13.38 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1334 Weather Conditions: Rain
 Sample Time/Date: 1345 3/1/04 Water Color: Clear Odor: no
 Purging Flow Rate: 2.5 gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1334</u>	<u>1.5</u>	<u>7.25</u>	<u>473</u>	<u>15.3</u>	_____	_____
<u>1338</u>	<u>9.0</u>	<u>7.15</u>	<u>490</u>	<u>16.5</u>	_____	_____
<u>1340</u>	<u>13.5</u>	<u>7.13</u>	<u>498</u>	<u>16.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-9</u>	<u>6</u> x vov vial	YES	HCL	LANCASTER	BTEX+MTBE(8260)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

New Total Well Depth

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/04 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-11 Date Monitored: 3/1/04 Well Condition: OK

Well Diameter: 21 ^③ in.

Total Depth: 19.38 ft.

Depth to Water: 12.75 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

6.63 xVF 0.38 = 2.51 x3 (case volume) = Estimated Purge Volume: 7.55 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1456 Weather Conditions: Rain
 Sample Time/Date: 1510 13/1/04 Water Color: Light Cloudy Odor: NO
 Purging Flow Rate: 25 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1458</u>	<u>2.5</u>	<u>7.71</u>	<u>496</u>	<u>13.1</u>	_____	_____
<u>1500</u>	<u>5.0</u>	<u>7.28</u>	<u>711</u>	<u>12.0</u>	_____	_____
<u>1501</u>	<u>7.5</u>	<u>7.38</u>	<u>737</u>	<u>13.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-11</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

New Total Well Depth

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/04 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-12 Date Monitored: 3/1/04 Well Condition: OK

Well Diameter: 21(3) in.

Total Depth: 18.43 ft.

Depth to Water: 13.68 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

4.75 x VF 0.38 = 1.80 x3 (case volume) = Estimated Purge Volume: 5.41 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Bailed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1306 Weather Conditions: Rain
 Sample Time/Date: 1320 3/1/04 Water Color: Cloudy Odor: NO
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1309</u>	<u>2.0</u>	<u>7.64</u>	<u>565</u>	<u>16.8</u>	_____	_____
<u>1312</u>	<u>4.0</u>	<u>7.23</u>	<u>574</u>	<u>16.5</u>	_____	_____
<u>1315</u>	<u>5.5</u>	<u>7.35</u>	<u>557</u>	<u>14.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-12</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: C-12 missing Gasket Well Fills with Water 12" MORRISON DUBUQUE Well Box (12 FIG 418XA)

New Total Well Depth

Add/Replaced Lock:

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/04 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-13 Date Monitored: 3/1/04 Well Condition: OK
 Well Diameter: 2 1/3 in.
 Total Depth: 21.35 ft.
 Depth to Water: 13.09 ft.
 Volume Factor (VF) table:

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 xVF 0.38 = 3.13 x3 (case volume) = Estimated Purge Volume: 9.4 gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump ✓
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1355 Weather Conditions: Rain
 Sample Time/Date: 1410 3/1/04 Water Color: Clear Odor: no
 Purging Flow Rate: 1.5+ gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (OF)	D.O. (mg/L)	ORP (mV)
<u>1357</u>	<u>3.0</u>	<u>7.51</u>	<u>897</u>	<u>16.5</u>	_____	_____
<u>1359</u>	<u>6.0</u>	<u>7.17</u>	<u>903</u>	<u>17.1</u>	_____	_____
<u>1401</u>	<u>9.5</u>	<u>7.22</u>	<u>933</u>	<u>17.6</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-13</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____
New Total Well Depth
 Add/Replaced Lock: ✓ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/04 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-20 Date Monitored: 3/1/04 Well Condition: See Picture

Well Diameter: (2) 3 in.

Total Depth: 24.03 ft.

Depth to Water: 13.53 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

10.50 x VF 0.17 = 1.78 x3 (case volume) = Estimated Purge Volume: 5.35 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1238 Weather Conditions: Rain

Sample Time/Date: 1250 13/1/04 Water Color: Cloudy Odor: NO

Purging Flow Rate: _____ gpm. Sediment Description: _____

Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1241</u>	<u>1.75</u>	<u>7.40</u>	<u>561</u>	<u>16.8</u>	_____	_____
<u>1244</u>	<u>3.5</u>	<u>7.26</u>	<u>544</u>	<u>16.5</u>	_____	_____
<u>1247</u>	<u>5.25</u>	<u>7.28</u>	<u>543</u>	<u>16.0</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-20</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: Well needs to be raised. Missing a Gasket and the well
Box fills with water. BOART LONGYEAR Well Box 8"
New Total Well Depth.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/04 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-21 Date Monitored: 3/1/04 Well Condition: OK
 Well Diameter: (2) 3 in.
 Total Depth: 25.03 ft.
 Depth to Water: 12.68 ft.
12.35 xVF 0.17 = 2.09 x3 (case volume) = Estimated Purge Volume: 6.29 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1211 Weather Conditions: Rain
 Sample Time/Date: 1225 3/1/04 Water Color: Cloudy Odor: NO
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1214</u>	<u>2.0</u>	<u>7.18</u>	<u>803</u>	<u>16.3</u>	_____	_____
<u>1217</u>	<u>4.0</u>	<u>7.25</u>	<u>612</u>	<u>15.5</u>	_____	_____
<u>1221</u>	<u>6.0</u>	<u>7.36</u>	<u>577</u>	<u>17</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-21</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

New Total Well Depth

Add/Replaced Lock:

Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



030204-02

Acct. #: 10904 For Lancaster Laboratories use only Sample #: 922 (del) 5-72

SCR#: _____ Group # 886784

Cambria MTI Project #: 61D-1961

Facility #: SS#9-1924 G-R#386448 Global ID#T0600100341
 Site Address: 4904 SOUTHFRONT ROAD, LIVERMORE, CA
 Chevron PM: Mgmt. Transfer Initiative Lead Consultant: CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Kristina Kelly
 Service Order #: _____ Non SAR: _____

Matrix		Analyses Requested									
		Preservation Codes									
Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421
<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					8021	Per BTEX 12-3-13	Silica Gel Cleanup				

Preservative Codes
 H = HCl T = Thioculfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421
QA	3-1-04					W			2	X	X					
C-7		1435	X						6	X	X					
C-9		1345	X						6	X	X					
C-11		1510	X						6	X	X					
C-12		1320	X						6	X	X					
C-13		1410	X						6	X	X					
C-20		1250	X						6	X	X					
C-21	✓	1225	X			✓			6	X	X					

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 8TD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>Kristina Kelly</u>	Date: <u>3/1/04</u>	Time: <u>1550</u>	Received by: <u>[Signature]</u>	Date: <u>3/1/04</u>	Time: <u>1650</u>
Relinquished by: <u>[Signature]</u>	Date: <u>3/2/04</u>	Time: <u>0930</u>	Received by: <u>[Signature]</u>	Date: <u>3/2/04</u>	Time: <u>0930</u>
Relinquished by: <u>[Signature]</u>	Date: <u>3/2/04</u>	Time: <u>1600</u>	Received by: <u>[Signature]</u>	Date: <u>3/2/04</u>	Time: _____
Relinquished by Commercial Carrier: UPS FedEx Other <u>Airborne</u>	Temperature Upon Receipt: <u>2.5 C</u>		Received by: <u>[Signature]</u>	Date: <u>3/2/04</u>	Time: <u>0900</u>
Custody Seals Intact? <u>Yes</u> <input type="checkbox"/> No <input type="checkbox"/>					



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

[Handwritten notes and signatures]

SAMPLE GROUP

The sample group for this submittal is 886784. Samples arrived at the laboratory on Wednesday, March 03, 2004. The PO# for this group is 99011184 and the release number is MTI.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-040301	NA Water	4226665
C-7-W-040301	Grab Water	4226666
C-9-W-040301	Grab Water	4226667
C-11-W-040301	Grab Water	4226668
C-12-W-040301	Grab Water	4226669
C-13-W-040301	Grab Water	4226670
C-20-W-040301	Grab Water	4226671
C-21-W-040301	Grab Water	4226672

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen




Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Teresa L Cunningham at (717) 656-2300.

Respectfully Submitted,


Robert C. Rankle
Senior Chemist

Lancaster Laboratories Sample No. **WW 4226665**

 QA-T-040301 NA Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 QA
 Collected: 03/01/2004

Account Number: 10904

 Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFROQ

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 09:54	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 09:54	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226666

 C-7-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-7
 Collected: 03/01/2004 14:35 by KK

Account Number: 10904

 Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	15.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.7	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 10:21	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 10:21	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226667

 C-9-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-9
 Collected: 03/01/2004 13:45 by KK

Account Number: 10904

 Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	10.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 11:40	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 11:40	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226668

 C-11-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-11
 Collected: 03/01/2004 15:10 by KK

Account Number: 10904

 Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	9.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 12:07	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 12:07	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226669

C-12-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-12
 Collected: 03/01/2004 13:20 by KK

Account Number: 10904

Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 12:34	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 12:34	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226670

 C-13-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-13
 Collected: 03/01/2004 14:10 by KK

Account Number: 10904

 Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 13:00	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 13:00	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226671

C-20-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-20
 Collected: 03/01/2004 12:50 by KK

Account Number: 10904

Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR20

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 13:27	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 13:27	Carrie J McCullough	n.a.

Lancaster Laboratories Sample No. WW 4226672

C-21-W-040301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront Livermore T0600100341 C-21
 Collected: 03/01/2004 12:25 by KK

Account Number: 10904

Submitted: 03/03/2004 09:00
 Reported: 03/12/2004 at 13:18
 Discard: 04/12/2004

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

SFR21

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/10/2004 13:53	Carrie J McCullough	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/10/2004 13:53	Carrie J McCullough	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 03/12/04 at 01:18 PM

Group Number: 886784

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max	
Batch number: P040702AA	Sample number(s): 4226665-4226672						77-127		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	101		85-117			
Benzene	N.D.	0.5	ug/l	104		85-115			
Toluene	N.D.	0.5	ug/l	98		82-119			
Ethylbenzene	N.D.	0.5	ug/l	98		84-120			
Xylene (Total)	N.D.	0.5	ug/l	99					

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: P040702AA	Sample number(s): 4226665-4226672							
Methyl Tertiary Butyl Ether	108	103	69-134	3	30			
Benzene	113	111	83-128	2	30			
Toluene	108	105	83-127	2	30			
Ethylbenzene	107	106	82-129	2	30			
Xylene (Total)	109	106	82-130	2	30			

Surrogate Quality Control

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: P040702AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4226665	101	98	94	95
4226666	102	99	95	108
4226667	101	99	95	102
4226668	102	100	93	96
4226669	101	100	93	96
4226670	102	100	95	96
4226671	101	99	94	95
4226672	101	99	93	95
Blank	101	99	94	95
LCS	101	98	95	95
MS	102	97	96	108
MSD	102	98	95	107
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 03/12/04 at 01:18 PM

Group Number: 886784

Surrogate Quality Control

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
NTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

Inorganic Qualifiers

A	TIC is a possible aldol-condensation product	B	Value is <CRDL, but ≥IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.