

Chevron Environmental
Management Company
6001 Bollinger Canyon Rd, K2236
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-9559
Fax 925-842-8370

Dana Thurman
Project Manager

Bob

RO 477
C

ChevronTexaco

April 20, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-1924

Address: 4904 South Front Road, Livermore, California


I have reviewed the attached routine groundwater monitoring report dated April 4, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Dana Thurman
Project Manager

Enclosure: Report

RECEIVED

APR 25 2005

ENVIRONMENTAL HEALTH SERVICES



GETTLER-RYAN INC.

TRANSMITTAL

April 4, 2005
G-R #386448

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-1924
4904 Southfront Road
Livermore, California
MTI: 61D-1961**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	April 1, 2005	Groundwater Monitoring and Sampling Report First Quarter - Event of March 1, 2005

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for your use and distribution to the following:

Mr. Dana Thurman, ChevronTexaco Company, P.O. Box 6012, Room K2236, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *April 19, 2005*, at which time the final report will be distributed to the following:

cc: Ms. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Ms. Liz Sewell, ConocoPhillips, 76 Broadway, Sacramento, CA 95818

RECEIVED

APR 25 2005

ENVIRONMENTAL HEALTH SERVICES

Enclosures

trans/9-1924-DT



GETTLER - RYAN INC.

April 1, 2005
G-R Job #386448

Mr. Dana Thurman
ChevronTexaco Company
P.O. Box 6012, Room K2236
San Ramon, CA 94583

RE: First Quarter Event of March 1, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

Dear Mr. Thurman:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Groundwater Elevation Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Groundwater Elevation Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- ◆ Groundwater monitoring well
- Groundwater recovery well
- ✕ Destroyed well
- ⊗ Lost groundwater well during road reconstruction
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- + TOC not available
- C-1 Assumed Destroyed
- NM Not Monitored

Source: Figure modified from drawing provided by Delta Environmental Consultants, Inc.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

GROUNDWATER ELEVATION MAP
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

FIGURE
1

PROJECT NUMBER 386448	REVIEWED BY	DATE March 1, 2005	REVISED DATE
---------------------------------	-------------	-----------------------	--------------

FILE NAME: P:\Enviro\Chevron\9-1924\005-9-1924.dwg | Layout Tab: Pot1

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOC (ppb)
C-7										
03/28/86	520.30	508.63	11.67	--	--	--	--	--	--	--
03/15/88	520.30	506.82	13.48	8,000	98	690	120	120	--	--
05/10/88	520.30	506.70	13.60	--	--	--	--	--	--	--
06/10/88	520.30	505.62	14.68	--	--	--	--	--	--	--
07/25/88	520.30	506.87	13.43	--	--	--	--	--	--	--
10/13/88	520.30	506.69	13.61	16,000	4,400	220	1,000	3,000	--	--
01/01/89	520.30	507.64	12.66	--	--	--	--	--	--	--
01/12/89	520.30	--	--	8,000	950	47	670	640	--	--
04/12/89	520.30	506.70	13.60	6,000	1,100	30	760	370	--	ND
06/26/89	520.30	506.42	13.88	6,000	1,300	50	600	340	--	ND
10/13/89	520.30	506.49	13.81	3,900	1,300	ND	160	150	--	--
01/03/90	520.30	506.59	13.71	5,600	1,200	13	180	200	--	--
05/08/90	520.30	506.45	13.85	3,500	1,100	15	110	140	--	--
09/29/90	520.30	506.50	13.80	2,400	580	ND	46	68	--	--
01/03/91	520.30	506.59	13.71	2,500	300	2.0	110	120	--	--
04/12/91	520.30	506.84	13.46	2,300	190	1.0	81	87	--	--
09/04/91	520.30	506.21	14.09	--	--	--	--	--	--	--
10/07/91	520.30	--	--	4,700	170	1.9	97	59	--	--
04/06/92	520.30	507.28	13.02	2,400	95	0.8	110	100	--	--
07/28/92	520.30	506.54	13.76	2,000	120	3.4	110	110	--	--
10/16/92	520.30	505.88	14.42	2,700	130	4.2	68	74	--	--
01/14/93	520.30	509.32	10.98	7,800	160	33	380	210	--	--
03/26/93	520.30	509.69	10.61	1,400	39	9.0	28	15	--	--
04/22/93	520.30	508.46	11.84	3,800	130	18	43	36	--	--
07/20-21/93 ¹	520.30	504.94	15.36	1,900	35	18	61	87	--	--
10/20/93	520.30	506.89	13.41	5,500	72	26	250	160	--	--
01/20/94 ¹	520.30	507.11	13.19	3,600	12	12	150	69	--	--
04/21/94	520.30	506.97	13.33	2,100	62	11	170	68	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-7 (cont)										
07/21-22/94	520.30	506.91	13.39	1,700	50	4.4	110	22	--	--
01/18/95	520.30	508.71	11.59	920	16	<0.5	30	12	--	--
04/17/95	520.30	508.56	11.74	730	4.3	1.6	12	1.8	--	--
07/18/95	520.30	508.32	11.98	1,200	63	<5.0	12	<5.0	--	--
10/17/95	520.30	507.82	12.48	1,100	45	<5.0	12	<5.0	8,100	--
01/18/96	520.30	508.90	11.40	930	7.3	<5.0	<5.0	<5.0	1,900	--
04/17/96	520.30	509.34	10.96	980	5.5	<1.0	7.4	1.1	340	--
07/16/96	520.30	508.79	11.51	1,400	96	<5.0	11	9.9	3,000	--
10/16/96	520.30	508.30	12.00	4,100	40	<5.0	7.5	5.5	3,800	--
03/23/01	520.30	508.50	11.80	329	<0.500	<0.500	<0.500	<0.500	33.2/38 ⁴	--
09/28/01	520.30	508.17	12.13	1,100	3.8	<1.0	3.2	<5.0	130	--
12/28/01	520.30	509.18	11.12	800	3.1	2.6	2.6	16	42	--
03/29/02	520.30	508.65	11.65	360	0.73	<0.50	1.4	2.7	13/12 ⁴	--
06/13/02	520.30	508.01	12.29	1,100	2.1	<2.0	3.3	6.4	35	--
09/10/02	520.30	508.11	12.19	460	<0.50	<0.50	0.69	<1.5	52	--
12/09/02	520.30	508.04	12.26	1,200	3.1	1.4	3.5	5.5	70	--
03/04/03	520.30	508.54	11.76	260	<2.0	<0.50	0.97	<1.5	12/11 ⁴	--
06/06/03 ⁵	521.16	507.80	13.36	610	<0.5	<0.5	0.9	<0.5	20	--
09/04/03 ⁵	521.16	507.25	13.91	970	1	<0.5	1	<0.5	86	--
12/03/03 ⁵	521.16	507.40	13.76	1,100	0.5	<0.5	1	0.6	77	--
03/01/04 ⁵	521.16	508.71	12.45	--	<0.5	<0.5	0.7	<0.5	15	--
06/29/04 ⁵	521.16	507.31	13.85	1,100	<0.5	<0.5	0.9	<0.5	48	--
09/02/04 ⁵	521.16	507.09	14.07	500	<0.5	<0.5	<0.5	<0.5	60	--
12/03/04 ⁵	521.16	507.41	13.75	400	<0.5	<0.5	<0.5	<0.5	18	--
03/01/05 ⁵	521.16	508.84	12.32	550	<0.5	<0.5	<0.5	<0.5	6	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-9										
03/28/86	519.52	508.28	11.24	--	--	--	--	--	--	--
03/15/88	519.52	506.60	12.92	29,000	540	560	580	3,900	--	--
05/10/88	519.52	506.40	13.12	--	--	--	--	--	--	--
06/10/88	519.52	505.36	14.16	--	--	--	--	--	--	--
07/25/88	519.52	506.52	13.00	--	--	--	--	--	--	--
10/13/88	519.52	506.39	13.13	2,200	57	8.0	20	150	--	--
01/01/89	519.52	507.33	12.19	--	--	--	--	--	--	--
01/12/89	519.52	--	--	2,000	39	12	51	46	--	--
04/12/89	519.52	506.41	13.11	6,000	16	20	55	240	--	ND
04/11/89	519.52	506.41	13.11	6,000	14	25	45	290	--	--
06/26/89	519.52	506.12	13.40	3,900	37	63	140	690	--	ND
10/13/89	519.52	506.06	13.46	1,300	7.0	ND	26	50	--	ND
01/03/90	519.52	506.22	13.30	1,500	ND	0.7	202	37	--	--
05/07/90	519.52	506.04	13.48	7,100	21	33	89	500	--	--
09/29/90	519.52	506.13	13.39	1,000	21	3.9	31	110	--	--
01/03/91	519.72	506.44	13.28	3,200	ND	ND	32	140	--	--
04/12/91	519.72	506.72	13.00	--	--	--	--	--	--	--
09/04/91	519.72	506.11	13.61	--	--	--	--	--	--	--
04/06/92	519.72	507.18	12.54	2,800	ND	ND	33	130	--	--
07/28/92	519.72	506.27	13.45	1,000	6.5	2.4	17	37	--	--
10/16/92	519.72	505.74	13.98	190,000	ND	730	960	2,000	--	--
01/14/93	519.72	509.28	10.44	2,200	ND	ND	27	77	--	--
03/26/93	519.72	--	--	--	--	--	--	--	--	--
04/22/93	519.72	508.29	11.43	7,300	60	40	68	98	--	--
07/20-21/93	519.72	504.52	15.20	30,000	160	130	450	1,100	--	--
10/20/93	519.72	506.76	12.96	36,000	22	200	440	930	--	--
01/20/94	519.72	506.88	12.84	12,000	55	57	27	210	--	--
04/21/94	519.72	506.58	13.14	2,200	11	12	23	19	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (l.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-9 (cont)										
07/21-22/94	519.72	506.77	12.95	1,100	ND	4.0	14	10	--	--
01/18/95	519.72	508.57	11.15	2,100	9.2	13	19	13	--	--
04/17/95	519.72	508.41	11.31	3,800	4.8	3.6	5.9	7.2	--	--
07/18/95	519.72	508.06	11.66	1,700	<2.0	<2.0	9.6	8.3	--	--
10/17/95	519.72	507.99	11.73	1,200	<1.2	<1.2	2.2	4.3	450	--
01/18/96	519.72	509.04	10.68	1,400	3.1	<2.5	<2.5	<2.5	750	--
04/17/96	519.72	509.67	10.05	480	0.94	<0.5	1.7	1.1	380	--
07/16/96	519.72	508.80	10.92	290	2.7	<0.5	2.0	3.3	420	--
10/16/96	519.72	508.42	11.30	2,200	13	<10	<10	<10	1,300	--
04/10/97	519.72	508.52	11.20	680	<5.0	<5.0	<5.0	<5.0	630	--
10/20/97	519.72	508.28	11.44	650	11	<5.0	8.1	7.2	1,000	--
04/30/98	519.72	509.11	10.61	880	4.4	3.9	2.0	8.5	200	--
10/07/98	519.72	508.87	10.85	<50	0.68	<0.5	<0.5	<0.5	130	--
04/14/99	519.72	508.89	10.83	534	3.28	<0.5	3.0	<0.5	94.4	--
01/21/00	519.72	508.82	10.90	937	<0.5	0.718	1.64	1.3	144	--
03/23/01	519.72	508.44	11.28	434	<0.500	<0.500	<0.500	<0.500	19.7/22 ⁴	--
09/28/01	519.72	508.14	11.58	480	0.92	<1.0	1.1	<5.0	21	--
12/28/01	519.72	509.01	10.71	340	1.0	0.51	<2.0	<5.0	17	--
03/29/02	519.72	508.55	11.17	350	0.67	<0.50	<2.0	<5.0	18/16 ⁴	--
06/13/02	519.72	507.93	11.79	300	0.50	<0.50	<1.0	<3.0	5.9	--
09/10/02	519.72	508.20	11.52	320	<0.50	0.57	<1.0	2.6	6.8	--
12/09/02	519.72	507.99	11.73	400	<0.50	0.78	1.5	5.5	14/15 ⁴	--
03/07/03	519.72	508.33	11.39	340	0.85	0.55	1.1	<5.0	5.6/5 ⁴	--
06/06/03 ⁵	519.64	507.42	12.22	220	<0.5	<0.5	<0.5	<1	4	--
09/04/03 ⁵	519.64	506.92	12.72	290	<0.5	<0.5	<0.5	<1.0	39	--
12/03/03 ⁵	519.64	507.03	12.61	310	<0.5	<0.7	<0.8	<1.6	49	--
03/01/04 ⁵	519.64	508.32	11.32	--	<0.5	<0.5	<0.5	<0.5	10	--
06/29/04 ⁵	519.64	506.99	12.65	470	<0.5	<0.5	<0.5	<0.5	16	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-9 (cont)										
09/02/04 ^s	519.64	506.75	12.89	1,200	<0.5	<0.5	<0.5	<0.5	7	--
12/03/04 ^s	519.64	507.05	12.59	1,100	<0.5	<0.5	<0.5	<0.5	6	--
03/01/05 ^s	519.64	508.36	11.28	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
C-11										
03/28/86	520.04	506.22	13.82	--	--	--	--	--	--	--
03/15/88	520.04	505.55	14.49	--	--	--	--	--	--	--
05/10/88	520.04	505.73	14.31	--	--	--	--	--	--	--
06/10/88	520.04	504.57	15.47	--	--	--	--	--	--	--
07/25/88	520.04	506.44	13.60	--	--	--	--	--	--	--
10/14/88	520.04	505.51	14.53	2.0	240	33	4.7	67	--	--
01/01/89	520.04	505.94	14.10	--	--	--	--	--	--	--
01/12/89	520.04	--	--	ND	ND	0.8	ND	ND	--	--
04/12/89	520.04	505.68	14.36	ND	4.3	ND	ND	ND	--	ND
06/26/89	520.04	505.46	14.58	ND	2.0	ND	ND	ND	--	4.0
10/13/89	520.04	505.33	14.71	ND	ND	ND	ND	ND	--	ND
01/03/90	520.04	505.43	14.61	ND	ND	ND	ND	0.7	--	--
05/08/90	520.04	504.51	15.53	110	12	11	0.9	22	--	--
09/28/90	520.04	504.53	15.51	ND	2.0	1.4	ND	3.3	--	--
01/03/91	520.04	505.41	14.63	ND	2.0	ND	ND	2.0	--	--
04/12/91	520.04	505.74	14.30	--	--	--	--	--	--	--
09/04/91	520.04	505.20	14.84	--	--	--	--	--	--	--
04/06/92	520.04	506.48	13.56	ND	ND	ND	ND	ND	--	--
07/28/92	520.04	505.65	14.39	ND	ND	ND	ND	ND	--	--
10/16/92	520.04	504.25	15.79	ND	ND	ND	ND	ND	--	--
01/14/93	520.04	507.90	12.14	94	ND	1.3	0.7	6.0	--	--
03/26/93	520.04	508.23	11.81	130	2.0	ND	0.6	1.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-11 (cont)										
04/22/93	520.04	507.10	12.94	ND	0.8	ND	ND	ND	--	--
07/20-21/93	520.04	503.56	16.48	1,200	3.0	1.0	ND	1.0	--	--
10/20/93	520.04	505.58	14.46	ND	2.0	ND	ND	ND	--	--
01/20/94	520.04	505.92	14.12	140	5.0	0.6	3.0	4.0	--	--
04/21/94	520.04	505.80	14.24	86	1.7	0.6	1.2	1.6	--	--
07/21-22/94	520.04	505.83	14.21	ND	ND	ND	ND	ND	--	--
01/18/95	520.04	506.81	13.23	50	3.7	<0.5	0.9	1.9	--	--
04/17/95	520.04	507.03	13.01	89	1.4	1.3	0.69	0.79	--	--
07/18/95	520.04	507.04	13.00	89	0.95	<0.5	1.1	1.0	--	--
10/17/95	520.04	506.72	13.32	73	<0.5	<0.5	<0.5	<0.5	390	--
01/18/96	520.04	507.14	12.90	240	12	29	4.3	33	<2.5	--
04/17/96	519.95	507.47	12.48	<50	<0.5	<0.5	<0.5	<0.5	26	--
07/16/96	519.95	507.28	12.67	<500	17	<5.0	<5.0	20	5,900	--
10/16/96	519.95	506.90	13.05	<125	<1.2	<1.2	<1.2	<1.2	910	--
04/10/97	519.95	506.77	13.18	<100	<1.0	<1.0	<1.0	<1.0	460	--
10/20/97	519.95	506.70	13.25	190	<0.5	7.2	2.6	16	8,900	--
04/30/98	519.95	507.19	12.76	<1,000	<10	<10	<10	<10	2,100	--
10/07/98	519.95	507.27	12.68	<50,000	930	<500	<500	<500	700,000	--
01/08/99	519.95	506.74	13.21	<500	16	<5.0	<5.0	<5.0	11,000/9,900 ²	--
04/14/99	519.95	506.84	13.11	99.6	2.13	<0.5	1.08	<0.5	853	--
01/21/00	-- ³	--	13.21	52.5	<0.5	<0.5	<0.5	0.756	261	--
03/23/01	-- ³	--	13.11	<50.0	<0.500	<0.500	<0.500	<0.500	92.3/110 ⁴	--
09/28/01	-- ³	--	13.35	73	<0.50	<0.50	<0.50	<1.5	140	--
12/28/01	-- ³	--	11.43	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	-- ³	--	13.15	<50	<0.50	<0.50	<0.50	<1.5	4.1/3 ⁴	--
06/13/02	-- ³	--	13.38	56	<0.50	<0.50	<0.50	<1.5	69	--
09/10/02	-- ³	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--
12/09/02	-- ³	--	13.23	96	<0.50	<0.50	<0.50	<1.5	27	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	
C-11 (cont)											
03/04/03	-- ³	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--
06/06/03 ⁵	-- ³	--	13.27	<50	<0.5	<0.5	0.6	<0.5	9	--	
09/04/03 ⁵	-- ³	--	13.53	<50	<0.5	<0.5	<0.5	<0.5	11	--	
12/03/03 ⁵	-- ³	--	13.62	<50	<0.5	<0.5	<0.5	<0.5	7	--	
03/01/04 ⁵	-- ³	--	12.75	--	<0.5	<0.5	<0.5	<0.5	9	--	
06/29/04 ⁵	-- ³	--	13.51	89	<0.5	<0.5	<0.5	<0.5	17	--	
09/02/04 ⁵	-- ³	--	14.70	<50	<0.5	<0.5	<0.5	<0.5	8	--	
12/03/04 ⁵	-- ³	--	13.61	<50	<0.5	<0.5	<0.5	<0.5	1	--	
03/01/05 ⁵	-- ³	--	12.94	65	<0.5	<0.5	<0.5	<0.5	6	--	
C-12											
03/28/86	519.82	506.21	13.61	--	--	--	--	--	--	--	
03/15/88	519.82	505.27	14.55	ND	ND	ND	ND	ND	--	--	
05/10/88	519.82	505.25	14.57	--	--	--	--	--	--	--	
06/10/88	519.82	504.19	15.63	--	--	--	--	--	--	--	
07/25/88	519.82	505.31	14.51	--	--	--	--	--	--	--	
10/13/88	519.82	505.22	14.60	ND	ND	ND	ND	ND	--	--	
01/12/89	519.82	505.20	14.62	ND	ND	ND	ND	ND	--	--	
04/11/89	519.82	505.21	14.61	ND	ND	ND	ND	ND	--	ND	
06/26/89	519.82	505.07	14.75	ND	ND	ND	ND	ND	--	ND	
10/13/89	519.82	505.05	14.77	ND	ND	ND	ND	ND	--	ND	
01/03/90	519.82	504.97	14.85	ND	ND	ND	ND	0.6	--	--	
05/07/90	519.82	505.07	14.75	ND	ND	ND	ND	ND	--	--	
09/27/90	519.82	505.21	14.61	ND	ND	ND	ND	ND	--	--	
01/03/91	519.82	505.12	14.70	ND	ND	ND	ND	ND	--	--	
04/12/91	519.82	505.30	14.52	--	--	--	--	--	--	--	
09/04/91	519.82	504.99	14.83	--	--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-12 (cont)										
04/06/92	519.82	506.01	13.81	ND	ND	ND	ND	ND	--	--
07/28/92	519.82	505.50	14.32	ND	ND	ND	ND	ND	--	--
10/16/92	519.82	504.70	15.12	ND	ND	ND	ND	ND	--	--
01/14/93	519.82	506.59	13.23	65	ND	ND	ND	1.7	--	--
03/26/93	519.82	507.62	12.20	ND	0.9	ND	ND	ND	--	--
04/22/93	519.82	506.61	13.21	ND	ND	ND	ND	ND	--	--
07/20-21/93	519.82	503.11	16.71	ND	ND	ND	ND	ND	--	--
10/20/93	519.82	505.63	14.19	ND	ND	ND	ND	ND	--	--
01/20/94	519.82	505.77	14.05	ND	ND	ND	ND	ND	--	--
04/21/94	519.82	505.76	14.06	ND	ND	ND	ND	ND	--	--
07/21-22/94	519.82	505.70	14.12	ND	ND	ND	ND	ND	--	--
01/08/99	519.82	506.51	13.31	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ²	--
03/23/01	519.82	506.86	12.96	--	--	--	--	--	--	--
09/28/01	519.82	506.10	13.72	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	519.82	506.68	13.14	240	1.3	18	3.4	55	4.5	--
03/29/02	519.82	506.26	13.56	2,100	<0.50	<0.50	<0.50	600	<2.5/<2 ⁴	--
06/13/02	519.82	506.08	13.74	940	<0.50	<0.50	<0.50	19	<2.5	--
09/10/02	519.82	506.32	13.50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	519.82	506.08	13.74	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	519.82	506.20	13.62	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	519.87	506.09	13.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	519.87	505.42	14.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	519.87	505.76	14.11	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	519.87	506.19	13.68	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/29/04 ⁵	519.87	505.83	14.04	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/04 ⁵	519.87	505.60	14.27	<50	<0.5	<0.5	<0.5	2	<0.5	--
12/03/04	519.87	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
03/01/05	519.87	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-13										
03/28/86	522.24	509.29	12.95	--	--	--	--	--	--	--
03/15/88	522.24	507.42	14.82	250	2.0	ND	9.0	3.0	--	--
05/10/88	522.24	507.21	15.03	--	--	--	--	--	--	--
06/10/88	522.24	506.14	16.10	--	--	--	--	--	--	--
07/25/88	522.24	507.51	14.73	--	--	--	--	--	--	--
10/13/88	522.24	507.33	14.91	ND	1.9	ND	ND	ND	--	--
01/01/89	522.24	508.14	14.10	--	--	--	--	--	--	--
01/12/89	522.24	--	--	ND	ND	0.6	4.0	ND	--	--
04/10/89	522.24	507.25	14.99	ND	ND	ND	8.0	ND	--	ND
06/26/89	522.24	507.08	15.16	ND	0.3	ND	ND	ND	--	ND
10/13/89	522.24	507.01	15.23	ND	ND	ND	ND	ND	--	ND
01/03/90	522.24	507.09	15.15	ND	ND	ND	0.5	0.6	--	--
05/08/90	522.24	507.22	15.02	ND	ND	ND	ND	ND	--	--
09/27/90	522.24	507.13	15.11	ND	ND	0.6	ND	ND	--	--
01/03/91	522.24	507.16	15.08	ND	ND	ND	ND	0.6	--	--
04/12/91	522.24	507.47	14.77	--	--	--	--	--	--	--
09/04/91	522.24	506.81	15.43	--	--	--	--	--	--	--
04/06/92	522.24	507.81	14.43	66	ND	ND	ND	ND	--	--
07/28/92	522.24	506.87	15.37	60	8.2	ND	ND	1.1	--	--
10/16/92	522.24	506.37	15.87	ND	ND	ND	ND	ND	--	--
01/14/93	522.24	509.41	12.83	100	ND	ND	ND	1.3	--	--
03/26/93	522.24	509.65	12.59	ND	ND	ND	ND	ND	--	--
04/22/93	522.24	509.08	13.16	ND	ND	ND	ND	ND	--	--
07/20-21/93	522.24	505.72	16.52	99	4.0	13	2.0	7.0	--	--
10/20/93	522.24	507.11	15.13	ND	ND	ND	ND	ND	--	--
01/20/94	522.24	507.59	14.65	ND	ND	ND	ND	ND	--	--
04/21/94	522.24	507.36	14.88	ND	ND	ND	ND	ND	--	--
07/21-22/94	522.24	507.29	14.95	ND	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-13 (cont)										
03/23/01	522.24	508.96	13.28	--	--	--	--	--	--	--
09/28/01	522.24	508.59	13.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	522.24	509.26	12.98	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	522.24	509.08	13.16	<50	<0.50	<0.50	<0.50	<1.5	8.0/7 ⁴	--
06/13/02	522.24	508.37	13.87	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/10/02	522.24	508.98	13.26	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	522.24	508.40	13.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	522.24	508.93	13.31	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	522.30	508.24	14.06	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	522.30	507.65	14.65	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	522.30	507.81	14.49	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	522.30	509.21	13.09	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/29/04 ⁵	522.30	507.75	14.55	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/04 ⁵	522.30	507.53	14.77	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/04	522.30	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
03/01/05	522.30	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
C-20										
10/12/95	520.67	507.17	13.50	--	--	--	--	--	--	--
05/16/96	520.67	507.89	12.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	520.67	507.74	12.93	<50	2.5	1.5	0.82	2.4	4.1	--
10/16/96	520.67	507.43	13.24	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/97	520.67	507.35	13.32	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/20/97	520.67	507.21	13.46	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.67	507.82	12.85	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/07/98	520.67	507.99	12.68	--	--	--	--	--	--	--
04/14/99	520.67	507.37	13.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-20 (cont)										
01/21/00	520.67	507.21	13.46	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	520.67	507.11	13.56	--	--	--	--	--	--	--
09/28/01	520.67	506.83	13.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/28/01	520.67	507.50	13.17	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	520.67	507.06	13.61	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁴	--
06/13/02	520.67	506.85	13.82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/10/02	520.67	507.33	13.34	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	520.67	506.78	13.89	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	520.67	506.99	13.68	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	520.63	506.94	13.69	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	520.63	506.56	14.07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	520.63	506.53	14.10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	520.63	507.10	13.53	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/29/04 ⁵	520.63	506.58	14.05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/04 ⁵	520.63	506.38	14.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/04	520.63	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
03/01/05	520.63	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
C-21										
10/12/95	519.64	507.49	12.15	--	--	--	--	--	--	--
05/16/96	519.64	508.36	11.28	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	519.64	508.24	11.40	<50	0.93	1.1	0.81	2.3	2.5	--
10/16/96	519.64	508.17	11.47	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	519.64	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--
09/28/01	519.64	INACCESSIBLE - PAVED OVER			--	--	--	--	--	--
12/28/01	519.64	UNABLE TO LOCATE			--	--	--	--	--	--
03/29/02	519.64	506.89	12.75	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁴	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-21 (cont)										
06/13/02	519.64	506.64	13.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/10/02	519.64	506.94	12.70	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	519.64	506.56	13.08	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	519.64	506.83	12.81	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ⁴	--
06/06/03 ⁵	519.64	506.76	12.88	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	519.64	506.43	13.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	519.64	506.34	13.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	519.64	506.96	12.68	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/29/04 ⁵	519.64	506.41	13.23	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/04 ⁵	519.64	506.16	13.48	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/04	519.64	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
03/01/05	519.64	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--
C-1										
03/28/86	520.39	508.64	11.75	--	--	--	--	--	--	--
03/15/88	520.39	506.89	13.50	27,000	770	87	610	2,100	--	--
05/10/88	520.39	506.74	13.65	--	--	--	--	--	--	--
06/10/88	520.39	505.67	14.72	--	--	--	--	--	--	--
07/25/88	520.39	506.89	13.50	--	--	--	--	--	--	--
10/13/88	520.39	507.50	12.89	3,200	220	11	62	130	--	--
01/01/89	520.39	507.50	12.89	--	--	--	--	--	--	--
01/12/89	520.39	--	--	4,000	820	43	490	260	--	--
04/10/89	520.39	506.74	13.65	4,000	100	ND	70	50	--	ND
04/10/89	520.39	506.74	13.65	4,000	100	ND	60	50	--	--
06/26/89	520.39	506.45	13.94	600	97	20	60	50	--	ND
06/26/89	520.39	506.45	13.94	570	86	15	44	35	--	--
10/13/89	520.39	506.47	13.92	1,600	64	ND	51	48	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-1 (cont)										
01/03/90	520.39	506.59	13.80	1,100	36	0.68	30	30	--	--
05/08/90	520.39	506.48	13.91	1,300	37	9.2	40	32	--	--
09/29/90	520.39	506.46	13.93	350	19	1.2	32	31	--	--
01/03/91	520.39	506.54	13.85	400	12	ND	17	14	--	--
04/12/91	520.39	506.88	13.51	--	--	--	--	--	--	--
09/04/91	520.39	506.29	14.10	--	--	--	--	--	--	--
04/06/92	520.39	507.33	13.06	1,000	12	0.8	31	31	--	--
07/28/92	520.39	506.46	13.93	4,200	47	110	96	260	--	--
10/16/92	520.39	505.94	14.45	1,800	11	ND	32	55	--	--
01/14/93	520.39	509.16	11.23	2,000	24	ND	98	62	--	--
03/26/93	520.39	509.45	10.94	4,400	21	12	120	100	--	--
04/22/93 ¹	520.39	504.14	16.25	18,000	26	44	580	330	--	--
07/20-21/93	520.39	505.10	15.29	7,100	73	11	470	470	--	--
10/20/93	520.39	506.89	13.50	880	19	26	260	190	--	--
01/20/94	520.39	507.13	13.26	2,900	13	10	130	60	--	--
04/21/94	520.39	506.93	13.46	1,400	8.8	7.8	82	34	--	--
07/21-22/94	520.39	506.93	13.46	800	4.7	2.7	34	13	--	--
01/18/95	520.39	508.67	11.72	2,000	18	10	130	10	--	--
04/17/95	520.39	508.58	11.81	2,500	13	1.9	33	4.3	--	--
07/18/95	520.39	508.27	12.12	1,100	<10	<10	27	<10	--	--
10/17/95	520.39	507.81	12.58	2,000	13	<5.0	24	<5.0	6,400	--
01/18/96	520.39	509.07	11.32	<2,000	35	30	<20	23	6,600	--
04/17/96	520.39	509.52	10.87	<1,000	31	<10	<10	<10	<50	--
07/16/96	520.39	509.01	11.38	830	15	<5.0	13	<5.0	9,000	--
10/16/96	520.39	508.58	11.81	<5,000	<50	<50	<50	<50	6,300	--
01/08/99	520.39	508.33	12.06	1,600	22	<10	10	<10	1,500/1,400 ²	--

NOT MONITORED/SAMPLED - UNABLE TO LOCATE
ASSUMED DESTROYED (Per Lead Consultant 11/30/01)

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-2										
03/28/86	520.76	508.78	11.98	--	--	--	--	--	--	--
03/15/88	520.76	506.99	13.77	22,000	3,900	1,900	1,200	1,200	--	--
05/10/88	520.76	506.73	14.03	--	--	--	--	--	--	--
06/10/88	520.76	505.64	15.12	--	--	--	--	--	--	--
07/25/88	520.76	506.90	13.86	--	--	--	--	--	--	--
10/13/88	520.76	506.65	14.11	ND	ND	ND	ND	ND	--	--
01/01/89	520.76	507.93	12.83	--	--	--	--	--	--	--
01/12/89	520.76	--	--	1,000	25	3.0	83	59	--	--
04/10/89	520.76	506.72	14.04	600	2.5	ND	15	12	--	ND
04/10/89	520.76	506.72	14.04	ND	ND	ND	11	11	--	--
06/26/89	520.76	506.42	14.34	640	5.3	8.0	18	14	--	ND
06/26/89	520.76	506.42	14.34	750	3.7	0.6	13	8.2	--	--
10/13/89	520.76	506.84	13.92	630	ND	ND	17	10	--	--
01/03/90	520.76	506.65	14.11	880	3	ND	19	17	--	--
05/08/90	520.76	506.48	14.28	340	1.3	2.7	8.4	11	--	--
09/29/90	520.76	506.51	14.25	74	ND	ND	4.6	1.8	--	--
01/03/91	520.76	506.61	14.15	2,000	270	ND	79	93	--	--
04/12/91	520.76	506.90	13.86	--	--	--	--	--	--	--
09/04/91	520.76	506.26	14.50	--	--	--	--	--	--	--
04/06/92	520.76	507.29	13.47	1,200	ND	ND	54	6.1	--	--
07/28/92	520.76	506.41	14.35	1,000	5.2	2.9	26	16	--	--
10/16/92	520.76	505.92	14.84	2,000	ND	2.2	20	10	--	--
01/14/93	520.76	509.54	11.22	1,800	49	50	31	29	--	--
03/26/93	520.76	509.99	10.77	820	15	12	14	6.0	--	--
04/22/93	520.76	507.83	12.93	2,000	12	12	28	29	--	--
07/20-21/93	520.76	504.74	16.02	1,100	28	8.0	4.0	4.0	--	--
10/20/93	520.76	506.92	13.84	1,600	140	18	22	27	--	--
01/20/94	520.76	507.16	13.60	760	36	3.0	7.0	3.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-2 (cont)										
04/21/94	520.76	506.66	14.10	430	23	2.8	6.8	6.8	--	--
07/21-22/94	520.76	506.93	13.83	1,200	10	2.8	5.2	53	--	--
01/18/95	520.76	508.94	11.82	640	1.0	<0.5	5.7	7.7	--	--
04/17/95	520.76	508.72	12.04	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/18/95	520.76	508.34	12.42	81	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.76	507.97	12.79	390	<0.5	<0.5	1.2	1.2	14	--
01/18/96	520.76	509.18	11.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/17/96	520.76	509.49	11.27	62	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	520.76	508.81	11.95	370	2.1	1.5	3.1	3.9	47	--
10/16/96	520.76	508.36	12.40	460	2.4	1.3	1.8	1.9	200	--
04/10/97	520.76	508.49	12.27	480	0.63	<0.5	<0.5	<0.5	15	--
10/20/97	520.76	508.45	12.31	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.76	509.50	11.26	140	1.0	0.61	1.1	1.9	6.4	--
10/07/98	520.76	509.22	11.54	--	--	--	--	--	--	--
04/14/99	520.76	509.35	11.41	201	1.96	<0.5	0.57	<0.5	11.2	--
01/21/00	520.76	509.31	11.45	320	0.949	<0.5	0.967	0.62	8.48	--
DESTROYED										
C-3										
03/28/86	521.31	509.07	12.24	--	--	--	--	--	--	--
03/15/88	521.31	507.10	14.21	2,100	86	8.0	30	36	--	--
05/10/88	521.31	506.88	14.43	--	--	--	--	--	--	--
06/10/88	521.31	505.78	15.53	--	--	--	--	--	--	--
07/25/88	521.31	507.09	14.22	--	--	--	--	--	--	--
10/13/88	521.31	507.21	14.10	ND	ND	ND	ND	ND	--	--
01/01/89	521.31	508.61	12.70	--	--	--	--	--	--	--
04/10/89	521.31	506.95	14.36	200	2.1	ND	4.4	2.6	--	ND
06/26/89	521.31	506.57	14.74	260	1.1	0.7	4.9	1.6	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-3 (cont)										
10/13/89	521.31	506.61	14.70	ND	ND	ND	ND	ND	--	--
01/03/90	521.31	506.89	14.42	ND	ND	ND	0.9	1.4	--	--
05/08/90	521.31	506.66	14.65	ND	ND	ND	ND	ND	--	--
09/27/90	521.31	506.64	14.67	71	ND	1.0	ND	ND	--	--
01/03/91	521.31	506.73	14.58	57	ND	ND	ND	ND	--	--
04/12/91	521.31	507.08	14.23	98	ND	ND	1.6	ND	--	--
09/04/91	521.31	506.43	14.88	64	ND	ND	ND	ND	--	--
04/06/92	521.31	507.48	13.83	88	ND	ND	0.8	ND	--	--
07/28/92	521.31	506.51	14.80	80	ND	ND	0.5	1.1	--	--
10/16/92	521.31	506.08	15.23	1,400	ND	ND	6.6	11	--	--
01/14/93	521.31	509.86	11.45	100	ND	ND	ND	1.3	--	--
03/26/93	521.31	510.04	11.27	74	0.7	1.0	ND	ND	--	--
04/22/93	521.31	508.70	12.61	ND	ND	ND	ND	ND	--	--
07/20-21/93	521.31	505.14	16.17	ND	ND	ND	ND	ND	--	--
10/20/93	521.31	507.08	14.23	ND	ND	1.0	ND	0.8	--	--
01/20/94	521.31	507.30	14.01	ND	ND	ND	ND	ND	--	--
04/21/94	521.31	506.98	14.33	ND	ND	ND	ND	ND	--	--
07/21-22/94	521.31	507.00	14.31	ND	ND	ND	ND	ND	--	--
DESTROYED										
C-5										
03/28/86	520.82	508.82	12.00	--	--	--	--	--	--	--
03/15/88	520.82	507.07	13.75	1,600	82	7.0	77	95	--	--
05/10/88	520.82	506.90	13.92	--	--	--	--	--	--	--
07/10/88	520.82	507.10	13.72	--	--	--	--	--	--	--
07/25/88	520.82	507.10	13.72	--	--	--	--	--	--	--
10/13/88	520.82	506.98	13.84	2,500	ND	ND	ND	ND	--	--
01/01/89	520.82	507.41	13.41	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-5 (cont)										
01/12/89	520.82	--	--	ND	42	3.0	44	52	--	--
04/10/89	520.82	--	13.88	180	2.6	ND	6.2	5.5	--	ND
06/26/89	520.82	506.68	14.14	420	7.6	0.8	40	56	--	ND
10/13/89	520.82	506.67	14.15	620	ND	ND	10	ND	--	ND
01/03/90	520.82	506.72	14.10	ND	0.7	ND	8.0	6.0	--	--
05/08/90	520.82	506.82	14.00	140	0.6	0.8	11	7.2	--	--
09/27/90	520.82	506.82	14.00	360	ND	3.2	5.2	6.4	--	--
01/03/91	520.82	506.82	14.00	90	ND	ND	ND	3.0	--	--
04/12/91	520.82	507.11	13.71	270	12	ND	19	7.0	--	--
09/04/91	520.82	506.52	14.30	ND	ND	ND	ND	ND	--	--
04/06/92	520.82	507.53	13.29	670	12	ND	40	ND	--	--
07/28/92	520.82	506.69	14.13	130	15	ND	1.8	0.5	--	--
10/16/92	520.82	506.14	14.68	ND	ND	ND	ND	1.2	--	--
01/14/93	520.82	508.95	11.87	2,300	13	ND	110	10	--	--
03/26/93	520.82	--	--	--	--	--	--	--	--	--
04/22/93	520.82	508.70	12.12	2,300	220	18	120	65	--	--
07/20-21/93	520.82	504.78	16.04	970	18	5.0	8.0	14	--	--
10/20/93	520.82	506.72	14.10	2,200	7.0	5.0	3.0	15	--	--
01/20/94	520.82	507.22	13.60	440	2.0	1.0	11	0.6	--	--
04/21/94	520.82	507.01	13.81	490	2.7	2.6	21	1.5	--	--
07/21-22/94	520.82	507.00	13.82	370	0.9	ND	6.5	1.0	--	--
01/18/95	520.82	508.55	12.27	940	37	22	14	7.3	--	--
04/17/95	520.82	508.65	12.17	14,000	1,200	340	160	80	--	--
07/18/95	520.82	508.51	12.31	<2,000	180	<20	<20	<20	--	--
10/17/95	520.82	508.36	12.46	92	4.9	<0.5	<0.5	<0.5	240	--
01/18/96	520.82	509.04	11.78	1,300	180	<5.0	10	7.9	4,300	--
04/17/96	520.82	509.71	11.11	2,200	140	<10	<10	<10	5,400	--
07/16/96	520.82	509.40	11.42	380	4.5	<0.5	3.4	3.1	1,400	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-1924
 4904 Southfront Road
 Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-5 (cont)										
10/16/96	520.82	508.82	12.00	320	3.4	<1.0	<1.0	1.5	660	--
04/10/97	520.82	509.07	11.75	980	12	<2.5	3.0	<2.5	1,700	--
10/20/97	520.82	508.76	12.06	SAMPLED ANNUALLY			--	--	--	--
04/30/98	520.82	510.02	10.80	1,500	38	<5.0	17	5.4	1,700	--
10/07/98	520.82	509.78	11.04	--	--	--	--	--	--	--
04/14/99	520.82	509.53	11.29	227	10.9	0.511	1.17	1.06	468	--
01/21/00	520.82	509.42	11.40	909	11.5	<2.0	4.48	<2.0	493	--
03/23/01	520.82	INACCESSIBLE - DUE TO OBSTRUCTION IN WELL				--	--	--	--	--
09/28/01	520.82	INACCESSIBLE - DUE TO OBSTRUCTION IN WELL				--	--	--	--	--
DESTROYED										
C-6										
03/26/86	519.62	508.50	11.12	--	--	--	--	--	--	--
03/15/88	519.62	506.69	12.93	46,000	870	4,600	1,500	8,200	--	--
05/10/88	519.62	506.59	13.03	86,000	1,400	10,000	3,000	19,000	--	--
06/10/88	519.62	505.51	14.11	--	--	--	--	--	--	--
07/25/88	519.62	506.67	12.95	--	--	--	--	--	--	--
10/13/88	519.62	506.48	13.14	5,300	300	600	260	1,600	--	--
01/01/89	519.62	507.48	12.14	--	--	--	--	--	--	--
01/12/89	519.62	--	--	5,000	260	110	270	720	--	--
04/12/89	519.62	506.64	12.98	5,000	90	190	190	680	--	4.0
06/26/89	519.62	506.23	13.39	3,600	77	250	140	610	--	ND
10/13/89	519.62	506.22	13.40	3,500	32	81	100	530	--	ND
01/03/90	519.62	506.44	13.18	3,200	20	97	65	410	--	--
05/08/90	519.62	506.23	13.39	1,800	17	140	ND	400	--	--
09/29/90	519.62	506.30	13.32	8,000	58	210	260	2,100	--	--
01/03/91	519.62	506.43	13.19	2,300	4.0	79	59	380	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-6 (cont)										
04/12/91	519.62	506.71	12.91	--	--	--	--	--	--	--
09/04/91	519.62	506.06	13.56	--	--	--	--	--	--	--
04/06/92	519.62	507.14	12.48	44,000	ND	120	740	3,400	--	--
07/28/92	519.62	506.15	13.47	120,000	220	1,100	3,000	13,000	--	--
10/16/92	519.62	505.67	13.95	570,000	ND	830	3,300	9,600	--	--
01/14/93	519.62	509.23	10.39	19,000	ND	25	460	980	--	--
03/26/93	519.62	509.79	9.83	11,000	30	90	290	1,100	--	--
04/22/93	519.62	508.30	11.32	20,000	29	170	640	2,400	--	--
07/20-21/93	519.62	504.70	14.92	32,000	130	490	1,000	4,900	--	--
10/20/93	519.62	506.71	12.91	77,000	290	790	2,500	7,600	--	--
01/20/94	519.62	506.94	12.68	22,000	10	86	510	29	--	--
04/21/94	519.62	506.74	12.88	6,500	17	42	160	210	--	--
07/21-22/94	519.62	506.78	12.84	4,500	ND	7.1	130	130	--	--
01/18/95	519.62	508.61	11.01	3,600	3.3	6.7	62	78	--	--
04/17/95	519.62	508.35	11.27	1,500	1.6	2.2	14	12	--	--
07/18/95	519.62	508.16	11.46	4,000	<10	<10	40	22	--	--
10/17/95	519.62	507.64	11.98	6,000	<10	<10	100	58	5,200	--
01/18/96	519.62	508.78	10.84	1,200	<5.0	<5.0	10	<5.0	2,600	--
04/17/96	519.62	509.15	10.47	510	<2.5	<2.5	10	3.0	490	--
07/16/96	519.62	508.65	10.97	1,300	10	<10	51	<10	2,700	--
10/16/96	519.62	508.12	11.50	2,600	31	<10	12	11	5,100	--
04/10/97	519.62	508.35	11.27	1,300	5.1	<2.5	17	<2.5	1,300	--
10/20/97	519.62	507.85	11.77	2,200	<2.5	4.6	14	13	1,300	--
04/30/98	519.62	509.01	10.61	1,300	6.5	8.6	5.6	7.0	180	--
10/07/98	519.62	508.71	10.91	1,200	11	<10	15	<10	710	--
04/14/99	519.62	508.77	10.85	2,180	13.6	<2.0	5.52	4.12	116	--
01/21/00	519.62	508.73	10.89	1,230	10.3	<5.0	5.89	6.09	217	--

DESTROYED

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-8										
03/28/86	519.74	507.96	11.78	--	--	--	--	--	--	--
03/15/88	519.74	506.11	13.63	7,500	360	25	10	ND	--	--
05/10/88	519.74	506.00	13.74	--	--	--	--	--	--	--
06/10/88	519.74	504.85	14.89	--	--	--	--	--	--	--
07/25/88	519.74	506.09	13.65	--	--	--	--	--	--	--
10/13/88	519.74	505.96	13.78	ND	6.0	5.3	ND	ND	--	--
01/01/89	519.74	507.06	12.68	--	--	--	--	--	--	--
01/12/89	519.74	--	--	ND	37	4.0	1.0	5.0	--	--
04/12/89	519.74	505.97	13.77	3,000	13	ND	ND	ND	--	12
06/26/89	519.74	505.71	14.03	780	14	6.0	ND	6.0	--	ND
10/13/89	519.74	505.68	14.06	ND	ND	ND	ND	ND	--	ND
01/03/90	519.74	506.00	13.74	910	ND	ND	1.0	1.0	--	--
05/07/90	519.74	505.64	14.10	620	3.9	6.0	0.5	3.4	--	--
09/29/90	519.74	505.77	13.97	77	ND	1.4	ND	ND	--	--
01/03/91	519.74	505.93	13.81	67	2.0	2.0	ND	2.0	--	--
04/12/91	519.74	506.14	13.60	180	4.0	ND	ND	ND	--	--
09/04/91	519.74	505.60	14.14	140	1.8	4.7	0.8	4.8	--	--
04/06/92	519.74	506.62	13.12	150	ND	ND	ND	ND	--	--
07/28/92	519.74	505.64	14.10	90	ND	ND	ND	0.8	--	--
10/16/92	519.74	505.17	14.57	51	ND	ND	ND	ND	--	--
01/14/93	519.74	508.79	10.95	120	ND	1.6	1.0	3.5	--	--
03/26/93	519.74	--	--	--	--	--	--	--	--	--
04/22/93	519.74	507.67	12.07	68	ND	0.6	0.6	0.8	--	--
07/20-21/93	519.74	504.04	15.70	ND	ND	ND	ND	ND	--	--
10/20/93	519.74	506.23	13.51	ND	ND	ND	ND	ND	--	--
01/20/94	519.74	506.23	13.51	ND	ND	ND	ND	ND	--	--
04/21/94	519.74	506.06	13.68	ND	ND	ND	ND	ND	--	--
07/21-22/94	519.74	506.24	13.50	51	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOC (ppb)
C-8 (cont)										
01/18/95	519.74	DRY	--	--	--	--	--	--	--	--
04/17/95	519.74	DRY	--	--	--	--	--	--	--	--
07/18/95	519.74	DRY	--	--	--	--	--	--	--	--
10/17/95	519.74	507.54	12.20	NOT SAMPLED DUE TO INSUFFICIENT WATER						
01/18/96	519.74	507.64	12.10	NOT SAMPLED DUE TO INSUFFICIENT WATER						
04/17/96	519.74	508.87	10.87	SAMPLED SEMI-ANNUALLY						
07/16/96	519.74	508.26	11.48	NOT SAMPLED DUE TO INSUFFICIENT WATER						
10/16/96	519.74	507.78	11.96	--	--	--	--	--	--	--
03/23/01	519.74	507.78	11.96	--	--	--	--	--	--	--
09/28/01	519.74	DRY	--	--	--	--	--	--	--	--
DESTROYED										
C-10										
03/28/86	520.41	--	--	--	--	--	--	--	--	--
03/15/88	520.41	505.55	14.86	90	7.0	ND	ND	ND	--	--
05/10/88	520.41	505.51	14.90	--	--	--	--	--	--	--
06/10/88	520.41	504.47	15.94	--	--	--	--	--	--	--
07/25/88	520.41	505.56	14.85	--	--	--	--	--	--	--
10/13/88	520.41	505.51	14.90	ND	ND	ND	ND	ND	--	--
01/01/89	520.41	505.58	14.83	--	--	--	--	--	--	--
01/12/89	520.41	--	--	ND	ND	ND	ND	ND	--	--
04/11/89	520.41	505.51	14.90	ND	4.8	ND	ND	ND	--	ND
06/26/89	520.41	505.29	15.12	ND	0.7	ND	ND	1.5	--	4.0
10/13/89	520.41	505.30	15.11	ND	ND	ND	ND	ND	--	ND
01/03/90	520.41	505.40	15.01	ND	ND	ND	ND	ND	--	--
05/07/90	520.41	504.88	15.53	ND	ND	ND	ND	ND	--	--
09/27/90	520.41	505.21	15.20	ND	ND	ND	ND	ND	--	--
01/03/91	520.41	505.35	15.06	ND	ND	ND	ND	ND	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-10 (cont)										
04/12/91	520.41	505.55	14.86	110	16	ND	2.9	2.7	--	--
09/04/91	520.41	505.19	15.22	ND	ND	ND	ND	ND	--	--
04/06/92	520.41	506.20	14.21	57	ND	ND	ND	ND	--	--
07/28/92	520.41	505.63	14.78	ND	ND	ND	ND	ND	--	--
10/16/92	520.41	504.90	15.51	ND	ND	ND	ND	ND	--	--
01/14/93	520.41	506.97	13.44	88	4.7	ND	2.3	1.6	--	--
03/26/93	520.41	507.86	12.55	ND	ND	ND	ND	ND	--	--
04/22/93	520.41	506.67	13.74	ND	ND	ND	ND	ND	--	--
07/20-21/93	520.41	503.92	16.49	100	ND	ND	ND	ND	--	--
10/20/93	520.41	505.77	14.64	ND	ND	ND	ND	ND	--	--
01/20/94	520.41	506.02	14.39	ND	ND	ND	ND	ND	--	--
04/21/94	520.41	505.79	14.62	ND	0.8	ND	ND	ND	--	--
07/21-22/94	520.41	505.84	14.57	ND	ND	ND	ND	ND	--	--
01/18/95	520.41	506.77	13.64	<50	1.2	<0.5	<0.5	<0.5	--	--
04/17/95	520.41	506.87	13.54	SAMPLED SEMI-ANNUALLY			--	--	--	--
07/18/95	520.41	506.97	13.44	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.41	506.63	13.78	--	--	--	--	--	--	--
01/18/96	520.41	506.81	13.60	<125	3.7	<1.2	<1.2	<1.2	1,000	--
04/17/96	520.41	507.23	13.18	--	--	--	--	--	--	--
07/16/96	520.41	507.30	13.11	<200	<2.0	<2.0	<2.0	<2.0	1,000	--
10/16/96	520.41	506.91	13.50	--	--	--	--	--	--	--
09/28/01	520.41	506.36	14.05	--	--	--	--	--	--	--
DESTROYED										
C-14										
03/28/86	520.08	--	--	--	--	--	--	--	--	--
03/15/88	520.08	--	--	--	--	--	--	--	--	--
05/10/88	520.08	506.69	13.39	120,000	13,000	29,000	2,700	18	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-14 (cont)										
06/10/88	520.08	505.43	14.65	--	--	--	--	--	--	--
07/25/88	520.08	506.61	13.47	--	--	--	--	--	--	--
10/13/88	520.08	506.50	13.58	ND	ND	ND	ND	ND	--	--
01/01/89	520.08	507.08	13.00	--	--	--	--	--	--	--
01/12/89	520.08	--	--	--	ND	ND	ND	ND	--	--
04/12/89	520.08	506.61	13.47	--	ND	ND	ND	ND	--	ND
06/26/89	520.08	506.28	13.80	140,000	14,000	25,000	3,400	26,000	--	--
10/13/89	520.08	506.46	13.62	86,000	12,000	16,000	1,600	13,000	--	--
01/03/90	520.08	506.17	13.91	120,000	9,500	16,000	1,800	13,000	--	--
01/04/90	520.08	506.17	13.91	76,000	3,900	8,100	1,200	7,700	--	--
05/08/90	520.08	506.19	13.89	62,000	7,500	17,000	1,400	14,000	--	--
09/27/90	520.08	506.30	13.78	--	--	--	--	--	--	--
01/03/91	520.08	506.36	13.72	--	--	--	--	--	--	--
04/12/91	520.08	507.11	12.97	60,000	750	3,800	720	9,200	--	--
09/04/91	520.08	506.24	13.84	110,000	2,800	11,000	1,300	13,000	--	--
04/06/92	520.08	507.64	12.44	41,000	190	1,800	440	5,100	--	--
07/28/92	520.08	506.38	13.70	130,000	2,300	9,700	1,800	15,000	--	--
10/16/92	520.08	505.70	14.38	--	--	--	--	--	--	--
01/14/93	520.08	511.28	8.80	27,000	220	790	220	2,700	--	--
03/26/93	520.08	510.96	9.12	23,000	330	1,600	460	4,000	--	--
04/22/93 ¹	520.08	507.98	12.10	17,000	840	2,300	130	3,500	--	--
07/20-21/93	520.08	INACCESSIBLE	--	--	--	--	--	--	--	--
10/20/93	520.08	505.77	14.31	NOT SAMPLED DUE TO INSUFFICIENT WATER				--	--	--
01/20/94	520.08	507.94	12.14	22,000	130	790	270	2,400	--	--
04/21/94	520.08	508.15	11.93	9,400	88	330	72	960	--	--
07/21-22/94	520.08	506.94	13.14	6,200	92	180	30	530	--	--
01/18/95	520.08	DRY	--	--	--	--	--	--	--	--
04/17/95	520.08	DRY	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOC (ppb)
C-14 (cont)										
07/18/95	520.08	DRY	--	--	--	--	--	--	--	--
10/17/95	520.08	507.64	12.44	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
01/18/96	520.08	507.84	12.24	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/17/96	520.08	507.91	12.17	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
07/16/96	520.08	508.55	11.53	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
10/16/96	520.08	507.98	12.10	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/10/97	520.08	508.11	11.97	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
10/20/97	520.08	507.79	12.29	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
10/07/98	520.08	508.27	11.81	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/14/99	520.08	508.15	11.93	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
04/27/99	520.08	508.36	11.72	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
01/21/00	520.08	507.85	12.23	NOT SAMPLED DUE TO INSUFFICIENT WATER					--	--
03/23/01	520.08	508.12	11.96	--	--	--	--	--	--	--
09/28/01	520.08	DRY	--	--	--	--	--	--	--	--
DESTROYED										
C-15										
03/28/86	522.41	509.27	13.14	--	--	--	--	--	--	--
03/15/88	522.41	507.28	15.13	ND	ND	ND	ND	ND	--	--
05/10/88	522.41	507.01	15.40	--	--	--	--	--	--	--
06/10/88	522.41	505.92	16.49	--	--	--	--	--	--	--
07/25/88	522.41	507.24	15.17	--	--	--	--	--	--	--
10/13/88	522.41	507.08	15.33	ND	ND	ND	ND	ND	--	--
01/01/89	522.41	508.71	13.70	--	--	--	--	--	--	--
01/12/89	522.41	--	--	ND	ND	ND	ND	ND	--	--
04/12/89	522.41	507.07	15.34	ND	ND	ND	ND	ND	--	ND
06/26/89	522.41	506.69	15.72	ND	ND	ND	ND	ND	--	ND
10/13/89	522.41	506.45	15.96	ND	ND	ND	ND	ND	--	ND

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-15 (cont)										
01/03/90	522.41	506.99	15.42	ND	ND	ND	ND	ND	--	--
05/08/90	522.41	506.79	15.62	ND	ND	ND	ND	ND	--	--
09/27/90	522.41	506.82	15.59	ND	ND	ND	ND	ND	--	--
01/03/91	522.41	506.91	15.50	ND	ND	ND	ND	0.6	--	--
04/12/91	522.41	507.20	15.21	--	--	--	--	--	--	--
09/04/91	522.41	506.51	15.90	--	--	--	--	--	--	--
04/06/92	522.41	507.53	14.88	ND	ND	ND	ND	ND	--	--
07/28/92	522.41	506.59	15.82	ND	ND	ND	ND	ND	--	--
10/16/92	522.41	506.16	16.25	ND	ND	ND	ND	ND	--	--
01/14/93	522.41	509.93	12.48	61	ND	1.9	0.8	5.1	--	--
03/26/93	522.41	509.74	12.67	ND	ND	ND	ND	1.0	--	--
04/22/93	522.41	508.81	13.60	ND	ND	ND	ND	ND	--	--
07/20-21/93	522.41	505.54	16.87	ND	ND	ND	ND	ND	--	--
10/20/93	522.41	507.17	15.24	ND	ND	ND	ND	ND	--	--
01/20/94	522.41	507.40	15.01	ND	ND	ND	ND	ND	--	--
04/21/94	522.41	507.19	15.22	ND	ND	ND	ND	ND	--	--
07/21-22/94	522.41	507.06	15.35	ND	ND	ND	ND	ND	--	--
DESTROYED										
C-16										
03/28/86	519.68	--	--	--	--	--	--	--	--	--
03/15/88	519.68	--	--	--	--	--	--	--	--	--
05/10/88	519.68	505.90	13.78	4,500	1,000	73	140	180	--	--
06/10/88	519.68	504.80	14.88	--	--	--	--	--	--	--
07/25/88	519.68	505.99	13.69	--	--	--	--	--	--	--
10/13/88	519.68	505.88	13.80	1,600	16	5.5	ND	16	--	--
01/01/89	519.68	506.23	13.45	--	--	--	--	--	--	--
01/12/89	519.68	--	--	1,000	360	11	78	51	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
C-16 (cont)										
04/11/89	519.68	505.90	13.78	15,800	130	4.0	21	19	--	ND
06/26/89	519.68	505.66	14.02	1,300	170	8.0	37	43	--	ND
10/13/89	519.68	505.67	14.01	1,000	20	ND	7.0	ND	--	ND
01/03/90	519.68	505.71	13.97	1,300	150	3.0	41	24	--	--
05/07/90	519.68	505.23	14.45	480	49	4.4	29	13	--	--
09/29/90	519.68	505.36	14.32	360	18	2.1	11	8.0	--	--
01/03/91	519.68	505.72	13.96	230	12	ND	6.0	6.0	--	--
04/12/91	519.68	505.94	13.74	--	--	--	--	--	--	--
09/04/91	519.68	505.46	14.22	--	--	--	--	--	--	--
04/06/92	519.68	506.50	13.18	360	30	ND	14	12	--	--
07/28/92	519.68	505.75	13.93	210	31	ND	6.8	16	--	--
10/16/92	519.68	504.76	14.92	140	11	ND	5.1	3.4	--	--
01/14/93	519.68	507.87	11.81	740	24	ND	36	21	--	--
03/26/93	519.68	508.32	11.36	730	22	2.0	16	10	--	--
04/22/93	519.68	507.38	12.30	850	46	ND	24	6.0	--	--
07/20-21/93	519.68	INACCESSIBLE		--	--	--	--	--	--	--
10/20/93	519.68	505.68	14.00	290	18	2.0	16	17	--	--
01/20/94	519.68	506.20	13.48	360	10	1.0	12	9.0	--	--
04/21/94	519.68	505.76	13.92	220	15	ND	13	11	--	--
07/21-22/94	519.68	506.12	13.56	72	1.2	ND	ND	1.0	--	--
01/18/95	519.68	INACCESSIBLE		--	--	--	--	--	--	--
04/17/95	519.68	INACCESSIBLE		--	--	--	--	--	--	--
07/18/95	519.68	INACCESSIBLE		--	--	--	--	--	--	--
10/17/95	519.68	INACCESSIBLE		--	--	--	--	--	--	--
01/18/96	519.68	INACCESSIBLE		--	--	--	--	--	--	--
04/17/96	519.68	INACCESSIBLE		--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (<i>β</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
C-16 (cont)										
07/16/96	519.68	INACCESSIBLE		--	--	--	--	--	--	--
10/16/96	519.68	INACCESSIBLE		--	--	--	--	--	--	--
03/23/01	519.68	UNABLE TO LOCATE		--	--	--	--	--	--	--
NOT MONITORED/SAMPLED - UNABLE TO LOCATE										
C-17										
03/28/86	520.82	507.34	13.48	--	--	--	--	--	--	--
03/15/88	520.82	506.06	14.76	--	--	--	--	--	--	--
05/10/88	520.82	506.05	14.77	--	--	--	--	--	--	--
06/10/88	520.82	504.98	15.84	--	--	--	--	--	--	--
07/25/88	520.82	506.19	14.63	--	--	--	--	--	--	--
10/13/88	520.82	505.99	14.83	270,000	18	900	760	5,500	--	--
01/01/89	520.82	506.04	14.78	--	--	--	--	--	--	--
01/12/89	520.82	--	--	190,000	ND	490	2,100	6,700	--	--
04/11/89	520.82	505.99	14.83	27,000	30	150	320	1,000	--	6.0
06/26/89	520.82	505.79	15.03	20,000	50	390	660	2,000	--	ND
06/26/89	520.82	505.79	15.03	27,000	40	420	740	2,200	--	--
10/13/89	520.82	505.80	15.02	17,000	ND	48	230	480	--	ND
01/03/90	520.82	505.72	15.10	14,000	ND	29	120	210	--	--
05/08/90	520.82	505.70	15.12	9,500	25	130	210	470	--	--
09/29/90	520.82	505.83	14.99	ND	ND	ND	ND	ND	--	--
09/29/90	520.82	505.83	14.99	ND	ND	3.4	ND	ND	--	--
01/03/91	520.82	505.90	14.92	3,700	ND	28	56	140	--	--
01/03/91	520.82	505.90	14.92	8,600	ND	10	59	150	--	--
04/12/91	520.82	506.11	14.71	8,600	ND	5.0	47	120	--	--
04/12/91	520.82	506.11	14.71	4,400	ND	11	48	120	--	--
09/04/91	520.82	505.65	15.17	5,800	ND	27	49	79	--	--
09/04/91	520.82	505.65	15.17	4,100	ND	21	36	61	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	FOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-17 (cont)										
04/06/92	520.82	506.68	14.14	2,300	ND	5.8	27	29	--	--
07/28/92	520.82	505.64	15.18	11,000	99	180	170	430	--	--
10/16/92	520.82	505.06	15.76	1,200,000	ND	4,800	3,900	6,600	--	--
01/14/93	520.82	507.38	13.44	3,500	9.3	9.1	23	34	--	--
03/26/93	520.82	508.36	12.46	3,700	ND	19	20	35	--	--
04/22/93	520.82	507.52	13.30	8,900	16	68	44	97	--	--
07/20-21/93	520.82	503.61	17.21	4,200	5.0	35	33	62	--	--
10/20/93	520.82	505.73	15.09	4,500	5.0	12	43	64	--	--
01/20/94	520.82	506.35	14.47	1,900	4.0	42	24	73	--	--
04/21/94	520.82	505.87	14.95	1,100	5.0	20	23	42	--	--
07/21-22/94	520.82	506.22	14.60	72	ND	ND	ND	0.9	--	--
01/18/95	520.82	507.12	13.70	530	1.7	<0.5	5.6	8.8	--	--
04/17/95	520.82	507.57	13.25	440	1.9	3.0	3.6	2.4	--	--
07/18/95	520.82	507.38	13.44	140	5.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.82	507.32	13.50	110	<0.5	<0.5	<0.5	0.62	<2.5	--
01/18/96	520.82	507.80	13.02	310	19	30	5.6	40	28	--
04/17/96	520.53	507.83	12.70	<50	<0.5	<0.5	<0.5	<0.5	7.2	--
07/16/96	520.53	507.86	12.67	54	1.7	1.0	0.97	3.3	34	--
10/16/96	520.53	506.83	13.70	200	0.50	0.57	<0.5	2.2	15	--
04/10/97	520.53	507.34	13.19	100	<0.5	<0.5	<0.5	<0.5	66	--
10/20/97	520.53	507.18	13.35	64	<0.5	<0.5	<0.5	<0.5	22	--
04/30/98	520.53	507.83	12.70	<50	<0.5	<0.5	<0.5	<0.5	47	--
10/07/98	520.53	507.60	12.93	56	0.81	<0.5	<0.5	<0.5	72	--
04/14/99	520.53	507.48	13.05	<50	<0.5	0.549	<0.5	<0.5	82	--
01/21/00	520.53	507.25	13.28	<50	<0.5	<0.5	<0.5	<0.5	29.9	--
03/23/01	520.53	507.14	13.39	<50.0	<0.500	<0.500	<0.500	<0.500	9.40/8.9 ⁴	--
09/28/01	520.53	506.84	13.69	83	<0.50	<0.50	<0.50	<1.5	27	--

DESTROYED

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOC (<i>ppb</i>)
C-18										
03/28/86	518.96	--	--	--	--	--	--	--	--	--
03/15/88	518.96	--	--	--	--	--	--	--	--	--
05/10/88	518.96	--	--	--	--	--	--	--	--	--
06/10/88	518.96	504.07	14.89	--	--	--	--	--	--	--
07/25/88	518.96	505.17	13.79	--	--	--	--	--	--	--
10/13/88	518.96	505.10	13.86	ND	ND	ND	ND	ND	--	--
01/01/89	518.96	505.02	13.94	--	--	--	--	--	--	--
01/12/89	518.96	--	--	ND	ND	ND	ND	ND	--	--
04/11/89	518.96	504.10	14.86	ND	ND	ND	ND	ND	--	ND
06/26/89	518.96	504.94	14.02	ND	ND	ND	ND	ND	--	ND
10/13/89	518.96	503.90	15.06	ND	ND	ND	ND	ND	--	ND
01/03/90	518.96	504.89	14.07	ND	ND	ND	ND	ND	--	--
05/07/90	518.96	504.95	14.01	ND	ND	ND	ND	ND	--	--
09/27/90	518.96	505.05	13.91	ND	ND	ND	ND	ND	--	--
01/03/91	518.96	504.98	13.98	ND	ND	ND	ND	ND	--	--
04/12/91	518.96	505.13	13.83	ND	ND	ND	ND	ND	--	--
09/04/91	518.96	504.76	14.20	ND	ND	ND	ND	ND	--	--
04/06/92	518.96	505.89	13.07	ND	ND	ND	ND	ND	--	--
07/28/92	518.96	505.41	13.55	ND	ND	ND	ND	ND	--	--
10/16/92	518.96	504.58	14.38	ND	ND	ND	ND	ND	--	--
01/14/93	518.96	506.50	12.46	56	ND	ND	ND	1.8	--	--
03/26/93	518.96	507.50	11.46	ND	ND	ND	ND	ND	--	--
04/22/93	518.96	506.38	12.58	ND	ND	ND	ND	ND	--	--
07/20-21/93	518.96	503.32	15.64	92	ND	0.5	ND	ND	--	--
10/20/93	518.96	--	--	--	--	--	--	--	--	--
01/20/94	518.96	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (<i>ft.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	TOG (<i>ppb</i>)
C-18 (cont)										
04/21/94	518.96	--	--	--	--	--	--	--	--	--
07/16/96	518.96	--	--	--	--	--	--	--	--	--
03/23/01	518.96	UNABLE TO LOCATE		--	--	--	--	--	--	--
NOT MONITORED/SAMPLED										
C-19										
03/28/86	520.99	--	--	--	--	--	--	--	--	--
03/15/88	520.99	--	--	--	--	--	--	--	--	--
05/10/88	520.99	505.76	15.23	18	1,400	360	350	1,300	--	--
06/10/88	520.99	504.41	16.58	--	--	--	--	--	--	--
07/25/88	520.99	505.80	15.19	--	--	--	--	--	--	--
10/13/88	520.99	505.72	15.27	ND	8.3	4.7	4.4	ND	--	--
01/01/89	520.99	505.79	15.20	--	--	--	--	--	--	--
01/12/89	520.99	--	--	ND	5.0	4.0	ND	ND	--	--
04/11/89	520.99	505.75	15.24	ND	1.8	ND	ND	ND	--	ND
04/11/89	520.99	505.75	15.24	500	1.2	ND	0.6	0.6	--	--
06/26/89	520.99	505.55	15.44	500	2.5	ND	ND	ND	--	ND
10/13/89	520.99	505.52	15.47	540	ND	ND	ND	ND	13	ND
01/03/90	520.99	505.54	15.45	ND	1.2	0.7	1.3	0.9	--	--
05/07/90	520.99	505.31	15.68	ND	ND	ND	ND	ND	--	--
09/28/90	520.99	505.47	15.52	ND	ND	ND	ND	ND	--	--
01/03/91	520.99	505.43	15.56	66	ND	ND	ND	ND	--	--
04/12/91	520.99	505.79	15.20	--	--	--	--	--	--	--
09/04/91	520.99	505.39	15.60	--	--	--	--	--	--	--
04/06/92	520.99	506.41	14.58	110	0.7	ND	1.0	ND	--	--
07/28/92	520.99	505.73	15.26	ND	1.4	ND	1.0	4.2	--	--
10/16/92	520.99	504.99	16.00	ND	ND	ND	ND	ND	--	--
01/14/93	520.99	507.30	13.69	100	1.1	ND	0.9	0.9	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
C-19 (cont)										
03/26/93	520.99	508.03	12.96	80	ND	ND	ND	ND	--	--
04/22/93	520.99	506.81	14.18	250	0.6	1.0	1.0	1.0	--	--
07/20-21/93	520.99	504.41	16.58	390	ND	ND	0.8	2.0	--	--
10/20/93	520.99	505.76	15.23	ND	ND	ND	ND	ND	--	--
01/20/94	520.99	506.15	14.84	ND	ND	ND	ND	ND	--	--
04/21/94	520.99	505.73	15.26	60	ND	ND	1.0	ND	--	--
07/21-22/94	520.99	506.09	14.90	ND	ND	ND	ND	ND	--	--
01/18/95	520.99	506.97	14.02	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/17/95	520.99	507.19	13.80	SAMPLED SEMI-ANNUALLY		--	--	--	--	--
07/18/95	520.99	507.27	13.72	150	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	520.99	506.89	14.10	--	--	--	--	--	--	--
01/18/96	520.99	507.18	13.81	76	<0.5	<0.5	<0.5	<0.5	120	--
04/17/96	520.96	507.56	13.40	--	--	--	--	--	--	--
07/16/96	520.96	507.49	13.47	530	<2.5	<2.5	<2.5	<2.5	1,200	--
10/16/96	520.96	507.13	13.83	--	--	--	--	--	--	--
04/10/97	520.96	507.06	13.90	<500	<5.0	<5.0	<5.0	<5.0	1,600	--
10/20/97	520.96	506.94	14.02	SAMPLED ANNUALLY		--	--	--	--	--
04/30/98	520.96	507.49	13.47	<500	<5.0	<5.0	<5.0	<5.0	1,100	--
10/07/98	520.96	507.87	13.09	--	--	--	--	--	--	--
04/14/99	520.96	INACCESSIBLE		--	--	--	--	--	--	--
04/27/99	520.96	507.17	13.79	124	<0.5	<0.5	<0.5	<0.5	434	--
01/21/00	520.96	507.01	13.95	109	<0.5	<0.5	<0.5	<0.5	239	--
03/23/01	520.96	506.98	13.98	--	--	--	--	--	--	--
09/28/01	520.96	506.70	14.26	--	--	--	--	--	--	--
DESTROYED										

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (fl.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
RW-1										
09/28/01	--	UNABLE TO LOCATE	--	--	--	--	--	--	--	--
12/28/01	--	UNABLE TO LOCATE	--	--	--	--	--	--	--	--
03/29/02	--	UNABLE TO LOCATE	--	--	--	--	--	--	--	--
ASSUMED DESTROYED (Per Lead Consultant 11/30/01)										
TRIP BLANK										
01/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/18/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/18/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/17/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/10/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/20/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/30/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/07/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/08/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/14/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
04/27/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/21/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/23/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/28/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
QA										
12/28/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/29/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/13/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
QA (cont)										
09/10/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
12/09/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
06/06/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/04/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/03 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/04 ⁵	--	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/29/04 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/04 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/03/04 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/01/05 ⁵	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to March 23, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

ND = Not Detected

QA = Quality Assurance/Trip Blank

* TOC elevations for C-7, C-9, C-12, C-13, and C-20 were surveyed June 10, 2003, by Virgil Chavez Land Surveying. The benchmark used for the survey was a City of Livermore monument at First and "Q" Streets, (Benchmark Elevation = 469.246 feet, NGVD 29).

¹ Sheen.

² Confirmation run.

³ Well head elevation altered due to casing repairs.

⁴ MTBE by EPA Method 8260.

⁵ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-7						
03/23/01	--	<50	38	<2.0	<2.0	<2.0
03/29/02	--	<100	12	<2	<2	<2
03/04/03	--	<5	11	<0.5	<0.5	<0.5
06/06/03	--	--	20	--	--	--
09/04/03	<50	--	86	--	--	--
12/03/03	<50	--	77	--	--	--
03/01/04	--	--	15	--	--	--
06/29/04	--	--	48	--	--	--
09/02/04	--	--	60	--	--	--
12/03/04	--	--	18	--	--	--
03/01/05	--	--	6	--	--	--
C-9						
04/14/99	<3,750	<250	114	<2.5	<2.5	<2.5
03/23/01	--	<50	22	<2.0	<2.0	<2.0
03/29/02	--	<100	16	<2	<2	<2
12/09/02	--	--	15	--	--	--
03/04/03	--	13	5	<0.5	<0.5	<0.5
06/06/03	--	--	4	--	--	--
09/04/03	<50	--	39	--	--	--
12/03/03	<50	--	49	--	--	--
03/01/04	--	--	10	--	--	--
06/29/04	--	--	16	--	--	--
09/02/04	--	--	7	--	--	--
12/03/04	--	--	6	--	--	--
03/01/05	--	--	<0.5	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-11						
04/14/99	<30,000	<2,000	1,390	<20	<20	<20
03/23/01	--	<50	110	<2.0	<2.0	<2.0
03/29/02	--	<100	3	<2	<2	<2
03/04/03	INACCESSIBLE - VEHICLE PARKED OVER WELL					
06/06/03	--	--	9	--	--	--
09/04/03	<50	--	11	--	--	--
12/03/03	<50	--	7	--	--	--
03/01/04	--	--	9	--	--	--
06/29/04	--	--	17	--	--	--
09/02/04	--	--	8	--	--	--
12/03/04	--	--	1	--	--	--
03/01/05	--	--	6	--	--	--
C-12						
03/29/02	--	<100	<2	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
06/29/04	--	--	<0.5	--	--	--
09/02/04	--	--	<0.5	--	--	--
12/03/04	SAMPLED ANNUALLY					

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-13						
03/29/02	--	<100	7	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
06/29/04	--	--	<0.5	--	--	--
09/02/04	--	--	<0.5	--	--	--
12/03/04	SAMPLED ANNUALLY	--	--	--	--	--
C-20						
04/14/99	<3,000	<200	<2.0	<2.0	<2.0	<2.0
03/29/02	--	<100	<2	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
06/29/04	--	--	<0.5	--	--	--
09/02/04	--	--	<0.5	--	--	--
12/03/04	SAMPLED ANNUALLY	--	--	--	--	--
C-21						
03/29/02	--	<100	<2	<2	<2	<2
03/04/03	--	<5	<0.5	<0.5	<0.5	<0.5
06/06/03	--	--	<0.5	--	--	--
09/04/03	<50	--	<0.5	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-21 (cont)						
12/03/03	<50	--	<0.5	--	--	--
03/01/04	--	--	<0.5	--	--	--
06/29/04	--	--	<0.5	--	--	--
09/02/04	--	--	<0.5	--	--	--
12/03/04	SAMPLED ANNUALLY		--	--	--	--
C-2						
04/14/99	<3,000	<200	5.35	<2.0	<2.0	<2.0
DESTROYED						
C-5						
04/14/99	<9,990	<666	619	<6.66	<6.66	27.3
DESTROYED						
C-6						
04/14/99	<3,000	<200	138	<2.0	<2.0	10.7
DESTROYED						
C-17						
04/14/99	<3,000	<200	83.1	<2.0	<2.0	<2.0
03/23/01	--	<50	8.9	<2.0	<2.0	<2.0

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-1924
4904 Southfront Street
Livermore, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to March 23, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-7									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.7	--	ND	--	ND	--	--	--	--
09/29/90	0.7	--	ND	ND	ND	ND	--	--	--
01/03/91	0.7	--	ND	ND	ND	ND	--	--	--
04/12/91	0.6	--	ND	ND	ND	ND	--	--	--
10/07/91	ND	--	24	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/20-21/93 ¹	--	--	--	--	--	--	--	--	--
01/20/94 ¹	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-9									
04/12/89	2.1	--	--	--	--	--	--	--	--
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.5	--	--	--	--	--	--	--	--
05/07/90	1.9	--	ND	--	ND	--	--	--	--
09/29/90	1.0	--	0.7	1.8	1.0	--	--	--	--
01/03/91	0.8	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	13	--	--
04/10/97	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
04/30/98	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
04/14/99 ¹	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
01/21/00	<0.5	<1.0	<5.0	<0.5	<0.5	<0.5	--	--	--
09/28/01 ²	<2	<1	<2	<1	<1	<1	--	--	--
12/28/01 ²	<2	<1	<2	<1	<1	<1	--	--	--
03/29/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
06/13/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
09/10/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
12/09/02 ²	<2	<1	<2	<1	<1	<1	--	--	--
03/04/03 ²	<0.5	<1	<2	<0.8	<1	<0.8	--	--	--
06/06/03 ²	<0.5	<1	<2	<0.8	<1	<0.8	--	--	--
09/04/03 ²	<0.5	<1	<2	<0.8	<1	<0.8	--	--	--
12/03/03 ²	<1	<1	<2	<0.8	<1	<0.8	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-11									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/28/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	1.0	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	7.0	--	--
10/20/97	--	--	--	--	--	--	--	25	--
C-12									
04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-13									
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.7	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
C-1									
04/10/89	ND	--	--	--	--	--	--	--	--
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	3.0	--	--	--	--	--	--	--	--
06/26/89	1.7	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	5.0

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-1 (cont)

01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.2	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	0.7	1.4	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
04/23/93 ¹									
07/21,22/94	--	--	--	--	--	--	ND	--	--

NOT MONITORED/SAMPLED - UNABLE TO LOCATE

ASSUMED DESTROYED (Per Lead Consultant 11/30/01)

C-2

04/10/89	ND	--	--	--	--	--	--	--	--
04/10/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
06/26/89	2.0	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.1	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	1.7	0.5	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

C-3

04/10/89	1.4	--	--	--	--	--	--	--	--
06/26/89	1.5	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	0.7	--	--	--	--	--	--	--	--
05/08/90	0.7	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.1	1.6	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--

DESTROYED

C-5

04/10/89	1.4	--	--	--	--	--	--	--	--
06/26/89	1.5	--	--	--	--	--	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-5 (cont)

10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	0.8	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	0.7	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	0.5	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

C-6

04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/08/90	1.6	--	ND	--	ND	--	--	--	--
09/29/90	1.0	--	ND	2.4	1.6	--	--	--	--
01/03/91	0.5	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
DESTROYED									

C-8

04/12/89	5.0	--	--	--	--	--	--	--	--
06/26/89	4.0	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.5	--	--	--	--	--	--	--	--
05/07/90	1.9	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	0.6	ND	ND	--	--	--	--
01/03/91	ND	--	0.7	ND	ND	ND	--	--	--
04/12/91	0.6	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-10									
04/11/89	6.1	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	3.0	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	1.0	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	1.1	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-14									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	30	--	--	--	--	--	--	--	--
01/03/90	25	3.0	--	--	--	--	--	--	--
01/04/90	18	1.0	--	--	--	--	--	--	--
05/08/90	13	--	ND	--	ND	--	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
04/22/93 ¹	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	330	--	--
DESTROYED									
C-15									
04/12/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/27/90	ND	--	2.9	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									
C-16									
04/11/89	8.0	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
------------------	------------------	-------------	-------------	--------------------	------------------	--------------	------------------	------------------	--------------

C-16 (cont)

10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	5.0	--	--	--	--	--	--	--	--
05/07/90	4.5	--	ND	--	ND	--	--	--	--
09/29/90	1.8	--	ND	ND	ND	--	--	--	--
01/03/91	2.0	--	0.8	ND	ND	ND	--	--	--
04/06/92	1.0	--	ND	ND	ND	ND	--	--	--
07/28/92	--	--	--	--	--	--	--	--	--
07/21,22/94	--	--	--	--	--	--	8.0	--	--

NOT MONITORED/SAMPLED - UNABLE TO LOCATE

C-17

04/11/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
06/26/89	ND	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	ND	--	--	--	--	--	--	--	--
05/08/90	ND	--	ND	--	ND	--	--	--	--
09/29/90	ND	--	ND	1.9	ND	--	--	--	--
09/29/90	ND	--	1.8	1.9	ND	--	--	--	--
01/03/91	ND	--	1.8	1.9	ND	ND	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
10/20/97	--	--	--	--	--	--	--	<5.0	--
04/30/98	--	--	--	--	--	--	--	--	--
10/07/98	--	--	--	--	--	--	--	--	--
04/14/99	--	--	--	--	--	--	--	--	--
01/21/00	--	--	--	--	--	--	--	--	--

DESTROYED

C-18

04/11/89	3.6	--	--	--	--	--	--	--	--
06/26/89	3.1	--	--	--	--	--	--	--	--
10/13/89	ND	--	--	--	--	--	--	--	--
01/03/90	1.0	--	--	--	--	--	--	--	--
05/07/90	ND	--	ND	--	ND	--	--	--	--

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

WELL ID/ DATE	1,2-DCA (ppb)	VC (ppb)	MC (ppb)	1,1,1-TCA (ppb)	1,1-DCA (ppb)	PCE (ppb)	T. Lead (ppb)	D. Lead (ppb)	CDS (ppb)
C-18 (cont)									
09/27/90	ND	--	0.6	ND	ND	--	--	--	--
01/03/91	ND	--	ND	ND	ND	ND	--	--	--
04/12/91	ND	--	ND	ND	ND	ND	--	--	--
09/04/91	ND	--	ND	ND	ND	ND	--	--	--
04/06/92	ND	--	ND	ND	ND	ND	--	--	--
NOT MONITORED/SAMPLED									
C-19									
04/11/89	13	--	--	--	--	--	--	--	--
04/11/89	14	--	--	--	--	--	--	--	--
06/26/89	26	--	--	--	--	--	--	--	--
10/13/89	13	--	--	--	--	--	--	--	13
01/03/90	11	--	--	--	--	--	--	--	--
05/07/90	4.6	--	ND	--	ND	--	--	--	--
09/28/90	ND	--	1.2	ND	ND	--	--	--	--
01/03/91	1.0	--	ND	ND	ND	0.9	--	--	--
04/06/92	1.9	--	ND	ND	ND	ND	--	--	--
07/21,22/94	--	--	--	--	--	--	ND	--	--
DESTROYED									

Table 3
Groundwater Analytical Results
Chevron Service Station #9-1924
4904 Southfront Road
Livermore, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 28, 2001, were compiled from reports prepared by Blaine Tech Services, Inc.

1,2-DCA = 1,2-Dichloroethane

VC = Vinyl Chloride

MC = Methylene Chloride

1,1,1-TCA = 1,1,1-Trichloroethane

1,1-DCA = 1,1-Dichloroethane

PCE = Tetrachloroethene

T. Lead = Total Lead

D. Lead = Dissolved Lead

CDS = Carbon Disulfide

(ppb) = Parts per billion

ND = Not detected

-- = Not Analyzed

¹ Sampled for Volatile Organic Compounds (VOCs) by EPA Method 8010B. All analytes were ND above the detection limits <0.5 to <5.0.

² Halogenated Volatile Organic Compounds (HVOCs) analyzed by EPA Method 8260. All other HVOCs were less than the reporting limit; see specific lab report.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/05 (inclusive)
 City: Livermore, CA Sampler: K. Kelly

Well ID: C-7 Date Monitored: 3/1/05 Well Condition: MC
 Well Diameter: 21 (3) in.
 Total Depth: 20.89 ft.
 Depth to Water: 12.32 ft.
8.57 xVF 0.38 = 3.25 x3 case volume = Estimated Purge Volume: 9.76 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1155 Weather Conditions: clear
 Sample Time/Date: 1210 3/1/05 Water Color: clear Odor: no
 Purging Flow Rate: 1.5+ gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (O/F)	D.O. (mg/L)	ORP (mV)
<u>1157</u>	<u>3.0</u>	<u>7.64</u>	<u>1184</u>	<u>16.2</u>		
<u>1159</u>	<u>6.0</u>	<u>7.43</u>	<u>1205</u>	<u>17.7</u>		
<u>1201</u>	<u>9.0</u>	<u>7.28</u>	<u>1200</u>	<u>18.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-7</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924 Job Number: 386448
 Site Address: 4904 Southfront Road Event Date: 3/1/05 (inclusive)
 City: Livermore, CA Sampler: R. Kelly

Well ID: C-9 Date Monitored: 3/1/05 Well Condition: OK

Well Diameter: 2 1/8 in.
 Total Depth: 22.95 ft.
 Depth to Water: 11.28 ft.
11.67

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF 0.38 = 4.43 x3 case volume= Estimated Purge Volume: 13.30 gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump ✓
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1215 Weather Conditions: clear
 Sample Time/Date: 1230 13/1/05 Water Color: clear Odor: no
 Purging Flow Rate: 2+ gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1217</u>	<u>4.0</u>	<u>8.25</u>	<u>277</u>	<u>15.3</u>		
<u>1219</u>	<u>8.0</u>	<u>7.85</u>	<u>246</u>	<u>16.1</u>		
<u>1221</u>	<u>13.0</u>	<u>7.73</u>	<u>250</u>	<u>16.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-9</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-1924
 Site Address: 4904 Southfront Road
 City: Livermore, CA

Job Number: 386448
 Event Date: 3/1/05 (inclusive)
 Sampler: K. Kelly

Well ID: C-11
 Well Diameter: 2 1/3 in.
 Total Depth: 19.33 ft.
 Depth to Water: 12.94 ft.
6.39

Date Monitored: 3/1/05 Well Condition: na

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF 0.38 = 2.42 x3 case volume= Estimated Purge Volume: 7.26 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump ✓
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1130 Weather Conditions: clear
 Sample Time/Date: 1145 3/1/05 Water Color: tan Odor: no
 Purging Flow Rate: 2 gpm. Sediment Description: _____
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1132</u>	<u>2.5</u>	<u>8.36</u>	<u>1081</u>	<u>14.2</u>	_____	_____
<u>1134</u>	<u>5.0</u>	<u>7.61</u>	<u>766</u>	<u>14.1</u>	_____	_____
<u>1136</u>	<u>7.0</u>	<u>7.46</u>	<u>776</u>	<u>15.1</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C- 11</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



030405-04

Acc. #: 10904

For Lancaster Laboratories use only
Sample #: 4476123-26

934701
cert. #

Cambria MTI Project # 61D-1961

Facility #: SS#9-1924 G-R#386448 Global ID#T0600100341
 Site Address: 4904 SOUTHFRONT ROAD, LIVERMORE, CA
 Chevron PMTI _____ Lead Consultant CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone: 925-551-7555 Fax # 925-551-7899
 Sampler: Kristina Kelly
 Service Order #: _____ Non SAR:

Matrix

Soil Potable NPOES
 Water Air

Analyses Requested		Preservation Codes	
#	#		
		<input type="checkbox"/> BTEX + MTBE 8260	<input type="checkbox"/> 8021
		<input type="checkbox"/> TPH 8015 MOD GRO	
		<input type="checkbox"/> TPH 8015 MOD DRO	<input type="checkbox"/> Silica Gel Cleanup
		<input type="checkbox"/> 8260 full scan	
		<input type="checkbox"/> Organics	
		<input type="checkbox"/> Lead 7420	<input type="checkbox"/> 7421

Preservative Codes

H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Organics	Lead 7420	7421
QA	3-1-05					U			2	X	X					
C-7	↓	1210	X			↓			6	X	X					
C-9	↓	1230	X			↓			6	X	X					
C-11	↓	1145	X			↓			6	X	X					

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)

STD TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB) **EDF/EDD**
 Disk

Relinquished by: <u>Kristina Kelly</u>	Date: <u>3/2/05</u>	Time: <u>1400</u>	Received by: <u>DJames</u>	Date: <u>3/2/05</u>	Time: <u>1505</u>
Relinquished by: <u>DJames</u>	Date: <u>3/4/05</u>	Time: <u>1330</u>	Received by: <u>Bernardo Amador</u>	Date: <u>3/4/05</u>	Time: <u>1330</u>
Relinquished by: <u>Andres Amador</u>	Date: <u>3/17/05</u>	Time: <u>1530</u>	Received by: <u>Fed Ex</u>	Date: <u>3/17/05</u>	Time: <u>1530</u>
Relinquished by Commercial Carrier: <u>UPS</u>	UPS <input checked="" type="checkbox"/> FedE	Other _____	Received by: <u>[Signature]</u>	Date: <u>3/5/05</u>	Time: <u>1000</u>
Temperature Upon Receipt: <u>6 coolers @ 1.6 - 2.5°</u>			Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 934201. Samples arrived at the laboratory on Saturday, March 05, 2005. The PO# for this group is 99011184 and the release number is MTI.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-050301	NA	Water	4476123
C-7-W-050301	Grab	Water	4476124
C-9-W-050301	Grab	Water	4476125
C-11-W-050301	Grab	Water	4476126

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Dana M. Kauffman".

Dana M. Kauffman
Group Leader



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4476123

QA-T-050301 NA Water
Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
4904 Southfront-Livermore T0600100341 QA
Collected: 03/01/2005

Account Number: 10904

Submitted: 03/05/2005 10:00
Reported: 03/14/2005 at 18:06
Discard: 04/14/2005

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

LIVQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/08/2005 11:32	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/09/2005 17:05	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2005 11:32	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2005 17:05	Ginelle L Haines	n.a.

Lancaster Laboratories Sample No. WW 4476124

 C-7-W-050301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront-Livermore T0600100341 C-7
 Collected: 03/01/2005 12:10 by KK

Account Number: 10904

 Submitted: 03/05/2005 10:00
 Reported: 03/14/2005 at 18:06
 Discard: 04/14/2005

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

LIVC7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	550.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	6.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/08/2005 15:54		K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/09/2005 17:30		Ginelle L. Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2005 15:54		K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2005 17:30		Ginelle L. Haines	n.a.

Lancaster Laboratories Sample No. WW 4476125

 C-9-W-050301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront-Livermore T0600100341 C-9
 Collected: 03/01/2005 12:30 by KK

Account Number: 10904

 Submitted: 03/05/2005 10:00
 Reported: 03/14/2005 at 18:06
 Discard: 04/14/2005

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

LIVC9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	03/08/2005 16:23	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/09/2005 17:55	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2005 16:23	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2005 17:55	Ginelle L Haines	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4476126

C-11-W-050301 Grab Water
 Facility# 91924 Job# 386448 MTI# 61D-1961 GRD
 4904 Southfront-Livermore T0600100341 C-11
 Collected: 03/01/2005 11:45 by KK

Account Number: 10904

Submitted: 03/05/2005 10:00
 Reported: 03/14/2005 at 18:06
 Discard: 04/14/2005

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

LIV11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	65.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	6.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	03/08/2005	19:29	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/09/2005	18:21	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2005	19:29	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/09/2005	18:21	Ginelle L Haines	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 03/14/05 at 06:06 PM

Group Number: 934201

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 05067A16A TPH-GRO - Waters	N.D.	50.	ug/l	104	101	70-130	3	30
Batch number: Z050681AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	89		77-127		
Benzene	N.D.	0.5	ug/l	90		85-117		
Toluene	N.D.	0.5	ug/l	92		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	93		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD %RPD	RPD MAX	BRG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05067A16A TPH-GRO - Waters	112		63-154						
Batch number: Z050681AA Methyl Tertiary Butyl Ether	89	91	69-134	1	30				
Benzene	94	96	83-128	3	30				
Toluene	94	95	83-127	1	30				
Ethylbenzene	97	97	82-129	0	30				
Xylene (Total)	96	97	82-130	1	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05067A16A
 Trifluorotoluene-F

4476123	100
4476124	105
4476125	100
4476126	99
Blank	101
LCS	104
LCSD	102
MS	102

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 03/14/05 at 06:06 PM

Group Number: 934201

Surrogate Quality Control

Limits: 70-142

Analysis Name: BTEX+MTBE by 8260B

Batch number: Z050681AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4476123	93	89	91	87
4476124	93	89	91	95
4476125	94	89	92	88
4476126	94	89	91	89
Blank	94	94	92	90
LCS	93	94	93	92
MS	94	91	93	91
MSD	93	89	91	90
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.