



January 22, 1985

Mr. Rod DeVault
Chevron U.S.A. Inc.
Two Annabel Lane
Suite 200
San Ramon, California 94583

Reference: Service Station #1924
4904 So. Front Street
Livermore, California
Monitored thru 1-15-85

Gentlemen:

Enclosed are copies of Daily Monitor Records for the referenced location.


Should you have any questions or comments, please do not hesitate to call.



Jeffrey M. Ryan
JMR/jh

Enclosures

Please make sure the wells do not get destroyed during the TTP
 I will have well # C-4 drilled out prior. If any other wells
 are in the way please let me know
 JMR MAR 19 '85 J.M.R.



RECOVERY PLAN 551924
 CHEVRON / MOBIL
 LIVERMORE, CALIFORNIA
 JANUARY 1985

0 10 20 30 feet
LEGEND
 © = MONITORING WELLS
 C-2



GROUNDWATER GRADIENT
 12 FEBRUARY 1985

COMPANY CHEVRON

JOB NO 9144/5260

LOCATION 1ST ST

DATE 12-20-81

CITY LIVERMORE

TIME 11:00AM

WELL	DEPTH TO LIQUID (DTH OR DTW)		HYDROCARBON THICKNESS (HT)		AMOUNT PUMPED	COMMENTS
			BEFORE	AFTER		
C-1	<u>13.4'</u>		<u>.005'</u>	<u>0</u>	<u>0.1 gal</u>	<u>CLEAN, CLEAR, COARSE</u>
2-2	<u>13.8'</u>		<u>.005'</u>	<u>0</u>	<u>0.1 gal</u>	<u>CLEAN, CLEAR, COARSE</u>
2-3	<u>14.5'</u>		<u>0</u>	<u>0</u>	<u>0</u>	
2-4				<u>0</u>	<u>0</u>	
2-5	<u>13.0'</u>		<u>0</u>	<u>0</u>	<u>0</u>	
6						
7						
8						
9						
10						
11						
12						
13						
14			<u>11</u>			
15						
16						
17						
18						
19						
20						

COMMENTS PAILED PRODUCT

FOREMAN JEFF SMITH

ASSISTANT _____

COMPANY: Cheriton USA. JOB NO: 9144.
 LOCATION: 1st & Hwy 80/580. DATE: 12-28/84
 CITY: Livermore. TIME: 11:AM

WELL	LIQUID DEPTH	HYDROCARBON THICKNESS	AMOUNT PUMPED
1	13.6'	⊕	⊕
2	13.7'	⊕	⊕
3	14.2'	⊕	⊕
4	NONE.	—	—
5	13.8'	⊕	⊕
6			
7			
8			
9			
10			
11			
12			
RW			

FLOWMETER: _____ DISCHARGE: _____
 WATER TABLE DEPRESSION PUMP: _____ CLEANED: _____
 SCAVENGER OPERATION: _____ CLEANED: _____
 CLARIFIER/SENSOR: _____ CLEANED: _____
 PRODUCT TANK: TOTAL LIQUID: _____ INCHES WATER: _____ INCHES
 PUMPED OUT: _____ GALLONS
 TOTAL RECOVERED TO DATE: _____

COMMENTS: No product found.

FOREMAN: Carlos Pareda ASSISTANT: _____

COMPANY CHEVRON
 LOCATION 1ST ST.
 CITY LIVERMORE

JOB NO ~~9777~~ 5266
 DATE 1-2-85
 TIME 11:00AM

WELL	DEPTH TO LIQUID (DTH OR DTW)		HYDROCARBON THICKNESS (HT)		AMOUNT PUMPED	COMMENTS
			BEFORE	AFTER		
1	<u>13.62'</u>		<u>.005'</u>	<u>0</u>	<u>0.1 gal</u>	<u>CLEAR, ODOROUS</u>
2	<u>13.85'</u>		<u>.005'</u>	<u>0</u>	<u>0.1 gal</u>	<u>CLEAR, ODOROUS</u>
3	<u>13.64'</u>		<u>.001'</u>	<u>0</u>	<u>0.1 gal</u>	<u>CLEAR, ODOROUS</u>
4	<u>14.53'</u>		<u>0</u>	<u>0</u>	<u>0</u>	
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

COMMENTS BRAILED PRODUCT

FOREMAN DEE SULLIVAN ASSISTANT _____

COMPANY CHEVRON
 LOCATION 1ST. STREET
 CITY LIVERMORE

JOB NO 5266
 DATE 1/7/85
 TIME 9:00 AM

WELL	DEPTH TO LIQUID (DTH OR DTW)		HYDROCARBON THICKNESS (HT)		AMOUNT PUMPED	COMMENTS
			BEFORE	AFTER		
C-1	<u>13.8'</u>		<u>.17'</u>	<u>0</u>	<u>0.1 gal.</u>	<u>DARK BROWN, ODOROUS</u>
C-2	<u>14.15'</u>		<u>.25'</u>	<u>0</u>	<u>0.1 gal.</u>	<u>BLACK, STRONG ODOR</u>
C-3	<u>15.13'</u>		<u>0</u>	<u>0</u>	<u>0</u>	
C-4	<u>14.15'</u>		<u>.01'</u>	<u>0</u>	<u>0.1 gal.</u>	<u>BLACK, SPITTY, STRONG ODOR</u>
C-5	<u>13.99'</u>		<u>0</u>	<u>0</u>	<u>0</u>	
C-6	<u>13.34'</u>		<u>.5'</u>	<u>0</u>	<u>0.5 gal.</u>	<u>DARK BROWN, ODOROUS</u>
C-7	<u>14.05'</u>		<u>.083'</u>	<u>0</u>	<u>0.1 gal.</u>	<u>BROWN, ODOROUS</u>
C-8	<u>13.92'</u>		<u>0</u>	<u>0</u>	<u>0</u>	
C-9	<u>12.78'</u>		<u>1.99'</u>	<u>0</u>	<u>1.5 gal.</u>	<u>DARK BROWN, ODOROUS</u>
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

COMMENTS BAILED PRODUCT

FOREMAN JEFF BAUGH

ASSISTANT

COMPANY: Cherison USA.

JOB NO: 5266

LOCATION: Front St & Hwy 580.

DATE: 1-10/85

CITY: Livermore.

TIME: 11:00 AM

WELL	LIQUID DEPTH	HYDROCARBON THICKNESS	AMOUNT PUMPED
1	13.75'	0.33	0.6 gal
2	13.45'	0.25	0.5 gal
3	14.76'	0	-
4	14.27'	0.01	0.1 gal
5	13.86'	0	-
6	13.28'	0.33	0.6 gal
7	13.42'	0.01	0.2 gal
8	13.59'	0	-
9	13.78'	0.37	0.7 gal
10			
11			
12			
RW			

FLOWMETER: _____ DISCHARGE: _____

WATER TABLE DEPRESSION PUMP: _____ CLEANED: _____

SCAVENGER OPERATION: _____ CLEANED: _____

CLARIFIER/SENSOR: _____ CLEANED: _____

PRODUCT TANK: TOTAL LIQUID: _____ INCHES WATER: _____ INCHES

PUMPED OUT: _____ GALLONS

TOTAL RECOVERED TO DATE: _____

COMMENTS: Product Appears Dark Brown / odorous

FOREMAN: Carlos Penuela ASSISTANT: _____

COMPANY Chevron USA #1924
 LOCATION 4904 S. Front St.
 CITY Livonia

JOB NO 9144
 DATE 1/12/85
 TIME 9:30 Am.

WELL	DEPTH TO LIQUID (DTH OR DTW)		HYDROCARBON THICKNESS (HT)		AMOUNT PUMPED	COMMENTS
			BEFORE	AFTER		
1	13.35'		2"			
2	13.75'		1/2"			
3	14.22'		0			
4	13.83		1/4"			
5	13.75		0			
6	13.14		2 1/4"			
7	13.80		1 3/4"			
8	13.49		0			
9	12.42		6"			
10	—		—			
11	—		—			
12	14.15		0			
13	—		—			
14	12.05		0			Boiled to develop
15						
16						
17						
18						
NA	13.80		0			Street
NOB	14.38		0			Mobil

COMMENTS _____

FOREMAN Steve Parker

ASSISTANT _____

COMPANY: Chevron USA JOB NO: 9144-2
 LOCATION: 4904 S. FRONT ST. @ 580 DATE: 1/13/85
 CITY: Livermore TIME: 12:PM

WELL	LIQUID DEPTH	HYDROCARBON THICKNESS	AMOUNT PUMPED
1	13.40	3 1/2"	
2	13.79	1/2"	
3	14.31	Ø	
4	13.88	1/4"	
5	13.77	Ø	
6	13.12	3 1/2"	
7	13.82	2 3/4"	
8	13.52	Ø	
9	12.42	8"	
EXISTING #A	13.82	Ø	STrect
EXISTING #B	14.40	Ø	Mobil
12	14.18	Ø	
14 #	12.10	SAND MUD Needs to be developed	

FLOWMETER: _____ DISCHARGE: _____
 WATER TABLE DEPRESSION PUMP: _____ CLEANED: _____
 SCAVENGER OPERATION: _____ CLEANED: _____
 CLARIFIER/SENSOR: _____ CLEANED: _____
 PRODUCT TANK: TOTAL LIQUID: _____ INCHES WATER: _____ INCHES
 PUMPED OUT: _____ GALLONS
 TOTAL RECOVERED TO DATE: _____

COMMENTS: _____
4.0 GALLONS - bail TO W.O. TANK

FOREMAN: Phil N. Wright ASSISTANT: _____

COMPANY CHEVRON
 LOCATION FIRST ST.
 CITY LIVERMORE

JOB NO 5266
 DATE 1-14-85
 TIME 9:30 AM

WELL	DEPTH TO LIQUID (DTH OR DTW)	HYDROCARBON THICKNESS (HT)		AMOUNT PUMPED	COMMENTS
		BEFORE	AFTER		
C-1	13.85'	.1166'	Ø	0.1 gal.	
C-2	14.3'	.021'	Ø	0.1 gal.	
C-3	15'				
C-4	14.19'	.021'		0.1 gal.	
C-5	14.2'				
C-6	13.5'	.249'	Ø	0.1 gal.	
C-7	14'	.083'	Ø	0.1 gal.	
C-8	14'				
C-9	13'	.684'	Ø	0.5 gal.	
C-10					
C-11					
C-12	14.42'				
C-13					
C-14	13'	.332'	Ø	0.5 gal.	
C-15	14.1'				
C-16	14.85'				
C-17					
C-18					
C-19					
C-20					

COMMENTS BALLED PRODUCT

FOREMAN JEFF SMITH ASSISTANT