

#### STATE WATER RESOURCES CONTROL BOARD

## **GEOTRACKER ESI**

#### UPLOADING A GEO\_REPORT FILE

#### **SUCCESS**

#### Your GEO\_REPORT file has been successfully submitted!

<u>Submittal Type:</u> GEO\_REPORT

Report Title: 351646 Well Installation Report\_w. sig/PS/stamp

Report Type: Well Installation Report

Report Date: 2/1/2016

Facility Global ID: T0600101486
Facility Name: UNOCAL #0752

<u>File Name:</u> 351646\_Well Installation Report\_FINAL\_reduced.pdf

Organization Name: ARCADIS
Username: ARCADIS76
IP Address: 38.72.131.92

<u>Submittal Date/Time:</u> 11/17/2016 9:01:36 AM

Confirmation Number: 2065589606

Copyright © 2016 State of California



February 1, 2016

Nicole Arceneaux
Project Manager
Marketing Business Unit

Chevron Environmental Management Company 6101 Bollinger Canyon Road San Ramon, CA 94583 Tel (925) 790-6912 Nicole.Arceneaux@chevron.com

Ms. Dilan Roe Alameda County Health Agency 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502

**RE: Well Installation Report** 

800, 726, and 706 Harrison Street, Oakland, California 94607 Fuel Leak Case No.: RO0000231, RO0000321, and RO0000484 Comingled Plume Claim No. 6678

Dear Ms. Roe,

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at 925.790.6912.

Sincerely,

Nicole Arceneaux

Chevron Environmental Management Company – Project Manager

me my

Attachment

Well Installation Report



### Chevron Environmental Management Company

## **WELL INSTALLATION REPORT**

Chevron Facility #351646 706/726/800 Harrison Street Oakland, California Case No. RO0000484

Fabruary 1, 2016

Jani.

Tamera Rogers

Project Manager

Kosherine Bromat

Katherine Brandt, P.G.

Senior Geologist



# WELL INSTALLATION REPORT

Chevron Facility #351646

706/726/800 Harrison Street

Oakland, California

Prepared for:

Chevron Environmental Management Company

Prepared by:

Arcadis U.S., Inc.

2999 Oak Road

Suite 300

Walnut Creek

California 94597

Tel 408 797 2013

Fax 925 274 1103

Our Ref.:

B0047339.2015

Date:

February 1, 2016

### **CONTENTS**

Acı	onyms	and Abbreviations	٠ ٧
1	INTR	ODUCTION	. 1
	1.1	Purpose/Remedial Action Objective	. 1
	1.2	Report Organization	. 1
2	SITE	DESCRIPTION	. 1
	2.1	Geology and Hydrogeology	. 2
3	FIELD	ACTIVITIES	. 2
	3.1	Health and Safety	. 3
	3.2	Utility Locate	.3
	3.3	Well Permits	.3
	3.4	Well Installation	.3
		3.4.1 Boring Advancement and Well Construction	. 3
		3.4.2 Soil Sampling and Screening	. 4
	3.5	Management of Investigation-Derived Waste	. 4
4	ANAL	YTICAL RESULTS	.5
5	CON	CLUSIONS	. 5
6	REFE	RENCES	6

### **TABLES**

Table 1. Well Construction Details

Table 2. Soil Analytical Results

### **FIGURES**

Figure 1. Site Location Map

Figure 2. Site Plan Showing Well Locations

Figure 3. Third Quarter 2015 Groundwater Elevation Contour Map

#### WELL INSTALLATION REPORT

### **APPENDICES**

Appendix A. ACPWA Permits

Appendix B. Boring Logs

Appendix C. CDWR Well Completion Reports

Appendix D. Laboratory Analytical Reports

#### **ACRONYMS AND ABBREVIATIONS**

ACEH Alameda County Environmental Health

ACPWA Alameda County Public Works Agency

Arcadis U.S., Inc.

AS air sparge

ASE Aqua Science Engineers, Inc.

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and total xylenes

Cambria Environmental Technology, Inc.

CDWR California Department of Water Resources

CPT cone penetrometer test

DIPE di-isopropyl ether

EDB 1,2-dibromoethane

EDC 1,2-dichloroethane

ESL environmental screening level

ETBE ethyl tert-butyl ether

HASP Health and Safety Plan

IDW investigation-derived waste

mg/kg milligrams per kilogram

MTBE methyl tert-butyl ether

PID photo ionization detector

PQL practical quantitation limit

PVC polyvinyl chloride

report Well Installation Report

RPEMP Remedial Performance Evaluation and Monitoring Plan

site Chevron Facility #351646, located at 706/726/800 Harrison Street in Oakland, California

SV soil vapor

SVE soil vapor extraction

#### WELL INSTALLATION REPORT

TAME tert-amyl methyl ether

TBA tert-butyl alcohol

TPPH total purgeable petroleum hydrocarbons

USEPA United States Environmental Protection Agency

UST underground storage tank

VE vapor extraction

#### 1 INTRODUCTION

On behalf of Chevron Environmental Management Company's affiliate, Union Oil Company of California, Arcadis U.S., Inc. (Arcadis) prepared this Well Installation Report (report) for Chevron Facility #351646, located at 706/726/800 Harrison Street in Oakland, California (site; Figures 1 and 2). The scope of work for this project included the installation of 13 air sparge (AS) wells (AS-2 through AS-14), two vapor extraction (VE) wells (VE-4 and VE-5), and three soil vapor (SV) probes (SV-1, SV-2, and SV-3). The wells and SV probes were installed as part of the Remedial Performance Evaluation and Monitoring Plan (RPEMP; Arcadis 2015), which was conditionally approved by Alameda County Environmental Health (ACEH) on March 11, 2015 to address the petroleum hydrocarbon impacted groundwater at the site. The new wells were appropriately screened to meet California Department of Water Resources (CDWR) and Alameda County Public Works Agency (ACPWA) guidelines for monitoring/remediation wells (CDWR 2003).

#### 1.1 Purpose/Remedial Action Objective

This report discusses the well construction of AS-2 through AS-14, VE-4, VE-5, SV-1, SV-2, and SV-3; and provides the analytical results for soil and groundwater samples collected from the newly installed wells.

#### 1.2 Report Organization

The remaining sections of this report are listed below:

- Section 2 describes the site geology and hydrogeology.
- Section 3 discusses the field activities associated with the well and SV probe installations, including health and safety, utility locate, well permits, well installation, and management of investigationderived waste (IDW).
- Section 4 summarized the soil analytical results.
- Sections 5 and 6 presents Arcadis' conclusions and recommendations, respectively.
- Section 7 lists the references cited throughout this report.

#### 2 SITE DESCRIPTION

The site consists of three properties located in a mixed commercial and residential area at 706, 726, and 800 Harrison Street in Oakland, California (Figure 1). The property locations and boundaries are shown on Figure 2.

The 706 Harrison Street Property is a former ARCO service station owned by Mr. Bo Gin. This property currently contains an asphalt parking lot. Former facilities at the 706 Harrison Street Property included four 1,000-gallon and two 6,000-gallon fuel underground storage tanks (USTs), one steel waste oil UST, product line piping and pump islands, and a station building. The USTs and associated piping were removed in January 1991 (Cambria Environmental Technology, Inc. [Cambria] 1995).

The property located at 726 Harrison Street is a former Shell service station owned by Mr. Peter Yee. This property currently contains an asphalt parking lot and building. Former facilities at the 726 Harrison Street Property included three 4,000-gallon fuel USTs, one 8,000-gallon fuel UST, one steel 1,000-gallon waste oil UST, product line piping and pump islands, and a station building. The USTs and associated piping were removed in October 1995 (Aqua Science Engineers, Inc. [ASE] 2001).

The property located at 800 Harrison Street is an active 76 Station (Unocal) owned by Mr. Muhammad Usman. Current station facilities include a single-story convenience store, three product dispenser islands under two canopies, and two 12,000-gallon double-wall poly-steel gasoline USTs.

#### 2.1 Geology and Hydrogeology

Property-specific well boring logs and cone penetrometer test (CPT) investigation results indicate that the site lithology is consistent with regional lithology. The general site lithology comprises primarily silty sands and fine-grained sands extending to approximately 30 to 38 feet below ground surface (bgs). Deeper CPTs were conducted in the area of 800 Harrison Street and indicate the presence of silt and clay between approximately 30 and 42 feet bgs. Below the clay, fine-grained sand and silty sand are present (Stantec 2009). It is assumed that Merritt Sand lies under the site, based on visual inspections of soil during the investigations (Stantec 2009).

The nearest surface waters to the site are the Oakland Inner Harbor to the south and west and Lake Merritt to the east and northeast. Each body of water is approximately ½ mile from the site (Stantec 2009).

Depth to water beneath the three properties has historically ranged from 10.93 to 20.01 feet bgs. During the second semiannual groundwater monitoring and sampling event in August 2015, average depth-to-water measurements were approximately 18.20 (706 Harrison Street), 20.49 (726 Harrison Street), and 19.59 (800 Harrison Street) feet below top of well casing. A deeper water-bearing zone was encountered at depths of 42 to 50 feet bgs during advancement of the cone penetrometers. Prior to the June 2011 site assessment, no wells were installed in the deeper water-bearing zone. In June 2011, ASE oversaw the installation of monitoring well MW-6 on the 726 Harrison Street Property within the deeper water-bearing zone. MW-6 is screened from 44 to 49 feet bgs (Table 1).

The predominant groundwater gradient observed across all three properties is south-southwest, with a horizontal hydraulic gradient ranging from 0.007 to 0.008 foot per foot (Arcadis 2015). This gradient direction indicates that groundwater flows from 800 Harrison Street toward 726 Harrison Street and from 726 Harrison Street toward 706 Harrison Street.

A groundwater potentiometric surface map from the second semiannual 2015 monitoring event is presented on Figure 3.

#### 3 FIELD ACTIVITIES

The AS and soil vapor extraction (SVE) wells and SV probes were installed during two separate field events. AS-2 through AS-12 and VE-4 and VE-5 were installed between September 30 and October 13, 2014. AS-13, AS-14, SV-1, SV-2, and SV-3 were installed between December 7 and 9, 2015.

#### 3.1 Health and Safety

As required by the Occupational Safety and Health Administration 29, Code of Federal Regulations 1910.120 (Hazardous Waste Operations and Emergency Responses), Arcadis prepared a Health and Safety Plan (HASP) to address the proposed well installation and remedial implementation activities at the site. The HASP is intended to identify and prevent potential safety hazards associated with the project.

#### 3.2 Utility Locate

Underground Services Alert was notified a minimum of 72 hours prior to initiating field activities. For AS-2 through AS-12, VE-4, and VE-5, Cruz Brothers Locators, Inc. of Scotts Valley, California was contracted to conduct an independent utility locate for subsurface features and utilities near the proposed well locations on September 25, 2014. For AS-13, AS-14, SV-1, SV-2, and SV-3, Safe2core of San Jose, California was contracted to conduct an independent utility locate for subsurface features and utilities near the proposed well locations on November 30, 2015.

#### 3.3 Well Permits

Necessary well construction permits were acquired from the ACPWA prior to scheduling the well installation activities. Well permits are included in Appendix A.

#### 3.4 Well Installation

#### 3.4.1 Boring Advancement and Well Construction

Drilling and installation activities were conducted by Cascade Drilling, LP of Richmond, California, a C-57 licensed driller, under the supervision of an Arcadis geologist. Soil borings were advanced using hollow-stem auger drilling methods for all well AS and VE well locations and a hand auger was used to advance the SV boring locations. The soil borings were pre-cleared using an air knife or hand auger to a depth of 8 feet 1 inch bgs.

The AS wells were completed with a 2-inch-diameter Schedule 80 polyvinyl chloride (PVC) riser and a 0.010-inch slot screen. The base of the well screen, which is 2 feet in length, was set at the top of the clay lens. Screen depths ranged from approximately 28 to 35.5 feet bgs, depending on the observed depth of the clay lens. Three feet of blank casing sump was installed below the screen. The annular space was backfilled with sand from the total depth to 1 foot above the screen, followed by 3 feet of hydrated bentonite chips. The wells were sealed with neat cement grout to 1 foot bgs and covered at the surface using sand and asphalt patch pending installation of the AS/SVE system. A 12-inch-diameter traffic-rated well box will be installed following system installation.

The VE wells were completed with a 2-inch-diameter Schedule 80 PVC riser and a 0.010-inch slot screen, which was set from 5 to 15 feet bgs. The annular space was backfilled with sand from the total depth to 1 foot above the screen, followed by 1 foot of hydrated bentonite chips. The wells were sealed with neat cement grout to 1 foot bgs and covered at the surface with sand and asphalt patch. A 12-inch-diameter traffic-rated well box will be installed following installation of the AS/SVE system.

SV-1, SV-2, and SV-3 were completed using a 1-inch-long stainless steel soil vapor screen set in a 1-foot interval of sand pack, allowing approximately 5.5 inches of sand above and below the screen. Teflon tubing was connected to the soil vapor screen and capped at the surface to allow for equilibration of soil vapor concentrations with in-situ conditions. A 1-foot interval of dry, granular bentonite was placed above the sand pack followed by hydrated granular bentonite to the surface. The probes were completed to grade with a 4-inch-diameter traffic-rated well box. Additional details regarding the construction of the AS and VE wells and the SV probes are presented in Table 1 and the boring logs provided in Appendix B. Additionally, Arcadis prepared CDWR Well Completion Reports, which are included in Appendix C.

#### 3.4.2 Soil Sampling and Screening

The soil from the borehole was continuously logged by a geologist in accordance with the Unified Soil Classification System and screened with a photo ionization detector (PID) during well installation activities. The PID field screening results were recorded on the field boring logs in units of parts per million. The field determination for soil sampling was predominantly based on the highest PID readings greater than the background concentration.

Soil samples were collected for laboratory analysis based on the highest probable degree of petroleum hydrocarbon concentration. Therefore, soil samples were collected from each boring location at a frequency of 5 feet if PID readings were not detected above background concentrations and if other indicators of potential hydrocarbon impacts (e.g., staining, odor) were absent. If elevated PID readings or other indicators of potential hydrocarbon impacts were observed during well installation, additional soil samples were collected.

Soil samples were submitted to BC Laboratories (a state-certified laboratory) for the following analyses:

- Total purgeable petroleum hydrocarbons (TPPH) by United States Environmental Protection Agency (USEPA) Method 8260B
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by USEPA Method 8260B
- Naphthalene by USEPA Method 8260B
- Fuel oxygenates: tert-butyl alcohol (TBA), methyl tert-butyl ether (MTBE), di-isopropyl ether (DIPE), ethyl tert-butyl ether (ETBE), tert-amyl methyl ether (TAME), and ethanol by USEPA Method 8260B
- 1,2-Dibromoethane (EDB) and 1,2-dichloroethane (EDC) by USEPA Method 8260B

### 3.5 Management of Investigation-Derived Waste

Soil cuttings from the well installation activities are being temporarily stored on site in seven properly labeled Department of Transportation-approved 55-gallon steel drums, pending disposal facility coordination. Following waste characterization, the IDW will be transported to an appropriately licensed disposal or treatment facility.

#### 4 ANALYTICAL RESULTS

This section presents the soil analytical results for samples collected from AS-2 through AS-14, VE-4, VE-5, SV-1, SV-2, and SV-3 during the well installation activities.

Soil analytical results were compared to commercial/industrial soil environmental screening levels (ESLs for potable water areas based on the site location and California Regional Water Quality Control Board preference. Multiple volatile organic compounds were reported in the soil samples collected during drilling activities. Soil analytical results are summarized in Table 2. Laboratory reports are provided in Appendix D. The soil analytical results are summarized below:

- TPPH was detected in samples above the ESL of 500 milligrams per kilogram (mg/kg), with maximum concentrations in AS-9 (7,000 mg/kg at 20 feet bgs).
- Benzene was detected in samples above the ESL of 0.044 mg/kg, with a maximum concentration in AS-3 (5.9 mg/kg at 17.5 feet bgs).
- Toluene was detected in samples above the ESL of 2.9 mg/kg, with a maximum concentration in AS-2 (200 mg/kg at 18.5 feet bgs).
- Ethylbenzene was detected in samples above the ESL of 3.3 mg/kg, with a maximum concentration in AS-9 (170 mg/kg at 20 feet bgs).
- Total xylenes were detected in samples above the ESL of 2.3 mg/kg, with a maximum concentration in AS-2 (880 mg/kg at 18.5 feet bgs).
- MTBE was detected in samples above the ESL of 0.023 mg/kg, with a maximum concentration in AS-3 (7.5 mg/kg at 17.5 feet bgs).
- TBA was detected in samples above the ESL of 0.075 mg/kg, with a maximum concentration in AS-2 (1.7 mg/kg at 24 feet bgs).

The remaining constituents (ETBE, ethanol, DIPE, TAME, EDB, EDC) were not reported above the practical quantitation limits (PQLs). Soil samples collected from SV-1, SV-2, and SV-3 were not reported above PQLs for all constituents. The PQLs for a soil sample collected from AS-9 at approximately 20 feet bgs exceeded the ESL for benzene, MTBE, and TBA.

#### 5 CONCLUSIONS

Concentrations of TPPH and BTEX did not exceed the ESLs in samples collected between 0 and 15 feet bgs for all sample locations, with the exception of a slightly elevated benzene concentration (0.079 mg/kg) in a sample collected from AS-3 at 15 feet bgs. This is consistent with soil analytical results from samples collected at the 706 and 726 Harrison properties during the 2011 site assessment (Arcadis 2011). Overall, the highest soil concentrations were generally observed in samples collected at 726 Harrison Street at depths between approximately 18 to 22 feet bgs, which are typically representative of smear zone impacts based on average depth-to-water.

#### 6 REFERENCES

- Arcadis. 2011. Site Assessment Report, 800, 726, and 706 Harrison Street, Oakland, California, Fuel Leak Case No.: RO0000231, RO0000321, and RO0000484. August 30.
- Arcadis. 2015. Remediation Performance Evaluation and Monitoring Plan, 706/726/800 Harrison Street, Oakland, California, ACEH Case #RO0000231/321/484. February 10.
- ASE. 2001. Soil and Groundwater Assessment and Corrective Action Plan. December 21.
- Cambria. 1995. Subsurface Investigation Report for 706 Harrison Street, Oakland, California. March 10.
- CDWR. 2003. Bulletin 118 Updated 2003, California's Groundwater. October.
- Stantec. 2009. Site Conceptual Model 800, 726, and 706 Harrison Street Commingled Plume Oakland, California. September 30.

## **TABLES**

Table 1
Well Construction Details
Chevron Facility #351646
706/726/800 Harrison Street
Oakland, California

Well ID	Completion Date	Total Depth (feet bgs)	Screen Interval (feet bgs)	Borehole Diameter (inches)	Casing Diameter (inches)
726 Harrison	Street				
AS-2	10/7/2014	33	28-30	8.5	2
AS-3	10/13/2014	33	28-30	8.5	2
AS-4	10/6/2014	35	30-32	8.5	2
AS-5	10/3/2014	35	30-32	8.5	2
AS-6	10/2/2014	35	30-32	8.5	2
SV-1	12/9/2015	5	4.4 - 4.5	2.0	0.25
SV-2	12/9/2015	5	4.4 - 4.5	2.0	0.25
SV-3	12/9/2015	5	4.4 - 4.5	2.0	0.25
VE-4	10/2/2014	15	5-15	8.5	2
706 Harrison	Street				
AS-7	10/9/2014	33	28-30	8.5	2
AS-8	10/9/2014	33	28-30	8.5	2
AS-9	10/13/2014	33	28-30	8.5	2
AS-10	10/10/2014	33	28-30	8.5	2
AS-12	10/10/2014	33	28-30	8.5	2
AS-13	12/9/2015	38.5	33.5 - 35.5	8.0	2
AS-14	12/8/2015	40.5	35.5 - 37.5	8.0	2
VE-5	10/9/2014	15	5-15	8.5	2

#### Notes:

AS = air sparge

SV = soil vapor

VE = vapor extraction

bgs = below ground surface

Table 2 Soil Analytical Results Chevron Facility #351646 706/726 Harrison Street Oakland, California

USEPA 8260B															
Sample Location	Sample Date	Sample Depth (feet bgs)	TPPH	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	TAME	TBA	DIPE	Ethanol	ETBE	EDB	EDC
700 11		(g-/	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
726 Harrison Street AS-2	10/01/14	5.0	<0.15	<0.0038	<0.0038	<0.0038	<0.0075	0.067	<0.0038	<0.038	<0.0038	<0.75	<0.0038	<0.0038	<0.0038
70-2	10/07/14	10.0	0.55	<0.0050	<0.0050	<0.0050	<0.010	0.44	<0.0050	0.31	<0.0050	<1.0	<0.0050	<0.0050	<0.0050
	10/07/14	15.0	1.6	0.038	< 0.0045	< 0.0045	< 0.0090	2.9 A01	<0.0045	0.16	< 0.0045	< 0.90	< 0.0045	< 0.0045	<0.0045
	10/07/14	18.5	5,400 A01	2.4 A01	200 A01	50 A01	880 A01	0.98 A01	<0.17 A01	<1.7 A01	<0.17 A01	<34 A01	<0.17 A01	<0.17 A01	<0.17 A01
	10/07/14	24.0	81 A01	0.072	0.0087	0.0093	0.054	0.0063	<0.0050	1.7 A01	<0.0050	<1.0	<0.0050	<0.0050	<0.0050
	10/07/14 10/07/14	28.0 30.0	<0.20 <0.17	<0.0050	<0.0050 <0.0043	<0.0050 <0.0043	<0.010 <0.0086	<0.0050 <0.0043	<0.0050 <0.0043	<0.050 <0.043	<0.0050 <0.0043	<1.0 <0.86	<0.0050 <0.0043	<0.0050 <0.0043	<0.0050 <0.0043
AS-3	10/01/14	5.5	0.19	<0.0043	<0.0043	<0.0043	<0.0085	0.16	<0.0043	0.043	<0.0043	<0.85	<0.0043	<0.0043	<0.0043
A3-3	10/13/14	10.0	0.19	<0.0043	<0.0043	<0.0043	<0.0089	0.31	<0.0043	0.10	<0.0043	<0.89	<0.0043	<0.0043	<0.0044
	10/13/14	15.0	2.1	0.079	<0.0050	<0.0050	<0.010	1.9 A01	<0.0050	0.38	<0.0050	<1.0	<0.0050	<0.0050	<0.0050
	10/13/14	17.5	3,800 A01	5.9 A01	26 A01	60 A01	260 A01	7.5 A01	<5.0 A01	<50 A01	<5.0 A01	<1000 A01	<5.0 A01	<5.0 A01	<5.0 A01
	10/13/14	25.0	0.63	0.30	0.0077	< 0.0050	0.020	0.041	< 0.0050	0.70	< 0.0050	<1.0	< 0.0050	< 0.0050	<0.0050
	10/13/14	30.0	<0.18	<0.044	<0.044	<0.044	<0.0088	<0.044	<0.044	<0.044	<0.044	<0.88	<0.044	<0.044	<0.044
10.4	10/13/14	33.5	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.16	<0.0050	<1.0	<0.0050	<0.0050	<0.0050
AS-4	10/1/14 10/06/14	5.0 10.0	<0.17 <b>0.19</b>	<0.0043 <0.0036	<0.0043 <0.0036	<0.0043 <0.0036	<0.0086 <0.0072	<0.0043 <0.0036	<0.0043 <0.0036	<b>0.073</b> <0.036	<0.0043 <0.0036	<0.86 <0.72	<0.0043 <0.0036	<0.0043 <0.0036	<0.0043 <0.0036
	10/06/14	15.0	0.64	0.010	<0.0030	<0.0030	<0.0072	0.041	<0.0030	<0.040	<0.0030	<0.72	<0.0030	<0.0030	<0.0040
	10/06/14	22.0	6.200 A01	1.0 A01	2.5 A01	4.6 A01	19 A01	0.88 A01	<0.26 A01	<2.6 A01	<0.26 A01	<52 A01	<0.26 A01	<0.26 A01	<0.26 A01
	10/06/14	31.0	66 A01	<0.24 A01	0.29 A01	0.38 A01	1.6 A01	<0.24 A01	<0.24 A01	<2.4 A01	<0.24 A01	<49 A01	<0.24 A01	<0.24 A01	<0.24 A01
	10/06/14	33.5	100 A01	<0.24 A01	0.33 A01	0.47 A01	1.8 A01	<0.24 A01	<0.24 A01	<2.4 A01	<0.24 A01	<47 A01	<0.24 A01	<0.24 A01	<0.24 A01
AS-5	10/01/14	5.0	<0.15	<0.0039	<0.0039	< 0.0039	<0.0077	<0.0039	<0.0039	< 0.039	<0.0039	<0.77	< 0.0039	<0.0039	<0.0039
	10/03/14	10.0	<0.15	< 0.0036	<0.0036	<0.0036	< 0.0073	<0.0036	<0.0036	<0.036	< 0.0036	< 0.73	<0.0036	<0.0036	< 0.0036
	10/03/14	15.0	<0.14	<0.0035	<0.0035	<0.0035	<0.0070	<0.0035	<0.0035	<0.035	<0.0035	<0.70	<0.0035	<0.0035	<0.0035
	10/03/14 10/03/14	17.5 25.0	0.39 330 A01	0.014	<0.0037	<0.0037	<0.0074 5.5 A01	0.026 1.1 A01	<0.0037 <0.17 A01	<0.037	<0.0037	<0.74 <35 A01	<0.0037	<0.0037 <0.17 A01	<0.0037 <0.17 A01
	10/03/14	25.0	2.5 S01,Z1	1.2 A01 0.39	1.0 A01 0.022	1.3 A01 0.052	0.08	0.056	<0.17 A01 <0.0042	<1.7 A01 0.12	<0.17 A01 <0.0042	<35 AU1 <0.85	<0.17 A01 <0.0042	<0.17 A01 <0.0042	<0.17 A01 <0.0042
	10/03/14	34.0	<0.23	<0.0056	<0.0056	<0.0056	<0.011	<0.0056	<0.0042	<0.056	<0.0042	<1.1	<0.0042	<0.0042	<0.0042
AS-6	09/30/14	5.0	<0.14	<0.0034	<0.0034	<0.0034	<0.0068	<0.0034	<0.0034	0.091	<0.0034	<0.68	<0.0034	<0.0034	<0.0034
	10/02/14	10.0	<0.16	< 0.0040	< 0.0040	< 0.0040	< 0.0081	< 0.0040	< 0.0040	<0.040	< 0.0040	<0.81	< 0.0040	< 0.0040	< 0.0040
	10/02/14	15.0	<0.17	< 0.0042	< 0.0042	< 0.0042	< 0.0084	< 0.0042	< 0.0042	0.13	< 0.0042	< 0.84	< 0.0042	< 0.0042	< 0.0042
	10/02/14	20.0	0.16	<0.0038	<0.0038	<0.0038	<0.0075	<0.0038	<0.0038	<0.038	<0.0038	< 0.75	<0.0038	<0.0038	<0.0038
	10/02/14	22.0	2,100 A01	1.2 A01	0.67 A01	5.0 A01	11 A01	1.5 A01	<0.15 A01	<1.5 A01	<0.15 A01	<30 A01	<0.15 A01	<0.15 A01	<0.15 A01
	10/02/14 10/02/14	25.0 36.0	730 A01 0.16	0.7 A01 <0.0040	0.26 A01 <0.0040	1.3 A01 <0.0040	2.9 A01 <0.0080	1.6 A01 0.018	<0.18 A01 <0.0040	<1.8 A01 <0.040	<0.18 A01 <0.0040	<35 A01 <0.80	<0.18 A01 <0.0040	<0.18 A01 <0.0040	<0.18 A01 <0.0040
SV-1	12/09/15	2.0	<0.20 S08, Z1	<0.0040 <0.0050 S08,Z1	<0.0040 <0.0050 S08,Z1	<0.0040 <0.0050 S08,Z1	<0.0080 <0.010 S01,Z1	<0.0050 S08,Z1	<0.0040 <0.0050 S08,Z1	<0.040	<0.0040 <0.0050 S08,Z1	<0.80 <1.0 S08,Z1	<0.0040 <0.0050 S08,Z1	<0.0040 <0.0050 S08,Z1	<0.0040 <0.0050 S08,Z1
0.4-1	12/09/15	5.0	<0.20	<0.0050	<0.0050	<0.0050	<0.010 301,21	<0.0050	<0.0050	<0.050	<0.0050	<1.0 300,21	<0.0050	<0.0050	<0.0050
SV2	12/09/15	2.0	<0.20	<0.0050	<0.0050	<0.0050	<0.010	< 0.0050	<0.0050	<0.050	<0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/09/15	5.0	<0.17	< 0.0042	< 0.0042	< 0.0042	< 0.0083	< 0.0042	< 0.0042	< 0.042	< 0.0042	< 0.83	< 0.0042	< 0.0042	< 0.0042
SV-3	12/09/15	2.0	<0.17	<0.0042	< 0.0042	< 0.0042	<0.0085	< 0.0042	< 0.0042	<0.042	<0.0042	<0.85	< 0.0042	<0.0042	<0.0042
VE 4	12/09/15	5.0	<0.17	<0.0042	<0.0042	<0.0042	<0.0084	<0.0042	<0.0042	<0.042	<0.0042	<0.84	<0.0042	<0.0042	<0.0042
VE-4	10/02/14 10/02/14	5.0 10.0	<0.14 <0.20	<0.0034 <0.0050	<0.0034 <0.0050	<0.0034 <0.0050	<0.0068 <0.010	<0.0034 <0.0050	<0.0034 <0.0050	<0.034 0.22	<0.0034 <0.0050	<0.68 <1.0	<0.0034 <0.0050	<0.0034 <0.0050	<0.0034 <0.0050
	10/02/14	15.0	<0.17	<0.0030	<0.0030	<0.0041	<0.0083	<0.0030	<0.0041	0.20	<0.0030	<0.83	<0.0041	<0.0041	<0.0030
706 Harrison Street		10.0	30.17	40.0011	40.0011	40.0011	40.0000	40.0011	40.0011		40.0011	40.00	40.0011	40.0011	40.0011
AS-7	10/08/14	5.0	<0.14	<0.0036	<0.0036	<0.0036	<0.0072	<0.0036	<0.0036	<0.036	< 0.0036	<0.72	<0.0036	<0.0036	<0.0036
1	10/09/14	10.0	<0.14	< 0.0034	< 0.0034	<0.0034	<0.0068	<0.0034	<0.0034	< 0.034	< 0.0034	<0.68	<0.0034	< 0.0034	<0.0034
1	10/09/14	15.0	<0.15	<0.0037	<0.0037	<0.0037	<0.0075	<0.0037	<0.0037	<0.037	<0.0037	<0.75	<0.0037	<0.0037	<0.0037
	10/09/14	21.0 27.0	26 A01	0.20	0.0092	0.053	0.034	0.62 A01	<0.0038	0.59	<0.0038	<0.77	<0.0038	<0.0038	<0.0038
1	10/09/14 10/09/14	32.0	<0.15 <b>0.15</b>	<0.0038 <b>0.0045</b>	<0.0038 <0.0039	<0.0038 <0.0039	<0.0076 <0.0077	0.0056 0.13	<0.0038 <0.0039	0.25 0.16	<0.0038 <0.0039	<0.76 <0.77	<0.0038 <0.0039	<0.0038 <0.0039	<0.0038 <0.0039
AS-8	10/08/14	5.0	<0.15	<0.0045	<0.0039	<0.0039	<0.0077	<0.0037	<0.0039	<0.037	<0.0039	<0.75	<0.0039	<0.0039	<0.0039
1.55	10/09/14	10.0	<0.15	< 0.0037	<0.0037	<0.0037	<0.0073	<0.0037	<0.0037	<0.037	<0.0037	<0.74	<0.0037	<0.0037	<0.0037
1	10/09/14	15.0	<0.14	<0.0034	<0.0034	<0.0034	<0.0069	<0.0034	<0.0034	0.10	<0.0034	<0.69	<0.0034	<0.0034	<0.0034
1	10/09/14	20.0	<0.15	<0.0038	<0.0038	<0.0038	< 0.0075	0.005	<0.0038	0.051	<0.0038	< 0.75	<0.0038	<0.0038	<0.0038
1	10/09/14	26.0	<0.16	<0.0041	<0.0041	<0.0041	<0.0082	<0.0041	<0.0041	0.054	<0.0041	<0.82	<0.0041	<0.0041	<0.0041
100	10/09/14	30.0	<0.20	<0.0050	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.050	<0.0050	<1.0	<0.0050	<0.0050	<0.0050
AS-9	10/08/14	5.0	<0.13	<0.0032	<0.0032	<0.0032	<0.0064	<0.0032	<0.0032	0.056	<0.0032	<0.64	<0.0032	<0.0032	<0.0032
	10/13/14 10/13/14	10.0 15.0	<0.20 <0.18	<0.0050 <0.044	<0.0050 <0.044	<0.0050 <0.044	<0.010 <0.0088	<0.0050 <0.044	<0.0050 <0.044	<0.050 <0.044	<0.0050 <0.044	<1.0 <0.88	<0.0050 <0.044	<0.0050 <0.044	<0.0050 <0.044
	10/13/14	20.0	7,000 A01	<0.044 <25 A01	<0.044 130 A01	<0.044 170 A01	<0.0088 820 A01	<0.044 <25 A01	<0.044 <25 A01	<0.044 <250 A01	<0.044 <25 A01	<0.88 <5000 A01	<0.044 <25 A01	<0.044 <25 A01	<0.044 <25 A01
1	10/13/14	25.0	<0.20	<0.0050	0.015	<0.0050	0.012	<0.0050	<0.0050	0.71	<0.0050	<1.0	<0.0050	<0.0050	<0.0050
1	10/13/14	30.0	<0.18	<0.0044	<0.0044	<0.0044	<0.0088	<0.0044	<0.0044	0.18	<0.0044	<0.88	<0.0044	<0.0044	<0.0044
L	10/13/14	33.5	<0.17	<0.0042	<0.0042	<0.0042	<0.0084	<0.0042	<0.0042	0.13	<0.0042	<0.84	<0.0042	<0.0042	<0.0042
-													•	•	

Table 2 Soil Analytical Results Chevron Facility #351646 706/726 Harrison Street Oakland, California

			LUFT GC/MS	USEPA 8260B											
Sample Location	Sample Date	Sample Depth (feet bgs)	TPPH	Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	TAME	TBA	DIPE	Ethanol	ETBE	EDB	EDC
		(leet bgs)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
AS-10	10/08/14	5.0	<0.15	< 0.0036	< 0.0036	< 0.0036	< 0.0073	<0.0036	< 0.0036	< 0.036	< 0.0036	< 0.73	< 0.0036	< 0.0036	< 0.0036
	10/10/14	10.0	< 0.20	< 0.0050	< 0.0050	< 0.0050	< 0.010	< 0.0050	< 0.0050	0.13	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	10/10/14	15.0	< 0.15	< 0.0036	< 0.0036	< 0.0036	< 0.0073	< 0.0036	< 0.0036	0.044	< 0.0036	< 0.73	< 0.0036	< 0.0036	< 0.0036
	10/10/14	20.0	850 A01	<0.17 A01	0.27 A01	0.42 A01	2.3 A01	<0.17 A01	<0.17 A01	<1.7 A01	<0.17 A01	<33 A01	<0.17 A01	<0.17 A01	<0.17 A01
	10/10/14	26.5	< 0.20	< 0.0050	0.0077	< 0.0050	0.011	< 0.0050	< 0.0050	0.50	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	10/10/14	30.0	0.35	< 0.0036	0.032	0.011	0.055	< 0.0036	< 0.0036	0.069	< 0.0036	< 0.72	< 0.0036	< 0.0036	< 0.0036
AS-11	10/01/14	5.0	< 0.20	< 0.0050	< 0.0050	< 0.0050	<0.010	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	10/06/14	10.0	<0.10	< 0.0025	< 0.0025	< 0.0025	< 0.0050	< 0.0025	< 0.0025	< 0.025	< 0.0025	< 0.50	< 0.0025	< 0.0025	< 0.0025
	10/06/14	15.0	< 0.17	< 0.0042	< 0.0042	< 0.0042	< 0.0084	< 0.0042	< 0.0042	0.14	< 0.0042	< 0.84	< 0.0042	< 0.0042	< 0.0042
	10/06/14	17.0	1.1	< 0.0034	< 0.0034	0.0036	< 0.0067	< 0.0034	< 0.0034	< 0.034	< 0.0034	< 0.67	< 0.0034	< 0.0034	< 0.0034
	10/06/14	26.0	12 A01	0.40	0.22 A01	0.33	1.1	0.41	< 0.0044	0.85	< 0.0044	< 0.87	< 0.0044	< 0.0044	< 0.0044
	10/06/14	30.0	1.1	0.051	0.17	0.043	0.23	0.057	< 0.0039	0.48	< 0.0039	< 0.79	< 0.0039	< 0.0039	< 0.0039
AS-12	10/08/14	5.0	<0.17	< 0.0042	< 0.0042	< 0.0042	< 0.0084	< 0.0042	< 0.0042	< 0.042	< 0.0042	< 0.84	< 0.0042	< 0.0042	< 0.0042
	10/10/14	10.0	< 0.13	< 0.0032	< 0.0032	< 0.0032	< 0.0065	< 0.0032	< 0.0032	< 0.032	< 0.0032	< 0.65	< 0.0032	< 0.0032	< 0.0032
	10/10/14	15.0	< 0.16	< 0.0041	< 0.0041	< 0.0041	< 0.0081	< 0.0041	< 0.0041	0.12	< 0.0041	<0.81	< 0.0041	< 0.0041	< 0.0041
	10/10/14	20.0	0.31	0.028	< 0.0036	< 0.0036	< 0.0072	< 0.0036	< 0.0036	< 0.036	< 0.0036	< 0.72	< 0.0036	< 0.0036	< 0.0036
	10/10/14	25.0	3.9 A01	0.59 A01	0.061	0.17	0.28	0.09	<0.0038	0.45	< 0.0038	< 0.75	< 0.0038	< 0.0038	< 0.0038
	10/10/14	29.0	< 0.20	<0.0050	< 0.0050	< 0.0050	< 0.010	< 0.0050	< 0.0050	0.12	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
AS-13	12/07/15	5.0	<0.20	< 0.0050	< 0.0050	< 0.0050	< 0.010	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/08/15	10.0	< 0.13	< 0.0033	< 0.0033	< 0.0033	< 0.0066	< 0.0033	< 0.0033	< 0.033	< 0.0033	< 0.66	< 0.0033	< 0.0033	< 0.0033
	12/08/15	15.0	<0.20	< 0.0050	< 0.0050	< 0.0050	<0.010	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/08/15	17.5	1.8	< 0.0039	< 0.0039	< 0.0039	< 0.0079	< 0.0039	< 0.0039	< 0.039	< 0.0039	< 0.79	< 0.0039	< 0.0039	< 0.0039
	12/09/15	20.0	980 A01	0.006	< 0.0037	0.091	< 0.0074	< 0.0037	< 0.0037	< 0.037	< 0.0037	< 0.74	< 0.0037	< 0.0037	< 0.0037
	12/09/15	25.0	< 0.17	< 0.0043	< 0.0043	< 0.0043	< 0.0087	< 0.0043	< 0.0043	< 0.043	< 0.0043	< 0.87	< 0.0043	< 0.0043	< 0.0043
	12/09/15	30.0	<0.15	< 0.0037	< 0.0037	< 0.0037	< 0.0074	< 0.0037	< 0.0037	< 0.037	< 0.0037	< 0.74	< 0.0037	< 0.0037	< 0.0037
	12/09/15	35.0	< 0.15	< 0.0037	< 0.0037	< 0.0037	< 0.0075	0.014	< 0.0037	< 0.037	< 0.0037	< 0.75	< 0.0037	< 0.0037	< 0.0037
	12/09/15	35.5	< 0.14	< 0.0034	< 0.0034	< 0.0034	< 0.0069	0.17	< 0.0034	< 0.034	< 0.0034	< 0.69	< 0.0034	< 0.0034	< 0.0034
AS-14	12/07/15	5.0	<0.18	< 0.0044	< 0.0044	< 0.0044	< 0.0089	< 0.0044	< 0.0044	< 0.044	< 0.0044	< 0.89	< 0.0044	< 0.0044	< 0.0044
	12/08/15	10.0	< 0.20	< 0.0050	< 0.0050	< 0.0050	< 0.010	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/08/15	15.0	<0.20	< 0.0050	< 0.0050	< 0.0050	<0.010	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/08/15	20.0	23 A01	0.4	0.45	0.3	1.0	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/08/15	25.0	5.2 A01	0.33	0.15	0.12	0.40	0.10	< 0.0045	0.88	< 0.0045	< 0.90	< 0.0045	< 0.0045	< 0.0045
	12/08/15	30.0	1.6	0.13	0.1	0.06	0.23	0.024	< 0.0050	0.31	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	12/08/15	35.0	6.8 A01	0.11	0.1	0.085	0.31	0.026	< 0.0050	0.17	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
VE-5	10/02/14	5.0	<0.20	< 0.0050	< 0.0050	< 0.0050	<0.010	< 0.0050	< 0.0050	< 0.050	< 0.0050	<1.0	< 0.0050	< 0.0050	< 0.0050
	10/09/14	10.0	<0.16	< 0.0041	< 0.0041	< 0.0041	< 0.0082	< 0.0041	< 0.0041	0.22	< 0.0041	<0.82	< 0.0041	< 0.0041	< 0.0041
	10/09/14	15.0	<0.15	< 0.0038	< 0.0038	< 0.0038	< 0.0076	< 0.0038	< 0.0038	0.11	< 0.0038	<0.76	<0.0038	<0.0038	<0.0038
	•	ESL (potable)	770	0.044	2.9	3.3	2.3	0.023		0.075					
	F9	SL (nonpotable)	1.000	1.2	9,3	4.7	11	8.4		110					

bgs = below ground surface

BOLD = Indicates analytical result is above reporting limits.

DIPE = di-isopropyl ether

EDB = 1,2-dibromoethane

EDC = 1,2-dichloroethane

ESL (potable) = Table C. Environmental Screening Levels, Deep Soils (>3 meters bgs), groundwater is a current or potential source of drinking water.

ESL (nonpotable) = Table D. Environmental Screening Levels, Deep Soils (>3 meters bgs), groundwater is not a current or potential source of drinking water.

ETBE = ethyl tert-butyl ether

LUFT GC/MS = Leaking Underground Fuel Tanks Gas chromatography-mass spectrometry

mg/kg = milligrams per kilogram

MTBE = methyl tert-butyl ether TAME = tert-amyl methyl ether

TBA = tert-butyl alcohol

TPPH = total purgeable petroleum hydrocarbons
USEPA = United States Environmental Protection Agency

<25 = Not detected above practical quantitation limit (PQL).

830 = above PQL

Above the Commercial/Industrial Soils ESL (potable). **9.3** <25 Above the Commercial/Industrial Soils ESL (no potable). PQL exceeds the ESL.

A01 = Detection and quantitation limits are raised due to sample dilution.


S01 = Sample result is not within the quantitation range of the method.


S08 = The internal standard on the sample was not within the control limits.

Z1 = Sample was analyzed three times and internal standards were low all three times.

## **FIGURES**

DIV/GROUP: ENV DB: J. HARRIS NENVCAD\B0047339\2012\00002\1Q12\DWG\47339N01.dwg PETALUMA, CA ers\iharris\Desktop





## **APPENDIX A**

**ACPWA Permits** 



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 11/19/2015 By jamesy

Permit Numbers: W2015-1029 Permits Valid from 12/07/2015 to 12/11/2015

City of Project Site:Oakland

Application Id: 1447713561414 City of Projection

Site Location: 706 Harrison St, Oakland, CA

Project Start Date: 12/07/2015 Completion Date:12/11/2015
Assigned Inspector: Contact Lindsay Furuyama at (925) 956-2311 or Lfuruyama@groundzonees.com

Applicant: Arcadis - Christine Meyer Phone: 925-296-7830

2999 Oak Rd #300, Walnut Creek, CA 94597

Property Owner: Bo Gin Phone: --

342 Lester Ave, Oakland, CA 94606

Client: CEMC Nicole Arceneaux Phone: 925-790-6912

6101 Bollinger Canyon Rd #5119, San Ramon, CA 94583

**Total Due:** \$265.00

Receipt Number: WR2015-0560 Total Amount Paid: \$265.00
Payer Name: Christine Meyer Paid By: CHECK PAID IN FULL

**Works Requesting Permits:** 

Remediation Well Construction-Injection - 2 Wells

Driller: Cascade - Lic #: 938110 - Method: other Work Total: \$265.00

#### **Specifications**

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth
W2015- 1029	11/19/2015	03/06/2016	AS13	8.00 in.	2.00 in.	28.00 ft	40.00 ft
W2015- 1029	11/19/2015	03/06/2016	AS14	8.00 in.	2.00 in.	28.00 ft	40.00 ft

#### **Specific Work Permit Conditions**

- 1. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
- 2. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
- 3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.
- 4. Applicant shall submit the copies of the approved encroachment permit to this office within 10 days.
- 5. Applicant shall contact assigned inspector listed on the top of the permit at least five (5) working days prior to starting,

once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

- 6. Wells shall have a Christy box or similar structure with a locking cap or cover. Well(s) shall be kept locked at all times. Well(s) that become damaged by traffic or construction shall be repaired in a timely manner or destroyed immediately (through permit process). No well(s) shall be left in a manner to act as a conduit at any time.
- 7. Minimum seal depth (Neat Cement Seal) is 2 feet below ground surface (BGS).
- 8. Minimum surface seal thickness is two inches of cement grout placed by tremie.
- 9. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
- 10. Electronic Reporting Regulations (Chapter 30, Division 3 of Title 23 & Division 3 of Title 27, CCR) require electronic submission of any report or data required by a regulatory agency from a cleanup site. Submission dates are set by a Regional Water Board or by a regulatory agency. Once a report/data is successfully uploaded, as required, you have met the reporting requirement (i.e. the compliance measure for electronic submittals is the actual upload itself). The upload date should be on or prior to the regulatory due date.
- 11. Prior to any drilling activities onto any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 11/19/2015 By jamesy

Permit Numbers: W2015-1030

Permits Valid from 12/07/2015 to 12/11/2015

Application Id: 1447714672906 City of Project Site:Oakland

Site Location: 726 Harrison St, Oakland, CA
Project Start Date: 12/07/2015 Completion Date:12/11/2015

**Assigned Inspector:** Contact Lindsay Furuyama at (925) 956-2311 or Lfuruyama@groundzonees.com

Applicant: Arcadis - Christine Meyer Phone: 925-296-7830

2999 Oak Rd #300, Walnut Creek, CA 94597

Property Owner: Kin Chan Peter Yee Phone: --

1000 San Antonio Ave, Alameda, CA 94501

Client: CEMC Nicole Arceneaux Phone: 925-790-6912 6101 Bollinger Canyon Rd #5119, San Ramon, CA 94583

**Total Due:** \$265.00

Receipt Number: WR2015-0561 Total Amount Paid: \$265.00

Payer Name : Arcadis Paid By: CHECK PAID IN FULL

#### **Works Requesting Permits:**

Well Construction-Vapor monitoring well-Vapor monitoring well - 3 Wells

Driller: Cascade - Lic #: 938110 - Method: Hand Work Total: \$265.00

#### **Specifications**

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth
W2015- 1030	11/19/2015	03/06/2016	SV1	3.25 in.	0.25 in.	4.00 ft	5.00 ft
W2015- 1030	11/19/2015	03/06/2016	SV2	3.25 in.	0.25 in.	4.00 ft	5.00 ft
W2015- 1030	11/19/2015	03/06/2016	SV3	3.25 in.	0.25 in.	4.00 ft	5.00 ft

#### **Specific Work Permit Conditions**

- 1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.
- 2. Compliance with the above well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate state reporting-requirements related to well destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days, including permit number and site map.
- 3. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
- 4. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no

case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

- 5. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.
- 6. No changes in construction procedures or well type shall change, as described on this permit application. This permit may be voided if it contains incorrect information.
- 7. Applicant shall submit the copies of the approved encroachment permit to this office within 10 days.
- 8. Applicant shall contact assigned inspector listed on the top of the permit at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
- 9. Wells shall have a Christy box or similar structure with a locking cap or cover. Well(s) shall be kept locked at all times. Well(s) that become damaged by traffic or construction shall be repaired in a timely manner or destroyed immediately (through permit process). No well(s) shall be left in a manner to act as a conduit at any time.
- 10. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
- 11. Electronic Reporting Regulations (Chapter 30, Division 3 of Title 23 & Division 3 of Title 27, CCR) require electronic submission of any report or data required by a regulatory agency from a cleanup site. Submission dates are set by a Regional Water Board or by a regulatory agency. Once a report/data is successfully uploaded, as required, you have met the reporting requirement (i.e. the compliance measure for electronic submittals is the actual upload itself). The upload date should be on or prior to the regulatory due date.
- 12. Vapor monitoring wells above water level constructed with tubing maybe be backfilled with pancake-batter consistency bentonite. Minimum surface seal thickness is two inches of cement grout around well box.

Vapor monitoring wells above water level constructed with pvc pipe shall have a minimum seal depth (Neat Cement Seal) of 2 feet below ground surface (BGS). Minimum surface seal thickness is two inches of cement grout around well box. All other conditions for monitoring well construction shall apply.

## **APPENDIX B**

**Boring Logs** 

Date Start/Finish: 10/07/2014 Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5 inch

Rig Type: Marl DP 2.5
Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 feet bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-2

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
	-5-		Air knife			Asphalt  Fine to medium sand with some silt, chunks of gravel average ~1" in diameter, some larger rocks, moist, no odor, no staining, dark yellowish brown (10YR4/4)  Fine to medium sand with some silt, well sorted, moist, strong petroleum like odor, staining	
-	-5 -	AS-2-5.0		9.0		present, very dark greenish gray (GLEY1 3/1), some mottling with black colored areas (GLEY1 2.5/)  Fine to medium sand with some silt, well sorted, moist, no odor, no staining, yellowish brown (10YR5/6)  Becomes rocky, difficult to air knife  Medium sand with little silt, moist, odor present, dark greenish gray (GLEY1 4/2)	
- 10 -	-10 - -	AS-2-10.0	4/4	10.3 25.2 18.6			^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/
- 15 	-15 -	AS-2-15.0	4/4	34 27.6 45.7 45.6 33.4		Medium sand with silt, slightly plastic, moist, odor present, some staining, very dark greenish gray (GLEY1 3/1)	^^/
-	_	AS-2-18.5	2/2	115.0 33.9		Medium sand with little silt, loose, low cohesiveness, moist, odor present, greenish gray (GLEY1 5/1)	
		AF astructure				Remarks: Lots of slough in top 2 feet of most (?); difficult to ( around 10 feet bgs. At 28 feet, having difficulty w/ proceed through slough.	?) with DP (sand is very hard) starting slough. At 30 feet, too difficult to

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 1 of 2

Date Start/Finish: 10/07/2014 Drilling Company: Gregg Drilling Driller's Name: Brandon Moses **Drilling Method:** Hollow Stem Auger **Auger Size:** 8.5 inch

Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 feet bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-2

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

рертн	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
-	-		1.5/2	2000			
-	-		2/2	3000.0			
— 25	-25 -	AS-2-24.0	2/2	366.5 71.8		Wet, color change to darker greenish gray (GLEY 1 3/1) Grades to very moist at 25.5 to 26 ft bgs.	Bentonite chips
-	-		2/2	5.7 3.7		Becomes wet again at 26.5 ft bgs.  Dries to moist at 27 ft bgs.	
	-	AS-2-28.0	2/2	4.0 2.5		Begins to mottle with unstained sand, moist, no odor, dark yellowish brown	0.010 Sch 80
<del>- 30</del>	-30 —	AS-2-30.0		1.9			PVC screen #3 sand
-	-						Sch 80 PVC, sump
_							PVC Endcap



Remarks: Lots of slough in top 2 feet of most (?); difficult to (?) with DP (sand is very hard) starting around 10 feet bgs. At 28 feet, having difficulty w/ slough. At 30 feet, too difficult to proceed through slough.

Date Start/Finish: 10/01/2014 & 10/13/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 35 feet bgs Surface Elevation: NA

Descriptions By: Adam Kinnard & Rob Moniz

Well/Boring ID: AS-3

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

ОЕРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction		
-	- - -		Air knife		33333333333333333333333333333333333333	Asphalt  Fine to Medium sand with some silt, large rocks and chunks of gravel (1*-9* in diameter), mostly no odor, no staining  Large (8* diameter) rock encountered at 3 ft bgs.	Cold Patch Native Sand		
5 	-5 -	AS-3-5.5 AS-3-10.0		1/2		9.0	13333333333333333333333333333333333333	Fine to Medium sand with some silt, well sorted, moist, strong petroleum like odor and staining (from 5-6 ft bgs), XXX (GLEY 1 3/1) with some black mottling.  Trace red brick fragments, strong odor at 8.5 ft bgs.	
10	-	AS-3-10.0		10.3 25.2 18.6 34 27.6	33333333333333333333333333333333333333	No more brick fragments at 11 ft bgs.  Color change to GLEY 1 4/1 at 12.5 ft bgs.	^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/		
- 15 -	- -15 <b>-</b> -	AS-3-15.0		45.7 45.6 33.4 53.0	13333333333333333333 33333333333333333		- AAA Sch 80 PVC riser		
-		AS-3-17.5	RCA	33.9	facilitie	Slight increase in fines, color change to dark olive brown at 18.5 ft bgs.  Remarks:			

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 1 of 2

Date Start/Finish: 10/01/2014 & 10/13/2014

Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing: NA Easting: NA

Casing Elevation: NA

Borehole Depth: 35 feet bgs Surface Elevation: NA

Descriptions By: Adam Kinnard & Rob Moniz

Well/Boring ID: AS-3

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
-	- - -		4/5	2000 3000.0 366.5		Becomes wet at 21 ft bgs.  Trace clay with little silt, moist at 21.4 ft bgs  Color change to GLEY 1 4/1 at 23 ft bgs.	^^^ ^^^ ^^^ ^^^ ^^^ ^^^ ^^^ ^^^ ^^^ ^^
- 25 -	-25 <b>-</b> -	AS-3-25.0	4/5	5.7 3.7 4.0		Becomes wet, trace fines, color change to GLEY 1 4/1 at 25 ft bgs.  Little fines, weak odor, mottled GLEY and light reddish brown at 26 ft bgs.  Color change to dark reddish brown with orange and red staining at 27.5 ft bgs.	Bentonite chips
- 30 -	- -30 - -	AS-3-30.0		2.5		Loose, wet, trace fines, no odor at 30 ft bgs.	0.010 Sch 80 PVC screen  #3 sand  Sch 80 PVC, sump
- - - 35	_ _ -35	AS-3-33.5	4.5/5			Clayey sand with trace silt, very fine to medium sand, moist, medium density, low plasticity, yellowish brown	PVC Endcap  Slough Backfill



Remarks:

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 2 of 2

Date Start/Finish: 10/01/2014 & 10/06/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 35 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-4

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

				_								
DEPTH	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction						
	AS-4-5.0	Air knife	0.1		Asphalt  Fill material, coarse sand size with chunks of concrete (up to 2" in diameter), dry, 7.5YR7/6  Fine to medium sand with little silt, well sorted, moist, no odor, mostly strong brown (7.5YR 4/0) with dark gray areas (7.5YR 4/1)  Fine to medium sand with little silt, well sorted, loose, moist, no odor, strong brown (7.5YR 5/8) slight color variation (small grayish and orange streaks)							
- 10 -10 -	AS-4-10.0	4/4	2.8 3.0 1.3									
	AS-4-15.0	4/4	4/4	6.6 6.8 18.5		Fine to medium sand with little silt, well sorted, loose, moist, odor, dark greenish gray (GLEY1 4/1) some mottling with strong brown  Fine to medium sand with little silt, well sorted, loose, moist, strong odor, intense blue/gray (GLEY1 4/2)	Grout  AAA  AAA  Sch 80 PVC riser					
 		3/3	36.4 45.1 300.4 3407.0		Medium sand with some fine sand, well sorted, moist, strong odor, intense blue/gray (GLEY1 4/2)							
20 00	Remarks:											
Infi	Project Number:B0047339 Template: Page: 1 of 2											

Project Number:B0047339 Data File:

Date:12/12/2014

Date Start/Finish: 10/01/2014 & 10/06/2014

Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP2.5

Sampling Method: Continuous core

Northing: NA Easting: NA Casing Elevation: NA

Borehole Depth: 35 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-4

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

рертн	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description		Well/Boring Construction
-	_		3/3	609.2 3097.0			^^^ ^^^ ^^^ ^^^	^^/ - ^^/ - ^^/
	-	AS-4-22.0	2.5/3	3133.0 2994.0				^^^ ^^^ ^^^
<b>—</b> 25	-25 <del>-</del>			3231.0 5958.0		Some color mottling present, bluish gray, black, and dark brown  Free water encountered at 25 ft bgs.	^^/ ^^/ ^^/ ^^/	^^^; ^^^; ^^^;
	_	AS-4-27.0	2/3	457.2 1247.0		Dries to moist only at 27 ft bgs.		Bentonite Chips
-	-		2/3	360.0 135.1		Free water encountered at 28 ft bgs.  Dries to moist soil only at 29 ft bgs.		
- 30 -	-30 <del>-</del>	AS-4-31.0		15.3 677.4		Medium sand with some fine sand, very slight odor, dark grayish brown (10YR4/2)  Medium sand with some fine sand, very moist, strong odor, mottled color, primarily bluish gray with some darkish gray brown (10YR4/2)		0.010 Sch 80 PVC screen
-	-		1.5/3	264.3		Medium sand with some fine sand, very moist, little odor, mottled color, primarily dark brown		#2/16 Sand
- - 35	-35 <del>-</del>	AS-4-33.5		114.7	····	(7.5YR3/4)		sump  PVC endcap



Remarks:

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 2 of 2

Date Start/Finish: 10/01/2014-10/03/2014
Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses
Drilling Method: Hollow Stem Auger
Auger Size: 8.5"

Rig Type: Marl DP 2.5
Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 35 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-5

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

Asphalt  Fill material, coarse sand size with chunks of concrete (up to 2" in diameter), dry, strong brown (7.5YR7/6)  Fine to medium sand with little silt, well sorted, moist, no odor, strong brown (7.5YR 4/6) with dark gray areas (7.5YR 4/1)  Fine to medium sand with little silt, well sorted, moist, no odor, strong brown (7.5YR 4/6) with dark gray areas (7.5YR 4/1)  Fine to medium sand with little silt, well sorted, loose, very moist, no odor, slightly mottled color: mostly strong brown (7.5YR 5/8) with some gray and orange veins							
AS-5-5.0 Fine to medium sand with little silt, well sorted, loose, very moist, no odor, slightly mottled	I I^^1						
Fine to medium sand with little silt, well sorted, loose, slightly moist, no odor, slightly mottled color: mostly strong brown (7.5YR 5/8) with some gray and orange veins  O.7  AS-5-10.0  4/4  1.4  5.5							
Medium sand, well sorted, slightly moist, slight odor, dark grayish brown (7.5YR4/2)  260  4/4  3.1	Grout						
AS-5-15.0 2.9 Medium sand, well sorted, slightly moist, slight odor, greenish gray (GLEY2 5/2)	2", Sch 80 PVC						
Fine sand with little silt, well sorted, moist, no odor, light gray to strong brown (7.5YR4/6)  Medium sand, well sorted, slightly moist, very strong odor, black staining on surface of soil, greenish gray (GLEY2 5/2)  35.1  37.3  Fine sand with little silt, well sorted, moist, very strong odor, black staining on surface of soil, greenish gray (GLEY2 5/2)							
Remarks:							

Date Start/Finish: 10/01/2014-10/03/2014
Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses

Drilling Method: Hollow Stem Auger Auger Size: 8.5" Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing:NA Easting: NA

Casing Elevation: NA

**Borehole Depth:** 35 ft bgs **Surface Elevation:** NA

**Descriptions By:** Adam Kinnard

Well/Boring ID: AS-5

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
			3/3	12.5		Medium sand, well sorted, slightly moist, very strong odor, black staining, greenish gray (GLEY2 5/2) mottled with strong brown soil and black streaks in impacted soil	\ \^^\\ \^^\\ \^^\\
	_			2957		Medium sand, well sorted, slightly moist, very strong odor, black staining on surface of soil, greenish gray (GLEY2 5/2)	
-	-			3508			
-	-					Fine sand with some silt, with chunks of 1" diameter rock, dry to slightly moist, very strong odor, dark brown	
}	-			2907 115.5		Medium sand, well sorted, slightly moist, very strong odor, black staining on surface of soil, greenish gray (GLEY2 5/2)	
- 25	-25 <del>-</del>	AS-5-25.0	3/3	1164			
-	-	<u> </u>		1209			^^^
-	-	AS-5-27.0		72.4		At 26.5 ft bgs, free water for about 5" then grades back to slightly moist	Bentonite Chips
-	-			34.2			
+	-		4/0	3281.5		At 28.5 ft bgs, medium sand, very well sorted, free water until 31' then grades back to moist,	
- 30	-30 -		1/3				
-	-			192.7			2", 0.010 Sch 80 PVC screen
-	-		3/3	222.4		At 31.5 ft bgs, free water until 32.5' then grades to moist, color begins to become mottled: strong brown with some dark gray/black greens, with little to no bluish/greenish gray	#2/16 Sand
-	-		3,0	8.9			Sch 80 PVC,
	-	AS-5-34.0		18.6		Clayey silt with fine sand, slightly moist, medium plasticity, medium stiffness, no odor, brown (10YR5/3) some black streaking on surface but not interior	sump
35	<del>-35 -</del>						PVC endcap
L	_	I					



Remarks:

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 2 of 2

Date Start/Finish: 09/30/2014-10/02/2014 Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 36 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-6

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

DEPTH	ELEVATION Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Stratigraphic Description	Well/Boring Construction
-5	-5 AS-6-8	Air knife	0.0	Asphalt  Fill material, coarse sand size with chunks of concrete (1" in diameter),  Fine sand with silt, loose, dry, mottled dark brown with light brown (10Y)  Pulled glass bottle out of fill  Layer of red brick 4 " thick in fill at 4 ft bgs.  Fine sand with silt, loose, moist, slight mottled dark brown with light brown with li	(R5/6, 10YR3/1)
·10 -		0.0 4/4	0.5	10YR3/1), no debris.  Fine to medium sand with silt, very loose, no odor, mottled orange and and 10YR4/2)	
·15 -	- - - AS-6-1	4/4	0.8	Some black streaking, no odor  Medium sand with little fines, very well sorted, moist, no odor, no mottlin	ng, dark grayish brown  ng, dark grayish brown  And
	-	3/3	0.6	Fine to medium sand with silt, very loose, no odor, mottled orange and and 10YR4/2)  Medium sand with small pieces (2cm) of asphalt looking material, slight with black  Medium to fine sand, very well sorted, moist, slight odor, no mottling, da (GLEY1 4/2)	t odor, strong brown

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 1 of 2

Date Start/Finish: 09/30/2014-10/02/2014 Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses

Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 36 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-6

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

DEPTH	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
	-20 -	AS-6-20.0	3/3	9.2 8.8		Fine to medium sand with some silt, very well sorted, moist, no odor, mottled strong brown and gray  Medium sand, very well sorted, loose, moist, strong hydrocarbon like odor, no mottling, very dark greenish gray	
	_	AS-6-22.0	3/3	500 1893		At 22 ft bgs becomes very moist.  At 23 ft bgs becomes wet.  At 24 ft bgs becomes moist again	
- 25	-25 — -	AS-6-25.0	3/3	520.7		At 25.5 ft bgs free water encountered  At 27 ft bgs becomes moist again	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
- 30	-30 -		1/2	136.1		At 28 ft bgs free water encountered, mostly in the liners; little recovery in this area	
	-		2/2	3.2 44.9		At 31 ft bgs becomes very moist. Sand is very dense (inferred due to difficulty to proceed with direct push, can only collect 2-3 ft. in liners)  Medium sand, moist, less odor, mottled greenish gray and strong brown color, mostly greenish gray	0.010 Sch 80 PVC screen #2/16 Sand
	-		2/2	68.6 2.4		At 33 ft bgs, becomes softer (easier to push through)  Clayey silt with little fine sand, no odor, gray (5YR 5/7); from the shoe of the liner.	Sch 80 PVC, sump
- 35	-35 <b>-</b> -	AS-6-36.0	2/2	1.9		At 36 ft bgs (from the shoe) silty clay with some fine sand, no odor, dry, low to no plasticity, stiff, gray (5Y5/2)	PVC endcap
		2 AF				Remarks: Due to slough falling down into hole, boring logs m formation materials at the depths indicated. The sl silt, but the rest of the liner was the same sand as	noe at 34' indicated we had a clayey

Project Number:B0047339 Data File:

Template:

Date:12/12/2014

Page: 2 of 2

Date Start/Finish: 10/08/2014-10/09/2014 **Drilling Company:** Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger

Auger Size: 8.5" Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA


Descriptions By: Adam Kinnard

Well/Boring ID: AS-7

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street



Project Number:B0047339 Data File:

Date:12/12/2014

Template:

Page: 1 of 2

Date Start/Finish: 10/08/2014-10/09/2014
Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses
Drilling Method: Hollow Stem Auger

Auger Size: 8.5" Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing: NA Easting: NA Casing Elevation: NA

**Borehole Depth:** 33 ft bgs **Surface Elevation:** NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-7

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

рертн	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
				5.4			
	_		2/2	12.9			
-	-	-		11.1		Fine sand with little silt, moist, odor, greenish gray (GLEY1 5/1)	
_ 20	-20 -			4.2			
	-	AS-7-21.0	3/3	175.4		Fine sand with little silt, very moist, strong odor, dark greenish gray (GLEY1 4/2)	
-	_	-		85.4		Fine sand with little silt, very moist, strong odor, dark greenish gray (GLEY1 4/2) mottled with strong brown soil (7.5YR)	
-	-		3/3	25.1		Fine sand with little silt, very moist, odor, greenish gray (GLEY1 5/1)	
-	-			72.0		Fine sand with little silt, very moist, odor, dark greenish gray (GLEY1 4/2)	
<del>-</del> 25	-25 —			7.1		At 25 to 26 ft bgs, free water encountered in liners	Bentonite Chips
-	-		2/2	71.9		At 26 ft bgs, dries to moist soil	
	-	AS-7-27.0		1.7			
	-		1/3				
							2", 0.010 Sch 80 PVC screen #2/16 Sand
- 30	-30 <del>-</del>		2/2	4.6		Fine sand with little silt, moist, little to no odor, staining goes away, olive color (5YR 5/3)	
-	-	AS-7-32.0		5.1			2', Sch 80 PVC
							PVC endcap



**Remarks:** By about 30' mostly slough in the sample lines so it becomes difficult to differentiate native soil from slough.

Date Start/Finish: 10/08/2014 & 10/09/2014

**Drilling Company:** Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger

Auger Size: 8.5" Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing: NA Easting: NA

Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA


Descriptions By: Adam Kinnard

Well/Boring ID: AS-8

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street



Project Number:B0047339 Data File:

Template:

Date:12/15/2014

Page: 1 of 2

Date Start/Finish: 10/08/2014 & 10/09/2014

Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-8

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
	-		2/2	0.5		Fine sand with no clay, slightly moist, odor, olive (5YR4/3) with greenish gray staining (GLEY1 5/1)	
20	-20 -	AS-8-20.0	3/3	0.5			
	-		2/2	7.0		Fine sand with no clay, very moist, odor, staining, dark greenish gray (GLEY1 4/1)	
	-			16.9 43.0		Fine sand with no clay, very moist, odor, staining, greenish gray (GLEY1 5/1)  At 24 ft bgs wet soil	
25		AS-8-26.0	2/2	33.6 19.5		Fine sand with no clay, very moist, odor, staining, dark greenish gray (GLEY1 4/1)  Soil grades to moist by 26 ft bgs.	Bentonite Chips
	-		1/1	0.7		Fine sand with no clay, very moist, odor, staining, greenish gray (GLEY1 5/1)	
30	-30 <b>-</b>	AS-8-30.0	1/1	18.0 0.4		Fine sand with no clay, moist, odor, no staining, stained sand begins mixing with olive gray sand (5YR4/5). By 29 ft bgs, no stained soils.	2", 0.010 Sch 8 PVC screen #2/16 Sand
	-		2/2	0.6			2", Sch 80 PVC riser, sump
	-						PVC endcap

Project Number:B0047339 Data File:

Infrastructure, environment, facilities

Template:

Date:12/15/2014

Page: 2 of 2

Date Start/Finish: 10/08/2014 & 10/13/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA

Descriptions By: Rob Moniz

Well/Boring ID: AS-9

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

DEPTHELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
				÷±:	Asphalt	Cold Patch
-5 -5 - 	AS-9-10.0	Air knife	0.1		Fine sand with some silt, moist, no odor, mottling, mostly brown (10YR4/3) with some strong brown (7.5YR5/8)  Occasional chunks and laminations of asphalt, trace plastic	Native Sand
	-	2/5	1.0		Encountered ~2" of asphalt  Fine sand with trace fines, faint weathered hydrocarbon like odor, trace fines, olive brown  No Recovery	AAA AAA AAA AAA AAAA AAAA AAAA AAAA AAAA
- 15 -15 -	1		4.0			
			1.0		Fine sand with some silt, moist.	
	-	3.5/5	47 1450	<b>T</b>	Fine sand with trace fines, strong odor, GLEY1 4/1	
				•••••••	Remarks:	I IA^A1 I I IA^A1
	a Al	e, enviro	nment,	facilitie Tem		Page: 1 of 2

Project Number:B0047339 Data File:

Date:12/15/2014

Date Start/Finish: 10/08/2014 & 10/13/2014

Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA

Descriptions By: Rob Moniz

Well/Boring ID: AS-9

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

No clay, face slift, other brown   No clay, face								
2020 No Recovery  200 AS-9-20.0 Pine sand with trace fries, strong odor, GLEY1-4/1  25 -25 AS-9-25.0 No clay, trace sit, dive brown  Moist/wet, loose  8 Wet at 30 ft bgs  31  43-9-25.0 S/S  AS-9-25.0 S	DЕРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	
20 -20 AS-3-20.0 2100 Fine sand with trace frees, strong odor, GLEY1 4/1  1450 895 790 611 No clay, trace sitt, clive brown  90 Moles/wet, foose 31 14 9 7 7 8-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3					2670			
Signature   Sign	- 20	-20 -	AS-9-20.0		2100 1450			
780 611 No clay, trace silt, olive brown  90 Moist/wet, loose  8 Wet at 30 ft bgs  31  AS-9-33.5  A				E /E	895			
No clay, trace silt, olive brown  Moist/wet, loose  Bentonite chips  Bentonite chips  Bentonite chips  Bentonite chips  2: 0.010 Sch 80  PVC screen  AS-9-30.0  AS-9-30.0  AS-9-30.0  AS-9-33.5  AS-9-		-		5/5				
Bentonite chips  31  14  5/5  9  7  AS-9-30.0  8  Wet at 30 ft bgs  Wet at 30 ft bgs  2°, 0.010 Sch 80 PVC screen  #3 sand  2°, Sch 80 PVC, sump  PVC endcap  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown  Clayey fine sand, little silt, dense, moist, low plasticity  Clayey fine sand, little silt, dense, moist, low plasticity  Clayey fine sand, little silt, dense, moist, low plasticity  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown					011		No clay, trace silt, olive brown	
AS-9-33.5	<u>- 25</u>	-25 -	AS-9-25.0					
AS-9-33.5  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown		_		5/5	14			
2", Sch 80 PVC, sump  2", Sch 80 PVC, sump  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown  Fine sandy clay, hard, moist, medium plasticity  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown		_						PVC screen
AS-9-33.5	- 30	-30 -	AS-9-30.0				Wet at 30 ft bgs	#3 Saliu
AS-9-33.5  2 Fine sandy clay, hard, moist, medium plasticity  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown  Slough Backfill	-	-		5/5				sump  PVC endcap
Fine sandy clay, hard, moist, medium plasticity  Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown			AS-9-33 F			<u> </u>	Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown	/\/\/\/\
	-	-	MO-8-33.5		2	-7-		Slough Backfill
	35	-35 -			_	· :	Clayey fine sand, little silt, dense, moist, low plasticity, yellowish brown	/ / / / / / / / / / / / / / / / / / / /
					3			



Remarks:

Project Number:B0047339 Data File:

Template:

Date:12/15/2014

Page: 2 of 2

Date Start/Finish: 10/08/2014-10/10/2014 Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses **Drilling Method:** Hollow Stem Auger **Auger Size:** 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs. Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-10

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
-5	5	AS-10-5.0	Air knife	0.0		Fine sand with little silt, brown (10YR4/3)  Fine sand with little silt, dark yellowish brown (10YR5/6)  Fine sand with little silt, yellowish brown (10YR5/8) mottled with strong brown (7.5YR5/8)	
10 -	- - -A	\S-10-10.0	0/2	33.4		No Recovery  Fine sand with little silt, moist, no odor, yellowish brown (10YR5/6)	
	-		4/5	0.9 1.5 1.3		Fine sand with little silt, moist, slight odor, yellowish brown (10YR5/6) mottled with gray (10YR5/1)  Fine sand with more silt, moist, slight odor, yellowish brown (10YR5/6) mottled with gray (10YR5/1)	- ^^ Grout - ^^ A
15 -	·15 -A	\S-10-15.0	4/5	4.2 5.1 25.7 2.7		Fine sand with more silt, moist, slight odor, mostly gray (10YR5/1) mottled with yellowish brown (10YR5/6)  Fine sand with more silt, moist, slight odor, dark greenish gray (GLEY1 4/1)	
						Remarks:	
		AF structure,				s	

Project Number:B0047339 Data File:

Date:12/15/2014

Date Start/Finish: 10/08/2014-10/10/2014 Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs. Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-10

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

DEРТН	ELEVATION Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
- 20 -2	_ AS-10-20.0		68.3 31.3 617.0		Fine sand with trace silt, moist, odor, dark greenish gray	
_		5/5	1880 1800 1918		Fine sand with trace silt, moist, odor, very dark greenish gray (GLEY1 3/1)  Fine sand with trace silt, moist, odor, dark greenish gray (GLEY 1 5/1)	
- 25 -2	-	2.5/2.5	100.7 21.5 10.4		Fine sand with trace silt, moist, odor, very dark greenish gray (GLEY1 3/1)  Fine sand with trace silt, very moist, odor, dark greenish gray (GLEY1 3/1)	A^A'
-	AS-10-26.5	2.5/2.5	7.4 5.9 9.8		Fine sand with trace silt, very moist, little/no odor, olive gray (5YR4/2)  Fine sand with trace silt, free water in liner, strong odor, dark olive gray  Fine sand with trace silt, free water in liner, little/no odor, brown (10YR4/3)	2", 0.010 Sch 80
- 30 - 3	AS-10-30.0	0/3	19.2		Fine sand with trace silt (most likely all slough), very moist, little/no odor, brown (10YR4/3)	PVC screen #2/16 Sand  2", Sch 80 PVC riser, sump
						PVC endcap



Date Start/Finish: 10/01/2014 & 10/08/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 34 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-10

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

DEPTH ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
	-	Air knife			Asphalt  Fill material, coarse sand size with chunks of concrete (up to 2" in diameter), dry, 7.5YR7/6  Encountered black tarp material  Fine sand with little silt, well sorted, slightly moist, no odor, strong brown (7.5YR 4/6)	
-5 -5	AS-11-5.0	4/4	0.0	14333333333333333333333333333333333333	Fine to medium sand with some silt, well sorted, moist, no odor, slightly mottled color: strong brown (7.5YR5/8) with some gray and orange veins	
	-	4/4	33.4 0.9 1.5		Color grades to light olive brown (7.5YR 5/6)	^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/ ^^/
- 15 <i>- 15 -</i>	AS-11-15.0		1.3 4.2 5.1	1111111111	Medium sand with some silt, well sorted, moist, no odor, color begins to mottle: strong brown and grayish brown (2.5YR4/2)	2", Sch 80 PVC riser
	AS-11-17.5	3/3	25.7 2.7		Fine to medium sand with some silt, well sorted, moist, no odor, slightly mottled color: strong brown (7.5YR5/8) with some gray and orange veins and some slight blue/gray streaks  Medium sand with some fine sand and little silt, well sorted, moist, odor, dark greenish gray	

Project Number:B0047339 Data File:

Template: Date:12/15/2014 Page: 1 of 2

Date Start/Finish: 10/01/2014 & 10/08/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses
Drilling Method: Hollow Stem Auger

Auger Size: 8.5" Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing: NA Easting: NA

Casing Elevation: NA

**Borehole Depth:** 34 ft bgs **Surface Elevation:** NA


Descriptions By: Adam Kinnard

Well/Boring ID: AS-10

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street





**Remarks:** At 26' the hole collapsed, had to drill through some slough in order to collect 26'-28'.

Project Number:B0047339 Data File: Template:

Date:12/15/2014

Page: 2 of 2
Created by: Emily Kuhr

Date Start/Finish: 10/08/2014 & 10/10/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses **Drilling Method:** Hollow Stem Auger **Auger Size:** 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-12

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

DEPTH	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
	-5 -	AS-10-5.0	Air knife	0.0		Fill material of fine sand with little silt, brown (10YR4/3)  Fine sand with little silt, moist, brown (10YR4/3)  Small layer of asphalt encountered  Fine sand with clay and trace silt, lenses of clayey material within sand, moist, no odor	
-10		AS-10-10.0	3/3	33.4		Fine sand with little silt, moist, no odor, dark yellowish brown with slight gray mottling	
·15	- - - -15 -,	AS-10-15.0	4/4	0.9 1.5 1.3		Fine sand with little silt, moist, odor, yellowish brown with trace mottling of greenish gray and red (2.5YR)	A^A Grout A^A Grout A^A A A A A A A A A A A A A A A A A A A
	-	A5-10-15.0	2/2	5.1 25.7 2.7		Fine sand with little silt, moist, odor, greenish gray  Fine sand with little silt, moist, odor, olive gray with slight greenish gray hue  At 17 ft bgs, about 2" of yellowish brown soil with no staining	
		AF estructure,				Remarks:	

Project Number:B0047339 Data File:

Date:12/15/2014

Date Start/Finish: 10/08/2014 & 10/10/2014

Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger Auger Size: 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 33 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: AS-12

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

E	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
DEPTH	ELE	Sam	Rec	PID	Geo		
				68.3			AAA1
				31.3			
20	-20 -	AS-10-20.0	3/3	617.0		Fine to medium sand with little silt, very moist/wet, odor	
				1880			
-	-	-		1800			
-	-		2/2	1918			
-	-	-		100.7			\( \lambda^{\lambda'} \)
_ 25	-25 <b>-</b>		2/2	21.5			Bentonite Chips
-	-			10.4			
-	-	AS-10-26.5	2/2	7.4 5.9			
_	-		4 /4	-		Fine to medium sand with little silt, very moist, very slight odor, grades to an olive gray	
-	-		1/1	9.8		Fine to medium sand with no silt, wet, very slight odor, dark yellowish brown with some olive	2", 0.010 Sch 80 PVC screen
- 30	-30 -	AS-10-30.0	1/1	19.2		gray (interval could be slough).	#2/16 Sand
				19.2			
							2", Sch 80 PVC
							PVC endcap



Date Start/Finish: 09/30/14 - 10/02/14 Drilling Company: Gregg Drilling Driller's Name: Brandon Moses Drilling Method: Hollow Stem Auger

Auger Size: 8.5" Rig Type: Marl DP 2.5

Sampling Method: Continuous core

Northing:NA Easting: NA

Casing Elevation: NA

**Borehole Depth:** 15 ft bgs **Surface Elevation:** NA


Descriptions By: Adam Kinnard


Well/Boring ID: VE-4

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street







Remarks:

Project Number:B0047339
Data File:

Template:

Date:12/31/2015 Emily Kuhr

Date Start/Finish: 10/02/2014 & 10/09/2014

Drilling Company: Gregg Drilling
Driller's Name: Brandon Moses **Drilling Method:** Hollow Stem Auger **Auger Size:** 8.5"

Rig Type: Marl DP 2.5 Sampling Method: Continuous core

Northing:NA Easting: NA Casing Elevation: NA

Borehole Depth: 15 ft bgs Surface Elevation: NA

Descriptions By: Adam Kinnard

Well/Boring ID: VE-5

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

рертн	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Well/Boring Construction
-	-5 -		Hand Auger to 8'	0 0 0		Asphalt  Fine sand, well sorted, dry to slightly moist, no odor, dark brown (7.5YR3/3)	Grout  AAA  AAA  — 2", Sch 80 PVC Riser  — — — — — — — — — — — — — — — — — — —
-	-	VE5-5.0		0 0 1.0 0.6		Silty sand, very fine to fine sand, slightly plastic, no odor, strong brown (7.5YR5/8)  Sand with little silt, moist, no odor, mottled color:strong brown and olive (5YR5/4)	#3 Sand  2", 0.020 Sch 80  PVC Screen
- 15	-			0.6 0.3 1.2		Sand with little silt, moist, no odor, gray (5YR5/2)  Sand with little silt, moist, no odor, strong brown with gray mottling	PVC Screen  PVC screen
	C	AF				Remarks:	

Project Number:B0047339 Data File:

Date:12/15/2014

Date Start/Finish: 12/8-12/9/2015 **Drilling Company:** Cascade Drilling Driller's Name: Joseph Koons Drilling Method: Hollow Stem Auger

Auger Size: 8" Rig Type: CME 75

Sampling Method: Split Spoon (18")

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 38.5 feet Surface Elevation: NA

**Descriptions By:** Carl Edwards


Well/Boring ID: AS-13


Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

Reviewed By: Katherine Brandt







Remarks: " = inches ' = feet

Date Start/Finish: 12/8-12/9/2015 **Drilling Company:** Cascade Drilling Driller's Name: Joseph Koons Drilling Method: Hollow Stem Auger Auger Size: 8"

Rig Type: CME 75

Sampling Method: Split Spoon (18")

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 38.5 feet Surface Elevation: NA

Descriptions By: Carl Edwards

Well/Boring ID: AS-13

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

Reviewed By: Katherine Brandt

DEPTH	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	nscs	Geologic Column	Stratigraphic Description	Well/Boring Construction
	]		3/3	3.5	SP		As above, color change to black (5Y 2.5/1) at 22' bgs, wet.	
-	-		3/3	3.4				
-	4			8.6	SP	••••	SAND, dark yellowish brown (10YR 4/6), fine to medium sand, trace silt, very loose, moist.	
- 25	-25	40.40	3/3				SAND, dark olive gray, (5Y 3/2), fine to medium sand, trace coarse sand, poorly graded, very loose, moist.	
-	-25 <del>-</del> -	-25	3/3	0.6	SP		Color change to olive brown (2.5Y 4/4) at 25.5' bgs.	
-	-		1/3				No recovery.	
-	-		3/3	0.5	SP		SAND, olive (5Y 4/3), fine to medium sand, trace silt, very loose, moist.	
-	1		0/0				SAND, dark yellowish brown (10YR 4/4), fine to medium sand, trace coarse sand, poorly	
- 30	-30 <del>-</del>	AS-13 -30.0	3/3	1.0			graded, very loose, moist. Color change to dark grayish brown (2.5Y 4/2) at 29.5' bgs.	
-	-		3/3	0.4	SP			Hydrated bentonite chips from 29.5 to 32.5' bgs
				0.3				
			3/3	0.2				
	1		3/3	0.2				2" 0.010 Sch 80
- 35	-35 <b>-</b>	AS-13 Ā\$-13	3/3	0.2	SP	<u>/</u> ./	CLAYEY SAND with Silt, pale olive (5Y 6/3), fine sand, loose, poorly graded.	PVC screen from 33.5 to 35.5' bgs
-	-	-35.5					Bottom of boring at 38.5' bgs. Sample soil continously to 35.5' bgs and overdrill to 38.5' to set 3' sump.	#2/12 Sand from 32.5 to 38.5' bgs
								2" Sch 80 PVC sump from 35.5 to 38.5' bgs
								PVC endcap



Remarks: " = inches ' = feet

Date Start/Finish: 12/7-12/8/2015 **Drilling Company:** Cascade Drilling Driller's Name: Joseph Koons Drilling Method: Hollow Stem Auger

Auger Size: 8" Rig Type: CME 75

Sampling Method: Split Spoon (18")

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 40.5 feet Surface Elevation: NA

**Descriptions By:** Carl Edwards

Well/Boring ID: AS-14


Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

Reviewed By: Katherine Brandt

Well/Boring Sample/Int/Type Sample/Int/Type Sample/Int/Type Construction  Stratigraphic Description  Construction	EPTH LEVATION	ample/Int/Type ecovery (feet) D Headspace (pp) Stratigraphic Description Stratigraphic Description	
---	------------------	--	--





Remarks: " = inches ' = feet

Date Start/Finish: 12/7-12/8/2015 **Drilling Company:** Cascade Drilling **Driller's Name:** Joseph Koons Drilling Method: Hollow Stem Auger Auger Size: 8"

Rig Type: CME 75

Sampling Method: Split Spoon (18")

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 40.5 feet Surface Elevation: NA

Descriptions By: Carl Edwards

Well/Boring ID: AS-14

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

Reviewed By: Katherine Brandt

ОЕРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	nscs	Geologic Column	Stratigraphic Description	Well/Boring Construction
ſ	7		2/3	86.5	SP		SAND, very dark greenish gray (Gley1 3/5GY), fine to medium sand, poorly graded, very	
-	-			60.5		• • •	loose, wet.	
-	_		2/3	9.8	SP		No recovery.  SAND, dark greenish gray (GLEY1 4/10Y), fine to medium sand, trace coarse sand, poorly graded, very loose, wet.	
_	_						No recovery.	
			2/3	1.4	SP		As above.	
25	-25 <b>-</b>	AS-14 -25					No recovery.	
-	-		2/3	4.4	SP		As above.	
							No recovery.	
			2/3	0.1	SP		Color change to dark olive gray (5Y 3/2).	
-	-						No recovery.	
-	-		3/4	1.8			SAND, olive brown (2.5Y 4/3), fine to medium sand, trace coarse sand, poorly graded, very loose, wet.	
- 30	-30 -	AS-14 -30.0		2.4				
-		-30.0	3/3	18.4				
				10.4	SP			^^1
	_		3/3	2.0				
-	-			0				Hydrated bentonite chips
-	-		3/3	1.5				from 31.5 to 34.5' bgs
- 35	-35 <b>-</b>		2/0	5.6			SAND, olive gray (5Y 4/2), fine to medium sand, trace coarse sand, poorly graded, very loose, wet.	
		-35.0	3/3	13.3				
	_		3/3	4.1	SP			2" 0.010 Sch 80 PVC screen from PVC screen from
-	-		3/3	8.4	SM		SILTY SAND with Clay, loight yellowish brown (2.5Y 6/3), fine to medium sand, very loose, wet.	35.5 to 37.5' bgs #2/12 Sand from 34.5 to 40.5' bgs
				1.3	CL		SANDY CLAY with Silt, pale olive (5Y 6/3), fine sand, medium plasticity, soft, wet.	2" Sch 80 PVC
40	-40 <del>-</del>						Bottom of boring at 40.5' bgs. Sample soil continously to 39' bgs and overdrill to 40.5' to set 3' sump.	sump from 37.5 to 40.5' bgs
_ 40	-4U <b>-</b>							PVC endcap



Remarks: " = inches ' = feet

Date Start/Finish: 12/09/2015 **Drilling Company:** Cascade Drilling **Driller's Name:** Joseph Koons Drilling Method: Hand Auger Auger Size: 2"

Rig Type: NA

Sampling Method: Continuous using hand auger

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 5 feet Surface Elevation: NA

**Descriptions By:** Sean Maurel

Well/Boring ID: SV-1

Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

Reviewed By: Katherine Brandt

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	nscs	Geologic Column	Stratigraphic Description	Well/Boring Construction
Γ°	σТ						4" of asphalt	
-	4			0.1		•••	4" of gravel fill material	4" Flush mount well box
		SV-1		0.1			SAND, dark brown (7.5YR 3/2), fine to medium sand, trace silt, poorly graded, very loose, damp.	Dry benotnite granules from 0.5 to
		-2.0	Hand Auger		SP		Color change to dark brown (7.5YR 3/3) at 1.5' bgs.	3' bgs
+	1			0.1			Color change to dark yellowish brown (10YR 3/6) at 3' bgs.	1/4" Teflon tubing
-	4					•••	SAND, dark yellowish brown (10YR 3/6), fine to medium sand, trace coarse, trace silt , poorly	Hydrated bentonite granules from 3 to 4' bgs
_5	5-	SV-1		0.1	SP		graded, very loose, damp.  Color change to dark yellowish brown (10YR 4/6) at 4' bgs.	#2/12 Sand from 4 to 5' bgs
		0.0					Bottom of boring at 5' bgs.	1" screen



Remarks: " = inches ' = feet

Date Start/Finish: 12/09/2015 Drilling Company: Cascade Drilling Driller's Name: Joseph Koons Drilling Method: Hand Auger

Auger Size: 2" Rig Type: NA

Sampling Method: Continuous using hand auger

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 5 feet Surface Elevation: NA

Descriptions By: Carl Edwards

Well/Boring ID: SV-2


Client: Chevron Environmental Management

Company

Location: 726 Harrison Street

Reviewed By: Katherine Brandt

DEPTH Sample/Int/Type Recovery (feet) USCS Geologic Column uscs	Well/Boring Construction
---	-----------------------------





Remarks: " = inches ' = feet

Date Start/Finish: 12/09/2015 Drilling Company: Cascade Drilling Driller's Name: Joseph Koons **Drilling Method:** Hand Auger **Auger Size:** 2"

Rig Type: NA

Sampling Method: Continuous using hand auger

Northing:NA Easting: NA

Casing Elevation: NA

Borehole Depth: 5 feet Surface Elevation: NA

Descriptions By: Carl Edwards

Well/Boring ID: SV-3

Client: Chevron Environmental Management

Company

Location: 706 Harrison Street

Reviewed By: Katherine Brandt

DEРТН	ELEVATION	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	nscs	Geologic Column	Stratigraphic Description	Well/Boring Construction
	0-					/ \ / · • •	4" of asphalt 4" of gravel fill material	4" Flush mount well box
-	-	SV-3 -2.0	Hand Auger	0.1 0.0 0.1	SP		SAND with Silt, dark brown (10YR 3/3), fine sand, poorly graded, very loose, damp.  Color change to dark yellowish brown (10YR 4/4) at 3' bgs.	Hydrated bentonite granules from 3 to 4' bgs  1/4" Teflon tubing  Dry benotnite
-	_	SV-3		0.1	SP		SAND, dark yellowish brown (10YR 4/6), fine sand, trace silt, poorly graded, very loose, damp.	gránules from 0.5 to 3' bgs #2/12 Sand from 4 to 5' bgs



Remarks: " = inches ' = feet

Bottom of boring at 5' bgs.

# **APPENDIX C CDWR Well Completion Reports**

*The free	Adobe Re	ader may	be used to view	and complete	this form.	However,	software m	ust be purchas	sed to compl	ete, save,	and reuse	e a saved fo	orm.	
File Origi	nal with [	OWR			107		ate of Cali		, F		DW	/R Use Onl	y – Do	Not Fill In
Page 1		of 1			We	ell Co	mpleti to Instruction	on Repo	ort					
Owner's	Well Num	ber AS	S-13			No.	e02939	14			Sta			ite Number
Date Wo	k Began	12/07/	2015	Date	Work End	ed <u>12/9</u>	/2015				Latitude			Longitude
			meda County 029			)/15						APN/T	RS/Otl	her
T CITILE I'V	JIIIDOI <u></u>			gic Log	<u> </u>	,,					Well	Owner		
Orie	ntation	<b>⊙</b> Vert		izontal	OAngle	Specif	y	Name (	Chevron E	nvironn			ent C	Company (CEMC)
Drilling I	Method H	ollow Ster	m Auger		Drilling Flu	uid			Address 6					
Depth Feet	from Su to Fe	rface et	Desc	Des cribe material.	cription grain size.	color. etc								Zip <u>94583</u>
			SEE ATTACI								Well L	ocation		·
								Address	706 Hai	rison St	reet			
									akland					
								Latitude	·			N Longitu	de	W
								Datum	Deg.	Dec. Lat	Sec.		Dec.	Dea. Min. Sec. Long.
								APN Bo	ok <u>1</u>	Page	185		Parc	el <u>26</u>
														ion
									Locat	ion Ske	tch			Activity
								(Sketch	must be drawr	by hand af North	ter form is	printed.)	<b>⊙</b> N	lew Well lodification/Repair
									///		1//	7 4	(	O Deepen
									/// .	STAE	/ sw			Other Destroy
									**************************************	1/*	MIN MINA			Describe procedures and materials under "GEOLOGIC LOG"
									HAMA	/ Boen	AS I AS di			Planned Uses
									HAND DIG LOCATION -	1/	10 ASA AS			Vater Supply_
						7		- St	/	W. Caselini	NAS 12	st		Domestic ☐ Public Irrigation ☐ Industrial
								West		Maria	W.	Ба		Cathodic Protection
										AS-13-pg				ewatering
					<u> </u>	_			( Z	MW.	/			leat Exchange
							$\overline{}$			1	\$			njection Monitoring
				_	$\overline{}$						1000			Remediation
						-	-			7th STREET			<b>o</b> s	parging
					_ 7			1		South			OT	est Well
						7		Illustrate or d	escribe distance nd attach a map.	of well from ro Use additiona	ads, buildings I paper if nece	s, fences, essary.		apor Extraction Other
						à		Please be a	_evel and	plete.				
						$\sim$								et below surface)
				-		$\checkmark$	<del>-</del>	Depth to	Static				_ `	,
Total D	 epth of B	oring	20	_	$-\times$	Feet		Water L	evel		(Fee	t) Date I	Meası	ured
			38			_								down(Feet)
I otal D	epth of C	omplete	d Well <u>38</u>		$\rightarrow$	_ Feet			ot be repres					
				Cas	ings		Outside	_				Annula	ır Ma	terial
	from	Borehol Diamete		Mate	rial T	Wall hickness	Screen Type	Slot Size if Any		n from face	Fill		Description	
Feet t	o Feet 33	(Inches	Blank	PVC Sch. 80		(Inches)	(Inches)	1	(Inches)	Feet 0	to Feet 29	Cement		Portland Type II-V
33	35	8	Screen	PVC Sch. 80			2	Milled Slots	0.010	29	32	Bentonite		Cetco Med. Chips
35	38	8	Blank	PVC Sch. 80	)		2			32	38	Filter Pac	k	#2/12 Sand
			1											
		_												
		A 44 1							2 4151 41	21 1				
77	Geologic	Attach	ments		I the und	lersigned	certify th	Certification Statement that this report is complete and accurate to the best of my knowledge and belief						
			Diagram		Name				0 001111016	and at			-, πη	omeage and belief
□	Geophys	cal Log(	(s)				irm or Corpo	ration				<u>C/</u>		
			ical Analyses		Signed	-	Address			City		Sta	te	Zip
	tional inform					C-57 Lice	Well Contractor			Date Siç	gned C-	57 Lic	cense Number	

EXPLORATORY BORING LOG B0047339.2015.00008 12- 7 -15 project no: date: boring number: Chevron - 351646 client: 706/726 Harrison Street, Oakland, CA A5-13 ation: ogged by: driller/helper: page 1 of 4 Z field location of boring drilling method: HOLLSON STEM AUBER hole diameter: casing diameter: well completion data: ground elevation: datum: headspace: gastech/PID/ blows per foot or pressure ir FID ppm soil group symbol (USCS) water level sample number sample depth boring/well psi construction time of concrete 0.0 2 SP 0.0 3 0.0 A5-13-5 955 6 0.0 sp/sm 5md, dark rellowish brown (104R 4/62) fine to medium and trace course sond, trace 5:1+, poorly graded, maistyrey losse. 7 8 SAND, DARK YELLOWISH BROWN (107R 4/6) 26 0,0 FINE TO MEDRYM SAND POURLY GRADED, WERT LOUSE 45-13-10 35 10 NO RECOVERY (311) (1525) 14 SAND, DARK YELLOWESH BROWN (10 YR /416) FAVE TO 10 Oil 11 MEDRUM SAND, DOORLY GRADED, VERY LOSE, MOTTLED 10 OXTDATION 10 12 SAND WISTLE, DAME YELLOWSH BROWN (10 YR 414) 0.0 11 15 PENE TO MEDITUM SAND, PORLY GRADED, VERY LOUSE 13 8 AS ABOVE ; MOTTLED OXTDATTON 1-1 0.0 14 42 15:13-15 15 1/14 SAND, DARK GRAYISH BROWN (1647 412) FOVE TO 30 0.3 (5") MEDRAM, TRATE LOARSE SAND, POURLY GRADED, MUDST, VERY LOSSE 50 NO SECONERY 17") SAND, DARK OLDUE GRAY ( SY 3/Z), FOUR TO MEDIUM 15 15-13-17-5 24 17 4/11 TRACE COARSE SAND POORLY GRAPED MUTST, WERT LOOSE 533.6 35 Lower / o Don SAND, BLACK (54 2.5/1), FENE TO MEDEUM 30 18 430.5 40 POUGLY GRADED, MODST, VERY LOUSE (6") 50 COLOR/ OACR 19 NO BELEVERT (6") 348,7 45-13-20 40 20 ///// SAND DARK GRAY (54 4/1), FONE TO MEDITURA (0730) USCS lithology; Munsell color; sorting; grain size; lith. %s; modifiers; consistency; moisture.

## **EXPLORATORY BORING LOG**

		ı:	Chevr 706/72	26 Harr	164 ison	6 St	reet		akla	nd, CA	date: 12- 9 -15 boring number: A5 - 13
	driller/h	by: elner:	SEAN C								Z Z page \$ of \$
		ation of b		/T>C49E	. Uhi	LLi	.00				drilling method: hole diameter: casing diameter:  well completion data:
	ground	elevation						datu	ım:		
		g/well ruction	headspace: gastech/PID/ FID ppm	sample	blows per	toot or pressure in	psi	depth	sample	soil group symbol (USCS)	time date
GRIZANO	1	11		(8,	150	X	X				TRAKE WASTE SAND, PORTY GRADED, MOFST, WERY LUCKE
CNEW	//	//	35		27	V	V	21			AS ABOVE
I.I		//	3 3		Ho	$\Lambda$		22			WATER COUTACTED C ZZ FT 365
					27	1	11/				AS ABOVE, GRADES TO BLACK (51 2.5/1)
	/	//	3.4		40	V	X	23			
		/ /	8.6		ч	1	7	74		58/5M	(23 5'- 24') SAND , DARK TELLOWSH BROWN (16TR 416)
	1			45-13-25	16	X	X	-75	Weak		FONE TO MEDIUM SAND, TRAVE STUT, MODST VERT LUSE (24-25') SAND, DARK CLOVE GRAT (543/2) FORE TO
			0.6	(03/50)	20		()	2	eer not		MEDIUM SAND TRACE GARSE, DURING GRADED MOST, UCTYLU
	/	/			46	V	X	26			(15-255') AS ABOVE
		//			50	A	$\Delta$	27			(255-265') As ADOJE, GLOR CHANGE TO CONERDON (254 414) MOTTLED OXEDATION
	1		6.5			V		4			WE RECOVER (12"); SAND CERTE (57 413) FIRE TO
		//		(6'	150		X	₹8			MEDIANN SAND, TRACE STUT, MODST, LETY LOSE
					37	V	$\bigvee$	20		58/5M	(28-29") AS ABOVE (29-29-5") SAND, DARK YELLOWSH SHOND (1644 414) FOUL
tro	TIT	1111			54		$\Lambda$			SP	TO MEDITUM TRACE COMSE SAND DURLY GRADED, MUTST, VERY LOUS
HOP?		1	1.0	45-8-30 (1815)		1/	1/	30	With the same of t		AS ABOUT , LOWIS CHANGE TO DARK GRAYDSH BRUNN
		The state of the s		- 00	15	X	X	31			(2.54 412)
		a management			7	C	1/				AS ABOUE
	111		0.4		9	X	X	32			
		i de la	6.3		4	(	4	43			AS ABUE
2/12			0,,3		7	V	X				
AND			0:2		12	A	1	34			(24.253) 40. 40. 5
SAES)		* * *	0.2	15-13-35	3	X	V	35	14/10	50/3W	(34-35') AS ABOVE (35-35.5') LIAMET SAND W/ SOLT, DAVE OLOVE (54 6/3)
	-	Section		A5-13-35	\$ 25	$  \wedge \rangle$	$\triangle$		mille		FINE SAND, PURLY GRAPED, LOUSE
				(0345)				36			Duranti of Complete Art 2 miles
	4.							37			35.5' TO SET 3' SHIME FROM 35.5-385 645
	* _										22.2 10 22.0
	* *					-		18			
	* *							39			
	1111				1 9	W	1	20		1	

## ARCADIS

# Well Construction Log (Unconsolidated)

(Onconsolidated)	351646
↑ ft	Project B00 47 339. 2015 Well A5-13
↓ LAND SURFACE	Town/City Dakland
ИИ.	County Alameda State CA
drilled hole inch diameter	Permit No. W2015 - 1029
Z Z dimed riole	Land-Surface Elevation and Datum:
N N	feet Surveyed
Well casing,	Estimated
inch diameter,	Installation Date(s) 12/4/15
Backfill	Drilling Method Hollow Stem Anger  Drilling Contractor Cascade Drilling
Grout New Lement	Drilling Contractor Cascade Willing
Thos t-V	
Type II-V	Drilling Fluid
1 29 ft Letco Mines	
Bentonite slurry	Development Technique(s) and Date(s)
32_ft*  pellets	
33 <sub>ft</sub>	Fluid Loss During Drillinggallons
	Water Removed During Developmentgallons
	Static Depth to Waterfeet below M.P.
Well Screeninch diameter	Pumping Depth to Waterfeet below M.P.
PVL . a.ploslot	Pumping Duration hours
	Yieldgpm Date
Gravel Pack	Specific Capacitygpm/ft
Sand Pack \$2/12 5 and	
Formation Collaspse	Well Purpose Air Sparge Well
35 H	
3' 3% #*	Remarks
any /	-
Measuring Point is Top of Well Casing	
Unless Otherwise Noted.	
* Depth Below Land Surface	Prepared by Corl Edwards
	Prepared by CV Folkward S

*The free	Adobe Re	ader may	y be used to view	and complete	this form. H	owever,	software m	ust be purchas	sed to compl	ete, save,	and reus	e a saved f	orm.	
File Orig	inal with I	DWR					ate of Cal							
Page 1		of 1			We	II Co	mpleti to Instruction	on Repo	ort					
Owner's	Well Nur	nber <u>A</u>	S-14		_	No.	e02939	17				te Well Nur	nber/Si	ite Number
Date Wo	rk Began	12/07	/2015	Date		d <u>12/8</u>	/2015	Latitude Longitude						
			meda County 1029			15		APN/TRS/Other						
	4111001			gic Log	<u> </u>				_		Well	Owner		
	entation		tical O Ho	rizontal	OAngle	Specif	fy	Name C	Chevron E	nvironm			nent C	Company (CEMC)
Drilling	Method H	ollow Ste	em Auger		Drilling Flui	d		- Mailing	Address 6	101 Bol	linger C	Canyon R	d #5′	119
Depth Feet	from Su	rface eet	Des	<b>Des</b> cribe material	<b>cription</b> , grain size, co	olor, etc								zip <u>94583</u>
			SEE ATTAC									_ocation		
								Address	706 Haı	rison St	reet			
								City Oa	akland			Cou	inty A	lameda
								Latitude		NA:	0	N Longitu	de	Deg. Min. Sec.
-								Datum	Deq.	Dec. Lat	Sec.		Dec.	Long.
													el <u>26</u>	
														ion
										ion Ske		Ĭ		Activity
								(Sketch must be drawn by hand after form is printed.)  North  North						lew Well
								North Modification/Repair  Deepen						lodification/Repair Deepen
									/ 5	2 //	/ "			Other
								O Modification/Repair O Deepen O Other O Destroy Describe procedures and materiunder "GEOLOGIC LOG"  Planned Uses						Describe procedures and materials
									HARI	1/100	AS-TAS-RI			Planned Uses
									HAND DIG	1 / 151	VES AS-11	ı		Vater Supply
						7		- I to	//	1	MW-2 AS-12	st		Domestic Public
								West	1	Margar W	V.	East		Irrigation Industrial athodic Protection
										AS O A	o consider		_	ewatering
									7	MW.	1		Он	leat Exchange
					<b>-</b>	$\sim$		41 (		1	5			njection
								-			2			lonitoring Lemediation
					_	-	-		>	Th STREET			_	parging
								- 1	~	South	-		От	est Well
				-		-	-	Illustrate or d	escribe distance nd attach a map.		ads, building:	s, fences,		apor Extraction
					1			Please be ac	curate and com	plete.				Other
									_evel and					
								Depth to		·			_ (Fee	et below surface)
						V		Water L	evel		(Fee	t) Date	Measu	ıred
Total D	epth of E	oring	40.5		~/	Feet								
Total D	epth of C	complete	ed Well 40.5			Feet			ngth ot be repres					down(Feet)
				Cas	ings			Ividy fic	n be repres	CHALIVE	or a wer	Annula		
	h from	Boreho		Mate	rial	Wall	Outside	Screen	Slot Size		n from			
	rface to Feet	Diamet (Inche	er		ın	i <b>ckness</b> Inches)	Diameter (Inches)	Type	if Any (Inches)		face to Feet	Fill	l .	Description
0	36	8	Blank	PVC Sch. 80			2			0	32	Cement		Portland Type II-V
36	38	8	Screen	PVC Sch. 8			2	Milled Slots	0.010	32	35	Bentonite		Cetco Med. Chips
38	41	8	Blank	PVC Sch. 80	)		2			35	41	Filter Pac	K	#2/12 Sand
		+												
		Attacl	nments	•			•	Certification Statement						
	Geologic	Log				rsigned	l, certify th	rtify that this report is complete and accurate to the best of my knowledge and belief						
			n Diagram		Name	Person, I	Firm or Corpo	oration						
	Geophys		(s) nical Analyses				Address			City		<u>C/</u>		Zip
			licai Arialyses		Signed									· .
	litional inforr			C-57 Lice	Well Contractor			Date Sig	gned C-	.57 Lic	ense Number			

EXPLORATORY BORING LOG project no: B0047339.2015.00008 12-7 -15 boring number: client: Chevron - 351646 ation: 706/726 Harrison Street, Oakland, CA A5-14 ogged by: driller/helper: page 1 of 1 Hollow Stem Anger field location of boring: drilling method: hole diameter: casing diameter: well completion data: See Well Const. Log ground elevation: datum: headspace: gastech/PID/ FID ppm blows per foot or pressure in psi soil group symbol (USCS) sample water level boring/well sample depth construction time date 3" concrete 21" CDF 0.0 Sand, bown (10 YR 45), fine to medium Sond, poorly graded, dumpyvery loose. SP 0.0 AS-14-5 Silty sond, brown (104R43), fine to Medrum and, trace clay, moist, loose, oxidation. SM 0.0 Sond, brown (10 kr 43), fine to medium sond, trace silt, footing graded, moist, very loose. 42 AS-14-10 43 0.0 23 Sand, graysh brown (10 48 52), fine to medium soud, trace coase sind, paorly graded, moist, veg loose 0.0 20 14 SP 1.0 30 AS-14-15-36 40 0.6 Sand, poorly graded, very loose, most, ador.
1" 5 thy sand lense at 16 bgs. (69) 50 42.3 22 32 17 18 As above; durk greenish gray (Gley 1404).
18'2" -19' No recovery 558.9 23 (21) 50 -19 3" Sond, Lork Jellowish brown (1042 46) uscs lithology; Munsell color; sorting; grain size; lith. %s; modifiers; consistency; moisture.

ng/well ruction	headspace: gastech/PID/FI D ppm	sample number	blows per foot	or pressure in	depth	sample	symbol (USCS)	project number:  B0047339.2015.00008  boring number:  page 2 of	
	1.4 0.1 1.8 2.4 18.4	(6) As-14-25 (5) (6) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3	150 41.5 50 150 150 150 150 150 50 50 50 50 50 50 50 50 50		21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36			No recovery Sond, very take green sharm (bley 1 3/504), fine to medium social, poorly graved, wet, very loose No recovery As above; color change to dark olivegray (54 3/5) No recovery As above; color change to olive brown (2.54 No recovery As above; color change to olive brown (2.54 No recovery Sond, olive brown (2.54 4/2), fine to medium sond, trace coarse sand, poorly graded, wet; As above  As above	7
	8.4	(2ª)	22- 16 )50		38 39 40 41 42 43 44		5M CL	Silly sand with clay light yellowish brown (2546)  fine to me lim, said, wet very loose (546/3),  sandy clay with 5:1t, pale olide (546/3),  time sand; medium plasticity, so ft, wet.  Bottom of boring at 39' overdill  to 40.5' to set 3' sump from 37.5'-40.5'	

USCS lithology; Munsell color; sorting; grain size; lith. %s; modifiers; consistency; moisture.

# ARCADIS

# Well Construction Log

(Unconsolidated)	351646
The surface    Solve   Solve	Project BOOU, 7339, 2015 Well AS-IH  Town/City Cakland  County Alameda State LA  Permit No. W2015 - 1029  Land-Surface Elevation and Datum:
Type II-V  31.5 ft* Cetro Med unps  Bentonite   slurry  34.5 ft*   pellets	Development Technique(s) and Date(s)  Fluid Loss During Drilling
Well Screen.  inch diameter  PV.  Gravel Pack  Sand Pack  Formation Collaspse	Static Depth to Water
Measuring Point is Top of Well Casing Unless Otherwise Noted.  * Depth Below Land Surface	Prepared by Carl Edwards

*The free	Adobe Re	ader may	be used to view	and complete	this form.	However,	software m	nust l	be purchase	ed to compl	ete, save,	and reuse	e a saved fo	orm.				
File Original with DWR					State of California						DWR Use Only – Do Not Fill In							
Page 1		of 1		Well Completion Report					rt									
			V-1		Refer to Instruction Pamphlet No. e0293846							Sta	te Well Nun	ıber/Si	te Number			
Date Work Began <u>12/09/2015</u> Date						Work Ended <u>12/9/2015</u>					Latitude Longitude							
	Local Permit Agency Alameda County Public Works									APN/TRS/Other								
Permit Number <u>W2015-1030</u> Permit Date <u>11/19/15</u>												\A/all	Owner					
Geologic Log  Orientation										hovron E	nvironn			ont C	CEMC)			
	Method B	•		12011(01	Drilling F		.y		Name Chevron Environmental Management Company (CEMC)									
	from Su				scription I, grain size, color, etc				Mailing Address 6101 Bollinger Canyon Rd #5119									
Feet	to F		SEE ATTACI					-	City San Ramon State CA Zip 94583  Well Location									
			SEE ATTAC	ILD GEO	.00		1	Address 726 Harrison Street										
										City Oakland County Alameda								
								1										
					Deq.					Min. Sec. N Longitude Deg. Min. Sec.								
															Long.			
															el <u>14</u>			
														Secti	on			
						(Sketch must b					ion Ske		printed.)	● N	Activity ew Well			
								$\dashv$		_	North	_		O Modification/Repair				
								1						O Deepen O Other				
								┪						O Destroy				
									Oth STREET									
										/// // June					<ul><li>○ Water Supply</li><li>□ Domestic □ Public</li></ul>			
										/		Irrigation Industrial						
							$\wedge$	_	West	. //		- Tes	East		athodic Protection			
										ON STREET	Man Bath	1	O Dewatering					
										\$ // wash	Name of Street, or other Party of Street, or	R	O Heat Exchange O Injection  Monitoring					
										1/10/	No.	q						
										HAND DIG LOCATION Page 1					O Remediation			
									O Sparging									
								┪	South						est Well			
									Illustrate or de	scribe distance	of well from ro Use additiona	ads, buildings	s, fences, essarv.		apor Extraction other			
									Please be accurate and complete.									
									Water Level and Yield of Completed Well									
					<u> </u>		<u>, ~ _ </u>	4	Depth to first water (Feet below surface) Depth to Static									
				_	$-\times$			4							ired			
Total Depth of Boring 5 Feet									Estimate	d Yield *		(GPI	M) Test T	ype _	(Faat)			
Total D	epth of C	complete	ed Well <u>5</u>		$^{\prime}$	_ Feet		Test Length (Hours) Total Drawdown (Feet) *May not be representative of a well's long term yield.										
				Cas	ings			Annular Material										
	h from	Boreho		Mate	rial	Wall	Outside		Screen	Slot Size		h from						
	rface to Feet	Diameter (Inches	er .	muto		Thickness (Inches)	Diameter (Inches)	•	Type	if Any (Inches)		rface to Feet	Fill		Description			
0	5	2	Blank	Teflon tubin	g	, ,	0.25				0	3	Bentonite		Hydrated			
5	5	2	Screen 316L Sta		ess Steel		Porous			3 4 Bentonite		,						
											4	5	Filter Pack	(	#2/12 Sand			
<u> </u>				+			1	+					+					
	•	Attach	nments					_	C	ertificati	on Stat	ement						
<b>V</b>	Geologic				I, the un	dersigne	d, certify th	nat t					the best	of my	knowledge and belief			
	Well Con	struction	n Diagram		Name _		Firm or Corpo											
	Geophys		(s) lical Analyses		l ——		·		City State Zip									
			licai Anaiyses		Signed		Address				City		Sta	ic .	∠ι <b>ρ</b>			
Attach additional information, if it exists.  C-57 Licensed Wa								er Well Contractor Date Signed C-57 License Number										

### **EXPLORATORY BORING LOG**

ation:		B0047 Chevre	on - 35	date: 12- 1 -15 boring number:				
		100/12	o narri					
		SEA	m m	THE -	( >0	,,)		
			SCHOE	DATILI	100	,		page 1 of 1
ield loca	tion of b	oring:						drilling method: MAND MUER
							hole diameter: 211	
							casing diameter: SV PRUBE	
								well completion data:
Charles F. 2	i de est				.1.4	1.24		
ground e	ievation				dati	um:		
170000	Z and H	PID m	sample	blows per foot or pressure in psi	2	o)	d = (c	water level
boring		headspace: gastech/PID/ FID ppm			depth	Idu	gro	
construction		ste Ste	sai	for for ress	de	sample	soil group symbol (USCS)	time
		ga		d 19			S	date (15 / 8 3/z)
	-						5P/5M	SAND DARK BAULUN, FITTLE TO MEDITUM SAND,
		0.1			_1			TRACE SPLT, POORLY GRADED, MOIST, WERT LOUSE
								AS ABOVE, ICLOR CHANGE TO DARK BROWN (7.578/
			50-1-2		2	Mell		
			4055				5P/5M	
	-	0.1			3	3	DAIDAM	AS ABOUT, COLOR CHANCE TO DANNOWN YELLOWISH GROWN
	L'L'						1	(101R 314) (101R 3/6)
1	1				4		59	GAND, BARK YELLOWSH BROWN, FIVE TO MEDITYM
								SAND, TRAVE CLARSE SAND, DOZET GRADER, MUTST
4 100		0.1	SV-1-5		5	WIL		WEST LOUSE
1			(ilos)				SP	& AS ABOVE, COLOR CHANGE TO DARK YELLOW
SCREE N					6	5		BROWN (10 YR 4/6)
July								
)					7			. A
4 11								
- 11					8	3		
- 11								
					9	)		
					10			1
					11		1	
						7		
					12	2	1	
					13	3		
					-			
					14			
					15	5		
					-			
					16			
					10			
					47	,		
					17			
					40	,		
					18		-	
						-	-	
					19	-		
					-			
				L	20	1		

*The free Adobe Reader may be used to view and complete this form. However, software must be purchased to complete, save, and reuse a saved form.																	
File Original with DWR					State of California						DWR Use Only – Do Not Fill In						
Page 1		of _	1		We	ell Co	mpleti to Instruction	on Repo	ort	State Well Number/Site Number							
Page 1 of 1 Refer to Instruction  Owner's Well Number SV-2 No. e0293							e02938	<b>43</b>				te Well Num	nber/Si	1.07			
	Date Work Began <u>12/09/2015</u> Date Work Ended <u>12/9/2015</u>								Latitude Longitude								
Local Permit Agency Alameda County Public Works  Permit Number W2015-1030 Permit Date 11/19/15									APN/TRS/Other								
				gic Log	.0					Well	Owner						
Orientation   O Vertical   O Horizontal   O Angle   Specify									Chevron E	nvironn			ent C	Company (CEMC)			
Drilling Method Bucket Auger Drilling Fluid  Depth from Surface Describe material, grain size, color size ATTACHED GEOLOGIC LOG								Mailing Address 6101 Bollinger Canyon Rd #5119									
Depth Feet	to F	irtace eet	Desc	Desc cribe material,	ription grain size, c	color, etc			City San Ramon State CA Zip 94583								
			*SEE ATTAC	HED GEOL	OGIC LO	C LOG* Well Location											
							Address 726 Harrison Street										
								City O	City Oakland County Alameda								
							Latitude Min. Sec. N Longitude Deq.					Dea. Min. Sec.					
												Dec. Long.					
														el <u>14</u>			
						Township					e		Secti	on			
								(0)		ion Ske			Activity				
								(Sketch must be drawn by hand after form is printed.)  North					New Well     Modification/Repair     Deepen				
								-11 =	111			*	O Other O Destroy Describe procedures and materials under "GEOLOGIC LOG"				
									Planned Us								
						-	-	O Water Supply □ Domestic □ Po						Domestic Public			
							<b>—</b>	to //									
					Cathodic Protection O Dewatering O Heat Exchange O Injection												
				7	HAND DIG.  OCATION  Monitoring												
					O Remediation O Sparging												
									O Test Well								
-								Illustrate or o	describe distance	South of well from ro	ads, building	s. fences.	O Vapor Extraction				
					rivers, etc. a	describe distance nd attach a map. ccurate and com	Use additiona plete.	I paper if ned	essary.	O Other							
						_^	$\overline{}$	Water Level and Yield of Completed Well									
						0	7		Depth to first water (Feet below surface)								
					$\sim$	V		Depth to Static Water Level (Feet) Date Measured									
Total D	Total Depth of Boring 5 Feet									Estimated Yield * (GPM) Test Type							
Total D	Depth of C	Complet	ed Well 5			Feet		Test Length (Hours) Total Drawdown (Feet)									
	_			Casi				*May not be representative of a well's long term yield.  Annular Material									
Dept	h from	Boreh	ole Time	Casi Materi		Wall	Outside	Screen	Slot Size	Dept	h from	Allilula	I IVIA	teriai			
	rface to Feet	Diame (Inche		wateri	II	hickness (Inches)	Diameter (Inches)	Type	if Any (Inches)		face to Feet	Fill		Description			
0	5	2	Blank	Teflon tubing		Í	0.25			0	3	Bentonite		Hydrated			
5	5	2	Screen	316L Stainles	s Steel			Porous		3	4	Bentonite		Dry Granules			
		-	-							4	5	Filter Pack		#2/12 Sand			
-			· / /							1							
		Attac	hments						Certificati	ion Stat	ement						
	Geologic	Log				ersigned	d, certify th					o the best	pest of my knowledge and belief				
			on Diagram		Name	Person, l	Firm or Corpo	ration	ation								
	Geophys Soil/Wate		g(s) nical Analyses				Address			City		<u>CA</u> Stat		Zip			
	Other _				Signed _									·			
Attach ad	ditional infor	mation, if i	t exists.		vvell Contractor	ell Contractor Date Signed C-57 License Number											

**EXPLORATORY BORING LOG** B0047339.2015.00008 project no: 12- 09 -15 boring number: client: Chevron - 351646 location: 706/726 Harrison Street, Oakland, CA SV-2 logged by: driller/helper: Cascade Drilling (Joe, Ryan, Carlos) field location of boring: drilling method: page 1 of 1 Hand Auger hole diameter: 1/4" tubing /2" screen langely casing diameter: well completion data: ground elevation: datum: headspace: gastech/PID/ blows per foot or pressure ir psi FID ppm soil group symbol (USCS) sample water level But boring/well sample depth grandles construction time date 4" of asphast

4" of gravel fill materia)

Sand with silt, very Lark grazish brown (104A 3/2),

fine sand, poorly graded, very loose, damp, brick

fragments 5V-2-2 1125 As above; no brick fragments Color change to dark brown (10 YR 3/2) SP Sand, dark yellowish brown (10 YR 4/6), fine sand, trace 6:1+, poorly graded, very loose, damp 51-2-5 1130 Bottom of boring at 5' bgs. 6 8 9 10 11 12 13 14 15 16 17 18 19

USCS lithology; Munsell color; sorting; grain size; lith. %s; modifiers; consistency; moisture.

20

*The free	Adobe Re	ader may	be used to view	and complete	this form.	However,	software m	ust b	e purchase	ed to comple	ete, save,	and reuse	e a saved fo	orm.	
File Origi							ate of Cali			, F		DV	/R Use Only	y – Do	Not Fill In
Page 1		of 1	/-3		W		mpleti to Instruction			rt					
Owner's	Well Num	nber <u>S</u> \	/-3			No.	e02938		ipriiet				te Well Num		ite Number
Date Wo	rk Began	<u>12/09/</u>	<u>/2015</u>	Date		ded <u>12/9</u>	/2015					Latitude			Longitude
			meda County 1030			9/15							APN/TI		ner
Cillian	umber <u></u>			gic Log	<u> </u>	0, .0		T				Well	Owner		
Orie	entation	<b>⊙</b> Ver		rizontal	OAngle	Specif	fy	# I	Name C	hevron E	nvironn			ent C	Company (CEMC)
Drilling	Method B	ucket Au	ger		Drilling F	luid				Address 6					
Depth Feet	from Su	rface eet	Des	Des cribe material.	cription grain size	. color. etc		Ш							Zip <u>94583</u>
	T		SEE ATTAC					٦i				Well I	ocation		·
								Шľ	Address	726 Har	rison St	reet			
								41	City <u>Oa</u>	ıkland			Cou	nty A	lameda
	_							-11	Latitude		NA:	0	N Longitud	de <u> </u>	Deg. Min. Sec.
								-11							Long.
								-11							el <u>14</u>
								11							ion
								٦i			ion Ske				Activity
								Πŀ	(Sketch n	nust be drawr	by hand af North	ter form is	printed.)	<u> </u>	ew Well lodification/Repair
								⊒ľ					4		) Deepen
								-11		2					Other
								-11	,	///	6	Dung B	" STREET	ם ט	Describe procedures and materials under "GEOLOGIC LOG"
								11		//	11/		Aus		Planned Uses
								Ш	1//		// when	-			/ater Supply_
						7		М	t //	/	111	STEEL STEEL	Fast		Domestic ☐ Public Irrigation ☐ Industrial
									West	ON STREET	w	NEW YORK	Les /		athodic Protection
								ш	/	16 / mg/s	D MNA 6 BUSA	BURDING (TENNESON ST)	/_#	-	ewatering
	_				<u> </u>			-11	YARA!	1/1		21			eat Exchange
					-	$\leftarrow$	$\smile$	ш	HAND DIG LOCATION	// / 20	MAN SAN SAN SAN SAN SAN SAN SAN SAN SAN S	Toya?			njection Ionitoring
				_	*			=11		1	W-2 12		7		emediation
								ш	D	7	-	/			parging
					_ 7			11	1		South			OV	est Well apor Extraction
						$\overline{}$			Illustrate or de rivers, etc. and	escribe distance of attach a map.	of well from ro Use additiona	ads, buildings I paper if nec	s, fences, essary.		apor Extraction  ther
						-			Please be acc	evel and	plete.				
								41							et below surface)
	-			-		-	<del>-</del>	-11	Depth to	Static				_ ,	,
Total D	epth of B	oring	5	_	$ \times$	Feet		-11	Water Le	evel nd Vield *		(Fee	t) Date I	vne vne	ıred
								Ш							down(Feet)
Total D	eptn of C	omplete	ed Well 5		$\mathcal{L}$	_ Feet		_		t be repres					
				Cas	ings					21 . 21			Annula	r Ma	terial
Sur	n from face to Feet	Diamet (Inches	er Type	Mate	rial	Wall Thickness (Inches)	Outside Diameter (Inches)		Screen Type	Slot Size if Any (Inches)	Sur	n from face to Feet	Fill		Description
0	5	2	Blank	Teflon tubin			0.25	<u> </u>			0	3	Bentonite		Hydrated
5	5	2	Screen	316L Stainle	ess Steel			Po	orous		3	5	Bentonite Filter Pack		Dry Granules #2/12 Sand
								1			4	5	Filler Face		#2/12 Sanu
								1							
			ments							ertificati					
	Geologic		Diagram		I, the un Name _		l, certify th	nat th	his report	is complet	te and ac	curate to	the best	of my	knowledge and belief
	Well Con Geophys		n Diagram (s)		_		Firm or Corpo	ration	n				C/	Δ	
		_	ical Analyses		<u> </u>		Address				City		Sta		Zip
	Other		oviete		Signed -	C-57 Line	ensed Water	Well (	Contractor			Date Si	ned C	57 l ic	ense Number
Audul add	וווטוומו ווווטווו	ıau∪ıı, II II	CAISIS.									الم مان	<sub>2</sub> .100 0-	J, LIC	OLIGO I TOTTIDO

	D0047220 00		EXP	LOI	RATOR	Y BORING LOG				
project no:	B0047339.20					date: 12- 09 -15	boring number:			
client:	Chevron - 3			-1-1-						
location:	706/726 Harr	ison Stree	t, Ua	акіаі	na, CA		SV-3			
logged by:	CAE									
driller/helper:	Cascade	Drilling	(	Jo	e, Ry	drilling method: [tond Agae	page 1 of 1			
rield location of	boring:	-	7		1 3	drilling method: Hand Agger				
						hole diameter:				
						casing diameter:	ng 1½"swreen lequ			
						well completion data:	3.			
and the second										
ground elevation			datu	ım:						
i de la compania	E B Ge.	in a	15/	a)	d = (c	water level —				
boring/well	spa ch// pp npl	sure	depth	idu	arb SCS					
construction	headspace: gastech/PID/ FID ppm sample number	blows per foot or pressure in psi	de	sample	soil group symbol (USCS)	time —				
Teflo	∠ g	- ā			· ·	date _				
111						4" of asphast				
			1			4" of gravel fill ma	teria)			
$\mathbf{H} \mathbf{H} \mathbf{H} \mathbf{H} \mathbf{H}$	011					Soud with silt, dark	brown Glore 3/2)			
	0,0 SV-3-2		2			Soud with silt, dark fine soud, poorly grade	de damo un la			
					CD		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
┸╇╀┥┞╇╃┸┦	0.1		3		SP		THE RESERVE AND ADDRESS OF THE PERSON			
ttt ttt						As above, dark yello	wich brown Clos			
	-0.1		4			,				
	50-3-5					fore sand, frace silt,	rown (104R 4/6)			
	0.1 1030	1	5	- 4		fine sand, frace silt.	Poorla waded			
						very loose	1 -0			
			6			)				
			7							
I I I			8							
11			9							
11			10							
			11	1 1						
1911										
			12							
			- 50							
			13							
			14							
			1.4							
			15							
R. I			16							
111			17							
			18							
			18							
			18							

USCS lithology; Munsell color; sorting; grain size; lith. %s; modifiers; consistency; moisture.

# **APPENDIX D Laboratory Analytical Reports**



Date of Report: 12/11/2015

Tamera Rogers

Arcadis

Invoice ID:

2000 Powell Street 7th Floor

Emeryville, CA 94608

Client Project: 351646 0752 **BCL Project:** 1531228 **BCL Work Order:** B221218

Enclosed are the results of analyses for samples received by the laboratory on 12/7/2015. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers

molly meyers

Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101



### **Table of Contents**

Sample Information	
Chain of Custody and Cooler Receipt form	3
Laboratory / Client Sample Cross Reference	5
Sample Results	
1531228-01 - AS-13-5-151207	
Volatile Organic Analysis (EPA Method 8260B/5035)	6
1531228-02 - AS-14-5-151207	
Volatile Organic Analysis (EPA Method 8260B/5035)	7
Quality Control Reports	
Volatile Organic Analysis (EPA Method 8260B/5035)	
Method Blank Analysis	8
Laboratory Control Sample	
Precision and Accuracy	10
Notes	
Notes and Definitions	11

Page 2 of 11 Report ID: 1000427364



	Container Information Key:  1. 40 ml Vial  1. 40 ml Vial  2. 250 ml Passic  5. 550 ml Passic  6. 20 Glass  6. 20 Glass  7. 40 Class  8. 80 20 Glass  9. Other:  10. Other:  11. Other:  12. Other:  13. 250 ml Passic  14. 250 ml Passic  15. 250 ml Passic  16. 26. 26. 26. 26. 26. 26. 26. 26. 26. 2	ing Received By $ \begin{array}{c} \mathcal{L}_{AR}\mathcal{L}\mathcal{L}_{A} \end{array} $ of by ARCADIS
Order #		Laborate Lab
Lab Work Order#	Preservation Key A. H.30, A. H.30, C. H.00, C. H.00, E. Nordh E. Nordh E. Other: H. Other: H. Other: T. Tissue REMARKS	1 0
_ of		24 Bo
Page	тиор	Price Sign Color First F
ATORY M	PARAMETER ANALYSIS & METHOD  FINAL Y STATES  CONTRIBUTION  HK BY  X  X  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y  Y	
CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM	ETER ANALL STORY S	Special QA/QC Ins    Special QA/QC Ins   Special QA/QC Ins   Signature   Signa
DY & L EQUES	PARAMETER STOOLS XX	7.7 5.7 Vi v. v. 4.7 Vi v.
SUSTO /SIS RI	Filtered (*) Filte	MANGEL  MANGEL  IT   Introductions or returns to return to re
IN OF (		Realin Printed Name: Signature: Signature: Film: 12/4/i5 WHITE - Laborator
CHA	-1616 - 1	Not intact.
		nand Receipt Cooler Custody Seal (*/)  Intact Intact Sample Receipt: Condition/Cooler Temp:
10#. 15-31938		atory information and Receipt Cooler Custody  Intact Intact Sample Receipt Condition/Cooles
Ε#:	Contact & Company Name:  Contact & Contact Name:  Contac	Laboratory Information and Receipt   Cooler Custody Seal (v)   Cooler Custody Seal (v)   Cooler Custody Seal (v)   Cooler Cooler Temp:
OIS nent · Buildings	TAMERA FOLGERS  Maders:  Material Control And Table  Sample ID  A5-13-5-151207  A5-14-5-151207	Special Instructions/Comments:  Laboratory Int  Lab Name: GC LABS  Cooler packed with ice (*) Specify Turnaround Requirements: Straw DARCD Shipping Tracking #:
A ARCADIS Infrastructure - Water - Environment - Buildings	Contact & Company Name:  TAMERA FOLERS  GESTIG SAN TO  SON SONE  CHANGO FESTIGNE  STREC L+D  STRECT L+D  STREC	Special Instructions/Comments:  Lab Name: S.C. LARSS  Cooler packed with ice (*) Specify Tumaround Requirements: STR Shipping Tracking #: 20730826 Coff of R Form 01.12.2007

Report ID: 1000427364 Page 3 of 11



Chain of Custody and Cooler Receipt Form for 1531228 Page 2 of 2

BC LABORATORIES INC.  Submission #: 15-317	AD	T		COOLEF	RECEI	T FORN	1			Page	Of
SHIPPING IN Fed Ex D UPS D O		Hand I	èliver	у 🗆	Ice C	SHIPPIN hest 🂢 her 🗆 (S	G CONT None	AINER  Box [			LIQUID
Refrigerant: Ice 🕱 Blue	Ice 🗆 🖯	None [		Other 🗆	Con	ments:				~	
Custody Seals lce Chest ⊡ Intact7 Yes □ No 1		ntainers ? Yes □		None	e⊠ Cor	nments:		ji		<del></del>	
All samples received? Yes 🛭 No 🗆	All sa	nples con	tainers	intact?	Yes 🗆 N	0 🛘	Desc	ription(s) ma	atch COC	2? Yes,□	No D
COC Received ☑ YES □ NO	ı	y: <u>0.9</u> rature: (		Container:	.√001 .c /		ometer ID:	<i>20</i> 8	Date	/Time 1217	
							LE NUMBER		Allai	yat niit 17.	
SAMPLE CONTAINERS		1	2	3	4	5	6	7	T 8	9	T
)T.PE.UNPRES					<u> </u>	<u> </u>	1 -		†		10
oz/8oz/16oz PE UNPRES											
oz Cr*6	<u> </u>					<u> </u>					
T INORGANIC CHEMICAL METALS		_			ļ	<u> </u>					
NORGANIC CHEMICAL METALS 40z / 80z	/16oz					<b> </b>	<del> </del>		<del> </del>		
T CYANIDE						ļ	<del> </del>		<del> </del>		
F NITROGEN FORMS F TOTAL SULFIDE						ļ	<del> </del>		<del> </del>		
z. NITRATE/NITRITE					*******	<del> </del>	<del> </del>		<u> </u>		
TOTAL ORGANIC CARBON			$\neg \uparrow$				<del> </del>	-			
CHEMICAL OXYGEN DEMAND							<del> </del>		<del> </del>	<del></del>	
A PHENOLICS										<del>                                     </del>	
mi VOA VIAL TRAVEL BLANK								1			
ml VOA VIAL											
EPA 1664											
ODOR											
DIOLOGICAL.											
CTERIOLOGICAL										-	
ml VOA VIAL-504										<del> </del>	
EPA 508/608/8080										-	
EPA 515.1/8150 EPA 525									·	<del> </del>	
EPA 525 TRAVEL BLANK			$\dashv$							<del> </del>	+
I EPA 547			$\dashv$							<del> </del>	1
I EPA 531.1			-							1	1
EPA 548	7								<del></del>		$+\parallel$
EPA 549											
SPA 8015M											
EPA 8270											
16oz/32oz AMBER											1.
160z / 320z JAR											
SLEEVE .											
VIAL			$\dashv$							<del> </del>	
STIC BAG										<del> </del>	$\parallel$
CAR BAG ROUS IRON	<del></del>	-	+		+					<del> </del>	-
ORE	-}	+	_			<del></del>				<del> </del>	
RT KIT ()919	1	+								<del> </del>	
	A-71	2/4-7	ע –							<del> </del>	
AA CANISTER					1					L	1 1.

Arcadis Reported: 12/11/2015 14:49

Project: 0752 2000 Powell Street 7th Floor Emeryville, CA 94608 Project Number: 351646 Project Manager: Tamera Rogers

### **Laboratory / Client Sample Cross Reference**

**Client Sample Information** Laboratory

1531228-01 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point:

Sampled By:

AS-13-5-151207

**AREC** 

12/07/2015 22:00 Receive Date: Sampling Date: 12/07/2015 09:55

Sample Depth: Lab Matrix: Solids

Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531228-02 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

AS-14-5-151207 Sampling Point:

**AREC** Sampled By:

Receive Date: 12/07/2015 22:00 Sampling Date:

12/07/2015 12:00

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Report ID: 1000427364 Page 5 of 11

2000 Powell Street 7th Floor Emeryville, CA 94608

12/11/2015 14:49 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531228-01	Client Sampl	e Name:	0752, AS-13-5-1	51207, 12/7/2015	:55:00AM		
Constituent		Result	Units	PQL ME	L Method	MB Bias	Lab Quals	Run #
Benzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.010	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Purgeable Petrolei Hydrocarbons	um	ND	mg/kg	0.20	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (	Surrogate)	93.2	%	70 - 121 (LCL - UCL	) EPA-8260B			1
Toluene-d8 (Surrogate)		97.3	%	81 - 117 (LCL - UCL	) EPA-8260B			1
4-Bromofluorobenzene (	(Surrogate)	96.4	%	74 - 121 (LCL - UCL	) EPA-8260B			1

			Run					
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/08/15	12/10/15 10:49	ADC	MS-V2	0.960	BYL0786	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 6 of 11 Report ID: 1000427364

2000 Powell Street 7th Floor Emeryville, CA 94608

12/11/2015 14:49 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531228-02	Client Sampl	e Name:	0752, AS-14-5-1	51207, 12/7/2015 1	2:00:00PM		
Constituent		Result	Units	PQL MI	DL Method	MB Bias	Lab Quals	Run #
Benzene		ND	mg/kg	0.0044	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0044	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0044	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0044	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0044	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0044	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.0089	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0044	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.044	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0044	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.89	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0044	EPA-8260B	ND		1
Total Purgeable Petroleur Hydrocarbons	n	ND	mg/kg	0.18	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Su	urrogate)	88.0	%	70 - 121 (LCL - UCL	.) EPA-8260B			1
Toluene-d8 (Surrogate)		96.0	%	81 - 117 (LCL - UCL	.) EPA-8260B			1
4-Bromofluorobenzene (S	urrogate)	94.7	%	74 - 121 (LCL - UCL	.) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/08/15	12/09/15 17:52	ADC	MS-V2	0.888	BYL0786	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 7 of 11 Report ID: 1000427364

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/11/2015 14:49

Project: 0752
Project Number: 351646
Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

### **Quality Control Report - Method Blank Analysis**

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BYL0786						
Benzene	BYL0786-BLK1	ND	mg/kg	0.0050		
1,2-Dibromoethane	BYL0786-BLK1	ND	mg/kg	0.0050		
1,2-Dichloroethane	BYL0786-BLK1	ND	mg/kg	0.0050		
Ethylbenzene	BYL0786-BLK1	ND	mg/kg	0.0050		
Methyl t-butyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
Toluene	BYL0786-BLK1	ND	mg/kg	0.0050		
Total Xylenes	BYL0786-BLK1	ND	mg/kg	0.010		
t-Amyl Methyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
t-Butyl alcohol	BYL0786-BLK1	ND	mg/kg	0.050		
Diisopropyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
Ethanol	BYL0786-BLK1	ND	mg/kg	1.0		
Ethyl t-butyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
Total Purgeable Petroleum Hydrocarbons	BYL0786-BLK1	ND	mg/kg	0.20		
1,2-Dichloroethane-d4 (Surrogate)	BYL0786-BLK1	89.2	%	70 - 121	(LCL - UCL)	
Toluene-d8 (Surrogate)	BYL0786-BLK1	94.6	%	81 - 117	(LCL - UCL)	
4-Bromofluorobenzene (Surrogate)	BYL0786-BLK1	94.1	%	74 - 121	(LCL - UCL)	

Report ID: 1000427364 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 8 of 11

Arcadis Reported: 12/11/2015 14:49

2000 Powell Street 7th Floor Project: 0752
Emeryville, CA 94608 Project Number: 351646
Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

### **Quality Control Report - Laboratory Control Sample**

								Control L	<u>imits</u>	
				Spike		Percent		Percent		Lab
Constituent	QC Sample ID	Type	Result	Level	Units	Recovery	RPD	Recovery	RPD	Quals
QC Batch ID: BYL0786										
Benzene	BYL0786-BS1	LCS	0.11287	0.12500	mg/kg	90.3		70 - 130		
Toluene	BYL0786-BS1	LCS	0.11851	0.12500	mg/kg	94.8		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BYL0786-BS1	LCS	0.045120	0.050000	mg/kg	90.2		70 - 121		
Toluene-d8 (Surrogate)	BYL0786-BS1	LCS	0.047900	0.050000	mg/kg	95.8		81 - 117		
4-Bromofluorobenzene (Surrogate)	BYL0786-BS1	LCS	0.048060	0.050000	mg/kg	96.1		74 - 121		

Report ID: 1000427364 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 9 of 11

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/11/2015 14:49

Project: 0752
Project Number: 351646
Project Manager: Tamera Rogers

### Volatile Organic Analysis (EPA Method 8260B/5035)

### **Quality Control Report - Precision & Accuracy**

									rol Limits		
		Source	Source		Spike			Percent		Percent	Lab
Constituent	Type	Sample ID	Result	Result	Added	Units	RPD	Recovery	RPD	Recovery	Quals
QC Batch ID: BYL0786	Use	d client samp	ole: N								
Benzene	MS	1528561-63	ND	0.10668	0.12500	mg/kg		85.3		70 - 130	
	MSD	1528561-63	ND	0.10592	0.12500	mg/kg	0.7	84.7	20	70 - 130	
Toluene	MS	1528561-63	ND	0.11309	0.12500	mg/kg		90.5		70 - 130	
	MSD	1528561-63	ND	0.12050	0.12500	mg/kg	6.3	96.4	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	MS	1528561-63	ND	0.043140	0.050000	mg/kg		86.3		70 - 121	
	MSD	1528561-63	ND	0.042620	0.050000	mg/kg	1.2	85.2		70 - 121	
Toluene-d8 (Surrogate)	MS	1528561-63	ND	0.046490	0.050000	mg/kg		93.0		81 - 117	
	MSD	1528561-63	ND	0.048730	0.050000	mg/kg	4.7	97.5		81 - 117	
4-Bromofluorobenzene (Surrogate)	MS	1528561-63	ND	0.046890	0.050000	mg/kg		93.8		74 - 121	
	MSD	1528561-63	ND	0.049470	0.050000	mg/kg	5.4	98.9		74 - 121	

Report ID: 1000427364 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 10 of 11

Arcadis 12/11/2015 14:49 Reported:

2000 Powell Street 7th Floor Project: 0752 Emeryville, CA 94608 Project Number: 351646 Project Manager: Tamera Rogers

### **Notes And Definitions**

Report ID: 1000427364

MDL Method Detection Limit ND Analyte Not Detected PQL Practical Quantitation Limit

Page 11 of 11



Date of Report: 12/16/2015

Tamera Rogers

Arcadis

2000 Powell Street 7th Floor

Emeryville, CA 94608

Client Project: 351646 0752 **BCL Project:** 1531397 **BCL Work Order:** 

B221684 Invoice ID:

Enclosed are the results of analyses for samples received by the laboratory on 12/8/2015. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers

molly meyers

Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101

Report ID: 1000428886



### **Table of Contents**

Sample Information	
Chain of Custody and Cooler Receipt form	3
Laboratory / Client Sample Cross Reference	
Sample Results	
1531397-01 - TB-151208	
Volatile Organic Analysis (EPA Method 8260B)	8
1531397-02 - AS-14-10-151208	
Volatile Organic Analysis (EPA Method 8260B/5035)	9
1531397-03 - AS-14-15-151208	
Volatile Organic Analysis (EPA Method 8260B/5035)	10
1531397-04 - AS-14-20-151208	
Volatile Organic Analysis (EPA Method 8260B/5035)	11
1531397-05 - AS-14-25-151208	
Volatile Organic Analysis (EPA Method 8260B/5035)	12
1531397-06 - AS-14-30-151208	
Volatile Organic Analysis (EPA Method 8260B/5035)	13
1531397-07 - AS-14-35-151208	
Volatile Organic Analysis (EPA Method 8260B/5035)	14
Quality Control Reports	
Volatile Organic Analysis (EPA Method 8260B)	
Method Blank Analysis	
Laboratory Control Sample	
Precision and Accuracy	
Volatile Organic Analysis (EPA Method 8260B/5035)	
Method Blank Analysis	18
Laboratory Control Sample	
Precision and Accuracy	
Notes	
Notes and Definitions	24

Report ID: 1000428886



Chain of Custody and Cooler Receipt Form for 1531397 Page 1 of 2 NL - NAPL/Oil SW - Sample Wipe Other: THERMY THEATER PINK - Retained by ARCADIS 40 ml Vial 1 L Amber 250 ml Plast 500 ml Plast Encore 2 oz Glass 4 oz Glass 8 oz Glass Other: BCWB B SE - Sedimer SL - Sludge A - Air Lab Work Order # REMARKS JARY BERN Dans Bogan Firm/Courier. Date/Time: 8-15 ŏ YELLOWS Lab copy PARAMETER ANALYSIS & METHOD 1 1416 Special QA/QC Instructions(\*): ď. CHAIN OF CUSTODY & LABORATORY  $Bo6A\nu$ 57/8/21 **ANALYSIS REQUEST FORM** de SARY (SONZA toa) SAPWADYXU A YEAR TO SHANK O WHITE - Laboratory returns with<del>rro</del>sults 1-116 X MCT SWANAG MARE Relinquished By × 487 在のある Preservative Filtered (\*) # of Containers 12/8/15 VOAT **SE4**心 Tamera, Bogers @arcadis, coa Matrix Ĵ 20 R R 3 , 26H ξ 9196 Grab 7 Not Intact 7 1 7 18:30 Type (Y) 80047339 Distribution: - 152-Comp Cooler Custody Seal (\*) Condition/Cooler Temp: 8/15 \$7,0 080 8180 0834 0410 500 831 Time Sample Receipt Collection 88 8 408 Laboratory Information and Receipt ☐ Intact 12 12/8/15 Date 951A CHEUSON # 351646 (attention), CA 5 を用 # STANDARD A5-14-30-151208 - 151208 AS-14-25-151208 REC, A-14-20-151208 6296 540 Ibanceo 45-14-15-151208 A5-14-10-151208 JANAMOEC Sample ID TAMBRA ROLLES **LABS** 20730826 CofC AR Form 01.12.2007 TB-151208 Cooler packed with ice (<) pecial Instructions/Comn A ARCADIS SAN 30SE A5-14-35

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 3 of 21

ú



Chain of Custody and Cooler Receipt Form for 1531397 Page 2 of 2

intact? Yes 🗆 No 🗓	□ Ha □ (Spec	and Deliv	rery □	lac		NG CONT	IAMEN	18	Thee LI	
Custody Seals lice Chest :				C	Chest ⊠ Other □ (\$	None Specify)	□ Box		YES 🗆	NO 🗆
injact? Yes 🗆 No 🖫	1944ah6460	ne 🗆	Other		mments:			***		
	11.	ners □ s □ No I		ne 🏚 Co	omments:	:	<i>J</i> I			
All samples received? Yes 🕱 No 🗆 A	Ali sample	es contain	ers intact?	Yes X	No 🗆	Des	<del>-7</del> criptión(s) n	natch COC?	Yes 🗹 No	0
COC Received Emis	issivity: (	2.97	Contain	er: <u>VO</u>		nometer ID	: <u>208</u> °c	_ Date/Ti	ime <u>1918년</u> t Init <u></u> お18	
	T					PLE NUMBE				
SAMPLE CONTAINERS .	1	2	3	4	5	6	<del></del>	8	9	10
QT-PE-UNPRES	<u> </u>					- J				
4oz/8oz/16oz PE UNPRES			_							
20z Cr46	<u> </u>				<u> </u>					
QT INORGANIC CHEMICAL METALS	<u> </u>								ļ	<b></b>
INORGANIC CHEMICAL METALS 40z / 80z / 160z	<u> </u>								<u> </u>	<u> </u>
PT CYANIDE	<b> </b>		`						<b>-</b>	<u> </u>
PT NITROGEN FORMS	ļ			-		_			<del> </del>	
PT TOTAL SULFIDE	<b> </b>		<del></del>						<del> </del>	<b> </b>
20z. NITRATE / NITRITE	<b></b>	+	+		-	+	_			<del>   </del>
PT TOTAL ORGANIC CARBON PT CHEMICAL OXYGEN DEMAND	ļ	+-	+	+	+	<del>- </del>		<del></del>		
PI CHEMICAL OXYGEN DEMAND PIA PHENOLICS	<b></b>	+-	+	+	+	+		_	<b> </b>	
40ml VOA VIAL TRAVEL BLANK	1	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>		-	<del> </del>	
40ml VOA VIAL	-P	1	1	1		1				
QT EPA 1664										
PT ODOR										
RADIOLOGICAL.		1								
BACTERIOLOGICAL	!	ļ			<del> </del>					
40 ml VOA VIAL- 504		<del> </del>		-						
QT EPA 508/608/8080			-	<del> </del>	<del> </del>	<del> </del>	-			
QT EPA 515.1/8150		<del> </del>	<del> </del>	<del> </del>	<del> </del>	ļ.	_			
OT EPA 525		<del> </del>	<del> </del>	ļ	+	+		<del></del>		
OT EPA 525 TRAVEL BLANK 40ml EPA 547	<del></del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	+	1		
40ml EPA 547 40ml EPA 531.1			<del> </del>	<del> </del>		+	<del> </del>	┼		
80z EPA 548		<u> </u>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>			
QT EPA 549	***************************************		†	<del>                                     </del>		†	<b>-</b>			
OT EPA 8015M						f				
OT EPA 8270										
oz/16oz/32oz AMBER .									1.	
oz/16oz/32oz JAR			ļ	<u> </u>		<u> </u>	ļ			
OIL SLEEVE .			<b> </b>	<u> </u>		ļ	ļ			
CB VIAL			ļ	<b> </b>		ļ	ļ			
LASTIC BAG			ļ		<del> </del>	<b> </b>	-	<u> </u>		
EDLAR BAG ERROUS IRON					-	-	ļ	<del> </del>		
NCORE							-			
MART KIT		JD:CF	120	UD4D	1000	ABOL	12-12			<u> </u>
		ABCO	ABUY	HOW	ABCD	ADLU	ALCU			
IMMA CANISTER mments:							<u> </u>			

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 13:55

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531397-01 COC Number:

> **Project Number:** 0752 Sampling Location:

Sampling Point: TB-151208 Sampled By:

**AREC** 

12/08/2015 21:45 **Receive Date:** Sampling Date: 12/08/2015 08:00

Sample Depth: Lab Matrix: Water Blank Water Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): TB

Matrix: W

Sample QC Type (SACode): CS

Cooler ID:

1531397-02 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

AS-14-10-151208 Sampling Point:

**AREC** Sampled By:

12/08/2015 21:45 Receive Date: 12/08/2015 08:18 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531397-03 COC Number:

> 0752 **Project Number:** Sampling Location:

AS-14-15-151208 Sampling Point:

**AREC** Sampled By:

**Receive Date:** 12/08/2015 21:45

12/08/2015 08:39 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 13:55

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531397-04 COC Number:

> **Project Number:** 0752 Sampling Location:

Sampling Point: AS-14-20-151208

Sampled By:

**AREC** 

**AREC** 

12/08/2015 21:45 **Receive Date:** Sampling Date: 12/08/2015 09:10

Sample Depth: Lab Matrix: Solids Soil Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531397-05 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

AS-14-25-151208 Sampling Point:

Sampled By:

12/08/2015 21:45 Receive Date: 12/08/2015 09:28 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531397-06 COC Number:

> 0752 **Project Number:** Sampling Location:

AS-14-30-151208 Sampling Point:

**AREC** Sampled By:

**Receive Date:** 12/08/2015 21:45

12/08/2015 10:05 Sampling Date: Sample Depth:

Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

Report ID: 1000428886

Arcadis Reported: 12/16/2015 13:55

2000 Powell Street 7th Floor Project: 0752 Emeryville, CA 94608 Project Number: 351646 Project Manager: Tamera Rogers

### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531397-07 **COC Number:** 

> **Project Number:** 0752 **Sampling Location:**

Sampling Point: AS-14-35-151208

Sampled By: **AREC** 

12/08/2015 21:45 **Receive Date:** Sampling Date: 12/08/2015 11:08

Sample Depth: Lab Matrix: Solids Sample Type: Soil Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-14

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

Page 7 of 21 Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID:	1531397-01	Client Sampl	e Name:	0752, TB-15120	8, 12/8/2015 8:00:0	0AM		
Constituent		Result	Units	PQL ME	)L Method	MB Bias	Lab Quals	Run #
Benzene		ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane		ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane		ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene		ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
Toluene		ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes		ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol		ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol		ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons	ı	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Su	rrogate)	94.4	%	75 - 125 (LCL - UCL	.) EPA-8260B			1
Toluene-d8 (Surrogate)		98.0	%	80 - 120 (LCL - UCL	.) EPA-8260B			1
4-Bromofluorobenzene (Su	ırrogate)	95.3	%	80 - 120 (LCL - UCL	.) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/09/15	12/09/15 12:52	JMS	MS-V14	1	BYL0692	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 8 of 21 Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531397-02	Client Sampl	e Name:	0752, AS-14-10-	151208, 12/8/2015	8:18:00AM		
Constituent		Result	Units	PQL MD	)L Method	MB Bias	Lab Quals	Run #
Benzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.010	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Purgeable Petrole Hydrocarbons	eum	ND	mg/kg	0.20	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (	(Surrogate)	97.2	%	70 - 121 (LCL - UCL	.) EPA-8260B			1
Toluene-d8 (Surrogate)		93.3	%	81 - 117 (LCL - UCL	.) EPA-8260B			1
4-Bromofluorobenzene	(Surrogate)	96.8	%	74 - 121 (LCL - UCL	.) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/09/15	12/10/15 18:23	ADC	MS-V2	0.929	BYL0786	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531397-03	Client Sampl	e Name:	0752, AS-14-15-	151208, 12/8/2015	8:39:00AM		
Constituent		Result	Units	PQL ME	)L Method	MB Bias	Lab Quals	Run #
Benzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.010	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Purgeable Petroler Hydrocarbons	um	ND	mg/kg	0.20	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (	Surrogate)	91.6	%	70 - 121 (LCL - UCL	.) EPA-8260B			1
Toluene-d8 (Surrogate)		96.5	%	81 - 117 (LCL - UCL	.) EPA-8260B			1
4-Bromofluorobenzene (	(Surrogate)	99.0	%	74 - 121 (LCL - UCL	.) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/09/15	12/10/15 11:35	ADC	MS-V2	0.935	BYL0786	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531397-04	Client Sampl	e Name:	0752, AS-14-20-1	151208, 12/8/2015	9:10:00AM		
Constituent		Result	Units	PQL MD	L Method	MB Bias	Lab Quals	Run #
Benzene		0.40	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethylbenzene		0.30	mg/kg	0.0050	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Toluene		0.45	mg/kg	0.0050	EPA-8260B	ND		1
Total Xylenes		1.0	mg/kg	0.010	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Purgeable Petro	bleum	23	mg/kg	10	Luft-GC/MS	ND	A01	2
1,2-Dichloroethane-d4	(Surrogate)	85.7	%	70 - 121 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4	(Surrogate)	84.4	%	70 - 121 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate	e)	94.8	%	81 - 117 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate	e)	99.2	%	81 - 117 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene	e (Surrogate)	103	%	74 - 121 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene	e (Surrogate)	97.9	%	74 - 121 (LCL - UCL)	EPA-8260B			2

			Run				QC
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID
1	EPA-8260B	12/09/15	12/09/15 19:00	ADC	MS-V2	0.967	BYL0786
2	EPA-8260B	12/09/15	12/10/15 12:43	ADC	MS-V2	48.356	BYL0786

Page 11 of 21 Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531397-05	Client Sampl	e Name:	0752, AS-14-25-15	51208, 12/8/2015	9:28:00AM		
Constituent		Result	Units	PQL MDL	Method	MB Bias	Lab Quals	Run #
Benzene		0.33	mg/kg	0.0045	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0045	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0045	EPA-8260B	ND		1
Ethylbenzene		0.12	mg/kg	0.0045	EPA-8260B	ND		1
Methyl t-butyl ether		0.10	mg/kg	0.0045	EPA-8260B	ND		1
Toluene		0.15	mg/kg	0.0045	EPA-8260B	ND		1
Total Xylenes		0.40	mg/kg	0.0090	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0045	EPA-8260B	ND		1
t-Butyl alcohol		0.88	mg/kg	0.045	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0045	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.90	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0045	EPA-8260B	ND		1
Total Purgeable Petro Hydrocarbons	oleum	5.2	mg/kg	4.5	Luft-GC/MS	ND	A01	2
1,2-Dichloroethane-d4	(Surrogate)	88.0	%	70 - 121 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4	(Surrogate)	76.1	%	70 - 121 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate	e)	101	%	81 - 117 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate	e)	96.7	%	81 - 117 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzen	e (Surrogate)	100	%	74 - 121 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzen	e (Surrogate)	91.0	%	74 - 121 (LCL - UCL)	EPA-8260B			2

			Run				QC
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID
1	EPA-8260B	12/09/15	12/09/15 19:22	ADC	MS-V2	0.898	BYL0786
2	EPA-8260B	12/09/15	12/12/15 16:47	ADC	MS-V2	22.442	BYL0786

Page 12 of 21 Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

llmita				•	
Units	PQL MDL	Method	MB Bias	Lab Quals	Run#
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.010	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.050	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	1.0	EPA-8260B	ND		1
mg/kg	0.0050	EPA-8260B	ND		1
mg/kg	0.20	Luft-GC/MS	ND		1
%	70 - 121 (LCL - UCL)	EPA-8260B			1
%	81 - 117 (LCL - UCL)	EPA-8260B			1
%	74 - 121 (LCL - UCL)	EPA-8260B			1
	mg/kg	mg/kg 0.0050 mg/kg 0.0050 mg/kg 0.0050 mg/kg 0.0050 mg/kg 0.0050 mg/kg 0.0050 mg/kg 0.010 mg/kg 0.0050 mg/kg 0.050 mg/kg 0.050 mg/kg 0.050 mg/kg 0.050 mg/kg 0.0050 mg/kg 1.0 mg/kg 0.0050 mg/kg 1.0 mg/kg 0.0050 mg/kg 0.0050 mg/kg 0.121 (LCL - UCL) % 81 - 117 (LCL - UCL)	mg/kg         0.0050         EPA-8260B           mg/kg         0.010         EPA-8260B           mg/kg         0.050         EPA-8260B           mg/kg         0.050         EPA-8260B           mg/kg         1.0         EPA-8260B           mg/kg         0.0050         EPA-8260B           mg/kg         0.0050         EPA-8260B           mg/kg         0.20         Luft-GC/MS           %         70 - 121 (LCL - UCL)         EPA-8260B           %         81 - 117 (LCL - UCL)         EPA-8260B	mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.010         EPA-8260B         ND           mg/kg         0.050         EPA-8260B         ND           mg/kg         0.050         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         1.0         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.20         Luft-GC/MS         ND           %         70 - 121 (LCL - UCL)         EPA-8260B           %         81 - 117 (LCL - UCL)         EPA-8260B	mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.010         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.050         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         1.0         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.0050         EPA-8260B         ND           mg/kg         0.20         Luft-GC/MS         ND           %         70 - 121 (LCL - UCL)         EPA-8260B           %         81 - 117 (LCL - UCL)         EPA-8260B

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/09/15	12/09/15 19:48	ADC	MS-V2	0.994	BYL0786	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 13:55 Reported:

Project: 0752 Project Number: 351646 Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531397-07	Client Sampl	e Name:	0752, AS-14-35-15	51208, 12/8/2015	11:08:00AM		
Constituent		Result	Units	PQL MDL	Method	MB Bias	Lab Quals	Run #
Benzene		0.11	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethylbenzene		0.085	mg/kg	0.0050	EPA-8260B	ND		1
Methyl t-butyl ether		0.026	mg/kg	0.0050	EPA-8260B	ND		1
Toluene		0.10	mg/kg	0.0050	EPA-8260B	ND		1
Total Xylenes		0.31	mg/kg	0.010	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
t-Butyl alcohol		0.17	mg/kg	0.050	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Purgeable Petro Hydrocarbons	oleum	6.8	mg/kg	5.0	Luft-GC/MS	ND	A01	2
1,2-Dichloroethane-d4	(Surrogate)	87.9	%	70 - 121 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4	(Surrogate)	77.3	%	70 - 121 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate	e)	95.1	%	81 - 117 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate	e)	92.9	%	81 - 117 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzen	e (Surrogate)	107	%	74 - 121 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzen	e (Surrogate)	96.5	%	74 - 121 (LCL - UCL)	EPA-8260B			2

			Run				QC
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID
1	EPA-8260B	12/09/15	12/09/15 22:26	ADC	MS-V2	1.018	BYL0786
2	EPA-8260B	12/09/15	12/15/15 17:45	ADC	MS-V2	25.458	BYL0786

Page 14 of 21 Report ID: 1000428886

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 13:55

Project: 0752
Project Number: 351646
Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B)

### **Quality Control Report - Method Blank Analysis**

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BYL0692						
Benzene	BYL0692-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BYL0692-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BYL0692-BLK1	ND	ug/L	0.50		
Ethylbenzene	BYL0692-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BYL0692-BLK1	ND	ug/L	0.50		
Toluene	BYL0692-BLK1	ND	ug/L	0.50		
Total Xylenes	BYL0692-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BYL0692-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BYL0692-BLK1	ND	ug/L	10		
Diisopropyl ether	BYL0692-BLK1	ND	ug/L	0.50		
Ethanol	BYL0692-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BYL0692-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BYL0692-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BYL0692-BLK1	96.7	%	75 - 12	5 (LCL - UCL)	
Toluene-d8 (Surrogate)	BYL0692-BLK1	97.5	%	80 - 120	(LCL - UCL)	
4-Bromofluorobenzene (Surrogate)	BYL0692-BLK1	94.1	%	80 - 120	(LCL - UCL)	

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 15 of 21

2000 Powell Street 7th Floor Emeryville, CA 94608 **Reported:** 12/16/2015 13:55

Project: 0752
Project Number: 351646
Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B)

### **Quality Control Report - Laboratory Control Sample**

								Control I	imits		
				Spike		Percent		Percent		Lab	
Constituent	QC Sample ID	Type	Result	Level	Units	Recovery	RPD	Recovery	RPD	Quals	
QC Batch ID: BYL0692											
Benzene	BYL0692-BS1	LCS	24.355	25.000	ug/L	97.4		70 - 130			
Toluene	BYL0692-BS1	LCS	25.936	25.000	ug/L	104		70 - 130			
1,2-Dichloroethane-d4 (Surrogate)	BYL0692-BS1	LCS	9.4800	10.000	ug/L	94.8		75 - 125			
Toluene-d8 (Surrogate)	BYL0692-BS1	LCS	9.7800	10.000	ug/L	97.8		80 - 120			
4-Bromofluorobenzene (Surrogate)	BYL0692-BS1	LCS	9.7200	10.000	ug/L	97.2		80 - 120			

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 16 of 21

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 13:55

Project: 0752
Project Number: 351646
Project Manager: Tamera Rogers

## Volatile Organic Analysis (EPA Method 8260B)

# **Quality Control Report - Precision & Accuracy**

		•		•			•	•			
									Cont	rol Limits	
		Source	Source		Spike			Percent		Percent	Lab
Constituent	Туре	Sample ID	Result	Result	Added	Units	RPD	Recovery	RPD	Recovery	Quals
QC Batch ID: BYL0692	Use	ed client samp	ole: N								
Benzene	Type   Sample ID   Result   Result   Added   Units   RPD   Recovery   RPD   Recovery										
	MSD	1531217-10	ND	24.982	25.000	ug/L	4.7	99.9	20	70 - 130	
Toluene	MS	1531217-10	ND	24.901	25.000	ug/L		99.6		70 - 130	
	MSD	1531217-10	ND	26.956	25.000	ug/L	7.9	108	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	MS	1531217-10	ND	9.8000	10.000	ug/L		98.0		75 - 125	
	MSD	1531217-10	ND	9.2000	10.000	ug/L	6.3	92.0		75 - 125	
Toluene-d8 (Surrogate)	MS	1531217-10	ND	9.6300	10.000	ug/L		96.3		80 - 120	
	MSD	1531217-10	ND	9.8300	10.000	ug/L	2.1	98.3		80 - 120	
4-Bromofluorobenzene (Surrogate)	MS	1531217-10	ND	9.6400	10.000	ug/L		96.4		80 - 120	
	MSD	1531217-10	ND	9.3900	10.000	ug/L	2.6	93.9		80 - 120	

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 17 of 21

Reported: 12/16/2015 13:55

2000 Powell Street 7th Floor Project: 0752
Emeryville, CA 94608 Project Number: 351646
Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

### **Quality Control Report - Method Blank Analysis**

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BYL0786						
Benzene	BYL0786-BLK1	ND	mg/kg	0.0050		
1,2-Dibromoethane	BYL0786-BLK1	ND	mg/kg	0.0050		
1,2-Dichloroethane	BYL0786-BLK1	ND	mg/kg	0.0050		
Ethylbenzene	BYL0786-BLK1	ND	mg/kg	0.0050		
Methyl t-butyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
Toluene	BYL0786-BLK1	ND	mg/kg	0.0050		
Total Xylenes	BYL0786-BLK1	ND	mg/kg	0.010		
t-Amyl Methyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
t-Butyl alcohol	BYL0786-BLK1	ND	mg/kg	0.050		
Diisopropyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
Ethanol	BYL0786-BLK1	ND	mg/kg	1.0		
Ethyl t-butyl ether	BYL0786-BLK1	ND	mg/kg	0.0050		
Total Purgeable Petroleum Hydrocarbons	BYL0786-BLK1	ND	mg/kg	0.20		
1,2-Dichloroethane-d4 (Surrogate)	BYL0786-BLK1	89.2	%	70 - 121	(LCL - UCL)	
Toluene-d8 (Surrogate)	BYL0786-BLK1	94.6	%	81 - 117	7 (LCL - UCL)	
4-Bromofluorobenzene (Surrogate)	BYL0786-BLK1	94.1	%	74 - 121	I (LCL - UCL)	

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 18 of 21

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 13:55

Project: 0752
Project Number: 351646
Project Manager: Tamera Rogers

# Volatile Organic Analysis (EPA Method 8260B/5035)

### **Quality Control Report - Laboratory Control Sample**

								Control L	<u>imits</u>	
				Spike		Percent		Percent		Lab
Constituent	QC Sample ID	Type	Result	Level	Units	Recovery	RPD	Recovery	RPD	Quals
QC Batch ID: BYL0786										
Benzene	BYL0786-BS1	LCS	0.11287	0.12500	mg/kg	90.3		70 - 130		
Toluene	BYL0786-BS1	LCS	0.11851	0.12500	mg/kg	94.8		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BYL0786-BS1	LCS	0.045120	0.050000	mg/kg	90.2		70 - 121		
Toluene-d8 (Surrogate)	BYL0786-BS1	LCS	0.047900	0.050000	mg/kg	95.8		81 - 117		
4-Bromofluorobenzene (Surrogate)	BYL0786-BS1	LCS	0.048060	0.050000	mg/kg	96.1		74 - 121		

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 19 of 21

Arcadis Reported: 12/16/2015 13:55

2000 Powell Street 7th FloorProject:0752Emeryville, CA 94608Project Number:351646Project Manager:Tamera Rogers

### Volatile Organic Analysis (EPA Method 8260B/5035)

### **Quality Control Report - Precision & Accuracy**

									Cont	rol Limits	
Constituent	Туре	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery	Lab Quals
QC Batch ID: BYL0786	Use	ed client samp	ole: N								
Benzene	MS	1528561-63	ND	0.10668	0.12500	mg/kg		85.3		70 - 130	
	MSD	1528561-63	ND	0.10592	0.12500	mg/kg	0.7	84.7	20	70 - 130	
Toluene	MS	1528561-63	ND	0.11309	0.12500	mg/kg		90.5		70 - 130	
	MSD	1528561-63	ND	0.12050	0.12500	mg/kg	6.3	96.4	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	MS	1528561-63	ND	0.043140	0.050000	mg/kg		86.3		70 - 121	
	MSD	1528561-63	ND	0.042620	0.050000	mg/kg	1.2	85.2		70 - 121	
Toluene-d8 (Surrogate)	MS	1528561-63	ND	0.046490	0.050000	mg/kg		93.0		81 - 117	
	MSD	1528561-63	ND	0.048730	0.050000	mg/kg	4.7	97.5		81 - 117	
4-Bromofluorobenzene (Surrogate)	MS	1528561-63	ND	0.046890	0.050000	mg/kg		93.8		74 - 121	
	MSD	1528561-63	ND	0.049470	0.050000	mg/kg	5.4	98.9		74 - 121	

Report ID: 1000428886 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 20 of 21



Arcadis Reported: 12/16/2015 13:55

2000 Powell Street 7th Floor Project: 0752 Emeryville, CA 94608 Project Number: 351646 Project Manager: Tamera Rogers

### **Notes And Definitions**

MDL Method Detection Limit ND Analyte Not Detected

Practical Quantitation Limit PQL

A01 Detection and quantitation limits are raised due to sample dilution.

Page 21 of 21 Report ID: 1000428886



Date of Report: 12/16/2015

Kathy Brandt

Arcadis

2000 Powell Street 7th Floor

Emeryville, CA 94608

Client Project: 351646 0752 **BCL Project:** 1531607 **BCL Work Order:** B221697 Invoice ID:

Enclosed are the results of analyses for samples received by the laboratory on 12/9/2015. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers

Molly Meyers

Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101



#### **Table of Contents**

Sample Information	
Chain of Custody and Cooler Receipt form	3
Laboratory / Client Sample Cross Reference	6
Sample Results	
1531607-01 - TB-151209	
Volatile Organic Analysis (EPA Method 8260B)	11
1531607-02 - AS-13-20-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	12
1531607-03 - AS-13-25-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	13
1531607-04 - AS-13-30-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	14
1531607-05 - AS-13-35-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	15
1531607-06 - AS-13-35.5-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	16
1531607-07 - AS-13-10-151208	4-
Volatile Organic Analysis (EPA Method 8260B/5035)	17
1531607-08 - AS-13-15-151208	40
Volatile Organic Analysis (EPA Method 8260B/5035)	18
1531607-09 - AS-13-17.5-151208	40
Volatile Organic Analysis (EPA Method 8260B/5035)	19
Volatile Organic Analysis (EPA Method 8260B/5035)	20
1531607-11 - SV-1-5-151209	20
Volatile Organic Analysis (EPA Method 8260B/5035)	21
1531607-12 - SV-3-2-151209	Δ1
Volatile Organic Analysis (EPA Method 8260B/5035)	22
1531607-13 - SV-3-5-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	23
1531607-14 - SV-2-2-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	24
1531607-15 - SV-2-5-151209	
Volatile Organic Analysis (EPA Method 8260B/5035)	25
Quality Control Reports	
Volatile Organic Analysis (EPA Method 8260B)	
Method Blank Analysis	26
Laboratory Control Sample	27
Precision and Accuracy	
Volatile Organic Analysis (EPA Method 8260B/5035)	
Method Blank Analysis	29
Laboratory Control Sample	30
Precision and Accuracy	31
Notes	
Notes and Definitions	32



Infrastructure, environment, buildings	1000	`	7 7 7	TOIO I	T C T C T C	ANALI SIS NEGOESI FONM				13-5180+
	Telephone:	76-626	4170	Preservative					<b>50</b>	Key: Co
TAMBLE ROSES	2	1	90000	Filtered (<)					A. H.SO.	1.
6296 SAN TOWALED AVE,	<b>X</b>		o   ' -	# of Containers Container					C. HNO.	
	E-mail Address.	arcad is . com			PARAME	PARAMETER ANALYSIS	SIS & METHOD		F. Other.	9 7 6
	Project # 500 41 259.	1. Zoi4	T	( So.	10000 10000	5329 t		\	H. Other	9.
Sampler's Printed Name:	Sampler's Signature:				(A)	78 60 No.	\	\	. Matrix Key: SO - Soil W - Water	ey: SE - Sediment NL - NAPL/Oil SL - Sludge SW - Sample Wipe
Sample ID	Collection Typ	e (<)	Matrix	toal	ZWCZVE ZWCZVE	27			T-Tissue REMARKS	A-Air
18-15/209	2380		3	×	×				eligenselmingstadderskillende op 1. og home der et eller til en til egil i fødere	
-20-151209	1-040	7	25	×	×		GAIK BY	200	NOLLION NOLLION	
-13-25-151209	03420	7	Še	×	×			119		
-13-30-151209	7- SIE0	7	5e	×	×		2			man and an analysis of the second sec
1	07.850 <b>→</b>	7	50	×	×					
-13-35.5-151209	12/9/15/08/45 + (	7	20	×	×				ON HOLD	
-13-10-151208	+ 5251 51/8/21	7	Şc	×	×					
-13-15-151208	? - 1848 T	3 <	<u></u> ود	×	×					
-13-17.5-151208	1000 -9	7	20	×	×				०० मध्य	
50-1-2-151209	(1)- SSO! S/MZ!	7	So	×	×					AND THE RESIDENCE OF THE PERSON NAMED AND ADDRESS OF THE PERSO
30-1-2-151209	1100 -	>	S,	×						
80-3-2-151209	C1+ 520!	>	şo	K						
24	,	7	06	×					-	
55-7 - 2 - (5) 204 55-2 - 5 - (5) 204 Special Instructions/Comments:	12/15/11/5/11/5/	7 2	200	d x	(X	☐ Special QA/Q(	Special QA/QC Instructions(*/):			Assignation in the contract of
									6	Brouless Brown
Laboratory Information and Receipt  Cooler Custo	ion and Receipt Cooler Custody Seal (*)		Printed Name:	Relinquished By	od By E'L	Printed Name:	Received By	Printed Nar	Reinquisned by	Printed Name BORCEND
Cooler packed with ice (<)	- Intact	□ Not Intact	Signature		M	Signature		1	1 2	Signature: Mac 8
Specify Turnaround Requirements:	Sample Receipt:		Firm:	ARCABILO		Firm/Courier:	Ab.	Firm/Courie		Firm: BCLDB
Shipping Tracking #:	Condition/Coaler Temp:		Date/Time:	ime:	1728	Date/Time:	8551 7	Date/Time:	1830	Date/Time: 2/9/15 (9/00)

Report ID: 1000428962 Page 3 of 32



Chain of Custody and Cooler Receipt Form for 1531607 Page 2 of 3

BC LABORATORIES INC.			COO	LER REC	EIPT FOR	M :			Page /	012
Submission #: 15 - 3160	7									
SHIPPING INFO		ONI			CLUDD	INO OON				
H		ואט Hand Del			SHIPP	ING CON	TAINER		FREE	riguid
BC Lab Field Service	er □ (Sn	nanu bei ecify)	ivery 🗀	lce	Other D	None (Specify)	□ Box		YES [	□ NO □
					Other L	(Specify)_		II		•
Refrigerant: Ice ♥ Blue Ice	:	lone □	Othe	-П С	omments				~	
Custody Seals Ice Chest	Tries transfer									<del>`</del>
intact? Yes 1 No.11		ainers 🗆		one 💢 C	comments	s:				
	E-Intact?	Yes □ No	2(3)		/		_{!			
All samples received? Yes 🖸 No 🗅	All sam	oles contai	iners intac	t? Yes 🗸	No 🗆	Des	cription(s)	match CO	C? Yes 🗀	-No []
COC Received	missivity	097	Contai	nor: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Cl Ther	mometer II	DNS			
X YES □ NO								Dat	e/Time 12.	
X YES □ NO	Tempera	ture: (A)	22	°C	/ (C)	1.8	°C	Ana	lyst Init <u>K</u> )	B DOZZ
						VIPLE NUMBI				
SAMPLE CONTAINERS .	<del>                                     </del>						<del></del>			
OT PE UNPRES		_   2	3	4	5				9	10
40z/80z/160z PE UNPRES										
20z Cr*6					<del></del>					
OT INORGANIC CHEMICAL METALS					<del></del>					
	_			_						
INORGANIC CHEMICAL METALS 40z / 80z / 16	oz									
PT CYANIDE  PT NUTPOCEN FORMS		_			_					
PT NITROGEN FORMS	-			_						
PT TOTAL SULFIDE										
20z. NITRATE / NITRITE	<del>-</del>									
PT TOTAL ORGANIC CARBON										
PT CHEMICAL OXYGEN DEMAND										
PIA PHENOLICS		_								
40ml VOA VIAL TRAVEL BLANK OGU	A									
40ml VOA VIAL										
QT EPA 1664	-}									
PT ODOR			_							
RADIOLOGICAL.	<b>-</b>									
BACTERIOLOGICAL	-									
10 ml VOA VIAL- 504					<u> </u>			<u> </u>		
OT EPA 508/608/8080										
OT EPA 515.1/8150	<u> </u>				<u> </u>	ļ				
OT EPA 525	<del> </del>							<u> </u>		
T EPA 525 TRAVEL BLANK	<u> </u>									
Oml EPA 547	<u> </u>				<u> </u>		<u>.</u>			
)ml EPA 531.1										
vz EPA 548	<u> </u>		ļ							
T EPA 549	<u> </u>		ļ	ļ		ļ				
F EPA 8015M	ļ		<u> </u>							
Γ EPA 8270	<b> </b>	<b>_</b>	<u> </u>	<b></b>	<b> </b>	<b>_</b>		ļ		
z/16oz/32oz AMBER	<u> </u>	<b>_</b>	<u> </u>	<u> </u>	ļ	<b></b>	<u> </u>	<u> </u>		1. 1
z/16oz/32oz JAR	<u> </u>	<b></b>	<u> </u>			<u> </u>	<u> </u>	<u> </u>		
IL SLEEVE .	<u> </u>	<b>_</b>	<u> </u>	<u> </u>	<u> </u>	<b></b>				
B VIAL		<b></b>				<u> </u>				
ASTICBAG	<b> </b>	<b> </b>								
DLAR BAG		<u> </u>			<u> </u>					
RROUS IRON		<u> </u>								
CORE										
ART KIT \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		ADD	A-DD	A-DD	ADD	4>D	A->D	A->D	A-> D	
IMA CANISTER	•	1: 3/	*1 -12	1-1-717	770	77 21		77)	700	1771
ments:						<u>!</u>		<del></del>	<u> </u>	
	4						· ·		_	



Chain of Custody and Cooler Receipt Form for 1531607 Page 3 of 3

BC LABORATORIES INC.  Submission #: 5-3	711200	7]		COOL	ER RECE	PT FOR	Л			Pag	ge ( 5	101
					<del></del>							121015
	ntrac 🗆	На	N and Deliv cify)	· /ery □	lce (	SHIPPII Chest 沟 Other □ (	None	e 🗆 B			FREE L YES []	NO 🗆
Refrigerant: Ice ☑ Blue	lce □	No	ne 🗆	Other	□ Co	mments:						
Custody Seals lice Chest ☐ Intact? Yes ☐ No.	2 100000		iners □ es □ No		one 🂢 C	omments	:	Ĵi		-	· · · ·	-
All samples received? Yes E No	All:	sample	es contair	ers intact	? Yes D	No 🗆	De	scription	(s) mat	ch COC?	Yes O-N	00
COC Received ¤ YES □ NO					ner: <u>VO (</u>			:0 <u>}}\</u> 2°		Date/Tir Analyst	<sub>ne</sub> <u>12/10</u> Init KIR	15 0022
SAMPLE CONTAINERS							PLE NUM	BERS				
		1	2	1 3	14	5		5 <u> </u>	7	8	9	10
QT PE UNPRES 4oz / 8oz / 16oz PE UNPRES										<u> </u>	<b> </b>	
						<del></del>				ļ	ļ	
20z Cr <sup>16</sup>						<del></del>				ļ	ļ	
QT INORGANIC CHEMICAL METALS												
INORGANIC CHEMICAL METALS 40z / 80z	:/16oz											
PT CYANIDE					_						ļ	
PT NITROGEN FORMS											ļ	
PT TOTAL SULFIDE	<del></del>											
20z. NITRATE / NITRITE			_	_								
PT TOTAL ORGANIC CARBON					_							
PT CHEMICAL OXYGEN DEMAND PLA PHENOLICS					_							-
			+				_				<del></del>	+
fomi voa vial travel blank fomi voa vial			<del>- </del>		<del></del>		<del></del>					
OT EPA 1664			<del> </del>			<del></del>	+					
T ODOR			<del> </del>	-	_							
SADIOLOGICAL.					_		<del></del>					+
SACTERIOLOGICAL				+		╅	<del></del>					+
0 ml VOA VIAL-504			-	<del> </del>	_		<del> </del>		-+			+
T EPA 508/608/8080			<del> </del>	<del> </del>								+
PT EPA 515.1/8150	-		<b> </b>		<del> </del>	┪.	+	_	-+			
T EPA 525			<b>—</b>	1	<b>+</b>		+	_	+		***************************************	<del>  </del>
T EPA 525 TRAVEL BLANK				1	<del> </del>	<del></del>	<del> </del>				···	
oml EPA 547			1	1	1	<del>                                     </del>	<del> </del>					
ml EPA 531.1												
z EPA 548				1	1	1		_				
Г ЕРА 549			1	1	1	1	1.		-			
CEPA 8015M		***************************************		1		1	<b>1</b>	_				
CEPA 8270						1			$\neg \uparrow$			
z/16oz/32oz AMBER							1		$\neg \uparrow$			
z / 16oz / 32oz JAR								1				
IL SLEEVE												
B VIAL								•				
ASTIC BAG												
DLAR BAG .												
RROUS IRON												
CORE									T			
art kit 699	A=	20	A-21)	A-2D	A-DD	ADI						
AMA CANISTER			· · · · · ·	9								
ments:		1776					-10-					

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 15:29

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

#### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531607-01 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point: TB-151209

Sampled By: ARCF

12/09/2015 23:59 Receive Date: Sampling Date: 12/09/2015 08:00

Sample Depth: Lab Matrix: Water Trip Blank Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): TB

Matrix: W

Sample QC Type (SACode): CS

Cooler ID:

1531607-02 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

AS-13-20-151209 Sampling Point:

**ARCF** Sampled By:

12/09/2015 23:59 Receive Date: 12/09/2015 07:30 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-03 COC Number:

0752 **Project Number:** Sampling Location:

Sampling Point: AS-13-25-151209

**ARCF** Sampled By:

**Receive Date:** 12/09/2015 23:59 12/09/2015 07:50

Sampling Date: Sample Depth:

Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

Report ID: 1000428962

Page 6 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 15:29

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

#### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531607-04 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point: AS-13-30-151209

Sampled By:

ARCF

12/09/2015 23:59 Receive Date: Sampling Date: 12/09/2015 08:15

Sample Depth: Lab Matrix: Solids Soil Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-05 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point:

Sampled By:

AS-13-35-151209

**ARCF** 

12/09/2015 23:59 Receive Date: 12/09/2015 08:40 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-06 COC Number:

> 0752 **Project Number:** Sampling Location:

AS-13-35.5-151209 Sampling Point:

**ARCF** Sampled By:

**Receive Date:** 12/09/2015 23:59

12/09/2015 08:45 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

Report ID: 1000428962

Page 7 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 15:29

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

#### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531607-07 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point: AS-13-10-151208

Sampled By:

ARCF

12/09/2015 23:59 Receive Date: Sampling Date: 12/08/2015 15:25

Sample Depth: Lab Matrix: Solids Soil Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-08 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point: AS-13-15-151208

**ARCF** Sampled By:

12/09/2015 23:59 Receive Date: 12/08/2015 15:45 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-09 COC Number:

> 0752 **Project Number:** Sampling Location:

AS-13-17.5-151208 Sampling Point:

**ARCF** Sampled By:

**Receive Date:** 12/09/2015 23:59

12/08/2015 16:00 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): AS-13

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

Report ID: 1000428962

Page 8 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 15:29

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

#### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531607-10 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point: SV-1-2-151209

Sampled By: ARCF

12/09/2015 23:59 Receive Date: Sampling Date: 12/09/2015 10:55

Sample Depth: Lab Matrix: Solids Soil Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): SV-1

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-11 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

SV-1-5-151209 Sampling Point: ARCF

Sampled By:

12/09/2015 23:59 Receive Date: 12/09/2015 11:00 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): SV-1

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-12 COC Number:

> 0752 **Project Number:** Sampling Location:

Sampling Point: SV-3-2-151209

**ARCF** Sampled By:

**Receive Date:** 12/09/2015 23:59

12/09/2015 10:25 Sampling Date: Sample Depth:

Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): SV-3

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

2000 Powell Street 7th Floor Emeryville, CA 94608

Reported: 12/16/2015 15:29

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

#### **Laboratory / Client Sample Cross Reference**

Laboratory **Client Sample Information** 

1531607-13 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

Sampling Point: SV-3-5-151209

Sampled By: ARCF

12/09/2015 23:59 Receive Date: Sampling Date: 12/09/2015 10:30

Sample Depth: Lab Matrix: Solids Soil Sample Type:

Delivery Work Order:

Global ID:

Location ID (FieldPoint): SV-3

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-14 **COC Number:** 

> **Project Number:** 0752 Sampling Location:

SV-2-2-151209 Sampling Point:

Sampled By:

ARCF

12/09/2015 23:59 Receive Date: 12/09/2015 11:25 Sampling Date:

Sample Depth: Solids Lab Matrix: Soil

Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): SV-2

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

1531607-15 COC Number:

> 0752 **Project Number:** Sampling Location:

Sampling Point: SV-2-5-151209

**ARCF** Sampled By:

**Receive Date:** 

12/09/2015 23:59

Sampling Date:

12/09/2015 11:30

Sample Depth: Solids Lab Matrix: Soil Sample Type: Delivery Work Order:

Global ID:

Location ID (FieldPoint): SV-2

Matrix: SO

Sample QC Type (SACode): CS

Cooler ID:

Report ID: 1000428962

Page 10 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B)

BCL Sample ID:	1531607-01	Client Sampl	e Name:	0752, TB-15120	9, 12/9/2015 8:00:0	0AM		
Constituent		Result	Units	PQL ME	)L Method	MB Bias	Lab Quals	Run #
Benzene		ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dibromoethane		ND	ug/L	0.50	EPA-8260B	ND		1
1,2-Dichloroethane		ND	ug/L	0.50	EPA-8260B	ND		1
Ethylbenzene		ND	ug/L	0.50	EPA-8260B	ND		1
Methyl t-butyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
Toluene		ND	ug/L	0.50	EPA-8260B	ND		1
Total Xylenes		ND	ug/L	1.0	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
t-Butyl alcohol		ND	ug/L	10	EPA-8260B	ND		1
Diisopropyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
Ethanol		ND	ug/L	250	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	ug/L	0.50	EPA-8260B	ND		1
Total Purgeable Petroleum Hydrocarbons	ı	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Sui	rrogate)	106	%	75 - 125 (LCL - UCL	.) EPA-8260B			1
Toluene-d8 (Surrogate)		97.9	%	80 - 120 (LCL - UCL	.) EPA-8260B			1
4-Bromofluorobenzene (Su	ırrogate)	99.5	%	80 - 120 (LCL - UCL	.) EPA-8260B			1

			Run				QC	
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/11/15	12/11/15 11:16	SE1	MS-V10	1	BYL1130	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

# Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-02	Client Sampl	e Name:	0752, AS-13-20-15	1209, 12/9/2015	7:30:00AM		
Constituent		Result	Units	PQL MDL	Method	MB Bias	Lab Quals	Run #
Benzene		0.0060	mg/kg	0.0037	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0037	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0037	EPA-8260B	ND		1
Ethylbenzene		0.091	mg/kg	0.0037	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0037	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.0074	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.037	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.74	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
Total Purgeable Petro Hydrocarbons	oleum	980	mg/kg	150	Luft-GC/MS	ND	A01	2
1,2-Dichloroethane-d4	(Surrogate)	104	%	70 - 121 (LCL - UCL)	EPA-8260B			1
1,2-Dichloroethane-d4	(Surrogate)	109	%	70 - 121 (LCL - UCL)	EPA-8260B			2
Toluene-d8 (Surrogate	9)	134	%	81 - 117 (LCL - UCL)	EPA-8260B		S09	1
Toluene-d8 (Surrogate	e)	97.3	%	81 - 117 (LCL - UCL)	EPA-8260B			2
4-Bromofluorobenzene	e (Surrogate)	525	%	74 - 121 (LCL - UCL)	EPA-8260B		S09	1
4-Bromofluorobenzene	e (Surrogate)	106	%	74 - 121 (LCL - UCL)	EPA-8260B			2

			Run				QC
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID
1	EPA-8260B	12/14/15	12/15/15 00:28	JML	MS-V3	0.739	BYL1097
2	EPA-8260B	12/14/15	12/16/15 06:32	JML	MS-V3	738.55	BYL1097

Page 12 of 32 Report ID: 1000428962

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-03	Client Sampl	e Name:	0752, AS-13-25	-151209, 12/9/20	15 7:50:00AM		
Constituent		Result	Units	PQL M	DL Method	MB Bias	Lab Quals	Run #
Benzene		ND	mg/kg	0.0043	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0043	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0043	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0043	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0043	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0043	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.0087	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0043	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.043	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0043	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.87	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0043	EPA-8260B	ND		1
Total Purgeable Petroleus Hydrocarbons	m	ND	mg/kg	0.17	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (S	urrogate)	86.1	%	70 - 121 (LCL - UC	L) EPA-8260B			1
Toluene-d8 (Surrogate)		92.0	%	81 - 117 (LCL - UC	L) EPA-8260B			1
4-Bromofluorobenzene (S	Surrogate)	102	%	74 - 121 (LCL - UC	L) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 17:19	JML	MS-V3	0.865	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Report ID: 1000428962

Page 13 of 32

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

2000 Powell Street 7th Floor Emeryville, CA 94608

Arcadis

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-04	Client Sampl	e Name:	0752, AS-13-30-1	51209, 12/9/2015	8:15:00AM		
Constituent		Result	Units	PQL MDI	- Method	MB Bias	Lab Quals	Run#
Benzene		ND	mg/kg	0.0037	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0037	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0037	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0037	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0037	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.0074	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.037	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.74	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0037	EPA-8260B	ND		1
Total Purgeable Petrolet Hydrocarbons	um	ND	mg/kg	0.15	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (\$	Surrogate)	118	%	70 - 121 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)		94.9	%	81 - 117 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (	(Surrogate)	105	%	74 - 121 (LCL - UCL)	EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 16:56	JML	MS-V3	0.737	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-05	Client Sampl	e Name:	0752, AS-13-35	5-15120	9, 12/9/2015	8:40:00AM	3:40:00AM			
Constituent		Result	Units	PQL M	IDL	Method	MB Bias	Lab Quals	Run #		
Benzene		ND	mg/kg	0.0037		EPA-8260B	ND		1		
1,2-Dibromoethane		ND	mg/kg	0.0037		EPA-8260B	ND		1		
1,2-Dichloroethane		ND	mg/kg	0.0037		EPA-8260B	ND		1		
Ethylbenzene		ND	mg/kg	0.0037	I	EPA-8260B	ND		1		
Methyl t-butyl ether		0.014	mg/kg	0.0037	1	EPA-8260B	ND		1		
Toluene		ND	mg/kg	0.0037	- 1	EPA-8260B	ND		1		
Total Xylenes		ND	mg/kg	0.0075	1	EPA-8260B	ND		1		
t-Amyl Methyl ether		ND	mg/kg	0.0037		EPA-8260B	ND		1		
t-Butyl alcohol		ND	mg/kg	0.037	I	EPA-8260B	ND		1		
Diisopropyl ether		ND	mg/kg	0.0037	I	EPA-8260B	ND		1		
Ethanol		ND	mg/kg	0.75	- 1	EPA-8260B	ND		1		
Ethyl t-butyl ether		ND	mg/kg	0.0037	!	EPA-8260B	ND		1		
Total Purgeable Petroleum Hydrocarbons		ND	mg/kg	0.15	ļ	Luft-GC/MS	ND		1		
1,2-Dichloroethane-d4 (Sur	rogate)	119	%	70 - 121 (LCL - UC	CL)	EPA-8260B			1		
Toluene-d8 (Surrogate)		97.2	%	81 - 117 (LCL - UC	CL)	EPA-8260B			1		
4-Bromofluorobenzene (Su	rrogate)	103	%	74 - 121 (LCL - UC	CL)	EPA-8260B			1		

		Run					QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 16:33	JML	MS-V3	0.746	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 15 of 32 Report ID: 1000428962

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

# Volatile Organic Analysis (EPA Method 8260B/5035)

1531607-06	Client Sampl	e Name:	0752, AS-13-3	5.5-15	5-151209, 12/9/2015 8:45:00AM				
	Result	Units	PQL N	/IDL	Method	MB Bias	Lab Quals	Run #	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	0.17	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.0069		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.034		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
	ND	mg/kg	0.69		EPA-8260B	ND		1	
	ND	mg/kg	0.0034		EPA-8260B	ND		1	
um	ND	mg/kg	0.14		Luft-GC/MS	ND		1	
Surrogate)	119	%	70 - 121 (LCL - UC	CL)	EPA-8260B			1	
	97.4	%	81 - 117 (LCL - UC	CL)	EPA-8260B			1	
(Surrogate)	103	%	74 - 121 (LCL - UC	CL)	EPA-8260B			1	
	um Surrogate)	Result   ND   ND   ND   ND   ND   ND   ND   N	Result         Units           ND         mg/kg           um         ND         mg/kg           Surrogate)         119         %           97.4         %	Result         Units         PQL         N           ND         mg/kg         0.0034           ND         mg/kg         0.0069           ND         mg/kg         0.0034           um         ND         mg/kg         0.0034           sum         ND         mg/kg         0.0034           sum         ND         mg/kg         0.0034           sum         ND         mg/kg         0.14	Result         Units         PQL         MDL           ND         mg/kg         0.0034           um         ND         mg/kg         0.0034           sum         ND         mg/kg         0.0034           sum         ND         mg/kg         0.0034           sum         ND         mg/kg         0.0034           surrogate)         119         %         70 - 121 (LCL - UCL)           97.4         %         81 - 117 (LCL - UCL)	Result         Units         PQL         MDL         Method           ND         mg/kg         0.0034         EPA-8260B           ND         mg/kg         0.69         EPA-8260B           um         ND         mg/kg         0.14         Luft-GC/MS           Surrogate)         119         %         70 - 121 (LCL - UCL)         EPA-8260B           97.4         %         81 - 117 (LCL - UCL)         EPA-8260B	Result         Units         PQL         MDL         Method         Bias           ND         mg/kg         0.0034         EPA-8260B         ND           ND	Result         Units         PQL         MDL         Method         Bias Quals           ND         mg/kg         0.0034         EPA-8260B         ND           N	

			Run				QC	
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 16:10	JML	MS-V3	0.686	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-07	Client Sampl	e Name:	0752, AS-13-10-	151208, 12/8/2015	3:25:00PM				
Constituent		Result	Units	PQL MI	DL Method	MB Bias	Lab Quals	Run #		
Benzene		ND	mg/kg	0.0033	EPA-8260B	ND		1		
1,2-Dibromoethane		ND	mg/kg	0.0033	EPA-8260B	ND		1		
1,2-Dichloroethane		ND	mg/kg	0.0033	EPA-8260B	ND		1		
Ethylbenzene		ND	mg/kg	0.0033	EPA-8260B	ND		1		
Methyl t-butyl ether		ND	mg/kg	0.0033	EPA-8260B	ND		1		
Toluene		ND	mg/kg	0.0033	EPA-8260B	ND		1		
Total Xylenes		ND	mg/kg	0.0066	EPA-8260B	ND		1		
t-Amyl Methyl ether		ND	mg/kg	0.0033	EPA-8260B	ND		1		
t-Butyl alcohol		ND	mg/kg	0.033	EPA-8260B	ND		1		
Diisopropyl ether		ND	mg/kg	0.0033	EPA-8260B	ND		1		
Ethanol		ND	mg/kg	0.66	EPA-8260B	ND		1		
Ethyl t-butyl ether		ND	mg/kg	0.0033	EPA-8260B	ND		1		
Total Purgeable Petrole Hydrocarbons	um	ND	mg/kg	0.13	Luft-GC/MS	ND		1		
1,2-Dichloroethane-d4 (	Surrogate)	121	%	70 - 121 (LCL - UCL	_) EPA-8260B			1		
Toluene-d8 (Surrogate)		97.0	%	81 - 117 (LCL - UCL	_) EPA-8260B			1		
4-Bromofluorobenzene	(Surrogate)	105	%	74 - 121 (LCL - UCL	_) EPA-8260B			1		

		Run				QC		
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 15:46	JML	MS-V3	0.655	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 17 of 32 Report ID: 1000428962

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

1531607-08	Client Sampl	e Name:	0752, AS-13-15-1	151208, 12/8/2015			
	Result	Units	PQL MD	L Method	MB Bias	Lab Quals	Run #
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.010	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	0.050	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
	ND	mg/kg	1.0	EPA-8260B	ND		1
	ND	mg/kg	0.0050	EPA-8260B	ND		1
n	ND	mg/kg	0.20	Luft-GC/MS	ND		1
ırrogate)	121	%	70 - 121 (LCL - UCL)	EPA-8260B			1
	98.4	%	81 - 117 (LCL - UCL)	EPA-8260B			1
urrogate)	102	%	74 - 121 (LCL - UCL)	EPA-8260B			1
	n urrogate)	Result ND	Result         Units           ND         mg/kg           n         ND         mg/kg           urrogate)         121         %           98.4         %	Result         Units         PQL         MD           ND         mg/kg         0.0050         0.0050           ND         mg/kg         0.0050         0.0050           ND         mg/kg         0.0050         0.0050           ND         mg/kg         0.0050         0.0050           ND         mg/kg         0.010         0.0050           ND         mg/kg         0.0050         0.0050           ND         mg/kg         0.00	Result         Units         PQL         MDL         Method           ND         mg/kg         0.0050         EPA-8260B           M         ND         mg/kg         0.0050         <	Result         Units         PQL         MDL         Method         Bias           ND         mg/kg         0.0050         EPA-8260B         ND           M	Result         Units         PQL         MDL         Method         MB Bias Quals           ND         mg/kg         0.0050         EPA-8260B         ND           ND         mg/kg         0.010         EPA-8260B         ND           ND         mg/kg         0.0050         EPA-8260B         ND           ND         mg/kg         0.050         EPA-8260B         ND           ND         mg/kg         0.050         EPA-8260B         ND           ND         mg/kg         0.0050         EPA-8260B         ND           M

		Run					QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 15:23	JML	MS-V3	0.929	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-09	Client Sampl	e Name:	0752, AS-13-17.	5-151208, 12/8/2015			
Constituent		Result	Units	PQL MC	)L Method	MB Bias	Lab Quals	Run#
Benzene		ND	mg/kg	0.0039	EPA-8260B	ND	<u> </u>	1
1,2-Dibromoethane		ND	mg/kg	0.0039	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0039	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0039	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0039	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0039	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.0079	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0039	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.039	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0039	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.79	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0039	EPA-8260B	ND		1
Total Purgeable Petroleu Hydrocarbons	ım	1.8	mg/kg	0.16	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (S	urrogate)	117	%	70 - 121 (LCL - UCL	) EPA-8260B			1
Toluene-d8 (Surrogate)		97.7	%	81 - 117 (LCL - UCL	) EPA-8260B			1
4-Bromofluorobenzene (S	Surrogate)	113	%	74 - 121 (LCL - UCL	) EPA-8260B			1

			Run				QC	
Run#	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 03:11	JML	MS-V3	0.787	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 19 of 32 Report ID: 1000428962

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

Arcadis 2000 Powell Street 7th Floor Emeryville, CA 94608

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-10	Client Sampl	e Name:	0752, SV-1-2-151	1209, 12/9/2015 10:	55:00AM		
Constituent		Result	Units	PQL MD	L Method	MB Bias	Lab Quals	Run #
Benzene		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
Ethylbenzene		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
Toluene		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
Total Xylenes		ND	mg/kg	0.010	EPA-8260B	ND	S08,Z1	1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND	S08,Z1	1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND	S08,Z1	1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND	S08,Z1	1
Total Purgeable Petroleu Hydrocarbons	ım	ND	mg/kg	0.20	Luft-GC/MS	ND	S08,Z1	1
1,2-Dichloroethane-d4 (S	Surrogate)	91.7	%	70 - 121 (LCL - UCL)	EPA-8260B			1
Toluene-d8 (Surrogate)		93.2	%	81 - 117 (LCL - UCL)	EPA-8260B			1
4-Bromofluorobenzene (	Surrogate)	87.9	%	74 - 121 (LCL - UCL)	EPA-8260B			1

		Run					QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 15:00	JML	MS-V3	0.907	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

MU

Arcadis

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-11	Client Sampl	e Name:	0752, SV-1-5-151	0752, SV-1-5-151209, 12/9/2015 11:00:00AM						
Constituent		Result	Units	PQL MDI	- Method	MB Bias	Lab Quals	Run#			
Benzene		ND	mg/kg	0.0050	EPA-8260B	ND		1			
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1			
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1			
Ethylbenzene		ND	mg/kg	0.0050	EPA-8260B	ND		1			
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1			
Toluene		ND	mg/kg	0.0050	EPA-8260B	ND		1			
Total Xylenes		ND	mg/kg	0.010	EPA-8260B	ND		1			
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1			
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND		1			
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1			
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1			
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1			
Total Purgeable Petrolet Hydrocarbons	um	ND	mg/kg	0.20	Luft-GC/MS	ND		1			
1,2-Dichloroethane-d4 (\$	Surrogate)	114	%	70 - 121 (LCL - UCL)	EPA-8260B			1			
Toluene-d8 (Surrogate)		94.8	%	81 - 117 (LCL - UCL)	EPA-8260B			1			
4-Bromofluorobenzene (	(Surrogate)	99.5	%	74 - 121 (LCL - UCL)	EPA-8260B			1			

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 14:36	JML	MS-V3	1.006	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, detachment or third party interpretation.

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 21 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608 **Reported:** 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-12	Client Sampl	e Name:	0752, SV-3-2-151	0752, SV-3-2-151209, 12/9/2015 10:25:00AM						
Constituent		Result	Units	PQL MD	L Method	MB Bias	Lab Quals	Run #			
Benzene		ND	mg/kg	0.0042	EPA-8260B	ND		1			
1,2-Dibromoethane		ND	mg/kg	0.0042	EPA-8260B	ND		1			
1,2-Dichloroethane		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Ethylbenzene		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Methyl t-butyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Toluene		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Total Xylenes		ND	mg/kg	0.0085	EPA-8260B	ND		1			
t-Amyl Methyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
t-Butyl alcohol		ND	mg/kg	0.042	EPA-8260B	ND		1			
Diisopropyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Ethanol		ND	mg/kg	0.85	EPA-8260B	ND		1			
Ethyl t-butyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Total Purgeable Petrole Hydrocarbons	um	ND	mg/kg	0.17	Luft-GC/MS	ND		1			
1,2-Dichloroethane-d4 (	Surrogate)	112	%	70 - 121 (LCL - UCL)	EPA-8260B			1			
Toluene-d8 (Surrogate)		93.2	%	81 - 117 (LCL - UCL)	EPA-8260B			1			
4-Bromofluorobenzene	(Surrogate)	110	%	74 - 121 (LCL - UCL)	EPA-8260B			1			

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 04:21	JML	MS-V3	0.846	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, detachment or third party interpretation.

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 22 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-13	Client Sampl	e Name:	0752, SV-3-5-15	51209, 12/9/2015 10	:30:00AM		
Constituent		Result	Units	PQL MI	DL Method	MB Bias	Lab Quals	Run#
Benzene		ND	mg/kg	0.0042	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0042	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0042	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0042	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0042	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.0084	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.042	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1
Ethanol		ND	mg/kg	0.84	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1
Total Purgeable Petroleur Hydrocarbons	n	ND	mg/kg	0.17	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Su	urrogate)	114	%	70 - 121 (LCL - UCI	L) EPA-8260B			1
Toluene-d8 (Surrogate)		95.6	%	81 - 117 (LCL - UCI	L) EPA-8260B			1
4-Bromofluorobenzene (S	urrogate)	103	%	74 - 121 (LCL - UCI	L) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 04:45	JML	MS-V3	0.845	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

2000 Powell Street 7th Floor Emeryville, CA 94608

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-14	Client Sampl	e Name:	0752, SV-2-2-15	1209, 12/9/2015 11	:25:00AM		
Constituent		Result	Units	PQL MD	L Method	MB Bias	Lab Quals	Run#
Benzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dibromoethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
1,2-Dichloroethane		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethylbenzene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Methyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Toluene		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Xylenes		ND	mg/kg	0.010	EPA-8260B	ND		1
t-Amyl Methyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
t-Butyl alcohol		ND	mg/kg	0.050	EPA-8260B	ND		1
Diisopropyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Ethanol		ND	mg/kg	1.0	EPA-8260B	ND		1
Ethyl t-butyl ether		ND	mg/kg	0.0050	EPA-8260B	ND		1
Total Purgeable Petrole Hydrocarbons	um	ND	mg/kg	0.20	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (	Surrogate)	112	%	70 - 121 (LCL - UCL	) EPA-8260B			1
Toluene-d8 (Surrogate)		95.0	%	81 - 117 (LCL - UCL	) EPA-8260B			1
4-Bromofluorobenzene	(Surrogate)	105	%	74 - 121 (LCL - UCL	) EPA-8260B			1

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 05:08	JML	MS-V3	0.938	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Page 24 of 32 Report ID: 1000428962

12/16/2015 15:29 Reported:

Project: 0752 Project Number: 351646 Project Manager: Kathy Brandt

2000 Powell Street 7th Floor Emeryville, CA 94608

Arcadis

## Volatile Organic Analysis (EPA Method 8260B/5035)

BCL Sample ID:	1531607-15	Client Sampl	e Name:	0752, SV-2-5-151	0752, SV-2-5-151209, 12/9/2015 11:30:00AM						
Constituent		Result	Units	PQL MDI	- Method	MB Bias	Lab Quals	Run#			
Benzene		ND	mg/kg	0.0042	EPA-8260B	ND		1			
1,2-Dibromoethane		ND	mg/kg	0.0042	EPA-8260B	ND		1			
1,2-Dichloroethane		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Ethylbenzene		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Methyl t-butyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Toluene		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Total Xylenes		ND	mg/kg	0.0083	EPA-8260B	ND		1			
t-Amyl Methyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
t-Butyl alcohol		ND	mg/kg	0.042	EPA-8260B	ND		1			
Diisopropyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Ethanol		ND	mg/kg	0.83	EPA-8260B	ND		1			
Ethyl t-butyl ether		ND	mg/kg	0.0042	EPA-8260B	ND		1			
Total Purgeable Petroleur Hydrocarbons	m	ND	mg/kg	0.17	Luft-GC/MS	ND		1			
1,2-Dichloroethane-d4 (S	urrogate)	116	%	70 - 121 (LCL - UCL)	EPA-8260B			1			
Toluene-d8 (Surrogate)		93.1	%	81 - 117 (LCL - UCL)	EPA-8260B			1			
4-Bromofluorobenzene (S	Surrogate)	102	%	74 - 121 (LCL - UCL)	EPA-8260B			1			

			Run				QC	
Run #	Method	Prep Date	Date/Time	Analyst	Instrument	Dilution	Batch ID	
1	EPA-8260B	12/14/15	12/15/15 05:31	JML	MS-V3	0.832	BYL1097	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

2000 Powell Street 7th Floor

Emeryville, CA 94608

Reported: 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

### Volatile Organic Analysis (EPA Method 8260B)

#### **Quality Control Report - Method Blank Analysis**

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BYL1130						
Benzene	BYL1130-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BYL1130-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BYL1130-BLK1	ND	ug/L	0.50		
Ethylbenzene	BYL1130-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BYL1130-BLK1	ND	ug/L	0.50		
Toluene	BYL1130-BLK1	ND	ug/L	0.50		
Total Xylenes	BYL1130-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BYL1130-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BYL1130-BLK1	ND	ug/L	10		
Diisopropyl ether	BYL1130-BLK1	ND	ug/L	0.50		
Ethanol	BYL1130-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BYL1130-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BYL1130-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BYL1130-BLK1	110	%	75 - 125	(LCL - UCL)	
Toluene-d8 (Surrogate)	BYL1130-BLK1	100	%	80 - 120	(LCL - UCL)	
4-Bromofluorobenzene (Surrogate)	BYL1130-BLK1	103	%	80 - 120	(LCL - UCL)	

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 26 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

## Volatile Organic Analysis (EPA Method 8260B)

#### **Quality Control Report - Laboratory Control Sample**

								<b>Control Limits</b>		
				Spike		Percent		Percent		Lab
Constituent	QC Sample ID	Type	Result	Level	Units	Recovery	RPD	Recovery	RPD	Quals
QC Batch ID: BYL1130										
Benzene	BYL1130-BS1	LCS	24.170	25.000	ug/L	96.7		70 - 130		
Toluene	BYL1130-BS1	LCS	24.890	25.000	ug/L	99.6		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BYL1130-BS1	LCS	10.240	10.000	ug/L	102		75 - 125		
Toluene-d8 (Surrogate)	BYL1130-BS1	LCS	9.8900	10.000	ug/L	98.9		80 - 120		
4-Bromofluorobenzene (Surrogate)	BYL1130-BS1	LCS	9.9900	10.000	ug/L	99.9		80 - 120		

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 27 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

#### Volatile Organic Analysis (EPA Method 8260B)

#### **Quality Control Report - Precision & Accuracy**

•			·	•	•	•	•	Control Limits			
	Source	Source		Spike			Percent		Percent	Lab	
Туре	Sample ID	Result	Result	Added	Units	RPD	Recovery	RPD	Recovery	Quals	
Use	Used client sample: N										
MS	1528561-90	ND	25.000	25.000	ug/L		100		70 - 130		
MSD	1528561-90	ND	23.410	25.000	ug/L	6.6	93.6	20	70 - 130		
MS	1528561-90	ND	25.330	25.000	ug/L		101		70 - 130		
MSD	1528561-90	ND	24.400	25.000	ug/L	3.7	97.6	20	70 - 130		
MS	1528561-90	ND	10.440	10.000	ug/L		104	104 75 - 125	75 - 125		
MSD	1528561-90	ND	10.020	10.000	ug/L	4.1	100		75 - 125		
MS	1528561-90	ND	9.9100	10.000	ug/L		99.1		80 - 120		
MSD	1528561-90	ND	9.9400	10.000	ug/L	0.3	99.4		80 - 120		
MS	1528561-90	ND	10.000	10.000	ug/L		100		80 - 120		
MSD	1528561-90	ND	10.030	10.000	ug/L	0.3	100		80 - 120		
	Use MS MSD MS MSD MS MSD MS MSD MS MSD MS MSD	Type Sample ID  Used client samp MS 1528561-90 MSD 1528561-90	Type         Sample ID         Result           Used client sample:         N           MS         1528561-90         ND           MSD         1528561-90         ND           MSD         1528561-90         ND           MSD         1528561-90         ND           MS         1528561-90         ND           MSD         1528561-90         ND           MS         1528561-90         ND           MSD         1528561-90         ND           MSD         1528561-90         ND           MS         1528561-90         ND           MS         1528561-90         ND	Type         Sample ID         Result         Result           Used client sample:         N           MS         1528561-90         ND         25.000           MSD         1528561-90         ND         23.410           MS         1528561-90         ND         25.330           MSD         1528561-90         ND         24.400           MS         1528561-90         ND         10.440           MSD         1528561-90         ND         10.020           MS         1528561-90         ND         9.9100           MSD         1528561-90         ND         9.9400           MS         1528561-90         ND         10.000	Type         Sample ID         Result         Result         Added           Used client sample: N           MS         1528561-90         ND         25.000         25.000           MSD         1528561-90         ND         23.410         25.000           MS         1528561-90         ND         25.330         25.000           MSD         1528561-90         ND         24.400         25.000           MS         1528561-90         ND         10.440         10.000           MSD         1528561-90         ND         10.020         10.000           MSD         1528561-90         ND         9.9100         10.000           MS         1528561-90         ND         9.9400         10.000           MS         1528561-90         ND         10.000         10.000	Type         Sample ID         Result         Result         Added         Units           Used client sample: N           MS         1528561-90         ND         25.000         25.000         ug/L           MSD         1528561-90         ND         23.410         25.000         ug/L           MS         1528561-90         ND         25.330         25.000         ug/L           MSD         1528561-90         ND         10.440         10.000         ug/L           MSD         1528561-90         ND         10.020         10.000         ug/L           MSD         1528561-90         ND         9.9100         10.000         ug/L           MSD         1528561-90         ND         9.9400         10.000         ug/L           MS         1528561-90         ND         9.9400         10.000         ug/L           MS         1528561-90         ND         10.000         10.000         ug/L	Type         Sample ID         Result         Added         Units         RPD           Used client sample: N           MS         1528561-90         ND         25.000         25.000         ug/L           MSD         1528561-90         ND         23.410         25.000         ug/L         6.6           MS         1528561-90         ND         25.330         25.000         ug/L         3.7           MSD         1528561-90         ND         24.400         25.000         ug/L         3.7           MSD         1528561-90         ND         10.440         10.000         ug/L         4.1           MS         1528561-90         ND         10.020         10.000         ug/L         4.1           MSD         1528561-90         ND         9.9100         10.000         ug/L         0.3           MS         1528561-90         ND         10.000         10.000         ug/L         0.3	Type         Sample ID         Result         Added         Units         RPD         Recovery           Used client sample: N           MS         1528561-90         ND         25.000         25.000         ug/L         100           MSD         1528561-90         ND         23.410         25.000         ug/L         6.6         93.6           MS         1528561-90         ND         25.330         25.000         ug/L         101           MSD         1528561-90         ND         24.400         25.000         ug/L         3.7         97.6           MS         1528561-90         ND         10.440         10.000         ug/L         4.1         100           MS         1528561-90         ND         10.020         10.000         ug/L         4.1         100           MS         1528561-90         ND         9.9400         10.000         ug/L         0.3         99.4           MS         1528561-90         ND         10.000         10.000         ug/L         100	Source Type         Source Sample ID         Source Result         Result         Spike Added         Units         Percent Recovery         RPD           MS         1528561-90         ND         25.000         25.000         ug/L         100           MSD         1528561-90         ND         23.410         25.000         ug/L         6.6         93.6         20           MS         1528561-90         ND         25.330         25.000         ug/L         3.7         97.6         20           MSD         1528561-90         ND         24.400         25.000         ug/L         3.7         97.6         20           MS         1528561-90         ND         10.440         10.000         ug/L         4.1         100           MS         1528561-90         ND         10.020         10.000         ug/L         4.1         100           MS         1528561-90         ND         9.9100         10.000         ug/L         0.3         99.1           MSD         1528561-90         ND         9.9400         10.000         ug/L         0.3         99.4           MS         1528561-90         ND         10.000         10.000         ug/L         0.	Source   Source   Spike   Sample ID   Result   Result   Result   Added   Units   RPD   Recovery   RPD   Recovery   RPD   Recovery	

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 28 of 32

2000 Powell Street 7th Floor Emeryville, CA 94608 Reported: 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

### Volatile Organic Analysis (EPA Method 8260B/5035)

#### **Quality Control Report - Method Blank Analysis**

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BYL1097						
Benzene	BYL1097-BLK1	ND	mg/kg	0.0050		
1,2-Dibromoethane	BYL1097-BLK1	ND	mg/kg	0.0050		
1,2-Dichloroethane	BYL1097-BLK1	ND	mg/kg	0.0050		
Ethylbenzene	BYL1097-BLK1	ND	mg/kg	0.0050		
Methyl t-butyl ether	BYL1097-BLK1	ND	mg/kg	0.0050		
Toluene	BYL1097-BLK1	ND	mg/kg	0.0050		
Total Xylenes	BYL1097-BLK1	ND	mg/kg	0.010		
t-Amyl Methyl ether	BYL1097-BLK1	ND	mg/kg	0.0050		
t-Butyl alcohol	BYL1097-BLK1	ND	mg/kg	0.050		
Diisopropyl ether	BYL1097-BLK1	ND	mg/kg	0.0050		
Ethanol	BYL1097-BLK1	ND	mg/kg	1.0		
Ethyl t-butyl ether	BYL1097-BLK1	ND	mg/kg	0.0050		
Total Purgeable Petroleum Hydrocarbons	BYL1097-BLK1	ND	mg/kg	0.20		
1,2-Dichloroethane-d4 (Surrogate)	BYL1097-BLK1	97.9	%	70 - 121	(LCL - UCL)	
Toluene-d8 (Surrogate)	BYL1097-BLK1	99.0	%	81 - 117	(LCL - UCL)	
4-Bromofluorobenzene (Surrogate)	BYL1097-BLK1	101	%	74 - 121	(LCL - UCL)	

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 29 of 32

Reported: 12/16/2015 15:29

2000 Powell Street 7th FloorProject:0752Emeryville, CA 94608Project Number:351646Project Manager:Kathy Brandt

### Volatile Organic Analysis (EPA Method 8260B/5035)

#### **Quality Control Report - Laboratory Control Sample**

							Control Limits			
				Spike		Percent		Percent		Lab
Constituent	QC Sample ID	Type	Result	Level	Units	Recovery	RPD	Recovery	RPD	Quals
QC Batch ID: BYL1097										
Benzene	BYL1097-BS1	LCS	0.12265	0.12500	mg/kg	98.1		70 - 130		
Toluene	BYL1097-BS1	LCS	0.11687	0.12500	mg/kg	93.5		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BYL1097-BS1	LCS	0.049310	0.050000	mg/kg	98.6		70 - 121		
Toluene-d8 (Surrogate)	BYL1097-BS1	LCS	0.047890	0.050000	mg/kg	95.8		81 - 117		
4-Bromofluorobenzene (Surrogate)	BYL1097-BS1	LCS	0.052550	0.050000	mg/kg	105		74 - 121		

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 30 of 32

Reported: 12/16/2015 15:29

Project: 0752
Project Number: 351646
Project Manager: Kathy Brandt

2000 Powell Street 7th Floor Emeryville, CA 94608

Arcadis

#### Volatile Organic Analysis (EPA Method 8260B/5035)

#### **Quality Control Report - Precision & Accuracy**

		•	<u> </u>											
									Cont	<b>Control Limits</b>				
		Source	Source		Spike			Percent		Percent	Lab			
Constituent	Туре	Sample ID	Result	Result	Added	Units	RPD	Recovery	RPD	Recovery	Quals			
QC Batch ID: BYL1097	Use	ed client samp	ole: N											
Benzene	MS	1528561-65	ND	0.11532	0.12500	mg/kg		92.3		70 - 130				
	MSD	1528561-65	ND	0.11668	0.12500	mg/kg	1.2	93.3	20	70 - 130				
Toluene	MS	1528561-65	ND	0.11501	0.12500	mg/kg		92.0		70 - 130				
	MSD	1528561-65	ND	0.10976	0.12500	mg/kg	4.7	87.8	20	70 - 130				
1,2-Dichloroethane-d4 (Surrogate)	MS	1528561-65	ND	0.047640	0.050000	mg/kg		95.3	37.8     20     70 - 130       95.3     70 - 121       94.6     70 - 121					
	MSD	1528561-65	ND	0.047290	0.050000	mg/kg	0.7	94.6						
Toluene-d8 (Surrogate)	MS	1528561-65	ND	0.048750	0.050000	mg/kg		97.5		81 - 117				
	MSD	1528561-65	ND	0.048480	0.050000	mg/kg	0.6	97.0		81 - 117				
4-Bromofluorobenzene (Surrogate)	MS	1528561-65	ND	0.052050	0.050000	mg/kg		104		74 - 121				
	MSD	1528561-65	ND	0.052180	0.050000	mg/kg	0.2	104		74 - 121				

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 31 of 32

Arcadis Reported: 12/16/2015 15:29

2000 Powell Street 7th FloorProject:0752Emeryville, CA 94608Project Number:351646Project Manager:Kathy Brandt

#### **Notes And Definitions**

MDL Method Detection Limit

ND Analyte Not Detected

PQL Practical Quantitation Limit

A01 Detection and quantitation limits are raised due to sample dilution.

S08 The internal standard on the sample was not within the control limits.

S09 The surrogate recovery on the sample for this compound was not within the control limits.

Z1 Sample was analysed three times and internal standards were low all three times.

Report ID: 1000428962 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Page 32 of 32



#### Arcadis U.S., Inc.

2999 Oak Road

Suite 300

Walnut Creek, California 94597

Tel 925 274 1100

Fax 925 274 1103

www.arcadis.com