

RECEIVED

2:16 pm, Jul 01, 2008

Alameda County
Environmental Health



Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Denis L. Brown
Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Shell-branded Service Station
105 Fifth Street
Oakland, California
SAP Code 135700
Incident No. 98995757
ACHCSA Case No. RO-0487

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Project Manager



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A, Emeryville, California 94608
Telephone: 510-420-0700 Facsimile: 510-420-9170
www.CRAworld.com

June 23, 2008

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577


Re: **Groundwater Monitoring Report – Second Quarter 2008**
Shell-branded Service Station
105 Fifth Street
Oakland, California
SAP Code 135700
Incident No. 98995757
ACHCSA Case No. RO-0487

Dear Mr. Wickham:


Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Sincerely,
Conestoga-Rovers & Associates


Peter Schaefer, CEG, CHG
Project Manager




for: Ana Friel, PG
Professional Geologist

cc: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810
Arthur R. and Mary A. Hansen, Trs., et al, 820 Loyola Drive, Los Altos, CA 94024

Equal
Employment
Opportunity Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
June 23, 2008

GROUNDWATER MONITORING REPORT – SECOND QUARTER 2008

Site Address	<u>105 Fifth Street, Oakland</u>
Site Use	<u>Shell-branded Service Station</u>
Shell Project Manager	<u>Denis Brown</u>
Consultant and Contact Person	<u>CRA, Peter Schaefer</u>
Lead Agency and Contact	<u>ACHCSA, Jerry Wickham</u>
Agency Case No.	<u>RO0487</u>
Shell SAP Code	<u>135700</u>
Shell Incident No.	<u>98995757</u>
Date of Most Recent Agency Correspondence	<u>October 11, 2006</u>

Current Quarter's Activities

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). The Blaine report, presenting the analytical data, is included in Attachment A.

Current Quarter's Findings

Groundwater Flow Direction	<u>East-Southeast</u>
Hydraulic Gradient	<u>Variable</u>
Depth to Water	<u>4.71 to 6.74 feet below top of well casing</u>



CONESTOGA-ROVERS
& ASSOCIATES

Mr. Jerry Wickham
June 23, 2008

Proposed Activities for Next Quarter


1. Blaine will gauge and sample wells during the first month of the quarter, according to the established monitoring program for this site.

Figures: 1- Vicinity Map
 2- Groundwater Contour and Chemical Concentration Map

Attachments: A - Blaine Tech Services, Inc. - Groundwater Monitoring Report

CRA prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

II:\Sonoma.Shell\Oakland 105 Fifth\Qm\2008\1Q08\1Q08 0472 text.doc



U:\SONOMA_SHELL\OAKLAND_105_5TH\FIGURES\VICINITY.A1


Shell-branded Service Station
 105 Fifth Street
 Oakland, California



**CONESTOGA-ROVERS
 & ASSOCIATES**

Vicinity Map

I:\SONOMA_SHELL\OAKLAND 105 5TH\GM2008\1\008\240472-002(PRES001)GN-WI002.DWG



Groundwater Contour and Chemical Concentration Map

April 2, 2008



CONESTOGA-ROVERS & ASSOCIATES

Shell-branded Service Station
105 Fifth Street
Oakland, California

FIGURE
2

Attachment A

**Blaine Tech Services, Inc.
Groundwater Monitoring Report**

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

April 23, 2008

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Second Quarter 2008 Groundwater Monitoring at
Shell-branded Service Station
105 5th Street
Oakland, CA

Monitoring performed on April 2, 2008

Groundwater Monitoring Report **080402-WW-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

SEATTLE

1680 ROGERS AVENUE SAN JOSE, CA (408) 573-0555 FAX (408) 573-7771 LIC. 746684 www.blainetech.com

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Manager

MN/ju

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Conestoga-Rovers & Associates
19449 Riverside Dr., Suite 230
Sonoma, CA 95476

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	7/20/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.22	17.56	-5.34	NA
MW-1	7/23/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	<2.00	NA	NA	NA	NA	NA	NA	NA	12.22	6.45	5.77	NA
MW-1	11/1/1999	100	NA	15.6	3.12	4.04	12.6	6.69	NA	NA	NA	NA	NA	NA	NA	NA	12.22	6.59	5.63	0.5/0.7
MW-1	1/5/2000	<50.0	<20.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	12.22	6.38	5.84	1.2/1.4
MW-1	4/7/2000	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	12.22	5.83	6.39	1.6/2.4
MW-1	7/26/2000	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	12.22	6.10	6.12	1.1/1.4
MW-1	10/28/2000	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	12.22	14.08	-1.86	2.2/2.7
MW-1	1/30/2001	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	12.22	10.71	1.51	1.2/1.6
MW-1	4/17/2001	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	12.22	6.61	5.61	2.4/4.4
MW-1	7/9/2001	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.22	6.31	5.91	1.4/3.4
MW-1	10/23/2001	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.22	6.24	5.98	2.6/4.1
MW-1	1/7/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.22	5.25	6.97	NA
MW-1	4/12/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	14.92	5.54	9.38	NA
MW-1	7/10/2002	<50	74	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	14.92	5.98	8.94	NA
MW-1	10/15/2002	<50	51	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	14.92	5.46	9.46	NA
MW-1	1/29/2003	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	14.92	5.03	9.89	NA
MW-1	4/30/2003	<50	110	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	14.92	4.70	10.22	NA
MW-1	7/22/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	6.05	8.87	NA
MW-1	10/9/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	6.13	8.79	NA
MW-1	1/5/2004	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.44	9.48	NA
MW-1	4/12/2004	<50	1,000 c	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.75	9.17	NA
MW-1	7/2/2004	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.93	8.99	NA
MW-1	10/8/2004	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.94	8.98	NA
MW-1	1/10/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.17	9.75	NA
MW-1	4/15/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.45	9.47	NA
MW-1	7/15/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	5.93	8.99	NA
MW-1	10/20/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	14.92	6.21	8.71	NA
MW-1	1/24/2006	<50.0	<105	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	14.92	5.59	9.33	NA
MW-1	4/14/2006	<50.0	<50.0 h	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	14.92	5.13	9.79	NA
MW-1	7/25/2006	<50.0	<94.3	<0.500	0.770	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	14.92	5.85	9.07	NA
MW-1	10/11/2006	<50.0	<46.9 h	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	14.92	6.00	8.92	NA
MW-1	1/19/2007	<50	<50 h	<0.50	<0.50	<0.50	<1.0	NA	<1.0	<1.0	<1.0	<1.0	<10	NA	NA	NA	14.92	5.95	8.97	NA
MW-1	4/2/2007	<50 l	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.92	5.80	9.12	NA
MW-1	7/19/2007	<50 l	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.92	5.91	9.01	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	10/16/2007	<50 l	64 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.92	5.98	8.94	NA
MW-1	1/23/2008	<50 l	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.92	5.59	9.33	NA
MW-1	4/2/2008	<50	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.92	5.75	9.17	NA
MW-2	7/20/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.87	18.24	-7.37	NA
MW-2	7/23/1999	13,800	NA	1,790	<100	<100	682	29,900	29,400	NA	NA	NA	NA	NA	NA	NA	10.87	5.98	4.89	NA
MW-2	11/1/1999	2,420	NA	316	10.8	119	44.2	17,000	NA	NA	NA	NA	NA	NA	NA	NA	10.87	6.03	4.84	0.5/0.3
MW-2	1/5/2000	2,120a	687	301a	<5.00a	116a	84.4a	14,700	NA	NA	NA	NA	NA	NA	NA	NA	10.87	5.90	4.97	2.1/2.6
MW-2	4/7/2000	4,940b	1,300	659b	<25.0b	214b	314b	41,800b	NA	NA	NA	NA	NA	NA	NA	NA	10.87	5.37	5.50	0.4/0.2
MW-2	7/26/2000	5,010	1,520	409	<50.0	302	307	54,300	NA	NA	NA	NA	NA	NA	NA	NA	10.87	5.81	5.06	2.1/2.2
MW-2	10/28/2000	1,720	412	82.2	<10.0	46.0	102	9,800	NA	NA	NA	NA	NA	NA	NA	NA	10.87	14.59	-3.72	0.7/0.7
MW-2	1/30/2001	1,640	574	14.7	<5.00	40.1	58.1	3,670	NA	NA	NA	NA	NA	NA	NA	NA	10.87	10.31	0.56	1.8/2.0
MW-2	4/17/2001	598	179	21.8	<2.00	16.9	10.8	5,630	NA	NA	NA	NA	NA	NA	NA	NA	10.87	6.08	4.79	1.5/2.6
MW-2	7/9/2001	<1,000	<500	19	<10	33	15	NA	6,200	NA	NA	NA	NA	NA	NA	NA	10.87	5.70	5.17	1.1/2.0
MW-2	10/23/2001	<5,000	<500	50	<25	92	<25	NA	13,000	<25	<25	<25	820	NA	NA	<500	10.87	5.72	5.15	2.0/3.2
MW-2	1/7/2002	<1,000	<200	<10	<10	<10	<10	NA	4,500	NA	NA	NA	NA	NA	NA	NA	10.87	4.87	6.00	NA
MW-2	4/12/2002	<1,000	<100	14	<10	27	13	NA	6,200	NA	NA	NA	NA	NA	NA	NA	13.57	5.14	8.43	NA
MW-2	7/10/2002	<1,000	290	<10	<10	14	<10	NA	6,100	NA	NA	NA	NA	NA	NA	NA	13.57	5.45	8.12	NA
MW-2	10/15/2002	<100	85	1.2	<1.0	<1.0	<1.0	NA	640	NA	NA	NA	NA	NA	NA	NA	13.57	5.38	8.19	NA
MW-2	1/29/2003	<500	<300	10	<5.0	16	6.3	NA	1,700	NA	NA	NA	NA	NA	NA	NA	13.57	5.14	8.43	NA
MW-2	4/30/2003	<5,000	440	<50	<50	58	<100	NA	5,000	NA	NA	NA	NA	NA	NA	NA	13.57	4.83	8.74	NA
MW-2	7/22/2003	2,300	1,000 c	76	<10	140	<20	NA	3,700	NA	NA	NA	NA	NA	NA	NA	13.57	5.61	7.96	NA
MW-2	10/9/2003	150	120 c	3.9	<1.0	6.4	<2.0	NA	210	NA	NA	NA	NA	NA	NA	NA	13.57	5.59	7.98	NA
MW-2	1/5/2004	1,300	450 c	34	<5.0	53	<10	NA	700	NA	NA	NA	NA	NA	NA	NA	13.57	5.04	8.53	NA
MW-2	4/12/2004	820	320 c	25	<5.0	33	<10	NA	560	NA	NA	NA	NA	NA	NA	NA	13.57	5.26	8.31	NA
MW-2	7/2/2004	2,000	850 c	60	<5.0	110	<10	NA	1,800	<20	<20	<20	6,200	NA	NA	NA	13.57	5.43	8.14	NA
MW-2	10/8/2004	540	210 d	5.2	<5.0	<5.0	<10	NA	90	NA	NA	NA	NA	NA	NA	NA	13.57	5.41	8.16	NA
MW-2	1/10/2005	990	400 d	19	<2.0	27	25	NA	<2.0	NA	NA	NA	NA	NA	NA	NA	13.57	4.74	8.83	NA
MW-2	4/15/2005	1,200	650 c	44	<10	45	<20	NA	760	NA	NA	NA	NA	NA	NA	NA	13.57	5.05	8.52	NA
MW-2	7/15/2005	<200	320 d	14	<2.0	7.3	<4.0	NA	110	<8.0	<8.0	<8.0	1,800	NA	NA	NA	13.57	5.35	8.22	NA
MW-2	10/20/2005	430	350 c	14	<2.0	6.7	<4.0	NA	64	NA	NA	NA	NA	NA	NA	NA	13.57	5.70	7.87	NA
MW-2	1/24/2006	1,570	712 g	18.9	<0.500	20.9	<0.500	NA	47.7	NA	NA	NA	NA	NA	NA	NA	13.57	5.15	8.42	NA
MW-2	4/14/2006	1,430	763 h	23.5	2.61	28.3	41.0	NA	61.0	NA	NA	NA	915	NA	NA	NA	13.57	4.72	8.85	NA
MW-2	7/25/2006	234	455	6.32 i	<0.500	1.22	<0.500	NA	26.4	<0.500	<0.500	<0.500	591	NA	NA	NA	13.57	5.26	8.31	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	10/11/2006	1,800	585 h	13.3	<0.500	10.1	<0.500	NA	24.2	<0.500	<0.500	<0.500	570	NA	NA	NA	13.57	5.46	8.11	NA
MW-2	1/19/2007	870	250 h	13	0.37 j	13	<1.0	NA	24	<1.0	<1.0	<1.0	620	NA	NA	NA	13.57	5.55	8.02	NA
MW-2	4/2/2007	1,500 l	1,000 h	25	0.71 n	31	0.76 n	NA	21	<2.0	<2.0	<2.0	660	NA	NA	NA	13.57	5.35	8.22	NA
MW-2	7/19/2007	320 i	270 h	3.5	<1.0	2.3	<1.0	NA	14	<2.0	<2.0	<2.0	230	NA	NA	NA	13.57	5.72	7.85	NA
MW-2	10/16/2007	1,300 l,m	910 h	11	0.67 n	13	<1.0	NA	14	<2.0	<2.0	<2.0	460	NA	NA	NA	13.57	6.46	7.11	NA
MW-2	1/23/2008	410 l	<50 h	9.0	0.44 n	8.5	<1.0	NA	17	<2.0	<2.0	<2.0	400	NA	NA	NA	13.57	5.37	8.20	NA
MW-2	4/2/2008	1,000	360 h,m	8.1	<1.0	10	<1.0	NA	13	<2.0	<2.0	<2.0	280	NA	NA	NA	13.57	5.32	8.25	NA

MW-3	7/20/1999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11.27	19.07	-7.80	NA
MW-3	7/23/1999	128	NA	<0.500	<0.500	<0.500	<0.500	404,000	324,000	NA	NA	NA	NA	NA	NA	NA	11.27	6.43	4.84	NA
MW-3	11/1/1999	<1,000	NA	<10.0	<10.0	<10.0	<10.0	169,000	224,000	NA	NA	NA	NA	NA	NA	NA	11.27	6.48	4.79	0.5/0.3
MW-3	1/5/2000	137	322	<1.00	<1.00	<1.00	<1.00	165,000	219,000	NA	NA	NA	NA	NA	NA	NA	11.27	6.35	4.92	2.4/2.2
MW-3	4/7/2000	<1,000	264	853	<10.0	<10.0	<10.0	283,000	196,000a	NA	NA	NA	NA	NA	NA	NA	11.27	5.91	5.36	04/0.2
MW-3	7/26/2000	<20,000	585	<200	<200	<200	<200	437,000	320,000	NA	NA	NA	NA	NA	NA	NA	11.27	5.83	5.44	1.9/1.7
MW-3	10/28/2000	<12,500	441	<125	<125	<125	<125	266,000	308,000	NA	NA	NA	NA	NA	NA	NA	11.27	17.51	-6.24	1.1/1.4
MW-3	1/30/2001	<5,000	555	<50.0	<50.0	<50.0	<50.0	248,000	167,000a	NA	NA	NA	NA	NA	NA	NA	11.27	11.43	-0.16	2.0/2.2
MW-3	4/17/2001	<5,000	347	<50.0	<50.0	<50.0	<50.0	134,000	133,000	NA	NA	NA	NA	NA	NA	NA	11.27	6.57	4.70	1.3/1.2
MW-3	7/9/2001	<20,000	250	<200	<200	<200	<200	NA	170,000	NA	NA	NA	NA	NA	NA	NA	11.27	6.12	5.15	1.2/1.9
MW-3	10/23/2001	<50,000	260	<250	<250	<250	<250	NA	180,000	<250	<250	<250	53,000	NA	NA	<5,000	11.27	6.25	5.02	2.2/1.6
MW-3	1/7/2002	<10,000	160	<100	<100	<100	<100	NA	96,000	NA	NA	NA	NA	NA	NA	NA	11.27	5.29	5.98	NA
MW-3	4/12/2002	<10,000	87	<100	<100	<100	<100	NA	78,000	NA	NA	NA	NA	NA	NA	NA	13.96	5.43	8.53	NA
MW-3	7/10/2002	<20,000	150	<200	<200	<200	<200	NA	64,000	NA	NA	NA	NA	NA	NA	NA	13.96	6.33	7.63	NA
MW-3	10/15/2002	<10,000	120	<100	<100	<100	<100	NA	44,000	<100	NA	<100	9,100	<100	<100	NA	13.96	5.96	8.00	NA
MW-3	1/2/2003	NA	NA	<5.0	<5.0	<5.0	<10	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.96	5.40	8.56	NA
MW-3	1/29/2003	<2,500	96	<25	<25	<25	<25	NA	19,000	<25	NA	<25	14,000	<25	<25	NA	13.96	5.68	8.28	NA
MW-3	4/30/2003	<25,000	360	<250	<250	<250	<500	NA	14,000	<1,000	NA	<1,000	24,000	<250	<250	NA	13.96	5.34	8.62	NA
MW-3	7/22/2003	<5,000	230 c	<50	<50	<50	<100	NA	17,000	<200	NA	<200	21,000	<50	<50	NA	13.96	6.15	7.81	NA
MW-3	10/9/2003	<5,000	150 c	<50	<50	<50	<100	NA	14,000	<200	NA	<200	11,000	<50	<50	NA	13.96	5.98	7.98	NA
MW-3	1/5/2004	<5,000	790 c	<50	<50	<50	<100	NA	4,700	<200	NA	<200	11,000	<50	<50	NA	13.96	5.45	8.51	NA
MW-3	4/12/2004	<25,000	270 c	<250	<250	<250	<500	NA	23,000	<1,000	NA	<1,000	12,000	<250	<250	NA	13.96	5.66	8.30	NA
MW-3	7/2/2004	<10,000	280 c	<100	<100	<100	<200	NA	18,000	<400	NA	<400	4,500	120	<100	NA	13.96	5.85	8.11	NA
MW-3	10/8/2004	<10,000	250 c	<100	<100	<100	<200	NA	29,000	<400	NA	<400	14,000	<100	<100	NA	13.96	5.88	8.08	NA
MW-3	1/10/2005	<10,000	220 c	<100	<100	<100	<200	NA	13,000	<400	NA	<400	17,000	<100	<100	NA	13.96	5.20	8.76	NA
MW-3	4/15/2005	510	530 c	140	<5.0	<5.0	<10	NA	180	<20	NA	<20	1,600	<5.0	<5.0	NA	13.96	5.51	8.45	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	7/15/2005	<2,500	100 c	<25	42	<25	62	NA	3,700	<100	<100	<100	5,300	<25	<25	NA	13.96	5.75	8.21	NA
MW-3	10/20/2005	<2,500	250 c	<25	<25	<25	<50	NA	2,600	NA	NA	NA	6,300	NA	NA	NA	13.96	6.22	7.74	NA
MW-3	1/24/2006	3,050	414 f	<0.500	<0.500	<0.500	<0.500	NA	2,150	NA	NA	NA	5,510	NA	NA	NA	13.96	5.63	8.33	NA
MW-3	4/14/2006	2,070	762 h	<0.500	<0.500	<0.500	<0.500	NA	1,720	NA	NA	NA	3,240	NA	NA	NA	13.96	5.20	8.76	NA
MW-3	7/25/2006	403	332	<0.500	<0.500	<0.500	<0.500	NA	318	<0.500	<0.500	<0.500	1,110	<0.500	<0.500	NA	13.96	5.76	8.20	NA
MW-3	10/11/2006	485	620 h	<0.500	<0.500	<0.500	<0.500	NA	269	<0.500	<0.500	<0.500	552	NA	NA	NA	13.96	5.90	8.06	NA
MW-3	1/19/2007	47 j	<50 h	<0.50	<0.50	<0.50	<1.0	NA	5.9	<1.0	<1.0	<1.0	110	NA	NA	NA	13.96	6.00	7.96	NA
MW-3	4/2/2007	100 l,m	300 h	<0.50	<1.0	<1.0	<1.0	NA	140	<2.0	<2.0	<2.0	330	NA	NA	NA	13.96	5.74	8.22	NA
MW-3	7/19/2007	61 l,m	240 h	<0.50	<1.0	<1.0	<1.0	NA	52	<2.0	<2.0	<2.0	93	NA	NA	NA	13.96	5.98	7.98	NA
MW-3	10/16/2007	67 l	120 h	0.45 n	<1.0	<1.0	<1.0	NA	34	<2.0	<2.0	<2.0	38	NA	NA	NA	13.96	5.94	8.02	NA
MW-3	1/23/2008	<50 l	65 h,m	<0.50	<1.0	<1.0	<1.0	NA	15	<2.0	<2.0	<2.0	<10	NA	NA	NA	13.96	5.58	8.38	NA
MW-3	4/2/2008	<50	58 h	<0.50	<1.0	<1.0	<1.0	NA	13	<2.0	<2.0	<2.0	<10	NA	NA	NA	13.96	4.71	9.25	NA

MW-4	3/23/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.50	8.21	1.29	NA
MW-4	4/17/2001	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	NA	NA	NA	9.50	5.08	4.42	2.4/2.6
MW-4	7/9/2001	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	9.50	4.64	4.86	2.0/1.5
MW-4	10/23/2001	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	9.50	7.90	1.60	2.8/1.8
MW-4	1/7/2002	<50	64	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	9.50	5.00	4.50	NA
MW-4	4/12/2002	<50	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.17	7.49	4.68	NA
MW-4	7/10/2002	<50	67	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.17	4.75	7.42	NA
MW-4	10/15/2002	<50		<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.17	4.56	7.61	NA
MW-4	1/29/2003	<50	73	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.17	4.34	7.83	NA
MW-4	4/30/2003	<50	140	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	NA	NA	NA	12.17	5.45	6.72	NA
MW-4	7/22/2003	<50	63 c	<0.50	<0.50	<0.50	<1.0	NA	3.1	NA	NA	NA	NA	NA	NA	NA	12.17	6.46	5.71	NA
MW-4	10/9/2003	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	7.11	5.06	NA
MW-4	1/5/2004	<50	66 c	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	7.72	4.45	NA
MW-4	4/12/2004	<50	110 c	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	5.80	6.37	NA
MW-4	7/2/2004	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	12.17	6.24	5.93	NA
MW-4	10/8/2004	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	7.17	5.00	NA
MW-4	1/10/2005	<50	55 c	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	5.55	6.62	NA
MW-4	4/15/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	5.89	6.28	NA
MW-4	7/15/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	NA	NA	NA	12.17	7.27	4.90	NA
MW-4	10/20/2005	<50	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	NA	NA	NA	12.17	7.15	5.02	NA
MW-4	1/24/2006	<50.0	<108	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	12.17	4.80	7.37	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

MW-4	4/14/2006	<50.0	127 h	<0.500	<0.500	<0.500	<0.500	NA	<0.500	NA	NA	NA	NA	NA	NA	NA	12.17	6.00	6.17	NA
MW-4	7/25/2006	<50.0	129	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	44.8	NA	NA	NA	12.17	7.31	4.86	NA
MW-4	10/11/2006	<50.0	218 h	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	12.17	7.65	4.52	NA
MW-4	1/19/2007	<50	<50 h	<0.50	<0.50	<0.50	<1.0	NA	<1.0	<1.0	<1.0	<1.0	<10	NA	NA	NA	12.17	4.54	7.63	NA
MW-4	4/2/2007	<50 l	86 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	12.17	4.43	7.74	NA
MW-4	7/19/2007	<50 l	53 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	12.17	5.28	6.89	NA
MW-4	10/16/2007	<50 l	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	12.17	6.27	5.90	NA
MW-4	1/23/2008	<50 l	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	12.17	7.51	4.66	NA
MW-4	4/2/2008	<50	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	12.17	6.74	5.43	NA

MW-5	3/29/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.78	5.86	8.92	NA
MW-5	4/12/2002	1,600	<50	25	3.5	44	110	NA	570	NA	NA	NA	NA	NA	NA	NA	14.78	5.96	8.82	NA
MW-5	7/10/2002	930	<400	36	<2.0	93	8.8	NA	630	NA	NA	NA	NA	NA	NA	NA	14.78	6.57	8.21	NA
MW-5	10/15/2002	200	90	9.9	<0.50	19	5.5	NA	180	NA	NA	NA	NA	NA	NA	NA	14.78	6.17	8.61	NA
MW-5	1/29/2003	120	85	6.0	<0.50	2.9	2.6	NA	220	NA	NA	NA	NA	NA	NA	NA	14.78	5.85	8.93	NA
MW-5	4/30/2003	<250	160	5.5	<2.5	7.2	7.7	NA	250	NA	NA	NA	NA	NA	NA	NA	14.78	5.53	9.25	NA
MW-5	7/22/2003	520	190 c	63	<5.0	41	14	NA	810	NA	NA	NA	NA	NA	NA	NA	14.78	6.45	8.33	NA
MW-5	10/9/2003	160	86 c	3.2	<1.0	7.0	3.9	NA	250	NA	NA	NA	NA	NA	NA	NA	14.78	6.54	8.24	NA
MW-5	1/5/2004	290	95 c	11	<2.5	8.5	<5.0	NA	380	NA	NA	NA	NA	NA	NA	NA	14.78	5.90	8.88	NA
MW-5	4/12/2004	280	54 c	9.0	<2.5	12	<5.0	NA	400	NA	NA	NA	NA	NA	NA	NA	14.78	6.19	8.59	NA
MW-5	7/2/2004	660	280 c	34	3.6	42	17	NA	550	<10	<10	<10	400	NA	NA	NA	14.78	6.33	8.45	NA
MW-5	10/8/2004	<250	61 d	<2.5	<2.5	2.6	<5.0	NA	260	NA	NA	NA	NA	NA	NA	NA	14.78	6.32	8.46	NA
MW-5	1/10/2005	<100	110 d	2.7	<1.0	6.0	<2.0	NA	240	NA	NA	NA	NA	NA	NA	NA	14.78	5.65	9.13	NA
MW-5	4/15/2005	160	110 d	7.8	<0.50	15	2.5	NA	160	NA	NA	NA	NA	NA	NA	NA	14.78	5.95	8.83	NA
MW-5	7/15/2005	<50	63 d	3.6	<0.50	3.4	<1.0	NA	99	<2.0	<2.0	<2.0	120	NA	NA	NA	14.78	6.31	8.47	NA
MW-5	10/20/2005	160	120 c	5.1	<0.50	17	1.4	NA	79	NA	NA	NA	NA	NA	NA	NA	14.78	6.66	8.12	NA
MW-5	1/24/2006	<50.0	<105	0.840	<0.500	3.53	<0.500	NA	45.2	NA	NA	NA	NA	NA	NA	NA	14.78	6.10	8.68	NA
MW-5	4/14/2006	<50.0	89.2 h	3.00	<0.500	2.70	<0.500	NA	45.8	NA	NA	NA	24.6	NA	NA	NA	14.78	5.63	9.15	NA
MW-5	7/25/2006	59.2	109	1.20	<0.500	3.48	<0.500	NA	37.2	<0.500	<0.500	<0.500	54.2	NA	NA	NA	14.78	6.22	8.56	NA
MW-5	10/11/2006	146	172 h	4.69	<0.500	12.6	<0.500	NA	26.2	<0.500	<0.500	<0.500	22.7	NA	NA	NA	14.78	6.41	8.37	NA
MW-5	1/19/2007	120	<50 h	3.5	<0.50	2.6	<1.0	NA	28	<1.0	<1.0	<1.0	13	NA	NA	NA	14.78	6.45	8.33	NA
MW-5	4/2/2007	180 l	270 h	4.3	<1.0	8.5	0.49 n	NA	23	<2.0	<2.0	<2.0	22	NA	NA	NA	14.78	6.28	8.50	NA
MW-5	7/19/2007	94 l	62 h	0.87	<1.0	1.8	<1.0	NA	12	<2.0	<2.0	<2.0	6.8 n	NA	NA	NA	14.78	6.45	8.33	NA
MW-5	10/16/2007	<50 l	<50 h	0.22 n	<1.0	<1.0	<1.0	NA	11	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.78	6.46	8.32	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2-DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	1/23/2008	87 l	<50 h	1.4	<1.0	4.0	<1.0	NA	15	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.78	6.15	8.63	NA
MW-5	4/2/2008	100	<50 h	5.1	<1.0	1.2	<1.0	NA	12	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.78	6.29	8.49	NA

MW-6	9/25/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12.91	5.50	7.41	NA
MW-6	10/15/2002	<500	72	<5.0	<5.0	<5.0	<5.0	NA	2,600	NA	NA	NA	NA	NA	NA	NA	12.91	5.45	7.46	NA
MW-6	1/29/2003	<250	350	<2.5	<2.5	<2.5	<2.5	NA	1,600	NA	NA	NA	NA	NA	NA	NA	12.91	5.20	7.71	NA
MW-6	4/30/2003	<2,500	220	<25	<25	<25	<50	NA	5,900	NA	NA	NA	NA	NA	NA	NA	12.91	5.11	7.80	NA
MW-6	7/22/2003	<500	<50	<5.0	<5.0	<5.0	<10	NA	1,300	NA	NA	NA	NA	NA	NA	NA	12.91	5.46	7.45	NA
MW-6	10/9/2003	<1,000	<50	<10	<10	<10	<20	NA	3,000	NA	NA	NA	NA	NA	NA	NA	12.91	5.51	7.40	NA
MW-6	1/5/2004	<2,500	78 c	<25	<25	<25	<50	NA	3,600	NA	NA	NA	NA	NA	NA	NA	12.91	5.11	7.80	NA
MW-6	4/12/2004	<2,500	<50	<25	<25	<25	<50	NA	4,300	NA	NA	NA	NA	NA	NA	NA	12.91	5.30	7.61	NA
MW-6	7/2/2004	<2,500	<50	<25	<25	<25	<50	NA	2,900	<100	<100	<100	<250	NA	NA	NA	12.91	5.36	7.55	NA
MW-6	10/8/2004	<2,500	<50	<25	<25	<25	<50	NA	3,100	NA	NA	NA	NA	NA	NA	NA	12.91	5.43	7.48	NA
MW-6	1/10/2005	<1,000	<50	<10	<10	<10	<20	NA	2,600	NA	NA	NA	NA	NA	NA	NA	12.91	5.00	7.91	NA
MW-6	4/15/2005	210	100 d	11	<0.50	19	3.4	NA	180	NA	NA	NA	NA	NA	NA	NA	12.91	5.29	7.62	NA
MW-6	7/15/2005	<1,000	<50	<10	<10	<10	<20	NA	1,200	<20	<40	<40	<100	NA	NA	NA	12.91	5.47	7.44	NA
MW-6	10/20/2005	<1,000	<50	<10	<10	<10	<20	NA	1,800	NA	NA	NA	NA	NA	NA	NA	12.91	5.65	7.26	NA
MW-6	1/24/2006	1,690	<111	<0.500	<0.500	<0.500	<0.500	NA	1,270	NA	NA	NA	NA	NA	NA	NA	12.91	5.27	7.64	NA
MW-6	4/14/2006	1,200	<50.0 h	<0.500	<0.500	<0.500	<0.500	NA	1,300	NA	NA	NA	NA	NA	NA	NA	12.91	4.93	7.98	NA
MW-6	7/25/2006	<50.0	<94.3	<0.500	<0.500	<0.500	<0.500	NA	916	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	12.91	5.38	7.53	NA
MW-6	10/11/2006	785	54.8 h	<0.500	<0.500	<0.500	<0.500	NA	673	<0.500	<0.500	<0.500	<10.0	NA	NA	NA	12.91	5.52	7.39	NA
MW-6	1/19/2007	600 k	<50 h	<5.0	<5.0	<5.0	<10	NA	920	<10	<10	<10	<100	NA	NA	NA	12.91	5.43	7.48	NA
MW-6	4/2/2007	240 l,m	110 h	<0.50	<1.0	<1.0	<1.0	NA	1,200	<2.0	<2.0	<2.0	68	NA	NA	NA	12.91	5.34	7.57	NA
MW-6	7/19/2007	570 l,m	<50 h	<0.50	<1.0	<1.0	<1.0	NA	900	<2.0	<2.0	<2.0	93	NA	NA	NA	12.91	5.40	7.51	NA
MW-6	10/16/2007	340 l,m	<50 h	1.3 n	<5.0	<5.0	<5.0	NA	990	<10	<10	<10	<50	NA	NA	NA	12.91	5.38	7.53	NA
MW-6	1/23/2008	<50 l	<50 h	<5.0	<10	<10	<10	NA	1,300	<20	<20	<20	<100	NA	NA	NA	12.91	5.10	7.81	NA
MW-6	4/2/2008	1,000	<50 h	<5.0	<10	<10	<10	NA	820	<20	<20	<20	150	NA	NA	NA	12.91	5.40	7.51	NA

T-1	1/7/2002	<20,000	2,600	310	<200	<200	<200	NA	92,000	NA	NA	NA	NA	NA	NA	NA	NA	4.86	NA	NA
T-1	4/12/2002	<5,000	1,000	230	<50	<50	<50	NA	57,000	NA	NA	NA	NA	NA	NA	NA	NA	5.05	NA	NA
T-1	7/10/2002	<20,000	3,700	260	<200	<200	<200	NA	69,000	NA	NA	NA	NA	NA	NA	NA	NA	5.84	NA	NA
T-1	10/15/2002	<5,000	2,100	150	62	<50	75	NA	29,000	NA	NA	NA	NA	NA	NA	NA	NA	5.77	NA	NA
T-1	1/2/2003	NA	NA	1.5	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.10	NA	NA
T-1	1/29/2003	1,300	1,200	67	6.5	<2.0	5.2	NA	820	NA	NA	NA	NA	NA	NA	NA	NA	5.49	NA	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
T-1	4/30/2003	360	1,000	45	0.60	<0.50	2.3	NA	89	NA	NA	NA	NA	NA	NA	NA	NA	4.91	NA	NA
T-1	7/22/2003	1,200	940 c	170	4.8	<2.5	18	NA	150	NA	NA	NA	NA	NA	NA	NA	NA	5.70	NA	NA
T-1	10/9/2003	700	880 c	32	2.0	<1.0	9.8	NA	140	NA	NA	NA	NA	NA	NA	NA	NA	5.79	NA	NA
T-1	1/5/2004	450	790 c	24	2.1	<1.0	3.2	NA	29	NA	NA	NA	NA	NA	NA	NA	NA	5.16	NA	NA
T-1	4/12/2004	210	530 c	6.4	<1.0	<1.0	<2.0	NA	9.0	NA	NA	NA	NA	NA	NA	NA	NA	5.40	NA	NA
T-1	7/2/2004	1,400	2,800 c	160	300	6.7	180	NA	28	NA	NA	NA	NA	NA	NA	NA	NA	5.62	NA	NA
T-1	10/8/2004	1,800	1,100 c	390	68	5.6	330	NA	59	NA	NA	NA	NA	NA	NA	NA	NA	5.67	NA	NA
T-1	1/10/2005	3,000	1,300 c	480	150	30	270	NA	52	NA	NA	NA	NA	NA	NA	NA	NA	4.92	NA	NA
T-1	4/15/2005	1,100	1,100 c	93	2.9	3.3	8.3	NA	26	NA	NA	NA	NA	NA	NA	NA	NA	5.22	NA	NA
T-1	7/15/2005	490	430 c	1.7	1.3	<0.50	2.4	NA	9.7	NA	NA	NA	NA	NA	NA	NA	NA	5.55	NA	NA
T-1	10/20/2005	300 e	770 c	<0.50	<0.50	<0.50	1.3	NA	11	NA	NA	NA	NA	NA	NA	NA	13.85	6.16	7.69	NA
T-1	1/24/2006	<50.0	2,610 f	<0.500	<0.500	<0.500	<0.500	NA	18.5	NA	NA	NA	NA	NA	NA	NA	13.85	5.45	8.40	NA
T-1	4/14/2006	<50.0	2,550 h	<0.500	<0.500	<0.500	<0.500	NA	5.29	NA	NA	NA	NA	NA	NA	NA	13.85	5.11	8.74	NA
T-1	7/25/2006	<50.0	544	<0.500	<0.500	<0.500	<0.500	NA	9.73	NA	NA	NA	248	NA	NA	NA	13.85	5.53	8.32	NA
T-1	10/11/2006	<50.0	1,540 h	<0.500	<0.500	<0.500	<0.500	NA	4.28	1.22	1.93	2.30	91.6	NA	NA	NA	13.85	5.65	8.20	NA
T-1	1/19/2007	<50	83 h	<0.50	<0.50	<0.50	<1.0	NA	0.58 j	<1.0	<1.0	<1.0	6.0 j	NA	NA	NA	13.85	5.77	8.08	NA
T-1	4/2/2007	79 i	680 h	<0.50	<1.0	<1.0	<1.0	NA	2.2	<2.0	<2.0	<2.0	51	NA	NA	NA	13.85	5.51	8.34	NA
T-1	7/19/2007	<50 i	330 h	<0.50	<1.0	<1.0	<1.0	NA	2.9	<2.0	<2.0	<2.0	34	NA	NA	NA	13.85	5.67	8.18	NA
T-1	10/16/2007	65 i	230 h	<0.50	<1.0	<1.0	<1.0	NA	2.5	<2.0	<2.0	<2.0	21	NA	NA	NA	13.85	6.34	7.51	NA
T-1	1/23/2008	<50 i	140 h,m	<0.50	<1.0	<1.0	<1.0	NA	2.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	13.85	5.31	8.54	NA
T-1	4/2/2008	<50	170 h,m	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	13.85	5.48	8.37	NA

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to July 9, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to July 9, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

1,2-DCA = 1,2-dichloroethane, analyzed by EPA Method 8260B

EDB = 1,2-dibromomethane or ethylene dibromide, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

NA = Not applicable

n/n = Pre-purge/Post-purge

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	-----------------------	---------------	-------------------	--------------	----------------------------	--------------------------	------------------------

Notes:

a = Sample was analyzed outside of the EPA recommended holding time.

b = Result was generated out of hold time.

c = Hydrocarbon does not match pattern of laboratory's standard.

d = Hydrocarbon reported is in the early Diesel range and does not match the laboratory's Diesel standard.

e = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

f = TPH pattern is characteristic of diesel fuel.

g = TPH pattern is characteristic of gasoline.

h = TEPH with Silica Gel clean-up

i = Analyte reported with failing QC due to insufficient sample and hold time requirements.

j = Estimated value. Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). The user of this data should be aware that this data is of limited reliability.

k = Hydrocarbon result partly due to individual peak(s) in quantitation range.

l = Analyzed by EPA Method 8015B (M).

m = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

n = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.


Ethanol analyzed by EPA Method 8260B.

Top of casing for well MW-4 provided by Cambria Environmental Technology, Inc.

Wells MW-1 through MW-5 surveyed April 12, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Site surveyed September 26, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Well T-1 surveyed on September 27, 2005. Survey data provided by Cambria Environmental.



April 17, 2008

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 08-04-0422**
Client Reference: **105 5th Street , Oakland, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/4/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Jessie Kim".

Calscience Environmental
Laboratories, Inc.
Jessie Kim
Project Manager

A handwritten signature in black ink, likely belonging to a representative of Calscience Environmental Laboratories, Inc.



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 04/04/08
Work Order No: 08-04-0422
Preparation: EPA 3510C
Method: EPA 8015B

Project: 105 5th Street , Oakland, CA

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-04-0422-1-G	04/02/08 08:47	Aqueous	GC 43	04/08/08	04/10/08 07:19	080408B14

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	169	68-140		2	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-04-0422-2-G	04/02/08 12:41	Aqueous	GC 43	04/08/08	04/10/08 07:29	080408B14

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

-The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	360	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	164	68-140		2	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	08-04-0422-3-G	04/02/08 12:07	Aqueous	GC 43	04/08/08	04/10/08 07:38	080408B14

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	58	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	131	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 04/04/08
 Work Order No: 08-04-0422
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 105 5th Street , Oakland, CA

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	08-04-0422-4-G	04/02/08 10:29	Aqueous	GC 43	04/08/08	04/10/08 07:47	080408B14

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	171	68-140		2	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-04-0422-5-G	04/02/08 09:58	Aqueous	GC 43	04/08/08	04/10/08 07:57	080408B14

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	188	68-140		2	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	08-04-0422-6-G	04/02/08 10:50	Aqueous	GC 43	04/08/08	04/10/08 08:06	080408B14

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	177	68-140		2	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 04/04/08
 Work Order No: 08-04-0422
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 105 5th Street, Oakland, CA

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
T-1	08-04-0422-7-G	04/02/08 09:35	Aqueous	GC 43	04/08/08	04/10/08 08:16	080408B14


Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	170	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	163	68-140		2	

Method Blank	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-211-300	N/A	Aqueous	GC 43	04/08/08	04/10/08 06:51	080408B14

Parameter	Result	RL	DF	Qual	Units
Diesel Range Organics	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
Decachlorobiphenyl	92	68-140			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 04/04/08
Work Order No: 08-04-0422
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 105 5th Street , Oakland, CA

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-04-0422-1-A	04/02/08 08:47	Aqueous	GC/MS T	04/11/08	04/11/08 18:14	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	95	70-130			1,4-Bromofluorobenzene-TPPH	96	70-130		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-04-0422-2-A	04/02/08 12:41	Aqueous	GC/MS T	04/11/08	04/11/08 18:42	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	1000	50	1		Methyl-t-Butyl Ether (MTBE)	13	1.0	1	
Benzene	8.1	0.50	1		Tert-Butyl Alcohol (TBA)	280	10	1	
Ethylbenzene	10	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	100	70-130			1,4-Bromofluorobenzene-TPPH	100	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	08-04-0422-3-A	04/02/08 12:07	Aqueous	GC/MS T	04/11/08	04/11/08 19:10	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	13	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	95	70-130			1,4-Bromofluorobenzene-TPPH	97	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 04/04/08
Work Order No: 08-04-0422
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 105 5th Street , Oakland, CA

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	08-04-0422-4-A	04/02/08 10:29	Aqueous	GC/MS T	04/11/08	04/11/08 19:38	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	96	70-130			1,4-Bromofluorobenzene-TPPH	97	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-04-0422-5-A	04/02/08 09:58	Aqueous	GC/MS T	04/11/08	04/11/08 20:06	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	100	50	1		Methyl-t-Butyl Ether (MTBE)	12	1.0	1	
Benzene	5.1	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	1.2	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	95	70-130			1,4-Bromofluorobenzene-TPPH	96	70-130		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	08-04-0422-6-A	04/02/08 10:50	Aqueous	GC/MS T	04/11/08	04/11/08 20:34	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	1000	500	10		Methyl-t-Butyl Ether (MTBE)	820	10	10	
Benzene	ND	5.0	10		Tert-Butyl Alcohol (TBA)	150	100	10	
Ethylbenzene	ND	10	10		Diisopropyl Ether (DIPE)	ND	20	10	
Toluene	ND	10	10		Ethyl-t-Butyl Ether (ETBE)	ND	20	10	
p/m-Xylene	ND	10	10		Tert-Amyl-Methyl Ether (TAME)	ND	20	10	
o-Xylene	ND	10	10						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	92	70-130			1,4-Bromofluorobenzene-TPPH	94	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 04/04/08
 Work Order No: 08-04-0422
 Preparation: EPA 5030B
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 105 5th Street , Oakland, CA

Page 3 of 3


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
T-1	08-04-0422-7-A	04/02/08 09:35	Aqueous	GC/MS T	04/11/08	04/11/08 21:02	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	92	70-130			1,4-Bromofluorobenzene-TPPH	95	70-130		

Method Blank	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-715-144	N/A	Aqueous	GC/MS T	04/11/08	04/11/08 13:26	080411L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
TPPH	ND	50	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
Benzene	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
Ethylbenzene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
Toluene	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
p/m-Xylene	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
o-Xylene	ND	1.0	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	97	70-130			1,4-Bromofluorobenzene-TPPH	98	70-130		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 04/04/08
Work Order No: 08-04-0422
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA
8260B

Project 105 5th Street , Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-04-0290-8	Aqueous	GC/MS T	04/11/08	04/11/08	080411S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	94	70-130	0	0-30	
Ethylbenzene	101	100	70-130	1	0-30	
Toluene	99	99	70-130	0	0-30	
p/m-Xylene	100	99	70-130	1	0-30	
o-Xylene	101	100	70-130	1	0-30	
Methyl-t-Butyl Ether (MTBE)	99	100	70-130	1	0-30	
Tert-Butyl Alcohol (TBA)	91	93	70-130	2	0-30	
Diisopropyl Ether (DIPE)	92	90	70-130	2	0-30	
Ethyl-t-Butyl Ether (ETBE)	97	97	70-130	0	0-30	
Tert-Amyl-Methyl Ether (TAME)	99	99	70-130	0	0-30	
Ethanol	89	87	70-130	2	0-30	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105


Date Received: N/A
 Work Order No: 08-04-0422
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 105 5th Street , Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-211-300	Aqueous	GC 43	04/08/08	04/10/08	080408B14

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Diesel Range Organics	92	89	75-117	3	0-13	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 08-04-0422
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 105 5th Street , Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-715-144	Aqueous	GC/MS T	04/11/08	04/11/08	080411L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPPH	83	83	65-135	0	0-30	
Benzene	95	97	70-130	2	0-30	
Ethylbenzene	103	103	70-130	0	0-30	
Toluene	99	101	70-130	2	0-30	
p/m-Xylene	104	104	70-130	0	0-30	
o-Xylene	105	105	70-130	1	0-30	
Methyl-t-Butyl Ether (MTBE)	105	102	70-130	3	0-30	
Tert-Butyl Alcohol (TBA)	101	93	70-130	8	0-30	
Diisopropyl Ether (DIPE)	94	91	70-130	4	0-30	
Ethyl-t-Butyl Ether (ETBE)	102	102	70-130	0	0-30	
Tert-Amyl-Methyl Ether (TAME)	97	101	70-130	4	0-30	
Ethanol	92	84	70-130	9	0-30	

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 08-04-0422

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

LAB (LOCATION)

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA ()
- OTHER ()



Shell Oil Products Chain Of Custody Record

Please Check Appropriate Box:

<input checked="" type="checkbox"/> ENV. SERVICES	<input type="checkbox"/> MOTIVA RETAIL	<input type="checkbox"/> SHELL RETAIL
<input type="checkbox"/> MOTIVA S&CM	<input type="checkbox"/> CONSULTANT	<input type="checkbox"/> LUBES
<input type="checkbox"/> SHELL PIPELINE	<input type="checkbox"/> OTHER	

Print Bill To Contact Name: **Denis Brown**

PO # _____

INCIDENT # (ENV SERVICES): **9 8 9 9 5 7 5 7**

SAP # _____

CHECK IF NO INCIDENT # APPLIES

DATE: **04-02-08**

PAGE: **1** of **1**

SAMPLING COMPANY: **Blaine Tech Services**

LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Ave, San Jose, CA 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**

TELEPHONE: **(408)573-0555** FAX: **(408)573-7771** E-MAIL: **mninokata@blainetech.com**

TURNAROUND TIME (CALENDAR DAYS):
 STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT LIST AGENCY:

SITE ADDRESS: Street and City: **105 5th Street, Oakland** State: **CA** GLOBAL ID NO: **T0600102116**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ana Friel, CRA, Eureka Office** PHONE NO: **(707) 268-3812** E-MAIL: **sonomaedt@craworld.com** CONSULTANT PROJECT NO: **BTS # 080402-uu-1**

SAMPLER NAME(S) (Print): **William Wong, Max Teodi**

LAB USE ONLY: **04-0422**

SPECIAL INSTRUCTIONS OR NOTES :

Run TPH-d w/Silica Gel Clean Up

SHELL CONTRACT RATE APPLIES
 STATE REIMBURSEMENT RATE APPLIES
 EDD NOT NEEDED
 RECEIPT VERIFICATION REQUESTED

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	PRESERVATIVE					NO. OF CONT.	REQUESTED ANALYSIS											TEMPERATURE ON RECEIPT °C	Container PID Readings or Laboratory Notes				
		DATE	TIME		HCL	HNO3	H2SO4	NONE	OTHER		TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)			Ethanol (8260B)	Methanol (8015M)		
	1 MW-1	4/2/08	10:00	W				2		7	X	X	X	X													
	2 MW-2	4/2/08	12:41					2		7	X	X	X	X													
	3 MW-3	4/2/08	1:20					2		7	X	X	X	X													
	4 MW-4	4/2/08	10:29					2		7	X	X	X	X													
	5 MW-5	4/2/08	09:58					2		7	X	X	X	X													
	6 MW-6	4/2/08	10:50					2		7	X	X	X	X													
	7 T-1	4/2/08	06:35	↓				2		7	X	X	X	X													

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i> sample custodian	Date: 04/02/08	Time: 1401
Relinquished by: (Signature) <i>[Signature]</i> (Sample Custodian)	Received by: (Signature) <i>[Signature]</i> CEL	Date: 4/3/08	Time: 1025
Relinquished by: (Signature) <i>[Signature]</i> TO GSD 4-3-08 1730	Received by: (Signature) <i>[Signature]</i>	Date: 4/14/08	Time: 1030

509278827

WORK ORDER #: **08** - -

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Blaine Tech

DATE: 4/4/08

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- 4-1 °C Temperature blank.
- °C IR thermometer.
- Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact) : Not Present:

Initial: JP

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: JP

COMMENTS:

WELL GAUGING DATA

Project # 080402-ww-1 Date 04.02.08 Client Shell

Site 1055th St. Oakland, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOE	Notes
Mw-1	0809	4					5.75	23.48		
Mw-2	0803	4					5.32	23.51		
Mw-3	0819	4	odor				4.71	24.72		
Mw-4	1017	2					6.74	19.90		Tr
Mw-5	0806	4	odor				6.29	24.10		
Mw-6	1041	2					5.40	24.05		Tr
T1	0815	12	odor				5.48	11.60	▼	

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080402-ww-1</u>	Site: <u>98995757</u>
Sampler: <u>MT</u>	Date: <u>04-02-08</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>24.72</u>	Depth to Water (DTW): <u>4.71</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.10</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

<u>13.4</u> (Gals.) X <u>3</u> = <u>40.2</u> Gals.		
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1157</u>	<u>62.7</u>	<u>7.2</u>	<u>862</u>	<u>99</u>	<u>13.4</u>	
<u>1159</u>	<u>63.3</u>	<u>6.8</u>	<u>884</u>	<u>194</u>	<u>26.8</u>	
<u>1201</u>	<u>64.0</u>	<u>6.9</u>	<u>829</u>	<u>162</u>	<u>40.2</u>	

Did well dewater? Yes No Gallons actually evacuated: 40.2

Sampling Date: 04-02-08 Sampling Time: 12:07 Depth to Water: 8.01

Sample I.D.: MW-3 Laboratory: STL Other Cal Science

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080102-ww-1</u>	Site: <u>98995757</u>
Sampler: <u>WW</u>	Date: <u>01-02-08</u>
Well I.D.: <u>MW-4</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>19.90</u>	Depth to Water (DTW): <u>6.74</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.37</u>	

Purge Method: ~~Bailer~~ Disposable Bailer Positive Air Displacement Electric Submersible

Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing

Other: _____

<u>2.1</u> (Gals.) X <u>3</u> = <u>6.3</u> Gals.			
1 Case Volume	Specified Volumes	Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1020</u>	<u>61.7</u>	<u>7.0</u>	<u>1670</u>	<u>128</u>	<u>2.1</u>	
<u>1022</u>	<u>62.5</u>	<u>6.8</u>	<u>1678</u>	<u>693</u>	<u>4.2</u>	
<u>1024</u>	<u>63.0</u>	<u>6.8</u>	<u>1660</u>	<u>>1000</u>	<u>6.3</u>	

Did well dewater? Yes No Gallons actually evacuated: 6.3

Sampling Date: 01/02/08 Sampling Time: 1029 Depth to Water: 12.96 (Traffic)

Sample I.D.: MW-4 Laboratory: STL Other: Cal Science

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>000402-ww-1</u>	Site: <u>98995757</u>
Sampler: <u>MT</u>	Date: <u>04-02-08</u>
Well I.D.: <u>MW-5</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>24.10</u>	Depth to Water (DTW): <u>6.29</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.8</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

11.6 (Gals.) X 3 = 34.8 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0950</u>	<u>65.5</u>	<u>7.1</u>	<u>651</u>	<u>9</u>	<u>11.6</u>	<u>odor</u>
<u>0952</u>	<u>66.2</u>	<u>6.8</u>	<u>647</u>	<u>9</u>	<u>23.2</u>	
<u>0953</u>	<u>66.8</u>	<u>6.8</u>	<u>677</u>	<u>11</u>	<u>34.8</u>	

Did well dewater? Yes No Gallons actually evacuated: 34.8

Sampling Date: 04-02-08 Sampling Time: 0958 Depth to Water: 9.08

Sample I.D.: MW-5 Laboratory: STL Other Cal Science

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>080402-ww-1</u>	Site: <u>98995757</u>
Sampler: <u>WW</u>	Date: <u>04-02-08</u>
Well I.D.: <u>MW-6</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>24.05</u>	Depth to Water (DTW): <u>5.40</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>9.13</u>	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____

<u>2.9</u>	(Gals.) X	<u>3</u>	=	<u>8.7</u>	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1044</u>	<u>64.0</u>	<u>7.8</u>	<u>320</u>	<u>246</u>	<u>2.9</u>	
<u>1046</u>	<u>65.1</u>	<u>7.5</u>	<u>350</u>	<u>620</u>	<u>5.8</u>	
<u>1049</u>	<u>65.3</u>	<u>7.4</u>	<u>372</u>	<u>715</u>	<u>8.7</u>	

Did well dewater? Yes No Gallons actually evacuated: 8.7

Sampling Date: 04/02/08 Sampling Time: 10:52 Depth to Water: 7.04 (Trapezoid)

Sample I.D.: MW-6 Laboratory: STL Other: Cal Science

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL CONCENTRATIONS
Shell-branded Service Station
105 5th Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	1,2- DCA (ug/L)	EDB (ug/L)	Ethanol (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	4/2/2008	<50	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.92	5.75	9.17	NA
MW-2	4/2/2008	1,000	360 h,m	8.1	<1.0	10	<1.0	NA	13	<2.0	<2.0	<2.0	280	NA	NA	NA	13.57	5.32	8.25	NA
MW-3	4/2/2008	<50	58 h	<0.50	<1.0	<1.0	<1.0	NA	13	<2.0	<2.0	<2.0	<10	NA	NA	NA	13.96	4.71	9.25	NA
MW-4	4/2/2008	<50	<50 h	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	12.17	6.74	5.43	NA
MW-5	4/2/2008	100	<50 h	5.1	<1.0	1.2	<1.0	NA	12	<2.0	<2.0	<2.0	<10	NA	NA	NA	14.78	6.29	8.49	NA
MW-6	4/2/2008	1,000	<50 h	<5.0	<10	<10	<10	NA	820	<20	<20	<20	150	NA	NA	NA	12.91	5.40	7.51	NA
T-1	4/2/2008	<50	170 h,m	<0.50	<1.0	<1.0	<1.0	NA	<1.0	<2.0	<2.0	<2.0	<10	NA	NA	NA	13.85	5.48	8.37	NA