



Scott T. Hooton
Portfolio Manager

STB
780

BP Oil Company
Midwest Environmental Services
295 SW 41st Street
Bldg. 13, Suite N
Renton, WA 98055

Switchboard: 425/251-0667
Central Fax: 425/251-0736

May 11, 2001

Mr. Amir K. Gholami
Alameda Country Health Care Services
Agency
1131 Harbor Bay Parkway, STE 250
Alameda, CA 94502-6577

Review of MESA report to
SUS/01
MAY 22 2001 ✓

RE: Former BP Oil Site No. 11107
18501 Hesperian Boulevard
San Lorenzo, CA

Direct: 425/251-0689
Cell: 206/919-5029
hootonst@bp.com
www.bp.com

Dear Mr. Gholami:

This transmits the *First Quarter 2001 Groundwater Monitoring* report prepared on behalf of BP by Blaine Tech Services. The report summarizes chemical data obtained since 1992, including results associated with samples obtained on 10 April 2001.

The enclosed report shows that concentrations of petroleum hydrocarbons are generally decreasing, consistent with the natural attenuation of a petroleum hydrocarbons release. The highest MTBE concentrations are associated with samples obtained from well MW-5 (585 ug/l).

Please contact me at (425) 251-0689 if you have questions.

Sincerely,


Scott Hooton


Attachment

cc: site file
David Camille - Tosco (w/attachment)
Khaled Rahman - Cambria (w/attachment)

**BLAINE
TECH SERVICES, INC.**



1680 ROGERS AVENUE
SAN JOSE, CA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE
CONTRACTOR'S LICENSE #746684
www.blainetech.com



April 10, 2001

Scott Hooton
BP Oil Company
295 SW 41st Street, Bldg. 13, Suite N
Renton, WA 98055-4931

1st Quarter 2001 Monitoring at 11107

First Quarter 2001 Groundwater Monitoring
BP Service Station Number 11107
18501 Hesperian Boulevard
San Lorenzo, CA

Monitoring Performed on January 11, 2001

Groundwater Sampling Report 010111-I-2

This report covers the routine monitoring of groundwater wells at this BP facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, the appropriate calculated purge volume, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to Seaport Petroleum Corporation for disposal.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The **Professional Engineering Appendix** contains a **Groundwater Elevation Map** and a **Dissolved Petroleum Hydrocarbon Concentration Map**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,




A handwritten signature in black ink, appearing to read 'Francis Thie', is written over a light blue horizontal line. The signature is fluid and cursive.

Francis Thie
Vice President

FPT/ks

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets

Professional Engineering Appendix




EXPLANATION

- ◆ GROUNDWATER MONITORING WELL
- 23.19 GROUNDWATER ELEVATION (FT. MSL)
- 22.5 — GROUNDWATER ELEVATION CONTOUR (FT. MSL)
- APPROXIMATE GROUNDWATER FLOW DIRECTION; APPROXIMATE GRADIENT = 0.003

Ref. 111107bm.dwg
 Basemap from Alisto Engineering Group

PREPARED BY RRM engineering contracting firm	BP Service Station No. 11107 18501 Hesperian Boulevard San Lorenzo, California	FIGURE: 1 PROJECT: DAC04
	GROUNDWATER ELEVATION CONTOUR MAP, JANUARY 11, 2001	



SCALE (ft)




MW-5	
B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	420
MTBE	585
MTBE*	540

MW-6	
B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	<50
MTBE	2.69
MTBE*	2.4

MW-4	
B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	120
MTBE	176
MTBE*	170

MW-7	
B	<0.5
T	<0.5
E	<0.5
X	<0.5
TPHg	<50
MTBE	<0.5



EXPLANATION

- ⊕ GROUNDWATER MONITORING WELL
- TPHg TOTAL PETROLEUM HYDROCARBON CALCULATED AS GASOLINE IN PARTS PER BILLION (ppb)
- B BENZENE, ppb
- T TOLUENE, ppb
- E ETHYLBENZENE, ppb
- X XYLENE, ppb
- MTBE METHYL-TERT-BUTYL-ETHER, ppb
- MTBE* MTBE BY B260
- NA DATA NOT AVAILABLE

Ref. 111107blex.dwg
Basemap from Alisto Engineering Group

PREPARED BY

RRM
engineering contracting firm

BP Service Station No. 1107
18501 Hesperian Boulevard
San Lorenzo, California

HYDROCARBON CONCENTRATION MAP,
JANUARY 11, 2001

FIGURE:
2
PROJECT:
DAC04

Table of Well Data and Analytical Results

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (b) (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-1	11/04/92	41.07	20.78	20.29	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	ND<5000	2.8	ND	---	PACE
QC-1 (c)	11/04/92	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
MW-1	02/24/94	41.07	20.70	20.37	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	ND<5000	1.5	0.9	---	PACE
MW-1	05/12/94	41.07	18.12	22.95	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	ND<5000	1.0	ND<0.5	7	PACE
MW-1	09/09/94	41.07	21.74	19.33	ND<50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	ND<5000	ND<0.5	ND<0.5	2.3	PACE
MW-1	11/03/94	41.07	20.01	21.06	ND<50	50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	ND<5000	ND<0.5	ND<0.5	4.3	PACE
MW-1	03/01/95	41.07	17.44	23.63	ND<50	ND<500	ND<50	ND<0.50	ND<0.50	ND<1.0	---	420	0.54	0.3	2.3	ATI
MW-1	06/06/95	41.07	17.55	23.52	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	09/01/95	41.07	18.19	22.88	ND<50	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	60	---	---	8.8	ATI
MW-1	11/29/95	41.07	18.84	22.23	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	03/23/96	41.07	16.97	24.10	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	9.6	SPL
MW-1	09/05/96	41.07	17.74	23.33	110	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	3.6	SPL
MW-1	03/11/97	41.07	17.62	23.45	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	5.2	SPL
MW-1	12/08/97	41.07	16.30	24.77	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	---	---
MW-1	07/08/98	41.07	16.66	24.41	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	12/07/98	41.07	17.80	23.27	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	01/19/99	41.07	17.18	23.89	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	04/23/99	41.07	17.40	23.67	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	07/20/99	41.07	17.76	23.31	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	02/29/00	41.07	17.17	23.90	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	04/14/00	41.07	17.22	23.85	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	07/24/00	41.07	17.61	23.46	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	10/30/00	41.07	17.76	23.31	---	---	---	---	---	---	---	---	---	---	---	---
MW-1	01/11/01	41.07	17.88	23.19	---	---	---	---	---	---	---	---	---	---	---	---

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (b) (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-2	11/04/92	40.56	20.16	20.40	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
MW-2	02/24/94	40.56	20.12	20.44	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
MW-2	05/12/94	40.56	17.49	23.07	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	7.4	PACE
MW-2	09/09/94	40.56	21.12	19.44	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	2.1	PACE
MW-2	11/03/94	40.56	19.36	21.20	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	4.2	PACE
MW-2	03/01/95	40.56	16.83	23.73	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	---	---	2.2	ATI
MW-2	06/06/95	40.56	16.96	23.60	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	09/01/95	40.56	17.54	23.02	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	---	---	7.9	ATI
MW-2	11/29/95	40.56	18.19	22.37	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	03/23/96	40.56	16.35	24.21	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	---	---	8.5	SPL
MW-2	09/05/96	40.56	17.55	23.01	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	3.2	SPL
MW-2	03/11/97	40.56	16.95	23.61	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	2.9	SPL
MW-2	12/08/97	40.56	16.01	24.55	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	3.0	SPL
MW-2	07/08/98	40.56	16.41	24.15	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	12/07/98	40.56	17.15	23.41	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	01/19/99	40.56	17.15	23.41	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	04/23/99	40.56	16.89	23.67	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	07/20/99	40.56	17.25	23.31	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	12/30/99	40.56	17.44	23.12	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	02/29/00	40.56	16.13	24.43	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	04/14/00	40.56	16.88	23.68	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	07/24/00	40.56	17.11	23.45	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	10/30/00	40.56	17.12	23.44	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	01/11/01	40.56	17.28	23.28	---	---	---	---	---	---	---	---	---	---	---	---

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (b) (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-3	11/04/92	40.45	20.23	20.22	760	---	3.7	15	1.9	57	---	---	---	---	---	PACE
MW-3	02/24/94	40.45	20.24	20.21	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
MW-3	05/12/94	40.45	17.61	22.84	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	7.3	PACE
MW-3	09/09/94	40.45	21.22	19.23	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	2	PACE
MW-3	11/03/94	40.45	19.48	20.97	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	3.6	PACE
MW-3	03/01/95	40.45	17.08	23.37	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	---	---	1.9	ATI
MW-3	06/06/95	40.45	17.21	23.24	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	09/01/95	40.45	17.69	22.76	200	---	2.7	33	7.2	43	ND<5.0	---	---	---	7.8	ATI
MW-3	09/01/95	40.45	18.29	22.16	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	03/23/96	40.45	16.59	23.86	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	---	---	7.3	SPL
MW-3	09/05/96	40.45	17.71	22.74	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	3.2	SPL
MW-3	03/11/97	40.45	17.17	23.28	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	1.5	SPL
MW-3	12/08/97	40.45	16.12	24.33	ND<50	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	ND<10	---	---	---	1.9	SPL
MW-3	07/08/98	40.45	16.40	24.05	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	12/07/98	40.45	17.32	23.13	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	01/19/99	40.45	17.30	23.15	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	04/23/99	40.45	17.07	23.38	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	07/20/99	40.45	17.47	22.98	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	12/30/99	40.45	17.60	22.85	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	02/29/00	40.45	16.43	24.02	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	04/14/00	40.45	17.09	23.36	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	07/24/00	40.45	17.44	23.01	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	10/30/00	40.45	17.29	23.16	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	01/11/01	40.45	17.49	22.96	---	---	---	---	---	---	---	---	---	---	---	---

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (b) (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-4	11/04/92	39.24	19.18	20.06	900	---	150	4.1	0.8	53	---	---	---	---	---	PACE
MW-4	02/24/94	39.24	19.22	20.02	240	---	110	3.8	1.8	11	1400 (d)	---	---	---	---	PACE
QC-1 (c)	02/24/94	---	---	---	310	---	95	5.3	2.2	17	1500 (d)	---	---	---	---	PACE
MW-4	05/12/94	39.24	16.62	22.62	ND<50	---	2.2	1.0	ND<0.5	ND<0.5	860 (d)	---	---	---	7.3	PACE
QC-1 (c)	05/12/94	---	---	---	430	---	2.6	1.3	ND<0.5	ND<0.5	780 (d)	---	---	---	---	PACE
MW-4	09/09/94	39.24	20.27	18.97	240	---	9.1	1.3	0.6	2.5	---	---	---	---	2.2	PACE
QC-1 (c)	09/09/94	---	---	---	57	---	1.7	ND<0.5	ND<0.5	0.5	---	---	---	---	---	PACE
MW-4	11/03/94	39.24	18.46	20.78	250	---	3.1	2.8	1.0	3.3	---	---	---	---	3.2	PACE
QC-1 (c)	11/03/94	---	---	---	110	---	2.4	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
MW-4	03/01/95	39.24	16.15	23.09	8900	---	1800	26	450	400	---	---	---	---	2.0	ATI
QC-1 (c)	03/01/95	---	---	---	7600	---	1700	25	410	370	---	---	---	---	---	ATI
MW-4	06/06/95	39.24	16.28	22.96	3100	---	(e) 530	25	170	85	---	---	---	---	---	ATI
QC-1 (c)	06/06/95	---	---	---	3000	---	530	27	170	92	---	---	---	---	---	ATI
MW-4 (f)	09/01/95	39.24	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MW-4	11/29/95	39.24	17.31	21.93	ND<50	---	1.8	ND<0.50	ND<0.50	ND<1.0	440	---	---	---	3.2	ATI
QC-1 (c)	11/29/95	---	---	---	ND<50	---	1.5	ND<0.50	ND<0.50	ND<1.0	490	---	---	---	---	ATI
MW-4	03/23/96	39.24	15.74	23.50	2700	---	480	ND<25	180	176	13000	---	---	---	7.8	SPL
MW-4	09/05/96	39.24	16.75	22.49	1100	---	ND<12	ND<25	ND<25	ND<25	3200	---	---	---	4.0	SPL
MW-4	03/11/97	39.24	16.10	23.14	2400	---	46	ND<10	66	106	3400	---	---	---	4.0	SPL
MW-4	12/08/97	39.24	15.96	23.28	590	---	11	ND<1.0	ND<1.0	ND<1.0	1200	---	---	---	4.4	SPL
QC-1 (c)	12/08/97	---	---	---	620	---	11	ND<1.0	ND<1.0	ND<1.0	1100	---	---	---	---	SPL
MW-4	07/08/98	39.24	16.28	22.96	1700	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	1200	---	---	---	3.9	SPL
QC-1 (c)	07/08/98	---	---	---	1600	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	1100	---	---	---	---	SPL
MW-4	12/07/98	39.24	16.47	22.77	530	---	ND<2.5	ND<5.0	ND<5.0	ND<5.0	680/910 (h)	---	---	---	---	SPL
MW-4	01/19/99	39.24	16.40	22.84	570	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	660	---	---	---	---	SPL
MW-4	04/23/99	39.24	16.17	23.07	ND<50	---	ND<1.0	ND<1.0	1.8	1.3	1100/810 (h)	---	---	---	---	SPL
MW-4	07/20/99	39.24	16.39	22.85	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	480	---	---	---	---	SPL
MW-4	12/30/99	39.24	16.56	22.68	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	410	---	---	---	---	PACE
MW-4	02/29/00	39.24	15.69	23.55	78 (i)	---	2.0	ND<0.5	0.77	2.8	1200	---	---	---	---	PACE
MW-4	04/14/00	39.24	16.21	23.03	300	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	800	---	---	---	---	PACE
MW-4	07/24/00	39.24	16.50	22.74	130	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	270	---	---	---	---	PACE
MW-4	10/30/00	39.24	16.35	22.89	73	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	210	---	---	---	---	PACE
MW-4	01/11/01	39.24	16.46	22.78	120	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	176	---	---	---	---	PACE

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-5	06/06/95	39.07	16.16	22.91	1100	---	(e) 42	ND<2.5	15	4.0	---	---	---	---	---	ATI
MW-5	09/01/95	39.07	16.63	22.44	1600	---	55	ND<2.5	15	8.0	1200	---	---	---	7.4	ATI
QC-1 (c)	09/01/95	---	---	---	1200	---	64	ND<2.5	14	3.1	---	---	---	---	---	ATI
MW-5	11/29/95	39.07	17.19	21.88	2300	---	140	4.0	36	11	1500	---	---	---	4.1	ATI
MW-5	03/23/96	39.07	15.54	23.53	90	---	2.8	ND<1	ND<1	ND<1	1500	---	---	---	7.5	SPL
MW-5	09/05/96	39.07	16.72	22.35	2300	---	5.1	ND<1.0	ND<1.0	ND<1.0	3300	---	---	---	3.2	SPL
QC-1 (c)	09/05/96	---	---	---	2000	---	4.9	ND<1.0	ND<1.0	ND<1.0	2900	---	---	---	---	SPL
MW-5	03/11/97	39.07	16.12	22.95	470	---	ND<5.0	ND<5.0	ND<5.0	ND<5.0	580	---	---	---	3.0	SPL
QC-1 (c)	03/11/97	---	---	---	460	---	ND<5.0	ND<5.0	ND<5.0	ND<5.0	540	---	---	---	---	SPL
MW-5	12/08/97	39.07	15.85	23.22	370	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	840	---	---	---	3.0	SPL
MW-5	07/08/98	39.07	16.11	22.96	430	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	330	---	---	---	2.5	SPL
MW-5	12/07/98	39.07	16.27	22.80	220	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	290/410 (h)	---	---	---	---	SPL
MW-5	01/19/99	39.07	16.31	22.76	490	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	490/440 (h)	---	---	---	---	SPL
MW-5	04/23/99	39.07	16.00	23.07	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	310/210 (h)	---	---	---	---	SPL
MW-5	07/20/99	39.07	16.36	22.71	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	470	---	---	---	---	SPL
MW-5	12/30/99	39.07	16.53	22.54	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	550	---	---	---	---	PACE
MW-5	02/29/00	39.07	15.45	23.62	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	280	---	---	---	---	PACE
MW-5	04/14/00	39.07	16.10	22.97	81	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	240	---	---	---	---	PACE
MW-5	07/24/00	39.07	16.50	22.57	250	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	570	---	---	---	---	PACE
MW-5	10/30/00	39.07	16.23	22.84	140	---	ND<0.5	0.7	ND<0.5	1.1	360	---	---	---	---	PACE
MW-5	01/11/01	39.07	16.41	22.66	420	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	585	---	---	---	---	PACE

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO GROUNDWATER WATER (Feet)	ELEVATION (Feet)	TPH-G (b) (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-6	03/01/95	38.46	15.66	22.80	270	---	11	ND<0.50	ND<0.50	ND<1.0	---	---	---	---	1.6	ATI
MW-6	06/06/95	38.46	15.82	22.64	220	---	(e) 2.3	ND<0.50	ND<0.50	ND<1.0	---	---	---	---	---	ATI
MW-6	09/01/95	38.46	16.25	22.21	780	---	ND<2.5	ND<2.5	ND<2.5	ND<5.0	2800	---	---	---	7.5	ATI
MW-6	11/29/95	38.46	16.80	21.66	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	1100	---	---	---	3.9	ATI
MW-6	03/23/96	38.46	15.27	23.19	50	---	ND<0.5	ND<1	ND<1	ND<1	910	---	---	---	8.0	SPL
MW-6	09/05/96	38.46	16.30	22.16	4400	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	7400	---	---	---	3.0	SPL
MW-6	03/11/97	38.46	15.75	22.71	1100	---	ND<5.0	ND<5.0	ND<5.0	ND<5.0	2000	---	---	---	3.1	SPL
MW-6	12/08/97	38.46	15.51	22.95	150	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	140	---	---	---	3.4	SPL
MW-6	07/08/98	38.46	15.78	22.68	370	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	250	---	---	---	3.6	SPL
MW-6	12/07/98	38.46	15.95	22.51	440	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	630/820 (h)	---	---	---	---	---
MW-6	01/19/99	38.46	15.97	22.49	950	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	950/810 (h)	---	---	---	---	SPL
MW-6	04/23/99	38.46	15.74	22.72	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	310/220 (h)	---	---	---	---	SPL
MW-6	07/20/99	38.46	16.12	22.34	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1300	---	---	---	---	SPL
MW-6	12/30/99	38.46	16.16	22.30	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	360	---	---	---	---	PACE
MW-6	02/29/00	38.46	15.08	23.38	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	340	---	---	---	---	PACE
MW-6	04/14/00	38.46	15.82	22.64	90	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	220	---	---	---	---	PACE
MW-6	07/24/00	38.46	16.03	22.43	240	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	540	---	---	---	---	PACE
MW-6	10/30/00	38.46	15.83	22.63	120	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	380	---	---	---	---	PACE
MW-6	01/11/01	38.46	16.00	22.46	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	2.69	---	---	---	---	PACE

Table 1 - Summary of Results of Groundwater Sampling

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (Feet)	TPH-G (b) (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	MTBE (ug/l)	TOG (ug/l)	1,1,1-TCA (ug/l)	PCE (ug/l)	DO (ppm)	LAB
MW-7	03/01/95	39.50	16.21	23.29	1400	---	14	ND<1.0	14	27	---	---	---	---	1.8	ATI
MW-7	06/06/95	39.50	16.34	23.16	540	---	(e) 5.5	ND<0.50	15	1.1	---	---	---	---	---	ATI
MW-7	09/01/95	39.50	16.74	22.76	190	---	2.8	ND<0.50	5.0	ND<1.0	10	---	---	---	7.5	ATI
MW-7	11/29/95	39.50	17.33	22.17	230	---	31	ND<0.50	3.8	1.9	ND<5.0	---	---	---	4.6	ATI
MW-7	03/23/96	39.50	15.86	23.64	ND<50	---	5.0	ND<1	ND<1	ND<1	330	---	---	---	7.2	SPL
QC-1 (c)	03/23/96	---	---	---	60	---	7.6	ND<1	ND<1	ND<1	360	---	---	---	---	SPL
MW-7	09/05/96	39.50	16.80	22.70	200	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	430	---	---	---	3.1	SPL
MW-7	03/11/97	39.50	18.32	21.18	120	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	140	---	---	---	4.7	SPL
MW-7	12/08/97	39.50	16.02	23.48	240	---	0.8	ND<1.0	ND<1.0	ND<1.0	200	---	---	---	5.2	SPL
MW-7	07/08/98	39.50	16.32	23.18	270	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	170	---	---	---	4.8	SPL
MW-7	12/07/98	39.50	16.43	23.07	100	---	ND<0.5	ND<1.0	ND<1.0	ND<1.0	120	---	---	---	---	SPL
MW-7	01/19/99	39.50	16.41	23.09	80	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	80	---	---	---	---	SPL
MW-7	04/23/99	39.50	16.21	23.29	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	20	---	---	---	---	SPL
MW-7	07/20/99	39.50	16.54	22.96	ND<50	---	ND<1.0	ND<1.0	ND<1.0	ND<1.0	24	---	---	---	---	SPL
MW-7	12/30/99	39.50	16.65	22.85	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	12	---	---	---	---	PACE
MW-7	02/29/00	39.50	15.71	23.79	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	7.0	---	---	---	---	PACE
MW-7	04/14/00	39.50	16.25	23.25	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	4.0	---	---	---	---	PACE
MW-7	07/24/00	39.50	16.63	22.87	ND<50	---	1.1	0.5	ND<0.5	ND<0.5	3.1	---	---	---	---	PACE
MW-7	10/30/00	39.50	16.35	23.15	ND<50	---	ND<0.5	ND<0.5	ND<0.5	1.1	ND<0.5	---	---	---	---	PACE
MW-7	01/11/01	39.50	16.52	22.98	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	PACE
QC-2 (g)	11/04/92	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
QC-2 (g)	11/04/92	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
QC-2 (g)	03/01/95	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<1.0	---	---	---	---	---	PACE
QC-2 (g)	05/12/94	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
QC-2 (g)	09/09/94	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
QC-2 (g)	11/03/94	---	---	---	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	---	PACE
QC-2 (g)	06/06/95	---	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	---	---	---	---	---	ATI
QC-2 (g)	09/01/95	---	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	---	---	---	ATI
QC-2 (g)	11/29/95	---	---	---	ND<50	---	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<5.0	---	---	---	---	ATI
QC-2 (g)	03/23/96	---	---	---	ND<50	---	ND<0.5	ND<1	ND<1	ND<1	ND<10	---	---	---	---	SPL

Table 1 - Summary of Results of Groundwater Sampling

ADDITIONAL ANALYSES

WELL ID	DATE OF SAMPLING/ MONITORING	1,2-DCA by 8010 (ug/l)	EDB by 8010 (ug/l)	1,2-DCA by 8260 (ug/l)	EDB by 8260 (ug/l)	MTBE by 8260 (ug/l)	DIPE by 8260 (ug/l)	ETBE by 8260 (ug/l)	TBA by 8260 (ug/l)	TAME by 8260 (ug/l)
MW-4	07/20/99	ND<1.0	ND<1.0	ND<1.0	ND<1.0	590	ND<10	ND<5.0	ND<500	ND<5.0
MW-4	12/30/99	---	---	ND<5.0	ND<5.0	280	ND<5.0	ND<5.0	---	ND<5.0
MW-4	02/29/00	---	---	ND<20	ND<20	870	ND<20	ND<20	---	ND<20
MW-4	04/14/00	---	---	ND<10	ND<10	730	ND<10	ND<10	---	ND<10
MW-4	07/24/00	---	---	ND<1.0	ND<1.0	390	ND<5.0	ND<5.0	ND<50	ND<5.0
MW-4	10/30/00	---	---	ND<5.0	ND<5.0	160	ND<5.0	ND<5.0	ND<50	ND<5.0
MW-4	01/11/01	---	---	ND<1.0	ND<1.0	170	ND<1.0	ND<1.0	ND<10	ND<1.0
MW-5	07/20/99	---	---	---	---	490	ND<10	ND<10	ND<500	ND<10
MW-5	12/30/99	---	---	---	---	470	ND<10	ND<10	---	ND<10
MW-5	02/29/00	---	---	ND<5.0	ND<5.0	190	ND<5.0	ND<5.0	---	ND<5.0
MW-5	04/14/00	---	---	---	---	200	ND<5.0	ND<5.0	---	ND<5.0
MW-5	07/24/00	---	---	---	---	630	ND<5.0	ND<5.0	ND<50	ND<5.0
MW-5	10/30/00	---	---	---	---	260	ND<10	ND<10	ND<100	ND<10
MW-5	01/11/01	---	---	ND<1.0	ND<1.0	540	ND<1.0	ND<1.0	110	ND<1.0
MW-6	07/20/99	---	---	---	---	1400	ND<10	ND<10	ND<500	ND<10
MW-6	12/30/99	---	---	---	---	300	ND<5.0	ND<5.0	---	ND<5.0
MW-6	02/29/00	---	---	ND<5.0	ND<5.0	240	ND<5.0	ND<5.0	---	ND<5.0
MW-6	04/14/00	---	---	---	---	200	ND<5.0	ND<5.0	---	ND<5.0
MW-6	07/24/00	---	---	---	---	600	ND<5.0	ND<5.0	62	ND<5.0
MW-6	10/30/00	---	---	---	---	260	ND<10	ND<10	ND<100	ND<10
MW-6	01/11/01	---	---	---	---	2.4	ND<1.0	ND<1.0	ND<10	ND<1.0

Table 1 - Summary of Results of Groundwater Sampling

ABBREVIATIONS:

TPH-G	Total petroleum hydrocarbons as gasoline
TPH-D	Total petroleum hydrocarbons as diesel
B	Benzene
T	Toluene
E	Ethylbenzene
X	Total xylenes
MTBE	Methyl tert butyl ether
TOG	Total oil and grease
1,1,1-TCA	1,1,1-Trichloroethane
PCE	Tetrachloroethene
1,2-DCA	1,2-Dichloroethane
EDB	1,2-Dibromoethane
DIPE	Di-isopropyl Ether
ETBE	tert-Butyl Ethyl Ether
TBA	t-Butyl Alcohol
TAME	tert-Amyl Methyl Ether
DO	Dissolved oxygen
ug/l	Micrograms per liter
ppm	Parts per million
ND	Not detected above reported detection limit
---	Not measured/analyzed/applicable
PACE	Pace, Inc.
ATI	Analytical Technologies, Inc.
SPL	Southern Petroleum Laboratories

NOTES:

- (a) Top of casing elevations surveyed relative to an established benchmark with an elevation of 39.95 feet above mean sea level.
- (b) Groundwater elevations in feet above mean sea level.
- (c) Blind duplicate.
- (d) A copy of the documentation for this data is included in Appendix C of Alisto report 10-060-07-001.
- (e) MTBE peak present. See documentation in Appendix C of Alisto report 10-060-07-001.
- (f) Well inaccessible.
- (g) Travel blank.
- (h) MTBE by 8020/8260
- (i) Gasoline does not include MTBE.

Analytical Appendix



Pace Analytical Services, Inc.
900 Gemini Avenue
Houston, TX 77058
Phone: 281.488.1810
Fax: 281.488.4661

February 06, 2001


Mr. Scott Boor
Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112

RE: Lab Project Number: 8519346
Client Project ID: BP Site# 11107

Dear Mr. Boor:

Enclosed are the analytical results for sample(s) received by the laboratory on January 13, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Paula Kirtley
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Blaine Tech Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

Attn: Mr. Scott Boor
Phone:

Lab Sample No: 851672624 Project Sample Number: 8519346-001 Date Collected: 01/11/01 11:32
Client Sample ID: A (11107) Matrix: Water Date Received: 01/13/01 11:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Fnote	Limit
------------	---------	-------	-----	----------	----------	---------	------	-------	-------

GC Volatiles

GAS by Mod 8015, Water		Method: EPA 8015 Modified		Prep Method: EPA 8015 Modified					
Gasoline Range Organics	ND	ug/l	50.	1.0	01/24/01 00:26	WRIC			
1,4-Difluorobenzene (S)	121	%		1.0	01/24/01 00:26	WRIC			
4-Bromofluorobenzene (S)	90	%		1.0	01/24/01 00:26	WRIC	460-00-4		
SWB021 Aromatics, Water		Method: EPA 8021		Prep Method: See analytical meth					
Benzene	ND	ug/l	0.500	1.0	01/24/01 00:26	WRIC	71-43-2		
Ethylbenzene	ND	ug/l	0.500	1.0	01/24/01 00:26	WRIC	100-41-4		
Toluene	ND	ug/l	0.500	1.0	01/24/01 00:26	WRIC	108-88-3		
Xylene (Total)	ND	ug/l	0.500	1.0	01/24/01 00:26	WRIC	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	0.500	1.0	01/24/01 00:26	WRIC	1634-04-4		
1,4-Difluorobenzene (S)	98	%		1.0	01/24/01 00:26	WRIC			
4-Bromofluorobenzene (S)	85	%		1.0	01/24/01 00:26	WRIC	460-00-4		

Date: 02/06/01

Page: 1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

Lab Sample No: 851672628 Project Sample Number: 8519346-002 Date Collected: 01/11/01 11:53
Client Sample ID: B (11107) Matrix: Water Date Received: 01/13/01 11:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
------------	---------	-------	-----	----------	----------	---------	------	--------	-------

GC Volatiles

GAS by Mod 8015, Water		Method: EPA 8015 Modified		Prep Method: EPA 8015 Modified					
Gasoline Range Organics	120	ug/l	50.	1.0	01/24/01 01:58	WRIC			
1,4-Difluorobenzene (S)	125	%		1.0	01/24/01 01:58	WRIC			
4-Bromofluorobenzene (S)	90	%		1.0	01/24/01 01:58	WRIC	460-00-4		

SW8021 Aromatics, Water		Method: EPA 8021		Prep Method: See analytical meth					
Benzene	ND	ug/l	0.500	1.0	01/24/01 01:58	WRIC	71-43-2		
Ethylbenzene	ND	ug/l	0.500	1.0	01/24/01 01:58	WRIC	100-41-4		
Toluene	ND	ug/l	0.500	1.0	01/24/01 01:58	WRIC	108-88-3		
Xylene (Total)	ND	ug/l	0.500	1.0	01/24/01 01:58	WRIC	1330-20-7		
Methyl-tert-butyl ether	176.	ug/l	0.500	1.0	01/24/01 01:58	WRIC	1634-04-4		
1,4-Difluorobenzene (S)	99	%		1.0	01/24/01 01:58	WRIC			
4-Bromofluorobenzene (S)	85	%		1.0	01/24/01 01:58	WRIC	460-00-4		

GC/MS Volatiles

SW8260 Nonroutine VOCs, Trace		Method: EPA 8260		Prep Method: See analytical meth					
Dibromomethane	ND	ug/l	1.0	1.0	01/16/01 07:35	NZAI	74-95-3		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	01/16/01 07:35	NZAI	107-06-2		
Methyl-tert-butyl ether	170	ug/l	1.0	1.0	01/16/01 07:35	NZAI	1634-04-4		
2-Methyl-2-propanol	ND	ug/l	10.	1.0	01/16/01 07:35	NZAI	75-65-0		
Ethyl-tert-butyl ether	ND	ug/l	1.0	1.0	01/16/01 07:35	NZAI	637-92-3		
Diisopropyl ether	ND	ug/l	1.0	1.0	01/16/01 07:35	NZAI	108-20-3		
tert-Amylmethyl ether	ND	ug/l	1.0	1.0	01/16/01 07:35	NZAI	994-05-8		
Toluene-d8 (S)	107	%		1.0	01/16/01 07:35	NZAI	2037-26-5		
4-Bromofluorobenzene (S)	101	%		1.0	01/16/01 07:35	NZAI	460-00-4		
1,2-Dichloroethane-d4 (S)	114	%		1.0	01/16/01 07:35	NZAI	17060-07-0		

Date: 02/06/01

Page: 2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

Lab Sample No: 851672629 Project Sample Number: 8519346-003 Date Collected: 01/11/01 12:13
Client Sample ID: C (11107) Matrix: Water Date Received: 01/13/01 11:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Fnote	Limit
------------	---------	-------	-----	----------	----------	---------	------	-------	-------

GC Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Fnote	Limit
GAS by Mod 8015, Water Method: EPA 8015 Modified Prep Method: EPA 8015 Modified									
Gasoline Range Organics	ND	ug/l	50.	1.0	01/24/01 02:16	WRIC			
1,4-Difluorobenzene (S)	122	%		1.0	01/24/01 02:16	WRIC			
4-Bromofluorobenzene (S)	90	%		1.0	01/24/01 02:16	WRIC	460-00-4		

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Fnote	Limit
SW8021 Aromatics, Water Method: EPA 8021 Prep Method: See analytical meth									
Benzene	ND	ug/l	0.500	1.0	01/24/01 02:16	WRIC	71-43-2		
Ethylbenzene	ND	ug/l	0.500	1.0	01/24/01 02:16	WRIC	100-41-4		
Toluene	ND	ug/l	0.500	1.0	01/24/01 02:16	WRIC	108-88-3		
Xylene (Total)	ND	ug/l	0.500	1.0	01/24/01 02:16	WRIC	1330-20-7		
Methyl-tert-butyl ether	2.69	ug/l	0.500	1.0	01/24/01 02:16	WRIC	1634-04-4		
1,4-Difluorobenzene (S)	97	%		1.0	01/24/01 02:16	WRIC			
4-Bromofluorobenzene (S)	85	%		1.0	01/24/01 02:16	WRIC	460-00-4		

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Fnote	Limit
SW8260 Nonroutine VOCs, Trace Method: EPA 8260 Prep Method: See analytical meth									
Methyl-tert-butyl ether	2.4	ug/l	1.0	1.0	01/16/01 08:08	NZAI	1634-04-4		
2-Methyl-2-propanol	ND	ug/l	10.	1.0	01/16/01 08:08	NZAI	75-65-0		
Ethyl-tert-butyl ether	ND	ug/l	1.0	1.0	01/16/01 08:08	NZAI	637-92-3		
Diisopropyl ether	ND	ug/l	1.0	1.0	01/16/01 08:08	NZAI	108-20-3		
tert-Amylmethyl ether	ND	ug/l	1.0	1.0	01/16/01 08:08	NZAI	994-05-8		
Toluene-d8 (S)	108	%		1.0	01/16/01 08:08	NZAI	2037-26-5		
4-Bromofluorobenzene (S)	100	%		1.0	01/16/01 08:08	NZAI	460-00-4		
1,2-Dichloroethane-d4 (S)	112	%		1.0	01/16/01 08:08	NZAI	17060-07-0		

Date: 02/06/01

Page: 3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

Lab Sample No: 851672630 Project Sample Number: 8519346-004 Date Collected: 01/11/01 12:30
Client Sample ID: D (11107) Matrix: Water Date Received: 01/13/01 11:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
------------	---------	-------	-----	----------	----------	---------	------	--------	-------

GC Volatiles

GAS by Mod 8015, Water		Method: EPA 8015 Modified		Prep Method: EPA 8015 Modified					
Gasoline Range Organics	420	ug/l	50.	1.0	01/24/01 02:35	WRIC			
1,4-Difluorobenzene (S)	126	%		1.0	01/24/01 02:35	WRIC			
4-Bromofluorobenzene (S)	89	%		1.0	01/24/01 02:35	WRIC	460-00-4		

SW8021 Aromatics, Water		Method: EPA 8021		Prep Method: See analytical meth					
Benzene	ND	ug/l	0.500	1.0	01/24/01 02:35	WRIC	71-43-2		
Ethylbenzene	ND	ug/l	0.500	1.0	01/24/01 02:35	WRIC	100-41-4		
Toluene	ND	ug/l	0.500	1.0	01/24/01 02:35	WRIC	108-88-3		
Xylene (Total)	ND	ug/l	0.500	1.0	01/24/01 02:35	WRIC	1330-20-7		
Methyl-tert-butyl ether	585.	ug/l	2.50	5.0	01/24/01 02:35	WRIC	1634-04-4		
1,4-Difluorobenzene (S)	100	%		1.0	01/24/01 02:35	WRIC			
4-Bromofluorobenzene (S)	85	%		1.0	01/24/01 02:35	WRIC	460-00-4		

GC/MS Volatiles

SW8260 Nonroutine VOCs, Trace		Method: EPA 8260		Prep Method: See analytical meth					
Methyl-tert-butyl ether	540	ug/l	1.0	1.0	01/16/01 08:41	NZAI	1634-04-4	1	
2-Methyl-2-propanol	110	ug/l	10.	1.0	01/16/01 08:41	NZAI	75-65-0		
Ethyl-tert-butyl ether	ND	ug/l	1.0	1.0	01/16/01 08:41	NZAI	637-92-3		
Diisopropyl ether	ND	ug/l	1.0	1.0	01/16/01 08:41	NZAI	108-20-3		
tert-Amylmethyl ether	ND	ug/l	1.0	1.0	01/16/01 08:41	NZAI	994-05-8		
Toluene-d8 (S)	107	%		1.0	01/16/01 08:41	NZAI	2037-26-5		
4-Bromofluorobenzene (S)	101	%		1.0	01/16/01 08:41	NZAI	460-00-4		
1,2-Dichloroethane-d4 (S)	114	%		1.0	01/16/01 08:41	NZAI	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

PARAMETER FOOTNOTES

ND Not Detected
NC Not Calculable
PRL Pace Reporting Limit
(S) Surrogate
[1] Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

LABORATORY CONTROL SAMPLE: 851673730

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Methyl-tert-butyl ether	ug/l	50	43.94	88	
1,4-Difluorobenzene (S)				102	
4-Bromofluorobenzene (S)				94	

Date: 02/06/01

Page: 7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA

QC Batch: 48075
Analysis Method: EPA 8015 Modified
Associated Lab Samples: 851672624

Lab Project Number: 8519346
Client Project ID: BP Site# 11107

QC Batch Method: EPA 8015 Modified
Analysis Description: GAS by Mod 8015, Water
Associated Lab Samples: 851672628 851672629 851672630

METHOD BLANK: 851673733

Associated Lab Samples:

Parameter	Units	851672624	851672628 Method Blank Result	851672629 PRL	851672630 Footnotes
Gasoline Range Organics	ug/l		ND	50	
1,4-Difluorobenzene (S)	%		122		
4-Bromofluorobenzene (S)	%		94		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 851673735 851673736

Parameter	Units	851672673	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Organics	ug/l	0.9566	900.00	841.9	93	879.9	98	4	
1,4-Difluorobenzene (S)					123		123		
4-Bromofluorobenzene (S)					110		114		

LABORATORY CONTROL SAMPLE: 851673734

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Organics	ug/l	1000	964.4	96	
1,4-Difluorobenzene (S)				123	
4-Bromofluorobenzene (S)				116	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, inc.



Pace Analytical Services, Inc.

900 Gemini Avenue
Houston, TX 77058

Phone: 281.488.1810

Fax: 281.488.4661

Lab Project Number: 8519346

Client Project ID: BP Site# 11107

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND Not Detected
NC Not Calculable
PRL Pace Reporting Limit
RPD Relative Percent Difference
(S) Surrogate

Date: 02/06/01

Page: 10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



CHAIN OF CUSTODY

CONSULTANT'S NAME Blaine Tech Services, Inc.		CONSULTANT'S ADDRESS 1680 Rogers Ave., San Jose CA 95112			
BP SITE NUMBER 11107	BP SITE / FACILITY ADDRESS 18501 Hesperian, San Lorenzo				CONSULTANT PROJECT NUMBER 010111-12
CONSULTANT PROJECT MANAGER Scott Boor		PHONE NUMBER (408) 573-0555 x 223	FAX NUMBER (408) 573-7771		CONSULTANT CONTRACT NUMBER J589268
BP CONTACT Scott Hooton	BP ADDRESS 295 SW 41st Street, Suite N, Renton WA		PHONE NUMBER (425) 251-0689	FAX NO. (425) 251-0736	
LAB CONTACT Pace - Paula Kirtley	LABORATORY ADDRESS 900 Gemini Ave., Houston, TX 77058		PHONE NUMBER (281) 488-1810	FAX NO. (281) 488-4661	
BP CONTACT REQUESTING RUSH TAT (Print BP Contact Name)		RUSH REQUESTED OF (Print Consultant Contact Name)		DATE/TIME	SHIPMENT DATE
					SHIPMENT METHOD

TAT: 24 HOURS 48 HOURS 72 HOURS Standard 7 or 14 Days

ANALYSIS REQUIRED

AIRBILL NUMBER

SAMPLE DESCRIPTION	COLLECTION DATE	COLLECTION TIME	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	TPH-G+BTEX/MTBE (8015M) (8020)	TPH-D (8015M)	FUEL OXYGENATES (8260)	1,2 DCA + EDB (8010)									COMMENTS	
				NO.	TYPE (VOL)	LAB SAMPLE #														
A	1-11-01	1132	W	3	40	851072024	X													
B	↓	1153	↓	9	mL	28	X		X	X										
C	↓	1213	↓	6	vol	29	X			X										
D	↓	1230	↓	6		30	X			X										

SAMPLED BY (Please Print Name) Patrick Flaherty			SAMPLED BY (Signature) <i>Patrick Flaherty</i>			ADDITIONAL COMMENTS 0.7°C		
RELINQUISHED BY / AFFILIATION (Print Name / Signature)	DATE	TIME	ACCEPTED BY / AFFILIATION (Print Name / Signature)	DATE	TIME			
Patrick Flaherty / <i>Patrick Flaherty</i>	1/12/01	1400	Christina Pothos / ACE	1/13/01	1130			
Auborne								

Field Data Sheets

WELL GAUGING DATA

Project # 010141-J2

Date 1-11-01

Client BP

Site 18501 Hesperian Blvd. San Lorenzo

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	C/D
mw-1	2					17.88	30.46	TOC	1
mw-2	↓					17.28	24.80		2
mw-3						17.49	24.86		3
mw-4		B				16.46	25.00 ^{25.00}		5
mw-5		D				16.41	22.41		7
mw-6		C				16.00	24.94		6
mw-7		A				16.52	24.29		4

BP WELL MONITORING DATA SHEET

Project #: <u>01011-32</u>	Station # <u>11107</u>
Sampler: <u>PE</u>	Date: <u>1-11-01</u>
Well I.D.: <u>in. 4</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>25.00</u>	Depth to Water: <u>16.46</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Purge Method: Bailer
Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
Disposable Bailer
 Extraction Port
 Other: _____

<u>1.3</u>	x	<u>3</u>	=	<u>3.9</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>1145</u>	<u>60.3</u>	<u>7.4</u>	<u>1090</u>	<u>1.5</u>	
<u>1148</u>	<u>61.6</u>	<u>7.5</u>	<u>910</u>	<u>2.75</u>	
<u>1150</u>	<u>61.8</u>	<u>7.6</u>	<u>890</u>	<u>4.0</u>	

Did well dewater? Yes No Gallons actually evacuated: 4.0

Sampling Time: 1153 Sampling Date: 1-11-01

Sample I.D. (Blind): B Laboratory: Pace Other: _____

Analyzed for: TPH-G BTX MTBE TPH-D Other: 167 DCA, GDB by 8010, 8260

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:
	O.R.P. (if req'd):	Pre-purge:	mV

BP WELL MONITORING DATA SHEET

Project #: <u>01011-32</u>	Station # <u>11107</u>
Sampler: <u>PE</u>	Date: <u>1-11-01</u>
Well I.D.: <u>2.5</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>22.41</u>	Depth to Water: <u>16.41</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Purge Method: Bailer
~~Disposable Bailer~~
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
~~Disposable Bailer~~
 Extraction Port
 Other: _____

<u>.9</u>	x	<u>3</u>	=	<u>2.7</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1222	65.1	7.4	600	1.0	
1224	65.4	7.5	700	2.0	
1226	65.5	7.5	700	3.0	

Did well dewater? Yes No Gallons actually evacuated: 3.0

Sampling Time: 1230 Sampling Date: 1-11-01

Sample I.D. (Blind): D Laboratory: Pace Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: 167 DCA, GDB by 8010, 8260

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

6 vol

BP WELL MONITORING DATA SHEET

Project #: <u>01011-52</u>	Station # <u>11107</u>
Sampler: <u>PE</u>	Date: <u>1-11-01</u>
Well I.D.: <u>2-6</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth: <u>24.94</u>	Depth to Water: <u>16.00</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Purge Method: <u>Bailer</u> <u>Disposable Bailer</u> Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: <u>Bailer</u> <u>Disposable Bailer</u> Extraction Port Other: _____
--	---

<u>1.4</u>	x	<u>3</u>	=	<u>4.2</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
<u>1205</u>	<u>64.5</u>	<u>7.6</u>	<u>860</u>	<u>1.5</u>	
<u>1207</u>	<u>65.1</u>	<u>7.5</u>	<u>850</u>	<u>3.0</u>	
<u>1209</u>	<u>65.6</u>	<u>7.5</u>	<u>850</u>	<u>4.5</u>	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>4.5</u>
Sampling Time: <u>1213</u>	Sampling Date: <u>1-11-01</u>
Sample I.D. (Blind): <u>C</u>	Laboratory: <u>Pace</u> Other: _____
Analyzed for: <u>TPH-G</u> <u>BTEX</u> <u>MTBE</u> TPH-D	Other: <u>167 DCA, EDB by 8010, 8260</u>
D.O. (if req'd):	Pre-purge: <u>mg/L</u> Post-purge: <u>mg/L</u>
O.R.P. (if req'd):	Pre-purge: <u>mV</u> Post-purge: <u>mV</u>

E' voo

BP WELL MONITORING DATA SHEET

Project #: <u>01011-52</u>	Station # <u>11107</u>
Sampler: <u>PE</u>	Date: <u>1-11-01</u>
Well I.D.: <u>mlr-7</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: <u>24.29</u>	Depth to Water: <u>16.52</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Purge Method: Bailer
Disposable Bailer
 Middleburg
 Electric Submersible
 Extraction Pump
 Other: _____

Sampling Method: Bailer
Disposable Bailer
 Extraction Port
 Other: _____

<u>1.2</u>	<u>X</u>	<u>3</u>	<u>=</u>	<u>3.6</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1125	56.9	7.6	3830	1.25	
1127	61.0	7.5	3770	2.5	
1129	61.2	7.4	3690	3.75	

Did well dewater? Yes No Gallons actually evacuated: 3.75

Sampling Time: 1132 Sampling Date: 1-11-01

Sample I.D. (Blind): A Laboratory: Pace Other: _____

Analyzed for: TPH-G BTEX MIBE TPH-D Other: ~~1,2-DCA, CDD, TC, PCB, BZC~~

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV