



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

April 27, 2009

Re: First Quarter, 2009 Semi-Annual Ground-Water Monitoring Report
Former BP Service Station # 11107
18501 Hesperian Boulevard
San Lorenzo, California
ACEH Case RO0000489

RECEIVED

11:00 am, May 01, 2009

Alameda County
Environmental Health



“I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.”

Submitted by:

Paul Supple
Environmental Business Manager



A BP affiliated company

**First Quarter, 2009 Semi-Annual
Ground-Water Monitoring Report**
Former BP Station #11107
18501 Hesperian Boulevard
San Lorenzo, California

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

April 2009

Project No. 06-82-645

April 27, 2009

Project No. 06-82-645

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: First Quarter, 2009 Semi-Annual Ground-Water Monitoring Report, Former BP Station #11107, 18501 Hesperian Boulevard, San Lorenzo, California. ACEH Case No. RO0000489.

Dear Mr. Supple:

Attached is the *First Quarter, 2009 Semi-Annual Ground-Water Monitoring Report* for Former BP Station #11107 (herein referred to as Station #11107) located at 18501 Hesperian Boulevard, San Lorenzo, California (Property). This report presents a summary of First Quarter, 2009 ground-water monitoring results


Should you have questions please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Matthew G. Herrick, P.G., C.HG.
Senior Hydrogeologist



Robert H. Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA, 94502 (Submitted via ACEH ftp Site)
Ms. Shelby Lathrop, ConocoPhillips, 76 Broadway, Sacramento, CA 95818
Mr. Abdul Noor Mayar, 18501 Hesperian Blvd, San Lorenzo, CA 94580
GeoTracker

STATION #11107 SEMI-ANNUAL GROUNDWATER MONITORING REPORT

Facility: #11107	Address:	18501 Hesperian Boulevard, San Lorenzo, California
Station #11107 Environmental Business Manager:		Mr. Paul Supple
Consulting Co./Contact Persons:		Broadbent & Associates (BAI) / Rob Miller & Matt Herrick
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH)/ACEH Case No. RO0000489
Consultant Project No.:		06-82-645
Facility Permits/Permitting Agency.:		NA

WORK PERFORMED THIS QUARTER (First Quarter, 2009):

1. Submitted Fourth Quarter, 2008 Status Report. Work performed by BAI.
2. Conducted ground-water monitoring/sampling for First Quarter, 2009. Work performed by Stratus Environmental, Inc.

WORK PROPOSED FOR NEXT QUARTER (Second Quarter, 2009):

1. Submit First Quarter, 2009 Semi-Annual Ground-Water Monitoring Report (contained herein).
2. No environmental field work is scheduled to be completed on the Property during the Second Quarter, 2009.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	<u>Monitoring/sampling</u>
Frequency of ground-water sampling:	<u>MW-4, MW-5, and MW-6 = Semi-Annual (1Q and 3Q)</u>
Frequency of ground-water monitoring:	<u>MW-1 through MW-7 = Semi-annual (1Q and 3Q)</u>
Is free product (FP) present on-site:	<u>No</u>
Current remediation techniques:	<u>NA</u>
Depth to ground water (below TOC):	<u>16.50 (MW-6) to 18.00 (MW-1)</u>
General ground-water flow direction:	<u>West-Northwest</u>
Approximate hydraulic gradient:	<u>0.005 feet per foot</u>

DISCUSSION:

During First Quarter, 2009 monitor wells MW-4, MW-5, and MW-6 were below laboratory detection limits for gasoline range organics (GRO), benzene, toluene, ethyl-benzene, and total xylenes (BTEX), and fuel additives Methyl-tert-butyl ether (MTBE), ethanol, Tert-butyl alcohol (TBA), Di-isopropyl ether (DIPE), Ethyl-tert-butyl ether (ETBE), Tert-amyl-methyl ether (TAME), 1,2-Dichloroethane (1,2-DCA), and 1,2-Dibromoethane (EDB).

Ground-water elevations for First Quarter, 2009 were within historic minimum and maximum ranges for each well.

Drawing 1 depicts the ground-water elevation contour and an analytical summary map for the First Quarter, 2009. Table 1 includes a summary of ground-water monitoring data including relative water elevations and laboratory analyses. Table 2 provides a summary of fuel additives analytical data. Table 3 lists historical ground-water flow direction and gradient data.

Case closure was requested on April 23, 2003 by Atlantic Richfield Company. A response from the ACEH regarding the closure request has not been received. Data collected during the First

Quarter, 2009 continue to document ground-water concentrations below water quality objectives at the site. It is again requested that the ACEH consider case closure at Station #11107.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus Environmental, Inc. field personnel and/or their subcontractor(s) (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, CA). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.


ATTACHMENTS:

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, Station #11107, San Lorenzo, CA

- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #11107, San Lorenzo, CA
- Table 2. Summary of Fuel Additives Analytical Data, Station #11107, San Lorenzo, CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #11107, San Lorenzo, CA

- Appendix A. Stratus Environmental, Inc. Ground-Water Sampling Data Package (Includes Field Data Sheets, Non-hazardous Waste Data Forms, Field Procedures for Ground-Water Sampling, and Laboratory Report and Chain of Custody Documentation)

- Appendix B. GeoTracker Upload Confirmation



MW-6
21.96
<50
<0.50
<0.50
SA(1,3)

MW-5
22.50
<50
<0.50
<0.50
SA(1,3)

MW-4
22.60
<50
<0.50
<0.50
SA(1,3)

MW-7
22.82
NS
NS
NS
GO(1,3)

MW-3
22.85
NS
NS
NS
GO(1,3)

MW-2
23.08
NS
NS
NS
GO(1,3)

MW-1
23.07
NS
NS
NS
GO(1,3)

LEGEND

- Monitoring well location
- WELL** Well designation
- ELEV** Ground-water elevation
- GRO GRO, Benzene and MTBE concentrations in micrograms per liter (µg/L)
- Benzene
- MTBE
- SA Sampling frequency
- < Not detected at or above laboratory reporting limits
- NS Not sampled
- SA(1,3) Sampled semi-annually in 1st & 3rd quarters
- GO(1,3) Gauged only semi-annually in 1st & 3rd quarters
- Approximate ground-water flow direction and gradient (ft/ft)
- 23.0 Ground-water elevation contour line (ft/MSL)

NOTE: SITE MAP ADAPTED FROM CAMBRIA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.




Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-1																		
11/4/1992	--	j	41.07	20.78	--	20.29	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	<50	<5000	--
11/4/1992	--	c, j	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	--	--	--
2/24/1994	--	j	41.07	20.70	--	20.37	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	<50	<5000	--
5/12/1994	--	j	41.07	18.12	--	22.95	<50	<0.5	<0.5	<0.5	<0.5	<5.0	7.0	PACE	--	<50	<5000	--
9/9/1994	--	j	41.07	21.74	--	19.33	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.3	PACE	--	<50	<5000	--
11/3/1994	--	j	41.07	20.01	--	21.06	<50	<0.5	<0.5	<0.5	<0.5	<5.0	4.3	PACE	--	50	<5000	--
3/1/1995	--		41.07	17.44	--	23.63	<50	<50	<0.50	<0.50	<1.0	--	2.3	ATI	--	<500	420	--
6/6/1995	--		41.07	17.55	--	23.52	--	--	--	--	--	--	--	--	--	--	--	--
9/1/1995	--		41.07	18.19	--	22.88	<50	<0.50	<0.50	<0.50	<1.0	<5.0	8.8	ATI	--	<50	60	--
11/29/1995	--		41.07	18.84	--	22.23	--	--	--	--	--	--	--	--	--	--	--	--
3/23/1996	--		41.07	16.97	--	24.10	<50	<0.5	<1.0	<1.0	<1.0	<10	9.6	SPL	--	--	--	--
9/5/1996	--		41.07	17.74	--	23.33	110	<0.5	<1.0	<1.0	<1.0	<10	3.6	SPL	--	--	--	--
3/11/1997	--		41.07	17.62	--	23.45	<50	<0.5	<1.0	<1.0	<1.0	<10	5.2	SPL	--	--	--	--
12/8/1997	--		41.07	16.30	--	24.77	<50	<0.5	<1.0	<1.0	<1.0	<10	--	--	--	--	--	--
7/8/1998	--		41.07	16.66	--	24.41	--	--	--	--	--	--	--	--	--	--	--	--
12/7/1998	--		41.07	17.80	--	23.27	--	--	--	--	--	--	--	--	--	--	--	--
1/19/1999	--		41.07	17.18	--	23.89	--	--	--	--	--	--	--	--	--	--	--	--
4/23/1999	--		41.07	17.40	--	23.67	--	--	--	--	--	--	--	--	--	--	--	--
7/20/1999	--		41.07	17.76	--	23.31	--	--	--	--	--	--	--	--	--	--	--	--
2/29/2000	--		41.07	17.17	--	23.90	--	--	--	--	--	--	--	--	--	--	--	--
4/14/2000	--		41.07	17.22	--	23.85	--	--	--	--	--	--	--	--	--	--	--	--
7/24/2000	--		41.07	17.61	--	23.46	--	--	--	--	--	--	--	--	--	--	--	--
10/30/2000	--		41.07	17.76	--	23.31	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2001	--		41.07	17.88	--	23.19	--	--	--	--	--	--	--	--	--	--	--	--
5/17/2001	--		41.07	17.82	--	23.25	--	--	--	--	--	--	--	--	--	--	--	--
7/2/2001	--		41.07	17.95	--	23.12	--	--	--	--	--	--	--	--	--	--	--	--
11/2/2001	--		41.07	18.25	--	22.82	--	--	--	--	--	--	--	--	--	--	--	--
8/6/2002	--		41.07	17.93	--	23.14	--	--	--	--	--	--	--	--	--	--	--	--
10/16/2002	--		41.07	18.32	--	22.75	--	--	--	--	--	--	--	--	--	--	--	--
1/13/2003	--		41.07	17.31	--	23.76	--	--	--	--	--	--	--	--	--	--	--	--
5/2/2003	--		41.07	17.55	--	23.52	--	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-1 Cont.																		
7/11/2003	--		41.07	17.80	--	23.27	--	--	--	--	--	--	--	--	--	--	--	--
10/01/2003	--		41.07	17.68	--	23.39	--	--	--	--	--	--	--	--	--	--	--	--
02/11/2004	--		41.07	17.68	--	23.39	--	--	--	--	--	--	--	--	--	--	--	--
07/21/2004	--		41.07	18.06	--	23.01	--	--	--	--	--	--	--	--	--	--	--	--
01/20/2005	--		41.07	17.56	--	23.51	--	--	--	--	--	--	--	--	--	--	--	--
07/19/2005	--		41.07	18.00	--	23.07	--	--	--	--	--	--	--	--	--	--	--	--
01/11/2006	--		41.07	17.17	--	23.90	--	--	--	--	--	--	--	--	--	--	--	--
7/26/2006	--		41.07	17.79	--	23.28	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2007	--		41.07	17.85	--	23.22	--	--	--	--	--	--	--	--	--	--	--	--
7/23/2007	--		41.07	18.10	--	22.97	--	--	--	--	--	--	--	--	--	--	--	--
1/16/2008	--		41.07	17.70	--	23.37	--	--	--	--	--	--	--	--	--	--	--	--
7/17/2008	--		41.07	18.03	--	23.04	--	--	--	--	--	--	--	--	--	--	--	--
1/28/2009	--		41.07	18.00	--	23.07	--	--	--	--	--	--	--	--	--	--	--	--
MW-2																		
11/4/1992	--	j	40.56	20.16	--	20.40	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	--	--	--
2/24/1994	--	j	40.56	20.12	--	20.44	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	--	--	--
5/12/1994	--	j	40.56	17.49	--	23.07	<50	<0.5	<0.5	<0.5	<0.5	<5.0	7.4	PACE	--	--	--	--
9/9/1994	--	j	40.56	21.12	--	19.44	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.1	PACE	--	--	--	--
11/3/1994	--	j	40.56	19.36	--	21.20	<50	<0.5	<0.5	<0.5	<0.5	<5.0	4.2	PACE	--	--	--	--
3/1/1995	--		40.56	16.83	--	23.73	<50	<0.50	<0.50	<0.50	<1.0	--	2.2	ATI	--	--	--	--
6/6/1995	--		40.56	16.96	--	23.60	--	--	--	--	--	--	--	--	--	--	--	--
9/1/1995	--		40.56	17.54	--	23.02	<50	<0.50	<0.50	<0.50	<1.0	<5.0	7.9	ATI	--	--	--	--
11/29/1995	--		40.56	18.19	--	22.37	--	--	--	--	--	--	--	--	--	--	--	--
3/23/1996	--		40.56	16.35	--	24.21	<50	<0.5	<1	<1	<1	<10	8.5	SPL	--	--	--	--
9/5/1996	--		40.56	17.55	--	23.01	<50	<0.5	<1.0	<1.0	<1.0	<10	3.2	SPL	--	--	--	--
3/11/1997	--		40.56	16.95	--	23.61	<50	<0.5	<1.0	<1.0	<1.0	<10	2.9	SPL	--	--	--	--
12/8/1997	--		40.56	16.01	--	24.55	<50	<0.5	<1.0	<1.0	<1.0	<10	3.0	SPL	--	--	--	--
7/8/1998	--		40.56	16.41	--	24.15	--	--	--	--	--	--	--	--	--	--	--	--
12/7/1998	--		40.56	17.15	--	23.41	--	--	--	--	--	--	--	--	--	--	--	--
1/19/1999	--		40.56	17.15	--	23.41	--	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-2 Cont.																		
4/23/1999	--		40.56	16.89	--	23.67	--	--	--	--	--	--	--	--	--	--	--	--
7/20/1999	--		40.56	17.25	--	23.31	--	--	--	--	--	--	--	--	--	--	--	--
12/30/1999	--		40.56	17.44	--	23.12	--	--	--	--	--	--	--	--	--	--	--	--
2/29/2000	--		40.56	16.13	--	24.43	--	--	--	--	--	--	--	--	--	--	--	--
4/14/2000	--		40.56	16.88	--	23.68	--	--	--	--	--	--	--	--	--	--	--	--
7/24/2000	--		40.56	17.11	--	23.45	--	--	--	--	--	--	--	--	--	--	--	--
10/30/2000	--		40.56	17.12	--	23.44	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2001	--		40.56	17.28	--	23.28	--	--	--	--	--	--	--	--	--	--	--	--
5/17/2001	--		40.56	17.20	--	23.36	--	--	--	--	--	--	--	--	--	--	--	--
7/2/2001	--		40.56	17.45	--	23.11	--	--	--	--	--	--	--	--	--	--	--	--
11/2/2001	--		40.56	17.62	--	22.94	--	--	--	--	--	--	--	--	--	--	--	--
8/6/2002	--		40.56	17.42	--	23.14	--	--	--	--	--	--	--	--	--	--	--	--
10/16/2002	--		40.56	17.74	--	22.82	--	--	--	--	--	--	--	--	--	--	--	--
1/13/2003	--		40.56	16.74	--	23.82	--	--	--	--	--	--	--	--	--	--	--	--
5/2/2003	--		40.56	17.00	--	23.56	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2003	--		40.56	17.29	--	23.27	--	--	--	--	--	--	--	--	--	--	--	--
10/01/2003	--		40.56	17.59	--	22.97	--	--	--	--	--	--	--	--	--	--	--	--
02/11/2004	--		40.56	17.27	--	23.29	--	--	--	--	--	--	--	--	--	--	--	--
07/21/2004	--		40.56	17.42	--	23.14	--	--	--	--	--	--	--	--	--	--	--	--
01/20/2005	--		40.56	16.77	--	23.79	--	--	--	--	--	--	--	--	--	--	--	--
07/19/2005	--		40.56	17.17	--	23.39	--	--	--	--	--	--	--	--	--	--	--	--
01/11/2006	--		40.56	16.57	--	23.99	--	--	--	--	--	--	--	--	--	--	--	--
7/26/2006	--		40.56	17.07	--	23.49	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2007	--		40.56	17.27	--	23.29	--	--	--	--	--	--	--	--	--	--	--	--
7/23/2007	--		40.56	17.45	--	23.11	--	--	--	--	--	--	--	--	--	--	--	--
1/16/2008	--		40.56	17.02	--	23.54	--	--	--	--	--	--	--	--	--	--	--	--
7/17/2008	--		40.56	17.48	--	23.08	--	--	--	--	--	--	--	--	--	--	--	--
1/28/2009	--		40.56	17.48	--	23.08	--	--	--	--	--	--	--	--	--	--	--	--
MW-3																		
11/4/1992	--	j	40.45	20.23	--	20.22	760	3.7	15	1.9	57	--	--	PACE	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-3 Cont.																		
2/24/1994	--	j	40.45	20.24	--	20.21	<50	<0.5	<0.5	<0.5	<0.5	30.66	--	PACE	--	--	--	--
5/12/1994	--	j	40.45	17.61	--	22.84	<50	<0.5	<0.5	<0.5	<0.5	7.11	7.3	PACE	--	--	--	--
9/9/1994	--	j	40.45	21.22	--	19.23	<50	<0.5	<0.5	<0.5	<0.5	<5.0	2.0	PACE	--	--	--	--
11/3/1994	--	j	40.45	19.48	--	20.97	<50	<0.5	<0.5	<0.5	<0.5	10.98	3.6	PACE	--	--	--	--
3/1/1995	--		40.45	17.08	--	23.37	<50	<0.50	<0.50	<0.50	<1.0	--	1.9	ATI	--	--	--	--
6/6/1995	--		40.45	17.21	--	23.24	--	--	--	--	--	--	--	--	--	--	--	--
9/1/1995	--		40.45	17.69	--	22.76	200	2.7	33	7.2	43	<5.0	7.8	ATI	--	--	--	--
9/1/1995	--		40.45	18.29	--	22.16	--	--	--	--	--	--	--	--	--	--	--	--
3/23/1996	--		40.45	16.59	--	23.86	<50	<0.5	<1	<1	<1	<10	7.3	SPL	--	--	--	--
9/5/1996	--		40.45	17.71	--	22.74	<50	<0.5	<1.0	<1.0	<1.0	<10	3.2	SPL	--	--	--	--
3/11/1997	--		40.45	17.17	--	23.28	<50	<0.5	<1.0	<1.0	<1.0	<10	1.5	SPL	--	--	--	--
12/8/1997	--		40.45	16.12	--	24.33	<50	<0.5	<1.0	<1.0	<1.0	<10	1.9	SPL	--	--	--	--
7/8/1998	--		40.45	16.40	--	24.05	--	--	--	--	--	--	--	--	--	--	--	--
12/7/1998	--		40.45	17.32	--	23.13	--	--	--	--	--	--	--	--	--	--	--	--
1/19/1999	--		40.45	17.30	--	23.15	--	--	--	--	--	--	--	--	--	--	--	--
4/23/1999	--		40.45	17.07	--	23.38	--	--	--	--	--	--	--	--	--	--	--	--
7/20/1999	--		40.45	17.47	--	22.98	--	--	--	--	--	--	--	--	--	--	--	--
12/30/1999	--		40.45	17.60	--	22.85	--	--	--	--	--	--	--	--	--	--	--	--
2/29/2000	--		40.45	16.43	--	24.02	--	--	--	--	--	--	--	--	--	--	--	--
4/14/2000	--		40.45	17.09	--	23.36	--	--	--	--	--	--	--	--	--	--	--	--
7/24/2000	--		40.45	17.44	--	23.01	--	--	--	--	--	--	--	--	--	--	--	--
10/30/2000	--		40.45	17.29	--	23.16	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2001	--		40.45	17.49	--	22.96	--	--	--	--	--	--	--	--	--	--	--	--
5/17/2001	--		40.45	17.45	--	23.00	--	--	--	--	--	--	--	--	--	--	--	--
7/2/2001	--		40.45	17.70	--	22.75	--	--	--	--	--	--	--	--	--	--	--	--
11/2/2001	--		40.45	17.82	--	22.63	--	--	--	--	--	--	--	--	--	--	--	--
8/6/2002	--		40.45	17.62	--	22.83	--	--	--	--	--	--	--	--	--	--	--	--
10/16/2002	--		40.45	17.82	--	22.63	--	--	--	--	--	--	--	--	--	--	--	--
1/13/2003	--		40.45	16.95	--	23.50	--	--	--	--	--	--	--	--	--	--	--	--
5/2/2003	--		40.45	17.26	--	23.19	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2003	--		40.45	17.44	--	23.01	--	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-3 Cont.																		
10/01/2003	--		40.45	17.72	--	22.73	--	--	--	--	--	--	--	--	--	--	--	--
02/11/2004	--		40.45	17.41	--	23.04	--	--	--	--	--	--	--	--	--	--	--	--
07/21/2004	--		40.45	17.60	--	22.85	--	--	--	--	--	--	--	--	--	--	--	--
01/20/2005	--		40.45	16.98	--	23.47	--	--	--	--	--	--	--	--	--	--	--	--
07/19/2005	--		40.45	17.38	--	23.07	--	--	--	--	--	--	--	--	--	--	--	--
01/11/2006	--		40.45	16.80	--	23.65	--	--	--	--	--	--	--	--	--	--	--	--
7/26/2006	--		40.45	17.48	--	22.97	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2007	--		40.45	17.45	--	23.00	--	--	--	--	--	--	--	--	--	--	--	--
7/23/2007	--		40.45	17.63	--	22.82	--	--	--	--	--	--	--	--	--	--	--	--
1/16/2008	--		40.45	17.21	--	23.24	--	--	--	--	--	--	--	--	--	--	--	--
7/17/2008	--		40.45	17.64	--	22.81	--	--	--	--	--	--	--	--	--	--	--	--
1/28/2009	--		40.45	17.60	--	22.85	--	--	--	--	--	--	--	--	--	--	--	--
MW-4																		
11/4/1992	--	(j)	39.24	19.18	--	20.06	900	150	4.1	0.8	53	--	--	PACE	--	--	--	--
2/24/1994	--	c, d, j	--	--	--	--	310	95	5.3	2.2	17	1,479	--	PACE	--	--	--	--
2/24/1994	--	d, j	39.24	19.22	--	20.02	240	110	3.8	1.8	11	1,433	--	PACE	--	--	--	--
5/12/1994	--	c, d, j	--	--	--	--	430	2.6	1.3	<0.5	<0.5	912	--	PACE	--	--	--	--
5/12/1994	--	d, j	39.24	16.62	--	22.62	<50	2.2	1	<0.5	<0.5	862	7.3	PACE	--	--	--	--
9/9/1994	--	c, j	--	--	--	--	57	1.7	<0.5	<0.5	0.5	83	--	PACE	--	--	--	--
9/9/1994	--	j	39.24	20.27	--	18.97	240	9.1	1.3	0.6	2.5	397	2.2	PACE	--	--	--	--
11/3/1994	--	c, j	--	--	--	--	110	2.4	<0.5	<0.5	<0.5	642	--	PACE	--	--	--	--
11/3/1994	--	j	39.24	18.46	--	20.78	250	3.1	2.8	1	3.3	319	3.2	PACE	--	--	--	--
3/1/1995	--	c	--	--	--	--	7,600	1,700	25	410	370	--	--	ATI	--	--	--	--
3/1/1995	--		39.24	16.15	--	23.09	8,900	1,800	26	450	400	--	2.0	ATI	--	--	--	--
6/6/1995	--	e	39.24	16.28	--	22.96	3,100	530	25	170	85	--	--	ATI	--	--	--	--
6/6/1995	--	c	--	--	--	--	3,000	530	27	170	92	--	--	ATI	--	--	--	--
9/1/1995	--	f	39.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
11/29/1995	--	c	--	--	--	--	<50	1.5	<0.50	<0.50	<1.0	490	--	ATI	--	--	--	--
11/29/1995	--		39.24	17.31	--	21.93	<50	1.8	<0.50	<0.50	<1.0	440	3.2	ATI	--	--	--	--
3/23/1996	--		39.24	15.74	--	23.50	2,700	480	<25	180	176	13,000	7.8	SPL	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-4 Cont.																		
9/5/1996	--		39.24	16.75	--	22.49	1,100	<12	<25	<25	<25	3,200	4.0	SPL	--	--	--	--
3/11/1997	--		39.24	16.10	--	23.14	2,400	46	<10	66	106	3,400	4.0	SPL	--	--	--	--
12/8/1997	--	c	--	--	--	--	620	11	<1.0	<1.0	<1.0	1,100	--	SPL	--	--	--	--
12/8/1997	--		39.24	15.96	--	23.28	590	11	<1.0	<1.0	<1.0	1,200	4.4	SPL	--	--	--	--
7/8/1998	--	c	--	--	--	--	1,600	<0.5	<1.0	<1.0	<1.0	1,100	--	SPL	--	--	--	--
7/8/1998	--		39.24	16.28	--	22.96	1,700	<0.5	<1.0	<1.0	<1.0	1,200	3.9	SPL	--	--	--	--
12/7/1998	--	h	39.24	16.47	--	22.77	530	<2.5	<5.0	<5.0	<5.0	680/910	--	SPL	--	--	--	--
1/19/1999	--		39.24	16.40	--	22.84	570	<1.0	<1.0	<1.0	<1.0	660	--	SPL	--	--	--	--
4/23/1999	--	h	39.24	16.17	--	23.07	<50	<1.0	<1.0	1.8	1.3	1100/810	--	SPL	--	--	--	--
7/20/1999	--		39.24	16.39	--	22.85	<50	<1.0	<1.0	<1.0	<1.0	590/480	--	SPL	--	--	--	--
12/30/1999	--		39.24	16.56	--	22.68	<50	<0.5	<0.5	<0.5	<0.5	280/410	--	PACE	--	--	--	--
2/29/2000	--	i	39.24	15.69	--	23.55	78	2	<0.5	0.77	2.8	870/1200	--	PACE	--	--	--	--
4/14/2000	--		39.24	16.21	--	23.03	300	<0.5	<0.5	<0.5	<0.5	800	--	PACE	--	--	--	--
7/24/2000	--		39.24	16.50	--	22.74	130	<0.5	<0.5	<0.5	<0.5	390/270	--	PACE	--	--	--	--
10/30/2000	--		39.24	16.35	--	22.89	73	<0.5	<0.5	<0.5	<0.5	160/210	--	PACE	--	--	--	--
1/11/2001	--		39.24	16.46	--	22.78	120	<0.5	<0.5	<0.5	<0.5	170/176	--	PACE	--	--	--	--
5/17/2001	--		39.24	16.40	--	22.84	99	<0.5	<0.5	<0.5	<1.5	91/119	--	PACE	--	--	--	--
7/2/2001	--		39.24	16.75	--	22.49	63	<0.5	<0.5	<0.5	<1.5	66/87.6	--	PACE	--	--	--	--
11/2/2001	--		39.24	16.80	--	22.44	56	<0.5	<0.5	<0.5	<1.5	49.6	--	PACE	--	--	--	--
8/6/2002	--		39.24	16.60	--	22.64	<50	<0.5	<0.5	<0.5	<1.5	14.4	--	PACE	--	--	--	--
10/16/2002	--		39.24	16.86	--	22.38	<50	<0.50	<0.50	<0.50	<0.50	16	--	SEQ	--	--	--	--
1/13/2003	--		39.24	16.13	--	23.11	<50	<0.50	<0.50	<0.50	<0.50	21	--	SEQ	--	--	--	--
5/2/2003	--		39.24	16.38	--	22.86	<50	<0.50	<0.50	<0.50	<0.50	7.2	--	SEQ	--	--	--	--
7/11/2003	--		39.24	16.50	--	22.74	<50	<0.50	<0.50	<0.50	<0.50	2.0/2.0	--	SEQ	--	--	--	--
10/01/2003	--		39.24	16.75	--	22.49	<50	<0.50	<0.50	<0.50	<0.50	3.1	--	SEQM	--	--	--	--
02/11/2004	P		39.24	16.35	--	22.89	<50	<0.50	<0.50	<0.50	<0.50	3.3	--	SEQM	6.9	--	--	--
07/21/2004	P		39.24	16.68	--	22.56	<50	<0.50	<0.50	<0.50	<0.50	0.61	--	SEQM	6.9	--	--	--
01/20/2005	P		39.24	16.08	--	23.16	<50	<0.50	<0.50	<0.50	<0.50	1.4	--	SEQM	6.5	--	--	--
07/19/2005	P		39.24	16.50	--	22.74	<50	<0.50	<0.50	<0.50	<0.50	0.57	--	SEQM	7.4	--	--	--
01/11/2006	P		39.24	15.98	--	23.26	<50	<0.50	<0.50	<0.50	<0.50	0.58	--	SEQM	6.9	--	--	--
7/26/2006	P		39.24	16.46	--	22.78	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	TAMC	6.93	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-4 Cont.																		
1/11/2007	P		39.24	16.54	--	22.70	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.43	TAMC	6.99	--	--	--
7/23/2007	P		39.24	16.68	--	22.56	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.27	TAMC	7.20	--	--	--
1/16/2008	P		39.24	16.32	--	22.92	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.38	TAMC	7.18	--	--	--
7/17/2008	P		39.24	16.72	--	22.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.47	CEL	7.54	--	--	--
1/28/2009	P		39.24	16.64	--	22.60	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.51	CEL	6.85	--	--	--
MW-5																		
6/6/1995	--	(e)	39.07	16.16	--	22.91	1,100	42	<2.5	15	4	--	--	ATI	--	--	--	--
9/1/1995	--	c	--	--	--	--	1,200	64	<2.5	14	3.1	--	--	ATI	--	--	--	--
9/1/1995	--		39.07	16.63	--	22.44	1,600	55	<2.5	15	8	1,200	7.4	ATI	--	--	--	--
11/29/1995	--		39.07	17.19	--	21.88	2,300	140	4	36	11	1,500	4.1	ATI	--	--	--	--
3/23/1996	--		39.07	15.54	--	23.53	90	2.8	<1	<1	<1	1,500	7.5	SPL	--	--	--	--
9/5/1996	--		39.07	16.72	--	22.35	2,300	5.1	<1.0	<1.0	<1.0	3,300	3.2	SPL	--	--	--	--
9/5/1996	--	c	--	--	--	--	2,000	4.9	<1.0	<1.0	<1.0	2,900	--	SPL	--	--	--	--
3/11/1997	--	c	--	--	--	--	460	<5.0	<5.0	<5.0	<5.0	540	--	SPL	--	--	--	--
3/11/1997	--		39.07	16.12	--	22.95	470	<5.0	<5.0	<5.0	<5.0	580	3.0	SPL	--	--	--	--
12/8/1997	--		39.07	15.85	--	23.22	370	<0.5	<1.0	<1.0	<1.0	840	3.0	SPL	--	--	--	--
7/8/1998	--		39.07	16.11	--	22.96	430	<0.5	<1.0	<1.0	<1.0	330	2.5	SPL	--	--	--	--
12/7/1998	--	h	39.07	16.27	--	22.80	220	<0.5	<1.0	<1.0	<1.0	290/410	--	SPL	--	--	--	--
1/19/1999	--	h	39.07	16.31	--	22.76	490	<1.0	<1.0	<1.0	<1.0	490/440	--	SPL	--	--	--	--
4/23/1999	--	h	39.07	16.00	--	23.07	<50	<1.0	<1.0	<1.0	<1.0	310/210	--	SPL	--	--	--	--
7/20/1999	--		39.07	16.36	--	22.71	<50	<1.0	<1.0	<1.0	<1.0	490/470	--	SPL	--	--	--	--
12/30/1999	--		39.07	16.53	--	22.54	<50	<0.5	<0.5	<0.5	<0.5	470/550	--	PACE	--	--	--	--
2/29/2000	--		39.07	15.45	--	23.62	<50	<0.5	<0.5	<0.5	<0.5	190/280	--	PACE	--	--	--	--
4/14/2000	--		39.07	16.10	--	22.97	81	<0.5	<0.5	<0.5	<0.5	200/240	--	PACE	--	--	--	--
7/24/2000	--		39.07	16.50	--	22.57	250	<0.5	<0.5	<0.5	<0.5	630/570	--	PACE	--	--	--	--
10/30/2000	--		39.07	16.23	--	22.84	140	<0.5	0.7	<0.5	1.1	260/360	--	PACE	--	--	--	--
1/11/2001	--		39.07	16.41	--	22.66	420	<0.5	<0.5	<0.5	<0.5	540/585	--	PACE	--	--	--	--
5/17/2001	--		39.07	16.45	--	22.62	360	<0.5	<0.5	<0.5	<1.5	320/419	--	PACE	--	--	--	--
7/2/2001	--		39.07	16.65	--	22.42	210	<0.5	<0.5	<0.5	<1.5	290/264	--	PACE	--	--	--	--
11/2/2001	--		39.07	16.73	--	22.34	130	<0.5	<0.5	<0.5	<1.5	134	--	PACE	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-5 Cont.																		
8/6/2002	--		39.07	16.57	--	22.50	<50	<0.5	<0.5	<0.5	<1.5	57.6	--	PACE	--	--	--	--
10/16/2002	--		39.07	16.73	--	22.34	<50	<0.50	<0.50	<0.50	<0.50	52	--	SEQ	--	--	--	--
1/13/2003	--		39.07	16.01	--	23.06	58	1.2	<0.50	<0.50	1.4	30	--	SEQ	--	--	--	--
5/2/2003	--		39.07	16.27	--	22.80	<50	<0.50	<0.50	<0.50	<0.50	17	--	SEQ	--	--	--	--
7/11/2003	--		39.07	16.42	--	22.65	58	<0.50	<0.50	<0.50	<0.50	19/19	--	SEQ	--	--	--	--
10/01/2003	--		39.07	16.65	--	22.42	71	<0.50	<0.50	<0.50	<0.50	17	--	SEQM	--	--	--	--
02/11/2004	P	m	39.22	16.39	--	22.83	130	<0.50	<0.50	<0.50	<0.50	35	--	SEQM	6.8	--	--	--
07/21/2004	NP		39.22	16.73	--	22.49	<50	<0.50	<0.50	<0.50	<0.50	8.3	--	SEQM	6.9	--	--	--
01/20/2005	P		39.22	16.13	--	23.09	<50	<0.50	<0.50	<0.50	<0.50	2.3	--	SEQM	6.5	--	--	--
07/19/2005	P		39.22	16.69	--	22.53	<50	<0.50	<0.50	<0.50	<0.50	0.76	--	SEQM	7.2	--	--	--
01/11/2006	P		39.22	16.21	--	23.01	<50	<0.50	<0.50	<0.50	<0.50	0.61	--	SEQM	6.9	--	--	--
7/26/2006	P		39.22	16.57	--	22.65	<50	<0.50	<0.50	<0.50	<0.50	1.6	--	TAMC	6.81	--	--	--
1/11/2007	P		39.22	16.60	--	22.62	<50	<0.50	<0.50	<0.50	<0.50	0.62	2.08	TAMC	6.80	--	--	--
7/23/2007	P		39.22	16.75	--	22.47	<50	<0.50	<0.50	<0.50	<0.50	1.43	TAMC	7.17	--	--	--	
1/16/2008	P		39.22	16.31	--	22.91	<50	<0.50	<0.50	<0.50	<0.50	2.91	TAMC	7.11	--	--	--	
7/17/2008	P		39.22	16.78	--	22.44	<50	<0.50	<0.50	<0.50	<0.50	1.89	CEL	7.42	--	--	--	
1/28/2009	P		39.22	16.72	--	22.50	<50	<0.50	<0.50	<0.50	<0.50	1.91	CEL	6.79	--	--	--	--
MW-6																		
3/1/1995	--		38.46	15.66	--	22.80	270	11	<0.50	<0.50	<1.0	--	1.6	ATI	--	--	--	--
6/6/1995	--	e	38.46	15.82	--	22.64	220	2.3	<0.50	<0.50	<1.0	--	--	ATI	--	--	--	--
9/1/1995	--		38.46	16.25	--	22.21	780	<2.5	<2.5	<2.5	<5.0	2,800	7.5	ATI	--	--	--	--
11/29/1995	--		38.46	16.80	--	21.66	<50	<0.50	<0.50	<0.50	<1.0	1,100	3.9	ATI	--	--	--	--
3/23/1996	--		38.46	15.27	--	23.19	50	<0.5	<1	<1	<1	910	8.0	SPL	--	--	--	--
9/5/1996	--		38.46	16.30	--	22.16	4,400	<0.5	<1.0	<1.0	<1.0	7,400	3.0	SPL	--	--	--	--
3/11/1997	--		38.46	15.75	--	22.71	1,100	<5.0	<5.0	<5.0	<5.0	2,000	3.1	SPL	--	--	--	--
12/8/1997	--		38.46	15.51	--	22.95	150	<0.5	<1.0	<1.0	<1.0	140	3.4	SPL	--	--	--	--
7/8/1998	--		38.46	15.78	--	22.68	370	<0.5	<1.0	<1.0	<1.0	250	3.6	SPL	--	--	--	--
12/7/1998	--	h	38.46	15.95	--	22.51	440	<1.0	<1.0	<1.0	<1.0	630/820	--	--	--	--	--	--
1/19/1999	--	h	38.46	15.97	--	22.49	950	<1.0	<1.0	<1.0	<1.0	950/810	--	SPL	--	--	--	--
4/23/1999	--	h	38.46	15.74	--	22.72	<50	<1.0	<1.0	<1.0	<1.0	310/220	--	SPL	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-6 Cont.																		
7/20/1999	--		38.46	16.12	--	22.34	<50	<1.0	<1.0	<1.0	<1.0	1400/1300	--	SPL	--	--	--	--
12/30/1999	--		38.46	16.16	--	22.30	<50	<0.5	<0.5	<0.5	<0.5	300/360	--	PACE	--	--	--	--
2/29/2000	--		38.46	15.08	--	23.38	<50	<0.5	<0.5	<0.5	<0.5	240/340	--	PACE	--	--	--	--
4/14/2000	--		38.46	15.82	--	22.64	90	<0.5	<0.5	<0.5	<0.5	200/220	--	PACE	--	--	--	--
7/24/2000	--		38.46	16.03	--	22.43	240	<0.5	<0.5	<0.5	<0.5	600/540	--	PACE	--	--	--	--
10/30/2000	--		38.46	15.83	--	22.63	120	<0.5	<0.5	<0.5	<0.5	260/380	--	PACE	--	--	--	--
1/11/2001	--		38.46	16.00	--	22.46	<50	<0.5	<0.5	<0.5	<0.5	2.4/2.69	--	PACE	--	--	--	--
5/17/2001	--		38.46	16.05	--	22.41	140	<0.5	<0.5	<0.5	<1.5	130/169	--	PACE	--	--	--	--
7/2/2001	--		38.46	16.27	--	22.19	70	<0.5	<0.5	<0.5	<1.5	80/91.4	--	PACE	--	--	--	--
11/2/2001	--		38.46	16.31	--	22.15	<50	<0.5	<0.5	<0.5	<1.5	32.3	--	PACE	--	--	--	--
8/6/2002	--		38.46	16.14	--	22.32	<50	<0.5	<0.5	<0.5	<1.5	6.73	--	PACE	--	--	--	--
10/16/2002	--		38.46	16.38	--	22.08	<50	<0.50	<0.50	<0.50	<0.50	<2.50	--	SEQ	--	--	--	--
1/13/2003	--		38.46	15.66	--	22.80	<50	3.6	1.2	1.4	4.8	3.9	--	SEQ	--	--	--	--
5/2/2003	--		38.46	15.89	--	22.57	<50	<0.50	<0.50	<0.50	<0.50	12	--	SEQ	--	--	--	--
7/11/2003	--		38.46	16.03	--	22.43	<50	<0.50	<0.50	<0.50	<0.50	17/17	--	SEQ	--	--	--	--
10/01/2003	--		38.46	15.90	--	22.56	<50	<0.50	<0.50	<0.50	<0.50	3.5	--	SEQM	--	--	--	--
02/11/2004	P		38.46	15.90	--	22.56	<50	<0.50	<0.50	<0.50	<0.50	2.0	--	SEQM	6.9	--	--	--
07/21/2004	P		38.46	16.18	--	22.28	<50	<0.50	<0.50	<0.50	<0.50	3.0	--	SEQM	6.5	--	--	--
01/20/2005	P		38.46	15.67	--	22.79	<50	<0.50	<0.50	<0.50	<0.50	2.4	--	SEQM	6.6	--	--	--
07/19/2005	P		38.46	16.04	--	22.42	<50	<0.50	<0.50	<0.50	<0.50	0.61	--	SEQM	7.4	--	--	--
01/11/2006	P		38.46	15.43	--	23.03	<50	<0.50	<0.50	<0.50	<0.50	1.3	--	SEQM	7.0	--	--	--
7/26/2006	P	k	38.46	16.40	--	22.06	<50	<0.50	<0.50	<0.50	<0.50	0.50	--	TAMC	7.05	--	--	--
1/11/2007	P		38.46	16.06	--	22.40	<50	<0.50	<0.50	<0.50	<0.50	0.91	2.75	TAMC	6.91	--	--	--
7/23/2007	P		38.46	16.20	--	22.26	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.52	TAMC	7.32	--	--	--
1/16/2008	P		38.46	15.81	--	22.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.79	TAMC	7.11	--	--	--
7/17/2008	P		38.46	16.22	--	22.24	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.59	CEL	7.11	--	--	--
1/28/2009	P		38.46	16.50	--	21.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.55	CEL	6.48	--	--	--
MW-7																		
3/1/1995	--		39.50	16.21	--	23.29	1,400	14	<1.0	14	27	--	1.8	ATI	--	--	--	--
6/6/1995	--	e	39.50	16.34	--	23.16	540	5.5	<0.50	15	1.1	--	--	ATI	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-7 Cont.																		
9/1/1995	--		39.50	16.74	--	22.76	190	2.8	<0.50	5	<1.0	10	7.5	ATI	--	--	--	--
11/29/1995	--		39.50	17.33	--	22.17	230	31	<0.50	3.8	1.9	<5.0	4.6	ATI	--	--	--	--
3/23/1996	--		39.50	15.86	--	23.64	<50	5	<1	<1	<1	330	7.2	SPL	--	--	--	--
3/23/1996	--	c	--	--	--	--	60	7.6	<1	<1	<1	360	--	SPL	--	--	--	--
9/5/1996	--		39.50	16.80	--	22.70	200	<0.5	<1.0	<1.0	<1.0	430	3.1	SPL	--	--	--	--
3/11/1997	--		39.50	18.32	--	21.18	120	<0.5	<1.0	<1.0	<1.0	140	4.7	SPL	--	--	--	--
12/8/1997	--		39.50	16.02	--	23.48	240	0.8	<1.0	<1.0	<1.0	200	5.2	SPL	--	--	--	--
7/8/1998	--		39.50	16.32	--	23.18	270	<0.5	<1.0	<1.0	<1.0	170	4.8	SPL	--	--	--	--
12/7/1998	--		39.50	16.43	--	23.07	100	<0.5	<1.0	<1.0	<1.0	120	--	SPL	--	--	--	--
1/19/1999	--		39.50	16.41	--	23.09	80	<1.0	<1.0	<1.0	<1.0	80	--	SPL	--	--	--	--
4/23/1999	--		39.50	16.21	--	23.29	<50	<1.0	<1.0	<1.0	<1.0	20	--	SPL	--	--	--	--
7/20/1999	--		39.50	16.54	--	22.96	<50	<1.0	<1.0	<1.0	<1.0	24	--	SPL	--	--	--	--
12/30/1999	--		39.50	16.65	--	22.85	<50	<0.5	<0.5	<0.5	<0.5	12	--	PACE	--	--	--	--
2/29/2000	--		39.50	15.71	--	23.79	<50	<0.5	<0.5	<0.5	<0.5	7	--	PACE	--	--	--	--
4/14/2000	--		39.50	16.25	--	23.25	<50	<0.5	<0.5	<0.5	<0.5	4	--	PACE	--	--	--	--
7/24/2000	--		39.50	16.63	--	22.87	<50	1.1	0.5	<0.5	<0.5	3.1	--	PACE	--	--	--	--
10/30/2000	--		39.50	16.35	--	23.15	<50	<0.5	<0.5	<0.5	1.1	<0.5	--	PACE	--	--	--	--
1/11/2001	--		39.50	16.52	--	22.98	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	PACE	--	--	--	--
5/17/2001	--		39.50	16.58	--	22.92	<50	<0.5	<0.5	<0.5	<1.5	<0.5	--	PACE	--	--	--	--
7/2/2001	--		39.50	16.75	--	22.75	<50	<0.5	<0.5	<0.5	<1.5	0.581	--	PACE	--	--	--	--
11/2/2001	--		39.50	16.89	--	22.61	--	--	--	--	--	--	--	PACE	--	--	--	--
8/6/2002	--		39.50	16.65	--	22.85	--	--	--	--	--	--	--	PACE	--	--	--	--
10/16/2002	--		39.50	16.86	--	22.64	--	--	--	--	--	--	--	--	--	--	--	--
1/13/2003	--		39.50	16.21	--	23.29	--	--	--	--	--	--	--	--	--	--	--	--
5/2/2003	--		39.50	16.37	--	23.13	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2003	--		39.50	16.55	--	22.95	--	--	--	--	--	--	--	--	--	--	--	--
10/01/2003	--		39.50	16.82	--	22.68	--	--	--	--	--	--	--	--	--	--	--	--
02/11/2004	--		39.50	16.40	--	23.10	--	--	--	--	--	--	--	--	--	--	--	--
07/21/2004	--		39.50	16.70	--	22.80	--	--	--	--	--	--	--	--	--	--	--	--
01/20/2005	--		39.50	16.20	--	23.30	--	--	--	--	--	--	--	--	--	--	--	--
07/19/2005	--		39.50	16.47	--	23.03	--	--	--	--	--	--	--	--	--	--	--	--

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA

Well and Sample Date	P/NP	Footnote	TOC Elevation (feet msl)	DTW (feet bgs)	Product Thickness (feet)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	Lab	pH	DRO/TPHd (µg/L)	TOG (µg/L)	HVOC (µg/L)
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MtBE						
MW-7 Cont.																		
01/11/2006	--		39.50	16.11	--	23.39	--	--	--	--	--	--	--	--	--	--	--	--
7/26/2006	--		39.50	16.38	--	23.12	--	--	--	--	--	--	--	--	--	--	--	--
1/11/2007	--		39.50	16.55	--	22.95	--	--	--	--	--	--	--	--	--	--	--	--
7/23/2007	--		39.50	16.71	--	22.79	--	--	--	--	--	--	--	--	--	--	--	--
1/16/2008	--		39.50	16.40	--	23.10	--	--	--	--	--	--	--	--	--	--	--	--
7/17/2008	--		39.50	16.75	--	22.75	--	--	--	--	--	--	--	--	--	--	--	--
1/28/2009	--		39.50	16.68	--	22.82	--	--	--	--	--	--	--	--	--	--	--	--
QC-2																		
11/4/1992	--	g, j	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	PACE	--	--	--	--
2/24/1994	--	g, j	--	--	--	--	--	--	--	--	--	<5.0	--	PACE	--	--	--	--
5/12/1994	--	g, j	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	--	--	--
9/9/1994	--	g, j	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	--	--	--
11/3/1994	--	g, j	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	PACE	--	--	--	--
3/1/1995	--	g	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.0	--	--	PACE	--	--	--	--
6/6/1995	--	g	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	--	--	ATI	--	--	--	--
9/1/1995	--	g	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	ATI	--	--	--	--
11/29/1995	--	g	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.0	<5.0	--	ATI	--	--	--	--
3/23/1996	--	g	--	--	--	--	<50	<0.5	<1	<1	<1	<10	--	SPL	--	--	--	--

ABBREVIATIONS AND SYMBOLS:

ft bgs = Feet below ground surface
ft MSL = Feet above mean sea level
DRO = Diesel range organics
GRO = Gasoline range organics, range C4-C12
TPH-g = Total petroleum hydrocarbons as gasoline
TPH-d = Total petroleum hydrocarbons as diesel
GWE = Groundwater elevation in ft MSL.
MtBE = Methyl tert-butyl ether, historical data expressed as EPA Methods 8260/8020
HVOC = Halogenated volatile organic compounds
TOG = Total oil and grease
DO = Dissolved oxygen
g/L = Micrograms per liter
mg/L = Milligrams per liter
< = Not detected above reported detection limit
--- = Not measured/analyzed/applicable
PACE = Pace, Inc.
ATI = Analytical Technologies, Inc.
SPL = Southern Petroleum Laboratory
SEQ = Sequoia Analytical Laboratory
SEQM = Sequoia Analytical Morgan Hill Laboratory
TAMC = TestAmerica
CEL = Calscience Environmental Laboratories, Inc.
TOC = Top of casing in ft MSL
DTW = Depth to water in ft bgs
P = Well purged prior to sampling
NP = Well not purged prior to sampling

FOOTNOTES:

(c) Blind duplicate.
(d) A copy of the documentation for this data is included in Appendix C of Alisto report 10-060-07-001.
(e) MTBE peak present. See documentation in Appendix C of Alisto report 10-060-07-001.
(f) Well inaccessible.
(g) Travel blank.
(h) MTBE by 8020/8260.
(i) Gasoline does not include MTBE.
(j) A copy of the documentation for this data is included in Blaine Tech Services report 010517-C-4. The MTBE data for the October 22 and 23, 1992 and November 4, 1992 sampling events have been destroyed.
(k) Sample preserved improperly.
(m) TOC raised by +0.15 ft during well repair on January 9, 2004.

NOTES:

During the second quarter of 2002, URS Corporation assumed groundwater monitoring activities for BP. The data within this table collected prior to June 2002 has not been verified by URS.

TOC elevations surveyed relative to an established benchmark with an elevation of 39.95 ft MSL.

Beginning with the third quarter 2003 sampling event (7/11/03), groundwater samples were analyzed by EPA method 8260B for TPH-g, benzene, toluene, ethylbenzene, xylenes, and fuel oxygenates.

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the

accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
10/01/2003	--	--	--	--	--	--	--	--	--
02/11/2004	--	--	--	--	--	--	--	--	--
07/21/2004	--	--	--	--	--	--	--	--	--
01/20/2005	--	--	--	--	--	--	--	--	--
07/19/2005	--	--	--	--	--	--	--	--	--
01/11/2006	--	--	--	--	--	--	--	--	--
7/26/2006	--	--	--	--	--	--	--	--	--
MW-2									
10/01/2003	--	--	--	--	--	--	--	--	--
02/11/2004	--	--	--	--	--	--	--	--	--
07/21/2004	--	--	--	--	--	--	--	--	--
01/20/2005	--	--	--	--	--	--	--	--	--
07/19/2005	--	--	--	--	--	--	--	--	--
01/11/2006	--	--	--	--	--	--	--	--	--
7/26/2006	--	--	--	--	--	--	--	--	--
MW-3									
10/01/2003	--	--	--	--	--	--	--	--	--
02/11/2004	--	--	--	--	--	--	--	--	--
07/21/2004	--	--	--	--	--	--	--	--	--
01/20/2005	--	--	--	--	--	--	--	--	--
07/19/2005	--	--	--	--	--	--	--	--	--
01/11/2006	--	--	--	--	--	--	--	--	--
7/26/2006	--	--	--	--	--	--	--	--	--
MW-4									
7/20/1999	--	<500	590/480	<10	<5.0	<5.0	<1.0	<1.0	
12/30/1999	--	--	280/410	<5.0	<5.0	<5.0	<1.0	<5.0	
2/29/2000	--	--	870/1200	<20	<20	<20	<1.0	<20	
4/14/2000	--	--	730/800	<10	<10	<10	<1.0	<10	
7/24/2000	--	<50	390/270	<5.0	<5.0	<5.0	<1.0	<1.0	
10/30/2000	--	<50	160/210	<5.0	<5.0	<5.0	<1.0	<5.0	

**Table 2. Summary of Fuel Additives Analytical Data
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-4 Cont.									
1/11/2001	--	<10	170/176	<1.0	<1.0	<1.0	<1.0	<1.0	
5/17/2001	--	<10	91/119	<1.0	<1.0	<1.0	<1.0	<1.0	
7/2/2001	--	<10	66/87.6	<1.0	<1.0	<1.0	<1.0	<1.0	
7/11/2003	<100	<20	2.0/2.0	<0.50	<0.50	<0.50	--	--	
10/01/2003	<100	<20	3.1	<0.50	<0.50	<0.50	--	--	
02/11/2004	<100	<20	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	
07/21/2004	<100	<20	0.61	<0.50	<0.50	<0.50	<0.50	<0.50	
01/20/2005	<100	<20	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	a
07/19/2005	<100	<20	0.57	<0.50	<0.50	<0.50	<0.50	<0.50	
01/11/2006	<300	<20	0.58	<0.50	<0.50	<0.50	<0.50	<0.50	
7/26/2006	<300	<20	<0.50	<0.50	<0.50	0.71	<0.50	<0.50	
1/11/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/16/2008	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/17/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/28/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-5									
7/20/1999	--	<500	490/470	<10	<10	<10	--	--	
12/30/1999	--	--	470/550	<10	<10	<10	--	--	
2/29/2000	--	--	190/280	<5.0	<5.0	<5.0	<5.0	<5.0	
4/14/2000	--	--	200/240	<5.0	<5.0	<5.0	--	--	
7/24/2000	--	<50	630/570	<5.0	<5.0	<5.0	--	--	
10/30/2000	--	<100	260/360	<10	<10	<10	--	--	
1/11/2001	--	110	540/585	<1.0	<1.0	<1.0	<1.0	<1.0	
5/17/2001	--	31	320/419	<1.0	<1.0	<1.0	--	--	
7/2/2001	--	<10	290/264	<1.0	<1.0	<1.0	--	--	
7/11/2003	<100	<20	19/19	<0.50	<0.50	<0.50	--	--	
10/01/2003	<100	<20	17	<0.50	<0.50	<0.50	--	--	
02/11/2004	<100	<20	35	<0.50	<0.50	<0.50	<0.50	<0.50	
07/21/2004	<100	<20	8.3	<0.50	<0.50	<0.50	<0.50	<0.50	
01/20/2005	<100	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	a

**Table 2. Summary of Fuel Additives Analytical Data
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
07/19/2005	<100	<20	0.76	<0.50	<0.50	<0.50	<0.50	<0.50	
01/11/2006	<300	<20	0.61	<0.50	<0.50	<0.50	<0.50	<0.50	
7/26/2006	<300	<20	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
1/11/2007	<300	<20	0.62	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/16/2008	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/17/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/28/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
7/20/1999	--	<500	1400/1300	<10	<10	<10	--	--	
12/30/1999	--	--	300/360	<5.0	<5.0	<5.0	--	--	
2/29/2000	--	--	240/340	<5.0	<5.0	<5.0	<5.0	<5.0	
4/14/2000	--	--	200/220	<5.0	<5.0	<5.0	--	--	
7/24/2000	--	62	600/540	<5.0	<5.0	<5.0	--	--	
10/30/2000	--	<100	260/380	<10	<10	<10	--	--	
1/11/2001	--	<10	2.4/2.69	<1.0	<1.0	<1.0	--	--	
5/17/2001	--	<10	130/169	<1.0	<1.0	<1.0	--	--	
7/2/2001	--	<10	80/91.4	<1.0	<1.0	<1.0	--	--	
7/11/2003	<100	<20	17/17	<0.50	<0.50	<0.50	--	--	
10/01/2003	<100	<20	3.5	<0.50	<0.50	<0.50	--	--	
02/11/2004	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
07/21/2004	<100	<20	3.0	<0.50	<0.50	<0.50	<0.50	<0.50	
01/20/2005	<100	<20	2.4	<0.50	<0.50	<0.50	<0.50	<0.50	a
07/19/2005	<100	<20	0.61	<0.50	<0.50	<0.50	<0.50	<0.50	
01/11/2006	<300	<20	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
7/26/2006	<300	<20	0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
1/11/2007	<300	<20	0.91	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/16/2008	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/17/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/28/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-7									
10/01/2003	--	--	--	--	--	--	--	--	
02/11/2004	--	--	--	--	--	--	--	--	
07/21/2004	--	--	--	--	--	--	--	--	
01/20/2005	--	--	--	--	--	--	--	--	
07/19/2005	--	--	--	--	--	--	--	--	
01/11/2006	--	--	--	--	--	--	--	--	
7/26/2006	--	--	--	--	--	--	--	--	

ABBREVIATIONS AND SYMBOLS:

TBA = tert-Butyl alcohol

MtBE = Methyl tert-butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tert butyl ether

TAME = tert-Amyl methyl ether

1,2-DCA = 1,2-Dichloroethane

EDB = 1,2-Dibromoethane

µg/L = Micrograms per liter

< = Not detected at or above the laboratory reporting limit

--- = Not analyzed/applicable

FOOTNOTES:

a = Calibration verification was within method limits but outside contract limits for ethanol.

b = Sample preserved improperly.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient
Station #11107, 18501 Hesperian Blvd., San Lorenzo, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
8/6/2002	Northwest	0.004
10/16/2002	West-Northwest	0.003
1/13/2003	Northwest	0.004
5/2/2003	Northwest	0.004
7/11/2003	West-Northwest	0.004
10/1/2003	West-Northwest	0.004
2/11/2004	West-Northwest	0.003
7/21/2004	West-Northwest	0.004
1/20/2005	West-Northwest	0.004
7/19/2005	West-Northwest	0.005
1/11/2006	West-Northwest	0.006
7/26/2006	West	0.006
1/11/2007	West-Northwest	0.004
7/23/2007	West-Northwest	0.004
1/16/2008	West-Northwest	0.004
7/17/2008	West-Northwest	0.004
1/28/2009	West-Northwest	0.005

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

**STRATUS ENVIRONMENTAL, INC GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, NON-HAZARDOUS WASTE DATA FORMS, FIELD
PROCEDURES FOR GROUND-WATER SAMPLING, LABORATORY REPORT
AND CHAIN OF CUSTODY DOCUMENTATION)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

February 10, 2009

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 11107, located at
18501 Hesperian Boulevard, San Lorenzo, California

General Information

Data Submittal Prepared / Reviewed by: Carol Huff / Jay Johnson

Phone Number: (530) 676-6000

On-Site Supplier Representative: Jerry Gonzales and Arturo Heimlich

Sampling Date: January 28, 2009

Arrival: Not noted *Departure:* Not noted

Weather Conditions: Not noted

Unusual Field Conditions: None noted.

Scope of Work Performed: Quarterly monitoring and sampling.

Variations from Work Scope: None noted.


This submittal presents the data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations.


February 10, 2009

Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.


Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

cc: Mr. Paul Supple, BP/ARCO

BP Alameda Portfolio

HYDROLOGIC DATA SHEET

AR 15:40 PP 1720

Gauge Date: 1-28-09

Project Name: 18501 Hesperian, San Lorenzo

Field Technician: Jerry

Project Number: 11107

TOC = Top of Well Casing Elevation
 TOS = Depth to Top of Screen
 DTW = Depth to Groundwater Below TOC
 DTB = Depth to Bottom of Well Casing Below TOC

DIA = Well Casing Diameter
 ELEV = Groundwater Elevation
 DUP = Duplicate

WELL OR LOCATION	TIME	MEASUREMENT						PURGE & SAMPLE	SHEEN CONFIRMATION (w/bailer)	COMMENTS
		TOC	TOS	DTW	DTB	DIA	ELEV			
MW-1	1555			1800	30'5"					
MW-2	1559			1748	24'85"					
MW-3	16:03			1760	25'00"					
x MW-4	1607			1664	25'10"				FW	
x MW-5	1611			1672	22.65'				FW	
x MW-6	1613			165	24.80'					
MW-7	1609			1668	24.21'					

FW - Arturo Heimlich

pH/Conductivity/temperature Meter - YSI Model 63

DO Meter - YSI 55 Series (DO is always measured before purge)

Please refer to groundwater sampling field procedures

Calibration Date

pH 1.2809

Conductivity 1.2809

DO 1.2809

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 11107 PURGED BY: JS WELL I.D.: MW 4
 CLIENT NAME: _____ SAMPLED BY: JS SAMPLE I.D.: MW-4
 LOCATION: San Lorenzo - 18501 Hesperian Blvd. QA SAMPLES: _____

DATE PURGED 1-28-09 START (2400hr) 1657 END (2400hr) 17:00
 DATE SAMPLED 1-28-09 SAMPLE TIME (2400hr) 17:05
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 25.10 CASING VOLUME (gal) = 1.3
 DEPTH TO WATER (feet) = 16.64 CALCULATED PURGE (gal) = 4.0
 WATER COLUMN HEIGHT (feet) = 8.4 ACTUAL PURGE (gal) = 4.6

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>1-28-09</u>	<u>1658</u>	<u>1.5</u>	<u>20.6</u>	<u>690</u>	<u>6.91</u>	<u>clear</u>	_____
<u>/</u>	<u>1659</u>	<u>3.0</u>	<u>20.7</u>	<u>631</u>	<u>6.89</u>	<u>/</u>	_____
<u>/</u>	<u>1700</u>	<u>4.6</u>	<u>20.7</u>	<u>637</u>	<u>6.85</u>	<u>/</u>	_____

SAMPLE DEPTH TO WATER: 16.80 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWO
 ODOR: no SAMPLE VESSEL / PRESERVATIVE: 6 Non-HCL

PURGING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated _____

Other: _____
 Pump Depth: 24

SAMPLING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Bailer (Teflon)
- Bailer (_____ PVC or disposable)
- Bailer (Stainless Steel)
- Dedicated _____

Other: _____

WELL INTEGRITY: good LOCK#: MASTER
 REMARKS: DO 1-51

SIGNATURE: _____ Page _____ of _____

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 11107
 CLIENT NAME: _____
 LOCATION: San Lorenzo - 18501 Hesperian Blvd.

PURGED BY: JS
 SAMPLED BY: JG

WELL I.D.: MW-5
 SAMPLE I.D.: MW-5
 QA SAMPLES: _____

DATE PURGED 1-28-09
 DATE SAMPLED 1-28-09
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

START (2400hr) 16:36
 SAMPLE TIME (2400hr) 1645

END (2400hr) 16:39

CASING DIAMETER: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 22.65
 DEPTH TO WATER (feet) = 16.77
 WATER COLUMN HEIGHT (feet) = 5.9

CASING VOLUME (gal) = 1.0
 CALCULATED PURGE (gal) = 3.0
 ACTUAL PURGE (gal) = 3.6

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>1-28-09</u>	<u>1637</u>	<u>1.2</u>	<u>20.9</u>	<u>655</u>	<u>6.81</u>	<u>clear</u>	
	<u>1638</u>	<u>2.4</u>	<u>20.9</u>	<u>654</u>	<u>6.84</u>		
	<u>1639</u>	<u>3.6</u>	<u>20.8</u>	<u>664</u>	<u>6.79</u>		

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 16.77 SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWO
 ODOR: None SAMPLE VESSEL / PRESERVATIVE: 6 Vol-HCC


PURGING EQUIPMENT

Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____
 Pump Depth: 22

SAMPLING EQUIPMENT

Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC or disposable)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____

WELL INTEGRITY: good LOCK#: Master
 REMARKS: DO-191

SIGNATURE: 

BP ALAMEDA PORTFOLIO

WATER SAMPLE FIELD DATA SHEET

PROJECT #: 11107
 CLIENT NAME: _____
 LOCATION: San Lorenzo - 18501 Hesperian Blvd.

PURGED BY: JG
 SAMPLED BY: JG

WELL I.D.: MW-6
 SAMPLE I.D.: MW-6
 QA SAMPLES: _____

DATE PURGED 1-28-09
 DATE SAMPLED 1-28-09

START (2400hr) 16:15
 SAMPLE TIME (2400hr) 16:25

END (2400hr) 1618

SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" 3" _____ 4" _____ 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 24.80
 DEPTH TO WATER (feet) = 16.15
 WATER COLUMN HEIGHT (feet) = 8.6

CASING VOLUME (gal) = 1.4
 CALCULATED PURGE (gal) = 4.4
 ACTUAL PURGE (gal) = 5.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>1-28-09</u>	<u>1616</u>	<u>1.6</u>	<u>19.2</u>	<u>664</u>	<u>6.27</u>	<u>clear</u>	
	<u>1617</u>	<u>3.3</u>	<u>19.9</u>	<u>635</u>	<u>6.35</u>		
	<u>1618</u>	<u>5.0</u>	<u>21.0</u>	<u>628</u>	<u>6.48</u>		

SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 16.30 SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWO
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 Vol-HCL

PURGING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Other: _____

- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated

Pump Depth: 22

SAMPLING EQUIPMENT


- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Other: _____

- Bailer (Teflon)
- Bailer (PVC or disposable)
- Bailer (Stainless Steel)
- Dedicated

WELL INTEGRITY: good LOCK#: Master
 REMARKS: DO 1.55

SIGNATURE:

WELLHEAD OBSERVATION FORM



Site Name/Number: 11107

Date: 1-28-09

Technician: Jerry

Well I.D.	Box in Good Condition? <small>X = Yes Blank = No</small>	Lock Missing? <small>X = Yes (replaced) Blank = No</small>	Water in Wellbox? <small>X = Yes Blank = No</small>	Water Level Relative to Cap? <small>A = Above cap B = Below cap L = Level w/cap</small>	Well Cap? <small>I = Intact M = Missing or Compromised (replaced)</small>	Bolts Missing? <small>X = Yes Blank = No</small>	Bolts Stripped? <small>X = Yes Blank = No</small>	Bolt Holes Stripped? <small>X = Yes Blank = No</small>	Cracked or Broken Lid? <small>X = Yes Blank = No</small>	Cracked or Broken Box? <small>X = Yes Blank = No</small>	Grout Level more than 1ft below TOC? <small>X = Yes Blank = No</small>	Additional Comments <small>(such as missing lid, concrete needs replacement, or other - explain)</small>
MW-1	X		X	A	I							
MW-2	X				I							
MW3	X				I							
MW4	X			A	I							
MW5	X				I							
MW6	X				I							
MW7	X			A	I							

DRUM INVENTORY

Drums on site? Yes **No** (circle)
 Type and # Steel: _____ Plastic: _____

Note whether drums are full or empty, solids or liquids:

Drum label info (description, date, contact info):

GENERAL SITE CONDITIONS

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

(updated 3-28-08, SS)

NO. 672269

NON-HAZARDOUS WASTE DATA FORM

SITE:

EPA I.D. NO.

NAME **BP WEST COAST PRODUCTS LLC ARCO # 11107**

PROFILE NO.

ADDRESS **P.O. BOX 80249
RANCHO SANTA MARGARITA
CA 92688**

PHONE NO. ()

CONTAINERS: No. _____ VOLUME **13.2** WEIGHT _____

TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHER _____

WASTE DESCRIPTION **NON-HAZARDOUS WATER** GENERATING PROCESS **WELL PURGING/DECON WATER**

COMPONENTS OF WASTE			COMPONENTS OF WASTE		
	PPM	%		PPM	%
1. WATER		99-100%	5. _____		
2. TPH		<1%	6. _____		
3. _____			7. BESI#		
4. _____			8. _____		

PROPERTIES: **7-10** SOLID LIQUID SLUDGE SLURRY OTHER _____

HANDLING INSTRUCTIONS: **WEAR ALL APPROPRIATE PROTECTIVE CLOTHING**

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.

Larry Moothart BESI for BP
TYPED OR PRINTED FULL NAME & SIGNATURE

1.28.09
DATE

NAME **Transporter #1 STRATUS ENVIRONMENTAL** **Transporter #2** EPA I.D. NO. _____

ADDRESS **3330 CAMERON PARK DR** SERVICE ORDER NO. _____

CITY, STATE, ZIP **CAMERON PARK, CA 95682** PICK UP DATE _____

PHONE NO. **530-676-2031**

TRUCK, UNIT, I.D. NO. _____ **Jerry Gonzalez** TYPED OR PRINTED FULL NAME & SIGNATURE **1.28.09** DATE

NAME **INSTRAT, INC** EPA I.D. NO. _____

ADDRESS **1105 AIRPORT RD #C** DISPOSAL METHOD LANDFILL OTHER _____

CITY, STATE, ZIP **RIO VISTA, CA 94571**

PHONE NO. **530-753-1829**

TYPED OR PRINTED FULL NAME & SIGNATURE DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
C/O		RT/CD	HWDF	NONE

DISCREPANCY

TO BE COMPLETED BY GENERATOR

TRANSPORTER

TSD FACILITY



Laboratory Management Program LaMP Chain of Custody Record

BPI/ARC Project Name: Analytical for QMR Sampling

Req Due Date (mm/dd/yy): 14 Day TAT Rush TAT: Yes No

BPI/ARC Facility No: 11107

Lab Work Order Number: _____


Lab Name: CalScience	BP/ARC Facility Address: 18501 Hesperan Blvd.	Consultant/Contractor: Stratus Environmental Inc.
Lab Address: 7440 Lincoln Way, Garden Grove, CA 92841	City, State, ZIP Code: San Lorenzo, CA	Consultant/Contractor Project No:
Lab PM: Richard Villafania	Lead Regulatory Agency: Alameda	Address: 3330 Cameron Park Drive, #550, Cameron Park, CA 95682
Lab Phone: 714-895-5494 Fax: 714-895-7501	California Global ID No.: T0600101665	Consultant/Contractor PM: Jay Johnson
Lab Shipping Acct:	Enfos Proposal No	Phone 530-676-6000 Fax 530-676-6005
Lab Bottle Order No:	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/>	Email EDD To: <u>chuff@stratusinc.net</u>
Other Info:	Stage BPI/ARC WBS Stage Activity: BPI/ARC WBS Activity	Invoice To BPI/ARC <input checked="" type="checkbox"/> Contractor <input type="checkbox"/>

BPI/ARC EBM: Paul Supple				Matrix		No. Containers / Preservative						Requested Analyses						Report Type & QC Level			
EBM Phone: 925-275-3801				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO by 8015M	BTEX/5 FC* by 8260B	Ethanol by 8260B	EDB by 8260B	1,2-DCA by 8260B			Standard <input checked="" type="checkbox"/>	Full Data Package <input type="checkbox"/>
EBM Email: <u>paul.supple@bp.com</u>																				Note: If sample not collected, indicate "No Sample" in comments and single-strike out and initial any preprinted sample description Comments *Oxy = MTBE, TAME, ETBE, DIPE, TBA	
Lab No.	Sample Description	Date	Time																		
	MW-4	1/28/2009	17:05	X								X	X	X	X	X					
	MW-5	1/28/2009	16:45	X								X	X	X	X	X					
	MW-6	1/28/2009	16:25	X								X	X	X	X	X					
	TB11107 1/28/09 7.00	1/28/2009	7:00	X																ON HOLD	

Sampler's Name: Jerry Gonzales	Relinquished By / Affiliation		Date	Time	Accepted By / Affiliation		Date	Time
Sampler's Company: Stratus Environmental Inc.			1/29/09	8:00				
Shipment Method:	Ship Date:							
Shipment Tracking No:								

Special Instructions: TB Sample ON HOLD! Cc results to broadbentinc.com

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
--	----------------------	------------------------------------	----------------------	-----------------------------------



February 10, 2009

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 09-01-2550**
Client Reference: **Analytical for QMR Sampling 11107**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 1/30/2009 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read 'Richard Villafania'.

Calscience Environmental
Laboratories, Inc.
Richard Villafania
Project Manager



Analytical Report

net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 01/30/09
Work Order No: 09-01-2550
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: Analytical for QMR Sampling 11107

Page 1 of 1

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW-4, 09-01-2550-1-D, 01/28/09 17:05, Aqueous, GC 30, 02/05/09, 02/05/09 14:31, 090205B01

Table with 6 columns: Parameter, Result, RL, DF, Qual, Units. Rows: Gasoline Range Organics (C6-C12) ND 50 1 ug/L; Surrogates: REC (%) Control Limits Qual; 1,4-Bromofluorobenzene 86 38-134

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW-5, 09-01-2550-2-D, 01/28/09 16:45, Aqueous, GC 30, 02/05/09, 02/05/09 16:45, 090205B01

Table with 6 columns: Parameter, Result, RL, DF, Qual, Units. Rows: Gasoline Range Organics (C6-C12) ND 50 1 ug/L; Surrogates: REC (%) Control Limits Qual; 1,4-Bromofluorobenzene 80 38-134


Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: MW-6, 09-01-2550-3-D, 01/28/09 16:25, Aqueous, GC 30, 02/05/09, 02/05/09 17:19, 090205B01

Table with 6 columns: Parameter, Result, RL, DF, Qual, Units. Rows: Gasoline Range Organics (C6-C12) ND 50 1 ug/L; Surrogates: REC (%) Control Limits Qual; 1,4-Bromofluorobenzene 81 38-134

Table with 8 columns: Client Sample Number, Lab Sample Number, Date/Time Collected, Matrix, Instrument, Date Prepared, Date/Time Analyzed, QC Batch ID. Row 1: Method Blank, 099-12-695-422, N/A, Aqueous, GC 30, 02/05/09, 02/05/09 12:50, 090205B01

Table with 6 columns: Parameter, Result, RL, DF, Qual, Units. Rows: Gasoline Range Organics (C6-C12) ND 50 1 ug/L; Surrogates: REC (%) Control Limits Qual; 1,4-Bromofluorobenzene 82 38-134

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

net c

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 01/30/09
Work Order No: 09-01-2550
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: Analytical for QMR Sampling 11107

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	09-01-2550-1-C	01/28/09 17:05	Aqueous	GC/MS BB	02/07/09	02/07/09 16:15	090207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	99	73-157			Dibromofluoromethane	101	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	95	75-105		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	09-01-2550-2-C	01/28/09 16:45	Aqueous	GC/MS BB	02/07/09	02/07/09 16:47	090207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	100	73-157			Dibromofluoromethane	103	82-142		
Toluene-d8	97	82-112			1,4-Bromofluorobenzene	96	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	09-01-2550-3-C	01/28/09 16:25	Aqueous	GC/MS BB	02/07/09	02/07/09 17:19	090207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	99	73-157			Dibromofluoromethane	101	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	95	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

01/30/09
09-01-2550
EPA 5030B
EPA 8260B
ug/L

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: 01/30/09
Work Order No: 09-01-2550
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L


Project: Analytical for QMR Sampling 11107

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-693	N/A	Aqueous	GC/MS BB	02/07/09	02/07/09 15:43	090207L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control</u>		<u>Qual</u>
		<u>Limits</u>					<u>Limits</u>		
1,2-Dichloroethane-d4	96	73-157			Dibromofluoromethane	97	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	93	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Stratus Environmental, Inc.
 7440 Lincoln Way
 Garden Grove, CA 92841-1427
 TEL: (714) 895-5494
 FAX: (714) 894-7501

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: 01/30/09
 Work Order No: 09-01-2550
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project Analytical for QMR Sampling 11107

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-4	Aqueous	GC 30	02/05/09	02/05/09	090205S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	97	98	38-134	1	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 01/30/09
Work Order No: 09-01-2550
Preparation: EPA 5030B
Method: EPA 8260B

Project Analytical for QMR Sampling 11107

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-5	Aqueous	GC/MS BB	02/07/09	02/07/09	090207S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	87	92	86-122	6	0-8	
Carbon Tetrachloride	76	80	78-138	6	0-9	LN,AY
Chlorobenzene	88	93	90-120	6	0-9	LN,AY
1,2-Dibromoethane	90	90	70-130	1	0-30	
1,2-Dichlorobenzene	92	98	89-119	7	0-10	
1,1-Dichloroethene	86	89	52-142	4	0-23	
Ethylbenzene	81	83	70-130	2	0-30	
Toluene	81	85	85-127	5	0-12	LN,AY
Trichloroethene	83	88	78-126	6	0-10	
Vinyl Chloride	82	81	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	82	87	64-136	6	0-28	
Tert-Butyl Alcohol (TBA)	103	103	27-183	0	0-60	
Diisopropyl Ether (DIPE)	93	98	78-126	5	0-16	
Ethyl-t-Butyl Ether (ETBE)	88	94	67-133	6	0-21	
Tert-Amyl-Methyl Ether (TAME)	78	82	63-141	5	0-21	
Ethanol	113	106	11-167	6	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: N/A
Work Order No: 09-01-2550
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: Analytical for QMR Sampling 11107

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-422	Aqueous	GC 30	02/05/09	02/05/09	090205B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	105	84	78-120	22	0-20	RB

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 09-01-2550
Preparation: EPA 5030B
Method: EPA 8260B

Project: Analytical for QMR Sampling 11107

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-693	Aqueous	GC/MS BB	02/07/09	02/07/09	090207L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	92	94	87-117	82-122	2	0-7	
Carbon Tetrachloride	79	82	78-132	69-141	3	0-8	
Chlorobenzene	93	94	88-118	83-123	0	0-8	
1,2-Dibromoethane	100	100	80-120	73-127	0	0-20	
1,2-Dichlorobenzene	97	100	88-118	83-123	3	0-8	
1,1-Dichloroethene	94	95	71-131	61-141	1	0-14	
Ethylbenzene	84	87	80-120	73-127	4	0-20	
Toluene	87	88	85-127	78-134	2	0-7	
Trichloroethene	89	91	85-121	79-127	2	0-11	
Vinyl Chloride	83	84	64-136	52-148	1	0-10	
Methyl-t-Butyl Ether (MTBE)	87	89	67-133	56-144	2	0-16	
Tert-Butyl Alcohol (TBA)	100	96	34-154	14-174	5	0-19	
Diisopropyl Ether (DIPE)	94	97	80-122	73-129	3	0-8	
Ethyl-t-Butyl Ether (ETBE)	92	94	73-127	64-136	3	0-11	
Tert-Amyl-Methyl Ether (TAME)	85	85	69-135	58-146	1	0-12	
Ethanol	110	106	34-124	19-139	4	0-44	

Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Glossary of Terms and Qualifiers

Work Order Number: 09-01-2550

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	There was no MS/MSD analyzed with this batch due to insufficient sample volume (NR = not reported). See Blank Spike/Blank Spike Duplicate.
BA,AY	Relative percent difference out of control, matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GS	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG	Surrogate recovery below the acceptance limit.
LH	Surrogate recovery above the acceptance limit.
LM,AY	MS and/or MSD above acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LN,AY	MS and/or MSD below acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.



<u>Qualifier</u>	<u>Definition</u>
MB	Analyte present in the method blank.
MG	Analyte is a suspected lab contaminate.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.





Laboratory Management Program LaMP Chain of Custody Record

5550

BP/ARC Project Name: Analytical for QMR Sampling

Req Due Date (mm/dd/yy): 14 Day TAT

Rush TAT: Yes ___ No X

BP/ARC Facility No: 11107

Lab Work Order Number: _____

Lab Name: CalScience	BP/ARC Facility Address: 18501 Hesperian Blvd.	Consultant/Contractor: Stratus Environmental Inc.
Lab Address: 7440 Lincoln Way, Garden Grove, CA 92841	City, State, ZIP Code: San Lorenzo, CA	Consultant/Contractor Project No:
Lab PM: Richard Villafania	Lead Regulatory Agency: Alameda	Address: 3330 Cameron Park Drive, #550, Cameron Park, CA 95682
Lab Phone: 714-895-5494 Fax: 714-895-7501	California Global ID No.: T0600101665	Consultant/Contractor PM: Jay Johnson
Lab Shipping Accont:	Enfos Proposal No:	Phone: 530-676-6000 Fax: 530-676-6005
Lab Bottle Order No:	Accounting Mode: Provision <u>X</u> OOC-BU ___ OOC-RM ___	Email EDD To: chuff@stratusinc.net
Other Info:	Stage: BP/ARC WBS Stage Activity: BP/ARC WBS Activity	Invoice To: BP/ARC <u>X</u> Contractor ___

BP/ARC EBM: Paul Supple				Matrix		No. Containers / Preservative							Requested Analyses										Report Type & QC Level								
EBM Phone: 925-275-3801				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO by 8015M	BTEX/5 FO* by 8260B	Ethanol by 8260B	EDB by 8260B	1,2-DCA by 8260B													Standard <u>X</u>	Full Data Package ___
EBM Email: paul.supple@bp.com																															
Lab No.	Sample Description	Date	Time																												
1	MW-4	1/28/2009	17:05	X			6				X	X	X	X	X																
2	MW-5	1/28/2009	16:45	X							X	X	X	X	X																
3	MW-6	1/28/2009	16:25	X			4				X	X	X	X	X																
4	TB11107 1/28/09 7:00	1/28/2009	7:00	X			2				X																			ON HOLD	

Sampler's Name: Jerry Gonzales	Relinquished By / Affiliation: <i>[Signature]</i>	Date: 1/29/09	Time: 8:00	Accepted By / Affiliation: <i>[Signature]</i>	Date: 1/30/09	Time: 1000
Sampler's Company: Stratus Environmental Inc.	Shipment Method: Ship Date:	Shipment Tracking No: 106193567		Special Instructions: TB Sample ON HOLD! Cc results to broadbentinc.com		

THIS LINE - LAB USE ONLY: Custody Seals in Place: Yes / No Temp Blank: Yes / No Cooler Temp on Receipt: _____ °F/C Trip Blank: Yes / No MS/MSD Sample Submitted: Yes / No

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Stratus

DATE: 01/30/09

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 1.9 °C - 0.2°C (CF) = 1.7 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only

Initial: JP

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A

Initial: JP

Sample _____ No (Not Intact) Not Present

Initial: SA

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____

Water: VOA VOAh VOAna₂ 125AGB 125AGBh 125AGBpo₄ 1AGB 1AGBna₂

1AGBs 500AGB 500AGBs 250CGB 250CGBs 1PB 500PB 500PBna 250PB

250PBn 125PB 125PBzanna 100PBsterile 100PBna₂ _____ _____ _____

Air: Tedlar® Summa® _____

Checked/Labeled by: SA

Reviewed by: DL

Scanned by: SA

Container: C:Clear A:Amber P:Poly/Plastic G:Glass J:Jar B:Bottle

Preservative: h:HCL n:HNO₃ na₂:Na₂S₂O₃ na:NaOH po₄:H₃PO₄ s:H₂SO₄ zanna:ZnAc₂+NaOH

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These

bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc[®] type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Quarterly
<u>Submittal Title:</u>	1Q09 GW Monitoring
<u>Facility Global ID:</u>	T0600101665
<u>Facility Name:</u>	BP #11107
<u>File Name:</u>	09012550.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	3/12/2009 11:11:26 AM
<u>Confirmation Number:</u>	5904229283

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	1Q09 GEO_WELL 11107
<u>Facility Global ID:</u>	T0600101665
<u>Facility Name:</u>	BP #11107
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	3/12/2009 11:07:24 AM
<u>Confirmation Number:</u>	1882821202