



KAPREALIAN ENGINEERING, INC.
Consulting Engineers

P.O. BOX 996 • BENICIA, CA 94510
(707) 746-6915 • (707) 746-6916 • FAX: (707) 746-5581

APR 29 1991 2:16 PM

April 29, 1991

Ms. Susan L. Hugo
Alameda County Health Care Services
80 Swan Way, Room 200
Oakland, CA 94621

RE: Proposal for Additional Excavation
S.F. French Bread Company
3924 Market Street
Oakland, California

Dear Ms. Hugo:

Enclosed please find the lab analyses of the soil samples A1 and A2 collected from the diesel tank pit, sample P1 collected from the pipe trench, and the composite soil sample Comp A collected from the stockpiled soil.

Based on the analytical results and our telephone conversation, Kaprealian Engineering, Inc. proposes additional excavation and sampling of the diesel tank pit and the pipe trench. Additional excavated soil will be stockpiled separately for further sampling.

Should you have any questions regarding this matter, please do not hesitate to call me at (707) 746-6915.

Sincerely,

Kaprealian Engineering, Inc.

Hagop Kevork
Staff Engineer

HK:jad\SLH

Attachments

cc: Paul Paradiso, Paradiso Construction

TABLE 1

SUMMARY OF LABORATORY ANALYSES

(Collected on March 29, 1991)

<u>Sample</u>	<u>Depth (feet)</u>	<u>TPH as Diesel</u>	<u>TPH as Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	<u>Xylenes</u>	<u>Ethyl- benzene</u>
A1	8	1.0	14	0.30	0.12	0.40	0.14
A2	10	4.7	26	0.28	0.24	0.20	0.19
P1	2	ND	6.3	0.20	0.11	0.012	0.042
Comp A	--	4.9	40	0.31	0.26	0.31	0.21
Detection Limits		1.0	1.0	0.0050	0.0050	0.0050	0.0050

ND = Non-detectable.

-- Indicates analysis not performed.

Results are in parts per million (ppm), unless otherwise indicated.




KAPREALIAN ENGINEERING, INC.

Consulting Engineers

P.O. BOX 996 • BENICIA, CA 94510

(707) 746-6915 • (707) 746-6916 • FAX: (707) 746-5581



SITE PLAN

NOT TO SCALE

LEGEND

* Sample Point Location

S.F. French Bread Co.
3924 Market Street
Oakland, CA



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.	Client Project ID: Paradise, 3924 Market St., Oakland	Sampled: Mar 29, 1991
P.O. Box 996	Matrix Descript: Soil	Received: Apr 1, 1991
Benicia, CA 94510	Analysis Method: EPA 5030/8015/8020	Analyzed: Apr 11, 1991
Attention: Mardo Kaprealian, P.E.	First Sample #: 104-0036	Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS with BTEX DISTINCTION (EPA 8015/8020)

Sample Number	Sample Description	Low/Medium B.P. Hydrocarbons mg/kg (ppm)	Benzene mg/kg (ppm)	Toluene mg/kg (ppm)	Ethyl Benzene mg/kg (ppm)	Xylenes mg/kg (ppm)
104-0036	A1	14	0.30	0.12	0.14	0.40
104-0037	A2	26	0.28	0.24	0.19	0.20
104-0038	P1	6.3	0.20	0.11	0.042	0.012

Detection Limits:	1.0	0.0050	0.0050	0.0050	0.0050
--------------------------	------------	---------------	---------------	---------------	---------------

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega
Belinda C. Vega
Laboratory Director



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.
P.O. Box 996
Benicia, CA 94510
Attention: Mardo Kaprealian, P.E.

Client Project ID: Paradise, 3924 Market St., Oakland
Sample Descript.: Matrix Blank
Analysis Method: EPA 5030/8015/8020
Lab Number: -----

Sampled: -----
Received: -----
Analyzed: Apr 11, 1991
Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS WITH BTEX DISTINCTION (EPA 8015/8020)

Analyte	Detection Limit mg/kg (ppm)	Sample Results mg/kg (ppm)
Low to Medium Boiling Point Hydrocarbons.....	1.0	N.D.
Benzene.....	0.0050	N.D.
Toluene.....	0.0050	N.D.
Ethyl Benzene.....	0.0050	0.028
Xylenes.....	0.0050	N.D.

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.

Client Project ID: Paradiso, 3924 Market St., Oakland

P.O. Box 996

Benicia, CA 94510

Attention: Mardo Kaprealian, P.E. QC Sample Group: 1040036-38

Reported: Apr 16, 1991

QUALITY CONTROL DATA REPORT

SURROGATE

Method:	EPA8015/8020	EPA8015/8020	EPA8015/8020	EPA8015/8020
Analyst:	EH	EH	EH	EH
Reporting Units:	mg/kg	mg/kg	mg/kg	mg/kg
Date Analyzed:	Apr 12, 1991	Apr 12, 1991	Apr 12, 1991	Apr 12, 1991
Sample #:	104-0036	104-0037	104-0038	Blank

Surrogate				
% Recovery:	200	220	93	90

SEQUOIA ANALYTICAL

Belinda C. Vega
Belinda C. Vega
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$

1040036.KEI <3>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.
P.O. Box 996
Benicia, CA 94510

Client Project ID: Paradiso, 3924 Market St., Oakland

Attention: Mardo Kaprealian, P.E. QC Sample Group: 1040036-38

Reported: Apr 16, 1991

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene		Ethyl Benzene		Xylenes	
---------	---------	--	------------------	--	---------	--

Method:	EPA8015/8020	EPA8015/8020	EPA8015/8020	EPA8015/8020
Analyst:	E.H.	E.H.	E.H.	E.H.
Reporting Units:	mg/kg	mg/kg	mg/kg	mg/kg
Date Analyzed:	Apr 12, 1991	Apr 12, 1991	Apr 12, 1991	Apr 12, 1991
QC Sample #:	Matrix041191	Matrix041191	Matrix041191	Matrix041191

Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Spike Conc. Added:	0.50	0.50	0.50	1.5
Conc. Matrix Spike:	0.56	0.53	0.51	1.6
Matrix Spike % Recovery:	110	110	100	110
Conc. Matrix Spike Dup.:	0.63	0.55	0.50	1.5
Matrix Spike Duplicate % Recovery:	130	110	100	100
Relative % Difference:	12	3.7	2.0	6.5

SEQUOIA ANALYTICAL

Belinda C. Vega
Belinda C. Vega
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$

1040036.KEI <4>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.	Client Project ID:	Paradiso, 3924 Market St., Oakland	Sampled:	Mar 29, 1991
P.O. Box 996	Matrix Descript:	Soil	Received:	Apr 1, 1991
Benicia, CA 94510	Analysis Method:	EPA 3550/8015	Extracted:	Apr 9, 1991
Attention: Mardo Kaprealian, P.E.	First Sample #:	104-0036	Analyzed:	4/11-4/12/91
			Reported:	Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015)

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
104-0036	A1	1.0
104-0037	A2	4.7
104-0038	P1	N.D.

Detection Limits: 1.0

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director

1040036.KEI <5>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.	Client Project ID: Paradise, 3924 Market St., Oakland	Sampled: -----
P.O. Box 996	Matrix Descript: Matrix Blank	Received: -----
Benicia, CA 94510	Analysis Method: EPA 3550/8015	Extracted: Apr 9, 1991
Attention: Mardo Kaprealian, P.E.	First Sample #: -----	Analyzed: Apr 11, 1991
		Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015)

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
-----	Matrix Blank	N.D.

Detection Limits:

1.0

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL


Belinda C. Vega
Laboratory Director

1040036.KEI <6>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.
P.O. Box 996

Client Project ID: **Paradiso, 3924 Market St., Oakland**

Benicia, CA 94510

Attention: **Mardo Kaprealian, P.E.** QC Sample Group: 1040036-38

Reported: Apr 16, 1991

QUALITY CONTROL DATA REPORT

ANALYTE

Diesel

Method: EPA 8015
Analyst: K. Lee
Reporting Units: mg/kg
Date Analyzed: Apr 11, 1991
QC Sample #: BLK040991

Sample Conc.: N.D.

Spike Conc.
Added: 10

Conc. Matrix
Spike: 8.1

Matrix Spike
% Recovery: 81

Conc. Matrix
Spike Dup.: 7.6

Matrix Spike
Duplicate
% Recovery: 76

Relative
% Difference: 6.4

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$

1040036.KEI <7>



KAPREALIAN ENGINEERING, INC.

CHAIN OF CUSTODY

SAMPLER Haig		SITE NAME & ADDRESS Paradiso (S.F. French Bread Co.) Oakland - 3924 Market St					ANALYSES REQUESTED TPH-G BTXE TPH-D				TURN AROUND TIME: REGULAR	
WITNESSING AGENCY											REMARKS	
SAMPLE ID NO.	DATE	TIME	SOIL	WATER	GRAB	COMP	NO. OF CONT.	SAMPLING LOCATION	TPH-G	BTXE	TPH-D	REMARKS
A1	3/29/91		✓	✓			1	Fuel Tank Pit	✓	✓	✓	1040036
A2	3/29/91		✓	✓			1	Fuel Tank Pit	✓	✓	✓	037
PI	3/29/91		✓	✓			1	Product Pipe Trench	✓	✓	✓	038

Relinquished by: (Signature) <i>Haig</i>	Date/Time 3/29/91	Received by: (Signature) <i>[Signature]</i>	<p>The following MUST BE completed by the laboratory accepting samples for analysis:</p> <p>1. Have all samples received for analysis been stored in ice? <u>YES</u></p> <p>2. Will samples remain refrigerated until analyzed? <u>YES</u></p> <p>3. Did any samples received for analysis have head space? <u>NO</u></p> <p>4. Were samples in appropriate containers and properly packaged? <u>YES</u></p>
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	
		Signature: _____ Title: _____ Date: 3/29/91	



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.	Client Project ID: Paradise, 3924 Market St., Oakland	Sampled: Mar 29, 1991
P.O. Box 996	Sample Descript.: Soil, Comp A	Received: Apr 1, 1991
Benicia, CA 94510	Analysis Method: EPA 5030/8015/8020	Analyzed: Apr 11, 1991
Attention: Mardo Kaprealian, P.E.	Lab Number: 104-0040 A-D	Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS WITH BTEX DISTINCTION (EPA 8015/8020)

Analyte	Detection Limit mg/kg (ppm)	Sample Results mg/kg (ppm)
Low to Medium Boiling Point Hydrocarbons.....	1.0	40
Benzene.....	0.0050	0.31
Toluene.....	0.0050	0.26
Ethyl Benzene.....	0.0050	0.21
Xylenes.....	0.0050	0.31

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director

1040040.KEI <1>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.	Client Project ID: Paradise, 3924 Market St., Oakland	Sampled: -----
P.O. Box 996	Sample Descript.: Matrix Blank	Received: -----
Benicia, CA 94510	Analysis Method: EPA 5030/8015/8020	Analyzed: Apr 11, 1991
Attention: Mardo Kaprealian, P.E.	Lab Number: -----	Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS WITH BTEX DISTINCTION (EPA 8015/8020)

Analyte	Detection Limit mg/kg (ppm)	Sample Results mg/kg (ppm)
Low to Medium Boiling Point Hydrocarbons.....	1.0	N.D.
Benzene.....	0.0050	N.D.
Toluene.....	0.0050	N.D.
Ethyl Benzene.....	0.0050	0.028
Xylenes.....	0.0050	N.D.

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.

Client Project ID: Paradise, 3924 Market St., Oakland

P.O. Box 996

Benicia, CA 94510

Attention: Mardo Kaprealian, P.E. QC Sample Group: 104-0040

Reported: Apr 16, 1991

QUALITY CONTROL DATA REPORT

SURROGATE

Method:	EPA8015/8020	EPA8015/8020
Analyst:	E.H.	E.H.
Reporting Units:	mg/kg	mg/kg
Date Analyzed:	Apr 12, 1991	Apr 12, 1991
Sample #:	104-0040	Blank

Surrogate		
% Recovery:	130	90

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.

Client Project ID: Paradiso, 3924 Market St., Oakland

P.O. Box 996

Benicia, CA 94510

Attention: Mardo Kaprealian, P.E. QC Sample Group: 104-0040

Reported: Apr 16, 1991

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
---------	---------	---------	---------------	---------

Method:	EPA8015/8020	EPA8015/8020	EPA8015/8020	EPA8015/8020
Analyst:	E.H.	E.H.	E.H.	E.H.
Reporting Units:	mg/kg	mg/kg	mg/kg	mg/kg
Date Analyzed:	Apr 12, 1991	Apr 12, 1991	Apr 12, 1991	Apr 12, 1991
QC Sample #:	Matrix041191	Matrix041191	Matrix041191	Matrix041191
Sample Conc.:	N.D.	N.D.	N.D.	N.D.
Spike Conc. Added:	0.50	0.50	0.50	1.5
Conc. Matrix Spike:	0.56	0.53	0.51	1.6
Matrix Spike % Recovery:	110	110	100	110
Conc. Matrix Spike Dup.:	0.63	0.55	0.50	1.5
Matrix Spike Duplicate % Recovery:	130	110	100	100
Relative % Difference:	12	3.7	2.0	6.5

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.	Client Project ID: Paradise, 3924 Market St., Oakland	Sampled: Mar 29, 1991
P.O. Box 996	Matrix Descript: Soil	Received: Apr 1, 1991
Benicia, CA 94510	Analysis Method: EPA 3550/8015	Extracted: Apr 9, 1991
Attention: Mardo Kaprealian, P.E.	First Sample #: 104-0040 A-D	Analyzed: Apr 12, 1991
		Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015)

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
104-0040 A-D	Comp A	4.9

Detection Limits:

1.0

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Belinda C. Vega
Laboratory Director

1040040.KEI <5>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.
P.O. Box 996
Benicia, CA 94510
Attention: Mardo Kaprealian, P.E.

Client Project ID: Paradise, 3924 Market St., Oakland
Matrix Descript: Matrix Blank
Analysis Method: EPA 3550/8015
First Sample #: -----

Sampled: -----
Received: -----
Extracted: Apr 9, 1991
Analyzed: Apr 11, 1991
Reported: Apr 16, 1991

TOTAL PETROLEUM FUEL HYDROCARBONS (EPA 8015)

Sample Number	Sample Description	High B.P. Hydrocarbons mg/kg (ppm)
-----	Matrix Blank	N.D.

Detection Limits:

1.0

High Boiling Point Hydrocarbons are quantitated against a diesel fuel standard.
Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL


Belinda C. Vega
Laboratory Director

1040040.KEI <6>



SEQUOIA ANALYTICAL

1900 Bates Avenue • Suite LM • Concord, California 94520
(415) 686-9600 • FAX (415) 686-9689

Kaprealian Engineering, Inc.

Client Project ID: **Paradiso,3924 Market St., Oakland**

P.O. Box 996

Benicia, CA 94510

Attention: **Mardo Kaprealian, P.E.** QC Sample Group: 104-0040

Reported: **Apr 16, 1991**

QUALITY CONTROL DATA REPORT

ANALYTE

Diesel

Method: EPA 8015
Analyst: K. Lee
Reporting Units: mg/kg
Date Analyzed: Apr 11, 1991
QC Sample #: BLK040991

Sample Conc.: N.D.

Spike Conc.
Added: 10

Conc. Matrix
Spike: 8.1

Matrix Spike
% Recovery: 81

Conc. Matrix
Spike Dup.: 7.6

Matrix Spike
Duplicate
% Recovery: 76

Relative
% Difference: 6.4

SEQUOIA ANALYTICAL

Belinda C. Vega
Belinda C. Vega
Laboratory Director

% Recovery:	$\frac{\text{Conc. of M.S.} - \text{Conc. of Sample}}{\text{Spike Conc. Added}} \times 100$
Relative % Difference:	$\frac{\text{Conc. of M.S.} - \text{Conc. of M.S.D.}}{(\text{Conc. of M.S.} + \text{Conc. of M.S.D.}) / 2} \times 100$



KAPREALIAN ENGINEERING, INC.

CHAIN OF CUSTODY

SAMPLER <i>Harig</i>		SITE NAME & ADDRESS <i>Paradiso (S.F. French Bread Co.) Oakland - 3924 Market St.</i>						ANALYSES REQUESTED			TURN AROUND TIME: <i>REGULAR</i>	
WITNESSING AGENCY								<i>TPH-C</i>	<i>BTR-4</i>	<i>TPH-D</i>	REMARKS	
SAMPLE ID NO.	DATE	TIME	SOIL	WATER	GRAB	COMP	NO. OF CONT.	SAMPLING LOCATION				
<i>Comp A</i>	<i>3/29/91</i>		<input checked="" type="checkbox"/>				<i>4</i>	<i>STOCKPILE</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<i>10410040A-D</i>
Relinquished by: (Signature) <i>Harig</i>	Date/Time <i>3/29/91</i>	Received by: (Signature) <i>[Signature]</i>	<ul style="list-style-type: none"> 1. Have all samples received for analysis been stored in ice? <i>YES</i> 2. Will samples remain refrigerated until analyzed? <i>YES</i> 3. Did any samples received for analysis have head space? <i>NO</i> 4. Were samples in appropriate containers and properly packaged? <i>YES</i> 									
Relinquished by: (Signature)	Date/Time	Received by: (Signature)										
Relinquished by: (Signature)	Date/Time	Received by: (Signature)										
Relinquished by: (Signature)	Date/Time	Received by: (Signature)										
Relinquished by: (Signature)	Date/Time	Received by: (Signature)										
			Signature	Title	Date							