

MAR 15 PM 2: 26

March 8, 1999 Project 20805-127.006

Reverend Sura D. Phoenix First Christian Church 1190 Davis Street San Leandro, CA 94577

Re: Quarterly Groundwater Monitoring Report, Fourth Quarter 1998,

First Christian Church, 1190 Davis Street, San Leandro, CA

Dear Reverend Phoenix:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached copy of the laboratory analytical results for the groundwater sample collected from well MW-5 during the fourth quarter of 1998. This well is located at the First Christian Church, 1190 Davis Street, San Leandro, California. The groundwater sample was collected during quarterly sampling of the ARCO Products Company (ARCO) Service Station No. 2111, located at 1156 Davis Street, San Leandro, California.

Please call if you have questions.

Sincerely,

Pinnacle

Glen VanderVeen Project Manager

Attachments: Figure 1 - Generalized Site Plan


Appendix A - Copy of Certified Analytical Report and Chain-of-Custody

Documentation

cc: Kevin Tinsley, ACHCSA

Paul Supple, ARCO Products Company

File



APPENDIX A COPY OF CERTIFIED ANALYTICAL REPORT, AND CHAIN-OF-CUSTODY DOCUMENTATION



NOV 0 2 1998
BY: OMA

October 30, 1998

Service Request No.: S9802776

Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-127.003/TO#21133.00 RAT#8/2111 SAN LEANDRO

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on October 19, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 8, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Stéven L. Green

Project Chemist

Greg Anderson

Regional QA Coordinator

Bradette J. Ex gen

Acronyms

A2LA American Association for Laboratory Accreditation

ASTM American Society for Testing and Materials

BOD Biochemical Oxygen Demand

BTEX Benzene, Toluene, Ethylbenzene, Xylenes

CAM California Assessment Metals
CARB California Air Resources Board

CAS Number Chemical Abstract Service registry Number

CFC Chlorofluorocarbon
CFU Colony-Forming Unit
COD Chemical Oxygen Demand

DEC Department of Environmental Conservation
DEQ Department of Environmental Quality
DHS Department of Health Services
DLCS Duplicate Laboratory Control Sample

DMS Duplicate Matrix Spike
DOE Department of Ecology
DOH Department of Health

EPA U. S. Environmental Protection Agency

ELAP Environmental Laboratory Accreditation Program

GC Gas Chromatography

GC/MS Gas Chromatography/Mass Spectrometry

IC Ion Chromatography

ICB Initial Calibration Blank sample

inductively Coupled Plasma atomic emission spectrometry

ICV Initial Calibration Verification sample

Estimated concentration. The value is less than the MRL, but greater than or equal to

the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.

LUFT Leaking Underground Fuel Tank

M Modified

MBAS Methylene Blue Active Substances

MCL Maximum Contaminant Level. The highest permissible concentration of a

substance allowed in drinking water as established by the U. S. EPA.

MDL Method Detection Limit
MPN Most Probable Number
MRL Method Reporting Limit

MS Matrix Spike

MTBE Methyl tert-Butyl Ether

NA Not Applicable
NAN Not Analyzed
NC Not Calculated

NCASI National Council of the paper industry for Air and Stream Improvement
ND Not Detected at or above the method reporting/detection limit (MRL/MDL)

NIOSH National Institute for Occupational Safety and Health

NTU Nephelometric Turbidity Units

ppb Parts Per Billion ppm Parts Per Million

PQL Practical Quantitation Limit
QA/QC Quality Assurance/Quality Control
RCRA Resource Conservation and Recovery Act

RPD Relative Percent Difference SIM Selected for Monitoring

SM Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992

STLC Solubility Threshold Limit Concentration

SW Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846,

3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.

TCLP Toxicity Characteristic Leaching Procedure

TDS Total Dissolved Solids

TPH Total Petroleum Hydrocarbons

tr Trace level. The concentration of an analyte that is less than the PQL but greater than or equal

to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.

TRPH Total Recoverable Petroleum Hydrocarbons

TSS Total Suspended Solids

TTLC Total Threshold Limit Concentration

VOA Volatile Organic Analyte(s) ACRONLST DOC 7/14/95

Analytical Report

Client:

ARCO Products Company

Project:

20805-127.003/TO#21133.00 RAT#8/2111 SAN LEANDRO

Sample Matrix:

...

Service Request: S9802776

Date Collected: 10/19/98

Date Received: 10/19/98

Units: unit (ppb)

Basis: NA

BTEX, MTBE and TPH as Gasoline

Sample Name:

MW-5(16)

Lab Code:

S9802776-006

Test Notes:

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA LUFT	50	5	NA	10/30/98	.≪250 ⊹	Cl
Benzene	EPA 5030	8020	0.5	5	NA	10/30/98	<2.5	CI
Toluene	EPA 5030	8020	0.5	5	NA	10/30/98	<2.5	CI
Ethylbenzene	EPA 5030	8020	0.5	5	NA	10/30/98	<2.5	CI
	EPA 5030	8020	0.5	5	NA	10/30/98	Q.5	Cl
Xylenes, Total Methyl teri-Butyl Ether	EPA 5030	8020	3	5	NA	10/30/98	309	

Cl

Analytical Report

Client:

ARCO Products Company

Project:

20805-127.003/TO#21133.00 RAT#8/2111 SAN LEANDRO

Service Request: \$9802776 Date Collected: NA

Sample Matrix:

Water

Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name:

Method Blank

Lab Code:

S981029-WB1

Test Notes:

Units: ug/L (ppb)

Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA LUFT	50	1	NA	10/29/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	10/29/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	10/29/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	ı	NA	10/29/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	10/29/98	ND	
Methyl tert -Butyl Ether	EPA 5030	8020	3	1	NA	10/29/98	ND	

QA/QC Report

Client:

ARCO Products Company

Service Request: S9802776

Project:

20805-127.003/TO#21133.00 RAT#8/2111 SAN LEANDRO

Date Collected: NA

Sample Matrix:

Water

Date Received: NA Date Extracted: NA

Date Analyzed: NA

Surrogate Recovery Summary BTEX, MTBE and TPH as Gasoline

Prep Method:

EPA 5030

Units: PERCENT

Analysis Method: 8020

CA/LUFT

Basis: NA

Sample Name	Lab Code	Test Notes	Percent 4-Bromofluorobenzene	Recovery a,a,a-Trifluorotoluene
outilpreae				
MW-1(18)	S9802776-001		104	93
MW-4(17)	S9802776-002		109	94
MW-3(18)	S9802776-003		103	91
MW-2(17)	S9802776-004		95	87
MW-7(16)	S9802776-005		95	93 .
MW-5(16)	S9802776-006		99	91
BATCH QC	S9802886-006MS		100	92
BATCH QC	S9802886-006DMS		100	96
Method Blank	S981022-WB1		92	96
Method Blank	S981029-WB1		96	90

CAS Acceptance Limits:

69-116

69-116

QA/QC Report

Client:

ARCO Products Company

Project:

20805-127.003/TO#21133.00 RAT#8/2111 SAN LEANDRO

Date Collected: NA

Service Request: \$9802776

Sample Matrix:

Water

Date Received: NA

Date Extracted: NA

Date Analyzed: 10/30/98

Matrix Spike/Duplicate Matrix Spike Summary

BTE

Sample Name:

BATCH QC

Units: ug/L (ppb)

Lab Code:

S9802886-006MS,

S9802886-006DMS

Basis: NA

Test Notes:

Percent Recovery

	Prep	Analysis		Spik	e Level	Sample	Spike	Result			CAS Acceptance	Relative Percent	
Analyte	Method	Method	MRL	MS	DMS	Result	MS	DMS	MS	DMS	Limits	Difference	
Benzene	EPA 5030	8020	0.5	25	25	ND	25	25	100	100	75-135	<1	
Toluene	EPA 5030	8020	0.5	25	25	ND	25	24	100	96	73-136	4	
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	26	23	104	92	69-142	12	

QA/QC Report

Client: Project: ARCO Products Company

20805-127.003/TO#21133.00 RAT#8/2111 SAN LEANDRO

Service Request: \$9802776

Date Analyzed: 10/29/98

Initial Calibration Verification (ICV) Summary BTEX, MTBE and TPH as Gasoline

Sample Name:

ICV

Units: ug/L (ppb)

Basis: NA

Lab Code:

ICV1

Test Notes:

ICV Source:									
Analyte	Prep Method	Analysis Method	True Value	Result	Acceptance Limits	Percent Recovery	Result Notes		
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104			
Danzana	FPA 5030	8020	25	26	85-115	104			

EPA 5030 Benzene 8020 85-115 100 EPA 5030 8020 25 25 Toluene 85-115 100 25 25 8020 Ethylbenzene EPA 5030 80 85-115 107 75 Xylenes, Total 8020 EPA 5030 85-115 100 25 EPA 5030 8020 25 Methyl tert -Butyl Ether

ARC	O Pro	of Atle	cts (om	pany	<u>'</u>			lask O rde r	No. 2	731	2.0	20										of Custo	dy
ARCO Fe	cility no	211			City (Facility		Lea	ndro		Proj (Co	ject me naulter	anager nt)	Ğ	en	Vai	nde		10	<u> </u>		7-9		Laboratory Name AS Contract Number	,
ARCO en	•	<u>Pac</u> Fm	150 CON		10		(AP	phone no. ICO) Add (Co	dress onsultant)	(co 44-A	nsultar MC	n Chi	408 9u/)45 Wa	3-23 17 W	300 Jaln	11+1	Cr.o	ادام		945	96	Contract Number	
				Matrix		Prese	ervation				趋	′			l'			D NO.	6010/7000	בושענ			Method of shipment Sampler	
Sample 1.D	р по.	Container no	Soil	Water	Other	Ice	Acid	Sampling date	Samping brae	BTEX 602/EPA 8020	EXTPHINGLA	H Modified 801 s C Diesel C	Oil and Grease 413.1 ① 413.2 ①	H A 418.1/SM 50	EPA 50 1/80 10	A 624/8240	A 625/8270	LP Sea	AN Metals EPA RCD STLCC	Lead Org/DHSCI Lead EPA 7420/7421CI			Sampler will deliver	
8 HW-5	3		<u> </u>	×		×	Ha	WKK8		E 3	X	₽ 8	8 ₹	윤원	댎	Eb	G)	2 €	₹⊏	ğ, <u></u>			Special Detection Limit/reporting	
- C-W	6/6						nu.	ITTITX	240			<u> </u>											Lowest Possible	
																							Special QA/QC A S Normal	
																							Remarks RAT 8	
																							2-40m1HC VOAs	L
																							# <i>20305-</i> 127. Lab Number	00
			<u> </u>					<u> </u>															Tumaround Time:	
																			-				Priority Rush 1 Business Day	۵
										_													Rush 2 Business Days Expedited	
Condition of sample: Belinguished by sample					Rece	Ba.	y ices	Fre	QÇ.						73	(ind)	१५ जे.७१	5 Businese Days	_ *					
Relinguis	hed by		·	<u> </u>			Date		Time	Rece	ived b	y labo	ratory				Date			Time				
Distributio	n: White	Сору	- Labor	tory: C	anary C	ppy AR	CO Enviro	nmental Eng	pineering: P	ink Co	py – C	onsul	ant								Do	L= 11-	2 RIII	3