



PE

September 17, 1997

Jennifer Eberle
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, California 94502

#1107

PE
12/1/97

Re: **Soil Disposal Confirmation**
Shell Service Station
29 Wildwood Avenue
Piedmont, California 94610
WIC #204-6001-0109
Cambria #240-687-1

Dear Ms. Eberle:

On behalf of Shell Oil Products Company (Shell), Cambria Environmental Technology, Inc. (Cambria) presents this letter as confirmation of soil disposal from the site referenced above. Approximately 20 cubic yards of soil were excavated during landscaping activities. On August 8, 1997, Cambria geologists Josh Bergstrom and Maureen Feineman sampled the stockpiled soil. The samples were submitted to Sequoia Analytical of Redwood City, California for analysis. The samples were analyzed for total purgeable petroleum hydrocarbons as gasoline by modified EPA Method 8015, benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8020, inorganic persistent and bioaccumulative toxic substances by EPA Method 6010, and organic lead by the California Luft Method.

The stockpile was transported to Forward, Inc., of Stockton, California for disposal by Manley and Sons of Sacramento, California. Cambria's soil stockpile sampling procedures are presented in Attachment A, and disposal confirmation forms are included as Attachment B.

No petroleum hydrocarbons were detected in the four samples collected. The laboratory analytic report is presented in Attachment C.

CAMBRIA
ENVIRONMENTAL
TECHNOLOGY, INC.
1144 65TH STREET,
SUITE B
OAKLAND,
CA 94608
PH: (510) 420-0700
FAX: (510) 420-9170

97 SEP 30 PM 3:41
ENVIRONMENTAL
PROTECTION

Jennifer Eberle
September 17, 1997

CAMBRIA

We appreciate your assistance with this project. Please call if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc.



Paul Waite
Project Engineer

cc: Lisa Maglines, Shell Oil Products Company, P.O. Box 4023, Concord, California 94520

Attachments: A - Standard Soil Stockpile Sampling Procedures
B - Disposal Confirmation Forms
C - Laboratory Analytical Report

F:\PROJECT\SHELL\PIE29\REPORTS\Soil Disposal.WPD

CAMBRIA

ATTACHMENT A

Standard Soil Stockpile Sampling Procedures

SOIL STOCKPILE SAMPLING PROCEDURES

After confirming a release from underground gasoline storage tanks, product piping or pump islands, soil excavation is often completed to remove hydrocarbon bearing soils which for pose a threat to ground water quality beneath a site. The removed soils are typically stockpiled on site pending the results of laboratory analysis for soil samples collected from the stockpiles. Cambria has developed standard sampling procedures to characterize stockpiled soils for on- or off-site treatment, or offsite disposal. The procedures ensure that the samples are collected, handled, and documented in compliance with Federal, State and local regulatory agency guidelines.

Cambria's stockpile sampling procedures are based primarily on Bay Area Air Quality Management District regulations¹ and those of the anticipated landfill. One composite soil sample is collected for every 20 to 50 cubic yards of excavated soil. Each composite sample consists of four discreet soil samples collected from the stockpile which are combined in the laboratory. The samples are collected by dividing each 20 to 50 cubic yard volume into 4 sectors. One discreet soil sample is collected from each sector.

The samples are collected by digging away approximately 2 ft of the surface soils. A clean brass tube is then driven into the exposed soils. The ends of the tube are trimmed flush, capped with Teflon tape and plastic end caps, labeled, refrigerated and transported under chain of custody to a State certified laboratory.

¹ San Francisco Bay Area Air Quality Management District, 1989, Regulation 8, Organic Compounds, Rule 40, Aeration of Contaminated Soil and Removal of Underground Storage Tanks, February 15, 1989 7 pp.

CAMBRIA

ATTACHMENT B

Disposal Confirmation Forms

DISPOSAL CONFIRMATION

Consultant:	CAMBRIA ENVIRONMENTAL
Contact:	PAUL WAITE
Phone/Fax:	(510) 420-0700 FAX (510) 420-9170
Client:	SHELL OIL CO. - LISA MAGLINES
Station #/Wic #:	204-6001-0109
Site Address:	29 WILDWOOD
City/State:	PIEDMONT, CA
Estimated YD/Ton:	15 YARDS
Actual YD/Ton:	20.76 TONS
Disposal Facility:	FORWARD LANDFILL, INC.
Disposal Date:	AUGUST 14, 1997
Contact:	CORRINA MATHEWS
Phone #:	(209) 982-4298
Hauler:	MANLEY & SONS TRUCKING, INC.
Contact:	TIM A. MANLEY
Phone #:	(916) 381-6864
Fax #:	(916) 381-1573

Date & Time Faxed

6197



FORWARD
INCORPORATED

P.O. Box 6336
1145 W. Charter Way • Stockton, CA 95206
(209) 466-4482 • (800) 204-4242 • FAX (209) 466-1067

September 10, 1997

Cambria Environmental Technology
1144 65th Street, Suite C
Oakland, California 94608

Attention: Paul Waite

Re: **FORWARD, INC.** Approval No. 615622
Petroleum Contaminated Soil from
Shell Oil Products Company
29 Wildwood,
Piedmont, California

Dear Mr. Waite.:

FORWARD, INC. is pleased to confirm the disposal of 20.76 tons of material as referenced above. The material was received at our Manteca, California facility on August 14, 1997. The material was placed in a Class II waste management unit.

Approval for this material was based on the information provided in the waste profile and associated materials submitted on behalf of Shell Oil Products Company (Generator). Acceptance of the waste is subject to the "Terms and Conditions" agreed to and signed by the Generator on the Waste Profile Form.

Thank you for the opportunity to be of service. Should you have any questions regarding this matter, please call me or customer service at (800) 204-4242.

Sincerely,

FORWARD, INC.

Brad J. Bonner

Brad J. Bonner
Senior Account Manager

CAMBRIA

ATTACHMENT C

Laboratory Analytic Report



Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Cambria
1144 65th St. Suite C
Oakland, CA 94608
Attention: Paul Waite

Project: Shell, 204-6001-0109 Piedmont


Enclosed are the results from samples received at Sequoia Analytical on August 8, 1997.
The requested analyses are listed below:

<u>SAMPLE #</u>	<u>SAMPLE DESCRIPTION</u>	<u>DATE COLLECTED</u>	<u>TEST METHOD</u>
9708397 -01	SOLID, SP-A	08/08/97	TPHGBS Purgeable TPH/BTEX
9708397 -02	SOLID, SP-B	08/08/97	TPHGBS Purgeable TPH/BTEX
9708397 -03	SOLID, SP-C	08/08/97	TPHGBS Purgeable TPH/BTEX
9708397 -04	SOLID, SP-D	08/08/97	TPHGBS Purgeable TPH/BTEX
9708397 -05	SOLID, SP-(A-D)	08/08/97	ITTLCS Title 22: Metals, T
9708397 -05	SOLID, SP-(A-D)	08/08/97	Organic Lead

Please contact me if you have any questions. In the meantime, thank you for the opportunity to work with you on this project.

Very truly yours,

SEQUOIA ANALYTICAL



Kevin Follett
Project Manager





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100


Cambria 1144 65th St. Suite C Oakland, CA 94608	Client Proj. ID: Shell, 204-6001-0109 Piedmont Lab Proj. ID: 9708397	Sampled: 08/08/97 Received: 08/08/97 Analyzed: see below Reported: 08/12/97
Attention: Paul Waite		

LABORATORY ANALYSIS

Analyte	Units	Date Analyzed	Detection Limit	Sample Results
Lab No: 9708397-05 Sample Desc : SOLID,SP-(A-D)				
Organic Lead	mg/Kg	08/12/97	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Kevin Follett
Project Manager





Cambria 1144 65th St. Suite C Oakland, CA 94608	Client Proj. ID: Shell, 204-6001-0109 Piedmont Sample Descript: SP-A Matrix: SOLID Analysis Method: 8015Mod/8020 Lab Number: 9708397-01	Sampled: 08/08/97 Received: 08/08/97 Extracted: 08/11/97 Analyzed: 08/11/97 Reported: 08/12/97
Attention: Paul Waite		

QC Batch Number: GC081197BTEXEXA
Instrument ID: GCHP1

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

Analyte	Detection Limit mg/Kg	Sample Results mg/Kg
TPPH as Gas	1.0	N.D.
Benzene	0.0050	N.D.
Toluene	0.0050	N.D.
Ethyl Benzene	0.0050	N.D.
Xylenes (Total)	0.0050	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	88
4-Bromofluorobenzene	60 140	92

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett

Kevin Follett
Project Manager





Cambria 1144 65th St. Suite C Oakland, CA 94608 Attention: Paul Waite	Client Proj. ID: Shell, 204-6001-0109 Piedmont Sample Descript: SP-B Matrix: SOLID Analysis Method: 8015Mod/8020 Lab Number: 9708397-02	Sampled: 08/08/97 Received: 08/08/97 Extracted: 08/11/97 Analyzed: 08/11/97 Reported: 08/12/97
--	---	--


QC Batch Number: GC081197BTEXEXA
Instrument ID: GCHP1

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

Analyte	Detection Limit mg/Kg	Sample Results mg/Kg
TPPH as Gas	1.0	N.D.
Benzene	0.0050	N.D.
Toluene	0.0050	N.D.
Ethyl Benzene	0.0050	N.D.
Xylenes (Total)	0.0050	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	80
4-Bromofluorobenzene	60 140	88

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Kevin Follett
Project Manager





Cambria 1144 65th St. Suite C Oakland, CA 94608	Client Proj. ID: Shell, 204-6001-0109 Piedmont Sample Descript: SP-C Matrix: SOLID Analysis Method: 8015Mod/8020 Lab Number: 9708397-03	Sampled: 08/08/97 Received: 08/08/97 Extracted: 08/11/97 Analyzed: 08/11/97 Reported: 08/12/97
Attention: Paul Waite		


QC Batch Number: GC081197BTEXEXA
Instrument ID: GCHP1

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

Analyte	Detection Limit mg/Kg	Sample Results mg/Kg
TPPH as Gas	1.0	N.D.
Benzene	0.0050	N.D.
Toluene	0.0050	N.D.
Ethyl Benzene	0.0050	N.D.
Xylenes (Total)	0.0050	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	82
4-Bromofluorobenzene	60 140	77

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Kevin Follett
Project Manager





Cambria 1144 65th St. Suite C Oakland, CA 94608	Client Proj. ID: Shell, 204-6001-0109 Piedmont Sample Descript: SP-D Matrix: SOLID Analysis Method: 8015Mod/8020 Lab Number: 9708397-04	Sampled: 08/08/97 Received: 08/08/97 Extracted: 08/11/97 Analyzed: 08/11/97 Reported: 08/12/97
---	---	--

QC Batch Number: GC081197BTEXEXA
Instrument ID: GCHP1

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

Analyte	Detection Limit mg/Kg	Sample Results mg/Kg
TPPH as Gas	1.0	N.D.
Benzene	0.0050	N.D.
Toluene	0.0050	N.D.
Ethyl Benzene	0.0050	N.D.
Xylenes (Total)	0.0050	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	87
4-Bromofluorobenzene	60 140	86

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett
Project Manager






Cambria 1144 65th St. Suite C Oakland, CA 94608	Client Proj. ID: Shell, 204-6001-0109 Piedmont Sample Descript: SP-(A-D) Matrix: SOLID Analysis Method: Title 22 Lab Number: 9708397-05	Sampled: 08/08/97 Received: 08/08/97 Extracted: 08/11/97 Analyzed: 08/11/97 Reported: 08/12/97
Attention: Paul Waite		
QC Batch Number: ME0811976010MDE		

Inorganic Persistent and Bioaccumulative Toxic Substances : TTLC

Analyte	Max. Limit mg/Kg	Detection Limit mg/Kg	Sample Results mg/Kg
Antimony, Sb	500	5.0	N.D.
Arsenic, As	500	5.0	8.7
Barium, Ba	10000	5.0	250
Beryllium, Be	75	0.50	N.D.
Cadmium, Cd	100	0.50	N.D.
Chromium, Cr	2500	0.50	26
Chromium, Cr (VI)	500	0.050	--
Cobalt, Co	8000	2.5	9.0
Copper, Cu	2500	0.50	48
Lead, Pb	1000	5.0	33
Mercury, Hg	20	0.020	0.068
Molybdenum, Mo	3500	2.5	N.D.
Nickel, Ni	2000	2.5	28
Selenium, Se	100	5.0	N.D.
Silver, Ag	500	0.50	N.D.
Thallium, Tl	700	5.0	6.7
Vanadium, V	2400	2.5	30
Zinc, Zn	5000	0.50	77
Asbestos, fibers/g	10000		--
Fluoride salts	18000	1.0	--

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Kevin Follett
Project Manager





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Cambria Environmental Tech.
1144 65th St., Ste. C
Oakland, CA 94608
Attention: Paul Waite

Client Project ID: Shell, 204-6001-0109 Piedmont
Matrix: Solid

Work Order #: 9708397 05

Reported: Aug 13, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Organic Lead	Mercury
QC Batch#:	ME0812977000MDA	ME0811977471M4A
Analy. Method:	LUFT	EPA 7471
Prep. Method:	LUFT	EPA 7471

Analyst:	J. Jencks	M. Heid
MS/MSD #:	9707F6901	970839901
Sample Conc.:	N.D.	0.084
Prepared Date:	8/12/97	8/11/97
Analyzed Date:	8/12/97	8/11/97
Instrument I.D.#:	MV2	MPE4
Conc. Spiked:	4.0 mg/Kg	0.40 mg/Kg
Result:	2.2	0.40
MS % Recovery:	55	79
Dup. Result:	2.1	0.39
MSD % Recov.:	53	77
RPD:	4.7	2.5
RPD Limit:	0-30	0-30

LCS #:	BLK081297	BLK081197
Prepared Date:	8/12/97	8/11/97
Analyzed Date:	8/12/97	8/11/97
Instrument I.D.#:	MV2	MPE4
Conc. Spiked:	4.0 mg/Kg	0.40 mg/Kg
LCS Result:	3.6	0.36
LCS % Recov.:	90	90

MS/MSD LCS Control Limits	75-125	75-125
---------------------------------	--------	--------

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Kevin Follett
Kevin Follett
Project Manager

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9708397.CCC <1>





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Cambria Environmental Tech.
1144 65th St., Ste. C
Oakland, CA 94608
Attention: Paul Waite

Client Project ID: Shell, 204-6001-0109 Piedmont
Matrix: Solid

Work Order #: 9708397 01-04

Reported: Aug 13, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Beryllium	Cadmium	Chromium	Nickel
QC Batch#:	ME0811976010MDE	ME0811976010MDE	ME0811976010MDE	ME0811976010MDE
Analy. Method:	EPA 6010	EPA 6010	EPA 6010	EPA 6010
Prep. Method:	EPA 3050	EPA 3050	EPA 3050	EPA 3050

Analyst:	R. Butler	R. Butler	R. Butler	R. Butler
MS/MSD #:	970840801	970840801	970840801	970840801
Sample Conc.:	N.D.	N.D.	33	51
Prepared Date:	8/11/97	8/11/97	8/11/97	8/11/97
Analyzed Date:	8/11/97	8/11/97	8/11/97	8/11/97
Instrument I.D.#:	MTJA2	MTJA2	MTJA2	MTJA2
Conc. Spiked:	50 mg/Kg	50 mg/Kg	50 mg/Kg	50 mg/Kg

Result:	42	45	80	100
MS % Recovery:	84	90	94	98

Dup. Result:	43	47	91	110
MSD % Recov.:	86	94	120	120

RPD:	2.4	4.3	13	9.5
RPD Limit:	0-20	0-20	0-20	0-20

LCS #:	BLK081197	BLK081197	BLK081197	BLK081197
Prepared Date:	8/11/97	8/11/97	8/11/97	8/11/97
Analyzed Date:	8/11/97	8/11/97	8/11/97	8/11/97
Instrument I.D.#:	MTJA2	MTJA2	MTJA2	MTJA2
Conc. Spiked:	50 mg/Kg	50 mg/Kg	50 mg/Kg	50 mg/Kg
LCS Result:	48	48	48	48
LCS % Recov.:	96	96	96	96

MS/MSD	80-120	80-120	80-120	80-120
LCS	80-120	80-120	80-120	80-120
Control Limits				

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Kevin Follett
Kevin Follett
Project Manager

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9708397.CCC <2>





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Cambria Environmental Tech.
1144 65th St., Ste. C
Oakland, CA 94608
Attention: Paul Waite

Client Project ID: Shell, 204-6001-0109 Piedmont
Matrix: Solid

Work Order #: 9708397 01-04

Reported: Aug 13, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC081197BTEXEXA	GC081197BTEXEXA	GC081197BTEXEXA	GC081197BTEXEXA	GC081197BTEXEXA
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	970837703	970837703	970837703	970837703	970837703
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	8/11/97	8/11/97	8/11/97	8/11/97	8/11/97
Analyzed Date:	8/11/97	8/11/97	8/11/97	8/11/97	8/11/97
Instrument I.D.#:	GCHP7	GCHP7	GCHP7	GCHP7	GCHP7
Conc. Spiked:	0.20 mg/Kg	0.20 mg/Kg	0.20 mg/Kg	0.60 mg/Kg	1.2 mg/Kg
Result:	0.18	0.17	0.18	0.54	1.2
MS % Recovery:	90	85	90	87	89
Dup. Result:	0.17	0.17	0.17	0.51	1.1
MSD % Recov.:	85	85	85	82	81
RPD:	5.7	0.0	5.7	5.7	8.7
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK081197	BLK081197	BLK081197	BLK081197	BLK081197
Prepared Date:	8/11/97	8/11/97	8/11/97	8/11/97	8/11/97
Analyzed Date:	8/11/97	8/11/97	8/11/97	8/11/97	8/11/97
Instrument I.D.#:	GCHP7	GCHP7	GCHP7	GCHP7	GCHP7
Conc. Spiked:	0.20 mg/Kg	0.20 mg/Kg	0.20 mg/Kg	0.60 mg/Kg	1.2 mg/Kg
LCS Result:	0.20	0.19	0.19	0.59	1.3
LCS % Recov.:	100	95	95	98	108

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Kevin Follett
Project Manager

** MS= Matrix Spike, MSD= MS Duplicate, RPD= Relative % Difference

9708397.CCC <3>





Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(650) 364-9600
(510) 988-9600
(916) 921-9600

FAX (650) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Cambria
1144 65th St. Suite C
Oakland, CA 94608
Attention: Paul Waite

Client Proj. ID: Shell, 204-6001-0109 Piedmont

Received: 08/08/97

Lab Proj. ID: 9708397

Reported: 08/12/97

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 12 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

SEQUOIA ANALYTICAL


Kevin Follett
Project Manager

Page: 1





SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD

Serial No: _____

Date: _____
Page 1 of 2

Site Address: ~~29 Piedmont~~ Wildwood, Piedmont

Analysis Required

LAB: Sequoia

WIC#: 204-6001-0109

Shell Engineer: Lisa Maglines Phone No: 075-6100
Fax #: 075-

Consultant Name & Address: **CAMBRIA ENVIRONMENTAL**
1144 65th St. Suite C, Oakland, CA 94608

Consultant Contact: Paul Warte Phone No.: 510 420-0700
Fax #: 420-9170

Comments: Follow attached protocols

Sampled by: Maureen Feineman

Printed Name: Maureen Feineman

CHECK ONE (1) BOX ONLY	CI/DI	TURN AROUND TIME
G.W. Monitoring <input type="checkbox"/>	4461	24 hours <input checked="" type="checkbox"/>
Site Investigation <input type="checkbox"/>	4441	48 hours <input type="checkbox"/>
Soil Classify/Disposal <input checked="" type="checkbox"/>	4442	15 days <input type="checkbox"/> (If formal)
Water Classify/Disposal <input type="checkbox"/>	4443	Other <input type="checkbox"/>
Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	4452	
Water Rem. or Sys. O & M <input type="checkbox"/>	4453	
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible of 24/48 hrs. TAT.

UST AGENCY: Alameda County

Sample ID	Date	Sludge	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/COMMENTS	
SP-A	8/8		1			1											4:1 Composite for Metals		
SP-B	1		1			1													
SP-C	1		1			1													
SP-D	1		1			1													

Relinquished By (signature): <u>Maureen Feineman</u>	Printed Name: <u>Maureen Feineman</u>	Date: <u>8/8/97</u> Time: <u>4:42</u>	Received (signature): <u>M. Passalos</u>	Printed Name: <u>PASSALOS</u>	Date: <u>8/8/97</u> Time: <u>4:43</u>
Relinquished By (signature):	Printed Name:	Date: Time:	Received (signature):	Printed Name:	Date: Time:
Relinquished By (signature):	Printed Name:	Date: Time:	Received (signature): <u>Mara Gustis</u>	Printed Name: <u>Mara Gustis</u>	Date: <u>8/8/97</u> Time: <u>1:30</u>

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS