RECEIVED

By Alameda County Environmental Health at 2:36 pm, Apr 10, 2014



Tesoro Companies, Inc. 3450 South 344th Way, Suite 201 Auburn, WA 98001 253 896 8700

6 March 2014

Mr. Jerry Wickham Hazardous Materials Specialist Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Subject:Well Abandonment Report44 Lewelling Boulevard, San Lorenzo, CaliforniaTesoro No. 67107 (Former Beacon 3721); ACEH Case No. RO0498

Dear Mr. Wickham:

Enclosed please find a copy of the well abandonment report for the subject site located at 44 Lewelling Boulevard in San Lorenzo, California. This report is submitted by Arctos Environmental on behalf of Tesoro Environmental Resources Company.

Based on my inquiry of the person or persons directly responsible for gathering the information contained in this report, I believe the information was prepared by qualified personnel who properly gathered and evaluated the information, and that the information submitted is, to the best of my knowledge and belief, true, correct, and complete. Please feel free to call me at 253/896-8700 or Michael Purchase of Arctos Environmental at 510/525-2180 with questions.

Sincerely

Jeffrey M. Baker, P.E. Lead Engineer, Environmental Tesoro Companies, Inc.

Attachments

CC: Arctos - Michael Purchase



Arctos Environmental

 2332 5th Street, Suite A Berkeley, CA 94710 510 525-2180 phone 510 525-2392 fax

Main Office O 2955 Redondo Avenue Long Beach, CA 90806

562 988-2755 phone 562 988-2759 fax

6 March 2014 Project No. 01ZO

Jerry Wickham Hazardous Materials Specialist Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Subject: Well Abandonment Report 44 Lewelling Boulevard, San Lorenzo, California Former Tesoro Site No. 67107 (Former Beacon 3721); ACEH Case No. RO0498

Dear Mr. Wickham:

Arctos Environmental (Arctos), on behalf of Tesoro Environmental Resources Company (Tesoro), has prepared this letter report summarizing well abandonment activities at the subject site (Figure 1). The field program was conducted in accordance with the Alameda County Public Works Agency requirements for well abandonment.

Site Background

A site description and background are included in Request for Closure dated 29 March 2013 (Arctos, 2013).

Objective and Scope of Work

The objective of the well abandonment program was to remove 12 groundwater monitoring wells, 7 injection wells, and 6 extraction wells (Figure 2). To meet this objective, Arctos performed the following scope of work:

- □ Obtained well destruction permits from Alameda County Public Works Agency for all wells (Attachment A)
- Marked the boring locations and notified Underground Service Alert (USA) to identify subsurface utilities



Jerry Wickham Hazardous Materials Specialist Alameda County Environmental Health 6 March 2014 Page 2

- Updated the site-specific health and safety plan and monitored health and safety during field activities
- □ Abandoned all 25 wells by pressure grouting with Portland cement at a minimum pressure of 25 pounds per square inch for at least 5 minutes
 - Removed well materials to a depth of 5 feet below ground surface and backfilled with Portland cement
 - **Finished the surface of each boring to match the surrounding surface**
- □ Submitted well completion reports to Alameda County Public Works Agency.

If you have questions or comments, please call Gita Datt or Mike Purchase at 510/525-2180.

Very truly yours,

ARCTOS ENVIRONMENTAL


Gita Datt Staff Scientist




Attachments: Figure 1 – Site Location Map Figure 2 – Site Plan Attachment A – Alameda County Public Works Agency Well Destruction Permits

Reference

Arctos Environmental, 2013. Request for Closure, 44 Lewelling Boulevard, San Lorenzo, California, Tesoro Site No. 67107; 29 March.







ATTACHMENT A

ALAMEDA COUNTY PUBLIC WORKS AGENCY WELL DESTRUCTION PERMITS



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 02/06/2014 By jamesy

Permit Numbers: W2014-0109 to W2014-0110 Permits Valid from 02/18/2014 to 02/21/2014

Application Id: Site Location:	1391036511809 15810 Via Granada	City of Project Site:San Lorenzo					
Project Start Date: Assigned Inspector:	(44 LEWELLING BLVD) 02/18/2014 Contact Steve Miller at (510) 670-5517 or steve	Completion Date: 02/21/2014 m@acpwa.org					
Applicant:	Arctos Environmental - Michael Purchase	Phone: 562-285-5815					
Property Owner:	2332 5th Street, Suite A, Berkeley, CA 94710 Kwai Yueng	Phone:					
Client:	116 Tara Street, San Francisco, CA 94112 Baker, Jeffrey Tesoro Environmental Resources	Phone: 253-896-8708					
Company 3450 S. 344th Way, Suite 201, Auburn, WA 98001							
	Receipt Number: WR2014-0038 Payer Name : Michael Purchase						

Works Requesting Permits:

Spacifications

Well Destruction-Monitoring - 2 Wells Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$794.00

Specifications											
	Permit #	Issued Date	Expire Date	Owner Well	Hole Diam.	Casing	Seal Depth	Max. Depth	State Well #	Orig.	DWR #
				ld		Diam.				Permit #	
	W2014- 0109	02/06/2014	05/19/2014	MW-11	8.00 in.	2.00 in.	12.00 ft	30.00 ft	3S/2W7G	91606	342669
	W2014- 0110	02/06/2014	05/19/2014	MW-12	8.00 in.	2.00 in.	9.00 ft	30.00 ft	3S/2W7G	91606	342669

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.

6. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 02/06/2014 By jamesy

Permit Numbers: W2014-0111 Permits Valid from 02/18/2014 to 02/21/2014

Application Id: Site Location:	1391038977054 60 Lewelling Boulevard	City of Project Site:San Lorenzo					
Project Start Date: Assigned Inspector:	(44 LEWELLING BLVD) 02/18/2014 Contact Steve Miller at (510) 670-5517 or steve	Completion Date: 02/21/2014 m@acpwa.org					
Applicant:	Arctos Environmental - Michael Purchase	Phone: 562-285-5815					
Property Owner:	2332 5th Street, Suite A, Berkeley, CA 94710 Chee Leung	Phone:					
Client:	116 Tara Street, San Francisco, CA 94112 Baker, Jeffrey Tesoro Environmental Resources	Phone: 253-896-8708					
	Company 3450 S. 344th Way, Suite 201, Auburn, WA 98001						
	Receipt Number: WR2014-0039 Payer Name : Michael Purchase						

Works Requesting Permits:

Well Destruction-Monitoring - 1 Wells Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$397.00

Specifications

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2014- 0111	02/06/2014	05/19/2014	MW-9	8.00 in.	2.00 in.	8.00 ft	28.00 ft	3S/2W7G	89509	303333

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.

6. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Appli

Application Approved	d on: 02/06/2014 By jamesy	Permit Numbers: W2014-0112 Permits Valid from 02/18/2014 to 02/21/2014					
Application Id: Site Location:	1391039528172 15600 Via Granada	City of Project Site:San Lorenzo					
Project Start Date: Assigned Inspector:	(44 LEWELLING BLVD) 02/18/2014 Contact Steve Miller at (510) 670-5517 or stevem@acpwa.org						
Applicant:	Arctos Environmental - Michael Purchase	Phone: 562-285-5815					
Property Owner:	2332 5th Street, Suite A, Berkeley, CA 94710 Duck S. and Oi Y. Wong, Trustees 4065 Canyon Crest Road West, San Ramon, CA	Phone:					
Client:	Baker, Jeffrey Tesoro Environmental Resources	Phone: 253-896-8708					
Company 3450 S. 344th Way, Suite 201, Auburn, WA 98001							
	Receipt Number: WR2014-0040	Total Due: \$397.00 Total Amount Paid: \$397.00					

Payer Name : Michael Purchase Paid By: VISA

Works Requesting Permits:

Well Destruction-Monitoring - 1 Wells Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$397.00

PAID IN FULL

Specifications

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2014- 0112	02/06/2014	05/19/2014	MW-10	8.00 in.	2.00 in.	12.00 ft	30.00 ft	3S/2W7G	91606	342669

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.

6. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 02/06/2014 By jamesy

Permit Numbers: W2014-0113 to W2014-0114 Permits Valid from 02/18/2014 to 02/21/2014

Application Id: Site Location:	1391040138937 98 Lewelling Blvd	City of Project Site:San Lorenzo					
Project Start Date: Assigned Inspector:	(44 LEWELLING BLVD) 02/18/2014 Contact Steve Miller at (510) 670-5517 or steve	Completion Date: 02/21/2014 m@acpwa.org					
Applicant:	Arctos Environmental - Michael Purchase 2332 5th Street, Suite A, Berkeley, CA 94710	Phone: 562-285-5815					
Property Owner:	Hando Kim	Phone:					
Client:	1156 Portland Avenue, Albany, CA 94706 Baker, Jeffrey Tesoro Environmental Resources	Phone: 253-896-8708					
	Company 3450 S. 344th Way, Suite 201, Auburn, WA 98001						
	Receipt Number: WR2014-0041 Payer Name : Michael Purchase						

Works Requesting Permits:

Spacifications

Well Destruction-Monitoring - 2 Wells Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$794.00

Specifications										
Permit #	Issued Date	Expire Date	Owner Well	Hole Diam.	Casing	Seal Depth	Max. Depth	State Well #	Orig.	DWR #
			ld		Diam.				Permit #	
W2014- 0113	02/06/2014	05/19/2014	MW-7	8.00 in.	2.00 in.	10.00 ft	27.00 ft	3S/2W7G	88556	Logs Only
W2014- 0114	02/06/2014	05/19/2014	MW-8	8.00 in.	2.00 in.	10.00 ft	26.00 ft	3S/2W7G	89509	303332

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.

6. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 02/06/2014 By jamesy

Permit Numbers: W2014-0115 to W2014-0122 Permits Valid from 02/18/2014 to 02/21/2014

Application Id: Site Location: Project Start Date: Assigned Inspector:	1391041174843 44 Lewelling Blvd 02/18/2014 Contact Steve Miller at (510) 670-5517 or stevem	City of Project Site:San Lorenzo Completion Date:02/21/2014 17 or stevem@acpwa.org				
Applicant:	Arctos Environmental - Michael Purchase	Phone: 562-285-5815				
Property Owner:	2332 5th Street, Suite A, Berkeley, CA 94710 Inc. Bedrock Oil, 7490 Kell Conter Plane, #100 Placement CA 04	Phone:				
Client:	7180 Koll Center Pkwy, #100, Pleasanton, CA 94 Baker, Jeffrey Tesoro Environmental Resources	Phone: 253-896-8708				
Contact:	Company 3450 S. 344th Way, Suite 201, Auburn, WA 9800 Michael Purchase	1 Phone: 562-285-5815 Cell: 562-787-1949				

	Total Due:	\$2912.00
Receipt Number: WR2014-0042 Payer Name : Michael Purchase		\$2912.00 PAID IN FULL

Works Requesting Permits:

Well Destruction-Monitoring - 6 Wells

Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$2382.00

Specifications											
	Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
	W2014- 0115	02/06/2014	05/19/2014	MW-1	8.00 in.	2.00 in.	8.00 ft	36.50 ft	3S/2W7G		
	W2014- 0116	02/06/2014	05/19/2014	MW-2	8.00 in.	2.00 in.	8.00 ft	37.00 ft	3S/2W7G		
	W2014- 0117	02/06/2014	05/19/2014	MW-4	8.00 in.	2.00 in.	10.00 ft	30.00 ft	3S/2W7G	88556	Logs Only
	W2014- 0118	02/06/2014	05/19/2014	MW-5	8.00 in.	2.00 in.	10.00 ft	30.00 ft	3S/2W7G	88556	Logs Only
	W2014- 0119	02/06/2014	05/19/2014	MW-6	8.00 in.	2.00 in.	10.00 ft	30.00 ft	3S/2W7G	88556	Logs Only
	W2014- 0120	02/06/2014	05/19/2014	PT-1	10.00 in.	4.00 in.	9.00 ft	32.00 ft	3S/2W7G	W2008- 0438	No Records

Specific Work Permit Conditions

1. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

2. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and

mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

3. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

4. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.

5. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.

6. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.

7. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.

Remediation Well Destruction-Extraction - 3 Wells Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$265.00

Specifications

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2014- 0121	02/06/2014	05/19/2014	MW-3R	12.00 in.	6.00 in.	9.00 ft	30.00 ft	3S/2W7G	NO Records	NO Records
W2014- 0121	02/06/2014	05/19/2014	RW-1	12.00 in.	6.00 in.	13.00 ft	39.00 ft	3S/2W7G	NO Records	NO Records
W2014- 0121	02/06/2014	05/19/2014	RW-2	12.00 in.	6.00 in.	8.00 ft	30.00 ft	3S/2W7G	NO Records	NO Records

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit

number and site map.

3. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

4. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

5. Remove the Christy box or similar structure. Pressure Grout with Cement (Less than 30 ft in depth). After the seal has set, backfill the remaining hole with concrete or compacted material to match existing.

6. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.

7. Prior to any drilling activities onto any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

Remediation Well Destruction-Injection - 7 Wells	
Driller: Gregg Drilling & Testing, Inc Lic #: 485165 - Method: press	Work Total: \$265.00

Specifications										
Permit #	Issued Date	Expire Date	Owner Well	Hole Diam.	Casing	Seal Depth	Max. Depth	State Well #	0	DWR #
			ld		Diam.				Permit #	
W2014-	02/06/2014	05/19/2014	AS-1	8.00 in.	1.00 in.	30.00 ft	35.00 ft	3S/2W7G		
0122										
W2014-	02/06/2014	05/19/2014	AS-2	8.00 in.	1.00 in.	30.00 ft	35.00 ft	3S/2W7G		
0122										
W2014-	02/06/2014	05/19/2014	AS-3	8.00 in.	1.00 in.	30.00 ft	35.00 ft	3S/2W7G		
0122										
W2014-	02/06/2014	05/19/2014	OS-1	10.00 in.	4.00 in.	17.00 ft	30.00 ft	3S/2W7G	W2008-	No Records
0122									0436	
W2014-	02/06/2014	05/19/2014	OS-2	10.00 in.	4.00 in.	17.00 ft	30.00 ft	3S/2W7G	W2008-	No Records
0122									0437	
W2014-	02/06/2014	05/19/2014	OS-3	10.00 in.	4.00 in.	16.00 ft	29.00 ft	3S/2W7G	W2008-	No Records
0122									0438	
W2014-	02/06/2014	05/19/2014	OS-4	10.00 in.	4.00 in.	17.00 ft	30.00 ft	3S/2W7G	W2008-	No Records
0122	02,00,2014	00,10/2014	00 7	10.00 III.	4.00 III.	17.00 ft	00.00 11	00,2010	0439	
0122									0400	

Specific Work Permit Conditions

1. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

2. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

3. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

4. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.

5. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.

6. Prior to any drilling activities onto any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 03/11/2014 By jamesy

Permit Numbers: W2014-0245 Permits Valid from 03/17/2014 to 03/21/2014

Application Id: Site Location: Project Start Date: Assigned Inspector:	1393979998798 44 Lewelling Boulevard 03/17/2014 Contact Steve Miller at (510) 670-5517 or stevem	City of Project Site:San Lorenzo Completion Date:03/21/2014 acpwa.org			
Applicant:	Arctos Environmental - Gita Datt	Phone: 562-277-7996			
Property Owner:	2332 5th Street Suite A, Berkeley, CA 94710 Bedrock Oil Inc.	Phone:			
Client:	7180 Koll Center Pkwy, #100, Pleasanton, CA 94 Tesoro Environmental Resources Jeffrey Baker	Phone: 253-896-8708			
Contact:	3450 S. 344th Way, Suite 201, Auburn, WA 9800 Gita Datt	1 Phone: 510-525-2180 Cell: 562-277-7996			
	-		ФОСЕ 00		

	Total Due:	\$265.00
Receipt Number: WR2014-0088	Total Amount Paid:	\$265.00
Payer Name : Michael Purchase	Paid By: VISA	PAID IN FULL
	,	

Works Requesting Permits:

Remediation Well Destruction-Extraction - 3 Wells Driller: Gregg Drilling & Testing, Inc. - Lic #: 485165 - Method: press

Work Total: \$265.00

Specifications										
Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2014- 0245	03/11/2014	06/15/2014	SVE-1	8.00 in.	0.75 in.	20.00 ft	25.00 ft	3S/2W7G	No Records	No Records
W2014- 0245	03/11/2014	06/15/2014	SVE-2	8.00 in.	0.75 in.	20.00 ft	25.00 ft	3S/2W7G	No Records	No Records
W2014- 0245	03/11/2014	06/15/2014	SVE-3	8.00 in.	0.75 in.	20.00 ft	25.00 ft	3S/2W7G	No Records	No Records

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.

3. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.

4. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.

5. Remove the Christy box or similar structure. Destroy well by overdrilling to total depth & Tremie Grouting with Cement. After the seal has set, backfill the remaining hole with concrete or compacted material to match existing.

6. Prior to any drilling activities onto any public right-of-ways, it shall be the applicants responsibilities to contact and coordinate a Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits required for that City or to the County and follow all City or County Ordinances. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County a Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.