



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: March 18, 2014 REFERENCE NO.: 311959

PROJECT NAME: Former Chevron Station 91026

To: Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502 6577

RECEIVED
By Alameda County Environmental Health at 2:48 pm, Mar 20, 2014

Please find enclosed: Draft Final
 Originals Other
 Prints

Sent via: Mail Same Day Courier
 Overnight Courier Other Alameda County FTP Site

QUANTITY	DESCRIPTION
1	Conceptual Site Model and Low Threat Closure Request

As Requested For Review and Comment
 For Your Use

COMMENTS:

Should you have any questions or require additional information, please contact Nathan Lee at (925) 849-1003

Copy to: Mr. Brian Waite, Chevron (electronic)
Mr. Gary Bankhead, Kaiser Hospital
Heitzinger Associates

Completed by: Kiersten Hoey
[Please Print]

Signed: 

Filing: **Correspondence File**



Brian A. Waite, P.G.
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6486
bwaite@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Former Chevron Service Station No. 91026
3701 Broadway
Oakland, CA

I have reviewed the attached report entitled *Conceptual Site Model and Low-Threat Case Closure Request*.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Brian A. Waite

Brian A. Waite, P.G.
Project Manager

Digitally signed by Brian A. Waite
DN: cn=Brian A. Waite, o=Chevron Environmental Management Company, ou,
email=bwaite@chevron.com, c=US
Date: 2014.03.17 14:06:29 -0700

Attachment: *Conceptual Site Model and Low-Threat Case Closure Request*



CONCEPTUAL SITE MODEL AND LOW-THREAT CASE CLOSURE REQUEST

FORMER CHEVRON STATION 91026
3701 BROADWAY
OAKLAND, CALIFORNIA
AGENCY CASE NO. RO0000500

Prepared For:

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6557

Prepared by: Conestoga-Rovers & Associates

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web:
<http://www.CRAworld.com>

MARCH 18, 2014
REF. NO. 311959 (8)
This report is printed on recycled paper



CONCEPTUAL SITE MODEL AND LOW-THREAT CASE CLOSURE REQUEST

FORMER CHEVRON STATION 91026
3701 BROADWAY
OAKLAND, CALIFORNIA
AGENCY CASE NO. RO0000500

Kiersten Hoey



N. Scott MacLeod, PG 5747

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web:
<http://www.CRAworld.com>

MARCH 18, 2014
REF. NO. 311959 (8)

This report is printed on recycled paper

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION.....	1
2.0 SITE BACKGROUND.....	1
2.1 SITE DESCRIPTION.....	1
2.2 PREVIOUS ENVIRONMENTAL WORK.....	1
2.3 SITE GEOLOGY.....	2
2.4 SITE HYDROGEOLOGY.....	2
3.0 CONCEPTUAL SITE MODEL.....	2
3.1 HYDROCARBON SOURCE.....	2
3.2 HYDROCARBON DISTRIBUTION.....	3
3.2.1 LNAPL.....	3
3.2.2 SOIL.....	3
3.2.3 GROUNDWATER.....	4
3.2.4 SOIL VAPOR.....	6
3.3 HYDROCARBON SOURCE REMEDIATION.....	6
3.4 SENSITIVE RECEPTORS AND EXPOSURE PATHWAYS.....	7
3.4.1 SENSITIVE RECEPTOR SURVEY.....	7
3.4.2 PREFERENTIAL PATHWAYS.....	8
4.0 COMPARISON OF SITE CONDITIONS TO POLICY CRITERIA AND REQUEST FOR LOW THREAT CLOSURE.....	9
4.1 GENERAL CRITERIA.....	9
4.1.1 THE UNAUTHORIZED RELEASE IS LOCATED WITHIN THE SERVICE AREA OF A PUBLIC WATER SYSTEM.....	9
4.1.2 THE UNAUTHORIZED RELEASE CONSISTS ONLY OF PETROLEUM.....	9
4.1.3 THE UNAUTHORIZED ('PRIMARY') RELEASE FROM THE UST SYSTEM HAS STOPPED.....	9
4.1.4 FREE PRODUCT HAS BEEN REMOVED TO THE MAXIMUM EXTENT PRACTICABLE.....	9
4.1.5 A CONCEPTUAL SITE MODEL THAT ASSESSES THE NATURE, EXTENT, AND MOBILITY OF THE RELEASE HAS BEEN DEVELOPED.....	10
4.1.6 SECONDARY SOURCE HAS BEEN REMOVED TO THE EXTENT PRACTICABLE.....	10
4.1.7 SOIL AND GROUNDWATER HAVE BEEN TESTED FOR MTBE AND RESULTS REPORTED IN ACCORDANCE WITH HEALTH AND SAFETY CODE SECTION 25296.15.....	10
4.1.8 NUISANCE AS DEFINED BY WATER CODE SECTION 13050 DOES NOT EXIST AT THE SITE.....	10
4.2 MEDIA-SPECIFIC CRITERIA.....	11
4.2.1 GROUNDWATER.....	11
4.2.2 VAPOR INTRUSION TO INDOOR AIR.....	11
4.2.3 DIRECT CONTACT AND OUTDOOR AIR EXPOSURE.....	12
5.0 CONCLUSIONS AND RECOMMENDATIONS.....	12

LIST OF FIGURES
(Following Text)

FIGURE 1	VICINITY MAP
FIGURE 2	SITE PLAN
FIGURE 3	CROSS SECTION TRANSECT LINES
FIGURE 4	GEOLOGIC CROSS SECTION A-A' PRE-EXCAVATION 2008
FIGURE 5	GEOLOGIC CROSS SECTION A-A' POST-EXCAVATION 2008
FIGURE 6	GEOLOGIC CROSS SECTION A-A' - CUTAWAY STREET DETAIL
FIGURE 7	GEOLOGIC CROSS SECTION B-B' PRE-EXCAVATION 2008
FIGURE 8	GEOLOGIC CROSS SECTION B-B' PRE-EXCAVATION 2008 - CUTAWAY DETAIL
FIGURE 9	GEOLOGIC CROSS SECTION B-B' POST EXCAVATION 2008
FIGURE 10	GEOLOGIC CROSS SECTION B-B' POST EXCAVATION 2008 - CUTAWAY DETAIL
FIGURE 11	RESIDUAL MAXIMUM TPHG CONCENTRATIONS IN SOIL 0-10 FBG
FIGURE 12	RESIDUAL MAXIMUM TPHG CONCENTRATIONS IN SOIL 10-20 FBG
FIGURE 13	RESIDUAL MAXIMUM BENZENE CONCENTRATIONS IN SOIL 0-10 FBG
FIGURE 14	RESIDUAL MAXIMUM BENZENE CONCENTRATIONS IN SOIL 10-20 FBG

LIST OF TABLES
(Following Text)

TABLE 1	GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
TABLE 2	CUMULATIVE SOIL ANALYTICAL DATA
TABLE 3	MONITORING WELL CONSTRUCTION DETAILS

LIST OF APPENDICES

APPENDIX A	SUMMARY OF PREVIOUS ENVIRONMENTAL INVESTIGATION & REMEDICATION
APPENDIX B	BORING LOGS
APPENDIX C	LABORATORY REPORT FOR SAMPLE SB2
APPENDIX D	LOW-THREAT CLOSURE CHECK LIST

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) is submitting this *Conceptual Site Model and Low-Threat Case Closure Request* on behalf of Chevron Environmental Management Company (Chevron) for Chevron Service Station No. 91026 located at 3701 Broadway, Oakland, California (Figure 1). The site meets general and media-specific criteria and should be closed under the *Low-Threat Underground Storage Tank Case Closure Policy* (LTCP). The LTCP was adopted in 2013 by the State Water Board to provide standard statewide closure criteria for low-threat underground storage tank (UST) sites that are subject to Chapter 6.7 of Division 20 of the Health and Safety Code and Chapter 16 of Division 3 of Title 23 of the California Code of Regulations. A Conceptual site model (CSM), an evaluation of the site conditions with respect to the LTCP case closure criteria, and conclusions and recommendations are presented herein.

2.0 SITE BACKGROUND

2.1 SITE DESCRIPTION

The site is a former Chevron service station located on the northern corner of the intersection of Broadway and MacArthur Boulevard in Oakland, California (Figure 1). Based on aerial photographs and Sanborn Fire Insurance Maps, the site appears to have been an active service station prior to 1939. In 1988, the station was closed and all structures removed. The site was used for parking until 2006. In 2007, Kaiser Permanente (Kaiser) began construction of a medical office building that occupies a majority of the site (Figure 2). Prior to and during this construction, a majority of the hydrocarbon source mass was excavated from the site. Surrounding land use is a mixture of commercial, retail, and residential. Moswood Park is located to the south of the site, across MacArthur Boulevard.

2.2 PREVIOUS ENVIRONMENTAL WORK

A total of 14 groundwater monitoring wells have been installed to date. Due to site redevelopment, there are currently only four active monitoring wells (monitoring wells E, F, EA-1 and EA-2). In June 1991, wells B-6 and B-7 were destroyed, and well B was reconstructed, and in October 1992, wells E, F, and B-1 were also reconstructed. There is no information regarding onsite wells B-5 and C and it is assumed they have been destroyed. In order to facilitate remedial and redevelopment excavation, all remaining

onsite wells were destroyed by pressure grouting in June 2006. A summary of previous environmental investigation and remediation is included as Appendix A.

2.3 SITE GEOLOGY

The site is approximately 73 feet above mean sea level and surrounding topography is relatively flat. The site is located in the East Bay Plain Groundwater Basin on the eastern flank of the San Francisco Basin, a broad Franciscan Complex depression. The East Bay Plain is characterized by broad westward sloping alluvial fan deposits of Holocene to Pleistocene age. Franciscan Formation bedrock underlies the alluvial deposits at depth (150 to 180 fbg). Boring logs indicate the site is underlain primarily by clay interbedded with silt, clayey and silty sand and occasional gravel to the total depth explored of 37 fbg. Boring logs are included as Appendix B and geologic cross-sections are included as Figures 3 through 10.

2.4 SITE HYDROGEOLOGY

This site is located over the East Bay Plain Groundwater Basin. Groundwater in this basin is designated potentially beneficial for drinking water. Groundwater beneath the site flows toward the southwest and has historically ranged from approximately 8 to 21 fbg with an average depth of 15 fbg. Historical depth to groundwater measurements are presented in Table 1 and a groundwater flow direction rose diagram is included on Figure 2.

3.0 CONCEPTUAL SITE MODEL

3.1 HYDROCARBON SOURCE

According to Chevron records, a rusted fuel filter at the eastern pump island resulted in a subsurface release of gasoline in 1977. In 1988, Blaine Tech Services, Inc. (Blaine) removed the second generation USTs. No holes were observed in the fuel or used-oil USTs, but 1/8-inch of light non-aqueous phase liquid (LNAPL) was observed on groundwater in the gasoline/used-oil UST pit.

3.2 HYDROCARBON DISTRIBUTION

Primary constituents of potential concern (COPC) beneath the site are total petroleum hydrocarbons as gasoline (TPHg) and benzene. Other COPCs are toluene, ethylbenzene, and xylenes. No methyl tertiary butyl ether (MTBE) is detected in soil or groundwater and therefore is not a COPC. A discussion of hydrocarbon distribution is presented below.

3.2.1 LNAPL

LNAPL was first observed in monitoring wells in 1982 and was extracted between 1983 and 1987. Over 200 gallons of LNAPL/water mixture were removed from wells during this period. LNAPL removal resumed between June 1993 and March 1995, and an additional 32 gallons of LNAPL was removed from wells B, B-2 and B-3. During station removal in 1988, a total of approximately 3,500 gallons of LNAPL and groundwater were removed from the excavation. Product skimmers were installed in wells B and B-2 in 2001, and were maintained monthly by Gettler-Ryan until 2004. No report was issued documenting removal of the skimmers or the amount of groundwater and hydrocarbons removed. LNAPL was detected in well B until it was destroyed in 2006. This location was subsequently excavated.

3.2.2 SOIL

Residual maximum analyte concentrations detected in soil include:

- Total oil and grease (TOG) at 14,000 mg/kg in sample WOM at 10 fbg (sample collected in April 1988)
- Total petroleum hydrocarbons as motor oil (TPHmo) at 2,900 mg/kg in sample A1-17 at 15 fbg (sample collected in June 2007)
- Total petroleum hydrocarbons as diesel (TPHd) at 4,300 mg/kg in sample WOM at 10 fbg (sample collected in April 1988)
- Total petroleum hydrocarbons as gasoline (TPHg) at 7,900 mg/kg in sample SB37 at 10 fbg (sample collected in January 2006)
- Benzene at 3.1 mg/kg in sample A1-15 at 15 fbg (sample collected in June 2007)
- Toluene at 99 mg/kg in sample A1-8 at 15 fbg (sample collected in June 2007)
- Ethylbenzene at 49 mg/kg in sample A1-8 at 15 fbg (sample collected in June 2007)
- Total Xylenes at 277 mg/kg in sample A1-8 at 15 fbg (sample collected in June 2007)

- Naphthalene at 14 mg/kg in sample SB37 at 10 fbg (sample collected in January 2006)
- Chromium at 68 mg/kg in sample SB15 at 10 fbg (sample collected in January 2006)
- Cadmium at 0.65 mg/kg in sample SB15 at 10 fbg (sample collected in January 2006)
- Lead at 29 mg/kg in sample A1-17 at 15 fbg
- Nickel at 180 mg/kg in sample SB15 at 10 fbg (sample collected in January 2006)
- Zinc at 71 mg/kg in sample A1-11 at 15 fbg (sample collected in June 2007)

No MTBE, tert-butyl alcohol (TBA), 1,2-dibromoethane (EDB) or 1,2-dichloroethane (EDC) were detected. No polycyclic aromatic hydrocarbon (PAH) analyses were located.

In 1988 an unspecified amount of hydrocarbon impacted soil was overexcavated from the north and eastern sides of the UST pit, and in 2006 and 2007 a total of 7,800 cubic yards of soil were overexcavated from the site to depths ranging from 15 to 20 fbg. Residual TPHg and benzene are primarily between 15 and 20 fbg and adequately defined laterally (Figures 11 through 14). Cumulative soil data are listed in Table 2.

In terms of the LTCP criteria, residual TPHg between 0 and 10 fbg with a concentration of 100 mg/kg or greater was reported at two onsite location: SWE-3 (350 mg/kg @ 5 fbg), and SB37 (7,900 mg/kg @ 10 fbg). No benzene or ethylbenzene concentrations in soil exceeded commercial/industrial LTCP criteria. This is discussed further in Section 4.2.3.

3.2.3 GROUNDWATER

Groundwater has been monitored for 24 years; historically by a total of 14 wells and currently by four offsite wells. The other 10 wells were destroyed for site redevelopment and remedial excavations. Recent groundwater data is summarized below in Table A and historic groundwater data is presented in Table 1. Monitoring well construction details are included in Table 3.

There are three current downgradient monitoring wells (E, F, and EA-1) located in the median of MacArthur Boulevard (Figure 7). Wells E and F were originally installed in 1982 with screen intervals of 5 to 20 fbg, similar to the former onsite wells. In 1992, due to insufficient groundwater, offsite wells E and F were deepened to their current screen intervals of 20 to 35 fbg and 15 to 30 fbg, respectively. Onsite well B-1 was also

deepened. After the wells were deepened, groundwater rose to approximately 12 fbg in well E and approximately 15 fbg in well F, indicating the shallow water-bearing zone is confined. Although the screens are submerged, they are screened appropriately to monitor the water-bearing zone through which groundwater is flowing

Distribution of Hydrocarbons in Groundwater

Current groundwater analytical results for TPHg, BTEX, and MTBE are summarized below in Table A.

TABLE A: GROUNDWATER ANALYTICAL DATA						
February 20, 2013						
Well ID	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
ESLs	100	1	40	30	20	5
E	<50	<0.5	<0.5	<0.5	<0.5	<0.5
EA-1	<50	<0.5	<0.5	<0.5	<0.5	<0.5
EA-2	<50	<0.5	<0.5	<0.5	<0.5	<0.5
F	<50	<0.5	<0.5	<0.5	<0.5	<0.5
ESL	Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Prepared by California Regional Water Quality Control Board San Francisco Bay Region, Interim Final - November 2007, (Revised May 2008), Table F-1a-Groundwater Screening Levels-Current or Potential Drinking Water Resource.					
<	Indicates constituent was not detected at or above laboratory reporting limit.					

As shown in Table A, no dissolved-phase hydrocarbons are detected in offsite groundwater, indicating any residual dissolved hydrocarbons are limited onsite. Offsite well EA-2, located east (crossgradient) of the site historically contained dissolved hydrocarbons at maximum concentrations of 950 µg/L TPHg and 31 µg/L benzene; however, no hydrocarbons have been detected since 2003 indicating the dissolved plume is shrinking back toward the former source.

3.2.4 SOIL VAPOR

On January 8, 2004, Secor collected a soil vapor sample at approximately 20 fbg from Geoprobe™ boring SB2 located adjacent to the former gasoline USTs. Details of the sampling are described in Secor's February 10, 2004 *Phase II Environmental Site Assessment Report*. No benzene, toluene, ethylbenzene, xylenes, or naphthalene were detected. TPHg was detected at 98,000 micrograms per cubic meter (µg/m³). The laboratory report for SB2 is included as Appendix C. No other vapor samples have been collected at the site; however, the majority of the hydrocarbon impacted soil has been removed from the site to depths ranging from 15 to 20 fbg.

3.3 HYDROCARBON SOURCE REMEDIATION

Primary Source Removal

The USTs that were the primary source were removed in 1988. The fuel UST pit excavation was extended to the north and east to remove visibly contaminated soil; however, no information is available regarding the amount of soil removed by the remedial excavation. Additional information is available in Blaine's June 13, 1988 *Cumulative Report*.

Secondary Source Removal

LNAPL was first observed in monitoring wells in 1982 and was extracted between 1983 and 1987. Over 200 gallons of LNAPL/water mixture were removed from the wells during this period. LNAPL removal resumed between June 1993 and March 1995, and an additional 32 gallons of LNAPL was removed from wells B, B-2 and B-3. During station removal in 1988, a total of approximately 3,500 gallons of LNAPL and groundwater were removed from the excavation. Product skimmers were installed in wells B and B-2 in 2001, and were maintained monthly by Gettler-Ryan, Inc. (Gettler-Ryan) until 2004. No report was issued to document removal of the skimmers or the amount of groundwater and hydrocarbons removed.

In 1992, a soil vapor extraction (SVE) pilot test was conducted; however data suggested that SVE would not be effective based on a relatively low extracted vapor flow rates. Additional information is available in Weiss Associates' (Weiss) April 7, 1992 *Soil Vapor Extraction Test Report*.

Excavations by Chevron and Kaiser occurred in 2006 and 2007. The Chevron excavation encompassed a 25-foot wide, 147-foot long and 20-foot deep strip along the southern property boundary. Approximately 2,800 cubic yards of hydrocarbon impacted soil

were removed from the excavation. The excavation was limited by proximity to the street and other adjacent structures. The Kaiser excavation encompassed an 80-foot wide, 125-foot long, and 15-foot deep excavation from the center to the northern property boundary. Approximately 5,000 cubic yards of hydrocarbon impacted soil were removed from the excavation. Additional information is available in Cambria Environmental Technology, Inc's (Cambria) January 24, 2007 *Site Investigation and Remedial Excavation Report* and Secor's June 11, 2008 *Soil Management Implementation Report*.

Between May 2007 and May 2008, Kaiser dewatered and discharged approximately 14,000,000 gallons of groundwater to accommodate the excavation of hydrocarbon impacted soil and to allow underground structures to be built on all properties on and between 3701 and 3799 Broadway. The groundwater was extracted by 35, 40, and 50 feet deep groundwater extraction wells evenly spaced around the perimeter of the construction areas. The water was treated, and discharged to the sanitary sewer under an East Bay Municipal Utility District (EBMUD) Publicly Owned Treatment Works (POTW) permit and a San Francisco Regional Water Quality Control Board (SFRWQCB) National Pollutant Discharge Elimination System (NPDES) General Permit. The dewatering is detailed in Stantec's June 11, 2007 *Soil Management Implementation Plan* and July 23, 2008 *Second Quarter 2008 Report Temporary Groundwater Dewatering System*, and April 23, 2009 letter to Alameda County Environmental Health Services (ACEHS).

These remedial excavations removed the most readily available fraction of the residual hydrocarbon source mass to the extent practicable.

3.4 SENSITIVE RECEPTORS AND EXPOSURE PATHWAYS

3.4.1 SENSITIVE RECEPTOR SURVEY

The site is occupied by a Kaiser medical building and is surrounded by commercial properties. The nearest residences are located approximately 300 feet west (crossgradient) and 350 feet northeast (upgradient).

The site is provided water by the EBMUD. According to Geotracker's Groundwater Ambient Monitoring and Assessment (GAMA) database, no water supply wells are located within 1,000 feet of the site. The nearest water supply well is over 3 miles from the site, on Alameda Island.

CRA also reviewed online mapping services to identify other potential receptors within a 1/4-mile radius, including schools, hospitals, daycare centres, and eldercare facilities. No schools, daycare centers, or eldercare facilities were identified in the search area. The nearest schools, daycare centers and eldercare facilities are all over 2,000 feet from the site. The nearest hospital is the Kaiser building located on the site. This building contains medical offices and an outpatient clinic and was built with a waterproofing membrane along the footprint and walls of the basement, inhibiting groundwater and potential vapor entry into the basement.¹

The nearest surface water body is the 69-inch diameter, concrete reinforced Glen Echo Creek storm drain located approximately 60 feet west (crossgradient) of the site. In 1984 (when the dissolved plume was at its maximum extent), a gasoline fingerprinting assessment, confirmed the gasoline entering Lake Merritt through the storm drain was from the Rainbow Car Wash, not Chevron.² Glen Echo Creek is located approximately 1,000 feet east of the site and Lake Merritt is located over one mile south of the site (Figure 1).

3.4.2 PREFERENTIAL PATHWAYS

In 2009, CRA obtained city sanitary sewer and storm drain maps. The locations of the sanitary sewer, storm drain, water, and electrical lines beneath MacArthur Boulevard and Broadway are illustrated on Figure 2. A 12-inch diameter storm drain and a 24-inch diameter sanitary sewer are located beneath MacArthur Boulevard between the site and wells E, F, and EA-1. Both flow west toward the 69-inch storm drain located approximately 60 feet west of the site, which trends north-south (water flows south). According to the City of Oakland utility map, the bottom of the sewer line appears to be approximately 20 fbg and the bottom of the storm drains appear to be approximately 10 fbg. The electric line is approximately 2 fbg and the water line is approximately 5 fbg.

Based on the historical depth to groundwater range of 8 to 21 fbg, water lines and electric lines, which are typically between 2 and 5 fbg, are not acting as preferential pathway for dissolved hydrocarbon migration. Groundwater depth in wells B, B-1, and B-2, located along the southern property boundary, was always measured greater than 10 fbg; therefore it is unlikely the storm drain located in MacArthur Boulevard downgradient of the site, is acting as a preferential pathway for dissolved hydrocarbon migration. Although the sewer line is located within the groundwater table, it is 45 feet

¹ Information obtained in a February 6, 2014 McCarthy Construction/CRA phone call.

² Burlington Environmental, Inc July 1, 1991 *Well Deepening Work Plan*.

from the edge of the site, and is unlikely acting as a preferential pathway for dissolved hydrocarbon migration.

4.0 COMPARISON OF SITE CONDITIONS TO POLICY CRITERIA AND REQUEST FOR LOW THREAT CLOSURE

Discussion of site conditions with respect to LTCP criteria are provided in this section and in the check list provided in Appendix D.

4.1 GENERAL CRITERIA

4.1.1 THE UNAUTHORIZED RELEASE IS LOCATED WITHIN THE SERVICE AREA OF A PUBLIC WATER SYSTEM

The site is located in the City of Oakland, which obtains most of its water supply from EBMUD. Ninety percent of the water is sourced from reservoirs in the Sierra Nevada and the remaining water supply is sourced from protected local watersheds.³

4.1.2 THE UNAUTHORIZED RELEASE CONSISTS ONLY OF PETROLEUM

All unauthorized releases consisted of petroleum hydrocarbons generated from service station operations.

4.1.3 THE UNAUTHORIZED ('PRIMARY') RELEASE FROM THE UST SYSTEM HAS STOPPED

All station and fueling facilities were removed in 1988.

4.1.4 FREE PRODUCT HAS BEEN REMOVED TO THE MAXIMUM EXTENT PRACTICABLE

Over 200 gallons of LNAPL/water mixture were removed from monitoring wells between 1983 and 1995. During station removal in 1988, a total of approximately 3,500 gallons of LNAPL and groundwater were removed from the excavation. Between

³ Water supply information for the City of Oakland is from EBMUD's 2011 *Annual Water Quality Report*.

2001 and 2004 skimmers removed an unknown amount of product from wells B and B-2. Excavations by Chevron and Kaiser that occurred from 2006 to 2007 removed approximately 7,800 cubic yards of hydrocarbon impacted soil. These remedial efforts removed the LNAPL to the maximum extent practicable.

**4.1.5 A CONCEPTUAL SITE MODEL THAT
ASSESSES THE NATURE, EXTENT, AND
MOBILITY OF THE RELEASE HAS BEEN DEVELOPED**

A conceptual site model is presented above.

**4.1.6 SECONDARY SOURCE
HAS BEEN REMOVED TO THE EXTENT PRACTICABLE**

Remedial and redevelopment excavations in 2006 and 2007 removed approximately 7,800 cubic yards of hydrocarbon impacted soil, excavating the majority of the site. The remedial effort has removed the secondary petroleum hydrocarbon source in soil and groundwater to the extent practicable.

**4.1.7 SOIL AND GROUNDWATER HAVE BEEN TESTED FOR
MTBE AND RESULTS REPORTED IN ACCORDANCE WITH
HEALTH AND SAFETY CODE SECTION 25296.15**

Soil and groundwater have been tested for MTBE and the analytical results are presented in Table 1 (groundwater data) and Table 2 (soil data).

**4.1.8 NUISANCE AS DEFINED BY WATER CODE
SECTION 13050 DOES NOT EXIST AT THE SITE**

Nuisance is defined as follows per Water Code Section 13050. All three of the following requirements must be met to cause nuisance:

- Injurious to health, offensive to senses, or an obstruction of free property use
- Affects at the same time an entire community or neighborhood
- Occurs during or as the result of treatment or disposal of wastes (i.e., petroleum release)

Nuisance does not exist at the site.

4.2 MEDIA-SPECIFIC CRITERIA

4.2.1 GROUNDWATER

The LTCP has five classes that define a plume as “low threat”. The site meets the LTCP criteria for Plume Class 5, specifically:

- The contaminant plume that exceeds water quality objectives is less than 100 feet long.
- Free product and residual hydrocarbon mass in soil has been removed to the maximum extent practicable via site-wide excavation.
- The nearest water supply well is over 1,000 feet from the dissolved plume boundary.
- The concrete reinforced Glen Echo Creek storm drain is located approximately 60 feet west (crossgradient) of the site. However, a gasoline fingerprinting assessment, confirmed the gasoline entering Lake Merritt through the storm drain was from the Rainbow Car Wash, not Chevron.⁴
- The site was recently redeveloped and is almost entirely covered with Kaiser’s medical building. The site is expected to remain a medical building for the foreseeable future.

Therefore, site conditions meet LTCP criteria for groundwater.

4.2.2 VAPOR INTRUSION TO INDOOR AIR

It is unlikely that there is a risk of vapor intrusion to indoor air based on the following.

- The majority of the site was excavated to approximately 15-20 fbg.
- According to Kaiser’s Permanente’s McCarthy Construction Project Manager, the Kaiser building was built with a waterproofing membrane along the footprint and walls of the basement which prevents groundwater and potential vapors from entering into the basement.

⁴ Burlington Environmental, Inc July 1, 1991 *Well Deepening Work Plan*.

4.2.3 DIRECT CONTACT AND OUTDOOR AIR EXPOSURE

The LTCP contains concentration criteria for benzene, ethylbenzene, naphthalene, and PAHs in soil between 0 and 5 fbg and 5 to 10 fbg that are defined as “low threat” for the direct contact and outdoor air pathway for various receptors. Because this site is a Kaiser building surrounded by commercial buildings, the LTCP criteria, only commercial/industrial and utility worker criteria are evaluated. The LTCP criteria and maximum concentrations for the depth ranges are listed below in Table B.

TABLE B: POLICY CRITERIA AND MAXIMUM SITE SOIL CONCENTRATIONS FOR DIRECT CONTACT/OUTDOOR AIR EXPOSURE						
Location ID	Date	Depth (fbg)	Benzene	Ethylbenzene	Naphthalene	PAHs
Commercial/ Industrial*	0 to 5 fbg		8.2	89	45	0.68
	Volatilization to outdoor air 5 to 10 fbg		12	134	45	NA
Utility Worker*	0 to 10 fbg		14	314	219	4.5
SWE-4	6/22/2006	10	0.18	0.008	NA	NS
SWE-3	6/21/2006	5	<0.062	0.22	NS	NS
SB37	1/19/2006	10	<6.3	31	14	NS
All concentrations displayed in milligrams per kilogram (mg/kg) * Concentrations of Petroleum Constituents in Soil That Will Have No Significant Risk of Adversely Affecting Human Health – California State Water Resources Control Board <i>Low-Threat Underground Storage Tank Case Closure Policy</i> , Section 3: Direct Contact and Outdoor Air Exposure (August 2012) fbg Feet Below Grade NA Not Applicable NS Not Sampled PAHs Poly-aromatic hydrocarbons as benzo(a)pyrene toxicity equivalent ** No concentrations at or exceeding the BaPequivalent for 16 priority pollutant PAHs (Naphthalene; Acenaphthene; Acenaphthylene; Anthracene; Benzo(a)anthracene; Benzo(a)pyrene; Benzo(b)fluoranthene; Benzo(g,h,i)perylene; Benzo(k)fluoranthene; Chrysene; Dibenz(a,h)anthracene; Fluoranthene; Fluorene; Indeno(1,2,3-cd)pyrene; Phenanthrene; Pyrene)						

No analyte concentrations exceed the commercial/industrial or utility worker values in the Table B. Therefore, the site-specific evaluation shows that site conditions meet the LTCP criteria for the direct contact and outdoor air pathways.

5.0 CONCLUSIONS AND RECOMMENDATIONS

Based on our review, the site conditions meet all the general and media-specific criteria established in the LTCP, and therefore poses a low threat to human health, safety, and the environment, and satisfy the case-closure requirements of the Health and Safety

Code section 25296.10, and case closure is consistent with Resolution 92-49 that requires that cleanup goals be met within a reasonable time frame.

Because no analytes are detected in groundwater and because these wells are in streets where sampling personnel are at risk of serious injury or death while sampling, CRA recommends that groundwater monitoring be suspended until ACEHS reviews this closure request.

FIGURES






Figure 1
 VICINITY MAP
 FORMER CHEVRON STATION 9-1026
 3701 BROADWAY
 Oakland, California







BASEMAP MODIFIED FROM 1957 STARDARD OIL DRAWING



BASEMAP MODIFIED FROM 1957 STARDARD OIL DRAWING



Continued on Figure 6



EXPLANATION

	SP - POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES	Well ID — Well Designation
	SM - SILTY SANDS, SAND-SILT MIXTURES	Elev. — Top of Casing Elevation
	SC - CLAYEY SANDS, SAND-CLAY MIXTURES	
	ML - INORGANIC SILTS, VERY FINE SANDS, SILTY OR CLAYEY FINE SANDS, CLAYEY SILTS WITH SLIGHT PLASTICITY; HIGH PLASTICITY (MH)	— Groundwater Monitoring Well
	MH - INORGANIC SILTS, VERY FINE SANDS, SILTY OR CLAYEY FINE SANDS, CLAYEY SILTS WITH SLIGHT PLASTICITY; HIGH PLASTICITY (MH)	— Well Screen Interval
	CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS; HIGH PLASTICITY (CH)	— Bottom of boring
	CH - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS; HIGH PLASTICITY (CH)	
	10 — Benzene concentration contour	— Approximate sample location
	TPHg Benzene — Hydrocarbon concentrations in soil, in milligrams per kilogram (mg/kg)	
		— Approximate depth of Groundwater (03/03/09)
		— First Encountered Groundwater






Figure 4
GEOLOGIC CROSS SECTION A-A' PRE-EXCAVATION 2008
FORMER CHEVRON STATION 91026
3701 BROADWAY
Oakland, California



BASEMAP MODIFIED FROM 1957 STARDARD OIL DRAWING



Continued on Figure 6



EXPLANATION

	EXCAVATED AREA	Well ID — Well Designation
	SP - POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES	Elev. — Top of Casing Elevation
	SM - SILTY SANDS, SAND-SILT MIXTURES	
	SC - CLAYEY SANDS, SAND-CLAY MIXTURES	Groundwater Monitoring Well
	ML - INORGANIC SILTS, VERY FINE SANDS, SILTY OR CLAYEY FINE SANDS, CLAYEY SILTS WITH SLIGHT PLASTICITY; HIGH PLASTICITY (MH)	
	MH	Well Screen Interval
	CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS; HIGH PLASTICITY (CH)	
	CH	Bottom of boring
	10 — Benzene concentration contour	
	TPHg Benzene Hydrocarbon concentrations in soil, in milligrams per kilogram (mg/kg)	Approximate sample location
		Approximate depth of Groundwater (03/03/09)
		First Encountered Groundwater






Figure 5
GEOLOGIC CROSS SECTION A-A' POST-EXCAVATION 2008
FORMER CHEVRON STATION 91026
3701 BROADWAY
Oakland, California



BASEMAP MODIFIED FROM 1957 STARDARD OIL DRAWING



EXPLANATION

	SM - SILTY SANDS, SAND-SILT MIXTURES	Well ID — Well Designation	
	SC - CLAYEY SANDS, SAND-CLAY MIXTURES	Elev. — Top of Casing Elevation	
	ML - INORGANIC SILTS, VERY FINE SANDS, SILTY OR CLAYEY FINE SANDS, CLAYEY SILTS WITH SLIGHT PLASTICITY; HIGH PLASTICITY (MH)		Groundwater Monitoring Well
			Well Screen Interval
	CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS; HIGH PLASTICITY (CH)		Bottom of boring
			Approximate sample location
	TPHg Benzene Hydrocarbon concentrations in soil, in milligrams per kilogram (mg/kg)		Approximate depth of Groundwater (03/03/09)
			First Encountered Groundwater






Figure 6
GEOLOGIC CROSS SECTION A-A' - CUTAWAY STREET DETAIL
FORMER CHEVRON STATION 91026
3701 BROADWAY
Oakland, California



BASEMAP MODIFIED FROM 1957 STANDARD OIL DRAWING



Continued on Figure 8



EXPLANATION

- FILL
- EXCAVATED AREA
- SP - POORLY-GRADED SANDS, GRAVELLY SANDS, LITTLE OR NO FINES
- GW - WELL-GRADED GRAVEL; GRAVEL SAND MIXTURE
- SM - SILTY SANDS, SAND-SILT MIXTURES
- SC - CLAYEY SANDS, SAND-CLAY MIXTURES
- ML - INORGANIC SILTS, VERY FINE SANDS, SILTY OR CLAYEY FINE SANDS, CLAYEY SILTS WITH SLIGHT PLASTICITY; HIGH PLASTICITY (MH)
- MH - INORGANIC SILTS, VERY FINE SANDS, SILTY OR CLAYEY FINE SANDS, CLAYEY SILTS WITH SLIGHT PLASTICITY; HIGH PLASTICITY (MH)
- CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS; HIGH PLASTICITY (CH)
- CH - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS; HIGH PLASTICITY (CH)
- Well ID** — Well Designation
- Elev.** — Top of Casing Elevation
- Groundwater Monitoring Well
- Well Screen Interval
- Bottom of boring
- Approximate sample location
- First Encountered Groundwater
- 10** — Benzene concentration contour
- TPHg Benzene** — Hydrocarbon concentrations in soil, in milligrams per kilogram (mg/kg)




Figure 7
GEOLOGIC CROSS SECTION B-B' PRE-EXCAVATION 2008
FORMER CHEVRON STATION 91026
3701 BROADWAY
Oakland, California









Figure 8
 GEOLOGIC CROSS SECTION B-B' PRE-EXCAVATION 2008 - CUTAWAY DETAIL
 FORMER CHEVRON STATION 91026
 3701 BROADWAY
 Oakland, California



BASEMAP MODIFIED FROM 1957 STANDARD OIL DRAWING



Continued on Figure 10



EXPLANATION





Figure 9
 GEOLOGIC CROSS SECTION B-B' POST-EXCAVATION 2008
 FORMER CHEVRON STATION 91026
 3701 BROADWAY
 Oakland, California



BASEMAP MODIFIED FROM 1957 STARDARD OIL DRAWING









Figure 10
 GEOLOGIC CROSS SECTION B-B' POST-EXCAVATION 2008 - CUTAWAY DETAIL
 FORMER CHEVRON STATION 91026
 3701 BROADWAY
 Oakland, California



BASEMAP MODIFIED FROM 1957 STARDARD OIL DRAWING









Figure 13
 RESIDUAL MAXIMUM BENZENE CONCENTRATIONS
 IN SOIL 0-10 FBG
 FORMER CHEVRON STATION 91026
 3701 BROADWAY
 Oakland, California



TABLES

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
E											
11/18/92	70.07	57.87	12.20	--	--	280	2.7	2.4	3.0	12	--
03/19/93	70.07	60.10	9.97	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/10/93	70.07	59.09	10.98	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	70.07	58.29**	11.80	0.03	--	--	--	--	--	--	--
12/21/93	70.07	58.82	11.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	70.07	59.40	10.67	--	--	<50	<0.5	0.7	<0.5	0.7	--
09/21/94	70.07	57.78	12.29	--	--	<50	2.5	<0.5	1.0	<0.5	--
12/20/94	70.07	54.54	15.53	--	--	<50	0.5	<0.5	<0.5	<0.5	--
03/28/95	70.07	61.62	8.45	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/22/95	70.07	59.50	10.57	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/95	70.07	58.48	11.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/96	70.07	61.05	9.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/06/97	70.07	57.75	12.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/12/97	70.07	--	--	--	--	--	--	--	--	--	--
04/02/98	70.07	61.64	8.43	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/15/98	70.07	--	--	--	--	--	--	--	--	--	--
03/09/99	70.07	60.65	9.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/14/00	70.07	61.58	8.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/28/00	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/22/01	70.07	60.45	9.62	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/04/01	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
E (cont)											
03/18/02	70.07	60.57	9.50	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁹
09/23/02	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/25/03	70.07	60.08	9.99	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/23/03	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/17/04	70.07	INACCESSIBLE - PAVED OVER				--	--	--	--	--	--
09/16/04	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/05	70.07	INACCESSIBLE - PAVED OVER				--	--	--	--	--	--
09/26/05	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/06	70.07	INACCESSIBLE - PAVED OVER				--	--	--	--	--	--
07/19/06	70.07	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/23/07 ¹²	70.07	59.96	10.11	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/08 ¹²	70.07	59.94	10.13	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/03/09 ¹²	70.07	59.52	10.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/31/10 ¹²	70.07	53.54	16.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/21/11	70.07	56.17	13.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
F											
05/09/89	72.01	53.31	18.70	--	--	<500	<0.5	<0.5	0.6	1.0	--
08/09/89	72.01	52.98	19.03	--	--	--	--	--	--	--	--
11/09/89	72.01	52.99	19.02	--	--	--	--	--	--	--	--
02/08/90	72.01	53.31	18.70	--	--	<50	0.4	<0.3	0.3	<0.6	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
F (cont)											
05/10/90	72.01	53.03	18.98	--	--	--	--	--	--	--	--
08/09/90	72.01	53.06	18.95	--	--	--	--	--	--	--	--
11/13/90	72.01	52.91	19.10	--	--	--	--	--	--	--	--
03/27/91	72.01	--	--	--	--	64	<0.5	<0.5	<0.5	1.0	--
06/19/91	72.01	53.06	18.95	--	--	--	--	--	--	--	--
08/21/91	72.01	<52.07	>19.94	--	--	--	--	--	--	--	--
11/08/91	72.01	<52.07	>19.94	--	--	--	--	--	--	--	--
02/13/92	72.01	53.41	18.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/01/92	72.01	--	Dry	--	--	--	--	--	--	--	--
11/18/92	71.72	56.87	14.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/19/93	71.72	57.47	14.25	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/10/93	71.72	57.80	13.92	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	71.72	56.95**	14.80	0.04	--	--	--	--	--	--	--
12/21/93	71.72	58.41	13.31	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	71.72	58.73	12.99	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/94	71.72	55.42	16.30	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/94	71.72	59.15	12.57	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/28/95	71.72	62.77	8.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/22/95	71.72	57.95	13.77	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/95	71.72	58.27	13.45	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/96	71.72	60.56	11.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
F (cont)											
03/06/97	71.72	60.34	11.38	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/12/97	71.72	--	--	--	--	--	--	--	--	--	--
04/02/98	71.72	58.60	13.12	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/15/98	71.72	--	--	--	--	--	--	--	--	--	--
03/09/99	71.72	58.05	13.67	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/14/00	71.72	58.37	13.35	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/28/00	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/22/01	71.72	60.25	11.47	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/04/01	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/18/02	71.72	60.03	11.69	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁹
09/23/02	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/25/03	71.72	58.40	13.32	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/23/03	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/17/04	71.72	INACCESSIBLE - PAVED OVER				--	--	--	--	--	--
09/16/04	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/05	71.72	INACCESSIBLE - PAVED OVER				--	--	--	--	--	--
09/26/05	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/06	71.72	INACCESSIBLE - PAVED OVER				--	--	--	--	--	--
07/19/06	71.72	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/23/07 ¹²	-- ¹⁶	-- ¹⁶	12.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/08 ¹²	-- ¹⁶	-- ¹⁶	12.52	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
F (cont)											
03/03/09 ¹²	-- ¹⁶	-- ¹⁶	12.91	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/31/10 ¹²	-- ¹⁶	-- ¹⁶	19.68	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/21/11	-- ¹⁶	-- ¹⁶	16.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
EA-1											
05/09/89	73.94	59.38	14.56	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
08/09/89	73.94	57.85	16.09	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
11/09/89	73.94	58.10	15.84	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
02/08/90	73.94	58.89	15.05	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
05/10/90	73.94	58.29	15.65	--	--	<50	1.0	0.3	<0.3	<0.6	--
08/09/90	73.94	58.27	15.67	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/13/90	73.94	57.62	16.32	--	--	<50	<0.4	<0.3	<0.3	<0.4	--
03/27/91	73.94	--	--	--	--	<50	0.7	0.5	<0.5	<0.5	--
04/05/91	73.94	59.91	14.03	--	--	--	--	--	--	--	--
06/19/91	73.94	58.38	15.56	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/21/91	73.94	57.95	15.99	--	--	<50	<0.4	<0.3	<0.3	<0.4	--
11/08/91	73.94	57.81	16.13	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/13/92	73.94	58.84	15.10	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/01/92	73.94	55.14	18.80	--	--	<50	2.7	<0.5	<0.5	<0.5	--
11/18/92	71.85	55.88	15.97	--	--	<10	<0.3	<0.3	<0.3	<0.5	--
03/19/93	71.85	58.19	13.66	--	--	<50	<0.5	<0.5	<0.5	<1.5	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
EA-1 (cont)											
06/10/93	71.85	57.14	14.71	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	71.85	56.33**	15.58	0.08	--	--	--	--	--	--	--
12/21/93	71.85	56.83	15.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	71.85	57.47	14.38	--	--	<50	<0.5	1.0	<0.5	<0.5	--
09/21/94	71.85	55.73	16.12	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/94	71.85	57.80	14.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/28/95	71.85	59.80	12.05	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/22/95	71.85	57.50	14.35	--	--	<50	2.0	<0.5	<0.5	<0.5	--
09/21/95	71.85	56.49	15.36	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/96	71.85	59.14	12.71	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/06/97	71.85	57.97	13.88	--	--	<50	2.8	<0.5	<0.5	0.8	<5.0
09/12/97	71.85	--	--	--	--	--	--	--	--	--	--
04/02/98	71.85	59.16	12.69	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/15/98	71.85	--	--	--	--	--	--	--	--	--	--
03/09/99	71.85	58.85	13.00	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/14/00	71.85	59.76	12.09	--	--	<50	<0.5	<0.5	<0.5	<0.5	6.65
08/28/00	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/22/01	71.85	58.55	13.30	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/04/01	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/18/02	71.85	58.64	13.21	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁹

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
EA-1 (cont)											
09/23/02	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/25/03	71.85	58.11	13.74	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/23/03	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/17/04 ¹²	71.85	58.67	13.18	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.6
09/16/04	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/05 ¹²	71.85	59.34	12.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/26/05	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/06 ¹²	71.85	59.55	12.30	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/19/06	71.85	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/23/07 ¹²	71.85	58.03	13.82	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/08 ¹²	71.85	57.87	13.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/03/09 ¹²	71.85	57.72	14.13	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/31/10 ¹²	71.85	50.24	21.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/21/11	71.85	53.15	18.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
EA-2											
05/09/89	75.24	59.29	15.95	--	--	760	<0.5	<0.5	1.1	<0.5	--
08/09/89	75.24	57.79	17.45	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
11/09/89	75.24	57.83	17.41	--	--	<500	<0.5	1.0	<0.5	<0.5	--
02/08/90	75.24	58.67	16.57	--	--	190	<0.3	<0.3	<0.3	<0.6	--
05/10/90	75.24	58.12	17.12	--	--	<50	<0.3	<0.3	<0.3	<0.6	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
EA-2 (cont)											
08/09/90	75.24	58.04	17.20	--	--	120	<0.3	<0.3	<0.3	<0.6	--
11/13/90	75.24	57.36	17.88	--	--	160	<0.4	1.0	<0.3	<0.4	--
03/27/91	75.24	--	--	--	--	110	<0.5	<0.5	<0.5	<0.5	--
04/05/91	75.24	59.70	15.54	--	--	--	--	--	--	--	--
06/19/91	75.24	58.17	17.07	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/21/91	75.24	57.78	17.46	--	--	70	0.8	1.4	<0.3	<0.4	--
11/08/91	75.24	57.66	17.58	--	--	<50	<0.5	0.7	<0.5	<0.5	--
02/13/92	75.24	58.55	16.69	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/01/92	75.24	59.08	16.16	--	--	340	<0.5	2.6	0.7	<0.5	--
11/18/92	76.24	58.63	17.61	--	--	450	<0.5	3.3	<0.5	0.8	--
03/19/93	76.24	61.24	15.00	--	--	450	<0.5	2.3	0.6	<1.5	--
06/10/93	76.24	60.16	16.08	--	--	250	<0.5	1.3	<0.5	<1.5	--
09/08/93	76.24	59.17	17.07	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/21/93	76.24	59.64	16.60	--	--	170	<0.5	1.3	<0.5	<0.5	--
03/09/94	76.24	60.41	15.83	--	--	200	1.8	1.4	<0.5	<0.5	--
09/21/94	76.24	58.64	17.60	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/94	76.24	60.71	15.53	--	--	950	31	15	1.7	<0.5	--
03/28/95	76.24	62.96	13.28	--	--	71	2.0	0.6	<0.5	<0.5	--
06/22/95	76.24	60.62	15.62	--	--	300	<0.5	3.7	<0.5	0.6	--
09/21/95	76.24	59.46	16.78	--	--	170	<0.5	<0.5	<0.5	<0.5	--
03/22/96	76.24	62.36	13.88	--	--	90	<0.5	<0.5	<0.5	<0.5	<5.0

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
EA-2 (cont)											
03/06/97	76.24	61.18	15.06	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/12/97	76.24	--	--	--	--	--	--	--	--	--	--
04/02/98	76.24	62.51	13.73	--	--	230 ²	0.99	<0.5	<0.5	<0.5	<2.5
09/15/98	76.24	--	--	--	--	--	--	--	--	--	--
03/09/99	76.24	62.03	14.21	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/14/00	76.24	62.93	13.31	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/28/00	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/22/01	76.24	61.71	14.53	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/04/01	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/18/02	76.24	61.84	14.40	0.00	0.00	97	0.54	<0.50	<0.50	<1.5	<2.5/<2 ⁹
09/23/02	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/25/03	76.24	61.18	15.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/23/03	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/17/04 ¹²	76.24	61.83	14.41	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.7
09/16/04	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/05 ¹²	76.24	62.53	13.71	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/26/05	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/31/06 ¹²	76.24	63.75	12.49	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/19/06	76.24	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/23/07 ¹²	76.24	61.16	15.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/08 ¹²	76.24	61.08	15.16	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
EA-2 (cont)											
03/03/09	76.24	INACCESSIBLE		--	--	--	--	--	--	--	--
03/31/10 ¹²	76.24	54.80	21.44	0.00	0.00	65 J	<0.5	<0.5	<0.5	<0.5	<0.5
03/21/11	76.24	INACCESSIBLE		--	--	--	--	--	--	--	--
A											
05/09/89	75.28	61.36	13.92	--	--	11,000	260	<2.0	94	230	--
08/09/89	75.28	59.66	15.62	--	--	12,000	370	<1.5	100	240	--
11/09/89	75.28	59.33	15.95	--	--	16,000	690	10	180	350	--
02/08/90	75.28	60.55	14.73	--	--	14,000	600	7.0	120	270	--
05/10/90	75.28	59.80	15.48	--	--	16,000	840	4.8	140	340	--
08/09/90	75.28	59.62	15.66	--	--	17,000	510	40	170	280	--
11/13/90	75.28	58.80	16.48	--	--	9,000	570	3.1	86	170	--
03/27/91	75.28	--	--	--	--	8,000	660	<5.0	110	250	--
04/05/91	75.28	62.06	13.22	--	--	--	--	--	--	--	--
06/19/91	75.28	59.91	15.37	--	--	8,900	740	<3.0	120	280	--
08/21/91	75.28	59.29	15.99	--	--	6,800	620	23	85	200	--
11/08/91	75.28	59.13	16.15	--	--	4,000	640	<5.0	77	160	--
02/13/92	75.28	60.70	14.58	--	--	8,000	860	<5.0	120	390	--
05/01/92	75.28	61.02	14.26	--	--	13,000	870	19	220	780	--
11/18/92	75.29	58.91	16.38	--	--	12,000	1,500	83	360	530	--
03/19/93	75.29	63.13	12.16	--	--	14,000	820	6.1	180	420	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
A (cont)											
06/10/93	75.29	61.04	14.25	--	--	9,000	700	13	170	310	--
09/08/93	75.29	--	--	--	--	--	--	--	--	--	--
12/21/93	75.29	--	--	--	--	--	--	--	--	--	--
03/09/94	75.29	61.95	13.34	--	--	9,600	860	21	200	390	--
09/21/94	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
12/20/94	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
03/28/95	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
06/22/95	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
09/21/95	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
03/22/96	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
09/25/96	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
03/06/97	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
09/12/97	75.29	60.73	14.56	--	--	2,600	460	<10	70	11	67
04/02/98	75.29	66.54	8.75	--	--	1,700 ²	130	1.7	44	42	<2.5
09/15/98	75.29	--	--	--	--	--	--	--	--	--	--
03/09/99	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
03/14/00	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
08/28/00	75.29	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/22/01	75.29	INACCESSIBLE		--	--	--	--	--	--	--	--
09/04/01	75.29	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--
03/18/02	75.29	INACCESSIBLE - DUE TO TRAILER PARKED OVER WELL									

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
				LNAPLT (ft.)	REMOVED (gallons)							
A (cont)												
09/23/02	75.29	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/25/03	75.29	INACCESSIBLE - DUE TO TRAILER PARKED OVER WELL										
09/23/03	75.29	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/17/04	75.29	INACCESSIBLE - DUE TO TRAILER PARKED OVER WELL										
09/16/04	75.29	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/31/05 ¹²	75.29	66.74	8.55	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
09/26/05	75.29	MONITORED/SAMPLED ANNUALLY				--	--	--	--	--	--	--
03/31/06 ¹²	75.29	66.95	8.34	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
DESTROYED - JULY 2006												
B												
05/09/89	73.39	59.58**	13.97	0.20	--	--	--	--	--	--	--	
08/09/89	73.39	57.86**	15.69	0.20	--	--	--	--	--	--	--	
11/09/89	73.39	58.16**	15.29	0.08	--	--	--	--	--	--	--	
02/08/90	73.39	58.93	14.46	--	--	--	--	--	--	--	--	
05/10/90	73.39	58.32	14.07	--	--	--	--	--	--	--	--	
08/09/90	73.39	58.27	15.12	--	--	--	--	--	--	--	--	
11/13/90	73.39	57.63	15.76	--	--	--	--	--	--	--	--	
04/05/91	73.39	60.01	13.38	--	--	--	--	--	--	--	--	
06/19/91	73.39	58.25	15.14	--	--	26,000	7,100	370	430	1,000	--	
08/21/91	73.39	57.81	15.58	--	--	16,000	4,900	270	390	640	--	

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B (cont)											
11/08/91	73.39	57.68	15.71	--	--	11,000	2,400	48	280	160	--
02/13/92	73.39	58.73	14.66	--	--	6,800	2,400	60	220	140	--
05/01/92	73.39	58.89	14.50	Sheen	--	16,000	6,000	180	370	460	--
11/18/92	73.39	57.79	15.60	--	--	28,000	2,200	150	920	4,300	--
03/19/93	73.39	60.12**	13.29	0.03	--	--	--	--	--	--	--
06/10/93	73.39	59.11**	14.30	0.03	--	--	--	--	--	--	--
09/08/93	73.39	58.25**	15.33	0.24	--	--	--	--	--	--	--
12/21/93	73.39	58.76**	14.73	0.12	--	--	--	--	--	--	--
03/09/94	73.39	59.35**	14.07	0.04	--	--	--	--	--	--	--
09/21/94	73.39	57.91**	15.50	0.02 ¹	--	--	--	--	--	--	--
12/20/94	73.39	59.74**	13.75	0.12	--	--	--	--	--	--	--
3/28/952	73.39	--	--	--	--	--	--	--	--	--	--
06/22/95	73.39	58.92**	14.56	0.11	1.000	--	--	--	--	--	--
09/21/95	73.39	58.41**	15.88	1.12	2.000	--	--	--	--	--	--
03/22/96	73.39	61.19**	13.02	1.02	2.000	--	--	--	--	--	--
09/25/96	73.39	58.81**	15.76	1.47	1.500	--	--	--	--	--	--
03/06/97	73.39	59.95**	14.30	1.08	2.000	--	--	--	--	--	--
09/12/97	73.39	59.32**	14.61	0.68	3.000	--	--	--	--	--	--
04/02/98	73.39	61.04**	12.50	0.19	3.000	--	--	--	--	--	--
09/15/98	73.39	59.60**	14.87	1.35	5.000	--	--	--	--	--	--
03/09/99	73.39	60.41**	13.41	0.54	0.132	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
B (cont)											
09/29/99	73.39	58.56**	15.80	1.21	0.130	--	--	--	--	--	--
03/14/00	73.39	61.70**	12.80	1.39	0.400	--	--	--	--	--	--
08/28/00	73.39	58.96**	15.29	1.07	0.26 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
03/22/01	73.39	60.52**	13.26	0.49	0.26 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
06/25/01 ⁷	73.39	58.95**	15.30	1.08	0.00	--	--	--	--	--	--
07/09/01 ⁸	73.39	59.02**	15.15	0.97	0.26 ⁵	--	--	--	--	--	--
08/06/01 ⁸	73.39	58.86**	15.31	0.98	1.04 ⁵	--	--	--	--	--	--
09/04/01 ⁸	73.39	58.58**	15.46	0.81	0.00	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
10/08/01 ⁸	73.39	58.33**	15.68	0.77	0.06 ⁵	--	--	--	--	--	--
11/12/01 ⁸	73.39	58.56**	15.45	0.78	1.50 ⁵	--	--	--	--	--	--
12/26/01 ⁸	73.39	60.87**	12.98	0.58	4.39 ⁵	--	--	--	--	--	--
01/25/02 ⁸	73.39	60.74**	12.71	0.08	0.13 ⁵	--	--	--	--	--	--
02/05/02 ⁸	73.39	60.30**	13.16	0.09	2.63 ⁵	--	--	--	--	--	--
03/18/02 ⁸	73.39	60.63**	12.79	0.04	2.03 ⁵	--	--	--	--	--	--
04/27/02 ⁸	73.39	59.73	13.66	0.00	0.26 ¹⁰	--	--	--	--	--	--
05/20/02 ⁸	73.39	59.61	13.78	0.00	0.26 ¹⁰	--	--	--	--	--	--
06/17/02 ⁸	73.39	59.28**	14.34	0.29	3.39 ⁵	--	--	--	--	--	--
07/01/02 ⁸	73.39	59.05**	14.78	0.55	2.26 ⁵	--	--	--	--	--	--
08/19/02 ⁸	73.39	58.75**	15.03	0.49	6.53 ⁵	--	--	--	--	--	--
09/23/02 ⁸	73.39	58.61**	15.13	0.44	0.40 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
10/21/02 ⁸	73.39	58.50**	15.21	0.40	0.33 ⁵	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B (cont)											
11/26/02 ⁸	73.39	58.51**	15.17	0.36	0.26 ⁵	--	--	--	--	--	--
12/26/02 ⁸	73.39	60.50**	13.06	0.21	0.13 ⁵	--	--	--	--	--	--
02/05/03 ⁸	73.39	60.24**	13.33	0.22	0.07 ⁵	--	--	--	--	--	--
03/01/03 ¹¹	73.39	60.18**	13.31	0.13	0.07 ⁵	--	--	--	--	--	--
03/25/03	73.39	60.08**	13.41	0.13	0.03 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
04/21/03	73.39	60.27**	13.20	0.10	0.07 ⁵	--	--	--	--	--	--
05/26/03	73.39	59.76**	13.70	0.09	0.07 ⁵	--	--	--	--	--	--
06/16/03	73.39	59.44**	14.04	0.11	0.07 ⁵	--	--	--	--	--	--
07/17/03	73.39	59.25**	14.36	0.27	0.13	--	--	--	--	--	--
08/11/03	73.39	59.02**	14.61	0.30	0.13 ⁵	--	--	--	--	--	--
09/23/03	73.39	58.63**	14.96	0.25	0.59 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
10/13/03	73.39	58.54**	14.99	0.18	0.39	--	--	--	--	--	--
11/24/03	73.39	58.64**	14.85	0.12	0.07	--	--	--	--	--	--
12/15/03	73.39	59.10**	14.39	0.12	0.07	--	--	--	--	--	--
01/12/04	73.39	60.42**	13.06	0.11	0.13	--	--	--	--	--	--
02/10/04	73.39	60.00**	13.46	0.09	0.01 ⁵	--	--	--	--	--	--
03/17/04 ¹¹	73.39	60.60**	12.85	0.08	0.01 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
04/09/04 ¹¹	73.39	59.87**	13.54	0.02	1.51 ⁵	--	--	--	--	--	--
05/11/04 ¹¹	73.39	59.80**	13.60	0.01	-- ¹³	--	--	--	--	--	--
06/21/04 ¹¹	73.39	58.99**	14.46	0.07	0.03	--	--	--	--	--	--
07/09/04 ¹¹	73.39	58.83**	14.58	0.02	1.02 ⁵	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
B (cont)											
08/10/04 ¹¹	73.39	58.54**	14.87	0.02	0.51 ⁵	--	--	--	--	--	--
09/16/04 ¹¹	73.39	58.56**	14.85	0.03	0.52 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
10/12/04 ¹¹	73.39	58.21**	15.28	0.13	0.03 ⁵	--	--	--	--	--	--
11/12/04	73.39	58.66**	14.75	0.02	0.52 ⁵	--	--	--	--	--	--
12/08/04	73.39	58.73**	14.68	0.02	0.53 ⁵	--	--	--	--	--	--
01/25/05	73.39	59.16**	14.25	0.02	0.53 ⁵	--	--	--	--	--	--
02/11/05	73.39	59.11**	14.30	0.02	0.52 ⁵	--	--	--	--	--	--
03/31/05	73.39	61.34**	12.07	0.03	1.03 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
04/26/05	73.39	61.31**	12.10	0.02	1.02 ⁵	--	--	--	--	--	--
05/13/05	73.39	60.93**	12.48	0.02	1.02 ⁵	--	--	--	--	--	--
06/28/05	73.39	61.04**	12.37	0.03	1.02 ⁵	--	--	--	--	--	--
07/15/05	73.39	60.16**	13.25	0.02	1.52 ⁵	--	--	--	--	--	--
08/19/05	73.39	59.65**	13.76	0.02	1.02 ⁵	--	--	--	--	--	--
09/26/05	73.39	58.98**	14.43	0.02	1.02 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
10/17/05	73.39	58.94**	14.47	0.02	1.01 ⁵	--	--	--	--	--	--
11/18/05	73.39	58.61**	14.80	0.02	1.52 ⁵	--	--	--	--	--	--
12/12/05	73.39	59.60**	13.81	0.02	1.01 ⁵	--	--	--	--	--	--
01/24/06	73.39	59.70**	13.70	0.01	1.01 ⁵	--	--	--	--	--	--
02/10/06	73.39	59.62**	13.78	0.01	1.01 ⁵	--	--	--	--	--	--
03/31/06	73.39	61.40**	12.01	0.02	1.51 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
04/14/06	73.39	61.38**	12.02	0.01	1.00 ¹⁴	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL								
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
B (cont)												
05/12/06	73.39	61.03**	12.38	0.02	1.00 ¹⁵	--	--	--	--	--	--	
06/12/06	73.39	60.38**	13.03	0.02	1.00 ¹⁵	--	--	--	--	--	--	
07/19/06	73.39	INACCESSIBLE - WELL GROUTED/PLUGGED					--	--	--	--	--	--
DESTROYED - JULY 2006												
B-1												
05/09/89	71.77	59.19		--	--	16,000	2,300	260	81	740	--	
08/09/89	71.77	57.68	14.09	--	--	12,000	2,600	340	100	870	--	
11/09/89	71.77	57.71	14.06	--	--	17,000	340	140	110	760	--	
02/08/90	71.77	59.12	12.65	--	--	5,500	70	19	17	150	--	
05/10/90	71.77	58.15	13.62	--	--	18,000	770	110	73	600	--	
08/09/90	71.77	57.90	13.87	--	--	82,000	750	66	95	980	--	
11/13/90	71.77	57.39	14.38	--	--	43,000	1300	120	74	760	--	
03/27/91	71.77	--	--	--	--	18,000	580	92	94	770	--	
04/05/91	71.77	60.04	11.73	--	--	--	--	--	--	--	--	
06/19/91	71.77	58.21	13.56	--	--	21,000	910	56	96	810	--	
08/21/91	71.77	57.87	13.90	--	--	50,000	2,400	610	300	1,800	--	
11/08/91	71.77	57.72	14.05	--	--	540,000	3,600	1,500	1,900	5,900	--	
02/13/92	71.77	59.09	12.68	--	--	20,000	500	100	150	920	--	
05/01/92	71.77	58.85	12.92	Sheen	--	27,000	2,800	200	310	1,900	--	
11/18/92	72.30	58.00	14.30	--	--	300	9.7	3.4	2.3	21	--	

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
B-1 (cont)											
03/19/93	72.30	60.02	12.28	--	--	130	23	0.9	<0.5	5.6	--
06/10/93	72.30	59.26	13.04	--	--	170	21	1.1	0.8	6.6	--
09/08/93	72.30	58.46**	13.88	0.05	--	--	--	--	--	--	--
12/21/93	72.30	58.77	13.53	--	--	<50	6.7	0.5	<0.5	1.2	--
03/09/94	72.30	59.65	12.65	--	--	1,300	520	8.8	2.4	53	--
09/21/94	72.30	57.90	14.40	--	--	390	130	2.7	2.4	7.7	--
12/20/94	72.30	59.95	12.35	--	--	1,600	520	9.9	8.9	34	--
03/28/95	72.30	61.54	10.76	--	--	160	38	2.1	1.4	5.4	--
06/22/95	72.30	59.70	12.60	--	--	340	73	3.1	2.4	7.5	--
09/21/95	72.30	58.65	13.65	--	--	140	19	1.0	1.2	6.1	--
03/22/96	72.30	61.36	10.94	--	--	200	<0.5	0.6	2.1	2.2	<5.0
09/25/96	72.30	58.54	13.76	--	--	690	5.4	1.2	1.6	6.8	<5.0
03/06/97	72.30	60.22	12.08	--	--	420	31	1.0	2.5	4.3	5.9
09/12/97	72.30	58.76	13.54	--	--	170	31	1.4	1.6	4.6	11
04/02/98	72.30	61.57	10.73	--	--	670 ²	91	4.2	8.7	17	<2.5
09/15/98	72.30	59.49	12.81	--	--	<50	1.5	<0.5	<0.5	<0.5	<10
03/09/99	72.30	60.69	11.61	--	--	1200	570	5.3	5.6	48	<25
09/29/99	72.30	58.67	13.63	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/14/00	72.30	61.91	10.39	--	--	225	78.5	1.49	1.88	4.17	<5.0
08/28/00	72.30	59.16	13.14	0.00	0.00	290 ³	42	1.9	4.3	6.3	21
03/22/01	72.30	60.62	11.68	0.00	0.00	1,690 ⁶	181	7.94	20.4	17.4	56.9

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-1 (cont)											
06/25/01	72.30	58.59	13.71	0.00	0.00	--	--	--	--	--	--
07/09/01	72.30	59.11	13.19	0.00	0.00	--	--	--	--	--	--
09/04/01	72.30	58.73	13.57	0.00	0.00	130	6.4	0.58	0.74	<1.5	<2.5/<2 ⁹
03/18/02	72.30	60.81	11.49	0.00	0.00	410	77	3.0	4.9	10	6.6
09/23/02	72.30	58.72	13.58	0.00	0.00	51	1.9	0.82	<0.50	<1.5	<2.5
03/25/03	72.30	59.46	12.84	0.00	0.00	58	0.74	<0.50	<0.50	<1.5	<2.5
09/23/03 ¹²	72.30	58.57	13.73	0.00	0.00	<50	<0.5	0.7	<0.5	<0.5	<0.5
03/17/04 ¹²	72.30	60.83	11.47	0.00	0.00	110	3	<0.5	<0.5	<0.5	<0.5
09/16/04 ¹²	72.30	58.23	14.07	0.00	0.00	200	29	<0.5	<0.5	0.7	<0.5
03/31/05 ¹²	72.30	59.45	12.85	0.00	0.00	340	18	<0.5	2	1	<0.5
09/26/05 ¹²	72.30	58.60	13.70	0.00	0.00	570	71	1	<0.5	5	<0.5
03/31/06 ¹²	72.30	59.72	12.58	0.00	0.00	520	23	1	0.8	2	<0.5
DESTROYED - JULY 2006											
B-2											
05/09/89	74.51	59.93	14.58	--	--	170,000	30,000	8,400	2,300	12,000	--
08/09/89	74.51	58.45	16.06	--	--	60,000	29,000	8,700	2,400	12,000	--
11/09/89	74.51	57.56	16.95	--	--	110,000	32,000	5,500	2,800	12,000	--
02/08/90	74.51	58.95	15.56	--	--	67,000	28,000	5,900	2,300	11,000	--
05/10/90	74.51	58.57	15.94	--	--	69,000	24,000	4,800	2,000	11,000	--
08/09/90	74.51	58.54	15.97	--	--	100,000	33,000	4,000	2,100	12,000	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-2 (cont)											
11/13/90	74.51	57.81	16.70	--	--	110,000	33,000	4,300	2,900	13,000	--
03/27/91	74.51	--	--	--	--	160,000	26,000	3,200	2,600	15,000	--
04/05/91	74.51	60.31	14.20	--	--	--	--	--	--	--	--
06/19/91	74.51	58.68	15.83	--	--	100,000	22,000	2,500	2,000	11,000	--
08/21/91	74.51	58.20	16.31	--	--	80,000	28,000	2,800	2,400	12,000	--
11/08/91	74.51	57.91	16.60	--	--	94,000	29,000	1,900	2,200	11,000	--
02/13/92	74.51	58.58	15.93	--	--	280,000	34,000	2,500	4,600	23,000	--
05/01/92	74.51	59.57	14.94	Sheen	--	29,000	1,700	300	1,100	4,300	--
11/18/92	74.52	57.81	16.71	--	--	26,000	11,000	170	870	950	--
03/19/93	74.52	60.46	14.06	--	--	110,000	28,000	1,200	2,200	12,000	--
06/10/93	74.52	59.64	14.88	--	--	140,000	15,000	930	1,900	8,800	--
09/08/93	74.52	58.52**	16.03	0.04	--	--	--	--	--	--	--
12/21/93	74.52	58.91	15.61	--	--	980,000	21,000	30,000	9,100	71,000	--
03/09/94	74.52	59.99	14.53	Sheen	--	110,000	23,000	920	1,300	7,800	--
9/21/945	74.52	INACCESSIBLE		--	--	--	--	--	--	--	--
12/20/94	74.52	59.86	14.65	--	--	70,000	25,000	710	920	5,300	--
03/28/95	74.52	62.22	12.30	--	--	76,000	20,000	920	1,200	5,200	--
06/22/95	74.52	60.30	14.22	--	--	89,000	21,000	38,000	1,500	6,800	--
09/21/95	74.52	58.72	15.80	--	--	84,000	24,000	2,900	1,800	9,800	--
03/22/96	74.52	61.69**	12.85	0.02	0.250	--	--	--	--	--	--
09/25/96	74.52	58.56**	15.98	0.03	0.250	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
B-2 (cont)											
03/06/97	74.52	60.43**	14.11	0.02	0.000	--	--	--	--	--	--
09/12/97	74.52	59.19**	15.35	0.03	1.500	--	--	--	--	--	--
04/02/98	74.52	61.74**	13.07	0.36	2.000	--	--	--	--	--	--
09/15/98	74.52	59.48**	15.50	0.58	0.500	--	--	--	--	--	--
03/09/99	74.52	61.56**	13.29	0.41	0.079	--	--	--	--	--	--
09/29/99	74.52	58.69**	16.34	0.64	0.080	--	--	--	--	--	--
03/14/00	74.52	62.02**	12.65	0.19	0.040	--	--	--	--	--	--
08/28/00	74.52	59.11**	15.80	0.49	0.26 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
03/22/01	74.52	60.99**	13.77	0.30	0.07 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
07/09/01 ⁷	74.52	58.50**	16.12	0.13	0.21 ⁵	--	--	--	--	--	--
08/06/01 ⁸	74.52	58.31**	16.23	0.02	0.00	--	--	--	--	--	--
09/04/01 ⁸	74.52	58.26**	16.28	0.03	0.00	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
10/08/01 ⁸	74.52	57.97**	16.57	0.03	0.01 ⁵	--	--	--	--	--	--
11/12/01 ⁸	74.52	58.07**	16.46	0.01	0.00	--	--	--	--	--	--
12/26/01 ⁸	74.52	61.12	13.40	0.00	0.00	--	--	--	--	--	--
01/25/02 ⁸	74.52	60.17	14.35	0.00	0.00	--	--	--	--	--	--
02/05/02 ⁸	74.52	60.05	14.47	0.00	0.00	--	--	--	--	--	--
03/18/02 ⁸	74.52	60.38	14.14	0.00	0.00	110,000	24,000	2,500	2,500	9,200	<30
04/27/02 ⁸	74.52	59.46	15.06	0.00	0.26 ¹⁰	--	--	--	--	--	--
05/20/02 ⁸	74.52	59.06	15.46	0.00	0.26 ¹⁰	--	--	--	--	--	--
06/17/02 ⁸	74.52	58.82	15.70	0.00	0.13 ¹⁰	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-2 (cont)											
07/01/02 ⁸	74.52	58.75	15.77	0.00	0.00	--	--	--	--	--	--
08/19/02 ⁸	74.52	58.34	16.18	0.00	0.00	--	--	--	--	--	--
09/23/02 ⁸	74.52	58.22**	16.31	0.01	0.00	90,000	23,000	2,200	2,400	8,600	<500
10/21/02 ⁸	74.52	58.08**	16.45	0.01	0.00	--	--	--	--	--	--
11/26/02 ⁸	74.52	58.04	16.48	0.00	0.00	--	--	--	--	--	--
12/26/02 ⁸	74.52	59.46	15.06	0.00	0.00	--	--	--	--	--	--
02/05/03 ⁸	74.52	59.65	14.87	0.00	0.00	--	--	--	--	--	--
03/01/03 ¹¹	74.52	59.57	14.95	0.00	0.00	--	--	--	--	--	--
03/25/03	74.52	60.22	14.30	0.00	0.00	130,000	28,000	2,600	3,000	15,000	<500
04/21/03	74.52	60.76	13.76	0.00	0.00	--	--	--	--	--	--
05/26/03	74.52	60.12	14.40	0.00	0.00	--	--	--	--	--	--
06/16/03	74.52	59.77	14.75	0.00	0.00	--	--	--	--	--	--
07/17/03	74.52	59.38	15.14	0.00	0.00	--	--	--	--	--	--
08/11/03	74.52	59.16	15.36	0.00	0.00	--	--	--	--	--	--
09/23/03 ¹²	74.52	58.82	15.70	0.00	0.00	160,000	29,000	2,500	3,300	15,000	220
10/13/03	74.52	58.59	15.93	0.00	0.00	--	--	--	--	--	--
11/24/03	74.52	58.62	15.90	0.00	0.00	--	--	--	--	--	--
12/15/03	74.52	58.97	15.55	0.00	0.00	--	--	--	--	--	--
01/12/04	74.52	60.48	14.04	0.00	0.00	--	--	--	--	--	--
02/10/04	74.52	60.50	14.02	0.00	0.00	--	--	--	--	--	--
03/17/04 ^{11,12}	74.52	61.08	13.44	0.00	0.00	95,000	18,000	1,400	2,000	9,300	170

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-2 (cont)											
04/09/04 ¹¹	74.52	60.48	14.04	0.00	0.00	--	--	--	--	--	--
05/11/04 ¹¹	74.52	60.44	14.08	0.00	0.00	--	--	--	--	--	--
06/21/04 ¹¹	74.52	59.17	15.35	0.00	0.00	--	--	--	--	--	--
07/09/04 ¹¹	74.52	59.05	15.47	0.00	0.00	--	--	--	--	--	--
08/10/04 ¹¹	74.52	58.80	15.72	0.00	0.00	--	--	--	--	--	--
09/16/04 ^{11,12}	74.52	58.52	16.00	0.00	0.00	81,000	21,000	1,000	1,900	8,100	220
10/12/04 ¹¹	74.52	58.35	16.17	0.00	0.00	--	--	--	--	--	--
11/12/04	74.52	58.91	15.61	0.00	0.00	--	--	--	--	--	--
12/08/04	74.52	59.23	15.29	0.00	0.00	--	--	--	--	--	--
01/25/05	74.52	59.49	15.03	0.00	0.00	--	--	--	--	--	--
02/11/05	74.52	59.51	15.01	0.00	0.00	--	--	--	--	--	--
03/31/05 ¹²	74.52	61.78	12.74	0.00	0.00	64,000	15,000	910	880	4,900	130
04/26/05	74.52	61.76	12.76	0.00	0.00	--	--	--	--	--	--
05/13/05	74.52	61.42	13.10	0.00	0.00	--	--	--	--	--	--
06/28/05	74.52	61.56	12.96	0.00	0.00	--	--	--	--	--	--
07/15/05	74.52	60.82	13.70	0.00	0.00	--	--	--	--	--	--
08/19/05	74.52	60.24	14.28	0.00	0.00	--	--	--	--	--	--
09/26/05 ¹²	74.52	58.85	15.67	0.00	0.00	74,000	24,000	1,200	2,000	8,500	170
10/17/05	74.52	58.87	15.65	0.00	0.00	--	--	--	--	--	--
11/18/05	74.52	58.75	15.77	0.00	0.00	--	--	--	--	--	--
12/12/05	74.52	60.26	14.26	0.00	0.00	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL								
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
B-2 (cont)												
01/24/06	74.52	60.48	14.04	0.00	0.00	--	--	--	--	--	--	
02/10/06	74.52	60.43	14.09	0.00	0.00	--	--	--	--	--	--	
03/31/06 ¹²	74.52	61.95	12.57	0.00	0.00	72,000	17,000	770	1,500	5,000	130	
04/14/06	74.52	62.01	12.51	0.00	0.00	--	--	--	--	--	--	
05/12/06	74.52	61.59	12.93	0.00	0.00	--	--	--	--	--	--	
06/12/06	74.52	61.11	13.41	0.00	0.00	--	--	--	--	--	--	
07/19/06	74.52	INACCESSIBLE - WELL GROUTED/PLUGGED					--	--	--	--	--	--
DESTROYED - JULY 2006												
B-3												
05/09/89	74.12	60.01	14.02	--	--	70,000	12,000	9,500	400	8,900	--	
08/09/89	74.12	58.74	15.38	--	--	--	--	--	--	--	--	
11/09/89	74.12	58.61**	15.55	0.05	--	--	--	--	--	--	--	
02/08/90	74.12	59.44	14.68	<0.01	--	--	--	--	--	--	--	
05/10/90	74.12	58.99**	15.15	0.02	--	--	--	--	--	--	--	
08/09/90	74.12	58.85	15.27	<0.01	--	--	--	--	--	--	--	
11/13/90	74.12	58.13**	16.04	0.06	--	--	--	--	--	--	--	
04/05/91	74.12	60.82	13.30	<0.01	--	--	--	--	--	--	--	
06/19/91	74.12	58.96	15.16	--	--	260,000	20,000	9,000	2,200	16,000	--	
08/21/91	74.12	58.51	15.61	--	--	70,000	28,000	11,000	1,800	11,000	--	
11/08/91	74.12	58.35	15.77	--	--	150,000	29,000	9,700	2,200	13,000	--	

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-3 (cont)											
02/13/92	74.12	59.24	14.88	--	--	100,000	27,000	9,906	2,000	11,000	--
05/01/92	74.12	59.93**	14.20	0.01	--	--	--	--	--	--	--
11/18/92	74.13	58.47**	15.68	0.03	--	--	--	--	--	--	--
03/19/93	74.13	61.24**	13.75	1.08	--	--	--	--	--	--	--
06/10/93	74.13	60.04**	14.79	0.87	--	--	--	--	--	--	--
09/08/93	74.13	58.81**	15.38	0.08	--	--	--	--	--	--	--
12/21/93	74.13	59.39	14.74	--	--	1,100,000	18,000	29,000	8,900	59,000	--
03/09/94	74.13	60.60	13.53	--	--	130,000	11,000	20,000	1,700	15,000	--
09/21/94	74.13	58.45**	15.70	0.02 ¹	--	--	--	--	--	--	--
12/20/94	74.13	60.67**	13.48	0.03	--	--	--	--	--	--	--
03/28/95	74.13	--	--	1.54	2.000	--	--	--	--	--	--
06/22/95	74.13	60.86**	14.25	1.23	0.500	--	--	--	--	--	--
09/21/95	74.13	59.12**	15.25	0.30	0.500	--	--	--	--	--	--
03/22/96	74.13	62.97**	11.46	0.37	0.250	--	--	--	--	--	--
09/25/96	74.13	60.13**	14.82	1.02	1.000	--	--	--	--	--	--
03/06/97	74.13	61.23**	13.12	0.28	0.500	--	--	--	--	--	--
09/12/97	74.13	59.56**	14.67	0.13	2.000	--	--	--	--	--	--
04/02/98	74.13	62.93	11.20	Sheen	--	160,000	27,000	26,000	2,500	14,000	<500
09/15/98	74.13	60.12**	14.05	0.05	0.500	--	--	--	--	--	--
03/09/99	74.13	62.77**	11.41	0.06	0.053	--	--	--	--	--	--
09/29/99	74.13	59.23**	15.00	0.13	0.070	--	--	--	--	--	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-3 (cont)											
03/14/00	74.13	63.15	10.98	--	--	177,000	15,000	22,000	2,910	17,000	<1,250
08/28/00	74.13	59.74**	14.41	0.02	0.26 ⁵	NOT SAMPLED DUE TO THE PRESENCE OF LNAPL					--
03/22/01	74.13	62.06	12.07	0.00	0.00	366,000 ³	28,200	31,500	5,460	29,600	<2,500
09/04/01	74.13	58.66	15.47	0.00	0.00	140,000	34,000	14,000	2,300	11,000	<200/<25 ⁹
03/18/02	74.13	62.07	12.06	0.00	0.00	150,000	33,000	16,000	2,500	12,000	<30
09/23/02	74.13	59.17	14.96	0.00	0.00	130,000	31,000	13,000	2,200	11,000	<60
03/25/03	74.13	61.16	12.97	0.00	0.00	150,000	36,000	17,000	2,500	13,000	<130
09/23/03 ¹²	74.13	59.32	14.81	0.00	0.00	160,000	37,000	19,000	3,800	17,000	<500
03/17/04 ¹²	74.13	62.03	12.10	0.00	0.00	100,000	15,000	9,900	1,500	9,400	<10
09/16/04 ¹²	74.13	59.04	15.09	0.00	0.00	98,000	21,000	14,000	2,000	9,400	11
03/31/05 ¹²	74.13	63.01	11.12	0.00	0.00	120,000	24,000	15,000	1,400	9,500	<13
09/26/05 ¹²	74.13	59.44	14.69	0.00	0.00	110,000	29,000	17,000	2,100	12,000	<25
03/31/06 ¹²	74.13	63.05	11.08	0.00	0.00	130,000	24,000	15,000	1,500	8,400	7
DESTROYED - JULY 2006											
B-4											
05/09/89	76.43	61.50	14.93	--	--	3,600	840	34	120	200	--
08/09/89	76.43	59.78	16.65	--	--	<500	4,200	130	370	260	--
11/09/89	76.43	--	--	--	--	5,000	4,200	83	400	250	--
02/08/90	76.43	59.44	16.99	--	--	14,000	6,000	70	530	300	--
05/10/90	76.43	60.38	16.05	--	--	12,000	5,400	130	460	320	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-4 (cont)											
08/09/90	76.43	59.94	16.49	--	--	16,000	7,400	120	530	350	--
11/13/90	76.43	59.79	16.64	--	--	21,000	7,000	100	550	320	--
03/27/91	76.43	59.01	17.42	--	--	17,000	8,500	120	500	300	--
04/05/91	76.43	61.77	14.66	--	--	14,000	7,700	75	610	210	--
06/19/91	76.43	59.95	16.48	--	--	16,000	7,800	110	550	340	--
08/21/91	76.43	59.43	17.00	--	--	18,000	11,000	110	450	340	--
11/08/91	76.43	59.05	17.38	--	--	18,000	6,800	98	500	620	--
02/13/92	76.43	60.01	16.42	--	--	15,000	9,100	86	570	350	--
05/01/92	76.43	60.93	15.50	--	--	36,000	16,000	180	990	690	--
03/19/93	76.43	62.32	14.11	--	--	26,000	15,000	150	900	790	--
06/10/93	76.43	60.99	15.44	--	--	35,000	14,000	180	940	590	--
09/08/93	76.43	59.78	16.65	--	--	34,000	15,000	170	1,100	870	--
12/21/93	76.43	59.98	16.45	--	--	30,000	12,000	74	610	340	--
03/09/94	76.43	61.55	14.88	--	--	37,000	15,000	140	1,000	580	--
09/21/94	76.43	59.29	17.14	--	--	32,000	14,000	110	660	190	--
12/20/94	76.43	61.44	14.99	--	--	23,000	8,400	97	640	530	--
03/28/95	76.43	65.10	11.33	--	--	27,000	9,900	120	880	540	--
06/22/95	76.43	61.84	14.59	--	--	33,000	12,000	84	650	150	--
09/21/95	76.43	60.24	16.19	--	--	20,000	12,000	72	540	68	--
03/22/96	76.43	64.43	12.00	--	--	29,000	10,000	72	560	170	400
09/25/96	76.43	60.15	16.28	--	--	53,000	11,000	<50	160	74	<500

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
B-4 (cont)											
03/06/97	76.43	62.87	13.56	--	--	<5,000	17,000	<50	<50	<50	<500
09/12/97	76.43	60.41	16.02	--	--	7,600	8,100	65	520	38	300
04/02/98	76.43	64.58	11.85	--	--	28,000 ²	9,700	59	760	220	<250
09/15/98	76.43	61.08	15.35	--	--	25,000	12,000	200	900	<200	<1,000
03/09/99	76.43	64.11	12.32	--	--	21,000	11,000	<100	770	270	800
09/29/99	76.43	60.31	16.12	--	--	8,610	9,500	32.1	1,160	88.2	260
03/14/00	76.43	65.86	10.57	--	--	29,100	11,000	223	1,010	556	<500
08/28/00 ⁴	76.43	60.78	15.65	0.00	0.00	13,000 ³	8,600	96	920	74	400
03/22/01	76.43	63.57	12.86	0.00	0.00	14,400 ⁶	6,770	<50.0	224	112	345
09/04/01	76.43	60.19	16.24	0.00	0.00	23,000	9,900	61	340	71	<50/<3 ⁹
03/18/02	76.43	63.57	12.86	0.00	0.00	26,000	8,400	71	550	300	<15
09/23/02	76.43	60.16	16.27	0.00	0.00	21,000	7,600	51	250	43	<10
03/25/03	76.43	62.35	14.08	0.00	0.00	21,000	7,100	42	330	78	<50
09/23/03 ¹²	76.43	60.29	16.14	0.00	0.00	21,000	77,000	370	2,500	500	<250
03/17/04 ¹²	76.43	63.35	13.08	0.00	0.00	16,000	5,500	30	320	110	4
09/16/04 ¹²	76.43	60.17	16.26	0.00	0.00	28,000	5,900	3,800	470	2,800	<5
03/31/05 ¹²	76.43	64.55	11.88	0.00	0.00	12,000	3,300	26	350	150	<3
09/26/05 ¹²	76.43	60.48	15.95	0.00	0.00	16,000	6,100	28	220	68	<5
03/31/06 ¹²	76.43	64.73	11.70	0.00	0.00	9,200	2,100	17	220	120	0.6

DESTROYED - JULY 2006

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
B-6											
05/09/89	72.66	60.55	12.11	--	--	26,000	120	110	250	1,300	--
08/09/89	72.66	57.94	14.72	--	--	19,000	470	150	440	1,400	--
11/09/89	72.66	58.81	13.85	--	--	13,000	70	36	36	440	--
02/08/90	72.66	64.93	7.73	--	--	2,900	16	5.0	10	58	--
05/10/90	72.66	--	--	--	--	--	--	--	--	--	--
08/09/90	72.66	58.15	14.51	--	--	14,000	55	3.0	130	500	--
11/13/90	72.66	57.80	14.86	--	--	--	--	--	--	--	--
04/05/91	72.66	62.23	10.43	--	--	--	--	--	--	--	--
ABANDONED											
B-7											
05/09/89	75.40	60.67	14.73	--	--	210,000	13,000	19,000	2,000	20,000	--
08/09/89	75.40	59.04	16.36	--	--	672,000	87,000	17,000	2,700	30,000	--
11/09/89	75.40	58.76	16.64	--	--	150,000	7,000	12,000	1,800	16,000	--
02/08/90	75.40	59.71	15.69	--	--	41,000	2,500	6,900	1,100	11,000	--
05/10/90	75.40	--	--	--	--	--	--	--	--	--	--
08/09/90	75.40	59.09	16.31	--	--	50,000	1,100	3,900	640	7,200	--
11/13/90	75.40	58.31	17.09	--	--	--	--	--	--	--	--
04/05/91	75.40	61.04	14.36	--	--	--	--	--	--	--	--
ABANDONED											

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL		TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
				LNAPLT (ft.)	REMOVED (gallons)						
TRIP BLANK											
05/09/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
08/09/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
11/09/89	--	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--
02/08/90	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
05/10/90	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
08/09/90	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--
11/13/90	--	--	--	--	--	<50	<0.4	<0.3	<0.3	<0.4	--
03/27/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/19/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
08/21/91	--	--	--	--	--	<50	<0.4	<0.3	<0.3	<0.4	--
11/08/91	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/13/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
05/01/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
11/18/92	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/19/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/10/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/08/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/21/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/20/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
TRIP BLANK (cont)											
03/28/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/22/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/21/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/22/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/25/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/06/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/12/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
04/02/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/15/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<10
03/09/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/29/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/14/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
08/28/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
03/22/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
09/04/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
QA											
03/18/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/23/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
03/25/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
09/23/03 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)											
03/17/04 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/16/04 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/31/05 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
09/26/05 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/31/06 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/23/07 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/18/08 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/03/09 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/31/10 ¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
03/21/11¹²	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 28, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

LNAPLT = Light Non-Aqueous Phase Liquid Thickness

* TOC elevation referenced to msl.

** GWE was corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPLT x 0.80)].

1 Approximate thickness; equipment not functioning properly.

2 Chromatogram pattern indicated an unidentified hydrocarbon.

3 Laboratory report indicates gasoline C6-C12.

4 Laboratory report indicates sample was analyzed outside of the EPA recommended holding time.

TPHg = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

ND = Not Detected

QA = Quality Assurance/Trip Blank

**GROUNDWATER MONITORING DATA AND ANALYTICAL RESULTS
FORMER CHEVRON STATION #9-1026
3701 BROADWAY
OAKLAND, CALIFORNIA**

WELL ID/ DATE	TOC* (ft.)	GWE (ft-amsl)	DTW (ft.)	LNAPL							
				LNAPLT (ft.)	REMOVED (gallons)	TPHg (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
5	Product + water removed.										
6	Laboratory report indicates unidentified hydrocarbons C6-C12.										
7	Skimmer installed May of 2001.										
8	Skimmer in well.										
9	MTBE by EPA Method 8260.										
10	Water removed from skimmer; no product.										
11	Skimmer removed for repair.										
12	BTEX and MTBE by EPA Method 8260.										
13	0.5 ounces of product removed from well.										
14	1.5 ounces of product removed from well.										
15	2 ounces of product removed from well.										
16	TOC was altered during well repairs; unable to determine an accurate GWE.										

**TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA**

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
Secor 2007 - Excavation Bottom Samples (Source: Secor's June 11, 2008 Soil Management Implementation Report)																				
A1-1	6/20/2007	15	--	350 HL	97 HLY	4.9 H	<0.0047	0.008	0.011	0.072	<0.0047	--	--	--	<0.26	43	18	71	48	
A1-2	6/20/2007	15	--	280 HL	84 HLY	8.3 H	<0.0046	0.0092	0.017	0.123	<0.0046	--	--	--	<0.25	36	11	66	45	
A1-3	6/20/2007	15	--	69 HL	24 HLY	<1.0	<0.005	<0.005	<0.005	<0.005	<0.005	--	--	--	<0.26	35	11	60	38	
A1-4	6/20/2007	15	--	250 HL	76 HLY	4.1 H	<0.0049	<0.0049	0.014	0.0361	<0.0049	--	--	--	<0.27	32	13	56	39	
A1-5	6/20/2007	15	--	20 HL	24 HLY	6.1 H	<0.005	0.0087	0.014	0.09	<0.005	--	--	--	0.31	43	8.2	76	52	
A1-6	6/20/2007	15	--	<5.0	27 HLY	100 H	<0.13	0.2	0.32	1.73	<0.13	--	--	--	0.33	35	19	74	46	
A1-7	6/20/2007	15	--	13 L	95 HLY	490 H	<0.83	1.8	3	17	<0.83	--	--	--	<0.26	39	5.2	62	45	
A1-8	6/20/2007	15	--	13 L	520 HLY	3,600 H	<6.3	99.0	49.0	277.0	<6.3	--	--	--	<0.25	32	4.4	46	38	
A1-9	6/20/2007	15	--	400 HLY	100 HLY	<1.0	<0.0049	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	<0.25	27	2.9	54	30	
A1-10	6/20/2007	15	--	480 HL	130 HLY	15 H	<0.0049	0.037	0.043	0.551	<0.0049	--	--	--	<0.25	40	12	62	49	
A1-11	6/20/2007	15	--	340 HL	92 HLY	<1.0	<0.0048	<0.0048	<0.0048	<0.0048	<0.0048	--	--	--	<0.25	43	25	72	71	
A1-12	6/20/2007	15	--	190 HL	48 HLY	<1.0	<0.0046	<0.0046	<0.0046	0.013	<0.0046	--	--	--	<0.25	34	6.8	57	35	
A1-13	6/20/2007	15	--	170 HL	55 HLY	2.8 H	<0.0047	<0.0047	<0.0047	0.013	<0.0047	--	--	--	<0.25	38	13	62	46	
A1-14	6/20/2007	15	--	21 L	92 HLY	190 H	<0.31	<0.31	1.2	6.2	<0.31	--	--	--	<0.25	38	6.7	69	45	
A1-15	6/20/2007	15	--	7.3 L	170 HLY	580 H	3.1	13.0	12.0	58.0	<1.3	--	--	--	0.27	38	10	78	45	
A1-16	6/20/2007	15	--	<5.0	160 HLY	880	<3.1	40.0	17.0	110.0	<3.1	--	--	--	<0.25	34	19	64	39	
A1-17	6/21/2007	15	--	2,900 HL	830 HLY	11 H	<0.0051	<0.0051	<0.0051	0.0083	<0.0051	--	--	--	<0.25	55	29	72	56	
A1-18	6/21/2007	15	--	800 HL	230 HLY	1.9 H	<0.0049	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	<0.25	51	21	71	55	
A1-19	6/21/2007	15	--	570 HL	140 HLY	<1.0	<0.0049	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	<0.25	40	21	89	54	
A1-20	6/21/2007	15	--	23 HL	24 HLY	1.7 HY	<0.005	<0.005	<0.005	<0.005	<0.005	--	--	--	<0.27	43	6.4	65	49	
A1-21	6/21/2007	15	--	25 HL	12 HLY	6.9 H	<0.005	<0.005	<0.005	0.0068	<0.005	--	--	--	<0.25	48	11	81	58	
A1-22	6/21/2007	15	--	10	85 HLY	180 H	<0.13	<0.13	1.1	1.7	<0.13	--	--	--	0.34	46	4.7	76	54	

**TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA**

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
A1-23	6/21/2007	15	--	23 HL	55 HLY	69 H	<0.36	0.67	1.6	8	<0.36	--	--	--	<0.26	46	7	66	51	
A1-24	6/21/2007	15	--	<5.0	100 LY	320 H	<1.7	9.8	4.8	22.9	<1.7	--	--	--	<0.25	40	3.7	48	47	
A1-25	6/21/2007	15	--	390 HL	120 HY	<1.0	<0.0051	<0.0051	<0.0051	<0.0051	<0.0051	--	--	--	<0.26	53	3.9	60	56	
A1-26	6/21/2007	15	--	51 L	36 HLY	<1.0	<0.0051	<0.0051	<0.0051	<0.0051	<0.0051	--	--	--	<0.25	46	4.6	140	44	
A1-27	6/21/2007	15	--	65 HL	29 HLY	7.5 HY	<0.0049	<0.0049	<0.0049	0.0054	<0.0049	--	--	--	<0.25	46	6.1	66	51	
A1-28	6/21/2007	15	--	40 HL	31 HLY	5.5 HY	<0.005	<0.005	<0.005	<0.005	<0.005	--	--	--	<0.25	47	7.9	67	50	
A1-29	6/21/2007	15	--	8.1 L	19 HLY	11 HY	<0.13	<0.13	<0.13	<0.13	<0.13	--	--	--	<0.25	48	4	63	56	
A1-30	6/21/2007	15	--	13 HL	14 HLY	4.1 HY	<0.0049	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	<0.25	48	10	74	53	
A1-31	6/21/2007	15	--	7.6 HL	7.8 HLY	1.2 HY	<0.005	<0.005	<0.005	0.011	<0.005	--	--	--	<0.25	43	6.2	71	48	
A1-32	6/21/2007	15	--	<5.0	16 LY	23 H	<0.025	<0.025	0.13	0.55	<0.025	--	--	--	<0.27	38	2	55	41	
A1-33	6/21/2007	15	--	110 H	23 HY	<1.0	<0.0049	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	0.32	49	14	120	55	
A1-34	6/21/2007	15	--	220 H	59 HY	<0.96	<0.0049	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	<0.25	49	5	71	55	
A1-35	6/21/2007	15	--	100 HL	23 HLY	<1.0	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	--	--	--	<0.25	38	11	59	45	
A1-36	6/21/2007	15	--	<5.0	<0.99	<1.0	<0.0047	<0.0047	<0.0047	<0.0047	<0.0047	--	--	--	0.27	40	10	91	54	
A1-37	6/21/2007	15	--	14 HL	51 HLY	130 H	<0.025	<0.025	<0.025	<0.025	<0.025	--	--	--	0.31	40	9.3	80	49	
A1-38	6/21/2007	15	--	6.9 L	20 HLY	6.7 HY	<0.025	<0.025	<0.025	<0.025	<0.025	--	--	--	<0.25	37	5.4	47	41	
A1-39	6/21/2007	15	--	11 L	43 HLY	200 H	<0.25	<0.25	<0.25	3.4	<0.25	--	--	--	<0.25	37	13	66	41	
A1-40	6/21/2007	15	--	<5.0	12 LY	5.6 H	<0.13	<0.13	0.34	1.2	<0.13	--	--	--	0.35	33	1.8	53	40	
Cambria 2006 - Product Piping Compliance Samples (Source: Cambria's January 24, 2007 Site Investigation and Remediation Excavation Report)																				
PP-1	9/21/2006	2	---	---	100	<1.0	<0.0005	<0.0005	<0.0005	<0.02	<0.05	---	---	---	---	---	---	20.3	---	---
PP-2	9/19/2006	2	---	---	<10	<1.0	<0.0005	<0.0005	<0.0005	<0.02	<0.05	---	---	---	---	---	---	12.4	---	---
PP-3	9/19/2006	3	---	---	320	200	0.08	0.08	0.4	1.3	<0.05	---	---	---	---	---	---	69.3	---	---

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Date	(fbg)					Reported in milligrams per kilogram (mg/kg)												
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																		
0 to 5 fbg, Residential		--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air		--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I		--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air		--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker		--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																		
Table G Soil Leaching Screening Level: Drinking		--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking		--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:		120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker		1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker		330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
PP-4	9/19/2006	3	---	---	<10	5.9	<0.0005	0.009	<0.0005	0.03	<0.05	---	---	---	---	12.2	---	---
Cambria - 2006 Excavation Compliance Samples (Source: Cambria's January 24, 2007 Site Investigation and Remediation Excavation Report)																		
EX-1	9/5/2006	19	--	--	--	4.3	0.14	0.022	0.068	0.41	<0.003	--	--	--	--	--	--	--
EX-2	9/5/2006	19	--	--	--	1,300	9.7	24	25	140	<0.062	--	--	--	--	--	--	--
EX-3	9/6/2006	18	--	--	--	160	0.18	1.1	2.1	13	<0.062	--	--	--	--	--	--	--
EX-4	9/6/2006	19	--	--	--	18	0.12	0.011	0.12	0.3	<0.0005	--	--	--	--	--	--	--
EX-5	9/7/2006	18	--	--	11	2.4	0.23	0.001	0.014	0.011	<0.0005	--	--	--	--	--	--	--
EX-6	9/7/2006	18	--	--	<10	4.5	0.098	0.002	0.043	0.002	0.018	--	--	--	--	--	--	--
EX-7	9/8/2006	18	---	---	---	1.5	0.0008	0.002	<0.001	0.002	<0.0005	---	---	---	---	---	---	---
EX-7	9/11/2006	20	--	--	1.4	0.25	0.17	<0.005	<0.005	<0.005	--	--	--	--	--	<5.0	--	--
EX-8	9/8/2006	18	---	---	---	900	<0.003	<0.005	0.018	0.18	<0.003	---	---	---	---	---	---	---
EX-8	9/11/2006	20	--	--	1.5	0.97	1.3	<0.05	0.1	<0.05	--	--	--	--	--	<5.0	--	--
EX-9	9/8/2006	18	---	---	---	<1.0	<0.0005	0.001	<0.001	0.001	<0.0005	---	---	---	---	---	---	---
EX-9	9/11/2006	20	--	--	1.5	0.85	0.43	<0.02	<0.02	<0.02	--	--	--	--	--	5.8	--	--
EX-10	9/11/2006	20	--	--	1.3	0.14	0.1	<0.005	0.012	0.008	--	--	--	--	--	9.8	--	--
Cambria 2006 Subsurface Investigation (Source: Cambria's January 24, 2007 Site Investigation and Remediation Excavation Report)																		
SWW-1	6/20/2006	5	---	---	---	<1.0	<0.0005	<0.001	<0.001	<0.001	---	---	---	---	---	---	---	---
SWW-1	6/21/2006	11	---	---	---	18	<0.0005	<0.001	0.017	0.008	---	---	---	---	---	---	---	---
SWW-1	6/21/2006	15	---	---	---	530	<0.063	<0.13	1.8	2.4	---	---	---	---	---	---	---	---
SWW-1	6/21/2006	20	--	--	--	140	<0.063	<0.13	0.50	1.5	--	--	--	--	--	--	--	--

TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
<i>Reported in milligrams per kilogram (mg/kg)</i>																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
SWW-2	6/20/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWW-2	6/21/2006	12	--	--	--	2.1	<0.0005	<0.001	<0.001	0.001	--	--	--	--	--	--	--	--	--
SWW-2	6/21/2006	16	--	--	--	2.3	<0.0005	<0.001	<0.001	0.004	--	--	--	--	--	--	--	--	--
SWW-2	6/21/2006	20	--	--	--	1.9	<0.0005	<0.001	<0.001	0.005	--	--	--	--	--	--	--	--	--
SWW-2	6/21/2006	23	--	--	--	<1.0	<0.0005	<0.001	<0.001	0.005	--	--	--	--	--	--	--	--	--
SWW-3	6/20/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWW-3	6/21/2006	10	--	--	--	1.8	<0.0005	<0.001	<0.001	0.004	--	--	--	--	--	--	--	--	--
SWW-3	6/21/2006	15	--	--	--	4.0	<0.0005	<0.001	0.078	0.001	--	--	--	--	--	--	--	--	--
SWW-3	6/21/2006	20	--	--	--	6.1	0.0008	<0.001	0.011	0.063	--	--	--	--	--	--	--	--	--
SWW-3	6/21/2006	23	--	--	--	<1.0	<0.0005	<0.001	<0.001	0.002	--	--	--	--	--	--	--	--	--
SWW-5	6/20/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	0.002	--	--	--	--	--	--	--	--	--
SWW-5	6/22/2006	10	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWW-5	6/22/2006	15	--	--	--	1,700	<0.063	1.1	11	65	--	--	--	--	--	--	--	--	--
SWW-5	6/22/2006	20	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-1	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-1	6/24/2006	10	--	--	--	<1.0	0.001	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-1	6/24/2006	15	--	--	--	260	0.28	0.20	1.2	2.7	--	--	--	--	--	--	--	--	--
SWS-1	6/24/2006	20	--	--	--	2.2	0.012	<0.001	<0.001	0.001	--	--	--	--	--	--	--	--	--

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
SWS-2	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-2	6/28/2006	10	--	--	--	<1.0	0.003	0.006	<0.001	0.002	--	--	--	--	--	--	--	--	--
SWS-2	6/28/2006	15	--	--	--	2.7	0.0009	0.003	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-2	6/28/2006	20	--	--	--	25	0.001	0.009	0.042	0.22	--	--	--	--	--	--	--	--	--
SWS-3	6/21/2006	5	--	--	--	28	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-3	6/24/2006	10	--	--	--	12	0.13	<0.005	0.76	0.013	--	--	--	--	--	--	--	--	--
SWS-3	6/24/2006	15	--	--	--	91	0.13	<0.13	0.51	1.4	--	--	--	--	--	--	--	--	--
SWS-3	6/24/2006	20	--	--	--	5.9	0.15	0.009	0.011	0.03	--	--	--	--	--	--	--	--	--
SWS-4	6/21/2006	5	--	--	--	<1.0	0.0009	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-4	6/24/2006	10	--	--	--	24	0.083	0.009	0.078	0.20	--	--	--	--	--	--	--	--	--
SWS-4	6/24/2006	15	--	--	--	1,400	4.0	0.49	3.4	18	--	--	--	--	--	--	--	--	--
SWS-4	6/24/2006	20	--	--	--	2.2	0.003	<0.001	<0.001	0.001	--	--	--	--	--	--	--	--	--
SWS-5	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-5	6/24/2006	10	--	--	--	46	0.39	0.77	0.18	0.84	--	--	--	--	--	--	--	--	--
SWS-5	6/24/2006	15	--	--	--	1,100	<0.063	2.1	3.1	19	--	--	--	--	--	--	--	--	--
SWS-5	6/24/2006	20	--	--	--	5.9	0.071	0.002	0.008	0.017	--	--	--	--	--	--	--	--	--
SWS-6	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-6	6/28/2006	10	--	--	--	1.5	0.019	0.004	0.002	0.003	--	--	--	--	--	--	--	--	--
SWS-6	6/28/2006	15	--	--	--	620	<0.063	2.6	3.0	16	--	--	--	--	--	--	--	--	--

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
SWS-6	6/28/2006	20	--	--	--	2.8	0.001	0.003	<0.001	0.001	--	--	--	--	--	--	--	--	--
SWS-7	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWS-7	6/28/2006	10	--	--	--	<1.0	0.0007	0.002	<0.001	0.001	--	--	--	--	--	--	--	--	--
SWS-7	6/28/2006	15	--	--	--	92	<0.063	0.15	0.15	1.1	--	--	--	--	--	--	--	--	--
SWS-7	6/28/2006	20	--	--	--	5.5	<0.062	<0.12	0.39	2.6	--	--	--	--	--	--	--	--	--
SWE-1	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWE-1	6/28/2006	10	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWE-1	6/28/2006	15	--	--	--	1.7	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWE-1	6/28/2006	20	--	--	--	290	<0.063	<0.13	<0.13	0.22	--	--	--	--	--	--	--	--	--
SWE-2	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
SWE-2	6/28/2006	10	--	--	--	1.1	0.002	0.009	0.002	0.008	--	--	--	--	--	--	--	--	--
SWE-2	6/28/2006	15	--	--	--	160	<0.062	0.21	0.22	1.4	--	--	--	--	--	--	--	--	--
SWE-2	6/28/2006	20	--	--	--	1,500	0.075	7.1	5.1	28	--	--	--	--	--	--	--	--	--
SWE-3	6/21/2006	5	--	--	--	350	<0.062	<0.012	0.22	2.7	--	--	--	--	--	--	--	--	--
SWE-3	6/21/2006	10	--	--	--	220	<0.062	0.17	0.36	3.0	--	--	--	--	--	--	--	--	--
SWE-3	6/28/2006	15	--	--	--	4	<0.0005	<0.001	0.078	0.001	--	--	--	--	--	--	--	--	--
SWE-3	6/28/2006	20	--	--	--	790	4.9	100	46	260	--	--	--	--	--	--	--	--	--

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
SWE-4	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	
SWE-4	6/22/2006	10	--	--	--	1.2	0.18	0.003	0.008	0.007	--	--	--	--	--	--	--	--	--	
SWE-4	6/22/2006	16	--	--	--	720	0.58	8.2	4.2	24	--	--	--	--	--	--	--	--	--	
SWE-4	6/22/2006	20	--	--	--	3.1	0.31	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	
SWE-5	6/21/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	
SWE-5	6/28/2006	10	--	--	--	<1.0	0.001	0.004	<0.001	0.002	--	--	--	--	--	--	--	--	--	
SWE-5	6/28/2006	15	--	--	--	42	<0.062	1.3	1.2	8.6	--	--	--	--	--	--	--	--	--	
SWE-5	6/28/2006	20	--	--	--	940	0.25	6.5	3.8	24	--	--	--	--	--	--	--	--	--	
CSB-1	6/22/2006	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-1	6/22/2006	22	--	--	--	3.7	0.41	0.06	0.04	0.031	--	--	--	--	--	--	--	--	--	
CSB-3	6/22/2006	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-3	6/22/2006	22	--	--	--	<1.0	0.001	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	
CSB-4	6/22/2006	20.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-4	6/22/2006	23	--	--	--	510	0.33	0.47	4.0	19	--	--	--	--	--	--	--	--	--	
CSB-4	6/22/2006	24.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-5	6/22/2006	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-5	6/22/2006	22	--	--	--	<1.0	0.002	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	

TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
CSB-6	6/22/2006	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-6	6/22/2006	22	--	--	--	<1.0	0.0008	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	
CSB-7	6/23/2006	19.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-7	6/23/2006	22	<330	--	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	4.96	--	--	
CSB-8	6/23/2006	20	--	--	--	8600	9.5	11	17	91	--	--	--	--	--	--	--	--	--	
CSB-8	6/23/2006	21.5	--	--	--	28	0.61	0.092	0.089	0.47	--	--	--	--	--	--	--	--	--	
CSB-8	6/23/2006	23	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-9	6/23/2006	21	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-9	6/23/2006	23	--	--	--	2.6	0.43	0.005	0.004	0.015	--	--	--	--	--	--	--	--	--	
CSB-10	6/24/2006	19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-10	6/24/2006	22	--	--	--	<1.0	0.005	<0.001	0.002	0.006	--	--	--	--	--	--	--	--	--	
CSB-11	6/23/2006	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
CSB-11	6/23/2006	22	--	--	--	2.0	0.006	0.016	0.005	0.030	--	--	--	--	--	--	--	--	--	
CSB-12	6/23/2006	19.5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--	
CSB-13	6/24/2006	14	--	--	--	27	<0.002	<0.005	0.018	<0.005	--	--	--	--	--	--	--	--	--	
CSB-13	6/24/2006	17	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
CSB-13	6/24/2006	18	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CSB-14	6/23/2006	20	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CSB-14	6/23/2006	22.5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
CSB-16	6/20/2006	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	74.4	--	--
CSB-16	6/24/2006	9	<330	--	<10	<1.0	0.0007	0.003	<0.001	0.002	--	--	--	--	--	--	6.26	--	--
CSB-16	6/24/2006	14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.97	--	--
CSB-16	6/24/2006	15	<330	--	<10	<1.0	0.0009	<0.001	<0.001	<0.001	--	--	--	--	--	--	4.79	--	--
CSB-17	6/20/2006	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	446	--	--
CSB-17	6/20/2006	6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	43.1	--	--
CSB-17	6/24/2006	11.5	<330	--	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	9.55	--	--
CSB-17	6/24/2006	13	--	--	--	HOLD	--	--	--	--	--	--	--	--	--	--	--	--	--
CSB-17	6/24/2006	16	<330	--	<10	1.5	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	9.97	--	--
CSB-18	6/20/2006	3	<330	--	<10	<1.0	<0.0005	<0.001	0.003	<0.001	--	--	--	--	--	--	97.1	--	--
CSB-18	6/20/2006	6	--	--	--	--	--	--	--	--	--	--	--	--	--	--	26.3	--	--
CSB-18	6/23/2006	9	<330	--	75	1.7	0.0006	<0.001	<0.001	<0.001	--	--	--	--	--	--	7.29	--	--
CSB-18	6/23/2006	13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CSB-18	6/23/2006	15	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CSB-18	6/23/2006	16	<330	--	<10	<1.0	<0.0005	<0.001	0.003	<0.001	--	--	--	--	--	--	4.88	--	--
CSB-18	6/23/2006	19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
<u>Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure</u>																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
<u>ESLs</u>																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000

**TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA**

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
CSB-19	6/20/2006	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CSB-19	6/24/2006	11	<330	—	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	—	—	—	—	—	—	14.3	—	—
CSB-19	6/24/2006	14	<330	—	<10	<1.0	<0.0005	<0.001	<0.001	<0.001	—	—	—	—	—	—	—	—	—
CSB-20	6/20/2006	5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.4	--	--
CSB-20	6/28/2006	12	<330	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	5.93	--	--
CSB-20	6/28/2006	13.5	<330	--	--	24	<0.002	<0.005	0.007	<0.005	--	--	--	--	--	--	9.79	--	--
CSB-20	6/28/2006	15	<330	--	--	1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	9.04	--	--
CSB-20	6/28/2006	19.5	<330	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	8.22	--	--
CSB-20	6/28/2006	20	<330	--	--	44	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	9.64	--	--
CSB-20	6/28/2006	20.5	<330	--	--	53	<0.0005	<0.001	0.002	0.004	--	--	--	--	--	--	7.97	--	--
CSB-20	6/28/2006	22	<330	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	4.30	--	--
CSB-20	6/28/2006	23	<330	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	3.00	--	--
CSB-22	6/28/2006	5	--	--	--	<1.0	<0.0005	<0.001	<0.001	<0.001	--	--	--	--	--	--	--	--	--
CSB-22	6/28/2006	10	--	--	--	56	<0.0005	<0.001	<0.001	0.001	--	--	--	--	--	--	--	--	--
CSB-22	6/28/2006	15	--	--	--	420	<0.0063	<0.13	1.7	7.7	--	--	--	--	--	--	--	--	--
CSB-22	6/28/2006	20	--	--	--	290	0.28	0.14	3.9	20	--	--	--	--	--	--	--	--	--
Secor 2006 Investigation (Source: Secor's August 3, 2006 Soil Management Plan)																			
SB13	1/17/2006	10	—	<5.0	<0.99	<1.0	0.039	<0.0046	<0.0046	<0.0046	—	—	—	<0.0046	0.30	46	5.9	73	36
SB13	1/17/2006	15	—	<5.0	30 L	350	<0.5	<0.5	1.4	7.4	—	—	—	0.89	0.32	48	12	81	53
SB13	1/17/2006	18	--	8	120 L	4.4	0.33	0.15	0.034	0.184	--	--	--	<0.023	<0.21	37	6.7	48	40

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
SB14	1/19/2006	10	---	<5.0	6.9 L	3.5	<0.0049	<0.0049	0.0065	<0.0049	---	---	---	<0.0049	0.50	35	14	96	40
SB14	1/19/2006	15	---	7.5*	100 L	1,300	<1.3	<1.3	4.8	18	---	---	---	3.5	0.45	49	2.5	55	49
SB14	1/19/2006	21	--	<5.0	<1.0 L	1.7	0.03	0.0089	0.016	0.068	--	--	--	0.0049	0.46	37	3.9	50	56
SB15	1/18/2006	10	--	<5.0	4.5 L	21	0.084	<0.025	0.11	0.2	--	--	--	0.060	0.65	68	6.6	180	45
SB15	1/18/2006	15	--	<5.0	27 L	240	0.95	3	1.7	8	--	--	--	0.48	<0.25	42	2.3	55	41
SB15	1/18/2006	18	--	<5.0	23 L	1,400	19	86	33	169	--	--	--	7.7	<0.26	33	3.9	42	37
SB16	1/18/2006	5	---	8.6	6.6	720	<1.3	2.7	2.8	42	---	---	---	8.6	<0.27	32	3.8	42	31
SB16	1/18/2006	10	---	<5.0	15 L	730	1.7	22	8.7	53	---	---	---	3.1	<0.26	43	2.6	57	36
SB17	1/18/2006	10	---	<5.0	16 L	4	0.031	0.045	<0.01	0.06	---	---	---	0.029	0.27	55	4.1	61	45
SB17	1/18/2006	15	---	5.2	130 L	420	1.8	11	4.8	25.4	---	---	---	1.8	0.42	43	15	79	51
SB17	1/18/2006	18.5	---	9.3	140 L	1,100	<5	16	21	106	---	---	---	6.8	0.71	37	22	63	44
SB18	1/18/2006	10	---	<5.0	8.0	<1.0	0.041	<0.0047	0.0098	0.0074	---	---	---	<0.0047	0.23	39	11	61	41
SB18	1/18/2006	15	---	<5.0	35 L	420	0.51	0.29	2.1	8	---	---	---	1.2	0.31	52	6.1	69	48
SB18	1/18/2006	17.5	--	<5.0	170 L	30	1.4	5.1	4.5	21.8	--	--	--	1.8	0.31	45	4.4	58	49
SB19	1/18/2006	10	---	<5.0	<1.0	2.7	0.071	<0.026	<0.026	<0.026	---	---	---	<0.026	0.31	52	7.8	73	51
SB19	1/18/2006	15	---	<5.0	27 L	670	2.1	5.6	3.7	18	---	---	---	1.5	0.26	47	3.7	54	49
SB19	1/18/2006	18	--	<5.0	120 L	6,700	31	170	73	349	--	--	--	23	0.34	40	14	66	47

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPH _{mo}	TPH _d	TPH _g	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
<u>Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure</u>																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
<u>ESLs</u>																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
SB20	1/18/2006	10	--	<5.0	6.7 L	37	<0.13	<0.13	<0.13	0.33	--	--	--	0.27	0.42	57	8.4	110	49
SB20	1/18/2006	15	--	5.5	120 L	5,900	0.1	68	20	101	--	--	--	7.1	0.33	43	9.9	71	43
SB20	1/18/2006	18.5	--	<5.0	1.9 L	6,200	26	320	100	600	--	--	--	32	0.35	35	23	63	42
SB21	1/17/2006	9	--	16	82 L	20H	<0.0047	<0.0047	0.019	<0.0047	--	--	--	0.0048	0.22	42	6.5	64	29
SB21	1/17/2006	15	--	7.6	25 L	110	0.26	<0.025	0.49	0.81	--	--	--	0.27	0.32	52	6.4	69	52
SB21	1/17/2006	20.5	--	100	97 HL	81	0.044	<0.025	0.31	0.52	--	--	--	0.26	0.34	45	8.5	64	47
SB22	1/17/2006	7	--	34	58 HL	1.8	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	0.048	<0.27	54	5.8	76	24
SB22	1/17/2006	10	--	20	88 L	700 H	<4.2	<4.2	<4.2	8.4	--	--	--	14	0.23	59	18	62	44
SB22	1/17/2006	20	--	<5.0	<1.0	1.6	0.058	<0.0050	0.014	0.0514	--	--	--	0.0095	<0.18	28	1.7	29	26
SB23	1/17/2006	3	--	8.7H	2.2 H	<1.0	0.0047	<0.0046	<0.0046	<0.0046	--	--	--	<0.0046	<0.24	43	5.2	29	21
SB23	1/17/2006	10	--	<5.0	39 L	150	<0.13	<0.13	<0.13	<0.13	--	--	--	0.13	<0.25	12	7.4	49	34
SB23	1/17/2006	18	--	18	180 L	800	2.7	7.8	6.2	32.4	--	--	--	2.0	0.37	38	3.6	66	48
SB24	1/19/2006	10	--	<5.0	3.8 L	<1.0	<0.0048	<0.0048	<0.0048	<0.0048	--	--	--	<0.0048	0.19	41	5.6	61	23
SB24	1/19/2006	15	--	11	170 L	310	0.31	<0.13	0.61	0.89	--	--	--	0.23	0.27	47	4.2	54	49
SB24	1/19/2006	20	--	12	360 L	1,200	1.1	12	13	59	--	--	--	3.7	0.34	31	7.3	48	38
SB25	1/17/2006	5	--	<5.0	1.2 L	5.1	0.49	<0.025	0.11	<2.5	--	--	--	<0.025	<0.22	45	6.4	38	26
SB25	1/17/2006	9	--	26H	93 L	2,000	7	<2.5	29	33	--	--	--	11	0.29	36	12	63	37
SB25	1/17/2006	18.5	--	53	490 L	830	3.4	9.5	5.8	30.4	--	--	--	2.5	0.31	46	4.0	72	53

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPH _{mo}	TPH _d	TPH _g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
SB26	1/17/2006	5	---	22H	1.7 H	3.8	0.2	<0.0046	0.025	<0.0046	---	---	---	<0.0046	<0.23	52	6.0	34	26
SB26	1/17/2006	10	---	36	370L	2,100	5.4	<2.5	28	133	---	---	---	10	<0.26	46	9.7	61	25
SB26	1/17/2006	20.5	--	<5.0	1.6 L	11,000	<3.6	<3.6	5.9	<3.6	--	--	--	<3.6	0.27	35	2.5	53	38
SB27	1/17/2006	10	---	<5.0	1.9	<0.99	<0.0048	<0.0046	<0.0048	<0.0046	---	---	---	<0.0048	<0.26	49	7.4	86	31
SB27	1/17/2006	15	---	<5.0	32	21	<0.13	<0.13	0.45	<0.13	---	---	---	0.21	0.38	62	4.4	70	59
SB27	1/17/2006	18.5	--	37	190 L	2,100	8.8	<3.6	18	76	--	--	--	5.8	0.36	40	3.9	53	44
SB28	1/17/2006	10	---	7.6	61L	33	<0.13	<0.13	0.13	0.27	---	---	---	0.32	0.26	46	9.9	59	43
SB28	1/17/2006	15	---	16	100L	110	2.5	0.77	3.3	14.1	---	---	---	1.3	0.28	68	3.0	54	48
SB28	1/17/2006	20	--	<5.0	<1.0	8	0.46	<0.13	<0.13	<0.13	--	--	--	<0.13	<0.20	27	5.4	32	28
SB29	1/18/2006	10	---	<5.0	<1.0	<1.1	0.0077	<0.0048	<0.0048	<0.0048	---	---	---	<0.0048	0.31	45	9.4	70	37
SB29	1/18/2006	17	---	<5.0	36L	43	0.42	0.3	0.59	2.62	---	---	---	0.19	0.39	47	2.5	62	54
SB29	1/18/2006	21	--	<5.0	2.4 L	<1.1	0.3	<0.025	<0.025	<0.025	--	--	--	<0.025	0.27	32	5.6	45	47
SB30	1/19/2006	10	---	<5.0	18L	3,600	0.28	0.55	0.24	0.99	---	---	---	0.20	0.42	74	7.6	150	45
SB30	1/19/2006	15	---	14	370L	590	2.8	15	6.2	32.4	---	---	---	2.4	0.33	48	5.4	60	44
SB30	1/19/2006	18	--	6.1	64 L	4.3Z	0.32	0.44	0.096	0.5	--	--	--	<0.025	0.22	32	3.1	41	36
SB37	1/19/2006	10	--	1500	1,200 HL	7,900	<6.3	<6.3	31	75	--	--	--	14.0	0.23	45	7.9	89	39
SB37	1/19/2006	13	--	110	65 HL	17	<0.13	<0.13	<0.13	<0.13	--	--	--	1.3	0.25	37	9.0	66	39

**TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA**

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
SB37	1/19/2006	16	--	38	210 HL	1,000	<0.13	<0.13	0.14	<0.13	--	--	--	0.91	0.34	47	5.1	60	46	
SB38	1/19/2006	4.5	---	6,000	1,600 HL	43	<0.13	<0.13	<0.13	<0.13	---	---	---	0.39	2.2	29	1,300	35	330	
SB38	1/19/2006	12	---	69	14 H	16	<0.0050	<0.0050	<0.0050	<0.0050	---	---	---	<0.0050	<0.19	39	6.8	45	28	
SB38	1/19/2006	17	--	62	14 H	<0.95	<0.0046	<0.0046	<0.0046	<0.0046	--	--	--	<0.0046	0.23	32	4.6	37	33	
SB39	1/19/2006	10	---	<5.0	<1.0	<1.0	<0.0049	<0.0049	<0.0049	<0.0049	---	---	---	<0.0049	0.28	36	8.5	64	35	
SB39	1/19/2006	14	---	<5.0	16 L	10	<0.13	<0.13	<0.13	<0.13	---	---	---	<0.13	0.31	52	6.8	56	52	
SB39	1/19/2006	18	--	<5.0	1.5 L	500	<0.13	<0.13	<0.13	<0.13	--	--	--	1.4	<0.27	37	2.6	44	42	
SB40	1/19/2006	10	---	<5.0	<1.0	<0.92	0.0046	<0.0046	<0.0046	<0.0046	---	---	---	<0.0046	0.24	39	7.4	66	34	
SB40	1/19/2006	15	---	<5.0	22 L	8.6	0.013	<0.013	<0.013	<0.013	---	---	---	<0.013	0.38	39	6.0	57	52	
SB40	1/19/2006	18.5	--	<5.0	47 L	600	<0.42	<0.42	0.62	3.6	--	--	--	1.1	0.34	34	3.9	39	35	
SB41	1/19/2006	10	--	<5.0	<1.0	<0.99	<0.0049	<0.0049	<0.0049	<0.0049	--	--	--	<0.0049	0.37	45	2.2	64	30	
SB41	1/19/2006	15	--	<5.0	7.2 L	5.4	0.2	<0.0050	0.063	<0.0050	--	--	--	<0.0050	0.47	52	2.3	58	54	
SB41	1/19/2006	18	--	<5.0	2.3 L	1,500	<1.7	<1.7	5.9	9.5	--	--	--	2.9	0.31	28	2.1	35	33	
SB42	1/18/2006	10	---	<5.0	1.7 L	1.7	0.085	<0.0050	0.017	<0.0050	---	---	---	<0.0050	0.30	52	3.8	68	41	
SB42	1/18/2006	14	---	26 H	19 L	45	0.18	0.32	0.2	0.9	---	---	---	0.30	0.34	45	8.8	69	55	
SB42	1/18/2006	18	--	<5.0	79 L	640	2.1	9.4	5.4	27.7	--	--	--	2.0	0.27	44	6.4	72	46	
SB43	1/19/2006	15	---	18	24 L	320	<0.25	<0.25	0.29	<0.25	---	---	---	0.81	0.69	51	5.8	73	56	

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
<u>Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure</u>																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
<u>ESLs</u>																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000

TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
Secor 2004 Investigation (Source: Secor's February 10, 2004 Phase II Environmental Site Assessment Report)																				
SB-1	1/8/2004	15	--	<50	3.8*	61	0.059	0.046	<0.023	0.1	<0.023	<0.023	<0.045	<0.045	<0.50	34	2.8	44	38	
SB-2	1/8/2004	10	--	<50	8.2*	34	<0.019	<0.019	0.14	0.110	<0.019	<0.019	<0.038	0.095	<0.50	35	6.2	74	33	
SB-3	1/8/2004	5	--	<50	78*	390	1.2	2.3	7.1	29	--	--	--	5.0	<0.50	28	4.9	37	26	
SB-3	1/8/2004	15	--	<50	250*	2,300	37	140	55	230	--	--	--	18	<0.50	32	2.7	40	31	
GTI 1992 INVESTIGATION**																				
B1-25	10/8/1992	25	--	--	--	<1	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
B1-30	10/8/1992	30	--	--	--	<1	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
B1-35	10/8/1992	35	--	--	--	<1	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--	
GTI 1988 INVESTIGATION***																				
SP1A	Dec. 1988	11	--	--	--	ND	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP2A	Dec. 1988	12	--	--	--	8	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP3A	Dec. 1988	12	--	--	--	12	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP4A	Dec. 1988	10	--	ND	ND	ND	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP6A	Dec. 1988	5	--	--	--	9	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP6B	Dec. 1988	10	--	--	--	33	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP7B	Dec. 1988	5	--	--	--	29	--	--	1	--	--	--	--	--	--	--	--	--	--	
SP8A	Dec. 1988	12	--	--	--	ND	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP9A	Dec. 1988	10	--	ND	ND	ND	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP10A	Dec. 1988	5	--	--	--	ND	--	--	ND	--	--	--	--	--	--	--	--	--	--	
SP10B	Dec. 1988	10	--	--	--	19	--	--	ND	--	--	--	--	--	--	--	--	--	--	

TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc	
																				Reported in milligrams per kilogram (mg/kg)
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																				
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--	
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--	
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--	
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--	
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--	
ESLs																				
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--	
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--	
Table K-1 Direct Exposure:			120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000	
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000	
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000	
SP11A	Dec. 1988	5	---	---	---	9		ND												
SP11B	Dec. 1988	10	---	---	---	ND		ND												
SP12A	Dec. 1988	5	---	---	---	270		18												
SP12B	Dec. 1988	10	---	---	---	120		15												
SP13A	Dec. 1988	5	---	---	---	16		ND												
SP13B	Dec. 1988	10	---	---	---	240		22												
SP14A	Dec. 1988	5	---	---	---	3		ND												
SP14B	Dec. 1988	10	---	---	---	33		±												
SP15A	Dec. 1988	12	--	--	--	2		ND												
SP18A	Dec. 1988	12	--	--	--	ND		ND												
BLAINTECH SERVICES 1988 (TANK/LINE REMOVAL SAMPLING)																				
AF	4/22/1988	14.5	--	--	--	890	3.3	9.5	8.9	110	--	--	--	--	--	--	--	--	--	
AoP	4/22/1988	14.5	--	--	--	88	<0.2	0.3	1.2	12	--	--	--	--	--	--	--	--	--	
BoP	4/22/1988	14.5	---	---	---	260	1.6	12	4.4	16	---	---	---	---	---	---	---	---	---	
CF	4/22/1988	14.5	--	--	--	34	0.4	<0.2	<0.2	0.2	--	--	--	--	--	--	--	--	--	
CoP	4/22/1988	14.5	---	---	---	480	0.8	1.4	8.3	19	---	---	---	---	---	---	---	---	---	
DF	4/22/1988	12.5	---	---	---	<5	<0.2	<0.2	<0.2	<0.2	---	---	---	---	---	---	---	---	---	
DoP	4/22/1988	12.5	---	---	---	<5	<0.2	<0.2	<0.2	<0.2	---	---	---	---	---	---	---	---	---	
Product Line																				
#1	4/22/1988	4	---	---	---	50	0.7	0.5	0.6	3.1	---	---	---	---	---	---	---	---	---	
#2	4/22/1988	4	---	---	---	60	1.0	0.8	9.8	8.1	---	---	---	---	---	---	---	---	---	
Used Oil UST																				

TABLE 3
 CUMULATIVE SOIL ANALYTICAL DATA
 FORMER CHEVRON STATION 91026
 3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Date	Depth (fbg)	TOG	TPH _{mo}	TPH _d	TPH _g	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																			
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																			
0 to 5 fbg, Residential			--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air			--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I			--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air			--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker			--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																			
Table G Soil Leaching Screening Level: Drinking			--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking			--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:			120,000	120,000	3,900	2,200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker			1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker			330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000
WOM	4/22/1988	10	14,000	--	4,300	--	<5	26	10	68	--	--	--	--	--	--	--	--	--
MONITORING WELLS 1988																			
EA1	4/11/1988	15.5	--	--	--	<10	<0.5	<0.5	--	<0.5	--	--	--	--	--	--	--	--	--
	4/11/1988	20.5	--	--	--	<10	<0.5	<0.5	--	<0.5	--	--	--	--	--	--	--	--	--
EA2	4/11/1988	15.5	--	--	--	<10	<0.5	<0.5	--	<0.5	--	--	--	--	--	--	--	--	--
	4/11/1988	20.5	--	--	--	<10	<0.5	<0.5	--	<0.5	--	--	--	--	--	--	--	--	--

TABLE 3
CUMULATIVE SOIL ANALYTICAL DATA
FORMER CHEVRON STATION 91026
3701 BROADWAY, OAKLAND, CALIFORNIA

Sample ID	Depth Date (fbg)	TOG	TPHmo	TPHd	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	1,2-DCA	EDB	Naphthalene	Cadmium	Chromium	Lead	Nickel	Zinc
Reported in milligrams per kilogram (mg/kg)																		
Low Threat Policy Criteria - Direct Contact and Outdoor Air Exposure																		
0 to 5 fbg, Residential		--	--	--	--	1.9	--	21	--	--	--	--	9.7	--	--	--	--	--
5 to 10 fbg, Residential, Outdoor Air		--	--	--	--	2.8	--	32	--	--	--	--	9.7	--	--	--	--	--
0 to 5 fbg, C/I		--	--	--	--	8.2	--	89	--	--	--	--	45	--	--	--	--	--
5 to 10 fbg, C/I, Outdoor Air		--	--	--	--	12	--	134	--	--	--	--	45	--	--	--	--	--
0 to 10 fbg, Utility Worker		--	--	--	--	14	--	314	--	--	--	--	219	--	--	--	--	--
ESLs																		
Table G Soil Leaching Screening Level: Drinking		--	83	83	83	0.44	2.9	3	2.3	0.023	0.0045	0.0033	1.2	--	--	--	--	--
Table G Soil Leaching Screening Level: Non-Drinking		--	530	530	420	1.2	9.3	4.7	11	8.4	0.91	0.51	4.8	--	--	--	--	--
Table K-1 Direct Exposure:		120000	120000	3900	2200	0.54	720	2.9	350	35	0.36	0.1	1.7	78	21	80	1,500	23,000
Table K-2 Direct Exposure: Commercial/Industrial Worker		1,200,000	1,200,000	12,000	15,000	3	1,100	15.0	510	200	1.8	1.1	8.4	1,000	110	320	17,000	310,000
Table K-3 Direct Exposure: Construction/Trench Worker		330,000	330,000	12,000	6,200	3.1	3,000	28	1,500	170	18	0.86	280	110	2.9	No Value	6,100	93,000

Abbreviations/Notes:

Total petroleum hydrocarbons as gasoline (TPHg) analyzed using modified EPA Method 8015M.

Total petroleum hydrocarbons as diesel (TPHd) analyzed using modified EPA Method 8015M.

Benzene, toluene, ethylbenzene, xylenes (BTEX) and Volatile Organic Compounds (VOCs) analyzed using EPA Method 8260B.

MTBE = Methyl tert butyl ether by EPA Method 8260B

mg/kg = milligrams per kilogram.

<x = Results not detected above stated laboratory method detection limits.

- = Not Analyzed

bold = Concentrations above respective ESLs.

~~Strike through~~ = Soil over-excavated during the Chevron and Kaiser Permanente excavation activities in 2006

**=Results are given in ppm

***=Results are given in ppm, No separate results given for BTEX constituents (Related report not found)

H = Heavier hydrocarbons contributed to the quantitation

L = Lighter hydrocarbons contributed to the quantitation

Y = Sample exhibits chromatographic pattern which does not resemble standard.

Z = Sample Exhibits unknown single peak or peaks

ESLs = Regional Water Quality Control Boards Environmental Screening Levels for Deep Soils >3 meters, for commercial land use where groundwater is not considered a current or potential source of drinking water.

TABLE 3
MONITORING WELL CONSTRUCTION DETAILS
FORMER CHEVRON STATION
3701 BROADWAY, OAKLAND, CALIFORNIA

Well ID	Date Installed	Date Destroyed	Well Modifications	Well Casing Diameter (inches)	Screen Interval (fbg)	TOC (ft-msl)	Current Condition/Condition Prior to Destruction	Notes	Top of Screen	Length of Screen
<i>Onsite Wells</i>										
A	04/23/82	06/26/06	--	2	5 - 20	75.29	Good	Screened interval based on cross-section from EA, rep	5	15
B	04/23/82	06/26/06	Reconstructed 6/25/1991: Installed casing within existing steel conductor casing. Previously screened 5 - 20 fbg	4	15 - 35	73.39	Submerged	The first page of the reconstructed well boring log is missing.	15	20
C	04/23/82	NA	--	2	5 - 20	NA	NA	No boring log available	5	15
D	NA	NA	--	NA	NA	NA	NA	No mention of this well in any of the reports		
B-1	03/25/82	06/26/06	Originally screened 5 - 20 fbg, deepened in 1992	4	15 - 35	72.3	Good	Well modifications reported in Jan 19, 1993 GTI report. Soils sampled and logged during well deepening.	15	20
B-2	03/25/82	06/26/06	--	2	5 - 20	74.5	Good	Screened interval based on EA cross section.	5	15
B-3	03/25/82	06/26/06	--	2	5 - 20	74.13	Good	Screened interval based on EA cross section.	5	15
B-4	03/25/82	06/26/06	--	2	5 - 20	76.43	Good	--	5	15
B-5	1979	NA	--	8	NA - 20	NA	NA	No boring logs available. 1993 GTI reports B-5 was grouted in place, no date provided. Constructed of corrugated steel casing to 20 fbg, according to		20
B-6	1979	06/25/91	--	8	NA - 20	72.66	NA	No boring logs available. 1993 GTI reports B-5 was grouted in place, no date provided. Constructed of corrugated steel casing to 20 fbg, according to Chevron records.		20
B-7	1979	06/25/91	--	8	NA - 20	75.4	NA	No boring logs available. 1993 GTI reports B-5 was grouted in place, no date provided. Constructed of corrugated steel casing to 20 fbg, according to Chevron records.		20
E	04/23/82	--	Deepened in 1992, originally screened from 5 - 20 fbg	2	20 - 35	70.07	Submerged	No soil logged during well deepening according to the report.	20	15
F	04/23/82	--	Deepened in 1992, originally screened from 5 - 20 fbg	2	15 - 30	71.72	Submerged	No soil logged during well deepening according to the report.	15	15
EA-1	04/11/88	--	--	4	10 - 35	71.85	Good	--	10	25
EA-2	04/12/88	--	--	4	10 - 30	76.24	Good	--	10	25

Notes:

TOC = Top of casing

Fbg = Feet below grade

Ft-msl = Feet above mean sea level

-- = Not applicable

NA = Not available

APPENDIX A

SUMMARY OF PREVIOUS ENVIRONMENTAL INVESTIGATION & REMEDIATION

SUMMARY OF PREVIOUS ENVIRONMENTAL INVESTIGATION AND REMEDIATION

*Former Chevron Station 91026
3701 Broadway
Oakland, California*

INVESTIGATION HISTORY

1977 Fuel Release

According to Chevron records, a fuel filter rusted at the eastern pump island resulting in a subsurface release of gasoline.

1982 Well Installation

In March 1982, K.H. Kleinfelder & Associates (Kleinfelder) installed onsite monitoring wells B-1 through B-4 to a total depth of 20 feet below grade (fbg). Groundwater was encountered at depths ranging from 17 to 19 fbg, but rose to within 10 to 12 fbg in the monitoring wells. The report concludes that confined aquifer conditions existed at the site. Additional information available in Kleinfelder's April 6, 1982 Groundwater Monitoring Well Installation Report.

1982 Site Evaluation

IT Enviroscience (IT) prepared Progress Report #1 on April 28, 1982 that detailed a site inspection and operator interview conducted to evaluate the major factors relating to groundwater impact at the site. During the evaluation they encountered existing wells which IT designated as monitoring wells B-5 through B-7. According to the station manager, George Bowers, the wells were installed in approximately 1979 (no reports have been located documenting well installation, which is not unusual for this era). According to the April 1982, Progress Report # 1, monitoring wells B-1 through B-4 were installed in March 1982 by Kleinfelder and wells A, B, C, E, and F were installed in April 1982 by IT. IT prepared a Progress Report #2 on May 18, 1982 that concluded gasoline impacted groundwater detected in onsite monitoring wells was associated with the Chevron service station. The report documents light non-aqueous phase liquids (LNAPL) encountered in the monitoring wells with a thickness of 0.08 to 5.7 feet. No LNAPL was observed in monitoring well B-4. This report concluded that offsite migration of hydrocarbons was unlikely due to low soil permeability. The report also concluded that utilities near the site were too shallow to act as potential preferential pathways. Additional information available in ITs' April 28, 1982 Progress Report #1 and May 18, 1982 Progress Report #2.

1984 Gasoline Fingerprinting

The United States Environmental Protection Agency notified several gasoline retailers that fuel was entering Lake Merritt through the Glen Echo Creek storm drain. Chevron conducted gas chromatography fingerprinting of samples from the storm drain, from the wells and dispensers on the Chevron site, and from Rainbow Carwash located directly north (upgradient) of the site. The results indicated that the fuel in the storm drain was of different composition from the hydrocarbons detected beneath the Chevron site, but was consistent with hydrocarbons detected at the Rainbow Carwash site. This information was referenced in the July 1, 1991 Well Deepening Work Plan by Burlington Environmental, Inc. No report is available.

1988 Tank Removal

Blaine Tech Services, Inc. (Blaine) removed the second generation underground storage tanks (USTs) from the site in April 1988. No holes were observed in the fuel or used-oil USTs, but 1/8-inch of LNAPL was observed on groundwater in the gasoline/used-oil UST pit. Approximately 2,800 gallons of LNAPL and groundwater were removed from the excavation prior to collection of compliance soil samples. The excavation was extended to the north and east to remove visibly contaminated soil. A product recovery UST in the northeastern part of the site was damaged during removal causing a release of hydrocarbons within the excavation. Approximately 1/4-inch of LNAPL was measured on the groundwater surface. Approximately 700 gallons of LNAPL and groundwater were removed from the excavation prior to collection of compliance samples. No hydrocarbons were detected in soil samples collected from the sidewalls of this excavation. No information is available regarding the amount of soil removed by overexcavation from the UST pits. Additional information is available in Blaine's June 13, 1988 Cumulative Report.

1988 Well Installation

In April 1988, E.A. Engineering installed offsite monitoring wells EA-1 and EA-2. This information is mentioned in Groundwater Technology, Inc. (GTI)'s January 19, 1993 Environmental Assessment Report.

1991 Well Destructions

Weiss Associates (Weiss) submitted a well destruction report on June 25, 1991 for monitoring wells B-6 and B-7 (named wells 6 and 7 above). The wells were reportedly pressure grouted. Monitoring well B was reconstructed during this time by installing a 4-inch PVC casing within the existing 12-inch corrugated steel pipe and was screened between 15 and 35 fbg. The previous well B was constructed to 20 fbg. Additional information available in a letter from Weiss dated June 25, 1991.

1992 Groundwater Assessment

GTI destroyed monitoring wells E, F, and B-1 and re-installed the wells at deeper depths between 30 and 35.5 fbg. The groundwater assessment concluded that groundwater samples from onsite well B-4 had the highest TPHg concentrations. According to the report, the dissolved hydrocarbons appeared defined downgradient by wells F and EA-1. Additional information available in GTI's January 19, 1993 Environmental Assessment Report.

2004 Phase II Investigation

Secor International Inc. (Secor) prepared a Phase II Environmental Site Assessment Report (Phase II ESA) for Kaiser Foundation Health Plan (Kaiser). Secor advanced borings SB-1, SB-2, and SB-3 on the former Chevron site to a maximum depth of 24 fbg and determined that hydrocarbons in soil were primarily located from approximately 10 to 20 fbg in the vicinity of the former USTs and from approximately 2 to 20 fbg in the vicinity of the former fuel dispensers. Secor collected a soil vapor sample at approximately 20 fbg from boring SB2 located adjacent to the former gasoline USTs. No benzene, toluene, ethylbenzene, xylenes, or naphthalene were detected. TPHg was detected at 98,000 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). Additional information available in SECOR's February 10, 2004 Phase II Environmental Site Assessment Report.

2006 Site Investigation and Excavation

Kaiser Permanente (Kaiser) proposed redeveloping the site into a medical office building. To support this redevelopment, Cambria Environmental Technology, Inc. (Cambria) performed a subsurface investigation to profile the site for remedial excavation. Onsite wells A, B, B-1 through B-4 were destroyed by pressuring grouting prior to the excavation. Cambria advanced 22 borings to a maximum depth of 23 fbg with a direct-push rig. Because the excavations were to be shored to protect adjacent roadways and other structures, an additional 17 borings were advanced outside the proposed excavation boundaries with regulatory approval as an alternative to sidewall sampling during excavation. In addition, Secor advanced 25 borings across the entire property to a maximum depth of 24 fbg to provide additional characterization of Site soils. Additional information is available in Cambria's January 24, 2007 Site Investigation and Remedial Excavation Report and Secor's March 6, 2006 Soil Characterization Report.

REMEDIATION HISTORY

1983 - 1995 Groundwater Extraction

IT Enviroscience and Gettler-Ryan Inc. extracted LNAPL from Site wells from 1983 through 1987. Over 200 gallons of LNAPL/water mixture were removed from the wells during this period. LNAPL removal resumed between June 1993 and March 1995, and an additional 32 gallons of LNAPL was removed from wells B, B-2 and B-3.

1988 Tank Removal

All station and fueling facilities, including the USTs, were removed by Blaine Tech Services, Inc. Approximately 3,500 gallons of LNAPL and groundwater were removed from the excavation. No information is available regarding the amount of soil removed by overexcavation from the UST pits.

1992 SVE Pilot Test

Weiss performed a soil vapor extraction (SVE) pilot test at the site. The data suggested that SVE would not be effective at this site based on a relatively high vacuum required to induce low flow rates. Additional information available in Weiss's April 7, 1992 Soil Vapor Extraction Test Report.

2001 LNAPL Removal

Product skimmers were installed in wells B and B-2, and were maintained monthly by Gettler-Ryan until 2004. No report was issued to document removal of the skimmers or the amount of groundwater and hydrocarbons removed.

2006 and 2007 Remedial Excavation

Excavations by Chevron and Kaiser occurred at the site from 2006 to 2007. The Chevron excavation encompassed a 25-foot wide, 147-foot long and 20-foot deep strip along the southern property boundary. Approximately 2,800 cubic yards of hydrocarbon impacted soil were removed from the excavation. The excavation was limited by proximity to the street and other adjacent structures. Confirmation soil samples were collected from ten locations along the bottom of the excavation from 18 to 20 fbg. As indicted above, the excavation was shored and no sidewall samples could be collected. However, soil borings were drilled proximal to the shoring to collect data on residual hydrocarbon concentrations outside the excavation. Additional information is available in Cambria's January 24, 2007 Site Investigation and Remedial Excavation Report.

The Kaiser excavation encompassed an 80-foot wide, 125-foot long, and 15-foot deep excavation from the center to the northern property boundary. Approximately 5,000 cubic yards of hydrocarbon bearing soil were removed from the excavation.

Confirmation soil samples were collected from 40 locations along the bottom of the excavation at 15 foot by 15 foot centers to document hydrocarbon concentrations left-in-place. Additional information is available in Secor's June 11, 2008 Soil Management Implementation Report.

APPENDIX B

BORING LOGS

Appendix B - rough copy

DEPTH IN FEET	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						2" AC OVER 8" AGGREGATE
3					CH	DARK BROWN SILTY CLAY MOIST, MEDIUM STIFF
6					CL	GRADING TO OLIVE BROWN SILTY CLAY WITH TRACES OF FINE SAND, MOIST AND STIFF
9						DENSE DRILLING AT T TO 9 FEET THROUGH VERY STIFF CLAY
12					CL	YELLOW BROWN SANDY SILTY CLAY MOIST AND STIFF - FAINT GASOLINE ODOR.
15					SC	LIGHT GRAY FINE SANDY CLAY WET
18					CL	
21						BOTTOM OF BORING @ 20'

J.H. KLEINFELDER & ASSOCIATES
 GEOTECHNICAL CONSULTANTS • MATERIALS TESTING



LOG OF BORING NO. 8 A

PLATE

2

PREPARED BY:

DATE:

CHECKED BY:

DATE:

PROJECT NO.

R-1192-2

DEPTH IN FEET

DEPTH IN FEET	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						4" AC over 8" AGGREGATE
3					CH	OLIVE GRAY SILTY CLAY, MOIST AND STIFF
6						
9					CL	YELLOW BROWN SILTY CLAY WITH TRACES OF SAND, MOIST AND STIFF LESS SAND WITH DEPTH
12						
15						DENSE DRILLING AT 13 TO 14 FEET THROUGH VERY STIFF CLAY
18					SC CL	YELLOW BROWN FINE SANDY CLAY - SATURATED
21						BOTTOM OF BORING @ 20'

J.H. KLEINFELDER & ASSOCIATES
 GEOTECHNICAL CONSULTANTS • MATERIALS TESTING



LOG OF BORING NO. ~~1~~ B

PLATE

3

PREPARED BY: DATE:

CHECKED BY: DATE:

PROJECT NO. B-1192-2

DEPTH IN FEET

0	DRY DENSITY lb/ft ³	MOISTURE CONTENT & DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
						4" AC over 8" AGGREGATE
3					CH	DARK GREY SILTY CLAY WITH A TRACE OF FINE SAND, MOIST AND STIFF
6					CH	GRADING TO YELLOW BROWN SILTY CLAY, MOIST AND STIFF
9					CL	OLIVE GREY SILTY CLAY WITH TRACES OF SAND AND FINE GRAVEL, MOIST AND STIFF
12						HARD DRILLING AT 10 TO 11 FEET THROUGH VERY STIFF CLAY
15					SC	LIGHT OLIVE BROWN FINE SANDY CLAY, MEDIUM DENSE, SATURATED
18			21	7-1	CL	MEDIUM GRAINED SAND LAYERS WITHIN SANDY CLAY
21						BOTTOM OF BORING AT 20'



J.H. KLEINFELDER & ASSOCIATES
 GEOTECHNICAL CONSULTANTS • MATERIALS TESTING



LOG OF BORING NO. **XC**

PLATE

A

PREPARED BY: _____ DATE: _____

CHECKED BY: _____ DATE: _____

PROJECT NO. B-1192-2

DEPTH IN FEET

	DRY DENSITY lb/ft ³	MOISTURE CONTENT & DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						6" AC over 12" AGGREGATE
3					CH	DARK BROWN SILTY CLAY WITH A TRACE OF FINE SAND, MOIST AND MEDIUM STIFF
6						GRADING TO YELLOW BROWN SILTY CLAY, MOIST AND MEDIUM STIFF
9					CL	
12						HARD PRILLING THRU STIFF CLAY AT 11 TO 12 FEET
15						
18			27	B-1	SC	YELLOW TO OLIVE BROWN FINE SANDY CLAY TO CLAYEY SAND, SATURATED AND MEDIUM DENSE
21						BOTTOM OF BORING AT 20'

J.H. KLEINFELDER & ASSOCIATES
 GEOTECHNICAL CONSULTANTS • MATERIALS TESTING



LOG OF BORING NO. ~~8~~ E

PLATE

5

PREPARED BY: _____ DATE: _____

CHECKED BY: _____ DATE: _____

PROJECT NO. B-1192-2

DEPTH IN FEET

0	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
						6" AC over 12" AGGREGATE
3					CH	DARK BROWN SILTY CLAY WITH TRACES OF FINE SAND, MOIST AND MEDIUM STIFF
6						
9						LIGHT BROWN SILTY CLAY WITH FINE SAND, MOIST AND STIFF
12					CL	
15						
18					SC	YELLOW BROWN SANDY CLAY TO CLAY SAND - VERY MOIST TO SATURATED
21			20	9-1		



BOTTOM OF BORING AT 21'

J.H. KLEINFELDER & ASSOCIATES
 GEOTECHNICAL CONSULTANTS • MATERIALS TESTING



LOG OF BORING NO. X F

PREPARED BY: DATE:

CHECKED BY: DATE:

PROJECT NO. B-1192-2

PLATE

DEPTH IN FEET

DEPTH IN FEET	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						3"AC over aggregate base rock.
3					CH	Black silty clay, moist, medium, color grades to olive brown with depth. Slight gasoline odor.
6			30	1-5½	CL	Dark yellow brown silty clay, moist stiff. Sandy at 5½ ft. With gravel 5½-6 ft. Same with trace sand and gravel.
9						▼
12					CL	Mixed yellow brown and light gray silty clay, moist, stiff.
15						Light gray and yellow brown silty clay, very moist, stiff.
18					CL	Water zone. Saturated. Gasoline odor.
21			21	1-20½		Bottom of boring at 20 ft.





GROUNDWATER
TECHNOLOGY

Drilling Log

Monitoring Well B-1
Page 1 missing

Project CHV/3701 Broadway Owner Chevron U.S.A. Products Co.
Location Oakland, California Project No. 02320 2782 Date drilled 10/28/92

Depth (ft.)	Well Completion	PID (ppm)	Sample ID Blow Count/ & Recovery	Graphic Log	USCS Class.	Description (Color, Texture, Structure) Trace < 10%, Little 10% to 20%, Some 20% to 35%, And 35% to 50%
24			15		CL	(thin gravel interbed at 24.5 to 25 feet)
26			25		CL	Light brown CLAY (saturated, firm, trace black organic clasts)
28			30			
30			30		CL	Work area readings with PID to 12 ppm, respirators removed. Light brown silty, sandy CLAY (saturated, firm)
32			54			
34	35	SM	Brown silty fine sand (saturated)			
36						End of boring. Constructed monitoring well.
38						
40						
42						
44						
46						
48						
50						
52						
54						
56						

DEPTH IN FEET

DEPTH IN FEET	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						3" AC over aggregate base rock.
3					CL	Mixed yellow and light brown sandy and silty clay, trace organics, moist, medium.
6						
9					CL	Mixed yellow brown and light gray silty clay, trace organics, moist, very stiff.
12			53	2-11	CL	Same, hard.
15						Light brown silty clay, moist, stiff. Gasoline odor.
18			26	2-16	CL	Grades to sandy clay with some silt moist, stiff. Water zone.
21						Bottom of boring at 20 ft.



DEPTH IN FEET

DEPTH IN FEET	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						6" AC over aggregate base rock.
					CH	Dark gray silty clay, moist, medium.
3					CL	Light gray and yellow brown silty clay, moist, medium.
6			27	3-5½	CL	Grades to yellow brown silty clay, trace organics, moist, stiff.
9						▼
12					CL	Light yellow brown silty clay moist, stiff, gasoline odor.
15			23	3-15½	CL	Yellow and gray brown sandy clay, trace silt, moist, stiff, gasoline odor. Water zone.
18						
21						Bottom of boring at 20 ft.



DEPTH IN FEET

DEPTH IN FEET	DRY DENSITY lb/ft ³	MOISTURE CONTENT % DRY WEIGHT	BLOW COUNT	SAMPLE	USCS	DESCRIPTION
0						3" AC over aggregate base rock.
					CH	Dark gray brown silty clay, moist, medium.
3					CL	Yellow brown silty clay, moist, stiff.
6					CL	Grades to light gray and yellow brown silty clay, moist, stiff.
9					CL	Yellow and gray brown silty clay, trace sand, moist, stiff.
12						▼ Slight gasoline odor.
15					CL	Grades to fine sandy clay, very moist, stiff. Water zone.
18						Bottom of boring at 20 ft.
21						

J.H. KLEINFELDER & ASSOCIATES
 GEOTECHNICAL CONSULTANTS • MATERIALS TESTING



IT/CANDIA'S CHEVRON
 OAKLAND, CALIFORNIA
 LOG OF BORING NO. B-4

PLATE

5



**EA ENGINEERING,
SCIENCE, AND
TECHNOLOGY, INC.**

LOG OF SOIL BORING EA 1

Coordinates: 122 15' 25" West

37 49' 30" North

Elevation top of casing: 37.36 ft. msl

Casing below surface: 0.59 ft.

JOB #	CHY-82U	CLIENT	Chevron USA	LOCATION	Oakland, California
DRILLING AND SAMPLING METHODS		by HEWDRILLING			
	10" Hollow Stem Auger;	Ca. St. Lic. C57384167			
	2" Split Spoon Sampler				
WATER LEVEL	15.34			DRILLING	
TIME	8:35			START	FINISH
DATE	4/12/88			TIME 9:30	TIME 15:00
REFERENCE	T of C			DATE	DATE
				4/11/88	4/11/88

INCHES DRIVEN RECOVER	Blows/6in sampler	OVA Reading	WELL DETAIL	DEPTH in feet	GRAPHIC LOG	SURFACE CONDITIONS
						Unpaved, Dirt
DESCRIPTION by P. Kahn						
				0		Fill; rocks, sand, concrete, black clayey soil, organic smell, moist - no fuel odor.
				1		
				2		
				3		Silty Clay (CL), brown, no odor, moist. PID = 0 ppm
				4	CL	
18	6			5		Clayey Silt (MH), brown with black mottling.
18	12	5.5		6		
				7	MH	Clayey Silt (MH), light brown, moist with water in fissures, no odor. PID = 0 ppm
				8		
18	11			9		Silt (ML), gray with brown stains, moist, no odor. PID = 0 ppm
18	11	10.5		10		
				11	MH	
				12		
				13		
				14		
18	7			15		
18	6	15.5		16		
				17		
				18	ML	
				19		
				20		



**EA ENGINEERING,
SCIENCE, AND
TECHNOLOGY, INC.**

LOG OF SOIL BORING EA 1

Coordinates:

Elevation top of casing:

Casing below surface:

JOB # CHY-82U	CLIENT Chevron USA	LOCATION Oakland, Calif.
------------------	-----------------------	-----------------------------

DRILLING AND SAMPLING METHODS

WATER LEVEL				DRILLING	
TIME				START	FINISH
DATE				TIME	TIME
REFERENCE				DATE	DATE

Inches DRIVEN Inches RECOVER	Blows/6in sampler	OVA Reading	WELL DETAIL	DEPTH in feet	GRAPHIC LOG	SURFACE CONDITIONS
						DESCRIPTION by P. Kahn
18 18	9 13	20.5		20		
				21		Clayey Silt (MH), brown, moist, with black and brown mottling, no odor. PID = 0 ppm
				22	MH	
				23		
				24		
				25		
				26		Gravel (GM), with clay lenses, saturated, no odor.
				27		
				28	GM	
				29		Sand (SC), some clay, coarse to medium sand, no odor.
				30		
				31		
				32		
				33		
				34	SC	
				35		
				36		
				37		



**EA ENGINEERING,
SCIENCE, AND
TECHNOLOGY, INC.**

LOG OF SOIL BORING EA 2

Coordinates: 122 15' 25" West
37 49' 30" North

Elevation top of casing: 39.55 ft. msl

Casing below surface: 0.08 ft.

JOB #	CHY-82U	CLIENT	Chevron USA	LOCATION	Oakland, California
DRILLING AND SAMPLING METHODS by HEWDRILLING					
10" Hollow Stem Auger;			Ca. St. Lic. C57384167		
2" Split Spoon Sampler					
WATER LEVEL	15.34			DRILLING	
TIME	8:35			START	FINISH
DATE	4/12/88			TIME 9:00	TIME 15:30
REFERENCE	T of C			DATE 4/12/88	DATE 4/12/88

Inches Driver Inches Recover	Blows/6in sampler	OVA Reading	WELL DETAIL	DEPTH in feet	GRAPHIC LOG	SURFACE CONDITIONS	DESCRIPTION
				0	OL	Unpaved, Dirt	Cement, black silty loam (soil), (OL).
				1			
				2			Gravel fill.
				3			
				4	ML		Sandy Clayey Silt (ML), brown, very coarse sand, lithic fragments, moist, no odor.
18	6			5			
18	12	5.5		6			
	18			7			
				8	CL		Silty Clay (CL), brown with minor fine sand, dry, no odor.
				9			
18	5			10			
15	15	10.5		11			
				12	ML		Sandy Silt (ML), brown, very minor clay, mottled with FeO (red), no odor. PID = 0 ppm
				13			
				14			
18	7			15			
17	12	15.5		16			
	14			17	SM		Silty Sand (SM), grayish brown, extremely fine sand, mottled with FeO (red), no odor. PID = 0 ppm
				18			
				19			
18	5			20			
15	16						
	22						



**EA ENGINEERING,
SCIENCE, AND
TECHNOLOGY, INC.**

LOG OF SOIL BORING EA 2

Coordinates:

Elevation top of casing:

Casing below surface:

JOB #
CHY-82U

CLIENT
Chevron USA

LOCATION
Oakland, Calif.

DRILLING AND SAMPLING METHODS

WATER LEVEL				DRILLING	
TIME				START	FINISH
DATE				TIME	TIME
REFERENCE				DATE	DATE

INCHES DRIVEN RECOVER	Blows/6in sampler	OVA Reading	WELL DETAIL	DEPTH in feet	GRAPHIC LOG	SURFACE CONDITIONS
						DESCRIPTION by P. Kahn
	15 22	20.5		20		
				21		
				22		
				23	ML	
				24		
				25		
				26		
				27		
				28	CL	
				29		
				30		

Sandy Silt (ML), brown with red and bluish gray mottling, moderately moist, strong odor.
PID = 0 ppm

Increasing clay content with depth.

Decreasing sand.

Silty Clay (CL), brown, very minor sand, moist, no odor.



GROUNDWATER
TECHNOLOGY

Drilling Log

Monitoring Well MW-E

Project CHV/3701 Broadway Owner Chevron U.S.A. Products Co.
 Location Oakland, California Project No. 02320 2782 Date drilled 10/14/92
 Surface Elev. 70.53 ft. Total Hole Depth 35 ft. Diameter 8.5 inches
 Top of Casing 70.07 ft. Water Level Initial NA Static 12.2 ft.
 Screen: Dia 2 in. Length 15 ft. Type/Size 0.020 in.
 Casing: Dia 2 in. Length 20 ft. Type SCH 40 PVC
 Filter Pack Material Clementia #3 sand Rig/Core Type Mobile B-51
 Drilling Company Kvilhaug Well Drilling Method Hollow Stem Auger Permit # 92285
 Driller Mike Crocker Log By Craig Robertson
 Checked By David Kleesattel License No. RG# 5136 *David Kleesattel*

See Site Map
For Boring Location

COMMENTS:

Original well was 20-foot deep. Lithology is from original boring by Kienfelder & Associates, Groundwater Monitoring Well Installation Report, Candie's Chevron Station, Oakland, California April 6, 1982.

Depth (ft.)	Well Completion	PID (ppm)	Sample ID Blow Count/ X Recovery	Graphic Log	USCS Class.	Description
						(Color, Texture, Structure)
						Trace < 10%, Little 10% to 20%, Some 20% to 35%, And 35% to 50%
-2						
0						
2					CH	This well is a replacement for the original "E" well. The original well was abandoned by extracting the casing and reaming out the annulus. The boring was then extended to 35 feet and a monitoring well constructed as shown in the well completion diagram.
4						
6						Dark brown silty CLAY (trace of fine sand, moist and medium stiff) Grades yellow brown
8					CL	
10						
12						Hard drilling through stiff clay at 11 to 12 feet
14						
16					SC	Yellow to olive brown fine sandy CLAY to clayey SAND (saturated and medium dense)
18						
20						
22						
24						The extended portion of the soil boring was not logged.



GROUNDWATER
TECHNOLOGY

Drilling Log

Monitoring Well MW-E

Project CHV/3701 Broadway Owner Chevron U.S.A. Products Co.
 Location Oakland, California Project No. 02320 2782 Date drilled 10/14/92

Depth (ft.)	Well Completion	PID (ppm)	Sample ID Blow Count/ % Recovery	Graphic Log	USCS Class.	Description (Color, Texture, Structure) Trace < 10%, Little 10% to 20%, Some 20% to 35%, And 35% to 50%
24	[Pattern]					
26	[Pattern]					
28	[Pattern]					
30	[Pattern]					
32	[Pattern]					
34	[Pattern]					
36	[Pattern]					End of boring. Constructed monitoring well.
38	[Pattern]					
40	[Pattern]					
42	[Pattern]					
44	[Pattern]					
46	[Pattern]					
48	[Pattern]					
50	[Pattern]					
52	[Pattern]					
54	[Pattern]					
56	[Pattern]					



GROUNDWATER
TECHNOLOGY

Drilling Log

Monitoring Well MW-F

Project CHV/3701 Broadway Owner Chevron U.S.A. Products Co.
 Location Oakland, California Project No. 02320 2782 Date drilled 10/14/92
 Surface Elev. 72.45 ft. Total Hole Depth 30 ft. Diameter 8.5 inches
 Top of Casing 71.72 ft. Water Level Initial NA Static 14.85 ft.
 Screen: Dia 2 in. Length 15 ft. Type/Size 0.020 in.
 Casing: Dia 2 in. Length 15 ft. Type SCH 40 PVC
 Filter Pack Material Clementia #3 sand Rig/Core Type Mobile B-51
 Drilling Company Kvilhaug Well Drilling Method Hollow Stem Auger Permit # 92285
 Driller Mike Crocker Log By Craig Robertson
 Checked By Dave Kleesattel License No. RG# 5136 *Dave Kleesattel*

See Site Map
For Boring Location

COMMENTS:

Original well was 20 feet deep. Lithology is from original boring by Kleinfelder & Associates, Groundwater Monitoring Well Installation Report, Candler's Chevron Station, Oakland, California April 8, 1982.

Depth (ft.)	Well Completion	PID (ppm)	Sample ID Blow Count/ % Recovery	Graphic Log	USCS Class.	Description
						(Color, Texture, Structure) Trace < 10%, Little 10% to 20%, Some 20% to 35%, And 35% to 50%
-2						
0						
2					CL	This well is a replacement for the original well identified as MW-F on the site map. The original well was abandoned by extracting the casing and reaming out the annulus. The boring was then extended to 30 feet and a monitoring well constructed as shown in the well completion diagram.
4					CL	Dark brown silty CLAY (trace of fine sand, moist and stiff)
6						
8						
10					CL	Light brown silty CLAY (fine sand, moist and stiff)
12						
14						
16						
18					SC	Yellow brown sandy CLAY to clayey SAND (very moist to saturated)
20						
22						
24						The extended portion of the soil boring was not logged.



GROUNDWATER
TECHNOLOGY

Drilling Log

Monitoring Well MW-F

Project CHV/3701 Broadway Owner Chevron U.S.A. Products Co.
 Location Oakland, California Project No. 02320 2782 Date drilled 10/14/92

Depth (ft.)	Well Completion	PID (ppm)	Sample ID Blow Count/ % Recovery	Graphic Log	USCS Class.	Description (Color, Texture, Structure) Trace < 10%, Little 10% to 20%, Some 20% to 35%, And 35% to 50%
24						
26						
28						
30						End of soil boring. Constructed monitoring well.
32						
34						
36						
38						
40						
42						
44						
46						
48						
50						
52						
54						
56						

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA		Boring/Well Name: SB-1
Boring Location: SW corner of 3701	Job No.: 0507.50133	Page 1 of 1
Subcontractor and Equipment: Vironex Geoprobe	Logged by: Robitaille	
Sampling Method: Cont. 1.5" core (PVC)	Monitoring Device: PID/OVM	Comments: Collected grab GW (3 vials, 2 L amber) SB-1-W 0950
Start Date/Time: 08 Jan 04 // 0840	Finish Date/Time: // 0945	
First Water (bgs): 20'	Stabilized Water (bgs): -	
Surface Elevation: -	Casing Top Elevation: -	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Asphalt - 2"	
			0		Black clayey silt with some gravel	
			1	ML	st clayey silt; olive gray; mod soft; moist to dry; trace fn sand and fn gravel; with olive brn mottling (0,0,70,30)	
			5	CL	silty clay, dk. yell. brown; mod hard; dry; trace fn sand; trace chert pebble gravel (red); trace caliche; (0,0,30,70)	
SB1-5' (0850)			5	CL	grades to sandy clay (0,30,30,40)	
			0	SP	Gravelly sand with silt; dk gray; mod dense; moist;	
			0	SM	sply, srt'd v. fn - fn sand, fn - med grav; pred. fn sand	
			10	CL	sandy clay; yell. brown w/gray mottling; mod dense; dry; (0,20,10,70)	
SB1-10' (0900)			10	CL	Clay; lt gray to lt. yell brown; mod hard; dry; faint petroleum odor (0,0,20,80);	
SB1-12' (0905)			2		silty	
					grades, mod petroleum odor - degraded gasoline?	
SB1-15' (0915)			56			
			48		grades increasing silt; moist; (0, 40, 40, 60)	
SB1-19.5' (0930)			20		found water	
			90		grades to clayey silt; (0,0,80,20); wet; driller reports loose sand (yet none in core partial core) grades lt. yell. brown, moist, mod petr. odor	
					Noted sheen on GW samples	
					End of boring 0945 hrs	

SECOR International Incorporated

Reviewed by: _____ Date: _____
 Revised by: _____ Date: _____

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland CA		Boring/Well Name:
Boring Location: 30' N. of McArthur, West side of St. No.: 050T.50133		SB-2
Subcontractor and Equipment: Vitonex Geoprobe	Logged by: Rob. Rasile	
Sampling Method: Cont. 1.5" core	Monitoring Device: PED/OVM	Page <u>1</u> of <u>1</u>
Start Date/Time: 08 Jan 04 / 1010	Finish Date/Time: 08 Jan 04 / 1100	Comments: collected vapor sample SB2-V at 6.5'
First Water (bgs): 20'	Stabilized Water (bgs): -	
Surface Elevation: -	Casing Top Elevation: -	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Asphalt 2"	
			2		ml Clayey silt; black; soft; moist; trace sand & fn gravel (0,0,80,20)	
			5		ml Clayey silt; dk. olive gray; soft; moist (0,0,80,20); trace small gravel of SS, trace caliche	
SB2-5' (1015)			5		Sandy clay; dk. olive gray; dense; dry; trace small	
SB2-V (1020)			6.5		collected vapor sample (2-Tedlar bags)	
			28		gravel; (0,0,40,10,50)	
			220		sc grades increasing sand & gravel; faint petroleum odor (15,60,10,15)	
SB2-10' (1045)			10		CL clay; lt. yell. brown and lt. gray mottled; mod hard; dry; faint petroleum odor; gray appears in rootlets	
			136		grades mod petroleum odor - degraded gasoline	
SB2-15' (1050)			15			
SB2-17' (1100)			370		ml Grades to clayey silt; lt. gray & lt. brown; mod soft, moist to wet at 20'; strong petroleum odor	
SB2-19' (1100)			417		grades with sand (0,20,70,10)	
			20		End of boring 1100 hrs	
			25			

SECOR International Incorporated

Reviewed by:	Date:
Revised by:	Date:

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA		Boring/Well Name:
Boring Location: SE portion of 3701 (30W of Blvd)	Job No.: OSOT. 50133	SB-3
Subcontractor and Equipment: Vironex Geoprobe (SON of Mearns)	Logged by: Robita:lle	
Sampling Method: Cont 1.5" core (PVC)	Monitoring Device: PID/0um	Page 1 of 1
Start Date/Time: 08 Jan 04 // 1215	Finish Date/Time: // 1255	Comments: Located on concrete pad.
First Water (bgs): 20.5?	Stabilized Water (bgs): —	
Surface Elevation: —	Casing Top Elevation: —	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Concrete - 4"	
			3"		3" of base coarse gravel	
			189	CL	Silty clay; brown; dense; moist to dry; (0,0,30,70)	
			717		grades dk. olive gray with faint petroleum odor	
			5	ML	Grades increasing silt, grayish brown; mod soft; dry; (0,0,60,40); trace fn sand	
SB3-5' (1220)			209	CL	Grades increasing clay; trace fn - cse sand; abund caliche (0,15,25,60)	
			468		Grades with gravel; increasing silt (5,25,25,45); v. hard fine	
SB3-10' (1240)			231	CL	Silty clay; dk gray; yell. brown; hard; dry; faint petr. odor (0,0,40,60)	
			312			
NR			?			
			280	ML	clayey silt; lt. grayish brown; mod hard; dry; (0,0,60,40)	
SB3-15' (1250)			15			
			180		Zone of (0,0,80,20)	
SB3-20' (1255)			458		grades moist at bottom	
			20		End of boring 1255 hrs	

SECOR International Incorporated

Reviewed by:	Date:
Revised by:	Date:

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA	Boring/Well Name:
Boring Location: NW of firm UST's 3735 Broadway	Job No.: OSOT.50133
Subcontractor and Equipment: Vironex Geoprobe	Logged by: Rolaine
Sampling Method: Cont. 1.5" core (PVC)	Monitoring Device: PID/0VM
Start Date/Time: 08 Jan 04 / 1330	Finish Date/Time: // 1405
First Water (bgs): 9.75	Stabilized Water (bgs): —
Surface Elevation: —	Casing Top Elevation: —
Comments: Collected grab GW at 10.5'	

SB-4

Sample I.D.	PID (ppm) Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
		0		Asphalt - 1.5" Broken	
		0	F	Silty gravelly sand, (Fill?), yell brn, dk yell brn, gray brown intermixed; overall 20% gravel to 1.5", 60% pred fn sand w/ some med-cse; 20% silt	
584-5' (1335)	NR	5			
584-9.5' (1345)	NR	10	SP	grayish Sand (SP), dk. brown; loose; wet; well srt'd; v. fn - fn (0, 90, 10, 0)	
584-W (1355)			CL	Silty clay (CL); lt. gray and lt. yell brn mottled; med hard; dry; (0, 0, 30, 70)	
584-13' (1405)		34		grades increasing silt, pred. lt. gray	
		57		End of boring 1405 hrs	
		20			

SECOR International Incorporated

Reviewed by:	Date:
Revised by:	Date:

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA	Boring/Well Name:
Boring Location: 40' W of Bldg near Sedge fms UST's	Job No.: 050T.50133
Subcontractor and Equipment: Vironex Geoprobe	Logged by: Robitaille
Sampling Method: Cont. 1.5" core (A/C)	Monitoring Device: PID/ovm
Start Date/Time: 08 Jan 04 // 1425	Finish Date/Time: // 1430
First Water (bgs): 9?	Stabilized Water (bgs): —
Surface Elevation: —	Casing Top Elevation: —
Comments: Collected vapor sample at 6' using SV Geoprobe SV retracting point.	

SB-5

Page 1 of 1

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Asphalt - 1.5" broken	
			0	F	Gravelly silt with sand (Fill); dk gray, yell brown, dk brn mixed; mod hard; dry; overall 20% gravel to 1.5" 20% fn-cse sand, 60% silt; trace clay	
SB5-5' (1425)		NR	5		silty sand; grayish brown; mod loose; wet; pred fn-med (0,70,30,0)	
SB5-V (1430)		NR	1		? Sand; black; loose; wet; well sorted fn-med trace cse; strong petroleum odor (found in shoe only) Faint	
SB5-105 (1430)		NR	10			
			15		End of boring 1430 hrs	
			20			

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA	Boring/Well Name: SB-6
Boring Location: 20' N of 3701, 25' W of Blwy	Job No.: 050T.50133
Subcontractor and Equipment: Vironex Geoprobe	Logged by: Robitaille
Sampling Method: Cont. 1.5" core	Monitoring Device: PID/OUM
Start Date/Time: 08 Jan 04 // 1550	Finish Date/Time: 9 Jan 04 // 0840
First Water (bgs): ± 21'	Stabilized Water (bgs): ~ 21'
Surface Elevation: —	Casing Top Elevation: —
Comments: Collected grab GW	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Concrete - 3" Cracked	
			1	CL	Silty Clay; Dk. gray and dk reddish brown mottled; mod hard; moist; (0,0,25,75)	
			0	CL	Clay; dk gray; mod hard; moist; ^{some} trace silt; (0,0,10,90)	
			5		grades mottled dk gray and dk yell. brown	
SBG-5' (1600)			2			
			7		grades pred yell. brown	hard drilling - only 2'/push w/reduced tip opening
SBG-10' (1620)			8			
			10		thin zone of gravelly sand; loose; dry; 2" thick	
			15	CL	Silty clay; lt. grayish brown; hard, dry; (0,0,20,80); faint petroleum odor (degraded gasoline); grades increasing silt (0,0,40,60)	
SBG-15' (1630)			36			
			70		(0,0,50,50) trace fn sand, w/ black Fe or Mn staining	resumed 4'/push
			8		thin zone of silty fine sand; dense; dry; 2" (SM)	
			33	CL AA		
			20	?		
			319	SM	Silty fine sand (SM); yell. brown; loose; wet; pred fn w/trace med sand; (0,70,30,0)	Recovery of 20-24' based on over-stuffed barrel - could not extract - silty sand at top - wet, and hard clay in shoe. Did not produce water or plugged foot valve on 08 Jan. Let sit overnight.
SBG-W (0850)			44	CL	Silty clay (CL), yell. brown; hard; dry; (0,0,20,80)	
			25		End of boring 24' at 1700 hrs 08 Jan 04	
SBG-20' (0840)			34		Resumed 09 Jan 04 0830 - v. little water overnight and collapsed to ± 22'	
					EOB 0840 9 Jan 04 - core contains 18' clay at bottom and loose wet silty sand - <u>should</u> produce H₂O - Produces but slowly	

SECOR International Incorporated

Reviewed by: _____ Date: _____
 Revised by: _____ Date: _____

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA		Boring/Well Name:
Boring Location: 6' S of N wall 3757, 50' W of Broadway 050T.50133		SB-7
Subcontractor and Equipment: Vincent Geoprobe	Logged by: Rohitatile	
Sampling Method: cont. 1.5" core (PVC)	Monitoring Device: PID/UM	Page 1 of 1
Start Date/Time: 09 Jan 04 // 1000	Finish Date/Time: // 1045	Comments: Collected Vapor at 6' Collected grab GW
First Water (bgs): 21.5	Stabilized Water (bgs): -	
Surface Elevation: -	Casing Top Elevation: -	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Concrete ~4"	
			1	CL	Silty clay (CL); yellowish brown w/ reddish brn mottles mod hard; dry; (0,0,30,70)	
SB7-5' (1005)			2			
SB7-V (1010)			3	AA		
SB7-10' (1020)			10	CL	Silty clay (CL), v. dk. brown; mod soft; dry; trace cse chert sand; abundant v. dk. reddish staining; (0,0,15,85) sand gravel to 1/2"	
			12		grades dk. grayish brown	
SB7-15' (1030)			15		grades increasing sand (fn-cse) and gravel	
SB7-19' (1035)			18	CL	Sandy clay with gravel; dk. yell. brown; mod soft; moist; v. ph. srted fn-cse sand; fn angular gravel;	
			20	CL	(10,20,10,60)	
			21	SM	Silty clay; lt. yell brn & yell brn mottled; soft, moist;	
			22	SM	(0,0,40,60)	
SB7-W (1050)			23	CL	Silty fine sand; yell. brown; mod dense; wet; v. fn-fn sand	
SB7-23.5 (1050)			24	CL	(0,70,30,0) trace clay	
			25		Silty clay; lt. gray & lt. yell brn; mod hard; moist; w/ black staining; (0,0,30,70)	
					End boring 1045 hrs 9 Jan 03	

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA		Boring/Well Name:	
Boring Location: 3757 shop near solvent AST - SW of Bldg. No.: 050T.50133		SB-8	
Subcontractor and Equipment: Vitonex Geoprobe	Logged by: Robitaille	Page 1 of 1	
Sampling Method: cont. 1.5" core (PVC)	Monitoring Device: PID/OVM	Comments:	
Start Date/Time: 9 Jan 04 // 1105	Finish Date/Time: // 1125	First Water (bgs): — NE	
Surface Elevation: —	Casing Top Elevation: —	Stabilized Water (bgs): —	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		concrete - o.k. condition - no cracks	
			3		CL Silty clay (CL); dk. brn and dk. yell brown; mod soft; dry; (0,0,30,70)	
SB8-1' (1110)		NR	1			
			2			
			3		?	
			4		Silt with clay Sandy silt with yell brn, (0,20,50,30), mod hard, dr; v. fn w/ some fn. sand	
SB8-5' (1120)		NR	5		grades less sand, increasing clay	
			6		End of boring 1125 hrs	

SECOR International Incorporated

Reviewed by:	Date:
Revised by:	Date:

Project: Kaiser F.H.P. - 3801 - 3857 Broadway, Oakland, CA		Boring/Well Name:	
Boring Location: 3757 near oil AST's from Bldg		Job No.: 050T.50133	SB-9 Page 1 of 1
Subcontractor and Equipment: Vironex Geoprobe		Logged by: Robitaille	
Sampling Method: cont 1.5" core (PVC)		Monitoring Device: PID/OVM	
Start Date/Time: 9 Jan 04 // 1205		Finish Date/Time: // 1215	
First Water (bgs): NE		Stabilized Water (bgs): -	
Surface Elevation: -		Casing Top Elevation: -	
Comments: Ambient PID = <10 due to mechanics working.			

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		Concrete - ok condition, stained w/oil	
SB9-1' (1210)	4		1	CL	Silty clay (CL); yell brn to lt. grayish brn; mod hard; dry; (0,0,30,70); dk brown top 2" grades mottled dk. red & black (decomposed CSE sand?)	
			2	ML	Clayey silt (ML); dk brown; mod hard; dry; (0,0,85,15)	
			3		- 6	
	4		4	CL	silty clay (CL), dk. yell brn to v. dk. brown - mixed; mod hard; dry; trace small gravel; trace fn - CSE sand	
SB9-5' (1215)			5	ML	Clayey silt (ML); lt. yellowish brown to lt. gray; mod soft; dry; (0,0,85,15)	
			6		End of boring 1215 hrs	

SECOR International Incorporated

Reviewed by: _____ Date: _____
 Revised by: _____ Date: _____

Project: Kaiser F.H.P. - 3701-3757 Broadway, Oakland, CA		Boring/Well Name:
Boring Location: UG <i>holding area near lg. sump</i>	Job No.: OSOT, 50 133 133	SB-10
Subcontractor and Equipment: <i>Vironex - Hand Auger</i>	Logged by: <i>Robitaille</i>	
Sampling Method: <i>Hand Auger & 1" core driver</i>	Monitoring Device: <i>PID/OVM</i>	Page 1 of 1
Start Date/Time: <i>9 Jan 04 // 1315</i>	Finish Date/Time: <i>//</i>	Comments: <i>Approx 8' west of SW cor of holding tank / Sump.</i>
First Water (bgs): <i>NE</i>	Stabilized Water (bgs): <i>-</i>	
Surface Elevation: <i>-</i>	Casing Top Elevation: <i>-</i>	

Sample I.D.	PID (ppm)	Interval/Recovery	Depth (feet bgs)	USCS Code	Lithologic Description (Soil type, Color, Consistency, Moisture, Descriptors, Estimated percents)	Boring Abandonment or Well Construction Details
			0		<i>Asphalt - 2" - O.K. Condition - Cored w/ hole saw</i>	
			1		<i>F Base coarse, gravel & sand, dk. yell. brown silty clay with cobbles and debris of concrete; v. dk. brown; mod hard; moist; cobbles to 4"</i>	
			2		<i>switched to 1" dia hand driven coring tool (PVC)</i>	
<i>SB10-2' (1330)</i>			2	<i>CL</i>	<i>Silty Clay (CL); dk to v. dk gray; mod soft; moist mottled with black; (0,0,20,80)</i>	
			3			
			4			
<i>SB10-5' (1340)</i>			5		<i>AA</i>	
			6			

SECOR International Incorporated

Reviewed by: _____ Date: _____
 Revised by: _____ Date: _____

Project: Kaiser - Oakland		Log of Boring: _____	
Boring Location: 3701 Broadway, Oakland		Project No.: 050T50288.00	Page of _____
Subcontractor and Equipment: Bress Drilling / Boreprobe		Logged By: C. Meloyan	Comments: SB-13
Sampling Method: Cont. Core	Monitoring Device: P10		
Start Date/Time: 1-18-06 / 1450	Finish Date/Time: 1-18-06 / 1530		
First Water (BGS): NA	Stabilized Water Level (BGS): NA		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation: _____	Casing Top Elevation: _____	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		

HA	705	45	0	[Hatched]	Asphalt	910 ft
			1		Clay with silt (CL); Brn (10YR-4/3);	
			2		Firm; mod. to High Plast; (10,0,10,90)	
			3		moist	
			4			
			5		AA - Faint odor	
			6			
			7			
			8		9" color change to Lt. Olive Brn (2.5Y-5/4)	
			9		Dry to moist	
			10		AA - mod. odor	
			11			
			12		AA - Strong odor	
			13			
			14			
			15			
			16			
			17			
			18		Clayey silt (ML); Olive (5Y-5/3); Firm;	
			19		moist; mod. plast; strong odor;	
20	(0,0,60,40)					

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.5023.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Deep Probe</u>		Logged By: <u>C. Melancon</u>	<u>SB-14</u>
Sampling Method: <u>cont. Core</u>		Monitoring Device: <u>PID</u>	Comments: <u>Used Borehole due to</u> <u>for ground as this hole</u> <u>location (old fuel tank)</u>
Start Date/Time: <u>1-19-06 / 7:50</u>		Finish Date/Time: <u>1-19-06 / 9:00</u>	
First Water (BGS): <u>18'</u>		Stabilized Water Level (BGS): <u>12.9</u>	

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0	XX	Concrete		
			1				
			2		Clay (CL); Ben (10YR-4/3); Firm to Hard; moist; mod. to High plastic; (0,0,9,100)		
			3				
			4				
25			5	X	AA - staining in zones		
			6				
			10		Sandy silt with clay and gravel (ML); olive Ben (2.5Y-4/3); Sand is F. grain; mod. firm; moist; mod. plastic; (10,20,50,10)		
			8				
			9		Clay with silt (CL); Ben (10YR-5/3); Firm to Hard; dry; mod. plastic; Faint odor; staining in zones (0,0,10,90)		
35			10	X			
			11				
			320		AA - mod. odor		
			12				
			13				
45			14				
			15	X	SP - strong odor; staining throughout		
			16				
			17				
55			18	X	Silty sand with clay (SM); olive gray (5Y-4/2); Sand is F. grain; mod. dense; wet; strong odor (0,75,20,55)		
			19				
			20				
00			21	X	Silty clay (CL); Olive Ben (5Y-4/3); mod. soft to Firm; moist; mod. plastic; mod. odor; (10,0,40,60)		
			22				
			23				
			24				
					Note: SPH shown on water in bore hole.		

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>				Log of Boring: _____	
Boring Location: <u>3701 Broadway Oakland</u>		Project No.: <u>05DT.50228.00</u>		Page of _____	
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>		Logged By: <u>C. Meloy</u>		Comments: <u>SB-15</u>	
Sampling Method: <u>Cont. Core</u>		Monitoring Device: <u>PIR</u>			
Start Date/Time: <u>1-18-06 / 1310</u>		Finish Date/Time: <u>1-18-06 / 1400</u>			
First Water (BGS): <u>~17'</u>		Stabilized Water Level (BGS): <u>NA</u>			

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
NA			0		ASPLC 1+		good
			1		clay (CL); Bra (10YR-4/3); Firm to Hard; moist; mod. to high plast.; (0, 0, 0, 100)		
			2				
			3				
			4				
530		30	5		AA - Faint odor		
			6				
			7				
		561	8		Sandy silt with clay (ML); Olive Bra (2.5Y-4/3); Sand is F. pruned; Firm; moist; mod. plast.; strong odor (0, 30, 60, 10)		
340		190	9				
			10		Clay with silt (CL); Bra (10YR-5/3); Firm to Hard; Dry; mod. plast.; mod. odor; (0, 0, 10, 90)		
			11				
			12				
		220	13				
			14				
150		1058	15		Clayey silt (ML); Olive (5Y-5/3); Firm; moist; mod. plast.; strong odor; (0, 0, 60, 40)		
			16		clay-AA		
			17				
00		726	18		Sandy silt with clay (ML); Olive (5Y-5/3); Firm; moist to wet; strong odor; (0, 30, 65, 5)		
			19				
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>050750238.00</u>	
Subcontractor and Equipment: <u>Brygg Drilling / GeoProbe</u>		Logged By: <u>C. McLaughlin</u>	<u>SB-16</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-18-06 / 1200</u>	Finish Date/Time: <u>1-18-06 / 1220</u>		
First Water (BGS): <u>2.5' (perched)</u>	Stabilized Water Level (BGS): <u>NA</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0		Asphalt		
			1		fine gravel - former pump backfill		
			2		@ 2.5' - wet - perched water		
			3				
			4		Clay (CL); Brn (10 yr - 4/3); Firm to Hard moist; mod. to high plastic; strong odor		
210		1501	5	X	strong odor (0, 0, 0, 100)		
			6		AA		
			7				
		1490	8				
			9		AA		
220		1687	10	X			
			11				
			12				
			13		sig refusal - due to hard clay + fine gravel falling in.		
			14				
			15				
			16				
			17				
			18				
			19				
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway, Oakland</u>	Project No.: <u>050T-F023800</u>		
Subcontractor and Equipment: <u>Geoprobe Drilling/Geoprobe</u>	Logged By: <u>C. McLaughlin</u>	<u>SB-17</u>	
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments: _____	
Start Date/Time: <u>1-18-06 / 1100</u>	Finish Date/Time: <u>1-18-06 / 1140</u>		
First Water (BGS): <u>~18'</u>	Stabilized Water Level (BGS): <u>NA</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				910 JT
			1		Asphalt		
			2		Clay (CL); Brn (10YR-4/3); Firm to Hard; moist; mod. to high plast; faint odor; (0,0,0,100)		
			3				
			4				
110	75		5	X	AA		
			6				
	55		7		Sandy silt with clay (ML); Olive Brn (2.5Y-4/3); Sand is F; rigid; Firm; moist; mod. plast; faint odor; (0,30,60,10)		
			8				
			9				
120	478		10	X	Clay with silt (CL); Brn (10YR-5/3); Firm to Hard; psy; mod. plast; strong odor; (0,0,10,90)		
			11				
	586		12				
	726		13				
			14				
130	676		15	X	Clayey silt (ML); Olive (5Y-5/3); Firm; moist; mod. plast; strong odor (0,0,0,90)		
			16				
			17		Clay - AA		
			18				
140	639		19	X	Sandy silt (ML); Olive (5Y-5/3); Firm; moist to wet; low plast; strong odor; (0,35,65,0)		
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway Oakland</u>		Project No.: <u>050T.50238.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / 600 probe</u>		Logged By: <u>C. Melancon</u>	<u>SB-18</u>
Sampling Method: <u>Cont. Core</u>		Monitoring Device: <u>P10</u>	Comments: _____
Start Date/ Time: <u>1-18-06 / 830</u>		Finish Date/ Time: <u>1-18-06 / 930</u>	<u>Spec on water</u>
First Water (BGS): <u>18'</u>		Stabilized Water Level (BGS): <u>12.1</u>	

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
50			5				
			6				
			7				
			8				
			9				
05		159	10				
			11				
			12				
			13				
			14				
15		506	15				
			16				
			17				
25		667	18				
			19				
			20				
		428	21				
			22				
			23				

SEACOR

Reviewed by: _____ Date: _____

9102

Project: <i>Kaiser - Oakland</i>		Log of Boring:	Page of
Boring Location: <i>3701 Broadway, Oakland</i>		Project No.:	
Subcontractor and Equipment: <i>Erosy Drilling / GeoProbe</i>		Logged By:	<i>SB-19</i>
Sampling Method: <i>Cont. Core</i>	Monitoring Device:	Comments:	
Start Date/Time: <i>1-18-06 / 1030</i>	Finish Date/Time: <i>1-18-06 / 1115</i>	<i>Skipped on water</i>	
First Water (BGS): <i>NA</i>	Stabilized Water Level (BGS): <i>16.5</i>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				<div style="border: 1px solid black; padding: 10px; text-align: center;"> 910J+ </div>
			1		Asphalt + Basrock		
			2		Silty clay (CL); Dia (10yr-4/3); Firm;		
			3		Moist; mod. plastic; (0, 0, 20, 80)		
			4				
150			5				
			6	AA			
			7				
			8				
			9	AA			
00		70	10		@10' faint odor		
			11				
		529	12		AA - Strong odor		
			13				
			14				
10		747	15				
			16				
			17				
15		629	18				
			19				
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway Oakland</u>		Project No.: <u>050T.50238.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>		Logged By: <u>C. Melancon</u>	<u>SB-20</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PIR</u>	Comments: _____	
Start Date/Time: <u>1-18-06 / 1230</u>	Finish Date/Time: <u>1-18-06 / 1320</u>	<u>Shore on water</u>	
First Water (BGS): <u>18.5'</u>	Stabilized Water Level (BGS): <u>16'</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
150		10	5				
			6				
			7				
		45	8				
			9				
200		290	10				
			11				
			12				
		498	13				
			14				
310		779	15				
			16				
			17				
			18				
220		836	19				
			20				

SEACOR

Reviewed by: _____ Date: _____

910J7

Project: Kaiser - Oakland		Log of Boring:	Page of
Boring Location: 3701 Broadway, Oakland		Project No.: 05075023800	
Subcontractor and Equipment: Briggs Drilling / Sonotube		Logged By: C. M. [unclear]	SB-21
Sampling Method: Cont. Core	Monitoring Device: PID	Comments:	
Start Date/Time: 1-17-06 / 920	Finish Date/Time: 1-17-06 / 920		
First Water (BGS): NA	Stabilized Water Level (BGS):		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
4			2		Clayey Silt (ML); v. dk. gray (10YR-3/1); Firm; Dry; mod. plastic; (0,0,75,25)		
			3				
			4		Silty Clay (CL); dk. yel. Brn (10YR-4/4); Firm; moist; mod. plastic; (0,0,35,65)		
			5				
NR			6				
			7				
40			8		clayey sand with silt (SC); Olive Brn (2.5Y-4/3); Sand is fine grained; dense; moist; @ 9' odor and staining (0,65,10,25)		
			9				
			10		Clay with silt (CL); Lt. Olive Brn (2.5Y-5/4); Hard; Dry to moist; mod. to High plastic; Faint odor; green stain in zones; (0,0,10,90)		
NR			11				
			12				
50			13				
			14				
			15		AA - increased staining		
			16		AA		
			17				
NR			18				
			19				
10			20		AA - little staining		
			21				
			22				

910J+

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.50258.00</u>	
Subcontractor and Equipment: <u>Gregg Pilling / Geoprobe</u>		Logged By: <u>CarteL...</u>	<u>SB-22</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-17-06 / 930</u>	Finish Date/Time: <u>1-17-06 / 950</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>—</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
A			1		Asphalt		
			2		Sand (SP); Brn (10YR-5/3); Sand is F-graded; Dry; loose; (0,100,0,0)		
			3		possible edge of old tank pit.		
			4		AA - some fine gravel present.		
			5		Silty clay (CL); Dk. yel. Brn (10YR-4/6); mod. soft; moist; mod. plast.; faint odor; (0,0,35,65)		
NR			6				
			7		Note: Sample keeps sliding out - NR		
			8		water on sampler - shows Hydrocarbon screen; mod. odor;		
			9				
NR			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				
			21				
			22				

SEACOR

Reviewed by: _____ Date: _____

Project: <i>Kaiser - Oakland</i>		Log of Boring: _____	Page of _____
Boring Location: <i>3701 Broadway, Oakland</i>		Project No.: <i>0501, 50238, 00</i>	
Subcontractor and Equipment: <i>Cres, Drilling / Ecoprobe</i>		Logged By: <i>Colin Luvron</i>	<i>SB-22A</i>
Sampling Method: <i>cont. core</i>	Monitoring Device: <i>PID</i>	Comments: <i>stepped off SB-22 as tank pit backfill sand and water in backfill mixing sample slide out. NR</i>	
Start Date/Time: <i>1-17-06 / 1000</i>	Finish Date/Time: <i>1-17-06 / 1035</i>		
First Water (BGS): <i>~ 16'</i>	Stabilized Water Level (BGS): _____		

Sample Interval Recovery, inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation: _____	Casing Top Elevation: _____	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0		Asphalt + Bitrock gravel		
			1		Clayey Silt (ML); v. DK. gray (10YR-3/1); Firm; Dry; mod. plast; (0, 0, 75, 25)		
			2				
			3				
			4		Silty Clay (CL); DK. yel. Brn (10YR-4/6); Firm; Dry to moist; mod. plast; (0, 0, 30, 70)		
			5				
			6				
			7		Sandy Silt with gravel and clay (ML). sand is F. graded; Firm; moist; mod. plast; mod. odor (1070, 50, 10)		
			8				
			9		@ 9' Strong odor; seen on soil		
			10				
			11		Clay with silt (CL); Lt. Olive Brn (2.5Y-5/4); Hard; Dry to moist; mod. to High plast; mod. odor; (0, 0, 10, 90)		
			12				
			13				
			14		Silty Sand (SM) - logged from sample in next sample		
			15				
			16		Clay with silt (CL) - AA		
			17		Silty Sand (SM); Olive Gray (5Y-4/2); Sand is F. graded; mod. dense; wet; mod. odor; (0, 75, 25, 0)		
			18				
			19				
			20		Silty Clay (CL); Olive (5Y-5/3); Firm; moist; mod. plast; Strong odor; (0, 0, 30, 70)		
			21				
			22				

14 A
010
115
NR
125
NR
35

g v o u t

Project: <u>Kaiser - Oakland</u>		Log of Boring.	Page of
Boring Location: <u>3701 Broadway Oakland</u>		Project No.: <u>0507.50230.00</u>	
Subcontractor and Equipment: <u>Briggs Drilling / Geoprobe</u>		Logged By: <u>P. McKeuron</u>	<u>SB-23</u>
Sampling Method: <u>cont. CRR</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-17-06 / 1045</u>	Finish Date/Time: <u>1-17-06 / 1115</u>		
First Water (BGS): <u>14.4</u>	Stabilized Water Level (BGS): <u>12.1</u>		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
150		10	3				
			4				
		15	5				
			6				
			7				
		35	8				
			9				
100		448	10				
			11				
			12				
		145	13				
			14				
10		185	15				
		686	16				
			17				
15		726	18				
			19				
			20				
			21				
			22				

150
100
10
15

909

SEACOR

Reviewed by: _____ Date: _____

Project: Kaiser - Det/16d		Log of Boring: _____ Page of _____	
Boring Location: 3701 Broadway, Oakland		Project No.: 05675023800	SB-24
Subcontractor and Equipment: Gregg Pulling / Bep/obc		Logged By: C. Makuro	
Sampling Method: Cont. Core		Monitoring Device: PID	Comments: Sheen on water
Start Date/Time: 1-19-06/920		Finish Date/Time: 1-19-06/1000	
First Water (BGS): ~19.5'		Stabilized Water Level (BGS): 11.9'	

Sample Interval Recovery, inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)							

Sample Interval Recovery, inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)							
			0	XXXX	Concrete		
			1	XXXX	Basalt		
HA			2		Clayey Silt (ML); v. dk. gray (10YR-3/1);		
			3		Firm; Dry; mod. plastic; (0,0,75,25)		
			4				
35			5		Silty Clay (CL); dk. yellow-brown (10YR-4/6);		
1000			6		Firm; Dry to moist; mod. plastic;		
			7		(0,0,30,70)		
			8				
			9				
45			10		Sandy Silt with gravel and clay (ML);		
			11		lt. olive-brown (2.5Y-4/3); Firm; moist; mod.		
			12		plastic; (10,30,50,10)		
			13				
			14		Clay with Silt (CL); Lt. olive-brown		
			15		(2.5Y-5/4); Hard; Dry to moist;		
55			16		mod. to high plastic; mod. odor;		
			17		(0,0,10,90)		
			18				
			19				
000			20		Silty Sand (SM); dk. greenish gray		
			21		(10Y-4/1); Sand is F-M grained; wet		
			22		strong odor; SPH Sheen; (0,80,20,0)		
			23				
			24				

900 J

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.50238.00</u>	
Subcontractor and Equipment: <u>Pegg Drilling / Proprietary</u>		Logged By: <u>C. Melancon</u>	<u>SB-25</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-17-06 / 1405</u>	Finish Date/Time: <u>1-17-06 / 1440</u>	<u>Shore on water</u>	
First Water (BGS): <u>15'</u>	Stabilized Water Level (BGS): <u>10'</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1		ASphalt + Baserock gravel		
			2		Clayey Silt (ML); v. dk. gray (10YR 3/1); Firm; Dry; mod. plastic; (0, 0, 75, 25)		
			3				
			4				
415		95	5		Silty Clay (CL); dk. yel. Brn (10YR 4/6); Firm; Dry to moist; mod. plastic; Faint odor; (0, 0, 30, 70)		
			6				
		561	7				
			8				
120		529	9		Sand with gravel and silt (SW); dk. gray (5Y 4/1); Sand is F-C graded; Dense; moist; strong odor; (10, 80, 10, 0)		
			10				
		639	11				
			12				
		629	13		Clay with silt (CL); Lt. olive Brn (2.5Y 5/4); Hard; Dry to moist; mod. to High plastic; strong odor (0, 0, 10, 90)		
130			14				
		586	15				
125			16		Silty Sand (SM); dk. greenish gray (10Y 4/1); Sand is F-U graded; wet; strong odor; split surface on water; clay-AA		
			17				
			18				
140		603	19		Clayey Silt (ML); olive (5Y 5/3); Firm; moist; mod. plastic; strong odor; (0, 0, 60, 40)		
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>WENT-5022B.06</u>	
Subcontractor and Equipment: <u>Scree Drilling / Geoprobe</u>		Logged By: <u>C. McLarrea</u>	<u>SB-26</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments: <u>Moved Borehole due to Sand Backfill in upper 5'</u>	
Start Date/Time: <u>1-17-06 / 1130</u>	Finish Date/Time: <u>1-17-06 / 1200</u>	Note: <u>heavy sheen on water</u>	
First Water (BGS): <u>20.5'</u>	Stabilized Water Level (BGS): <u>13.4'</u>		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
14 A			1		Asphalt + Base rock		
			2		Clayey Silt (ML); V. Dk. gray (10YR-3/1); Firm; Dry; mod. plastic; (0, 0, 75, 25)		
		25	3		Silty Clay (CL); Olive Gray (5Y-4/2); Firm to Hard; Dry; mod. plastic; (0, 0, 30, 70)		
140		60	4				
			5				
			6				
			7				
		629	8		AA - Strong odor		
			9				
145		561	10		Silty Sand with gravel (SM); Dk. gray (5Y-4/2); Sand is F-vr grained; Dense; moist; Strong odor; (10, 50, 40, 0)		Grout
		726	11				
			12		Clay with silt (CL); Lt. Olive Brn (2.5Y-5/4); Hard; Dry to moist; mod. to High plastic; Strong odor (0, 0, 10, 90)		
			13				
155		629	14				
			15				
			16				
			17				
			18				
			19				
200		552	20		Clayey Silt (ML); Olive (5Y-5/3); Firm; moist; mod. plastic; Strong odor; (0, 0, 60, 40)		
		736	21		Sand with silt (SP); Olive (5Y-5/3); Dense; wet; Strong odor; SPH sheen; (0, 90, 10, 0)		
			22		Note: SPH sheen on water		

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.50738.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>		Logged By: <u>C. Melancon</u>	<u>SB-27</u>
Sampling Method: <u>Cond. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-17-06 / 1315</u>	Finish Date/Time: <u>1-17-06 / 1355</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>14'</u>		

Sample Interval Recovery, inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
			5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				
			21				
			22				

A
 H
 30
 35
 45
 55

70
 513
 648
 384
 648

Asphalt + Base rock
 Clayey silt (ML): V. Dk. gray (10YR-3/1); Firm; Dry; mod. plastic; (0, 0, 75, 25)
 Silty clay (CL): Olive gray (5Y-4/2); Firm to Hard; Dry; mod. plastic; (0, 0, 30, 70)
 Sandy silt with gravel and clay (ML); Olive gray (5Y-4/2); Sand is F. Grained; Firm; Dry; low plastic; Firm odor; (10, 20, 50, 10)
 Sand with silt (SP): Dk. Gray (5Y-4/1); Sand is F. in grain; moist; water 12" (perched water?); strong odor; (0, 90, 10, 0)
 Clay with silt (CL): Lt. Olive Brn (2.5Y-5/3); Hard; Dry; mod. to high plastic; staining in zones; mod. odor; (0, 0, 10, 90)
 16.5-18' heavy green staining, strong odor @ 18' moist

gROUT

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.50738.00</u>	
Subcontractor and Equipment: <u>Gray Drilling/Geofab</u>		Logged By: <u>C. Melunco</u>	<u>SB-28</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>P10</u>	Comments:	
Start Date/Time: <u>1-17-06 1540</u>	Finish Date/Time: <u>1-17-06/1610</u>		
First Water (BGS): <u>~ 18'</u>	Stabilized Water Level (BGS): <u>14.2'</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1		Asphalt + Basalt		
			2		Clayey silt (ML); v. dk. gray (10YR-2/1); Firm; Dry; mod. plast. (0, 0, 75, 25)		
			3		Silty clay (CL); dk. yel. Brn (10YR-4/6)		
			4		Firm; Dry to moist; mod. plast. (0, 0, 30, 70)		
50		50	5				
			6				
			7				
			8				
			9		Silty sand with gravel and clay (SM); dk. gray (5Y-4/1); sand is Firm grain; mod. moist; faint odor (10, 50, 30, 10)		
55		170	10		Clay with silt (CL); L. olive Brn (2.5Y-5/4); Hard; Dry; mod. to high plast. mod. odor (0, 0, 10, 90)		
			11				
			12		⑩ 12' strong odor		
			13				
			14				
100		536	15				
			16				
			17				
			18				
			19				
			20		Sand with silt (SP); Olive (5Y-5/3); dense; wet; strong odor; (0, 90, 10, 0)		
10		469	21				
			22				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser-Oakland</u>		Log of Boring: _____	Page of _____
Boring Location: <u>2701 Broadway, Oakland</u>		Project No.: <u>0507.50738.00</u>	
Subcontractor and Equipment: <u>Grege Drilling/Geoprobe</u>		Logged By: <u>C. Helanson</u>	Comments: <u>SB-29</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>		
Start Date/Time: <u>1-18-06/1510</u>	Finish Date/Time: <u>1-18-06/1600</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>NA</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
520		10	5	X			
			6		Silty clay (CL); Brn (10YR-4/3); Hard; Dry; mod. plastic; (0, 0, 70, 70)		
			7				
			8				
			9				
540		70	10	X			
			11				
			12				
		484	13		Clayey silt with sand (ML); yel. Brn (10YR-5/4); Sand is F; grain; Hard; Dry; low plastic; mod. odor; (0, 10, 55, 75)		
545		390	14	X			
			15		Clay with silt (CL); Lt. olive Brn (10YR-5/3); Hard; moist; mod. plastic; mod. odor; (0, 0, 80, 90)		
			16				
550		676	17	X			
			18		Sandy silt with clay (ML); Olive (5Y-5/3); Firm; moist; mod. plastic; strong odor; (0, 20, 70, 10)		
			19				
			20		clay with silt (CL) - AA		
600		230	21	X			
			22		Clayey silt (ML); Lt. olive Brn (2.5Y-5/3); Firm; moist; mod. plastic; mod. odor; (0, 0, 65, 75)		
			23				
			24				

SEACOR

Reviewed by: _____ Date: _____

Project: <i>Keiser - Oakland</i>		Log of Boring:	Page of
Boring Location: <i>3701 Broadway, Oakland</i>	Project No.: <i>0507.50238.00</i>		
Subcontractor and Equipment: <i>Gregg Drilling / Geoprobe</i>	Logged By: <i>L. McLaren</i>	<i>SB-30</i>	
Sampling Method: <i>Cont. Core</i>	Monitoring Device: <i>P10</i>	Comments:	
Start Date/ Time: <i>1-19-06 / 1000</i>	Finish Date/ Time: <i>1-19-06 / 1030</i>		
First Water (BGS): <i>~18'</i>	Stabilized Water Level (BGS): <i>14.9'</i>		

Sample Interval Recovery, inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
			5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				

10
15
20
30

HA

10

50

265

716

1149

1088

Asphalt
 Clay with silt (CL); Brn (10YR-4/3);
 Firm; mod. to High plastic; (0, 0, 10, 90)
 AA - faint odor
 AA - mod. odor
 AA - strong odor
 Silty Sand (SM); Lt. olive Brn (2.5Y-5/3);
 Sand is f. grained; med. plastic;
 moist to wet; strong odor; (0, 70, 70, 0)

grout

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____ Page of _____	
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.50738.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Knaprock</u>		Logged By: <u>T. McLanahan</u>	Comments: <u>SB-37</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>		
Start Date/Time: <u>1-19-06 / 1330</u>	Finish Date/Time: <u>1-19-06 / 1405</u>		
First Water (BGS): <u>N.A.</u>	Stabilized Water Level (BGS): <u>9.9</u>		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0	XY			
			1	U 00			
			2		Concrete		
			3		Bitrock gravel		
			4		Clayey Silt (ML); v. dk. gray (10YR-3/1); Firm; Dry; mod. plasti; (0, 0, 75, 25)		
			5		Silty Clay (CL); Olive Gray (5Y-4/2); Firm to Hard; Dry; mod. plasti; (0, 0, 35, 70)		
150		0	6				
			7		Silty Sand (SM); Black (5Y-2.5/1); Sand is F. grained. coarse; wet; Oil on water; strong odor; (0, 20, 30, 0)		
		130	8				
		285	9		Silty Clay-AA; dk. greenish gray (10Y-3/1);		
355		860	10		Silty Sand with gravel and clay (SM); dk. greenish gray (10Y-3/1); Sand is F. m. grained; Dense; moist; strong odor; (10, 60, 20, 10)		
			11				
			12				
		790	13		Clay with silt (CL); Lt. Olive Brn (2.5Y-5/3); Hard; Dry; mod. plasti; strong odor; (0, 0, 10, 90)		
405			14				
			15				
			16		AA		
105			17				
			18				
			19				
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.50282.00</u>	
Subcontractor and Equipment: <u>Egg Drilling/Geoprobe</u>		Logged By: <u>K. Meloucan</u>	<u>SB-38</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-19-06 / 1130</u>	Finish Date/Time: <u>1-19-06 / 1320</u>	<u>Note: perched water at 4'</u>	
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>4'</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1		Concrete building slab		
			2		Clay (CL); Brn (10YR-4/3); F; (w); moist; mod. plasti; (0,0,0,100)		
			3				
			4		Gravelly Silty Sand (SM); Black (4Y-2.5/1); Sand; F; unframed; loose; wet; mod. oil odor; silt on water; (20,50,30,0)		
145		25	5	⊗			
			6		Silty clay (CL); Med. gray (5Y-3/1); Firm; moist; mod. plasti; mod. oil odor; (0,0,30,70)		
		20	7				
			8				
			9				
			10				
			11				
			12				
310		5	13	⊗	@ 12.5 color change to olive (5Y-5/3)		
			14				
			15				
			16				
			17				
120		5	18	⊗			
			19				
			20				

91017

SEACOR

Reviewed by: _____ Date: _____

Project: <i>Kaiser - Oatland</i>		Log of Boring:	Page of
Boring Location: <i>3701 Broadway, Oatland</i>		Project No: <i>0507.50238.00</i>	<i>SB-39</i>
Subcontractor and Equipment: <i>Cross Drilling / Geoprobe</i>		Logged By: <i>C. Holmstrom</i>	
Sampling Method: <i>Cont. Core</i>		Monitoring Device: <i>P10</i>	Comments:
Start Date/Time: <i>1-19-06 / 1100</i>		Finish Date/Time: <i>1-19-06 / 1130</i>	
First Water (BGS): <i>NA</i>		Stabilized Water Level (BGS): <i>9.4</i>	

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
			0				
			1		Asphalt		
			2		Clay with silt (CC); Lt. Olive Brn (2.5Y-5/3); Hard; Dry; mod. plast. (0, 0, 10, 90)		
			3				
			4				
			5				
110		0	6		AA		
			7				
			8				
			9				
115		10	10				
			11				
			12				
			13		AA - Faint odor		
120		50	14				
			15				
			16		AA - moist; mod. odor		
		260	17				
			18				
130		134	19		clayey silt with sand (cm); Olive gray (5Y-4/2); Sand is fine grained; Firm; moist; mod. odor;		
			20				

grove

SEACOR

Reviewed by: _____ Date: _____

Project: <u>HAISR - Oaklunch</u>		Log of Boring: _____	Page of _____
Boring Location: <u>3701 Broadway, Oaklunch</u>		Project No.: <u>0507.50238.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>		Logged By: <u>C. Melancon</u>	<u>SB-40</u>
Sampling Method: <u>Cont. Core</u>		Monitoring Device: <u>PID</u>	Comments: _____
Start Date/Time: <u>1-19-06 / 1030</u>		Finish Date/Time: <u>1-19-06 / 1100</u>	<u>Seen on water</u>
First Water (BGS): <u>18'</u>		Stabilized Water Level (BGS): <u>10.2</u>	

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0		Asphalt		
			1		clay (CL); Ben (10YR-4/3); Firm; moist; Mod. to High plastic; (0, 0, 0, 100) and gravel		
			2				
			3				
			4				
340			5		Sandy silt with clay (ML); Olive Ben (2.5Y-4/3); Sand is F. grained; Firm; moist; mod. plastic; (10, 30, 50, 10)		
			6		clay with silt (CL); Ben (10YR-5/3); Firm to Hard; Dry; mod. plastic; (0, 0, 10, 90)		
			7				
			8				
			9				
145			10		AA - moist		
			11				
			12				
			13				
55			14		silty sand with clay (SM); Olive gray (5Y-4/2); Sand is F. grained; med. dense; wet; strong odor; SPH green; (0, 75, 20, 5)		
			15				
			16				
			17				
409			18				
00		484	19				
			20				

grout

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broadway, Oakland</u>		Project No.: <u>0507.5023R.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>		Logged By: <u>C. McLure</u>	<u>SB-41</u>
Sampling Method: <u>Cont. Core</u>		Monitoring Device: <u>P110</u>	Comments:
Start Date/Time: <u>1-19-06 / 1400</u>		Finish Date/Time: <u>1-19-06 / 1450</u>	
First Water (BGS): <u>NA</u>		Stabilized Water Level (BGS): <u>14.9</u>	

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1		Asphalt		
			2		Clay (cl); Brn (10%R-4/3); Firm to Hard; moist; mod. to High plastic; (0,0,0,100)		
			3				
			4				
			5				
120		0	6				
			7				
		0	8		AA - w/ly silt		
			9				
130		5	10				
			11				
		25	12		AA - faint odor		
			13				
			14				
140		45	15		AA - mod. odor		
			16				
		315	17				
			18				
150		612	19		Clayey Silt w/ly Sand (ML); olive Gray (5Y-4/2); sand is F. graind; moist; mod. plast.; strong odor; (0,10,70,20)		
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <i>Haiser - Deland</i>		Log of Boring	Page of
Boring Location: <i>3701 Broadway, Deland</i>		Project No: <i>0507.507801</i>	
Subcontractor and Equipment: <i>Grass Drilling / Geoprobe</i>		Logged By: <i>C. H. [unclear]</i>	
Sampling Method: <i>Point Core</i>		Monitoring Device: <i>PID</i>	Comments: <i>Green on water</i>
Start Date/Time: <i>1-18-06 / 945</i>		Finish Date/Time: <i>1-18-06 / 1040</i>	
First Water (BGS): <i>~18'</i>		Stabilized Water Level (BGS): <i>11'</i>	

Sample Interval/ Recovery, inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
			5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				
			21				
			22				
			23				
			24				

HA

200

110

220

30

NR

91007

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Haiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3701 Broad Way, Oakland</u>	Project No.: <u>030T1502E8,00</u>		
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>	Logged By: <u>Ernesto</u>	<u>SB-43</u>	
Sampling Method: <u>Conc. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-19-06 / 1500</u>	Finish Date/Time: <u>1-19-06 / 1530</u>		
First Water (BGS): <u>18'</u>	Stabilized Water Level (BGS): <u>12.7'</u>		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
			5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				

HA

10

15

20

22

0

5

25

75

185

442

Silty clay (CC); Ben (10YR 4/3); F. sm; moist; mod. to Hg 4 plastic; (0, 0, 20, 80)

AA - staining in zones; Hard

AA - faint odor

AA

AA - mod. odor

Silty sand with clay (SM); Olive gray (5Y 4/2); Sand is F. grain size, mod. dense; wet; strong odor; (0, 75, 20, 5)

grout

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3741 Broadway, Oakland</u>		Project No.: <u>0507.50238.00</u>	
Subcontractor and Equipment: <u>Groff Drilling / 6" probe</u>		Logged By: <u>C. Matheson</u>	<u>SB-44</u>
Sampling Method: <u>cont. core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/ Time: <u>1-20-06 / 800</u>	Finish Date/ Time: <u>1-20-06 / 920</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>16'</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
			5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				
			21				
			22				
			23				
			24				

840
NA
850
100
10
20

Concrete - Building floor slab
Base rock gravel (GP); 3" dia m.
Evenly silty sand (SM) - 5:1
Silty clay (CL); dk. yel. brn (10YR-4/4);
Hard; moist; mod. plast; (0, 0, 20, 80)
Evenly silty sand with clay (SM);
dk. yel. brn (10YR-5/6); sand is fine
grained; dense; moist; (15, 50, 25, 10)
Clay with silt (CL); lt. yel. brn
(2.5Y-6/3); Firm; moist; mod. plast;
(0, 0, 10, 90)
Sandy silt with clay (ML); olive (5Y-5/3)
Firm; moist; mod. plast; (0, 35, 55, 10)

6 / 0 / 9

SEACOR

Reviewed by: _____ Date: _____

Project: Kaiser - Oakland		Log of Boring	Page of
Boring Location: 3741 Broadway, Oakland	Project No: 0507.50238.00		
Subcontractor and Equipment: Gregg Drilling / Geoprobe	Logged By: C. Melarone	SB-45	
Sampling Method: Cont. Core	Monitoring Device: PID	Comments:	
Start Date/Time: 1-20-06 / 1320	Finish Date/Time: 1-20-06 / 1355		
First Water (BGS): NA	Stabilized Water Level (BGS): NA		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0	XXX			
			1	000			
			2				
		0	3				
			4				
		0	5	X			
			6				
			7				
			8				
			9				
		0	10	X			
			11				
			12				
			13				
		0	14	X			
			15				
			16				
			17				
			18				
		0	19	X			
			20				

SEACOR

Reviewed by: _____ Date: _____

GROUT

Project: <u>Kaiser - Outland</u>		Log of Boring:	Page of
Boring Location: <u>3741 Broadway, Outland</u>	Project No.: <u>0507.50238.00</u>	<u>SB-46</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Geoprobe</u>	Logged By: <u>C. Melancon</u>		
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>P10</u>	Comments:	
Start Date/ Time: <u>1-20-06 / 950</u>	Finish Date/ Time: <u>1-20-06 / 1030</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>-</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0	X			9 1 0 1 9 F O U T
			1	X	concrete building floor slab		
			2	X	Gravelly Sand - Fill		
			3				
			4		Silty (loam) (CL); V. dk. grayish B-m (10YR-3/2)		
			5		Firm; damp; mod. plastic; (0,0,30,70)		
			6				
			7				
			8	X	AA - red Fe Ox along rootholes		
			9				
			10	X	AA		
			11				
			12		AA - no Fe Ox		
			13		Gravelly Silty Sand with clay (SM); dk. grayish		
			14		gray (5BY-4/1); Sand is F-m grain; mod. moist		
			15	X	dense; moist; possible paint odor and staining;		
			16		(15, 50, 25, 10)		
			17	X	Clay with Silt (CL); Lt. gray B-m (2.5Y-6/3);		
			18		Firm; moist; mod. plastic; (0, 0, 10, 90)		
			19				
			20		Geoprobe refusal at 20'		

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring: _____	Page _____ of _____
Boring Location: <u>3741 Broadway, Oakland</u>		Project No.: <u>050T.50278.00</u>	
Subcontractor and Equipment: <u>Gregg Drilling / Beoprobe</u>		Logged By: <u>C. Moloney</u>	<u>SB-48</u>
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>PID</u>	Comments:	
Start Date/Time: <u>1-20-06 / 1215</u>	Finish Date/Time: <u>1-20-06 / 1245</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>NA</u>		

Sample Interval/ Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0	XX	Concrete slab floor		grout
			1	000	Baserock		
	0		2		Clayey Silt (ML); DK. yel. Brn (10YR-4/4)		
			3		Hard; Dry; mod. plast.; (0, 0, 80, 20)		
220	0		4	X			
			5				
			6				
			7				
			8		Silty Clay (CL); Black (5Y-2.5/1); Hard; Dry;		
			9		mod. plast.; (0, 0, 30, 70)		
235	0		10	X	Gravelly Silty Sand with clay (SM); DK. yel. Brn		
			11		(10YR-4/4); Sand is F-m graded; Dense; moist;		
			12		(15, 50, 25, 10)		
			13		Clay with Silt (CL); Lt. yel. Brn (2.5Y-6/3)		
			14		Firm; Moist; mod. plast.; (0, 0, 10, 90)		
240	0		15	X	Gravelly Silty Sand with clay (SM); Olive		
			16		(5Y-5/3); Sand is F-m graded; Dense;		
245	0		17	X	moist; (20, 50, 25, 5)		
			18		Clay with Silt (CL) - AA		
			19				
			20				

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3741 Broadway, Oakland</u>		Project No.:	
Subcontractor and Equipment: <u>Geop Drilling/Geoprobe</u>		Logged By:	<u>SE-49</u>
Sampling Method: <u>cut core</u>	Monitoring Device:	Comments:	
Start Date/ Time: <u>1-20-06/1120</u>	Finish Date/ Time: <u>1-20-06/1200</u>		
First Water (BGS): <u>NA</u>	Stabilized Water Level (BGS): <u>NA</u>		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0				
			1				
			2				
			3				
			4				
			5				
			6				
			7				
			8				
			9				
			10				
			11				
			12				
			13				
			14				
			15				
			16				
			17				
			18				
			19				
			20				

140

200


910J

SEACOR

Reviewed by: _____ Date: _____

Project: <u>Kaiser - Oakland</u>		Log of Boring:	Page of
Boring Location: <u>3741 Broadway Oakland</u>	Project No: <u>8507, 50228.00</u>		
Subcontractor and Equipment: <u>Geop Drilling / Benprobe</u>	Logged By: <u>C. Melarun</u>	<u>SB-50</u>	
Sampling Method: <u>Cont. Core</u>	Monitoring Device: <u>P10</u>	Comments:	
Start Date/Time: <u>1-20-06/1230</u>	Finish Date/Time: <u>1-20-06/1320</u>		
First Water (BGS): <u>~ 18.3'</u>	Stabilized Water Level (BGS): <u>NA</u>		

Sample Interval Recovery, Inches	Blows/foot	PID (ppm)	Depth (feet)	USCS Symbol	Surface Elevation:	Casing Top Elevation:	Boring Abandonment/ Well-Construction Details
					LITHOLOGIC DESCRIPTION (color, grain size, consistency, moisture, other)		
			0	XXV			
			1	000	Concrete slab floor Basement		
		0	2		Sandy silt with clay (ML); Lt. yellow, Brn (2.5Y-6/4); Sand is F. grained; Firm; moist; mod. plasti; (0, 30, 60, 10)		
			3				
			4				
		0	5		Silty clay (CL); Black (5Y-2.5/1); Firm; Dry; mod. plasti; (0, 0, 30, 70)		
			6				
			7				
		0	8	AA			
			9				
			10				
			11				
		0	12				
			13				
		0	14		Clay with silt (CL); Lt. Olive Brn (2.5Y-5/3); Firm; moist; mod. plasti; (0, 0, 10, 90)		
			15				
			16				
			17				
		0	18				
			19		Sandy silt with clay (ML); Olive (5Y-5/2); Firm; moist to wet; low plasti; (0, 45, 50, 5)		
			20				



SEACOR

Reviewed by: _____ Date: _____



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-3
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0			Asphalt with fill-sand/gravel.	1.0	
			5	MH		<u>Clayey SILT with sand</u> : Brown; moist; 70% silt, 20% clay, 10% sand; high estimated plasticity, low estimated permeability.	8.0	
			10	ML		<u>Clayey SILT with sand</u> : Tan; moderately stiff; damp; 60% silt, 30% clay, 10% sand; low estimated plasticity; very low estimated permeability.	17.0	
			15	SM		<u>Sand SILT</u> : Olive green; moderately stiff; moist; 60% silt, 20% clay, 20% sand; low estimated plasticity; low estimated permeability.	19.0	
		CSB-3 -S-19.5	20	ML		<u>Clayey SILT with sand</u> : Olive brown; stiff; moist; 70% silt, 30% clay; low estimated plasticity; very low estimated permeability.	22.0	
8		CSB-3 -S-22						Bottom of Boring @ 22 fbg

WELL LOG (PID) 1.19-1026-1GINT19-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-4
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	22-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	17.0 fbgNA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt	0.5	
				CL		Silty CLAY : Olive brown; dry; 60% clay, 30% silt, 10% sand; high estimated plasticity; low estimated permeability.	3.0	
			5	SM		Sandy SILT : Olive brown; dry; 60% silt, 25% sand, 15% clay; high estimated plasticity; moderate estimated permeability.	8.0	
			10	ML		Clayey SILT with trace sand : Tan; very stiff; dry; 65% silt, 30% clay, 5% sand; medium estimated plasticity; low estimated permeability.	17.0	
53			15	ML			18.0	
247			20	SM		SAND with silt : Gray; loose; wet; 75% sand, 25% silt; no plasticity; high estimated permeability.	20.5	
		CSB-4 -S-20.5		ML		Clayey SILT with trace sand : Tan; very stiff; dry; 65% silt, 30% clay, 5% sand; medium estimated plasticity; low estimated permeability.	21.0	
455				SP		SAND with silt : Gray; loose; wet; 75% sand, 25% clay; no plasticity; high estimated permeability.		
		CSB-4 -S-23		ML		Clayey SILT with trace sand : Tan with mottled staining; very stiff; dry; 65% silt, 35% clay; low estimated plasticity; low estimated permeability.		
17		CSB-4 -S-24.5					24.5	
								Bottom of Boring @ 24.5 fbg

WELL LOG (PID) I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/29/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-5
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	22-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt and fill sand/gravel.	1.0	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 22.5 fbg</p>
			5	ML		Clayey SILT : Grey-green; dry; very stiff; 70% silt, 30% clay; high estimated plasticity; low estimated permeability.		
			15	CL		Clayey SILT : Tan; dry; 60% silt, 40% clay; very low estimated plasticity; low estimated permeability.	15.0	
489 674			16.0			Silty CLAY : Light olive; very stiff; dry; 60% clay, 40% silt; very low estimated plasticity; very low estimated permeability. Clayey SILT : Green; very stiff; dry; 60% silt, 40% clay; very low estimated plasticity; low estimated permeability.	16.0	
503			20	ML		Change in color to tan.		
83 0		CSB-5-S-20 CSB-5-S-22 CSB-5-S-22.5	22.5				22.5	

WELL LOG (PID) I:19-1026-1(GINT)9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-6
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	22-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Geinin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0			Asphalt and graveley sand with silt.	1.0	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 22 fbg</p>
			1.0			<u>Pea GRAVEL</u> : 90% gravel, 10% sand.		
			18.0	GP				
		CSB-6 -S-20	20.0	SM		<u>Sandy clayey SILT</u> : Dark gray; wet; soft; 50% silt, 25% clay, 25% sand; low estimated plasticity; moderate estimated permeability.	20.0	
		CSB-6 -S-22	22.0	ML		<u>SILT</u> : Dark gray-green; stiff; moist; 65% silt, 35% clay; low estimated plasticity; low estimated permeability.	22.0	

WELL LOG (PID) 1:19-1026-1GINT19-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-7
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	19.0 fbgNA
LOGGED BY	L Genin and C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt and fill sand-gravel.	1.0	
				GM		Graveley SILT : Dark brown; dry; 65% silt, 25% gravel, 10% sand; low plasticity; high estimated permeability.	4.0	
			5	ML		Sandy SILT with clay : Brown, moist, 70% silt, 20% sand, 10% clay; medium estimated plasticity; moderate estimated permeability.	7.0	
				GM		Silty Sandy GRAVEL : Light brown; dry; 50% gravel, 30% silt, 20% sand; high estimated plasticity; moderate estimated permeability.	9.0	
			10	CL		CLAY : Dark gray; hard; dry; 60% clay, 40% silt; medium estimated plasticity; low estimated permeability.	12.0	
					Brick			
				ML		Clayey SILT : Tan; very stiff; dry; 60% silt, 35% clay, 5% sand; low estimated plasticity; low estimated permeability.	16.0	
90				CL		Silty CLAY : Green; stiff; damp; 60% clay, 40% silt; medium estimated plasticity; low estimated permeability.	18.5	
90		CSB-6 -S-20	20	SM		Silty SAND : Green; fine grained; loose; wet; 60% sand, 40% silt; no plasticity; high estimated permeability.	19.3	
29				CL		Silty CLAY : Green; stiff; damp; 60% clay, 40% silt; medium estimated plasticity; low estimated permeability.	22.0	
0		CSB-6 -S-22						
								Bottom of Boring @ 22 fbg

WELL LOG (PID) (19-1026-1)GINT9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-8
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	22-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans and L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0			Asphalt and fill.	1.0	<p>Portland Type I/II Cement</p>
			2.5	GW		GRAVEL with sand : Well graded 0.5-2 cm clasts; dark red-brown; loose; dry; 60% gravel, 30% sand, 10% silt; no plasticity; high estimated permeability.	2.5	
			4.5	CL		CLAY with sand : Dark gray; stiff; damp; 60% clay, 35% silt, 5% sand; low estimated plasticity; low estimated permeability.	4.5	
			5	GM		Silty SAND with cobbles : Dark gray; stiff; 40% gravel, 30% sand, 20% silt, 10% clay.	7.5	
			7.5			SAND : Medium grained; olive green/dark gray; 60% sand, 30% silt, 10% clay.	7.5	
			10	SM			12.0	
			12.0			Clayey SILT : Olive green-brown; damp; 60% silt, 30% clay, 10% sand; high estimated plasticity; low estimated permeability.	12.0	
			15	MH		Clayey SILT with sand : Fine grained clasts as sand; olive green/dark grey; stiff; damp; 60% silt, 35% clay, 5% sand; high estimated plasticity; low-moderate estimated permeability.	19.5	
132		CSB-8 -S-20	20	SM		Silty fine grained SAND : Dark green; loose; wet; 75% sand, 20% silt, 5% clay; high estimated permeability.	20.0	
18		CSB-8 -S-21.5		ML		Sandy SILT : Olive green; dense; moist; 50% silt, 25% sand, 25% clay; medium estimated plasticity; low to moderate estimated permeability.	24.0	
		CSB-8 -S-23					24.0	Bottom of Boring @ 24 fbg

WELL LOG (PID): I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-9
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	27-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	5.0 fbgNA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Concrete	1.0	
				SP		<u>Fine grained SAND</u> : Dark brown; loose; moist; 100% sand; high estimated permeability.		
0			5	CL		<u>CLAY with sand</u> : Dark green; wet; 70% clay, 20% silt, 10% sand; low estimated plasticity; low estimated permeability.	5.0	
				SM		<u>Silty SAND with clay</u> : Very dark brown; wet; loose; 60% sand, 30% silt, 10% clay; high estimated permeability.	8.0	
				ML		<u>SILT with sand</u> : Dark green; very stiff; damp; 70% silt, 10% sand, 10% clay; low estimated plasticity; low estimated permeability.	11.0	
						Staining		
				CL		<u>Silty CLAY</u> : Dark green; hard; damp; 65% clay, 30% silt, 5% sand; low estimated plasticity; very low estimated permeability.	16.0	
				SM		<u>Silty SAND</u> : Dark green; soft; moist; 50% sand, 50% silt; moderate estimated permeability.	20.0	
32		CSB-9 -S-21		ML		<u>Clayey SILT</u> : Tan; hard; damp; 60% silt, 40% clay; low estimated plasticity; very low estimated permeability.	21.5	
		CSB-9 -S-23					24.0	
								Bottom of Boring @ 24 fbg

WELL LOG (PID) 1:9-1026-11GINTY9-1026 INVESTIGATION GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-10
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	4.0 fbgNA
LOGGED BY	L Geinin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5		Asphalt		0.5	
			3.0	GC	Sandy GRAVEL : Light brown; dry; 85% gravel, 15% sand; high estimated permeability.	3.0		
			5.0	CL	Gravelly CLAY with silt : Greenish gray; wet; 75% clay, 15% gravel, 10% silt; medium to high estimated plasticity; low estimated permeability.	5.0		
			8.0	SP	Fine grained SAND : Olive green; loose; wet; 100% sand; high estimated permeability.	8.0		
148			10.0	GC	Clayey GRAVEL with sand and silt : Olive green; dense; moist; 40% gravel, 40% clay 10% sand 10% silt; moderate estimated plasticity; low estimated permeability.	10.0		
			12.5	CL	Silty CLAY : Olive green; hard; damp; 60% clay, 40% silt; medium estimated plasticity; low estimated permeability.	12.5		
			15.0	ML	Clayey SILT : Olive green; hard; damp; 55% silt, 40% clay, 5% sand; low estimated plasticity; low estimated permeability.	15.0		
238		CSB-10-S-19	18.0	CL	Silty CLAY : Tan to olive green; stiff; moist; 50% clay, 45% silt, 5% sand; medium estimated plasticity; low estimated permeability.	18.0		
186			20.5	SP	Fine grained SAND : Olive green; loose; wet; 85% sand, 15% silt; high estimated permeability.	20.5		
		CSB-10-S-22	22.0	ML	Clayey SILT : Brown; stiff; moist; 65% silt, 30% clay, 5% sand; low estimated plasticity; low estimated permeability.	22.0		
							Bottom of Boring @ 22 fbg	

WELL LOG (PID) I:19-1026--1(GINT)9-1026 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-11
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	8.0 fbgNA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
				0.5		Asphalt		0.5	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 22 fbg</p>
				5.0	SP	Fine grained SAND : Light olive green; loose; moist; 100% sand; high estimated permeability.			
				5.0	GC	Sandy clayey GRAVEL : Dark olive green; stiff; damp; 50% gravel, 35% sand, 15% silt, 10% clay; low estimated plasticity; moderate to high estimated permeability.			
				8.0	GW	GRAVEL : Dark gray-green; loose; wet; 40% gravel, 20% sand, 20% silt, 20% clay; high estimated permeability.	8.0		
				10.0	ML	Clayey SILT : Tan; damp; very stiff; 60% silt, 35% clay, 5% sand; low estimated plasticity; low estimated permeability. Color change to dark gray-green.			
				15.0	SM	Sand SILT : Dark gray-green; moist; dense; 40% silt, 40% sand, 20% clay; very low estimated plasticity; moderate estimated permeability.			
				18.0	CL	Silty CLAY : Dark gray; damp; very stiff; 50% clay, 50% silt; medium estimated plasticity; very low estimated permeability.			
		CSB-11-S-20		20.0	SM	Silty SAND : Green; wet; loose; 60% sand, 30% silt, 10% clay; high estimated permeability.			
		CSB-11-S-22		21.0	ML	Clayey SILT : Tan; damp; very stiff; 60% silt, 30% clay, 10% sand; low estimated plasticity; very low estimated permeability.			
				22.0					

WELL LOG (PID) 1:19-1026-11GINT9-1026 2006 INVESTIGATION GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-12
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
				0.5			Asphalt	0.5	
				5	ML		<u>Clayey SILT</u> : Black; damp; 65% silt, 35% clay; high estimated plasticity; low estimated permeability.		
0				8.0	CL		<u>Silty CLAY</u> : Black; moist; 55% clay, 40% silt, 5% sand; high estimated plasticity; low to moderate estimated permeability.	8.0	
0				9.0			<u>Clayey SILT</u> : Upper contact gradational; black; damp; 48% clay, 48% silt 4% sand; medium estimated plasticity; low estimated permeability.	9.0	
				15	ML				
7				18.0				18.0	
0		CSB-1 2-S-20		20	CL		<u>CLAY</u> : Upper contact gradational; olive green; stiff; damp; 70% silt, 30% clay; medium to high estimated plasticity; low estimated permeability.	20.0	Bottom of Boring @ 20 fbg

WELL LOG (PID) 1:9-1026-1GINT9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-13
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Concrete and rebar.	1.0	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 18 fbg</p>
				GM		Graveley SILT : Dark brown; loose, soft; moist; 35% silt, 25% gravel, 20% sand, 20% clay; low-medium estimated plasticity; low to moderate estimated permeability.	4.0	
0		CSB-13-S-5	5	SM		Clayey SILT with sand : Dark brown; soft; moist; 55% silt, 35% clay, 10% sand; high estimated plasticity; low estimated permeability.		
				ML		Silty CLAY : Very dark brown; moist; 95% silt, 5% clay.	12.5	
		CSB-13-S-14		GW		Sandy GRAVEL : Dark brown; wet; 40% gravel, 40% sand, 15% silt, 5% clay; high estimated permeability.	15.0	
				ML		Clayey SILT : Olive green; very stiff; moist; 75% silt, 25% clay; high estimated plasticity; low estimated permeability.	15.5	
0		CSB-13-S-17.5 CSB-13-S-18		MH		Sandy SILT with clay : Olive green; soft; moist; 60% silt, 35% sand, 5% clay; moderate estimated permeability; low estimated plasticity.	17.5 18.0	

WELL LOG (PID) \\19-1026-1\GINT9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-14
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
				0.5		Asphalt		0.5	
				5	SP	<p>Fine grained SAND : Light olive green; loose; damp; 100% sand; high estimated permeability.</p> <p>At 2.5' moist.</p>			
				5.5	CL	<p>Sandy CLAY with gravel : Olive brown; soft; moist; 60% clay, 20% silt, 10% sand, 10% gravel; medium estimated plasticity; low estimated permeability.</p>			
				8.0	GW	<p>GRAVEL with silt and clay : Gray; loose; wet; 70% gravel 0.5-2cm angular clasts, 10% coarse grained sand, 10% silt, 10% clay; high estimated permeability.</p>			
				18.0	ML	<p>Clayey SILT with sand : Olive green; very stiff; damp; 60% silt, 30% clay, 10% fine grained sand; low estimated plasticity; very low estimated permeability.</p>			
594		CSB-1 4-S-20		20			Change in color to tan.	24.0	
		CSB-1 4-S-22.5							

WELL LOG (PID) 1:9-1026-1(GINT)9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-16
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L. Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5			Concrete	0.5	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 18.5 fbg</p>
		CSB-16-S-3	5	ML		Clayey SILT : Brown; dry; 70% silt, 30% clay; medium estimated plasticity; moderate to low estimated permeability.		
		CSB-16-S-9	8.0	GC		Sandy GRAVEL with silt and clay : Brick fragments; light brown; dry; 40% gravel, 30% sand, 15% silt, 15% clay; high estimated permeability.	8.0	
		CSB-16-S-14	14.0	ML		Clayey SILT : Light olive brown; hard; dry; 60% silt, 40% clay; low estimated plasticity; very low estimated permeability.	14.0	
		CSB-16-S-15	18.0	CL		Silty CLAY : Light brown; stiff; damp; 60% clay, 40% silt; medium estimated plasticity; low estimated permeability.	18.0	
			18.5				18.5	

WELL LOG (PID) I:\9-1026-1\GINTY9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-17
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5			Concrete	0.5	
			2.0	SM		Silty SAND : Light brown; dry; 70% sand, 30% silt; low estimated permeability.	2.0	
		CSB-17-S-3	5	ML		Clayey SILT : Black; stiff; dry; 70% silt, 20% clay, 10% sand; medium estimated plasticity; low estimated permeability.	5	
		CSB-17-S-6	8.0				8.0	
			10	CL		Silty CLAY : Black; soft; moist; 60% clay, 40% silt; high estimated plasticity; low estimated permeability.	10	
		CSB-17-S-11.5	12.0				12.0	
		CSB-17-S-13	15	ML		Clayey SILT : Olive brown with green mottling; hard; dry; 60% silt, 40% clay; low estimated plasticity; low estimated permeability.	15	
		CSB-17-S-16	18.0				18.0	
			20	CL		Silty CLAY : Olive green; stiff; moist; 50% clay, 50% silt; medium estimated plasticity; low estimated permeability.	20	
			21.0	SW		SAND : Fine to medium grained; brown; loose; wet; 80% sand, 20% silt; high estimated permeability.	21.0	

WELL LOG (PID) I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-18
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5			Concrete	0.5	
		CSB-1 8-S-3	5	ML		SILT with clay : Dark brown; dry; 70% silt, 10% clay, 10% sand, 10% gravel; high estimated plasticity; low estimated permeability.		
		CSB-1 8-S-6					8.0	
		CSB-1 8-S-9	10			Silty CLAY : Black; soft; damp; 60% clay, 40% silt; high to medium estimated plasticity; low estimated permeability.		
		CSB-1 8-S-13						
		CSB-1 8-S-15	15	CL		Change in color to grey.		
		CSB-1 8-S-16						
		CSB-1 8-S-19	20				20.5	

WELL LOG (PID) I:\9-1026-1\GINT9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-19
JOB/SITE NAME	9-1026	DRILLING STARTED	24-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt	0.5	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 16.5 fbg</p>
				SW		Gravelly SAND : Light olive green; dry; 85% sand, 15% gravel; high estimated permeability.	2.0	
				ML		Clayey SILT : Brown; moist; 75% silt, 25% clay; medium estimated plasticity; moderate to low estimated permeability.	3.0	
				SM		Silty SAND : Light brown; dry; 60% sand 40% silt; low estimated plasticity; moderate to high estimated permeability.	4.0	
		CSB-19-S-5	5	ML		Clayey SILT with sand : Dark brown; damp; 75% silt, 10% sand, 10% gravel, 5% clay; medium estimated plasticity; low estimated permeability.	5.0	
				SP		At 7' Silt with gravel and sand; 75% silt, 10% sand, 10% silt, 5% clay; medium estimated plasticity; moderate estimated permeability.	8.0	
				CL		SAND : Dark brown; loose; moist; 50% sand, 30% gravel, 20% silt; high estimated permeability.	9.0	
		CSB-19-S-11	10	GW		CLAY : Dark Brown; soft; moist; 50% clay, 45% silt, 5% sand; high estimated plasticity; low to moderate estimated permeability.	10.0	
						Sandy GRAVEL : Dard brown; loose; moist; 50% gravel, 40% sand, 10% silt; high estimated permeability.	12.0	
		CSB-19-S-14	15	ML		Clayey SILT : Dark brown; hard; damp; 65% silt, 35% clay; low estimated plasticity; low estimated permeability.	15.0	
							16.5	

WELL LOG (PID) I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	CSB-20
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	20-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5			Asphalt	0.5	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 24 fbg</p>
		CSB-2 0-S-5	5	SW		SAND with gravel : Dark gray-green; moist; 50% medium to fine grained sand, 30% silt, 15% coarse gravel, 5% clay; moderate estimated permeability.		
		CSB-2 0-S-12	13.0	ML		Clayey SILT : Brown; 70% silt, 30% clay; medium estimated plasticity; low estimated permeability.	13.0	
		CSB-2 0-S-13.5	15.0	CL		Silty CLAY : Brown; stiff; 60% clay, 40% silt; moderate estimated plasticity; low estimated permeability.	15.0	
		CSB-2 0-S-15	16.0	ML		Blue staining to 20' Sandy SILT with gravel : Black; moist; 40% silt, 30% sand, 20% gravel, 10% clay; moderate to high permeability.	16.0	
		CSB-2 0-S-20	18.0	MH		Clayey SILT : Brown; soft; moist; 70% silt, 30% clay; moderate estimated plasticity; low estimated permeability.	18.0	
		CSB-2 0-S-22	22.0				22.0	
		CSB-2 0-S-23	23.0				23.0	
			24.0				24.0	

WELL LOG (PID) 119-1026-11GIN19-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	CSB-22
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	20-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
				SW		Medium grained SAND : Brown; moist; 100% sand; high estimated permeability.		<p>Portland Type I/II Cement</p>
		CSB-2 2-S-5	5				6.0	
				GP		GRAVEL : Dark gray-green; moist to wet; 75% gravel, 15% sand, 10% silt; high estimated permeability.		
		CSB-2 2-S-10	10					
				MH		Clayey SILT : Olive green; wet; 85% silt, 15% clay; low to medium plasticity; low permeability.	14.0	
				GP		GRAVEL : Dark gray-green; moist to wet; 75% gravel, 15% sand, 10% silt; high estimated permeability.	15.0	
							18.0	
				ML		Clayey SILT : Brown/green with staining; moist; 85% silt, 15% clay; medium estimated plasticity; low estimated permeability.		
		CSB-2 2-S-20	20				24.0	
								Bottom of Boring @ 24 fbg

WELL LOG (PID) I:\9-1026-1\GINT19-1026 2006 INVESTIGATION GPJ_DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWE-1
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push		
BORING DIAMETER	3	SCREENED INTERVALS	NA
LOGGED BY	C Evans	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Foss PG #7445	DEPTH TO WATER (Static)	NA

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.0			Asphalt and fill.	1.0	<p>Portland Type I/II Cement</p>
			4.0	ML		<u>SILT</u> : Light brown; dry; 80% silt, 10% clay, 10% silt; high estimated plasticity; low estimated permeability.		
		SWE-1-S-5	5.0	SM		<u>Silty SAND</u> : Light brown; dry; 55% sand, 40% silt, 5% clay; low estimated plasticity; moderate estimated permeability.		
		SWE-1-S-10	10.0			<u>Clayey SILT</u> : Light brown and black streaks with slight green staining; stiff; damp; 75% silt, 20% clay, 5% sand; high estimated plasticity; low estimated permeability.		
		SWE-1-S-15	15.0	MH				
		SWE-1-S-20	20.0			Green staining	20.0	Bottom of Boring @ 20 fbg

WELL LOG (PID) I:\9-1026-1\GINT19-1026 2006 INVESTIGATION.GPJ_DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	SWE-2
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt and baserock	1.0	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 20 fbg</p>
				ML		Sandy Clayey SILT : Light brown; stiff; dry; 50% silt, 30% sand, 20% clay; low estimated plasticity; very low estimated permeability.	3.0	
		SWE-2-S-5	5	SM		Silty SAND : Light brown; loose; damp; 60% sand, 35% silt, 5% clay; moderate estimated permeability.		
		SWE-2-S-10	10			Clayey SILT with sand : Brown; very stiff; dry; 50% silt, 30% clay, 20% sand; high estimated plasticity; low estimated permeability.	8.0	
		SWE-2-S-15	15	ML				
		SWE-2-S-20	20				20.0	

WELL LOG (PID) I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 11/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWE-3
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Concrete with rebar and fill.	1.0	
				SP		Silty SAND : Light brown; dry; 60% sand, 30% silt, 10% clay; medium estimated plasticity; high estimated permeability.	2.0	
				SW		SAND : Light brown; dry; 85% fine sand, 10% silt, 5% clay; high estimated permeability.	3.0	
		SWE-3 -S-5	5	SP		Silty SAND : Light brown; dry; 60% sand, 30% silt, 10% clay; medium estimated plasticity; high estimated permeability.	8.0	
0		SWE-3 -S-10	10			Sandy SILT : Brown; stiff; damp; 65% silt, 25% sand, 10% clay; high estimated plasticity; low estimated permeability.		
78		SWE-3 -S-15	15	MH		45% silt, 30% clay, 15% gravel, 10% sand.		
17		SWE-3 -S-20	20			Green staining; very stiff; 70% silt, 30% clay.		
						Olive green; 90% silt, 10% clay.	20.0	Bottom of Boring @ 20 fbg

WELL LOG (PID) I:\9-1026--1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	SWE-4/ CSB-1
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	22-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L. Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt and fill	1.0	
		SWE-4 -S-5 COMP-1	5	SM		<u>Silty SAND with clay</u> : Light brown; dry; 60% sand, 30% silt, 10% clay; medium to low estimated plasticity; moderate estimated permeability.	7.0	
				ML		<u>Clayey SILT with sand</u> : Brown; very stiff; dry; 60% silt, 35% clay, 5% sand; low estimated plasticity; very low estimated permeability.	9.0	
		SWE-4 -S-10 COMP-1	10	SC		<u>Clayey SAND with silt</u> : Brown; very stiff; dry; 60% silt, 20% clay, 20% sand; very low estimated plasticity; very low estimated permeability.	11.0	
				ML		<u>Clayey SILT with sand</u> : Brown; very stiff; dry; 65% silt, 30% clay, 5% sand; low estimated plasticity; low estimated permeability.	16.0	
584 114		COMP-13 SWE-4 -S-16	15	SM		<u>Silty SAND with clay</u> : Tan with gray staining; moderately stiff; moist; 50% silt, 30% clay, 20% fine grained sand; medium estimated plasticity; low estimated permeability.	20.0	
43		CSB-1 -S-19.5 SWE-4 -S-20	20	ML		<u>Clayey SILT</u> : Green; hard; dry; 70% silt, 30% clay; low estimated permeability.	22.0	
19		CSB-1 -S-22						

WELL LOG (PID) 1:19-1026-1\GININT9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	SWE-5
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0			Asphalt and fill.	1.0	<p>Bottom of Boring @ 20 fbg</p>
		SWE-5-S-5	5	SM		Silty SAND : Light brown; dry; 60% sand, 20% silt, 20% clay; high estimated plasticity; moderate estimated permeability.		
		SWE-5-S-10	10	ML		Clayey SILT with sand : Brown; very stiff; dry; 70% silt, 20% clay, 10% sand; high estimated plasticity; low estimated permeability.	9.0	
			12.0	MH		Sandy SILT with gravel : Brown; dry; 50% silt, 20% sand, 20% clay, 10% gravel; medium estimated permeability.	12.0	
		SWE-5-S-15	15	ML		Clayey SILT with sand : Brown; very stiff; dry; 70% silt, 20% clay, 10% sand; high estimated plasticity; low estimated permeability. Green staining; moist.	15.0	
		SWE-5-S-20	20				20.0	

WELL LOG (PID) I:19-1026-1\GINT19-1026 2006 INVESTIGATION.CPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWS-1
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	21-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt	0.5	<p>Portland Type I/II Cement</p> <p>Bottom of Boring @ 20 fbg</p>
						SAND and GRAVEL Fill	1.0	
				SM		Clayey SILT: Dark Brown to Black; 55% Silt, 40% Clay, 5% Sand. Stiff, Dry, High Plasticity, Low Permeability.	3.0	
				ML		SILT : Olive-Green; 80% silt, 10% clay, 10% sand; moist; moderate estimated plasticity; moderate estimated permeability.	4.0	
		SWS-1 -S-5	5	CL		Silty CLAY : Olive-green; 60% clay, 35% silt, 5% sand; very stiff; dry; high estimated plasticity; low estimated permeability.	5.0	
				ML			6.0	
				SP			6.0	
				CL		SAND : Light-brown; 65% sand, 20% silt, 10% clay, 5% gravel; moist; moderate estimated plasticity, moderate estimated permeability.	7.0	
						CLAY : Light brown; 75% clay, 20% silt, 5% sand; dry; high estimated plasticity; low estimated permeability.		
						Sandy Silt : Light brown; 60% silt, 30% fine-grained sand; 10% clay; hard; dry; very low permeability.		
		SWS-1 -S-10	10	SM			13.0	
						SILT : Brown; 65% sand, 20% silt, 10% clay, 5% gravel; hard; dry; low plasticity; very low permeability.		
						Olive green		
		SWS-1 -S-15	15	ML				
		SWS-1 -S-20	20				20.0	

WELL LOG (PID) I:\S-1026-1\GINT9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	SWS-2
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt	1.0	<p>Portland Type I/II Cement</p>
						Fill	2.0	
				ML		SILT : Dark olive-green; 90% silt, 10% sand; moist; moderate estimated plasticity; moderate estimated permeability.	4.0	
		SWS-2-S-5	5	SP SM		Silty SAND : Brown; 60% silt, 35% sand, 5% clay; moist; low estimated plasticity; high estimated permeability.	7.0	
				GM		Gravelly SAND : Olive-green; 60% sand, 40% gravel; moist; low estimated plasticity, high estimated permeability.	9.0	
0		SWS-2-S-10	10	SW SC		Clayey SAND : Dark brown; 65% sand, 15% clay, 10% silt, 10% gravel; moist; low estimated plasticity; high estimated permeability.	12.0	
				ML		Clayey SILT : Light brown to olive green; 70 % silt, 30% clay; moist; high estimated plasticity; low estimated permeability.	14.0	
98		SWS-2-S-15	15	SW SM		Silty SAND : Light brown to olive green; 45% sand, 40% silt, 15% clay; moist; moderate estimated plasticity, moderate estimated permeability.	17.0	
				ML		Clayey SILT : Light brown to olive green; 75% silt, 25% clay; moist; high estimated plasticity, low estimated permeability.	19.0	
		SWS-2-S-20	20	MH		SILT : Light brown to olive green; 90% silt, 10% clay; moist; moderate estimated plasticity, moderate estimated permeability.	20.0	
								Bottom of Boring @ 20 fbg

WELL LOG (PID) I:\9-1026-1\GINTY9-026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWS-3
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	23-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push		
BORING DIAMETER	3	SCREENED INTERVALS	NA
LOGGED BY	C Evans	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Foss PG #7445	DEPTH TO WATER (Static)	NA

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5			Asphalt	0.5	
			1.0			SAND and GRAVEL fill	1.0	
		SWS-3 -S-5	5	MH		<u>SILT</u> : Dark brown; 90% silt, 5% clay, 5% sand; high estimated plasticity; low estimated permeability.		
		SWS-3 -S-10	10	ML		<u>Clayey SILT</u> : Olive green; 65% silt, 35% clay, 5% sand; dry; very stiff; low to moderate estimated plasticity; low estimated permeability.	9.0	← Portland Type I/II Cement
		SWS-3 -S-15	15	CL		<u>Silty CLAY</u> : Green; 50% clay, 50% silt; stiff; moist; moderate estimated plasticity; low estimated permeability.	16.0	
			18.0	ML		<u>Clayey SILT</u> : Green; 65% silt, 25% clay, 10%	18.0	
			18.5	SM		fine-grained sand; soft; moist; low estimate plasticity; moderate estimated permeability.	18.5	
		SWS-3 -S-20	20	CL		<u>Silty SAND</u> : Green; 50% sand, 40% silt, 10% clay; loose; wet; high estimated permeability.	19.0	
			20.0			<u>CLAY</u> : Green; 60% clay, 40% silt; stiff; moist; moderate estimated plasticity; low estimated permeability.	20.0	Bottom of Boring @ 20 fbg

WELL LOG (PID) I:\9-1026-1\GINT19-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Management Company	BORING/WELL NAME	SWS-4
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L.Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						6" concrete and 6" fill sand	1.0	<p>Portland Type I/II Cement</p>
		SWS-4 -S-5	5	SP		SAND : Fine Grained; dark gray-green; moist; 60% clay, 35% silt, 5% sand; high estimated plasticity; low estimated permeability.	5.0	
				SM		SAND : Fine Grained; olive green; moist; 50% sand, 45% silt, 5% clay; low estimated plasticity; high estimated permeability.	7.0	
		SWS-4 -S-10	10	CL		CLAY : Dark brown; hard; damp; 60% clay, 35% silt, 5% sand; low estimated plasticity; low estimated permeability.	14.0	
		SWS-4 -S-15	15	ML		SILT : Dark brown; hard; damp; 60% silt, 40% clay; low estimated plasticity; low estimated permeability.	18.5	
				SM		Silty SAND : Dark green; loose; wet; 50% sand, 30% silt, 10% clay; low estimated plasticity; high estimated permeability.	19.5	
				CL		CLAY : Dark green; stiff; moist; 55% clay, 45% silt; moderate estimated plasticity; low-moderate estimated permeability.	20.0	
		SWS-4 -S-20	20	SM		Silty SAND : Dark green; loose; wet; 50% sand, 30% silt, 10% clay; low estimated plasticity; high estimated permeability.		

WELL LOG (PID) : I:9-1026-1\GINT19-1026 2006 INVESTIGATION.CPJ DEFAULT GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWS-5
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	24-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	L. Genin	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0			Asphalt to gravelly sand with silt.	1.0	
		SWS-5-S-5	5	ML		<u>Clayey SILT</u> : Olive brown; dry; 60% silt, 40% clay; high estimated plasticity; low estimated permeability.		
		SWS-5-S-10	10	ML		<u>Clayey SILT</u> : Brown; very stiff; dry; 70% silt, 30% clay; low estimated plasticity; low estimated permeability. Light olive green.		
		SWS-5-S-15	15	CL		<u>Silty CLAY</u> : Olive green; stiff; damp; 55% clay, 45% silt; moderate estimated plasticity; low estimated permeability.	15.0	
			17.0	ML		<u>Clayey SILT</u> : Tan with green; hard; dry; 60% silt, 40% clay; low estimated plasticity; low estimated permeability.	17.0	
			18.0	CL		<u>Silty CLAY</u> : Tan; stiff; moist; 60% clay, 40% silt; medium estimated plasticity; low estimated permeability.	18.0	
			20.0				20.0	Bottom of Boring @ 20 fbg

WELL LOG (PID) H:9-1026-1GINTS-1026 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWS-6
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push		
BORING DIAMETER	3	SCREENED INTERVALS	NA
LOGGED BY	C Evans	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Foss PG #7445	DEPTH TO WATER (Static)	NA

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt and fill.	1.0	
				SP		SAND : Medium grained; damp; 85% sand, 10% silt, 5% clay; low estimated plasticity, high estimated permeability.	4.0	
		SWS-6 -S-5	5	SM		Silty SAND : Light brown; medium grained; 60% sand, 30% silt, 10% clay; medium estimated plasticity; moderate estimated permeability.		
		SWS-6 -S-10	10	CH		Silty CLAY : Light brown; very stiff; moist; 60% clay, 40% silt; high estimated plasticity; low estimated permeability.	9.0	
		SWS-6 -S-15	15	ML		Clayey SILT : Olive green; moderate to soft; moist; 75% silt, 20% clay, 5% sand; high estimated plasticity; low estimated permeability.	13.0	
43		SWS-6 -S-20	20				20.0	

WELL LOG (PID) I:\9-1026-1\GINITY9-1026 2006 INVESTIGATION.GPJ_DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWS-7
JOB/SITE NAME	9-1026	DRILLING STARTED	21-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	28-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Asphalt and fill.	1.0	
		SWS-7-S-5	5	SM		Silty SAND : Light brown; dry; 60% sand, 30% silt, 10% clay; low estimated plasticity; moderate estimated permeability.		
		SWS-7-S-10	10	MH		Clayey SILT : Light brown; soft; moist; 80% silt, 10% clay, 10% sand; high estimated plasticity; low estimated permeability.	9.0	
				CH		Silty CLAY : Light brown; very stiff; moist; 60% clay, 40% silt; high estimated plasticity; low estimated permeability.	11.0	← Portland Type I/II Cement
				MH		Clayey SILT : Light brown; soft; moist; 50% silt, 30% clay, 20% sand; moderate estimated plasticity; moderate estimated permeability.	13.0	
		SWS-7-S-15	15	CH		Silty CLAY : Light brown; moist; 60% clay, 40% silt; high estimated plasticity; low estimated permeability.	14.0	
				MH		Clayey SILT : Olive green; soft; moist; 90% silt, 10% clay; medium estimated plasticity; moderate estimated permeability; gradational contact; expansive clays.	15.0	
		SWS-7-S-20	20				20.0	Bottom of Boring @ 20 fbg

WELL LOG (PID) 1:9-1026-1GINT19-1026 2006 INVESTIGATION.GPJ DEFAULT GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWW-1
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	21-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM	
						Asphalt	0.5		
						Baserock	1.5		
		SWW-1-S-5	5	ML		Clayey SILT : Dark Reddish Brown; 65% Silt, 30% Clay, 5% Sand. Stiff, Dry, Low Plasticity, Low Permeability. Clayey SILT :Black: 50% Silt, 45% Clay, 5% Sand. Stiff, Moist, Low Plasticity, Low to Moderate Permeability.	6.0		
				SP		Clayey SILT :Light Red-Brown with Green Mottling: 60% Silt, 30% Clay, 10% Fine-Grained Sand. Stiff, Damp, Low Plasticity, Low to Moderate Permeability. Silty Clayey SAND :Light Red-Brown: 60% Sand, 20% Clay, 20% Silt. Damp, Moderate Plasticity, Moderate Permeability.	8.0		
				ML		Clayey SILT :Dark Brown: 65% Silt, 25% Clay, 10% Fine-Grained Sand. Firm, Damp, Moderate Plasticity, Moderate Permeability. Silty SAND :Olive-Green: 55% Fine-Grained Sand, 35% Silt, 10% Clay. Firm, Dry, Moderate Plasticity, Moderate Permeability; Trace Gravel.	9.0		
		SWW-1-S-11	10	SM			Clayey SILT :Olive-Green: 60% Silt, 40% Clay. Stiff, Dry, Low Plasticity, Low Permeability. Clayey SILT :Olive-Green: 45% Silt, 45% Clay, 10% Sand. Very Stiff, Dry, Low Plasticity, Low Permeability. Clayey SILT :Olive-Green: 50% Silt, 50% Clay. Stiff, Dry, Moderate Plasticity, Low Permeability.		10.0
				ML		Clayey SILT :Tan: 50% Silt, 50% Clay. Stiff, Dry, Moderate Plasticity, Low Permeability.	15.0		
		SWW-1-S-15	15				20.0		
									Bottom of Boring @ 20 fbg
		SWW-1-S-20	20						


WELL LOG (PID) I:19-1026-1\GINTY9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWW-2
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	20-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			



WELL LOG (PID) I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWW-3
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	21-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push		
BORING DIAMETER	3	SCREENED INTERVALS	NA
LOGGED BY	C Evans	DEPTH TO WATER (First Encountered)	NA
REVIEWED BY	B. Foss PG #7445	DEPTH TO WATER (Static)	NA

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
			0.5			Asphalt	0.5	<p>Portland Type I/II Cement</p>
			1.0			GRAVEL Fill	1.0	
						SAND : Tan to Brown: 100% Very Clean Sand. Dry, Low Plasticity, High Permeability.		
			5	SP		SAND : Tan to brown; 100% very clean sand; moist; low plasticity; high permeability.		
		SWW-3-S-5				SAND with gravel : Tan to Brown: 80% Very Clean Sand, 20% Gravel. Moist, Low Plasticity, High Permeability.	7.0	
						SAND : Dark Brown to Red-Brown: 35% Silt, 30 % Sand, 20% Gravel, 15% Clay. Wet, Low Plasticity, High Permeability.		
67		SWW-3-S-10	10	SM				
						Clayey SILT : Gray-Green with Brown Mottling: 80% Very Clean Sand, 50% Silt, 45% Clay, 5% Sand. Very Stiff, Dry, Low Plasticity, Low Permeability.	12.0	
45		SWW-3-S-15	15	ML				
						Silty SAND : Gray: 60% Fine-Grained Sand, 40% Silt. Loose, Wet, Medium Permeability.	20.0	
275		SWW-3-S-20	20	SM				
						Clayey SILT : Tan: 60% Silt, 40% Clay. Stiff, Dry.	22.0	
						Silty SAND : Tan: 60% Fine-Grained Sand, 40% Silt. Dense, Moist, Low Permeability.	23.0	
		SWW-3-S-24	24	SM			24.0	
								Bottom of Boring @ 24 fbg

WELL LOG (PID) 119-1026-1101NT19-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWW-4
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	21-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		
REMARKS			

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
						Concrete	1.0	Bottom of Boring @ 4 fbg
				ML		Clayey SILT : Very Dark Red-Brown: 60% Silt, 30% Clay, 10% Sand. Dry, Low Plasticity, Low Permeability.	4.0	
						Refusal @ 4 ft. Re-Drill Boring 5 ft East. Refusal on Re-Drill @ 4 ft.		

WELL LOG (PID) I:\9-1026-1\GINT\9-1026 2006 INVESTIGATION.GPJ DEFAULT.GDT 1/23/07



Cambria Environmental Technology, Inc.
 5900 Hollis Street, Suite A
 Emeryville, CA 94608
 Telephone: 510-420-0700
 Fax: 510-420-9170

BORING/WELL LOG

CLIENT NAME	Chevron Environmental Managment Company	BORING/WELL NAME	SWW-5
JOB/SITE NAME	9-1026	DRILLING STARTED	20-Jun-06
LOCATION	3701 Broadway, Oakland, CA	DRILLING COMPLETED	22-Jun-06
PROJECT NUMBER	31J-1959	WELL DEVELOPMENT DATE (YIELD)	NA
DRILLER	Woodward Drilling Co., C57 #710079	GROUND SURFACE ELEVATION	Not Surveyed
DRILLING METHOD	Hydraulic push	SCREENED INTERVALS	NA
BORING DIAMETER	3	DEPTH TO WATER (First Encountered)	NA
LOGGED BY	C Evans	DEPTH TO WATER (Static)	NA
REVIEWED BY	B. Foss PG #7445		

REMARKS

PID (ppm)	BLOW COUNTS	SAMPLE ID	EXTENT	DEPTH (fbg)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH (fbg)	WELL DIAGRAM
				0.5			Concrete	0.5	<p>Bottom of Boring @ 20 fbg</p>
				1.0			GRAVEL and SAND Fill	1.0	
				5	ML		<u>SILT with sand and gravel</u> : Mottled Brown to Red-Brown: 50% Silt, 20% Sand, 20% Gravel, 10% Clay. Dry, High Plasticity, Moderate Permeability.		
		SWW-5 -S-5		5					
				8.0			<u>SILT with sand and gravel</u> : Mottled Red/Tan/Dark Brown: 50% Silt, 25% Gravel, 15% Sand, 10% Clay. Moist.	8.0	
				10			<u>Sandy SILT</u> : Dark Brown: 45% Silt, 40% Sand, 10% Clay. Soft, Moist, Moderate Plasticity, Moderate Permeability.		
		SWW-5 -S-10		10					
				12.0			<u>Silty CLAY with gravel</u> : Olive Green: 40% Clay, 40% Silt, 10% Sand, 10% Gravel. Very Stiff, Moist, Moderate to High Plasticity, Moderate Permeability.	12.0	
				15	CL				
		SWW-5 -S-15		15					
				17.0			<u>Clayey SILT</u> : Tan: 60% Silt, 30% Clay. Very Stiff, Dry, Low Plasticity, Low Permeability.	17.0	
				20					
		SWW-5 -S-20		20					

WELL LOG (PID) 119-1026-1GINTY9-1026 2006 INVESTIGATION GPJ DEFAULT.GDT 1/23/07

634
3.6

APPENDIX C

LABORATORY REPORT FOR SAMPLE SB2

Gas/BTEXFuel Oxygenates by 8260B

SECOR- Lafayette

Attn.: Neil Doran

57 Lafayette Circle, 2nd Floor

Lafayette, CA 94549-4321

Phone: (925) 299-9300 Fax: (925) 299-9302

Project: 050T.50113

Kaiser FHP

Received: 01/09/2004 17:10

Site: 3701-3757 Broadway, Oakland, CA

Prep(s): 5030B	Test(s): 8260B
Sample ID: SB2-V	Lab ID: 2004-01-0272 - 41
Sampled: 01/08/2004 10:20	Extracted: 1/10/2004 11:06
Matrix: Air	QC Batch#: 2004/01/10-1C.62

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	98	50	ug/L	1.00	01/10/2004 11:06	
Surrogate(s)						
1,2-Dichloroethane-d4	90.9	76-114	%	1.00	01/10/2004 11:06	
Toluene-d8	98.6	88-110	%	1.00	01/10/2004 11:06	

Volatile Organic Compounds by 8260B (Low Level)

SECOR- Lafayette

Attn.: Neil Doran

57 Lafayette Circle, 2nd Floor

Lafayette, CA 94549-4321

Phone: (925) 299-9300 Fax: (925) 299-9302

Project: 050T.50113

Kaiser FHP

Received: 01/09/2004 17:10

Site: 3701-3757 Broadway, Oakland, CA

Prep(s): 5030B
 Sample ID: SB2-V
 Sampled: 01/08/2004 10:20
 Matrix: Air

Test(s): 8260B
 Lab ID: 2004-01-0272 - 41
 Extracted: 1/10/2004 12:42
 QC Batch#: 2004/01/10-01.05

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
MTBE	ND	5.0	ug/L	1.00	01/10/2004 12:42	
Acetone	ND	50	ug/L	1.00	01/10/2004 12:42	
Benzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Bromodichloromethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Bromobenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Bromochloromethane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Bromoform	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Bromomethane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
2-Butanone(MEK)	ND	50	ug/L	1.00	01/10/2004 12:42	
n-Butylbenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
sec-Butylbenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
tert-Butylbenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Carbon disulfide	ND	5.0	ug/L	1.00	01/10/2004 12:42	
Carbon tetrachloride	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Chlorobenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Chloroethane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
2-Chloroethylvinyl ether	ND	5.0	ug/L	1.00	01/10/2004 12:42	
Chloroform	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Chloromethane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
2-Chlorotoluene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
4-Chlorotoluene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Dibromochloromethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,2-Dichlorobenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,3-Dichlorobenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,4-Dichlorobenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,3-Dichloropropane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
2,2-Dichloropropane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,1-Dichloropropene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1.00	01/10/2004 12:42	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

01/15/2004 15:02

Volatile Organic Compounds by 8260B (Low Level)

SECOR- Lafayette

Attn.: Neil Doran

 57 Lafayette Circle, 2nd Floor
 Lafayette, CA 94549-4321
 Phone: (925) 299-9300 Fax: (925) 299-9302

 Project: 050T.50113
 Kaiser FHP

Received: 01/09/2004 17:10

Site: 3701-3757 Broadway, Oakland, CA

Prep(s): 5030B	Test(s): 8260B
Sample ID: SB2-V	Lab ID: 2004-01-0272 - 41
Sampled: 01/08/2004 10:20	Extracted: 1/10/2004 12:42
Matrix: Air	QC Batch#: 2004/01/10-01.06

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
1,2-Dibromoethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Dibromomethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Dichlorodifluoromethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,1-Dichloroethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,2-Dichloroethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,1-Dichloroethene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
cis-1,2-Dichloroethene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
trans-1,2-Dichloroethene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,2-Dichloropropane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
cis-1,3-Dichloropropene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
trans-1,3-Dichloropropene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Ethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Hexachlorobutadiene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
2-Hexanone	ND	50	ug/L	1.00	01/10/2004 12:42	
Isopropylbenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
p-Isopropyltoluene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Methylene chloride	ND	5.0	ug/L	1.00	01/10/2004 12:42	
4-Methyl-2-pentanone (MIBK)	ND	50	ug/L	1.00	01/10/2004 12:42	
Naphthalene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
n-Propylbenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Styrene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Tetrachloroethene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Toluene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1.00	01/10/2004 12:42	
1,1,1-Trichloroethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,1,2-Trichloroethane	ND	0.50	ug/L	1.00	01/10/2004 12:42	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

01/15/2004 15:02

Volatile Organic Compounds by 8260B (Low Level)

SECOR- Lafayette

Attn.: Neil Doran

57 Lafayette Circle, 2nd Floor
Lafayette, CA 94549-4321

Phone: (925) 299-9300 Fax: (925) 299-9302

Project: 050T.50113
Kaiser FHP

Received: 01/09/2004 17:10

Site: 3701-3757 Broadway, Oakland, CA

Prep(s): 5030B	Test(s): 8260B
Sample ID: SB2-V	Lab ID: 2004-01-0272 - 41
Sampled: 01/08/2004 10:20	Extracted: 1/10/2004 12:42
Matrix: Air	QC Batch#: 2004/01/10-01.06

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Trichloroethene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Trichlorofluoromethane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Trichlorotrifluoroethane	ND	1.0	ug/L	1.00	01/10/2004 12:42	
1,2,4-Trimethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
1,3,5-Trimethylbenzene	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Vinyl acetate	ND	25	ug/L	1.00	01/10/2004 12:42	
Vinyl chloride	ND	0.50	ug/L	1.00	01/10/2004 12:42	
Total xylenes	ND	1.0	ug/L	1.00	01/10/2004 12:42	
Surrogate(s)						
4-Bromofluorobenzene	109.5	86-115	%	1.00	01/10/2004 12:42	
1,2-Dichloroethane-d4	97.8	76-114	%	1.00	01/10/2004 12:42	
Toluene-d8	101.3	88-110	%	1.00	01/10/2004 12:42	

81901

Chain-of Custody Number:

SECOR Chain-of Custody Record 2004-01-0272

Field Office: 05-San Francisco 925.299.9300


Additional documents are attached, and are a part of this Record.

Address: 57 Lafayette Cr. 2nd Floor
Lafayette CA 94549

Job Name: Kaiser F.H.P.
Location: 3701-3757 Broadway
Oakland, CA

Project # 050T.50133 Task # _____
Project Manager Neal Doran
Laboratory STL
Turnaround Time spot

Analysis Request

Sampler's Name Bob Robitaille
Sampler's Signature 

Sample ID	Date	Time	Matrix	HClD	TPHs/ TPHs 8015 (modified)/8020	TPHs/WTPH-D 8015 (modified)	TPH 418.1/WTPH 418.1	Aromatic Volatiles 602/8020	Volatiles Organics 601/8010 (GC/MS) <u>8260</u>	Halogenated Volatiles 601/8010	Semi-volatile Organics 625/8270 (GC/MS)	Pesticides/PCBs 608/8080	Total Lead 7421	Priority Pollutant Metals (13)	TCLP Metals	Comments/Instructions	Number of Containers
SB2-V	8 Jan 04	1020	vapor		X				X								2
SB5-V	↓	1430	↓		X				X								2
SB7-V	9 Jan 04	1010	↓		X				X								2

Special Instructions/Comments:

Relinquished by: _____ Sign _____ Print _____ Company _____ Time _____ Date _____	Received by: <u>Stew</u> Sign _____ Print _____ Company _____ Time <u>1620</u> Date <u>1/9/04</u>	Sample Receipt	
	Relinquished by: <u>Stew</u> Sign _____ Print _____ Company _____ Time <u>1710</u> Date <u>1/9/04</u>	Received by: <u>Wanda K. Robitaille</u> Sign _____ Print _____ Company <u>STL-SF</u> Time <u>1620</u> Date <u>1/9/04</u>	Total no. of containers: _____
		Rec'd in good condition/cold: _____	Conforms to record: _____
		Client: _____	Client Contact: _____
		Client Phone: _____	

SECOR CUSTREC Rev. 2/99

APPENDIX D

LOW-THREAT CLOSURE CHECK LIST

Site meets the criteria of the Low-Threat Underground Storage Tank (UST) Case Closure Policy as described below.¹

<p><u>General Criteria</u> General criteria that must be satisfied by all candidate sites:</p> <p>Is the unauthorized release located within the service area of a public water system?</p> <p>Does the unauthorized release consist only of petroleum?</p> <p>Has the unauthorized (“primary”) release from the UST system been stopped?</p> <p>Has free product been removed to the maximum extent practicable?</p> <p>Has a conceptual site model that assesses the nature, extent, and mobility of the release been developed?</p> <p>Has secondary source been removed to the extent practicable?</p> <p>Has soil or groundwater been tested for MTBE and results reported in accordance with Health and Safety Code Section 25296.15?</p> <p>Does nuisance as defined by Water Code section 13050 exist at the site?</p> <p>Are there unique site attributes or site-specific conditions that demonstrably increase the risk associated with residual petroleum constituents?</p>	<p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>
<p><u>Media-Specific Criteria</u> Candidate sites must satisfy all three of these media-specific criteria:</p> <p>1. Groundwater: To satisfy the media-specific criteria for groundwater, the contaminant plume that exceeds water quality objectives must be stable or decreasing in areal extent, and meet all of the additional characteristics of one of the five classes of sites:</p> <p>Is the contaminant plume that exceeds water quality objectives stable or decreasing in areal extent?</p> <p>Does the contaminant plume that exceeds water quality objectives meet all of the additional characteristics of one of the five classes of sites?</p> <p>If YES, check applicable class: <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input checked="" type="checkbox"/> 5</p>	<p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA</p>

¹ Refer to the Low-Threat Underground Storage Tank Case Closure Policy for closure criteria for low-threat petroleum UST sites.

<p>For sites with releases that have not affected groundwater, do mobile constituents (leachate, vapors, or light non-aqueous phase liquids) contain sufficient mobile constituents to cause groundwater to exceed the groundwater criteria?</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA</p>
<p>2. Petroleum Vapor Intrusion to Indoor Air: The site is considered low-threat for vapor intrusion to indoor air if site-specific conditions satisfy all of the characteristics of one of the three classes of sites (a through c) or if the exception for active commercial fueling facilities applies.</p> <p>Is the site an active commercial petroleum fueling facility? Exception: Satisfaction of the media-specific criteria for petroleum vapor intrusion to indoor air is not required at active commercial petroleum fueling facilities, except in cases where release characteristics can be reasonably believed to pose an unacceptable health risk.</p> <p>a. Do site-specific conditions at the release site satisfy all of the applicable characteristics and criteria of scenarios 1 through 3 or all of the applicable characteristics and criteria of scenario 4? If YES, check applicable scenarios: <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4</p> <p>b. Has a site-specific risk assessment for the vapor intrusion pathway been conducted and demonstrates that human health is protected to the satisfaction of the regulatory agency?</p> <p>c. As a result of controlling exposure through the use of mitigation measures or through the use of institutional or engineering controls, has the regulatory agency determined that petroleum vapors migrating from soil or groundwater will have no significant risk of adversely affecting human health?</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA</p>
<p>3. Direct Contact and Outdoor Air Exposure: The site is considered low-threat for direct contact and outdoor air exposure if site-specific conditions satisfy one of the three classes of sites (a through c).</p> <p>a. Are maximum concentrations of petroleum constituents in soil less than or equal to those listed in Table 1 for the specified depth below ground surface (bgs)?</p> <p>b. Are maximum concentrations of petroleum constituents in soil less than levels that a site specific risk assessment demonstrates will have no significant risk of adversely affecting human health?</p> <p>c. As a result of controlling exposure through the use of mitigation measures or through the use of institutional or engineering controls, has the regulatory agency determined that the concentrations of petroleum constituents in soil will have no significant risk of adversely affecting human health?</p>	<p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA</p>