5182 C & L Trucking Company, P. O. Box 1436, Orinda, CA 94563 Site address: 2460 Wood Street, Oakland, CA 94607

- 12/5/95 Review file for TP. This file was found by Pam Evans, hasn't been looked at since 1/1991. Two addresses are associated with this site, 1700 24th Street (STID 3773) and 2460 Wood Street (5182). Sample results indicated elevated levels of TPHd and note to file indicates that it was transferred to LOP on 3/6/92 (as STID 3773 by Kevin ?). Site must be on a corner lot of 24th and Wood Streets.
- 12/7/95 Calls to C & L Trucking and Comer Petroleum Equipment Company- both numbers from file have been disconnected. Researched this office's assessors records and these sites are listed under the two physical addresses given. Previous owners are reportedly Ralph and Janice With of C & L Trucking. May 18, 1990 letter from Dennis Byrne requesting that a underground tank closure plan be submitted and soil sampling be performed, since this tank was never permitted by the City of Oakland and was removed without notice to any public agencies. Dep/Ref check for \$333.00 was deposited. Draft letter requesting additional information on status of site. Had Connie check Hazmat database to find out if STID 3773 is correct, and whether it has been transferred to LOP. It wasn't transferred. The address 2460 Wood Street is identified by STID 5182. The address 1700 24th Street is identified by STID 3773. Had Connie transfer site to LOP under 2460 Wood Street-STID 5182. Need to identify RP(s) and sent NORs

Review assessors records after driving by site to document location for assessors parcel map. Assessors office information states that Ralph and Janice With own parcel # 7-580-3-1 which is referenced to a 2403 Willow Street address. This site occupies approximately ½ block along Wood, 24th and Willow Streets. Current use is heavy industrial as a terminal for cargo trucks. Could not determine where former UST was located, since there were numerous flat beds and tractor-trailers parked on the premises, and the site was extremely busy with the loading and offloading of trucks. Directly across the street is Pacific Supply Company which is referenced in the notes as having data showing a westerly groundwater gradient for that site. Send NORs to Ralph and Janice With, 228 The Knoll, Orinda, CA 94563.

Draft of letter requesting work plan and ULR report.

- 12/8/95 Final draft of letter requesting work plan and additional information.
- 12/ Call from Janice With concerning site. Asked her for any additional information concerning site, and she stated that monitoring wells were indeed installed, but that she could no longer find any information in her files. She stated that she would look for any information on the supposedly two wells which were installed by Comer Petroleum?

1/2/96 Call from/to/from Bruce Hageman concerning additional work to be required on this site. Told him that monitoring wells would need to be sampled and analyzed for target compounds (TPHd and BTEX).

UPDATE MARINAT DATABASE 1/8/96

carolyn Matilheary

.

C+L Tracking 1600 ppm 120 ppm

DATE 12/28 TIME 10:50 A.M. MMIKE OFGMERSENG PHONEG25-209/ PHONEG25-209/ AREA CODE NUMBER EXTENSION TELEPHONED PLEASE CALL CAME TO SEE YOU RUEH RETURNED YOUR CALL SPECIAL ATTENTION MESSAGE 	Λ.	ANT MF BAGE	
M	12		
OF	DATE	100 TIME 10:00	P.M.
PHONE AREA CODE NUMBER EXTENSION TELEPHONED PLEASE CALL CAME TO SEE YOU WILL CALL AGAIN WANTS TO SEE YOU RUSH RETURNED YOUR CALL SPECIAL ATTENTION MESSAGE USA TRUCK WATER USA TRUCK WATER USA TRUCK WATER USA TRUCK	M	ILE E	
AREA CODE NUMBER Extension TELEPHONED PLEASE CALL CAME TO BEE YOU WILL CALL AGAIN WANTS TO SEE YOU RUSH RETURNED YOUR CALL SPECIAL ATTENTION MESSAGE (25 L TRUK) WATER TESTED HIGH 1600 \$ 1800 000000000000000000000000000000	OF(<i>01</i>	IERS DNG.	
TELEPHONED PLEASE CALL CAME TO SEE YOU WILL CALL AGAIN WANTS TO SEE YOU RUSH RETURNED YOUR CALL SPECIAL ATTENTION MESSAGE C & L TRUCK WATTER Image: Comparison of the second sec			NSION
WANTS TO SEE YOU RUSH RETURNED YOUR CALL SPECIAL ATTENTION MESSAGE 	TELEPHONED	ere de la II l'acesser de la colla da colla de la colla da colla da colla da colla da colla da colla da colla d	
RETURNED YOUR CALL SPECIAL ATTENTION MESSAGE WATTER WATTER TESTED HIGH 1600 \$ 1800 papers - PP6	CAME TO SEE YOU	WILL CALL AGAIN	
MESSAGE	WANTS TO SEE YOU	RUSH	58.22
WATER WATER TESTED HIGH 1600 \$ 1800 PARTS - PP6	RETURNED YOUR CALL	SPECIAL ATTENTION	1.5.24
	U	1800 PARIS - P/	26

1/2/91 conversition with Mike Comers concerning C+C Trucking. 625-2021 1600 + 1800 pp 5 is water (TPH-D) is excavation. Discasion of well action, Two wells proposed, I to east (clean) and to west of tonte site, greed on basis of Pacific Supply data showing westerly gradient. Some discusion of well installation details, Boring logs not to be produced as shallow ground water and sandy nature at backfill make backhow most efficient mechanism to use. I oked with caption that well construction details will have to be well-docamented and that date from wells mus the rist of being rejected by Board as unrepresentative at some future dote.

<u></u>				
To Dennie	л			
Date 9-6-90 Time 1:46				
While Yo	While You Were Out			
	\cap			
M_IVILE	Uner C	t 0.1		
of Comer	Jen. Z	-quipment		
Phone	NUMBER	EXTENSION		
	NUMBER	EATENSION		
TELEPHONED	PLEASE C	ALL		
CALLED TO SEE YOU	WILL CA			
WANTS TO SEE YOU	URGENT			
RETURNED	YOUR CALL			
Message got to st results back				
	nucky	10		
An of the	nucles	7 1		
	Operator L			

CARDINAL 4C200

V Zth trucking 285 140 toursdi street 1600 " you excavated 25-30" i below the ND (415) Mitte Comer 625-2021