

Nowell, Keith, Env. Health

Subject: RO514- Pacific Supply
Entry Type: Phone call

Start: Mon 3/25/2013 11:36 AM
End: Mon 3/25/2013 11:46 AM
Duration: 10 minutes

I returned a voicemail message from Ms. Normita Callison re Pacific Supply- RO514. She was inquiring to the status of the site as she had a call from the CUF. We reviewed the 5-yr review process and our not forwarding a 2010 Directive letter which was apparently sent to out-of-date addresses for both the RP and the consultant. I explained as the site was in 5-yr review and we disagreed with the CUF, we could not ask for additional work. I said the forwarding of the 2010 DIR could be taken as a request for work, which was inappropriate at this time. Ms. Callison said the CUF informed her it would review the case by sometime in May. I outlined the ACEH position for two data gaps- vapor intrusion and preferential pathways. The decision of the CUF would determine if these data gaps would be addressed.

Ms. Callison and I agreed we were on the same page as to the status of current work- nothing to perform other than any regularly scheduled well monitoring, and that we would be in touch following the May CUF decision.

In a follow up call I mentioned the ACEH response to the CUF Second 5-yr Review was posted on Geotracker and is dated 9/20/2012. I also mentioned that reports prepared for Pacific Supply frequently experience a delay between issuance and upload. I explained the CUF uses Geotracker for their source of data, and it was important to make sure all of their reports have been provided to Geotracker. Ms. Callison said Geotracker upload was complete but that she'd follow up to make sure nothing was left out.