



RECEIVED

9:13 am, Sep 10, 2012

Alameda County
Environmental Health

September 06, 2012

Mr. Keith Nowles
Alameda County Environmental Health Services Agency
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

**RE: 2011 First Semi-Annual Groundwater Monitoring Report –January 2011
Pacific Supply Oakland
1735 24th Street
Oakland, CA 94607**

Dear Mr. Keith Nowles:

Attached is the Groundwater Monitoring Report –June 2011 dated October 14, 2010 describing the semi-annual groundwater monitoring at the above address performed by Brunsing Associates.

I declare under penalty of perjury that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions regarding this report, please contact William Coset of Brunsing Associates at (707) – 838 -3027, myself at (916) 645 -2568 (direct line) or (916)835 -6207 (cell number).

Sincerely,

Normita G. Callison

Normita G. Callison, REM
Environmental Consultant
For: PCCI and Subsidiaries

Enclosure
Groundwater Monitoring Report –January 2011

**10600 White Road, Rancho Cordova, CA 95670
Tel No. (916) 631 – 6559 • Mobile No. (916) 835 -6207**



October 13, 2011

Project No. 029

Mr. Paresh C. Khatri
Alameda County Health Care Services Agency
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Groundwater Monitoring Report-January 2011
Pacific Supply Company
1735 24th Street
Oakland, California

Dear Mr. Khatri:

This report has been prepared by Brunsing Associates, Inc. (BAI) to provide a summary of the fieldwork completed at 1735 24th Street, Oakland, California (Plate 1) and the corresponding laboratory analytical results reported for groundwater samples collected during this semi-annual monitoring event. Fieldwork was conducted at the site on January 31 and February 1, 2011. The fieldwork was completed in accordance with the Alameda County Health Care Services Agency (ACHCSA) correspondence dated November 6, 2003.

The conclusions regarding this property are based on observations of existing conditions, and limited sampling and analytical work performed by BAI and its subcontractors during the time of the investigation, and may be subject to change. Tabulated analytical data and other data gathered during this and previous BAI investigations, and presented herein, are to the best of our knowledge complete and correct. This report has been presented in accordance with generally accepted environmental engineering principals and practices. No other warranty, either expressed or implied, is made.

Site Background

In May 1987, efforts were initiated to abandon a 1,000-gallon underground gasoline storage tank at Pacific Supply Company's West Oakland site. Soil and associated vapor samples from exploratory boreholes at the site were analyzed by Anatec Laboratories. The results indicated that soil in the vicinity of the tank was contaminated with gasoline and raised the possibility that

gasoline may have reached groundwater below the site. During subsequent removal of the tank by Erikson Industrial Services, substantial deterioration of the tank body was documented. Gasoline odors were also detected during tank removal operations.

In order to assess the extent of soil and groundwater quality beneath and immediately adjacent to the Pacific Supply Company site and the potential for migration of contaminants from off-site sources, BAI carried out a two-phase soil and groundwater investigation. Monitoring wells MW-1 through MW-5 (Plate 2) were constructed in September 1988 as the first phase of the soil and groundwater investigation. Monitoring wells MW-6 and MW-7 were constructed on December 19, 1989 during Phase II of the same investigation. The construction and sampling of these wells are documented in BAI's "Report of Findings", dated March 23, 1990. The results of the Phase I and II investigations indicated that light petroleum hydrocarbons had migrated beyond the immediate vicinity of the former underground storage tank (UST); however, it was concluded that hydrocarbons in the soil and groundwater had not extended beyond the limits of the property.

The Pacific Supply Company initiated quarterly groundwater monitoring at the request of the ACHCSA in May 1992. Initially, only on-site wells were monitored for total petroleum hydrocarbons (TPH) as gasoline, benzene, toluene, ethylbenzene and xylenes (BTEX), and lead. Later, the five on-site and the two off-site wells were monitored quarterly.

A vapor extraction pilot study was performed in June 1992 to determine the feasibility of using vapor extraction technology as an in-situ corrective action to remove volatile petroleum hydrocarbons from the shallow subsurface soils. A two-inch diameter vapor extraction well (VEW-1) was installed at the location indicated on Plate 2 to an approximate depth of 8 feet below ground surface (bgs). The results of the 4-day pilot study indicated that the lithology at the site permitted the flow of air through the soils at a sufficient rate so as to volatilize hydrocarbon constituents in the soil. The radius of influence was determined in the field by measuring the relative pressure at several probe locations positioned at various radial distances away from the extraction well. The results indicated that the estimated radius of influence from the 2-inch diameter extraction well was approximately 30 feet at a relatively low pressure of less than 50 inches of water, as discussed in BAI's report titled "Vapor Extraction Remedial Design Report and Specification," dated May 24, 1993.

In response to an ACHCSA December 1992 request, BAI also performed an investigation to attempt to delineate the zero line of contamination. Ten soil borings (B-1 through B-10) were drilled as part of this investigation to depths of approximately 7 to 10 feet bgs (Plate 2). From each boring, one soil sample was retained from a depth of approximately 7 to 8 feet bgs for analytical testing of TPH as gasoline and BTEX. Further discussions of this investigation are provided in BAI's report titled "Vapor Extraction Remedial Design Report and Specification," dated May 24, 1993.



Vapor recovery wells VRW-1 through VRW-9 were constructed in August 1993 as part of a vapor recovery system. During installation of the extraction wells, soil samples were collected for chemical analysis in the borings at the depth where groundwater was first encountered, at approximately 7 feet bgs. Installations of these wells were documented in a February 7, 1994 report. A vapor extraction system was installed in the fall of 1993 as an interim remedial action. The system began operation on December 26, 1993. The system consisted of an internal combustion engine with a spray aeration tank for treatment of groundwater, and an activated carbon treatment polishing step prior to groundwater discharge. The internal combustion unit and spray aeration unit was manufactured by Remediation Service International (RSI), under the trade name Spray Aeration Vapor Extraction (SAVE) system.

On June 28, 1996, the treatment system was shut down with the concurrence of Pacific Supply Company. Prior to shut down, the system had destroyed an estimated 6,550 pounds of petroleum hydrocarbons since start of operations on December 26, 1993. After shut down, the water in the water tank was treated and discharged to the sanitary sewer under the existing permit and the inside of the tank was cleaned on July 15, 1996.

The permit with the Bay Area Air Quality Management District (BAAQMD) expired on September 1, 1996, and was not renewed. The water discharge permit was discontinued on July 31, 1996. The total volume of water discharged to the sanitary sewer was 151,089 gallons. In December 1996, the shut down and decommissioning of the system was authorized by Jennifer Eberle of the Alameda County Department of Health Services.

Groundwater monitoring continued following the shut down of the vapor extraction system. In August 2000, BAI supervised the drilling of three soil borings in 24th Street, on the north side of the Pacific Supply Company building in a downgradient direction from the former UST location. Grab groundwater samples were collected to evaluate whether off-site migration of hydrocarbon contamination in groundwater was occurring. One of the three groundwater samples was reported to contain low levels of TPH as gasoline, BTEX, and petroleum oxygenates. The results of the field investigation are presented in BAI's "Groundwater Investigation and Monitoring Report," dated December 14, 2000.

The drilling activities were performed on July 21, 2004 to determine the effectiveness of the vapor extraction system and to collect soil samples for geotechnical properties to aid in the evaluation of risk based cleanup scenarios. Soil borings CB-1 through CB-14 were drilled to depths ranging from 7 to 8.5 feet bgs. The soil samples selected for laboratory analyses were collected based on the elevation of the historical contamination in the vicinity of the boring, or direction from the ACHCS. The results of this investigation are presented in BAI's report titled "Soil Parameters and Confirmation Soil Sampling Investigation Report", dated January 31, 2005.

Table 1 presents a summary of groundwater analytical data and groundwater elevations for the monitoring wells. Table 2 presents the groundwater concentrations and groundwater elevations



for vapor recovery wells. Plate 2 presents a site map that shows the historical boring and sampling locations. Groundwater elevations calculated from this monitoring even are provided on Plate 3.

Scope of Work

The scope of work performed for this monitoring event included measuring depths to water in the groundwater and vapor recovery wells and collecting groundwater samples for laboratory analyses. The samples were submitted to a State-certified laboratory under chain of custody protocol.

On January 31, 2011 BAI measured depths to water in groundwater monitoring wells MW-1 through MW-3 and vapor recovery wells VRW-1 through VRW-9. The groundwater monitoring data and calculated elevations relative to mean sea level (MSL) for wells MW-1 through MW-3 (and historical data for wells MW-4 through MW-7) are presented in Table 1, and in Table 2 for vapor recovery wells VRW-1 through VRW-9.

On January 31 and February 1, 2011 BAI collected groundwater samples from groundwater monitoring wells MW-1 through MW-3 and vapor recovery wells VRW-1, VRW-2, VRW-3, VRW-4, MW-5, VRM-6, VRW-7, VRM-8, and VRW-9.

The groundwater sampling protocol and field logs are included in Appendix A. BACE Analytical & Field Services (BAFS) analyzed the groundwater samples for TPH as gasoline and for volatile organic compounds (VOCs) including BTEX and MTBE by EPA Test Method 8260. The groundwater analytical report for the groundwater samples is presented in Appendix B.

Groundwater Flow Direction

Based on data from well MW-1, MW-2, and MW-3, the groundwater gradient on January 31, 2011 was 0.007 feet per foot toward the northwest, with groundwater elevations ranging from 4.04 feet to 4.46 feet above MSL. The groundwater elevations are presented on Plate 3.

Groundwater Analytical Results

The analytical results of the sample from well MW-1 reported all analytes as below their respective reporting limits. TPH as gasoline was reported in the sample collected from well MW-2 at a concentration of 2.0 milligrams per liter (mg/l), benzene was at 4.86 micrograms per liter ($\mu\text{g/l}$), toluene at 2.48 $\mu\text{g/l}$, xylenes at 4.63 $\mu\text{g/l}$, and MTBE at 1.47 $\mu\text{g/l}$. In well MW-3, TPH as gasoline was reported at a concentration of 0.17 mg/l and tert-Butyl Alcohol (TBA) at 91.8 $\mu\text{g/l}$.

TPH as gasoline was reported in the samples collected from the vapor extraction wells VRW-1 through VRW-9 at concentrations ranging from 0.22 mg/l in VRW-3 to 2.4 mg/l in VRW-8.



Mr. Paresh Khatri
October 13, 2011
Page 5



Benzene was reported in vapor extraction wells VRW-1, VRW-2, VRW-3, VRW-4, VRW-5, VRW-6, VRW-7, and VRW-8, at concentrations ranging from 1.19 µg/l in well VRW-3 to 125 µg/l in well VRW-4. Toluene was reported in wells VRW-2, VRW-4, VRW-5, and VRW-8, at concentrations of 1.78 µg/l, 8.25 µg/l, 2.83 µg/l, and 4.62 µg/l, respectively. Xylenes were reported in samples collected from wells VRW-2 through VRW-9 at concentrations ranging from 0.68 µg/l (VRW-7) to 19.3 µg/l (VRW-4). TBA was reported in wells VRW-1, VRW-3, VRW-6, VRW-7, VRW-8, and VRW-9, at concentrations ranging from 30.5 µg/l (VRW-3) to 81.3 µg/l (VRW-7).

Monitoring Schedule

The next groundwater sampling event was performed in June 2011. A report summarizing the results of the June 2011 monitoring event will be provided after BAI receives and reviews the analytical results.

If you should have any questions regarding this report, please contact Bill Coset at (707) 838-3027.

Sincerely,



David E. Conley, P.G.
Senior Geologist



William H. H. Coset
Project Geologist

cc: Ms. Normita Callison



LIST OF ATTACHMENTS

TABLES

| | |
|----------|---|
| Table 1. | Summary of Groundwater Analytical Data for Monitoring Wells |
| Table 2. | Summary of Groundwater Analytical Data for Vapor Extraction Wells |

PLATES

| | |
|----------|--|
| Plate 1. | Vicinity Map |
| Plate 2. | Site Map |
| Plate 3. | Groundwater Elevations, January 31, 2011 |

APPENDICES

| | |
|-------------|---|
| Appendix A. | Monitoring Well Sampling Protocol and Field Reports |
| Appendix B. | Analytical Laboratory Report |



TABLES



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS
Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|-------------|
| MW-1 | 10/14/1988 | 7.99 | 0.88 | 1.1 | 1.1 | ND | – | ND | – | – |
| MW-1 | 12/29/1989 | 7.74 | 1.13 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 5/28/1992 | 7.81 | 1.06 | ND | ND | ND | ND | ND | 0.003(2) | – |
| MW-1 | 9/3/1992 | 7.90 | 0.97 | ND | ND | ND | ND | ND | 0.12 (2) | – |
| MW-1 | 11/24/1992 | 7.90 | 0.97 | ND | ND | ND | ND | ND | 0.017 (2) | – |
| MW-1 | 3/9/1993 | 7.38 | 1.49 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 7/21/1993 | 7.68 | 1.19 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 11/3/1993 | 7.83 | 1.04 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 2/1/1994 | 7.30 | 1.57 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 6/2/1994 | 7.43 | 1.44 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 9/1/1994 | 7.70 | 1.17 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-1 | 12/13/1994 | 6.90 | 1.97 | ND | ND | ND | ND | ND | – | – |
| MW-1 | 3/7/1995 | 7.30 | 1.57 | 0.06 | 3.8 | ND | ND | ND | – | – |
| MW-1 | 6/9/1995 | 7.87 | 1.00 | 0.09 | 12 | 0.8 | 0.5 | 1.3 | – | – |
| MW-1 | 9/21/1995 | 7.67 | 1.20 | ND | 4.1 | ND | ND | ND | – | – |
| MW-1 | 12/18/1995 | 7.15 | 1.72 | ND | ND | ND | ND | ND | – | – |
| MW-1 | 2/29/1996 | 6.74 | 2.13 | 0.09 | 1.4 | 0.5 | ND | 0.8 | – | – |
| MW-1 | 7/15/1996 | 7.76 | 1.11 | – | – | – | – | – | – | – |
| MW-1 | 1/7/1997 | 6.80 | 2.07 | 0.06 | 0.6 | <0.5 | <0.5 | <0.5 | – | – |
| MW-1 | 7/12/1997 | 7.67 | 1.20 | – | – | – | – | – | – | – |
| MW-1 | 1/26/1998 | 6.93 | 1.94 | <0.05 | <0.5 | <0.5 | <0.5 | 1.1 | – | – |
| MW-1 | 7/3/1998 | 7.51 | 1.36 | – | – | – | – | – | – | – |
| MW-1 | 1/13/1999 | 7.63 | 1.24 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-1 | 9/27/1999 | 7.77 | 1.10 | – | – | – | – | – | – | – |
| MW-1 | 1/28/2000 | 6.85 | 2.02 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | <5.0 |
| MW-1 | 5/16/2002 | 7.45 | 1.42 | 0.35 | <0.5 | <0.5 | <0.5 | <0.5 | – | <1.0 |
| MW-1 | 6/10/2003 | 7.32 | 4.15 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-1 | 11/19/2003 | 7.30 | 4.17 | <0.050 | <0.30 | <0.30 | <0.50 | <0.50 | – | – |
| MW-1 | 6/23/2004 | 7.49 | 3.98 | 0.37 | <1.0 | <1.0 | <1.0 | <1.0 | – | – |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|------------------|-------------|
| MW-1 | 12/10/2004 | 6.27 | 5.20 | <0.050 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-1 | 7/21/2005 | 7.41 | 4.06 | <0.05 | <0.50 | <0.50 | <0.50 | <0.50 | – | – |
| MW-1 | 1/18/2006 | 6.28 | 5.19 | <0.05 | <0.50 | <0.50 | <0.50 | <0.50 | – | – |
| MW-1 | 1/26/2007 | 7.47 | 4.00 | <0.050 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 6/28/2007 | 7.53 | 3.94 | <0.050 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 1/31/2008 | 6.54 | 4.93 | 0.1 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 7/1/2008 | 7.56 | 3.91 | 0.056 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 1/28/2009 | 7.12 | 4.35 | 0.10 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 7/22/2009 | 7.57 | 3.90 | <0.05 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 2/2/2010 | 6.58 | 4.89 | <0.05 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 8/3/2010 | 7.55 | 3.92 | <0.05 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-1 | 1/31/2011 | 7.05 | 4.42 | <0.05 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-2 | 10/14/1988 | 7.29 | 0.85 | 11 | 23 | 20 | – | 16 | – | – |
| MW-2 | 12/29/1989 | 6.87 | 1.27 | 4 | 200 | 6.7 | ND | ND | 0.22 (1) | – |
| MW-2 | 5/28/1992 | 6.92 | 1.22 | 8.9 | 550 | 48 | ND | 13 | ND (2) | – |
| MW-2 | 9/3/1992 | 7.26 | 0.88 | 2.1 | 760 | 6.2 | 1.8 | 5.1 | 0.006 (2) | – |
| MW-2 | 11/24/1992 | 7.28 | 0.86 | 4.2 | 370 | 15 | 3.4 | 9.5 | ND (2) | – |
| MW-2 | 3/9/1993 | 6.73 | 1.41 | 4.3 | 280 | 14 | 3.7 | 7.1 | ND (1) | – |
| MW-2 | 7/21/1993 | 7.02 | 1.12 | 3.4 | 250 | 9.6 | 2.5 | 11 | ND(1) | – |
| MW-2 | 11/4/1993 | 7.22 | 0.92 | 2.5 | 230 | 7.8 | 2.1 | 9.9 | ND(1) | – |
| MW-2 | 2/1/1994 | 6.93 | 1.21 | 3.4 | 240 | 17 | ND | 15 | ND(1) | – |
| MW-2 | 6/2/1994 | 6.86 | 1.28 | 3.0 | 150 | 9.8 | 3.0 | 10 | ND(1) | – |
| MW-2 | 9/1/1994 | 7.10 | 1.04 | 2.1 | 120 | 9.8 | 2.0 | 9.6 | ND(1) | – |
| MW-2 | 12/13/1994 | 6.58 | 1.56 | 2.0 | 200 | 10 | 2.7 | 11 | – | – |
| MW-2 | 3/7/1995 | 6.69 | 1.45 | 3.0 | 500 | 15 | 5.8 | 16 | – | – |
| MW-2 | 6/9/1995 | 7.00 | 1.14 | 2.1 | 300 | 14 | 5.8 | 13 | – | – |
| MW-2 | 9/21/1995 | 6.91 | 1.23 | 1.6 | 120 | 9.6 | ND | 15 | – | – |
| MW-2 | 12/18/1995 | 6.73 | 1.41 | 2.8 | 120 | 16 | 5.2 | 19 | – | – |
| MW-2 | 2/29/1996 | 6.36 | 1.78 | 1.7 | 170 | 15 | 2.9 | 17 | – | – |
| MW-2 | 7/15/1996 | 7.11 | 1.03 | 2.8 | 160 | 22 | 3.5 | 17 | – | – |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|-------------|
| MW-2 | 1/7/1997 | 6.40 | 1.74 | 3.0 | 350 | 25 | 8.1 | 24 | - | - |
| MW-2 | 7/12/1997 | 6.98 | 1.16 | 2.1 | 55 | 11 | <2.5 | 18 | - | - |
| MW-2 | 1/26/1998 | 6.45 | 1.69 | 1.8 | 310 | 29 | 5.0 | 15 | - | - |
| MW-2 | 7/3/1998 | 6.91 | 1.23 | 1.9 | 85 | 9.3 | 1.8 | 17 | - | - |
| MW-2 | 1/13/1999 | 7.07 | 1.07 | 2.1 | 48 | 33 | 2.0 | 16 | - | - |
| MW-2 | 9/27/1999 | 7.22 | 0.92 | 1.5 | 20 | 6.8 | 2.6 | 11 | - | - |
| MW-2 | 1/28/2000 | 6.61 | 1.53 | 1.3 | 22 | 6.4 | 1.5 | 11 | - | <5.0 |
| MW-2 | 5/17/2002 | 6.95 | 1.19 | 3.3 | 25.4 | <5.0 | <5.0 | <5.0 | - | <10 |
| MW-2 | 6/10/2003 | 6.71 | 4.09 | 1.6 | 52 | 2.3 | 32 | 9.1 | - | - |
| MW-2 | 11/19/2003 | 6.95 | 3.85 | 3.7 | 9.7 | <1.1 | <1.1 | 7.5 | - | - |
| MW-2 | 6/23/2004 | 6.96 | 3.84 | 1.1 | 6.30 | 2.36 | <1.0 | 7.41 | - | - |
| MW-2 | 12/9/2004 | 6.54 | 4.26 | 3.0 | 13.0 | 13.0 | <0.5 | 24 | - | - |
| MW-2 | 7/22/2005 | 6.89 | 3.91 | 2.7 | 5.84 | <2.5 | <2.5 | 5.81 | - | - |
| MW-2 | 1/19/2006 | 6.33 | 4.47 | 3.6 | 15.0 | <2.5 | <2.5 | 11.2 | - | - |
| MW-2 | 1/26/2007 | 6.99 | 3.81 | 0.29 | 2.65 | <2.5 | <2.5 | 3.00 | - | <5.0 |
| MW-2 | 6/29/2007 | 7.00 | 3.80 | 1.9 | 6.69 | 2.44 | <0.50 | 6.24 | - | 1.72 |
| MW-2 | 1/31/2008 | 6.36 | 4.44 | 0.7 | 1.83 | <1.0 | <1.0 | <1.0 | - | <2.0 |
| MW-2 | 7/1/2008 | 6.95 | 3.85 | 1.4 | 2.72 | 2.26 | <1.0 | 4.66 | - | 2.14 |
| MW-2 | 1/28/2009 | 6.76 | 4.04 | 0.70 | 5.31 | 2.78 | <0.50 | 5.92 | - | <1.0 |
| MW-2 | 2/2/2010 | 6.42 | 4.38 | 2.2 | 8.64 | <2.5 | <2.5 | 4.53 | - | <5.0 |
| MW-2 | 8/2/2010 | 7.06 | 3.74 | 1.0 | 1.29 | 1.40 | <1.0 | 1.71 | - | <2.0 |
| MW-2 | 1/31/2011 | 6.75 | 4.05 | 2.0 | 4.86 | 2.48 | <0.50 | 4.63 | - | 1.47 |
| MW-3 | 10/14/1988 | 8.25 | 0.88 | 3.4 | ND | ND | - | 2.8 | - | - |
| MW-3 | 12/29/1989 | 7.79 | 1.34 | ND | ND | ND | ND | ND | 0.205 (1) | - |
| MW-3 | 5/28/1992 | 7.83 | 1.30 | ND | 0.8 | 0.5 | ND | ND | 0.016 (2) | - |
| MW-3 | 9/3/1992 | 8.22 | 0.91 | ND | ND | ND | ND | ND | 0.033 (2) | - |
| MW-3 | 11/24/1992 | 8.29 | 0.84 | ND | ND | ND | ND | ND | 0.011 (2) | - |
| MW-3 | 3/9/1993 | 7.30 | 1.83 | 0.1 | 1.8 | ND | ND | ND | ND(1) | - |
| MW-3 | 7/21/1993 | 7.87 | 1.26 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-3 | 11/4/1993 | 8.23 | 0.90 | 0.07 | 0.6 | 0.5 | ND | ND | ND(1) | - |
| MW-3 | 2/1/1994 | 7.56 | 1.57 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-3 | 6/2/1994 | 7.46 | 1.67 | 0.06 | ND | ND | ND | ND | ND(1) | - |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|-------------|
| MW-3 | 9/1/1994 | 7.83 | 1.30 | 0.07 | 1.7 | 0.9 | ND | ND | ND(1) | – |
| MW-3 | 12/13/1994 | 7.07 | 2.06 | 0.06 | 1.4 | ND | ND | ND | – | – |
| MW-3 | 3/8/1995 | 7.27 | 1.86 | 0.06 | 1.5 | ND | ND | ND | – | – |
| MW-3 | 6/9/1995 | 7.79 | 1.34 | 0.10 | 5.7 | ND | ND | ND | – | – |
| MW-3 | 9/21/1995 | 7.87 | 1.26 | ND | 1.5 | ND | ND | ND | – | – |
| MW-3 | 12/18/1995 | 7.30 | 1.83 | ND | 1.3 | ND | ND | ND | – | – |
| MW-3 | 2/29/1996 | 6.84 | 2.29 | ND | 2.1 | 0.6 | ND | 0.7 | – | – |
| MW-3 | 7/15/1996 | 7.79 | 1.34 | – | – | – | – | – | – | – |
| MW-3 | 1/7/1997 | 6.62 | 2.51 | 0.05 | 1.0 | <0.5 | <0.5 | <0.5 | – | – |
| MW-3 | 7/12/1997 | 7.83 | 1.30 | – | – | – | – | – | – | – |
| MW-3 | 1/26/1998 | 6.60 | 2.53 | <0.05 | 0.8 | <0.5 | <0.5 | <0.5 | – | – |
| MW-3 | 7/3/1998 | 7.48 | 1.65 | – | – | – | – | – | – | – |
| MW-3 | 1/13/1999 | 7.63 | 1.50 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-3 | 9/27/1999 | 7.94 | 1.19 | – | – | – | – | – | – | – |
| MW-3 | 1/28/2000 | 7.12 | 2.01 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | <5.0 |
| MW-3 | 6/5/2003 | 7.53 | 4.23 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-3 | 11/19/2003 | 7.83 | 3.93 | 0.16 | <0.54 | <0.54 | <0.55 | <1.6 | – | – |
| MW-3 | 6/23/2004 | 7.65 | 4.11 | <0.05 | <1.0 | <1.0 | <1.0 | <1.0 | – | – |
| MW-3 | 12/8/2004 | 7.53 | 4.23 | <0.050 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-3 | 7/20/2005 | 7.62 | 4.14 | <0.10 | <1.0 | <1.0 | <1.0 | <1.0 | – | – |
| MW-3 | 1/19/2006 | 6.76 | 5.00 | <0.05 | <0.50 | <0.50 | <0.50 | 0.71 | – | – |
| MW-3 | 1/25/2007 | 7.54 | 4.22 | 0.15 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-3 | 6/29/2007 | 7.70 | 4.06 | 0.075 | 0 | <0.50 | <0.50 | <0.50 | – | (A) |
| MW-3 | 2/1/2008 | 6.87 | 4.89 | 0.72 | <0.50 | <0.50 | <0.50 | <0.50 | – | (A) |
| MW-3 | 7/2/2008 | 7.79 | 3.97 | 0.081 | <0.50 | <0.50 | <0.50 | <0.50 | – | (B) |
| MW-3 | 1/29/2009 | 7.53 | 4.23 | 0.15 | <0.50 | <0.50 | <0.50 | <0.50 | – | <1.0 |
| MW-3 | 7/23/2009 | 7.80 | 3.96 | 0.18 | <0.50 | <0.50 | <0.50 | <0.50 | – | 1.00 (C) |
| MW-3 | 2/1/2010 | 6.96 | 4.80 | 0.25 | <0.50 | <0.50 | <0.50 | <0.50 | – | 1.30 (D) |
| MW-3 | 8/2/2010 | 7.76 | 4.00 | 0.14 | <0.50 | <0.50 | <0.50 | <0.50 | – | 1.37(E) |
| MW-3 | 2/1/2011 | 7.37 | 4.39 | 0.17 | <0.50 | <0.50 | <0.50 | <0.50 | – | (F) |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|-------------|
| MW-4 | 10/14/1988 | 8.33 | 0.74 | 4.6 | 1.2 | ND | – | 2.2 | – | – |
| MW-4 | 12/29/1989 | 8.08 | 0.99 | 0.5 | 0.7 | ND | ND | ND | ND (1) | – |
| MW-4 | 5/28/1992 | 8.19 | 0.88 | 0.27 | 8.8 | 1 | ND | 3.2 | 0.030 (2) | – |
| MW-4 | 9/3/1992 | 8.37 | 0.70 | 0.20 | 4.5 | 4.4 | ND | 1.9 | 0.022 (2) | – |
| MW-4 | 11/24/1992 | 8.28 | 0.79 | 0.14 | 3.2 | 3.2 | ND | 1.0 | 0.005 (2) | – |
| MW-4 | 3/9/1993 | 7.98 | 1.09 | 0.47 | 10 | ND | ND | 2.5 | ND (1) | – |
| MW-4 | 7/21/1993 | 8.17 | 0.90 | 0.28 | 4.4 | 5.9 | ND | ND | ND(1) | – |
| MW-4 | 11/4/1993 | 8.14 | 0.93 | 0.08 | 1.3 | 1.6 | ND | ND | ND(1) | – |
| MW-4 | 2/1/1994 | 7.79 | 1.28 | 0.08 | ND | ND | ND | ND | ND(1) | – |
| MW-4 | 6/2/1994 | 7.53 | 1.54 | 0.30 | 3.1 | 2.9 | ND | 0.8 | ND(1) | – |
| MW-4 | 9/1/1994 | 7.69 | 1.38 | 0.12 | 1.6 | ND | ND | ND | ND(1) | – |
| MW-4 | 12/13/1994 | 6.70 | 2.37 | ND | ND | ND | ND | ND | – | – |
| MW-4 | 3/8/1995 | 6.83 | 2.24 | 0.09 | ND | ND | ND | ND | – | – |
| MW-4 | 6/9/1995 | 7.66 | 1.41 | 0.19 | ND | ND | ND | ND | – | – |
| MW-4 | 9/21/1995 | 7.93 | 1.14 | 0.09 | ND | ND | ND | ND | – | – |
| MW-4 | 12/18/1995 | 6.98 | 2.09 | – | – | – | – | – | – | – |
| MW-4 | 2/29/1996 | 6.54 | 2.53 | 0.14 | 1.6 | 1.0 | ND | 0.6 | – | – |
| MW-4 | 7/15/1996 | 7.74 | 1.33 | – | – | – | – | – | – | – |
| MW-4 | 1/7/1997 | 6.46 | 2.61 | 0.09 | 1.0 | 0.5 | <0.5 | <0.5 | – | – |
| MW-4 | 7/12/1997 | 7.82 | 1.25 | – | – | – | – | – | – | – |
| MW-4 | 1/26/1998 | 6.67 | 2.40 | 0.09 | 1.1 | 0.8 | <0.5 | <0.5 | – | – |
| MW-4 | 7/3/1998 | 7.45 | 1.62 | – | – | – | – | – | – | – |
| MW-4 | 1/13/1999 | 7.51 | 1.56 | 0.12 | 1.1 | 0.62 | <0.5 | 0.57 | – | – |
| MW-4 | 9/27/1999 | 7.88 | 1.19 | – | – | – | – | – | – | – |
| MW-4* | 1/28/2000 | 7.02 | 2.05 | 0.072 | <0.5 | <0.5 | <0.5 | <0.5 | – | <5.0 |
| MW-5 | 10/14/1988 | 8.04 | 0.89 | 3.2 | ND | ND | – | ND | – | – |
| MW-5 | 12/29/1989 | 7.40 | 1.53 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-5 | 5/28/1992 | 7.53 | 1.40 | ND | ND | ND | ND | ND | 0.008 (2) | – |
| MW-5 | 9/3/1992 | 8.02 | 0.91 | ND | ND | ND | ND | ND | 0.034 (2) | – |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|-------------|
| MW-5 | 11/24/1992 | 7.75 | 1.18 | ND | ND | ND | ND | ND | 0.011 (2) | – |
| MW-5 | 3/9/1993 | 6.91 | 2.02 | ND | ND | ND | ND | ND | ND (1) | – |
| MW-5 | 7/21/1993 | 7.57 | 1.36 | ND | ND | ND | ND | ND | ND(1) | – |
| MW-5 | 11/4/1993 | 7.77 | 1.16 | ND | ND | ND | ND | ND | ND(1) | – |
| MW-5 | 2/1/1994 | 7.05 | 1.88 | ND | ND | ND | ND | ND | ND(1) | – |
| MW-5 | 6/2/1994 | 7.18 | 1.75 | ND | ND | ND | ND | ND | ND(1) | – |
| MW-5 | 9/1/1994 | 7.53 | 1.40 | ND | ND | ND | ND | ND | – | – |
| MW-5 | 3/8/1995 | 6.67 | 2.26 | ND | ND | ND | ND | ND | – | – |
| MW-5 | 6/9/1995 | 7.33 | 1.60 | ND | ND | ND | ND | ND | – | – |
| MW-5 | 9/21/1995 | 7.67 | 1.26 | ND | ND | ND | ND | ND | – | – |
| MW-5 | 12/18/1995 | 6.62 | 2.31 | – | – | – | – | – | – | – |
| MW-5 | 2/29/1996 | 6.16 | 2.77 | ND | ND | ND | ND | ND | – | – |
| MW-5 | 7/15/1996 | 7.47 | 1.46 | – | – | – | – | – | – | – |
| MW-5 | 1/7/1997 | 6.11 | 2.82 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-5 | 7/12/1997 | 7.61 | 1.32 | – | – | – | – | – | – | – |
| MW-5 | 1/26/1998 | 6.17 | 2.76 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-5 | 7/3/1998 | 7.23 | 1.70 | – | – | – | – | – | – | – |
| MW-5 | 1/13/1999 | 7.27 | 1.66 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | – |
| MW-5 | 9/27/1999 | 7.76 | 1.17 | – | – | – | – | – | – | – |
| MW-5* | 1/28/2000 | 7.17 | 1.76 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | – | <5.0 |
| MW-6 | 12/29/1989 | 5.02 | 1.11 | 1.1 | 5.4 | 4.5 | ND | ND | ND (1) | – |
| MW-6 | 3/9/1993 | 5.10 | 1.03 | 2.3 | 2.3 | 2.8 | ND | 3.1 | ND (1) | – |
| MW-6 | 7/21/1993 | 5.23 | 0.90 | 0.59 | ND | 7.6 | ND | ND | ND(1) | – |
| MW-6 | 11/4/1993 | 5.25 | 0.88 | 1.5 | ND | 1.2 | ND | 0.7 | ND(1) | – |
| MW-6 | 2/1/1994 | 5.05 | 1.08 | 1.9 | 2.5 | 3.9 | 1.6 | 1.1 | ND(1) | – |
| MW-6 | 6/2/1994 | 4.49 | 1.64 | 1.3 | ND | 1 | ND | ND | ND(1) | – |
| MW-6 | 9/1/1994 | 4.53 | 1.60 | 2.2 | ND | 1.7 | ND | ND | ND(1) | – |
| MW-6 | 12/13/1994 | 4.27 | 1.86 | 0.66 (3) | ND | ND | ND | ND | – | – |
| MW-6 | 3/8/1995 | 3.37 | 2.76 | 1.0 (3) | ND | ND | ND | ND | – | – |
| MW-6 | 6/9/1995 | 4.40 | 1.73 | 1.5 | ND | 3.3 | ND | ND | – | – |
| MW-6 | 9/21/1995 | 4.69 | 1.44 | 0.28 | ND | ND | ND | ND | – | – |
| MW-6* | 12/18/1995 | 4.42 | 1.71 | – | – | – | – | – | – | – |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Well Name | Depth to Groundwater Date | Depth to Groundwater (feet) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | Lead (mg/L) | MTBE (µg/L) |
|-----------|---------------------------|-----------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|-------------|
| MW-7 | 12/29/1989 | 8.35 | -3.32 | ND | ND | ND | ND | ND | 0.235 (1) | - |
| MW-7 | 3/9/1993 | 13.60 | -8.57 | ND | ND | ND | ND | ND | ND (1) | - |
| MW-7 | 7/21/1993 | 12.59 | -7.56 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-7 | 11/4/1993 | 9.84 | -4.81 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-7 | 2/1/1994 | 10.38 | -5.35 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-7 | 6/2/1994 | 10.10 | -5.07 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-7 | 9/1/1994 | 9.63 | -4.60 | ND | ND | ND | ND | ND | ND(1) | - |
| MW-7 | 12/13/1994 | 11.27 | -6.24 | ND | ND | ND | ND | ND | - | - |
| MW-7 | 3/7/1995 | 9.68 | -4.65 | ND | ND | ND | ND | ND | - | - |
| MW-7 | 6/9/1995 | 9.37 | -4.34 | ND | ND | ND | ND | ND | - | - |
| MW-7 | 9/21/1995 | 9.43 | -4.40 | ND | ND | ND | ND | ND | - | - |
| MW-7 | 12/18/1995 | 13.28 | -8.25 | - | - | - | - | - | - | - |
| MW-7 | 2/29/1996 | 11.70 | -6.67 | ND | ND | ND | ND | ND | - | - |
| MW-7 | 7/15/1996 | 11.12 | -6.09 | - | - | - | - | - | - | - |
| MW-7 | . | 14.35 | -9.32 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | - | - |
| MW-7 | 7/12/1997 | 15.12 | -10.09 | - | - | - | - | - | - | - |
| MW-7 | 1/26/1998 | 15.28 | -10.25 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | - | - |
| MW-7 | 7/3/1998 | 14.10 | -9.07 | - | - | - | - | - | - | - |
| MW-7 | 1/13/1999 | 14.55 | -9.52 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | - | - |
| MW-7 | 9/27/1999 | 14.03 | -9.00 | - | - | - | - | - | - | - |
| MW-7* | 1/28/2000 | 7.47 | -2.44 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | - | <5.0 |



TABLE 1. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR MONITORING WELLS
Pacific Supply Company, 1735 24th Street, Oakland, California

Notes:

MTBE = methyl tertiary butyl ether. TPH = total petroleum hydrocarbons.

(1)=Organic Lead, (2)=Total Lead, and (3)=chromatographic peak array does not match gasoline standard.

ND = not detected at laboratory reporting limit. <= less than given laboratory reporting limit.

µg/L = micrograms per liter. mg/L = milligrams per liter. – = not requested.

MSL = mean seal level.

Groundwater elevations prior to 2003 based on the following well casing elevations in feet above MSL:

MW-1 (8.87'), MW-2 (8.14'), MW-3 (9.13'), MW-4 (9.07'), MW-5 (8.93'), MW-6 (6.13') and MW-7 (5.03').

New survey data was obtained on June 23, 2003 by Phelps and Associates Land Surveyors.

June 2003 water levels were measured on June 5, 2003.

June 2004 water levels were measured on June 22, 2004.

December 2004 water levels were measured on December 8, 2004.

* = Removed from sampling program.

(A) = concentrations of tert-Butyl alcohol (TBA) reported at 120 µg/l.

(B) = concentrations of tert-Butyl alcohol (TBA) reported at 151 µg/l.

(C) = concentrations of tert-Butyl alcohol (TBA) reported at 122 µg/l.

(D) = concentrations of tert-Butyl alcohol (TBA) reported at 135 µg/l.

(E) = concentrations of tert-Butyl alcohol (TBA) reported at 127 µg/l.

(F) = concentrations of tert-Butyl alcohol (TBA) reported at 91.8 µg/l.



TABLE 2. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR VAPOR EXTRACTION WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

| Sample ID | Depth to Groundwater Date | Depth to Groundwater (feet) | Top of Casing Elevation (feet, MSL) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Other Oxygenates & Lead Scavengers (µg/L) |
|-----------|---------------------------|-----------------------------|-------------------------------------|-----------------------------------|------------------------|----------------|----------------|----------------------|----------------|-------------|---|
| VRW-1 | 11/3/1993 | - | - | - | 3 | 1600 | 19 | 1.1 | 16 | - | - |
| VRW-1 | 6/10/2003 | 7.31 | 11.18 | 3.87 | 0.44 | 5.9 | <0.5 | <0.5 | 1.9 | - | - |
| VRW-1 | 11/19/2003 | 7.33 | 11.18 | 3.85 | 1.2 | 19 | <0.54 | <0.55 | 6.3 | - | - |
| VRW-1 | 6/22/2004 | 7.32 | 11.18 | 3.86 | 0.32 | 3.23 | <1.0 | <1.0 | 3.36 | - | - |
| VRW-1 | 12/9/2004 | 6.93 | 11.18 | 4.25 | 0.32 | 8.0 | <3 | <3 | 3.7 | - | - |
| VRW-1 | 7/22/2005 | 7.25 | 11.18 | 3.93 | 0.69 | 5.35 | 1.27 | <0.50 | 3.66 | - | - |
| VRW-1 | 1/19/2006 | 6.63 | 11.18 | 4.55 | 0.53 | 6.98 | 1.41 | <0.50 | 3.18 | - | - |
| VRW-1 | 1/25/2007 | 7.34 | 11.18 | 3.84 | 0.32 | 260 | 0.97 | <0.50 | 2.43 | 1.31 | - |
| VRW-1 | 6/28/2007 | 7.30 | 11.18 | 3.88 | 0.17 | 2.19 | 0.76 | <0.50 | 1.83 | 1.26 | - |
| VRW-1 | 1/31/2008 | 6.67 | 11.18 | 4.51 | 0.77 | 20.5 | 3.75 | <0.50 | 6.82 | 2.45 | - |
| VRW-1 | 7/1/2008 | 7.35 | 11.18 | 3.83 | 0.75 | 11.8 | 3.73 | <0.50 | 6.41 | 1.13 | (B) |
| VRW-1 | 1/28/2009 | 7.14 | 11.18 | 4.04 | <0.050 | 1.12 | 1.26 | <0.50 | 1.56 | <1.0 | - |
| VRW-1 | 7/22/2009 | 7.40 | 11.18 | 3.78 | 0.38 | 1.06 | 0.69 | <0.50 | 1.11 | 1.33 | (E) |
| VRW-1 | 2/2/2010 | 6.70 | 11.18 | 4.48 | 0.90 | 8.95 | 2.42 | <1.0 | 4.76 | <2.0 | - |
| VRW-1 | 8/2/2010 | 7.41 | 11.18 | 3.77 | 0.37 | 1.34 | 0.77 | <0.50 | 0.96 | <1.0 | - |
| VRW-1 | 1/31/2011 | 7.14 | 11.18 | 4.04 | 0.28 | 2.63 | <0.50 | <0.50 | <0.50 | 1.03 | (U) |
| VRW-2 | 11/4/1993 | - | - | - | 7.2 | 3,300 | 600 | 2.4 | 870 | - | - |
| VRW-2 | 5/17/2002 | - | - | - | 2.8 | 471 | <10 | <10 | <10 | <20 | <10 to <20 |
| VRW-2 | 6/9/2003 | 6.87 | 11.08 | 4.21 | 0.47 | 38 | 2.8 | <1.0 | <1.0 | - | - |
| VRW-2 | 11/19/2003 | 7.00 | 11.08 | 4.08 | 1.3 | 51 | <0.54 | <0.55 | 4.0 | - | - |
| VRW-2 | 6/25/2004 | 7.00 | 11.08 | 4.08 | 0.24 | 274 | 4.10 | 4.11 | 8.22 | - | - |
| VRW-2 | 12/9/2004 | 6.45 | 11.08 | 4.63 | <0.050 | 9.6 | 4.2 | 2.5 | 4.3 | - | - |
| VRW-2 | 7/21/2005 | 6.93 | 11.08 | 4.15 | 2.1 | 102 | 1.43 | 0.84 | 3.81 | - | - |
| VRW-2 | 1/18/2006 | 5.83 | 11.08 | 5.25 | 3.8 | 280 | <2.5 | 3.81 | 7.54 | - | - |
| VRW-2 | 1/25/2007 | 6.94 | 11.08 | 4.14 | 1.0 | 62.3 | <2.5 | <2.5 | 3.56 | <5.0 | - |
| VRW-2 | 6/28/2007 | 7.02 | 11.08 | 4.06 | 0.45 | 41.0 | <2.5 | <2.5 | 3.83 | <5.0 | - |
| VRW-2 | 1/31/2008 | 6 | 11.08 | 5.08 | 1.4 | 80.1 | 2.31 | 1.25 | 3.57 | 1.87 | - |
| VRW-2 | 7/1/2008 | 7.15 | 11.08 | 3.93 | 1.5 | 73.2 | 2.04 | <1.0 | 4.52 | 2.15 | - |
| VRW-2 | 1/28/2009 | 6.71 | 11.08 | 4.37 | 0.54 | 46.2 | 2.10 | <0.50 | 3.76 | <1.0 | - |
| VRW-2 | 7/22/2009 | 7.10 | 11.08 | 3.98 | 1.1 | 12.7 | 1.06 | <1.0 | 2.79 | 2.38 | - |
| VRW-2 | 2/2/2010 | 6.06 | 11.08 | 5.02 | 1.9 | 62.8 | <2.5 | <2.5 | <2.5 | <5.0 | - |
| VRW-2 | 8/3/2010 | 7.04 | 11.08 | 4.04 | 1.4 | 31.1 | 1.44 | <1.0 | 2.42 | <2.0 | - |
| VRW-2 | 1/31/2011 | 6.70 | 11.08 | 4.38 | 1.6 | 21.1 | 1.78 | <0.50 | 2.93 | 1.20 | - |



TABLE 2. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR VAPOR EXTRACTION WELLS
Pacific Supply Company, 1735 24th Street, Oakland, California

| Sample ID | Depth to Groundwater Date | Depth to Groundwater (feet) | Top of Casing Elevation (feet, MSL) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Other Oxygenates & Lead Scavengers (µg/L) |
|-----------|---------------------------|-----------------------------|-------------------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|---|
| VRW-3 | 11/4/1993 | - | - | - | 5.7 | 120 | 41 | 1.1 | 380 | - | - |
| VRW-3 | 5/17/2002 | - | - | - | 0.42 | 10.9 | <0.5 | <0.5 | 1.07 | <1.0 | <0.50 to <1.0 |
| VRW-3 | 6/9/2003 | 7.41 | 11.62 | 4.21 | 0.061 | 4.8 | <0.5 | <0.5 | <0.5 | - | - |
| VRW-3 | 11/19/2003 | 7.48 | 11.62 | 4.14 | 0.16 | 1.7 | <0.54 | <0.55 | 2.7 | - | - |
| VRW-3 | 6/25/2004 | 7.58 | 11.62 | 4.04 | 0.12 | 2.00 | <0.50 | <0.50 | 1.00 | - | - |
| VRW-3 | 12/10/2004 | 6.34 | 11.62 | 5.28 | 0.22 | 27 | 3.7 | 1.0 | 3.1 | - | - |
| VRW-3 | 7/22/2005 | 7.50 | 11.62 | 4.12 | 0.11 | <1.0 | <1.0 | <1.0 | 2.02 | - | - |
| VRW-3 | 1/18/2006 | 6.37 | 11.62 | 5.25 | 0.18 | 230 | <0.50 | <0.50 | 1.46 | - | - |
| VRW-3 | 1/26/2007 | 7.50 | 11.62 | 4.12 | 0.071 | 1.68 | <0.50 | <0.50 | <0.50 | <1.0 | - |
| VRW-3 | 6/28/2007 | 7.60 | 11.62 | 4.02 | <0.050 | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | - |
| VRW-3 | 1/31/2008 | 6.50 | 11.62 | 5.12 | <0.050 | 1.01 | <0.50 | <0.50 | <0.50 | <1.0 | - |
| VRW-3 | 7/1/2008 | 7.66 | 11.62 | 3.96 | 0.10 | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | - |
| VRW-3 | 1/28/2009 | 7.19 | 11.62 | 4.43 | <0.050 | <0.50 | <0.50 | <0.50 | 2.26 | <1.0 | - |
| VRW-3 | 7/22/2009 | 7.64 | 11.62 | 3.98 | 0.26 | <0.50 | <0.50 | <0.50 | 1.16 | <1.0 | - |
| VRW-3 | 2/2/2010 | 6.45 | 11.62 | 5.17 | 0.28 | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | (L) |
| VRW-3 | 8/3/2010 | 7.63 | 11.62 | 3.99 | 0.29 | <0.50 | <0.50 | <0.50 | 0.87 | <1.0 | (P) |
| VRW-3 | 1/31/2011 | 7.16 | 11.62 | 4.46 | 0.22 | 1.19 | <0.50 | <0.50 | 1.41 | <1.0 | (V) |
| VRW-4 | 11/4/1993 | - | - | - | 9.0 | 4,400 | 900 | 5.4 | 990 | - | - |
| VRW-4 | 5/15/2002 | - | - | - | 11 | 4,270 | 741 | 512 | 1,130 | <50 | <25 to <50 |
| VRW-4 | 6/5/2003 | 7.01 | 11.33 | 4.32 | 2.2 | 1,200 | 100 | 12 | 89 | - | - |
| VRW-4 | 11/19/2003 | 7.44 | 11.33 | 3.89 | 1.7 | 210 | 2.4 | <2.2 | 36 | - | - |
| VRW-4 | 6/22/2004 | 7.20 | 11.33 | 4.13 | 14 | 4,540 | 611 | 739 | 1,170 | - | - |
| VRW-4 | 12/8/2004 | 6.99 | 11.33 | 4.34 | 2.7 | 780 | 68 | 90 | 160 | - | - |
| VRW-4 | 7/20/2005 | 7.12 | 11.33 | 4.21 | 19 | 3,740 | 381 | 480 | 643 | - | - |
| VRW-4 | 1/19/2006 | 6.29 | 11.33 | 5.04 | 7.8 | 1,670 | 196 | 270 | 324 | - | - |
| VRW-4 | 1/26/2007 | 7.06 | 11.33 | 4.27 | 1.4 | 163 | <25 | <25 | 25.2 | <50 | - |
| VRW-4 | 6/28/2007 | 6.99 | 11.33 | 4.34 | 0.62 | 60.8 | 3.81 | 3.72 | 18.7 | <5.0 | - |
| VRW-4 | 1/31/2008 | 6.20 | 11.33 | 5.13 | 0.75 | 26.0 | 3.21 | <2.5 | 15.6 | <5.0 | - |
| VRW-4 | 7/1/2008 | 7.32 | 11.33 | 4.01 | 0.77 | 16.8 | 2.86 | <0.50 | 13.3 | <1.0 | - |
| VRW-4 | 1/29/2009 | 7.02 | 11.33 | 4.31 | 0.89 | 45.5 | 3.16 | 1.75 | 13.2 | <1.0 | - |
| VRW-4 | 7/22/2009 | 7.26 | 11.33 | 4.07 | 0.91 | 16.1 | 2.42 | <1.0 | 12.4 | <2.0 | (F) |
| VRW-4 | 2/1/2010 | 6.40 | 11.33 | 4.93 | 2.5 | 481 | 26.2 | 45.2 | 61.1 | <10 | - |
| VRW-4 | 8/3/2010 | 7.26 | 11.33 | 4.07 | 1.2 | 19.3 | <5.0 | <5.0 | 8.80 | <10 | <5.0 to <100 |
| VRW-4 | 1/31/2011 | 6.96 | 11.33 | 4.37 | 1.0 | 125 | 8.25 | 9.51 | 19.3 | <2.0 | - |



TABLE 2. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR VAPOR EXTRACTION WELLS
Pacific Supply Company, 1735 24th Street, Oakland, California

| Sample ID | Depth to Groundwater Date | Depth to Groundwater (feet) | Top of Casing Elevation (feet, MSL) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Other Oxygenates & Lead Scavengers (µg/L) |
|-----------|---------------------------|-----------------------------|-------------------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|---|
| VRW-5 | 11/4/1993 | - | - | - | 0.90 | 68 | 33 | 2.5 | 32 | - | - |
| VRW-5 | 5/16/2002 | - | - | - | 0.87 | 44.3 | <5.0 | <5.0 | <5.0 | <10 | <5.0 to <10 |
| VRW-5 | 6/9/2003 | 7.33 | 11.56 | 4.23 | 0.93 | 90 | <1.0 | 14 | 0.16 | - | - |
| VRW-5 | 11/19/2003 | 7.53 | 11.56 | 4.03 | 2.9 | 250 | <1.1 | 24 | 41 | - | - |
| VRW-5 | 6/23/2004 | 7.47 | 11.56 | 4.09 | 0.72 | 40.5 | <1.0 | 1.17 | 8.04 | - | - |
| VRW-5 | 12/10/2004 | 7.11 | 11.56 | 4.45 | 0.72 | 60 | 10 | <3 | 33 | - | - |
| VRW-5 | 7/21/2005 | 7.38 | 11.56 | 4.18 | 1.6 | 102 | 3.83 | 4.62 | 12.4 | - | - |
| VRW-5 | 1/19/2006 | 6.29 | 11.56 | 5.27 | 1.8 | 65.4 | <2.5 | 31.4 | 33.4 | - | - |
| VRW-5 | 1/25/2007 | 7.40 | 11.56 | 4.16 | NA | NA | NA | NA | NA | NA | NA |
| VRW-5 | 6/29/2007 | 7.50 | 11.56 | 4.06 | 0.69 | 35.4 | 2.55 | <2.5 | 5.62 | <5.0 | NA |
| VRW-5 | 2/1/2008 | 6.49 | 11.56 | 5.07 | 0.87 | 33.7 | <2.5 | 15.2 | 10.5 | <5.0 | NA |
| VRW-5 | 1/28/2009 | 7.17 | 11.56 | 4.39 | 0.72 | 110 | 3.53 | 5.00 | 9.00 | <1.0 | NA |
| VRW-5 | 7/23/2009 | 7.54 | 11.56 | 4.02 | 1.6 | 11.8 | <1.0 | <1.0 | 3.93 | <2.0 | (G) |
| VRW-5 | 8/3/2010 | 7.50 | 11.56 | 4.06 | 1.5 | 12.7 | 1.50 | <1.0 | 3.28 | <2.0 | <1.0 to <20 |
| VRW-5 | 2/1/2011 | 7.20 | 11.56 | 4.36 | 2.0 | 109 | 2.83 | 77.5 | 6.86 | <2.0 | |
| VRW-6 | 11/4/1993 | - | - | - | 0.41 | 6.6 | 1.0 | ND | 31 | - | - |
| VRW-6 | 5/15/2002 | - | - | - | 0.73 | 178 | 4.58 | 1.41 | 6.10 | <1.0 | <0.50 to <1.0 |
| VRW-6 | 6/6/2003 | 7.21 | 11.43 | 4.22 | <0.05 | <0.5 | <0.5 | <0.5 | <0.5 | - | - |
| VRW-6 | 11/19/2003 | 7.39 | 11.43 | 4.04 | 0.21 | 13 | <0.54 | 1.0 | 2.5 | - | - |
| VRW-6 | 6/23/2004 | 7.36 | 11.43 | 4.07 | 0.42 | 43.4 | 3.60 | 1.69 | 13.0 | - | - |
| VRW-6 | 12/9/2004 | 6.71 | 11.43 | 4.72 | 0.14 | 8.0 | 21 | <0.5 | 3.6 | - | - |
| VRW-6 | 7/21/2005 | 7.32 | 11.43 | 4.11 | | 18.3 | 1.13 | 0.95 | 5.05 | - | - |
| VRW-6 | 1/19/2006 | 5.85 | 11.43 | 5.58 | 0.13 | 3.96 | <0.50 | <0.50 | 1.25 | - | - |
| VRW-6 | 1/25/2007 | 7.28 | 11.43 | 4.15 | 0.20 | 13.5 | 0.72 | 0.56 | 2.67 | <1.0 | - |
| VRW-6 | 6/28/2007 | 7.41 | 11.43 | 4.02 | 0.081 | 7.37 | <0.50 | <0.50 | 1.32 | <1.0 | (A) |
| VRW-6 | 2/1/2008 | NM | 11.43 | NM | 1.8 | 212 | 10.2 | 8.05 | 17.7 | <2.0 | (A) |
| VRW-6 | 7/2/2008 | 7.51 | 11.43 | 3.92 | 0.18 | 4.80 | <0.50 | <0.50 | 1.72 | <1.0 | (C) |
| VRW-6 | 7/23/2009 | NM | 11.43 | NM | 0.21 | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | (H) |
| VRW-6 | 2/1/2010 | 6.65 | 11.43 | 4.78 | 0.32 | 7.97 | <0.50 | <0.50 | 1.26 | <1.0 | (M) |
| VRW-6 | 8/2/2010 | 7.45 | 11.43 | 3.98 | 0.28 | 1.15 | <0.50 | <0.50 | 1.03 | <1.0 | (Q) |
| VRW-6 | 2/1/2011 | 7.00 | 11.43 | 4.43 | 0.29 | 2.65 | <0.50 | <0.50 | 1.17 | <1.0 | (W) |



TABLE 2. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR VAPOR EXTRACTION WELLS
Pacific Supply Company, 1735 24th Street, Oakland, California

| Sample ID | Depth to Groundwater Date | Depth to Groundwater (feet) | Top of Casing Elevation (feet, MSL) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Other Oxygenates & Lead Scavengers (µg/L) |
|-----------|---------------------------|-----------------------------|-------------------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|---|
| VRW-7 | 11/4/1993 | - | - | - | 0.10 | ND | ND | ND | ND | - | - |
| VRW-7 | 5/16/2002 | - | - | - | 1.6 | 28.9 | 0.980 | <0.50 | <0.50 | <1.0 | <0.50 to <1.0 |
| VRW-7 | 6/6/2003 | 7.47 | 11.70 | 4.23 | 0.36 | 19 | 1.3 | <0.5 | 2.2 | - | - |
| VRW-7 | 11/19/2003 | 7.78 | 11.70 | 3.92 | 1.1 | 14 | <0.54 | 1.7 | 5.6 | - | - |
| VRW-7 | 6/22/2004 | 7.61 | 11.70 | 4.09 | 1.3 | 130 | 8.06 | 9.81 | 15.9 | - | - |
| VRW-7 | 12/9/2004 | 7.54 | 11.70 | 4.16 | 0.34 | 28 | <3 | <3 | 5.0 | - | - |
| VRW-7 | 7/21/2005 | 7.54 | 11.70 | 4.16 | 1.7 | 48.1 | 2.76 | 2.56 | 6.94 | - | - |
| VRW-7 | 1/19/2006 | 6.70 | 11.70 | 5.00 | 1.6 | 86.8 | 3.63 | 6.89 | 9.04 | - | - |
| VRW-7 | 1/25/2007 | 7.46 | 11.70 | 4.24 | NA | NA | NA | NA | NA | NA | NA |
| VRW-7 | 6/28/2007 | 7.62 | 11.70 | 4.08 | NA | NA | NA | NA | NA | NA | NA |
| VRW-7 | 2/1/2008 | 6.70 | 11.70 | 5.00 | 0.47 | 21.3 | <5.0 | <5.0 | <5.0 | <10 | NA |
| VRW-7 | 7/2/2008 | 7.70 | 11.70 | 4.00 | 0.38 | 2.13 | <0.50 | <0.50 | 2.60 | <1.0 | (D) |
| VRW-7 | 1/29/2009 | 7.47 | 11.70 | 4.23 | 0.44 | 8.67 | <0.50 | <0.50 | 2.30 | <1.0 | |
| VRW-7 | 7/23/2009 | 7.69 | 11.70 | 4.01 | 0.51 | 2.87 | <0.50 | <0.50 | <0.50 | <1.0 | (I) |
| VRW-7 | 2/1/2010 | 6.82 | 11.70 | 4.88 | 0.62 | 31.6 | 1.67 | 2.52 | 3.18 | <2.0 | (N) |
| VRW-7 | 8/2/2010 | 7.71 | 11.70 | 3.99 | 0.36 | 3.82 | <1.0 | <1.0 | 1.21 | <2.0 | (R) |
| VRW-7 | 1/31/2011 | 7.36 | 11.70 | 4.34 | 0.27 | 3.93 | <0.50 | <0.50 | 0.68 | <1.0 | (X) |
| VRW-8 | 11/4/1993 | - | - | - | 5.9 | 460 | 54 | ND | 53 | - | - |
| VRW-8 | 5/16/2002 | - | - | - | 3.3 | 248 | 16.0 | <10 | <10 | <20 | <10 to <20 |
| VRW-8 | 6/6/2003 | 7.42 | 11.62 | 4.20 | 1.8 | 70 | 10 | 11 | 6.1 | - | - |
| VRW-8 | 11/19/2003 | 7.85 | 11.62 | 3.77 | 3.6 | 36 | <2.7 | <2.7 | 4.3 | - | - |
| VRW-8 | 6/23/2004 | 7.56 | 11.62 | 4.06 | 2.1 | 115 | 11.8 | <5.0 | 18.2 | - | - |
| VRW-8 | 12/9/2004 | 7.41 | 11.62 | 4.21 | 1.3 | 30 | 9.0 | <3 | 7.6 | - | - |
| VRW-8 | 7/21/2005 | 7.49 | 11.62 | 4.13 | 4.1 | 24.8 | 3.44 | <2.5 | 7.34 | - | - |
| VRW-8 | 1/19/2006 | 6.73 | 11.62 | 4.89 | 4.8 | 18.1 | 4.26 | <2.5 | 8.30 | - | - |
| VRW-8 | 1/25/2007 | 7.41 | 11.62 | 4.21 | 1.3 | 10.7 | <2.5 | <2.5 | 6.70 | <5.0 | - |
| VRW-8 | 6/29/2007 | 7.60 | 11.62 | 4.02 | 0.64 | 4.76 | <2.5 | <2.5 | 3.85 | <5.0 | - |
| VRW-8 | 2/1/2008 | 6.85 | 11.62 | 4.77 | 3.1 | 15.1 | 2.9 | <2.5 | 9.77 | <5.0 | - |
| VRW-8 | 7/2/2008 | 7.73 | 11.62 | 3.89 | 2.0 | 11.6 | <2.5 | <2.5 | <2.5 | <5.0 | - |
| VRW-8 | 1/29/2009 | 7.43 | 11.62 | 4.19 | 0.84 | 7.73 | 2.04 | <0.50 | 7.52 | <1.0 | - |
| VRW-8 | 7/23/2009 | 7.71 | 11.62 | 3.91 | 2.4 | 22.2 | <1.0 | <1.0 | 8.18 | <2.0 | (J) |
| VRW-8 | 2/1/2010 | 6.90 | 11.62 | 4.72 | 1.8 | 4.03 | 2.02 | <1.0 | 5.08 | <2.0 | (O) |
| VRW-8 | 8/2/2010 | 7.65 | 11.62 | 3.97 | 0.95 | 3.04 | 1.14 | <1.0 | 2.76 | <2.0 | (S) |
| VRW-8 | 1/31/2011 | 7.16 | 11.62 | 4.46 | 2.4 | 13.8 | 4.62 | <1.0 | 8.63 | <2.0 | (Y) |



TABLE 2. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR VAPOR EXTRACTION WELLS
Pacific Supply Company, 1735 24th Street, Oakland, California

| Sample ID | Depth to Groundwater Date | Depth to Groundwater (feet) | Top of Casing Elevation (feet, MSL) | Groundwater Elevation (feet, MSL) | TPH as gasoline (mg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE (µg/L) | Other Oxygenates & Lead Scavengers (µg/L) |
|-----------|---------------------------|-----------------------------|-------------------------------------|-----------------------------------|------------------------|----------------|----------------|---------------------|----------------|-------------|---|
| VRW-9 | 11/4/1993 | - | - | - | 0.47 | 36 | 18 | ND | 1.0 | - | - |
| VRW-9 | 5/16/2002 | - | - | - | 0.080 | 0.990 | 2.00 | <0.50 | 5.93 | <1.0 | <0.50 to <1.0 |
| VRW-9 | 6/6/2003 | 7.67 | 11.87 | 4.20 | 0.58 | 10 | 4.4 | 4.9 | <0.50 | - | - |
| VRW-9 | 11/19/2003 | 8.01 | 11.87 | 3.86 | 0.86 | <1.1 | <1.1 | <1.1 | 5.5 | - | - |
| VRW-9 | 6/22/2004 | 7.76 | 11.87 | 4.11 | 0.61 | <1.0 | 1.35 | <1.0 | 5.55 | - | - |
| VRW-9 | 12/9/2004 | 7.51 | 11.87 | 4.36 | 0.57 | 8.8 | 10 | <0.5 | 5.5 | - | - |
| VRW-9 | 7/21/2005 | 7.71 | 11.87 | 4.16 | 0.66 | <1.0 | <1.0 | <1.0 | 2.83 | - | - |
| VRW-9 | 1/19/2006 | 6.94 | 11.87 | 4.93 | 1.0 | 2.04 | <1.0 | <1.0 | 4.91 | - | - |
| VRW-9 | 1/26/2007 | 7.65 | 11.87 | 4.22 | 0.52 | <1.0 | 1.01 | <1.0 | 3.53 | <2.0 | - |
| VRW-9 | 6/29/2007 | 7.81 | 11.87 | 4.06 | 0.38 | <0.50 | <0.50 | <0.50 | 2.27 | <1.0 | - |
| VRW-9 | 7/2/2008 | 7.93 | 11.87 | 3.94 | 0.53 | <0.50 | <0.50 | <0.50 | 1.85 | <1.0 | - |
| VRW-9 | 1/29/2009 | 7.60 | 11.87 | 4.27 | 0.24 | 1.53 | 1.03 | <0.50 | 4.04 | <1.0 | - |
| VRW-9 | 7/23/2009 | 7.91 | 11.87 | 3.96 | 0.80 | <0.50 | <0.50 | <0.50 | 1.60 | <1.0 | (K) |
| VRW-9 | 2/1/2010 | 7.01 | 11.87 | 4.86 | 0.95 | 1.71 | 1.13 | <1.0 | 4.00 | <2.0 | - |
| VRW-9 | 8/3/2010 | 7.86 | 11.87 | 4.01 | 0.68 | <1.0 | <1.0 | <1.0 | 1.57 | <2.0 | (T) |
| VRW-9 | 1/31/2011 | nm | 11.87 | - | 0.58 | <0.50 | <0.50 | <0.50 | 1.82 | <1.0 | (Z) |



TABLE 2. SUMMARY OF GROUNDWATER ANALYTICAL DATA FOR VAPOR EXTRACTION WELLS

Pacific Supply Company, 1735 24th Street, Oakland, California

Notes:

mg/L = milligrams per liter

µg/L = micrograms per liter

na = not analyzed.

ND = not detected above laboratory reporting limits.

MSL = Mean Sea Level

< = less than the specified laboratory reporting limit

June 2004 groundwater elevations were collected on June 22, 2004.

December 2004 groundwater elevations were collected on December 8, 2004.

(A) = concentrations of tert-Butyl alcohol reported at 51.2 µg/l.

(B) = concentrations of tert-Butyl alcohol reported at 53.3 µg/l.

(C) = concentrations of tert-Butyl alcohol reported at 54.3 µg/l.

(D) = concentrations of tert-Butyl alcohol reported at 90.4 µg/l.

(E) = concentrations of tert-Butyl alcohol reported at 42.5 µg/l.

(F) = concentrations of tert-Butyl alcohol reported at 33.7 µg/l.

(G) = concentrations of tert-Butyl alcohol reported at 35.2 µg/l.

(H) = concentrations of tert-Butyl alcohol reported at 28.6 µg/l.

(I) = concentrations of tert-Butyl alcohol reported at 89.5 µg/l.

(J) = concentrations of tert-Butyl alcohol reported at 62.6 µg/l.

(K) = concentrations of tert-Butyl alcohol reported at 62.1 µg/l.

(L) = concentrations of tert-Butyl alcohol reported at 41.8 µg/l.

(M) = concentrations of tert-Butyl alcohol reported at 48.8 µg/l.

(N) = concentrations of tert-Butyl alcohol reported at 61.4 µg/l.

(O) = concentrations of tert-Butyl alcohol reported at 57.5 µg/l.

(P) = concentrations of tert-Butyl alcohol reported at 28.9 µg/l.

(Q) = concentrations of tert-Butyl alcohol reported at 57.4 µg/l.

(R) = concentrations of tert-Butyl alcohol reported at 58.7 µg/l.

(S) = concentrations of tert-Butyl alcohol reported at 52.5 µg/l.

(T) = concentrations of tert-Butyl alcohol reported at 50.6 µg/l.

(U) = concentrations of tert-Butyl alcohol reported at 40.4 µg/l.

(V) = concentrations of tert-Butyl alcohol reported at 30.5 µg/l.

(W) = concentrations of tert-Butyl alcohol reported at 62.7 µg/l.

(X) = concentrations of tert-Butyl alcohol reported at 81.3 µg/l.


(Y) = concentrations of tert-Butyl alcohol reported at 49.7 µg/l.

(Z) = concentrations of tert-Butyl alcohol reported at 54.9 µg/l.



PLATES





© 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 700 ft Scale: 1:24,000 Detail: 13-0 Datum: NAD27



APPROXIMATE SCALE (FEET)




Brunsing Associates, Inc.
 5803 Skylane Blvd., Suite A
 Windsor, California 95492
 Tel: (707) 838-3027








Job No.: 029.2
 Appr.: *[Signature]*
 Date: 1/8/04

VICINITY MAP
PACIFIC SUPPLY COMPANY
 Oakland, California

PLATE
1




LEGEND

-  MW-6 Monitoring Well Location and Number
-  VRW-9 Vapor Recovery Well Location and Number
-  B-12 Soil Boring Location and Number (August 2000)
-  B-10 Soil Boring Location and Number (March 1993)
-  VEW-1 Vapor Extraction Well Location and Number
-  V-5 Soil Gas Sampling Location and Number
-  Former UST Locations

Yellow Cab



APPROXIMATE SCALE (FEET)



WILLOW STREET




Brunsing Associates, Inc.
5468 Skylane Blvd., Suite 201
Santa Rosa, California 95403
Tel (707) 838-3027

Job No.: 29
Appr.: *[Signature]*
Date: 7/24/03

SITE MAP
PACIFIC SUPPLY COMPANY
1734 24th Street
Oakland, California

PLATE
2

PACIFIC SUPPLY BUILDING



C & L Trucking

24th STREET

WILLOW STREET

Yellow Cab

LEGEND

- MW-3 (4.39) Monitoring Well Location and Number with Groundwater Elevation in feet above Mean Sea Level (MSL)
- VRW-9 (nm) Vapor Recovery Well Location and Number with Groundwater Elevation in feet above MSL
- Former UST Locations
- $i = 0.007$ ft/ft Groundwater Flow Direction and gradient in feet/foot (ft/ft) using data from wells MW-1, MW-2, and MW-3
- 4.40 Groundwater Elevation Contour in feet above Mean Sea Level
- nm Not Measured

APPROXIMATE SCALE (FEET)



Brunsing Associates, Inc.
5468 Skylane Blvd., Suite 201
Santa Rosa, California 95403
Tel: (707) 838-3027

Job No.: 029
Appr.:
Date: 10/12/11

GROUNDWATER ELEVATIONS

January 31, 2011
PACIFIC SUPPLY COMPANY
1734 24th Street
Oakland, California

PLATE

3

APPENDIX A
Monitoring Well Sampling Protocol and Field Reports



Groundwater Sampling Protocol

Monitoring Wells

Prior to purging a monitoring well, groundwater levels are measured with a Solinst electric depth measurement device, or an interface probe, in all wells that are to be measured. At sites where petroleum hydrocarbons are possible contaminants, the well is checked for floating product using a clear bailer, a steel tape with water/oil paste, or an interface probe, during the initial sampling round. If floating product is measured during the initial sampling round or noted during subsequent sampling rounds, floating product measurements are continued.

After the water level and floating product measurements are complete, the monitoring well is purged until a minimum of three casing volumes of water are removed, water is relatively clear of sediment, and pH, conductivity, and temperature measurements of the water become relatively stable. If the well is purged dry, groundwater samples are collected after the water level in the well recovers to at least 80 percent of the original water column measured in the well prior to sampling, or following a maximum recovery period of two hours. The well is purged using a factory-sealed, disposable, polyethylene bailer, a four-inch diameter submersible Grundfos pump, a two-inch diameter ES-40 purge pump, or a peristaltic pump. The purge water is stored on-site in clean, 55-gallon drums.

A groundwater sample is collected from each monitoring well following re-equilibration of the well after purging. The groundwater sample is collected using a factory-sealed disposable, polyethylene bailer with a sampling port, or a factory-sealed Teflon bailer. A factory provided attachment designed for use with volatile organic compounds (VOCs) is attached to the polyethylene bailer sampling port when collecting samples to be analyzed for VOCs. The groundwater sample is transferred from the bailer into sample container(s) that are obtained directly from the analytical laboratory.

The sample container(s) is labeled with a self-adhesive tag. The following information is included on the tag:

- Project number
- Sample number
- Date and time sample is collected
- Initials of sample collector(s).

Individual log sheets are maintained throughout the sampling operations. The following information is recorded:



- Sample number
- Date and time well sampled and purged
- Sampling location
- Types of sampling equipment used
- Name of sampler(s)
- Volume of water purged.

Following collection of the groundwater sample, the sample is immediately stored on blue ice in an appropriate container. A chain-of-custody form is completed with the following information:

- Date the sample was collected
- Sample number and the number of containers
- Analyses required
- Remarks including preservatives added and any special conditions.

The original copy of the chain-of-custody form accompanies the sample containers to a California-certified laboratory. A copy is retained by BAI and placed in company files.

Sampling equipment including thermometers, pH electrodes, and conductivity probes are cleaned both before and after their use at the site. The following cleaning procedures are used:

- Scrub with a potable water and detergent solution or other solutions deemed appropriate using a hard bristle brush
- Rinse with potable water
- Double-rinse with organic-free or deionized water
- Package and seal equipment in plastic bags or other appropriate containers to prevent contact with solvents, dust, or other contaminants.

In addition, the pumps are cleaned by pumping a potable water and detergent solution and deionized water through the system. Cleaning solutions are contained on-site in clean 55-gallon drums.

Domestic and Irrigation Wells

Groundwater samples collected from domestic or irrigation wells are collected from the spigot that is the closest to the well. Prior to collecting the sample, the spigot is allowed to flow for at least 5 minutes to purge the well. The sample is then collected directly into laboratory-supplied containers, sealed, labeled, and stored on blue ice in an appropriate container, as described above. A chain-of-custody form is completed and submitted with the samples to the analytical laboratory.



WATER LEVELS

SHEET 2 OF

PROJECT: Pacific Supply

PROJECT NUMBER: 29

INSTRUMENT TYPE:

INITIALS:

DATE: 1-31-11

| WELL NUMBER | DEPTH TO PRODUCT | DISTANCE TO WATER | TIME (24 HOUR) | EQUILIBRATED (CHECK FOR YES) | NOTES |
|-------------|------------------|-------------------|----------------|------------------------------|--------------------------|
| MW-1 | - | 7.05 | 1127 | | |
| MW-2 | - | 6.74 | 1125 | | |
| MW-3 | - | 7.36 | 1130 | | |
| VRW-1 | - | 7.15 | 1129 | | |
| VRW-2 | - | 6.70 | 1124 | | |
| VRW-3 | - | 7.16 | 1123 | | |
| VRW-4 | - | 6.97 | 1126 | | |
| VRW-5 | - | 7.20 | 1133 | | |
| VRW-6 | - | - | - | | temporarily inaccessible |
| VRW-7 | - | 7.35 | 1132 | | |
| VRW-8 | - | 7.15 | 1131 | | |
| VRW-9 | - | - | - | | |
| | | | | | |
| MW-1 | - | 7.05 | 1136 | ✓ | |
| MW-2 | - | 6.75 | 1139 | ✓ | |
| MW-3 | - | 7.37 | 1147 | ✓ | |
| VRW-1 | - | 7.14 | 1138 | ✓ | |
| VRW-2 | - | 6.70 | 1137 | ✓ | |
| VRW-3 | - | 7.16 | 1135 | ✓ | |
| VRW-4 | - | 6.96 | 1141 | ✓ | |
| VRW-5 | - | 7.20 | 1146 | ✓ | |
| VRW-6 | - | 7.00 | 1143 | | |
| VRW-7 | - | 7.36 | 1145 | ✓ | |
| VRW-8 | - | 7.16 | 1144 | ✓ | |
| VRW-9 | - | - | - | | " " |
| | | | | | |
| VRW-6 | - | 7.00 | 1149 | ✓ | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

WELL SAMPLING

SHEET 3 OF

PROJECT: Pacific Supply

PROJECT NUMBER: 29

WELL # MW-1 PRECIP. IN LAST 5 DAYS:

WIND

DATE: 1-31-11

STARTING TIME: 1255 FINISHING TIME: 1326

INITIALS: ED

CALCULATION OF PURGE VOLUME

2" WELL DEPTH: - D.T.W. = H2O COLUMN: X 0.5 =

4" WELL DEPTH: - D.T.W. = H2O COLUMN: X 2.0 =

THEREFORE TOTAL PURGE GALLONS EQUALS

GALLONS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|-------------------|--------------|
| 1301 | 2 | 7.48 | 982 μ S | 17.7 $^{\circ}$ C | Clear, Odor |
| 1308 | 4 | 7.25 | 1658 μ S | 18.0 | Clear, Odor |
| 1314 | 6 | 7.26 | 1569 | 18.0 | Clear, Odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1324 | 7.30 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 4 OF

| | | | |
|-------------------------|------|-------------------------|------|
| PROJECT: Pacific Supply | | PROJECT NUMBER: 29 | |
| WELL # | MW-2 | PRECIP. IN LAST 5 DAYS: | WIND |
| STARTING TIME: 1530 | | FINISHING TIME: 1614 | |
| | | DATE: 1-31-11 | |
| | | INITIALS: ED | |

CALCULATION OF PURGE VOLUME

| | | | | | |
|--|---|--|--|---|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value="1"/> | - D.T.W. <input type="text" value="1"/> | = H2O COLUMN: <input type="text" value="1"/> | X 0.5 = <input type="text" value="1"/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value="20.00"/> | - D.T.W. <input type="text" value="6.75"/> | = H2O COLUMN: <input type="text" value="13.25"/> | X 2.0 = <input type="text" value="26.5"/> | |
| THEREFORE TOTAL PURGE GALLONS EQUALS <input type="text" value="26.5"/> | | | | | |

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------|
| 1540 | 8 | 8.62 | 230 μ S | 16.2 °C | Cloudy, green/brown, silt, odor |
| 1550 | 16 | 8.21 | 1412 μ S | 15.6 | Cloudy, green/brown, silt, odor |
| 1559 | 26.5 | 7.77 | 1266 μ S | 15.4 | Cloudy, green/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: **SAMPLE ANALYSIS:**

SAMPLE TIME: **DID WELL GO DRY?**

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1613 | 6.80 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 5 OF

| | |
|---|--------------------|
| PROJECT: Pacific Supply | PROJECT NUMBER: 29 |
| WELL # VRW-1 PRECIP. IN LAST 5 DAYS: WIND | DATE: 1-31-11 |
| STARTING TIME: 1435 FINISHING TIME: 1523 | INITIALS: ED |

CALCULATION OF PURGE VOLUME

| | | | | | |
|---|---|--|--|--|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value=""/> | - D.T.W. <input type="text" value=""/> | = H2O COLUMN: <input type="text" value=""/> | X 0.5 = <input type="text" value=""/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value="20.00"/> | - D.T.W. <input type="text" value="7.14"/> | = H2O COLUMN: <input type="text" value="12.86"/> | X 2.0 = <input type="text" value="25.72"/> | |
| THEREFORE TOTAL PURGE GALLONS EQUALS <input style="width: 100px;" type="text" value="25.75"/> | | | | | |

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------------|
| 1444 | 8 | 7.62 | 3.86 mS | 18.7 °C | Cloudy, green/brown, odor, silt |
| 1453 | 16 | 7.60 | 5.45 | 19.0 | Cloudy, dark green/brown, silt, odor |
| 1504 | 25 | 7.74 | 7.58 | 18.7 | Cloudy, dark, green/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1520 | 945 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 6 OF

| | | | |
|-------------------------|-------------------------|--------------------|---------------|
| PROJECT: Pacific Supply | | PROJECT NUMBER: 29 | |
| WELL # VRW-2 | PRECIP. IN LAST 5 DAYS: | WIND | DATE: 1-31-11 |
| STARTING TIME: 1327 | FINISHING TIME: 1406 | INITIALS: ED | |

CALCULATION OF PURGE VOLUME

| | | | | | |
|--|---|--|---|---|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value="1"/> | - D.T.W. <input type="text" value="1"/> | = H2O COLUMN: <input type="text" value="1"/> | X 0.5 = <input type="text" value="1"/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value="20.00"/> | - D.T.W. <input type="text" value="6.70"/> | = H2O COLUMN: <input type="text" value="13.3"/> | X 2.0 = <input type="text" value="26.6"/> | |
| THEREFORE TOTAL PURGE GALLONS EQUALS <input type="text" value="26.5"/> | | | | | |

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------|
| 1337 | 8 | 7.56 | 1417 mS | 19.2 °C | Cloudy, brown/green, silt, odor |
| 1346 | 16 | 7.30 | 1256 | 18.7 | Cloudy, light green/brown, odor |
| 1354 | 26 | 7.38 | 1362 | 18.7 | Cloudy, light green/brown, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1405 | 6.95 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 7 OF

PROJECT: Pacific Supply

PROJECT NUMBER: 29

WELL # VRW-3 PRECIP. IN LAST 5 DAYS:

WIND

DATE: 1-31-11

STARTING TIME: 1210 FINISHING TIME: 1253

INITIALS: ED

CALCULATION OF PURGE VOLUME

2" WELL DEPTH: - D.T.W. = H2O COLUMN: X 0.5 =

4" WELL DEPTH: - D.T.W. = H2O COLUMN: X 2.0 =

THEREFORE TOTAL PURGE GALLONS EQUALS

G
A
L
L
O
N
S

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------|
| 1221 | 8 | 7.38 | 6.00 mS | 19.1 °C | Cloudy, light brown, silt, odor |
| 1230 | 16 | 7.09 | 5.55 | 20.0 | Cloudy, light brown, silt, odor |
| 1239 | 20 | 7.50 | 3.34 | 19.7 | Cloudy, light brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING:

SAMPLE ANALYSIS: TPH-Gas, 8260B (BTEX, petro oxy & Pb scav)

SAMPLE TIME: 1240

DID WELL GO DRY? yes

WATER LEVELS:

NOTES:

| TIME | D.T.W. |
|------|--------|
| 1252 | 15.6 |
| | |
| | |
| | |
| | |
| | |

WELL SAMPLING

SHEET 8 OF

PROJECT: Pacific Supply

PROJECT NUMBER: 29

WELL # VRW-4 PRECIP. IN LAST 5 DAYS:

WIND

DATE: 1-31-11

STARTING TIME: 1625 FINISHING TIME: 1700

INITIALS: ED

CALCULATION OF PURGE VOLUME

2" WELL DEPTH: - D.T.W. = H2O COLUMN: X 0.5 =

4" WELL DEPTH: - D.T.W. = H2O COLUMN: X 2.0 =

THEREFORE TOTAL PURGE GALLONS EQUALS

GALLONS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|----------------|---------|---------------------------------|
| 1632 | 8 | 7.30 | 3.26 <i>ms</i> | 19.7 °C | Cloudy, green/brown, silt, odor |
| 1639 | 16 | 7.06 | 4.82 | 19.4 | Same |
| 1644 | 20 | 7.23 | 4.17 | 19.6 | Same |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1657 | 13.55 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 10 OF

PROJECT: Pacific Supply PROJECT NUMBER: 29

WELL # MW-3 PRECIP. IN LAST 5 DAYS: WIND DATE: 2-1-11

STARTING TIME: 0945 FINISHING TIME: 1022 INITIALS: ED

CALCULATION OF PURGE VOLUME

| | | | | | |
|---------|---|--|---|---|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value="16.00"/> | - D.T.W. <input type="text" value="7.37"/> | = H2O COLUMN: <input type="text" value="8.63"/> | X 0.5 = <input type="text" value="4.31"/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value=""/> | - D.T.W. <input type="text" value=""/> | = H2O COLUMN: <input type="text" value=""/> | X 2.0 = <input type="text" value=""/> | |

THEREFORE TOTAL PURGE GALLONS EQUALS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------|
| 0949 | 1.5 | 8.01 | 3.64 mS | 16.7 °C | Cloudy, brown, silt, odor |
| 0954 | 3.0 | 7.64 | 3.80 | 17.8 | Cloudy, light brown, silt, odor |
| 0959 | 4.25 | 7.87 | 3.83 | 19.0 | Cloudy, light brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1021 | 7.54 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 11 OF

PROJECT: Pacific Supply

PROJECT NUMBER: 29

WELL # VRW-5 PRECIP. IN LAST 5 DAYS:

WIND

DATE: 2-1-11

STARTING TIME: 1250 FINISHING TIME: 1321

INITIALS: ED

CALCULATION OF PURGE VOLUME

2" WELL DEPTH: - D.T.W. = H2O COLUMN: X 0.5 =

4" WELL DEPTH: - D.T.W. = H2O COLUMN: X 2.0 =

THEREFORE TOTAL PURGE GALLONS EQUALS

GALLONS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|-------------------------------------|
| 1258 | 8 | 7.82 | 1735 μ S | 18.7 °C | Cloudy, dark brown, silt, odor |
| 1306 | 16 | 7.84 | 1685 | 18.8 | Cloudy dark green/brown, silt, odor |
| 1314 | 25 | 7.44 | 1602 | 17.9 | Cloudy dark green/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1320 | 7.30 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 12 OF

PROJECT: Pacific Supply PROJECT NUMBER: 29

WELL # VRW-6 PRECIP. IN LAST 5 DAYS: WIND DATE: 2-1-11

STARTING TIME: 1110 FINISHING TIME: 1153 INITIALS: EJ

CALCULATION OF PURGE VOLUME

| | | | | | |
|---------|--|--|---|--|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value="1"/> | - D.T.W. <input type="text" value="1"/> | = H2O COLUMN: <input type="text" value="1"/> | X 0.5 = <input type="text" value="0.5"/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value="20"/> | - D.T.W. <input type="text" value="7.00"/> | = H2O COLUMN: <input type="text" value="13"/> | X 2.0 = <input type="text" value="26"/> | |

THEREFORE TOTAL PURGE GALLONS EQUALS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|-------------------------------------|
| 1121 | 8 | 7.34 | 374 mS | 21.0 °C | Cloudy, dark brown, silt, odor |
| 1130 | 10 | 7.47 | 4.77 | 20.6 | Cloudy, dark grey/brown, silt, odor |
| 1139 | 16 | 7.23 | 4.68 | 20.8 | Cloudy, dark grey/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS: TPH-Gas, 8260B (BTEX, petro oxy & Pb scav)

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1152 | 16.5 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 13 OF

| | |
|---|--------------------|
| PROJECT: Pacific Supply | PROJECT NUMBER: 29 |
| WELL # VRW-7 PRECIP. IN LAST 5 DAYS: WIND | DATE: 2-1-11 |
| STARTING TIME: 1322 FINISHING TIME: 1359 | INITIALS: ED |

CALCULATION OF PURGE VOLUME

| | | | | | |
|---------|---|--|--|--|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value="1"/> | - D.T.W. <input type="text" value="1"/> | = H2O COLUMN: <input type="text" value="1"/> | X 0.5 = <input type="text" value="0.5"/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value="20.00"/> | - D.T.W. <input type="text" value="7.36"/> | = H2O COLUMN: <input type="text" value="12.64"/> | X 2.0 = <input type="text" value="25.28"/> | |

THEREFORE TOTAL PURGE GALLONS EQUALS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------|
| 1330 | 8 | 7.43 | 3.92 mS | 20.0 °C | Cloudy, green/brown, silt, odor |
| 1337 | 12 | 7.59 | 5.13 | 20.9 | Cloudy, green/brown, silt, odor |
| 1344 | 16 | 7.41 | 5.22 | 21.0 | Cloudy, green/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1358 | 13.25 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 14 OF

| | |
|---|--------------------|
| PROJECT: Pacific Supply | PROJECT NUMBER: 29 |
| WELL # VRW-8 PRECIP. IN LAST 5 DAYS: WIND | DATE: 2-1-11 |
| STARTING TIME: 1025 FINISHING TIME: 1108 | INITIALS: ED |

CALCULATION OF PURGE VOLUME

| | | | | | |
|---------|---|--|--|---------|------------------------------------|
| 2" WELL | DEPTH: <input type="text" value="7"/> | - D.T.W. <input type="text" value="7"/> | = H2O COLUMN: <input type="text" value="7"/> | X 0.5 = | <input type="text" value="3.5"/> |
| 4" WELL | DEPTH: <input type="text" value="20.00"/> | - D.T.W. <input type="text" value="7.16"/> | = H2O COLUMN: <input type="text" value="12.84"/> | X 2.0 = | <input type="text" value="25.68"/> |

THEREFORE TOTAL PURGE GALLONS EQUALS

GALLONS

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|---------|---------------------------------|
| 1032 | 8 | 7.71 | 3.12 mS | 18.8 °C | Cloudy, green/brown, silt, odor |
| 1038 | 16 | 7.11 | 2.90 | 19.1 | Cloudy, green/brown, silt, odor |
| 1044 | 25.75 | 7.00 | 2.83 | 19.0 | Cloudy, green/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS:

SAMPLE TIME: DID WELL GO DRY?

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1107 | 7.12 | |
| | | |
| | | |
| | | |
| | | |

WELL SAMPLING

SHEET 15 OF 15

| | |
|---|--------------------|
| PROJECT: Pacific Supply | PROJECT NUMBER: 29 |
| WELL # VRW-9 PRECIP. IN LAST 5 DAYS: WIND | DATE: 2-1-11 |
| STARTING TIME: 1200 FINISHING TIME: 1233 | INITIALS: ED |

CALCULATION OF PURGE VOLUME

| | | | | | |
|---------|---|--|---|---|---------------------------------|
| 2" WELL | DEPTH: <input type="text" value=""/> | - D.T.W. <input type="text" value=""/> | = H2O COLUMN: <input type="text" value=""/> | X 0.5 = <input type="text" value=""/> | G A L L O N S |
| 4" WELL | DEPTH: <input type="text" value="20.00"/> | - D.T.W. <input type="text" value="7.40"/> | = H2O COLUMN: <input type="text" value="12.6"/> | X 2.0 = <input type="text" value="25.2"/> | |

THEREFORE TOTAL PURGE GALLONS EQUALS 25.25

FIELD MEASUREMENTS

| TIME | GALLONS REMOVED | pH | CONDUCTIVITY | TEMP. | OBSERVATIONS |
|------|-----------------|------|--------------|--------|---------------------------------|
| 1208 | 4 | 8.15 | 3.41 S | 19.9°C | Cloudy, green/brown, silt, odor |
| 1216 | 16 | 7.86 | 3.28 | 19.6 | Cloudy, green/brown, silt, odor |
| 1224 | 25.25 | 7.58 | 2.99 | 19.8 | Cloudy, green/brown, silt, odor |
| | | | | | |
| | | | | | |

SAMPLING: SAMPLE ANALYSIS: TPH-Gas, 8260B (BTEX, petro oxy & Pb scav)

SAMPLE TIME: 1225 DID WELL GO DRY? NO

| WATER LEVELS: | | NOTES: |
|---------------|--------|--------|
| TIME | D.T.W. | |
| 1232 | 7.50 | |
| | | |
| | | |
| | | |
| | | |

APPENDIX B
Analytical Laboratory Report



Jan 2011 Q11

Laboratory Report Project Overview

EDF 1.2a

SCANNED

| | |
|-----------------------|------------------------------|
| Laboratory: | Bace Analytical, Windsor, CA |
| Lab Report Number: | 5640 |
| Project Name: | 1735 24TH ST. |
| Work Order Number: | 029 |
| Control Sheet Number: | NA |

Jan 2/9/11

Report Summary

| Labreport | Sampid | Labsampid | Mtrx | QC | Anmcode | Exmcode | Logdate | Extdate | Anadate | Lablotctl | Run Sub |
|-----------|--------|-----------|------|----|---------|---------|-----------|-----------|-----------|-----------|---------|
| 5640 | MW-1 | 5640-1 | W | CS | 8260FAB | SW5030B | 01/31/201 | 02/03/201 | 02/03/201 | 20110203 | 6 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | MW-1 | 5640-1 | W | CS | CATPH-G | SW5030B | 01/31/201 | 02/08/201 | 02/08/201 | 02082011 | 3 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | MW-2 | 5640-2 | W | CS | 8260FAB | SW5030B | 01/31/201 | 02/03/201 | 02/03/201 | 20110203 | 9 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | MW-2 | 5640-2 | W | CS | CATPH-G | SW5030B | 01/31/201 | 02/08/201 | 02/08/201 | 02082011 | 6 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | MW-3 | 5640-3 | W | CS | 8260FAB | SW5030B | 02/01/201 | 02/03/201 | 02/03/201 | 20110203 | 10 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | MW-3 | 5640-3 | W | CS | CATPH-G | SW5030B | 02/01/201 | 02/08/201 | 02/08/201 | 02082011 | 7 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-1 | 5640-4 | W | CS | 8260FAB | SW5030B | 01/31/201 | 02/03/201 | 02/03/201 | 20110203 | 11 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-1 | 5640-4 | W | CS | CATPH-G | SW5030B | 01/31/201 | 02/08/201 | 02/08/201 | 02082011 | 8 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-2 | 5640-5 | W | CS | 8260FAB | SW5030B | 01/31/201 | 02/03/201 | 02/03/201 | 20110203 | 12 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-2 | 5640-5 | W | CS | CATPH-G | SW5030B | 01/31/201 | 02/08/201 | 02/08/201 | 02082011 | 9 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-3 | 5640-6 | W | CS | 8260FAB | SW5030B | 01/31/201 | 02/03/201 | 02/03/201 | 20110203 | 13 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-3 | 5640-6 | W | CS | CATPH-G | SW5030B | 01/31/201 | 02/08/201 | 02/08/201 | 02082011 | 10 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-4 | 5540-7 | W | CS | 8260FAB | SW5030B | 01/31/201 | 02/03/201 | 02/03/201 | 20110203 | 14 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-4 | 5540-7 | W | CS | CATPH-G | SW5030B | 01/31/201 | 02/08/201 | 02/08/201 | 02082011 | 11 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-5 | 5640-8 | W | CS | 8260FAB | SW5030B | 02/01/201 | 02/03/201 | 02/03/201 | 20110203 | 15 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-5 | 5640-8 | W | CS | CATPH-G | SW5030B | 02/01/201 | 02/08/201 | 02/08/201 | 02082011 | 12 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-6 | 5640-9 | W | CS | 8260FAB | SW5030B | 02/01/201 | 02/03/201 | 02/03/201 | 20110203 | 16 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-6 | 5640-9 | W | CS | CATPH-G | SW5030B | 02/01/201 | 02/08/201 | 02/08/201 | 02082011 | 13 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-7 | 5640-10 | W | CS | 8260FAB | SW5030B | 02/01/201 | 02/03/201 | 02/03/201 | 20110203 | 17 |
| | | | | | | | 1 | 1 | 1 | | |
| 5640 | VRW-7 | 5640-10 | W | CS | CATPH-G | SW5030B | 02/01/201 | 02/08/201 | 02/08/201 | 02082011 | 14 |

02/09/201

Report Summary

| Labreport | Sampid | Labsampid | Mtrx | QC | Anmcode | Exmcode | Logdate | Extdate | Anadate | Lablotctl | Run | Sub |
|-----------|--------|-----------|------|-----|---------|---------|-----------|-----------|-----------|-----------|-----|-----|
| | | | | | | | 1 | 1 | 1 | | | |
| 5640 | VRW-8 | 5640-11 | W | CS | 8260FAB | SW5030B | 02/01/201 | 02/03/201 | 02/03/201 | 20110203 | 18 | |
| | | | | | | | 1 | 1 | 1 | | | |
| 5640 | VRW-8 | 5640-11 | W | CS | CATPH-G | SW5030B | 02/01/201 | 02/08/201 | 02/08/201 | 02082011 | 15 | |
| | | | | | | | 1 | 1 | 1 | | | |
| 5640 | VRW-9 | 5640-12 | W | CS | 8260FAB | SW5030B | 02/01/201 | 02/03/201 | 02/03/201 | 20110203 | 19 | |
| | | | | | | | 1 | 1 | 1 | | | |
| 5640 | VRW-9 | 5640-12 | W | CS | CATPH-G | SW5030B | 02/01/201 | 02/08/201 | 02/08/201 | 02082011 | 16 | |
| | | | | | | | 1 | 1 | 1 | | | |
| | | 5640MB | W | LB1 | 8260FAB | SW5030B | // | 02/03/201 | 02/03/201 | 20110203 | 3 | |
| | | | | | | | | 1 | 1 | | | |
| | | 5640MB | W | LB1 | CATPH-G | SW5030B | // | 02/08/201 | 02/08/201 | 02082011 | 1 | |
| | | | | | | | | 1 | 1 | | | |
| | | 5640MS | W | MS1 | 8260FAB | SW5030B | // | 02/03/201 | 02/03/201 | 20110203 | 7 | |
| | | | | | | | | 1 | 1 | | | |
| | | 5640MS | W | MS1 | CATPH-G | SW5030B | // | 02/08/201 | 02/08/201 | 02082011 | 4 | |
| | | | | | | | | 1 | 1 | | | |
| | | 5640SD | W | SD1 | 8260FAB | SW5030B | // | 02/03/201 | 02/03/201 | 20110203 | 8 | |
| | | | | | | | | 1 | 1 | | | |
| | | 5640SD | W | SD1 | CATPH-G | SW5030B | // | 02/08/201 | 02/08/201 | 02082011 | 5 | |
| | | | | | | | | 1 | 1 | | | |

Lab Report No.: 5640 Date: 02/09/2011

Page: 1

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|-----------|--|------|--------|-------|---------|--|
| Project No: 029 | | Method: 8260FAB | | | | | |
| | | Prep Meth: SW5030B | | | | | |
| Field ID: MW-1 | | Lab Samp ID: 5640-1 | | | | | |
| Descr/Location: MW-1 | | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1315 | | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil | |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 PQL | | ND | UG/L | 1 | |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 PQL | | ND | UG/L | 1 | |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 PQL | | ND | UG/L | 1 | |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 PQL | | ND | UG/L | 1 | |
| tert-Butyl alcohol (TBA) | 2.4 | 10. PQL | | ND | UG/L | 1 | |
| 1,2-Dichloroethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 | |
| 1,2-Dibromoethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 | |
| Benzene | 0.27 | 0.50 PQL | | ND | UG/L | 1 | |
| Toluene | 0.25 | 0.50 PQL | | ND | UG/L | 1 | |
| Ethylbenzene | 0.25 | 0.50 PQL | | ND | UG/L | 1 | |
| Xylenes | 0.25 | 0.50 PQL | | ND | UG/L | 1 | |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | | |
| 4-Bromofluorobenzene | | 86-118 SLSA | | 97% | | 1 | |
| Toluene-d8 | | 88-110 SLSA | | 100% | | 1 | |
| Dibromofluoromethane | | 86-118 SLSA | | 95% | | 1 | |

Approved by: _____



Date: _____

2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 2

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|-----------|--|------|--------|-------|---------|--|
| Project No: 029 | | Method: 8260FAB | | | | | |
| | | Prep Meth: SW5030B | | | | | |
| Field ID: MW-2 | | Lab Samp ID: 5640-2 | | | | | |
| Descr/Location: MW-2 | | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1600 | | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil | |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 PQL | | 1.47 | UG/L | 1 | |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 PQL | | ND | UG/L | 1 | |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 PQL | | ND | UG/L | 1 | |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 PQL | | ND | UG/L | 1 | |
| tert-Butyl alcohol (TBA) | 2.4 | 10. PQL | | ND | UG/L | 1 | |
| 1,2-Dichloroethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 | |
| 1,2-Dibromoethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 | |
| Benzene | 0.27 | 0.50 PQL | | 4.86 | UG/L | 1 | |
| Toluene | 0.25 | 0.50 PQL | | 2.48 | UG/L | 1 | |
| Ethylbenzene | 0.25 | 0.50 PQL | | ND | UG/L | 1 | |
| Xylenes | 0.25 | 0.50 PQL | | 4.63 | UG/L | 1 | |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | | |
| 4-Bromofluorobenzene | | 86-118 SLSA | | 98% | | 1 | |
| Toluene-d8 | | 88-110 SLSA | | 98% | | 1 | |
| Dibromofluoromethane | | 86-118 SLSA | | 93% | | 1 | |

Approved by: _____



Date: _____

2/7/11

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: 8260FAB | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: MW-3 | Lab Samp ID: 5640-3 | | | | | |
| Descr/Location: MW-3 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1000 | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 PQL | | ND | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 PQL | | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 PQL | | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 PQL | | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. PQL | | 91.8 | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 PQL | | ND | UG/L | 1 |
| Toluene | 0.25 | 0.50 PQL | | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 PQL | | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 PQL | | ND | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 SLSA | | 98% | | 1 |
| Toluene-d8 | | 88-110 SLSA | | 99% | | 1 |
| Dibromofluoromethane | | 86-118 SLSA | | 94% | | 1 |

Approved by: William H. Gotsch

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 4

| Project Name: 1735 24TH ST. | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|--|-------------|------|--------|-------|---------|
| Project No: 029 | Method: 8260FAB | | | | | |
| | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-1 | Lab Samp ID: 5640-4 | | | | | |
| Descr/Location: VRW-1 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1505 | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 PQL | | 1.03 | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 PQL | | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 PQL | | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 PQL | | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. PQL | | 40.4 | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 PQL | | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 PQL | | 263 | UG/L | 1 |
| Toluene | 0.25 | 0.50 PQL | | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 PQL | | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 PQL | | ND | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 SLSA | | 96% | | 1 |
| Toluene-d8 | | 88-110 SLSA | | 97% | | 1 |
| Dibromofluoromethane | | 86-118 SLSA | | 93% | | 1 |

Approved by: _____



Date: _____



Lab Report No.: 5640 Date: 02/09/2011

Page: 5

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|-----------|--|------|--------|-------|---------|--|
| Project No: 029 | | Method: 8260FAB | | | | | |
| | | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-2 | | Lab Samp ID: 5640-5 | | | | | |
| Descr/Location: VRW-2 | | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1355 | | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil | |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 | PQL | 1.20 | UG/L | 1 | |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 | PQL | ND | UG/L | 1 | |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 | PQL | ND | UG/L | 1 | |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 | PQL | ND | UG/L | 1 | |
| tert-Butyl alcohol (TBA) | 2.4 | 10. | PQL | ND | UG/L | 1 | |
| 1,2-Dichloroethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 | |
| 1,2-Dibromoethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 | |
| Benzene | 0.27 | 0.50 | PQL | 21.1 | UG/L | 1 | |
| Toluene | 0.25 | 0.50 | PQL | 1.78 | UG/L | 1 | |
| Ethylbenzene | 0.25 | 0.50 | PQL | ND | UG/L | 1 | |
| Xylenes | 0.25 | 0.50 | PQL | 2.93 | UG/L | 1 | |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | 97% | | 1 | |
| Toluene-d8 | | 88-110 | SLSA | 99% | | 1 | |
| Dibromofluoromethane | | 86-118 | SLSA | 92% | | 1 | |

Approved by: _____



Date: _____

2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 6

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | |
|---|-----------|--|------|--------|-------|---------|
| Project No: 029 | | Method: 8260FAB | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-3 | | Lab Samp ID: 5640-6 | | | | |
| Descr/Location: VRW-3 | | Rec'd Date: 02/02/2011 | | | | |
| Sample Date: 01/31/2011 | | Prep Date: 02/03/2011 | | | | |
| Sample Time: 1240 | | Analysis Date: 02/03/2011 | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | |
| Basis: Not Filtered | | Notes: | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 | PQL | ND | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 | PQL | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. | PQL | 30.5 | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 | PQL | 1.19 | UG/L | 1 |
| Toluene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 | PQL | 1.41 | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | 96% | | 1 |
| Toluene-d8 | | 88-110 | SLSA | 97% | | 1 |
| Dibromofluoromethane | | 86-118 | SLSA | 90% | | 1 |

Approved by: _____



Date: _____



Lab Report No.: 5640 Date: 02/09/2011

Page: 7

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|-----------|--|------|--------|-------|---------|--|
| Project No: 029 | | Method: 8260FAB | | | | | |
| | | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-4 | | Lab Samp ID: 5540-7 | | | | | |
| Descr/Location: VRW-4 | | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1645 | | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil | |
| Methyl-tert-butyl ether (MTBE) | 0.76 | 2.0 | PQL | ND | UG/L | 2 | |
| Ethyl tert-butyl ether (ETBE) | 0.60 | 2.0 | PQL | ND | UG/L | 2 | |
| tert-Amyl methyl ether (TAME) | 0.52 | 2.0 | PQL | ND | UG/L | 2 | |
| Di-isopropyl ether (DIPE) | 0.74 | 2.0 | PQL | ND | UG/L | 2 | |
| tert-Butyl alcohol (TBA) | 4.8 | 20. | PQL | ND | UG/L | 2 | |
| 1,2-Dichloroethane | 0.60 | 1.0 | PQL | ND | UG/L | 2 | |
| 1,2-Dibromoethane | 0.60 | 1.0 | PQL | ND | UG/L | 2 | |
| Benzene | 0.54 | 1.0 | PQL | 125. | UG/L | 2 | |
| Toluene | 0.50 | 1.0 | PQL | 8.25 | UG/L | 2 | |
| Ethylbenzene | 0.50 | 1.0 | PQL | 9.51 | UG/L | 2 | |
| Xylenes | 0.50 | 1.0 | PQL | 19.3 | UG/L | 2 | |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | 96% | | 1 | |
| Toluene-d8 | | 88-110 | SLSA | 97% | | 1 | |
| Dibromofluoromethane | | 86-118 | SLSA | 89% | | 1 | |

Approved by: _____



Date: _____

2/9/11

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | |
|---|-----------|--|------|--------|-------|---------|
| Project No: 029 | | Method: 8260FAB | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-5 | | Lab Samp ID: 5640-8 | | | | |
| Descr/Location: VRW-5 | | Rec'd Date: 02/02/2011 | | | | |
| Sample Date: 02/01/2011 | | Prep Date: 02/03/2011 | | | | |
| Sample Time: 1315 | | Analysis Date: 02/03/2011 | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | |
| Basis: Not Filtered | | Notes: | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.76 | 2.0 PQL | | ND | UG/L | 2 |
| Ethyl tert-butyl ether (ETBE) | 0.60 | 2.0 PQL | | ND | UG/L | 2 |
| tert-Amyl methyl ether (TAME) | 0.52 | 2.0 PQL | | ND | UG/L | 2 |
| Di-isopropyl ether (DIPE) | 0.74 | 2.0 PQL | | ND | UG/L | 2 |
| tert-Butyl alcohol (TBA) | 4.8 | 20. PQL | | ND | UG/L | 2 |
| 1,2-Dichloroethane | 0.60 | 1.0 PQL | | ND | UG/L | 2 |
| 1,2-Dibromoethane | 0.60 | 1.0 PQL | | ND | UG/L | 2 |
| Benzene | 0.54 | 1.0 PQL | | 109. | UG/L | 2 |
| Toluene | 0.50 | 1.0 PQL | | 283 | UG/L | 2 |
| Ethylbenzene | 0.50 | 1.0 PQL | | 77.5 | UG/L | 2 |
| Xylenes | 0.50 | 1.0 PQL | | 6.86 | UG/L | 2 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 SLSA | | 97% | | 1 |
| Toluene-d8 | | 88-110 SLSA | | 100% | | 1 |
| Dibromofluoromethane | | 86-118 SLSA | | 90% | | 1 |

Approved by: William H. Potts

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 9

| Project Name: 1735 24TH ST. | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|--|-----------|------|--------|-------|---------|
| Project No: 029 | Method: 8260FAB | | | | | |
| | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-6 | Lab Samp ID: 5640-9 | | | | | |
| Descr/Location: VRW-6 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1140 | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 | PQL | ND | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 | PQL | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. | PQL | 627 | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 | PQL | 265 | UG/L | 1 |
| Toluene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 | PQL | 1.17 | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | 97% | | 1 |
| Toluene-d8 | | 88-110 | SLSA | 97% | | 1 |
| Dibromofluoromethane | | 86-118 | SLSA | 90% | | 1 |

Approved by: _____



Date: _____



Lab Report No.: 5640 Date: 02/09/2011

Page: 10

| Project Name: 1735 24TH ST. | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|--|-----------|------|--------|-------|---------|
| Project No: 029 | Method: 8260FAB | | | | | |
| | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-7 | Lab Samp ID: 5640-10 | | | | | |
| Descr/Location: VRW-7 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1345 | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 | PQL | ND | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 | PQL | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. | PQL | 81.3 | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 | PQL | 3.93 | UG/L | 1 |
| Toluene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 | PQL | 0.68 | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | 97% | | 1 |
| Toluene-d8 | | 88-110 | SLSA | 94% | | 1 |
| Dibromofluoromethane | | 86-118 | SLSA | 90% | | 1 |

Approved by: _____



Date: _____



Lab Report No.: 5640 Date: 02/09/2011


Page: 11

| Project Name: 1735 24TH ST. | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|--|-------------|------|--------|-------|---------|
| Project No: 029 | Method: 8260FAB | | | | | |
| | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-8 | Lab Samp ID: 5640-11 | | | | | |
| Descr/Location: VRW-8 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1045 | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.76 | 2.0 PQL | | ND | UG/L | 2 |
| Ethyl tert-butyl ether (ETBE) | 0.60 | 2.0 PQL | | ND | UG/L | 2 |
| tert-Amyl methyl ether (TAME) | 0.52 | 2.0 PQL | | ND | UG/L | 2 |
| Di-isopropyl ether (DIPE) | 0.74 | 2.0 PQL | | ND | UG/L | 2 |
| tert-Butyl alcohol (TBA) | 4.8 | 20. PQL | | 49.7 | UG/L | 2 |
| 1,2-Dichloroethane | 0.60 | 1.0 PQL | | ND | UG/L | 2 |
| 1,2-Dibromoethane | 0.60 | 1.0 PQL | | ND | UG/L | 2 |
| Benzene | 0.54 | 1.0 PQL | | 13.8 | UG/L | 2 |
| Toluene | 0.50 | 1.0 PQL | | 4.62 | UG/L | 2 |
| Ethylbenzene | 0.50 | 1.0 PQL | | ND | UG/L | 2 |
| Xylenes | 0.50 | 1.0 PQL | | 8.63 | UG/L | 2 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 SLSA | | 97% | | 1 |
| Toluene-d8 | | 88-110 SLSA | | 94% | | 1 |
| Dibromofluoromethane | | 86-118 SLSA | | 89% | | 1 |

Approved by: _____



Date: _____



Lab Report No.: 5640 Date: 02/09/2011

Page: 12

| Project Name: 1735 24TH ST. | | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX | | | | | |
|---|-----------|--|------|------|--------|-------|---------|
| Project No: 029 | | Method: 8260FAB | | | | | |
| | | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-9 | | Lab Samp ID: 5640-12 | | | | | |
| Descr/Location: VRW-9 | | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | | Prep Date: 02/03/2011 | | | | | |
| Sample Time: 1225 | | Analysis Date: 02/03/2011 | | | | | |
| Matrix: Water | | QC Batch: 20110203 | | | | | |
| Basis: Not Filtered | | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 | PQL | | ND | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 | PQL | | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 | PQL | | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 | PQL | | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. | PQL | | 54.9 | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 | PQL | | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 | PQL | | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 | PQL | | ND | UG/L | 1 |
| Toluene | 0.25 | 0.50 | PQL | | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 | PQL | | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 | PQL | | 1.82 | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | | 98% | | 1 |
| Toluene-d8 | | 88-110 | SLSA | | 98% | | 1 |
| Dibromofluoromethane | | 86-118 | SLSA | | 91% | | 1 |

Approved by: _____



Date: _____



| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: MW-1 | Lab Samp ID: 5640-1 | | | | | |
| Descr/Location: MW-1 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1315 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 PQL | | ND | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 80% | | 1 |

Approved by: _____

William H. Gatz

Date: _____

2/9/11

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: MW-2 | Lab Samp ID: 5640-2 | | | | | |
| Descr/Location: MW-2 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1600 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 PQL | | 20 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 118% | | 1 |

Approved by: William H. Gotsch

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 15

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: MW-3 | Lab Samp ID: 5640-3 | | | | | |
| Descr/Location: MW-3 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1000 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 | PQL | 0.17 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 | SLSA | 77% | | 1 |

Approved by: William H. Gotsch

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 16

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-1 | Lab Samp ID: 5640-4 | | | | | |
| Descr/Location: VRW-1 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1505 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 | PQL | 0.28 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 | SLSA | 85% | | 1 |

Approved by: 

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 17

| Project Name: 1735 24TH ST. | Analysis: CA LUFT Method for Gasoline Range Organics | | | | | |
|---|--|-------------|------|--------|-------|---------|
| Project No: 029 | Method: CATPH-G | | | | | |
| | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-2 | Lab Samp ID: 5640-5 | | | | | |
| Descr/Location: VRW-2 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1355 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 PQL | | 1.6 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 99% | | 1 |

Approved by: _____



Date: _____



Lab Report No.: 5640 Date: 02/09/2011

Page: 18

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-3 | Lab Samp ID: 5640-6 | | | | | |
| Descr/Location: VRW-3 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1240 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 PQL | | 0.22 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 78% | | 1 |

Approved by: William H. Potts

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 19

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-4 | Lab Samp ID: 5540-7 | | | | | |
| Descr/Location: VRW-4 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 01/31/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1645 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.040 | 0.100 PQL | | 1.0 | MG/L | 2 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 92% | | 1 |

Approved by: William H. Gotsch

Date: 2/9/11

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-5 | Lab Samp ID: 5640-8 | | | | | |
| Descr/Location: VRW-5 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1315 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.040 | 0.100 PQL | | 20 | MG/L | 2 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 118% | | 1 |

Approved by: William H. Gatz

Date: 2/9/11

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-6 | Lab Samp ID: 5640-9 | | | | | |
| Descr/Location: VRW-6 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1140 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 PQL | | 0.29 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 84% | | 1 |

Approved by: William H. Gots

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 22

| Project Name: 1735 24TH ST. | Analysis: CA LUFT Method for Gasoline Range Organics | | | | | |
|---|--|-----------|------|--------|-------|---------|
| Project No: 029 | Method: CATPH-G | | | | | |
| | Prep Meth: SW5030B | | | | | |
| Field ID: VRW-7 | Lab Samp ID: 5640-10 | | | | | |
| Descr/Location: VRW-7 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1345 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 | PQL | 0.27 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 | SLSA | 77% | | 1 |

Approved by: _____



Date: _____



| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-8 | Lab Samp ID: 5640-11 | | | | | |
| Descr/Location: VRW-8 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1045 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.040 | 0.100 PQL | | 24 | MG/L | 2 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 122% | | 1 |

Approved by: William H. Potts

Date: 2/9/11

Lab Report No.: 5640 Date: 02/09/2011

Page: 24

| Project Name: 1735 24TH ST. | | Analysis: CA LUFT Method for Gasoline Range Organics | | | | |
|---|---------------------------|--|------|--------|-------|---------|
| Project No: 029 | | Method: CATPH-G | | | | |
| | | Prep Meth: SW5030B | | | | |
| Field ID: VRW-9 | Lab Samp ID: 5640-12 | | | | | |
| Descr/Location: VRW-9 | Rec'd Date: 02/02/2011 | | | | | |
| Sample Date: 02/01/2011 | Prep Date: 02/08/2011 | | | | | |
| Sample Time: 1225 | Analysis Date: 02/08/2011 | | | | | |
| Matrix: Water | QC Batch: 02082011 | | | | | |
| Basis: Not Filtered | Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.04 | 0.05 | PQL | 0.58 | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 | SLSA | 79% | | 1 |

Approved by: William H. Gots

Date: 2/9/11

QA/QC Report Method Blank Summary

Bace Analytical, Windsor, CA

Lab Report No.: 5640 Date: 02/09/2011

Page: 25

| | | | | | | |
|--|---|-------------|------|--------|-------|---------|
| QC Batch: 02082011 Matrix: Water Lab Samp ID: 5640MB Analysis Date: 02/08/2011 Basis: Not Filtered | Analysis: CA LUFT Method for Gasoline Range Method: CATPH-G Prep Meth: SW5030B Prep Date: 02/08/2011 Notes: | | | | | |
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Gasoline Range Organics (C5-C12) | 0.020 | 0.050 PQL | | ND | MG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 65-135 SLSA | | 90% | | 1 |

QA/QC Report
Matrix Spike/Duplicate Matrix Spike Summary

Bace Analytical, Windsor, CA

Lab Report No.: 5640 Date: 02/09/2011

Page: 26

| | |
|---|---|
| QC Batch: 02082011 Matrix: Water Lab Samp ID: 5640MS Basis: Not Filtered | Project Name: 1735 24TH ST. Project No.: 029 Field ID: MW-1 Lab Ref ID: 5640-1 |
|---|---|

| Analyte | Analysis Method | Spike Level | | Sample Result | Spike Result | | Units | % Recoveries | | | Acceptance Criteria | | |
|----------------------------------|-----------------|-------------|-------|---------------|--------------|-------|---------|--------------|------|-----|---------------------|------|--------|
| | | MS | DMS | | MS | DMS | | MS | DMS | RPD | % Rec | RPD | |
| Gasoline Range Organics (C5-C12) | CATPH-G | 0.620 | 0.620 | ND | 0.549 | 0.563 | MG/L | 88.5 | 90.8 | 2.6 | 140-60 | MSA | 25MSP |
| 4-Bromofluorobenzene | CATPH-G | 100. | 100. | 80. | 89. | 92. | PERCENT | 89.0 | 92.0 | 3.3 | 135-65 | SLSA | 25SLSP |

QA/QC Report Method Blank Summary

Bace Analytical, Windsor, CA

Lab Report No.: 5640 Date: 02/09/2011

Page: 27

| QC Batch: 20110203 Matrix: Water Lab Samp ID: 5640MB Analysis Date: 02/03/2011 Basis: Not Filtered | Analysis: VOCs by GC/MS Fuel Additives Plus BTEX Method: 8260FAB Prep Meth: SW5030B Prep Date: 02/03/2011 Notes: | | | | | |
|--|--|-----------|------|--------|-------|---------|
| Analyte | Det Limit | Rep Limit | Note | Result | Units | Pvc Dil |
| Methyl-tert-butyl ether (MTBE) | 0.38 | 1.0 | PQL | ND | UG/L | 1 |
| Ethyl tert-butyl ether (ETBE) | 0.30 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Amyl methyl ether (TAME) | 0.26 | 1.0 | PQL | ND | UG/L | 1 |
| Di-isopropyl ether (DIPE) | 0.37 | 1.0 | PQL | ND | UG/L | 1 |
| tert-Butyl alcohol (TBA) | 2.4 | 10. | PQL | ND | UG/L | 1 |
| 1,2-Dichloroethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| 1,2-Dibromoethane | 0.30 | 0.50 | PQL | ND | UG/L | 1 |
| Benzene | 0.27 | 0.50 | PQL | ND | UG/L | 1 |
| Toluene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Ethylbenzene | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| Xylenes | 0.25 | 0.50 | PQL | ND | UG/L | 1 |
| SURROGATE AND INTERNAL STANDARD RECOVERIES: | | | | | | |
| 4-Bromofluorobenzene | | 86-118 | SLSA | 98% | | 1 |
| Toluene-d8 | | 88-110 | SLSA | 99% | | 1 |
| Dibromofluoromethane | | 86-118 | SLSA | 95% | | 1 |

QA/QC Report
Matrix Spike/Duplicate Matrix Spike Summary

Bace Analytical, Windsor, CA

Lab Report No.: 5640 Date: 02/09/2011

Page: 28

| | |
|---|---|
| QC Batch: 20110203 Matrix: Water Lab Samp ID: 5640MS Basis: Not Filtered | Project Name: 1735 24TH ST. Project No.: 029 Field ID: MW-1 Lab Ref ID: 5640-1 |
|---|---|

| Analyte | Analysis Method | Spike Level | | Sample Result | Spike Result | | Units | % Recoveries | | | Acceptance Criteria | | |
|--------------------------------|-----------------|-------------|------|---------------|--------------|------|---------|--------------|------|-----|---------------------|------|--------|
| | | MS | DMS | | MS | DMS | | MS | DMS | RPD | % Rec | MSA | RPD |
| 1,2-Dibromoethane | 8260FAB | 10.0 | 10.0 | ND | 8.41 | 9.00 | UG/L | 84.1 | 90.0 | 6.8 | 130-70 | MSA | 20MSP |
| 1,2-Dichloroethane | 8260FAB | 10.0 | 10.0 | ND | 8.98 | 9.43 | UG/L | 89.8 | 94.3 | 4.9 | 130-70 | MSA | 20MSP |
| Benzene | 8260FAB | 10.0 | 10.0 | ND | 9.04 | 9.39 | UG/L | 90.4 | 93.9 | 3.8 | 127-76 | MSA | 20MSP |
| Di-isopropyl ether (DIPE) | 8260FAB | 10.0 | 10.0 | ND | 7.83 | 8.08 | UG/L | 78.3 | 80.8 | 3.1 | 140-60 | MSA | 20MSP |
| Ethyl tert-butyl ether (ETBE) | 8260FAB | 10.0 | 10.0 | ND | 8.75 | 9.10 | UG/L | 87.5 | 91.0 | 3.9 | 140-60 | MSA | 20MSP |
| Ethylbenzene | 8260FAB | 10.0 | 10.0 | ND | 7.73 | 8.89 | UG/L | 77.3 | 88.9 | 14 | 130-70 | MSA | 20MSP |
| Methyl-tert-butyl ether (MTBE) | 8260FAB | 10.0 | 10.0 | ND | 10.2 | 10.4 | UG/L | 102 | 104 | 1.9 | 140-60 | MSA | 20MSP |
| Toluene | 8260FAB | 10.0 | 10.0 | ND | 9.73 | 10.3 | UG/L | 97.3 | 103 | 5.7 | 125-76 | MSA | 20MSP |
| Xylenes | 8260FAB | 30.0 | 30.0 | ND | 24.4 | 28.1 | UG/L | 81.3 | 93.7 | 14 | 130-70 | MSA | 20MSP |
| tert-Amyl methyl ether (TAME) | 8260FAB | 10.0 | 10.0 | ND | 9.25 | 9.72 | UG/L | 92.5 | 97.2 | 5.0 | 140-60 | MSA | 20MSP |
| tert-Butyl alcohol (TBA) | 8260FAB | 50.0 | 50.0 | ND | 50.9 | 52.2 | UG/L | 102 | 104 | 1.9 | 140-60 | MSA | 25MSP |
| 4-Bromofluorobenzene | 8260FAB | 100. | 100. | 97. | 94. | 97. | PERCENT | 94.0 | 97.0 | 3.1 | 118-86 | SLSA | 20SLSP |
| Dibromofluoromethane | 8260FAB | 100. | 100. | 95. | 92. | 94. | PERCENT | 92.0 | 94.0 | 2.2 | 118-86 | SLSA | 20SLSP |
| Toluene-d8 | 8260FAB | 100. | 100. | 100. | 97. | 100. | PERCENT | 97.0 | 100 | 3.0 | 110-88 | SLSA | 20SLSP |

Chain of Custody

| | | | | | | | | | | | | | | | | | | |
|-----------------|--|----------------|-------------|--|---------------------------------------|---|---|---|--|--|--|--|--|-----|------------------|-----|----|----------|
| Project # 29 | Project Address ^{WMC} Pacific Supply 1755 1734 24th st, Oakland, CA | | | C o n t a i n e r s | Analysis | | | | | | | | | | C.O.C. No. 12788 | | | |
| BG No. | Sampler's Signature DeSchamps | | | | TPH-CAS 8200B (BTEX, oxy SCANS) | | | | | | | | | | | | | Remarks: |
| Date Sampled | Sample I.D. | Time (24 Hour) | Sample Type | | | | | | | | | | | | | | | |
| 1-31-11 | mw-1 ✓ | 1315 | H2O | | | 4 | X | X | | | | | | | | | | 5640-1 |
| 1-31-11 | mw-2 ✓ | 1600 | ↓ | | | ↓ | X | X | | | | | | | | | | -2 |
| 2-1-11 | mw-3 ✓ | 1000 | | | | | X | X | | | | | | | | | | -3 |
| 1-31-11 | VRW-1 ✓ | 1505 | | | | | X | X | | | | | | | | | | -4 |
| 1-31-11 | VRW-2 ✓ | 1355 | | | | | X | X | | | | | | | | | | -5 |
| 1-31-11 | VRW-3 ✓ | 1240 | | | | | X | X | | | | | | | | | | -6 |
| 1-31-11 | VRW-4 ✓ | 1645 | | | | | X | X | | | | | | | | | | -7 |
| 2-1-11 | VRW-5 ✓ | 1315 | | X | | | X | | | | | | | | | | -8 | |
| 2-1-11 | VRW-6 ✓ | 1140 | | X | X | | | | | | | | | | | -9 | | |
| 2-1-11 | VRW-7 ✓ | 1345 | | X | X | | | | | | | | | | | -10 | | |
| 2-1-11 | VRW-8 ✓ | 1045 | | X | X | | | | | | | | | | | -11 | | |
| 2-1-11 | VRW-9 ✓ | 1225 | X | X | | | | | | | | | | -12 | | | | |

Laboratory: BAFS Preservation: A - HCL; B - HNO3; C - Ice (Specify) TAT: 2-WK; Urgent; Immediate (Specify)

| | | | | |
|---|--------------------------|---|--|--|
| Relinquished by: (signed) <u>DeSchamps</u> | Date/Time 2-2-11 1000 | Received by: (signed) <u>[Signature]</u> 2/2/11 1010 | Results To: (Office Use Only) Bill Coset EDF Global ID: (Office Use Only) | Brunsing Associates, Inc. P.O. Box 588 5468 Skylane Blvd., Suite 201 Santa Rosa, CA 95403 (707) 838-3027 Phone (707) 838-4420 Fax |
| Relinquished by: (signed) | Date/Time | Received by: (signed) <u>[Signature]</u> | | |
| Relinquished by: (signed) | Date/Time | Received for Laboratory by: (signed) | | |