

TO:ALAMEDA COUNTY HEALTH AGENCY

*date?
fax?*

ATTN: MR. BARNEY CHAN

FAX # : 1-510-337-9335

PHONE # :1-510-567-6700

FROM: SUT'S- SUPERIOR UNDERGROUND TANK SERVICE
(JOHN SUTFIN)

FAX # : 1-510-551-7895

PHONE # :1-510-551-7887

PAGER# : 510-448-9178

BARNIE,
Job site Hooshi's Automotive, 1449 Mc Arthur Blvd., in Oakland
California for Mrs, Naomi English. Please call if you should have
any questions.

Thank You,
John.

DAY OR NIGHT
TELEPHONE
(510) 235-1393

CERTIFICATE CERTIFIED SERVICES COMPANY

255 Parr Boulevard - Richmond, California 94801

NO. 18084

CUSTOMER
SUPERIOR UNDER
JOB NO.
966820

FOR: ERICKSON, INC. TANK NO. 16609

LOCATION: RICHMOND DATE: 9/10/18 TIME: 13:24

TEST METHOD VISUAL GAS TECH/1314 SMPN LAST PRODUCT FO

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 100 GALLON TANK CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.3% LOWER EXPLOSIVE LIMIT LESS THAN 0.1%
ERICKSON, INC. HEREBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN
CUT OPEN, PROCESSED, AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS
WASTE FACILITY.
ERICKSON, INC. HAS THE APPROPRIATE PERMITS FOR, AND HAS ACCEPTED THE TANK
SHIPPED TO US FOR PROCESSING.

In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration than permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

[Signature]
REPRESENTATIVE

TITLE

DAVE SAO
INSPECTOR

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CA1490109189261	Manifest Document No. 92413	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Naomi K English 1545 Scenic View Dr. San Leandro, Ca. 94577			A. State Manifest Document Number 95592413		B. State Generator's ID	
4. Generator's Phone (S.D.) 483-9935		6. US EPA ID Number		C. State Transporter's ID 602668		D. Transporter's Phone 235 1393
5. Transporter 1 Company Name Erickson Inc		7. Transporter 2 Company Name		E. State Transporter's ID		F. Transporter's Phone
9. Designated Facility Name and Site Address ERICKSON, INC. 255 Farr Blvd. Richmond, CA. 94801			10. US EPA ID Number CA0009466392		G. State Facility's ID CA0009466392	
			H. Facility's Phone (510)235-1393			
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)			12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
"NON-FLAMMABLE Hazardous Waste Solid Waste Empty Storage Tank.			001 TP	1000 P		State 512 EPA/Class
b.						State EPA/Class
c.						State EPA/Class
d.						State EPA/Class
12. Additional Descriptions for Materials Listed Above Qty. 1 Empty Storage Tank(s) #16689 Tank(s) have been inerted with 15 lbs. Dry Ice Per 1000 Gallon Capacity.			K. Handling Codes for Wastes Listed Above a. 01		b.	
15. Special Handling Instructions and Additional Information Keep away from sources of ignition. Always wear handhats when working around U.G.S.T.'s 24 Hr. Contact Name & Phone			c.		d.	
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Naomi L. English		Signature Naomi L. English		Month Day Year 10 06 95		
17. Transporter 1 Acknowledgment of Receipt of Materials Printed/Typed Name Rick Adler		Signature Rick Adler		Month Day Year 10 16 95		
18. Transporter 2 Acknowledgment of Receipt of Materials Printed/Typed Name Naomi L. English RKA		Signature Naomi L. English		Month Day Year		
19. Discrepancy Indication Space 1. CAL 000 098926						
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name DAVID SARC		Signature DAVID SARC		Month Day Year 10 16 95		

DO NOT WRITE BELOW THIS LINE.

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
 Tele: 510-798-1620 Fax: 510-798-1622

Superior Underground Tank Service 430 Kevin Court San Ramon, CA 94583	Client Project ID: # 71; U. English	Date Sampled: 10/16/95
		Date Received: 10/17/95
	Client Contact: John Sutfin	Date Extracted: 10/17/95
	Client P.O:	Date Analyzed: 10/17-10/18/95

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*, with BTEX*

EPA methods 5030, modified 8013, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)

Lab ID	Client ID	Matrix	TPH(g) ⁺	Benzene	Toluene	Ethylben- zene	Xylenes	% Rec. Surrogate
57553	T-1	S	ND	0.008	ND	ND	ND	100
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit	W	50 ug/L	0.5	0.5	0.5	0.5	0.5	
	S	1.0 mg/kg	0.005	0.005	0.005	0.005	0.005	

* water and vapor samples are reported in ug/L, soil samples in mg/kg, and all TCLP extracts in mg/L

cluttered chromatogram; sample peak coelutes with surrogate peak

+ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant (aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~ 5 vol. % sediment; j) no recognizable pattern.

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
 Tele: 510-798-1620 Fax: 510-798-1622

Superior Underground Tank Service 430 Kevin Court San Ramon, CA 94583	Client Project ID: # 71; U. English	Date Sampled: 10/16/95
		Date Received: 10/17/95
	Client Contact: John Sutfin	Date Extracted: 10/17/95
	Client P.O:	Date Analyzed: 10/17/95

Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel *
 EPA methods modified 8015, and 3550 or 3510; California RWOCB (SF Bay Region) method GCFID(3550) or GCFID(3510)

Lab ID	Client ID	Matrix	TPH(d) ⁺	% Recovery Surrogate
57553	T-1	S	ND	96
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit		W	50 ug/L	
		S	1.0 mg/kg	

* water samples are reported in ug/L, soil samples in mg/kg, and all TCLP and STLC extracts in mg/L.

cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

+ The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant; d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~ 5 vol. % sediment.

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
 Tele: 510-798-1620 Fax: 510-798-1622

Superior Underground Tank Service 430 Kevin Court San Ramon, CA 94583	Client Project ID: # 71; U. English	Date Sampled: 10/16/95
		Date Received: 10/17/95
	Client Contact: John Sutfin	Date Extracted: 10/18/95
	Client P.O:	Date Analyzed: 10/18/95

Petroleum Oil & Grease (with Silica Gel Clean-up) *

EPA methods 413.1, 9070 or 9071; Standard Methods 5520 D/E&F or 503 D&E for solids and 5520 B&F or 503 A&E for liquids

Lab ID	Client ID	Matrix	Oil & Grease*
57553	T-1	S	ND
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit	W		5 mg/L
	S		50 mg/kg

* water samples are reported in mg/L and soils in mg/kg
 h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~ 5vol. % sediment.

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
 Tele: 510-798-1620 Fax: 510-798-1622

Superior Underground Tank Service 430 Kevin Court San Ramon, CA 94583	Client Project ID: # 71; U. English	Date Sampled: 10/16/95
		Date Received: 10/17/95
	Client Contact: John Sutfin	Date Extracted: 10/19/95
	Client P.O:	Date Analyzed: 10/19/95

Volatile Halocarbons

EPA method 601 or 8010

Lab ID	57553		
Client ID	T-1		
Matrix	S		
Compound	Concentration		
Bromodichloromethane	ND		
Bromoform ^(b)	ND		
Bromomethane	ND		
Carbon Tetrachloride ^(c)	ND		
Chlorobenzene	ND		
Chloroethane	ND		
2-Chloroethyl Vinyl Ether ^(d)	ND		
Chloroform ^(e)	ND		
Chloromethane	ND		
Dibromochloromethane	ND		
1,2-Dichlorobenzene	ND		
1,3-Dichlorobenzene	ND		
1,4-Dichlorobenzene	ND		
Dichlorodifluoromethane	ND		
1,1-Dichloroethane	ND		
1,2-Dichloroethane	ND		
1,1-Dichloroethene	ND		
cis 1,2-Dichloroethene	ND		
trans 1,2-Dichloroethene	ND		
1,2-Dichloropropane	ND		
cis 1,3-Dichloropropene	ND		
trans 1,3-Dichloropropene	ND		
Methylene Chloride ^(f)	ND		
1,1,2,2-Tetrachloroethane	ND		
Tetrachloroethene	ND		
1,1,1-Trichloroethane	ND		
1,1,2-Trichloroethane	ND		
Trichloroethene	ND		
Trichlorofluoromethane	ND		
Vinyl Chloride ^(g)	ND		
% Recovery Surrogate	84		
Comments			

* water and vapor samples are reported in ug/L, soil samples in ug/kg and all TCLP extracts in ug/L.

Reporting limit unless otherwise stated: water/TCLP extracts, ND < 0.3ug/L; soil, ND < 5ug/kg

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis

(b) tribromomethane; (c) tetrachloromethane; (d) (2-chloroethoxy) ethene; (e) trichloromethane; (f) dichloromethane; (g) chloroethane;
 (h) a lighter than water immiscible sheen is present; (i) liquid sample that contains greater than ~ 5 vol. % sediment.

DHS Certification No. 1644

EH Edward Hamilton, Lab Director

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
 Tele: 510-798-1620 Fax: 510-798-1622

Superior Underground Tank Service 430 Kevin Court San Ramon, CA 94583	Client Project ID: # 71; U. English	Date Sampled: 10/16/95
		Date Received: 10/17/95
	Client Contact: John Sutfin	Date Extracted: 10/17/95
	Client P.O:	Date Analyzed: 10/20/95

LUFT Metals*

EPA analytical methods 6010/200.7, 239.2[†]

Lab ID	Client ID	Matrix	Extraction ^o	Cadmium	Chromium	Lead	Nickel	Zinc	% Rec. Surrogate
57553	T-1	S	TTLC	ND	35	9.0	48	40	95
		STLC	S	1	5	5	20	250	
Reporting Limit unless otherwise stated; ND means not detected above the reporting limit	S	TTLC	0.5 mg/L	0.5	3.0	2.0	1.0		
	W	TTLC	0.01 mg/kg	0.005	0.005	0.02	0.01		
	---	STLC, TCLP	0.01 mg/L	0.05	0.2	0.05	0.05		

* soil samples are reported in mg/kg, and water samples and all STLC & TCLP extracts in mg/L.

† Lead is analyzed using EPA method 6010 (ICP) for soils, STLC & TCLP extracts and method 239.2 (AA Furnace) for water samples

o EPA extraction methods 1311(TCLP), 3010/3020(water, TTLC), 3040(organic matrices, TTLC), 3050(solids, TTLC); STLC from CA Title 22

surrogate diluted out of range; N/A means surrogate not applicable to this analysis

i) liquid sample that contains greater than ~ 2 vol. % sediment; this sediment is extracted with the liquid, in accordance with EPA methodologies and can significantly effect reported metal concentrations.

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553

Tel: 510-798-1620 Fax: 510-798-1622

QC REPORT FOR HYDROCARBON ANALYSES

Date: 10/18/95-10/19/95

Matrix: Soil

Analyte	Concentration (mg/kg)			Amount Spiked	% Recovery		
	Sample	MS	MSD		MS	MSD	RPD
TPH (gas)	0.000	2.011	2.060	2.03	99	101	2.4
Benzene	0.000	0.182	0.186	0.2	91	93	2.2
Toluene	0.000	0.182	0.184	0.2	91	92	1.1
Ethylbenzene	0.000	0.188	0.190	0.2	94	95	1.1
Xylenes	0.000	0.594	0.600	0.6	99	100	1.0
TPH (diesel)	0	304	307	300	101	102	0.9
TRPH (oil & grease)	0.0	19.0	19.9	20.8	91	96	4.6

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553

Tele: 510-798-1620 Fax: 510-798-1622

QC REPORT FOR HYDROCARBON ANALYSES

Date: 10/17/95

Matrix: Soil

Analyte	Concentration (mg/kg)			Amount Spiked	% Recovery		
	Sample	MS	MSD		MS	MSD	RPD
TPH (gas)	0.000	2.000	2.024	2.03	99	100	1.2
Benzene	0.000	0.214	0.204	0.2	107	102	4.8
Toluene	0.000	0.222	0.212	0.2	111	106	4.6
Ethylbenzene	0.000	0.228	0.216	0.2	114	108	5.4
Xylenes	0.000	0.676	0.654	0.6	113	109	3.3
TPH (diesel)	0	306	302	300	102	101	1.4
TRPH (oil & grease)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
 Tele: 510-798-1620 Fax: 510-798-1622

QC REPORT FOR HYDROCARBON ANALYSES

Date: 10/18/95-10/19/95

Matrix: Soil

Analyte	Concentration (mg/kg)			Amount Spiked	% Recovery		
	Sample	MS	MSD		MS	MSD	RPD
TPH (gas)	0.000	2.011	2.060	2.03	99	101	2.4
Benzene	0.000	0.182	0.186	0.2	91	93	2.2
Toluene	0.000	0.182	0.184	0.2	91	92	1.1
Ethylbenzene	0.000	0.188	0.190	0.2	94	95	1.1
Xylenes	0.000	0.594	0.600	0.6	99	100	1.0
TPH (diesel)	0	304	307	300	101	102	0.9
TRPH (oil & grease)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553

Tele: 510-798-1620 Fax: 510-798-1622

QC REPORT FOR EPA 8010/8020/EDB

Date: 10/18/95-10/24/95

Matrix: Soil

Analyte	Concentration (ug/kg)				% Recovery		
	Sample	MS	MSD	Amount Spiked	MS	MSD	RPD
1,1-DCE	0	101	94	100	101	94	7.2
Trichloroethene	0	92	86	100	92	86	6.7
EDB	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobenzene	0	94	88	100	94	88	6.6
Benzene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Toluene	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chlorobz (PID)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

McCAMPBELL ANALYTICAL INC.

110 2nd Avenue South, #D7, Pacheco, CA 94553
Tele: 510-798-1620 Fax: 510-798-1622

QC REPORT FOR AA METALS

Date: 10/20/95

Matrix: Soil

Analyte	Concentration (mg/kg, mg/L)			Amount Spiked	% Recovery		
	Sample	MS	MSD		MS	MSD	RPD
Total Lead	0.0	4.6	4.6	5	92	91	1.3
Total Cadmium	0.0	4.9	4.8	5	97	96	1.9
Total Chromium	0.0	4.8	4.7	5	96	94	1.3
Total Nickel	0.0	4.7	4.7	5	94	93	0.6
Total Zinc	0.0	4.6	4.5	5	92	91	1.5
Total Copper	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Organic Lead	N/A	N/A	N/A	N/A	N/A	N/A	N/A

$$\% \text{ Rec.} = (\text{MS} - \text{Sample}) / \text{amount spiked} \times 100$$

$$\text{RPD} = (\text{MS} - \text{MSD}) / (\text{MS} + \text{MSD}) \times 2 \times 100$$

CHROMALAB, INC.

Environmental Services (SDB)

October 23, 1995

Submission #: 9510235

MCCAMPBELL ANALYTICAL, INC.

Atten: Ed Hamilton

Project: S/U. ENGLISH
Received: October 17, 1995

Project#: 5082

re: One sample for Semivolatile Organic Compounds (B/NAs) analysis.
Method: EPA 3550/8270

SampleID: T-1

Sample #: 106828

Matrix: SOIL

Extracted: October 18, 1995

Sampled: October 16, 1995

Run: 8953-A

Analyzed: October 18, 1995

Analyte	RESULT	REPORTING	BLANK	BLANK SPIKE
	(mg/Kg)	LIMIT	RESULT	RESULT
		(mg/Kg)	(mg/Kg)	(%)
PHENOL	N.D.	0.10	N.D.	--
BIS(2-CHLOROETHYL) ETHER	N.D.	0.10	N.D.	--
2-CHLOROPHENOL	N.D.	0.10	N.D.	65
1,3-DICHLOROBENZENE	N.D.	0.10	N.D.	--
1,4-DICHLOROBENZENE	N.D.	0.10	N.D.	--
BENZYL ALCOHOL	N.D.	0.20	N.D.	--
1,2-DICHLOROBENZENE	N.D.	0.10	N.D.	--
2-METHYLPHENOL	N.D.	0.10	N.D.	--
BIS(2-CHLOROISOPROPYL) ETHER	N.D.	0.10	N.D.	--
4-METHYLPHENOL	N.D.	0.20	N.D.	--
N-NITROSO-DI-N-PROPYLAMINE	N.D.	0.10	N.D.	68
HEXACHLOROETHANE	N.D.	0.10	N.D.	--
NITROBENZENE	N.D.	0.10	N.D.	--
ISOPHORONE	N.D.	0.10	N.D.	--
2-NITROPHENOL	N.D.	0.10	N.D.	--
2,4-DIMETHYLPHENOL	N.D.	0.10	N.D.	--
BIS(2-CHLOROETHOXY) METHANE	N.D.	0.10	N.D.	--
2,4-DICHLOROPHENOL	N.D.	0.10	N.D.	--
1,2,4-TRICHLOROBENZENE	N.D.	0.10	N.D.	77
NAPHTHALENE	N.D.	0.10	N.D.	--
4-CHLOROANILINE	N.D.	0.20	N.D.	--
HEXACHLOROBUTADIENE	N.D.	0.10	N.D.	--
4-CHLORO-3-METHYLPHENOL	N.D.	0.20	N.D.	81
2-METHYLNAPHTHALENE	N.D.	0.10	N.D.	--
HEXACHLOROCYCLOPENTADIENE	N.D.	0.10	N.D.	--
2,4,6-TRICHLOROPHENOL	N.D.	0.10	N.D.	--
2,4,5-TRICHLOROPHENOL	N.D.	0.10	N.D.	--
2-CHLORONAPHTHALENE	N.D.	0.50	N.D.	--
2-NITROANILINE	N.D.	0.10	N.D.	--
DIMETHYL PHTHALATE	N.D.	0.50	N.D.	--
ACENAPHTHYLENE	N.D.	0.10	N.D.	--
3-NITROANILINE	N.D.	0.50	N.D.	--
ACENAPHTHENE	N.D.	0.10	N.D.	79
2,4-DINITROPHENOL	N.D.	0.50	N.D.	--
4-NITROPHENOL	N.D.	0.50	N.D.	--
DIBENZOFURAN	N.D.	0.10	N.D.	--
2,4-DINITROTOLUENE	N.D.	0.10	N.D.	--
2,6-DINITROTOLUENE	N.D.	0.20	N.D.	--
DIETHYL PHTHALATE	N.D.	0.50	N.D.	--

1220 Quarry Lane • Pleasanton, California 94566-4756

(510) 484-1919 • Facsimile (510) 484-1096

Federal ID #68-0140157

CHROMALAB, INC.

Environmental Services (SDB)

October 23, 1995

Submission #: 9510235
page 2

MCCAMPBELL ANALYTICAL, INC.

Atten: Ed Hamilton
Project: S/U. ENGLISH
Received: October 17, 1995

Project#: 5082

re: One sample for Semivolatile Organic Compounds (B/NAs) analysis,
continued.

Method: EPA 3550/8270

SampleID: T-1

Sample #: 106828

Matrix: SOIL

Extracted: October 18, 1995

Sampled: October 16, 1995

Run: 8953-A

Analyzed: October 18, 1995

Analyte	RESULT	REPORTING	BLANK	BLANK SPIKE
	(mg/Kg)	LIMIT	RESULT	RESULT
		(mg/Kg)	(mg/Kg)	(%)
4-CHLOROPHENYL PHENYL ETHER	N.D.	0.10	N.D.	--
FLUORENE	N.D.	0.10	N.D.	--
4-NITROANILINE	N.D.	0.50	N.D.	--
4,6-DINITRO-2-METHYLPHENOL	N.D.	0.50	N.D.	--
N-NITROSO-DI-N-PHENYLAMINE	N.D.	0.10	N.D.	--
4-BROMOPHENYL PHENYL ETHER	N.D.	0.10	N.D.	--
HEXACHLOROBENZENE	N.D.	0.10	N.D.	--
PENTACHLOROPHENOL	N.D.	0.50	N.D.	82
PHENATHRENE	N.D.	0.10	N.D.	--
ANTHRACENE	N.D.	0.10	N.D.	--
DI-N-BUTYL PHTHALATE	N.D.	0.50	N.D.	--
FLUORANTHENE	N.D.	0.10	N.D.	--
PYRENE	N.D.	0.10	N.D.	77
BUTYL BENZYL PHTHALATE	N.D.	0.50	N.D.	--
3,3'-DICHLOROBENZIDINE	N.D.	0.20	N.D.	--
BENZO (A) ANTHRACENE	N.D.	0.10	N.D.	--
BIS (2-ETHYLHEXYL) PHTHALATE	N.D.	0.50	N.D.	--
CHRYSENE	N.D.	0.10	N.D.	--
DI-N-OCTYL PHTHALATE	N.D.	0.50	N.D.	--
BENZO (B) FLUORANTHENE	N.D.	0.10	N.D.	--
BENZO (K) FLUORANTHENE	N.D.	0.20	N.D.	--
BENZO (A) PYRENE	N.D.	0.05	N.D.	--
INDENO (1,2,3 C,D) PYRENE	N.D.	0.20	N.D.	--
DIBENZ (A,H) ANTHRACENE	N.D.	0.20	N.D.	--
BENZ (G,H,I) PERYLENE	N.D.	0.20	N.D.	--


Alex Tam
Chemist


Ali Kharrazi
Organic Manager

6571 100820

C/L 29441

McCAMPBELL ANALYTICAL

110 2nd AVENUE, # D7

(510) 798-1620

PACHECO, CA 94553

FAX (510) 798-1622

CHAIN OF CUSTODY RECORD

TURN AROUND TIME:

RUSH 24 HOUR 48 HOUR 5 DAY

REPORT TO: *Ed Hamilton* BILL TO: *MAI*

COMPANY: *McCAMPBELL ANALYTICAL*

TELE: *ABOVE* FAX #

PROJECT NUMBER: *5082* PROJECT NAME: *S/U. English*

PROJECT LOCATION: *OAKLAND* SAMPLER SIGNATURE:

ANALYSIS REQUEST

OTHER

- BTEX & TPH as Gaslaw (602/8020 & 8015)
- TPH as Diesel (8015)
- Total Petroleum Oil & Grease (5520 ERF/5520 HM)
- Total Petroleum Hydrocarbons (418.0)
- EPA 601/8010
- EPA 602/8020
- EPA 608/8080
- EPA 609/8090 - PCBs Day
- EPA 621/8210/8260
- EPA 625/8270
- CAM - 17 Metals
- EPA - Priority Pollutant Metals
- LEAD (7240/7421/2392/6010)
- ORGANIC LEAD
- METALS

LAB # : 9510020 REF : 3
CLIENT: MDCOM
DATE: 10/16/95
BY: [Signature]

COMMENTS

SAMPLE ID	LOCATION	SAMPLING		# CONTAINERS	TYPE CONTAINERS	MATRIX					METHOD PRESERVED							
		DATE	TIME			WATER	SOIL	AIR	SLUDGE	OTHER	HCL	HNO ₃	OTHER (NCSH)					
T-1	8'	10-16-95		1	VDA	X												57553

RELENGUISHED BY: <i>Nandi Pua</i>	DATE: <i>10/17/95</i>	TIME: <i>15:40</i>	RECEIVED BY: <i>Gary [Signature]</i>
RELENGUISHED BY:	DATE:	TIME:	RECEIVED BY:
RELENGUISHED BY:	DATE:	TIME:	RECEIVED BY LABORATORY:

REMARKS:

CHAIN OF CUSTODY RECORD

110 2nd AVENUE, # D7

PACHECO, CA 94563

FAX (510) 798-1822

TURN AROUND TIME:

RUSH 24 HOUR 48 HOUR 5 DAY

(510) 798-1820

REPORT TO: John

BILL TO: SUTS

COMPANY: Superior underground tank services

930 Kevin Court

Sun Ranch Ca. 94583

TEL 551-7887

FAX # 551-7895

PROJECT NUMBER: 71

PROJECT NAME: O. English

PROJECT LOCATION:

199 W. Redwood Oakland

SAMPLER SIGNATURE: *A.P. Suter*

ANALYSIS REQUEST

OTHER

- TEX & TPH as Gasoline (602/6030 & 6015)
- Inf as Diesel (6010)
- Total Petroleum Oil & Grease (16310 ENF/5502 8A)
- Total Petroleum Hydrocarbons (1101)
- EPA 601/8019
- EPA 602/8020
- EPA 606/8060
- EPA 608/8080 - PCBs Only
- EPA 621/8210/8260
- EPA 625/8270

- EPA - Priority Pollutant Metals
- LEAD (7210/7411/2332/6010)
- ORGANIC LEAD
- AGI

Lead-Volatil, Cadmium, Chromium, Zinc

COMMENTS

57553

57554

TOTAL P.01

6003

SAMPLE ID	LOCATION	SAMPLING		N CONTAINERS	TYPE CONTAINERS	MATRIX					METHOD PRESERVED			
		DATE	TIME			WATER	SOIL	AIR	SLUDGE	OTHER	HCL	HWG	OTHER	
T-1	8F	10/16/95												
T-2	Hold	"												

BEST CONDITION / PRESERVATIVE APPROPRIATE CONTAINERS

HEAD SPACE ABSENT

ACQUIRED BY: <i>A.P. Suter</i>	DATE: 10/16/95	TIME: 11:19	RECEIVED BY:
ACQUIRED BY:	DATE:	TIME:	RECEIVED BY:
ACQUIRED BY:	DATE:	TIME:	RECEIVED BY LABORATORY:

REMARKS: Hold T-2