AGENCY



DAVID J. KEARS, Agency Director

R0535

STID 4611

January 15, 1997

PHH Homequity c/o Mark Dunn Mason McDuffie Real Estate 25 Orinda Way, Suite 220 Orinda, CA 94563 ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION (LOP) 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

"NOTICE OF VIOLATION"

RE:

RESIDENCE - 1142 SUNNYHILLS ROAD, OAKLAND, CA 94610

Dear Mr. Dunn:

This letter serves to follow-up to a Alameda County Health Care Services Agency (ACHCSA) letter dated March 6, 1996. In this letter you were requested to submit all manifests for the disposal of contaminated soils within 30 days, or by April 8, 1996. In addition you were requested to submit an Unauthorized Leak Report (ULR).

A letter from AllPro Environmental Corporation dated March 18,1996, stated that copies of the non-hazardous manifests were forwarded to the client, and that copies may be obtained by contacting Keller Canyon Landfill. Please be advised that it is the responsibility of the responsible party(s) to submit this required documentation. To my knowledge, neither the soil disposal manifests or the ULR report have been received by this office. A copy of the March 6, 1996 letter is enclosed for your review, along with an additional copy of an ULR.

At this time you are directed to submit the above requested information within 30 days of the date of this letter, or no later than February 18, 1997.

Please be advised that failure to satisfy this request <u>will</u> result in the referral of this case to the Alameda County District Attorneys Office. Please be further advised that Section 25299(b) of the California Health and Safety Code, among other possible statutes, provides for civil penalties of up to \$5000 per tank per day for failure to comply with this directive.

Please contact Thomas Peacock at 510/567-6782 should you have any questions about the content of this letter.

Sincerely,

Dale Klettke, CHMM

Hazardous Materials Specialist

ale Klette

enclosure

Mark Dunn RE: 1142 Sunnyhills Road, Oakland January 15, 1997 Page 2 of 2

c:

Bob Chambers, Alameda County District Attorney's Office
Jeffery Hacker, PHH Homequity, 400 East Las Colinas Blvd., Suite 300, Irvine, TX 75039-5536
Michael Falk, AllPro, 1125-B Arnold Drive, Suite 284, Martinez, CA 94553
Resident, 1142 Sunnyhills Road, Oakland CA 94610
Thomas Peacock, LOP Manager--files

4611nov1.ulr



AGENCY DAVID J. KEARS, Agency Director



Ro#535 RAFAT A. SHAHID, DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH

STID 4611

March 6, 1996

1131 Harbor Bay Parkway Alameda, CA 94502-6577 (510)567-6700

PHH Homequity c/o Mark Dunn Mason McDuffie Real Estate 25 Orinda Way, Suite 220 Orinda, CA 94563

"SECOND NOTICE"

RE:

UNDERGROUND STORAGE TANK REMOVAL

RESIDENCE - 1142 SUNNYHILLS ROAD, OAKLAND, CA 94610

Dear Mr. Dunn:

This letter serves to follow-up to a Alameda County Health Care Services Agency (ACHCSA) letter from Jennifer Eberle dated February 17, 1995. In this letter you were requested to submit all manifests for the disposal of contaminated soils within 30 days, or by March 17, 1995. In addition you were requested to submit an Unauthorized Leak Report (ULR).

To my knowledge, neither the soil disposal manifests or the ULR report have been received by this office. A copy of the February 17, 1995 letter is enclosed for your review.

At this time you are directed to submit the above requested information within 30 days of the date of this letter, or no later than April 8, 1996.

Please be advised that failure to satisfy this request may result in the referral of this case to the Alameda County District Attorneys Office. Please be further advised that Section 25299(b) of the California Health and Safety Code, among other possible statutes, provides for civil penalties of up to \$5000 per tank per day for failure to comply with this directive.

I have just recently taken over management of this case from Jennifer Eberle of this office. Please call me at your earliest convience concerning this matter. Failure to reply to this request may subject you additional penalties under the Water Code. Please contact me at 510/567-6880 should you have any questions about the content of this letter.

Sincerely,

Dale Klettke, CHMM

Hazardous Materials Specialist

enclosure

Mark Dunn

RE: 1142 Sunnyhills Road, Oakland

March 6, 1996 Page 2 of 2

Be "

Gil Jensen, Alameda County District Attorney's Office

Jeffery Hacker, PHH Homequity, 400 East Las Colinas Blvd., Suite 300,

Irvine, TX 75039-5536

Michael Falk, AllPro, 1125-B Arnold Drive, Suite 284, Martinez, CA 94553

Resident, 1142 Sunnyhills Road, Oakland CA 94610

Thomas Peacock, LOP Manager--files

4611sec.not

R0535 DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

February 17, 1995 STID 4611

PHH Homequity c/o Mark Dunn Mason McDuffie Real Estate 25 Orinda Way, Suite 220 Orinda CA 94563

DEPARTMENT OF ENVIRONMENTAL HEALTH

ALAMEDA COUNTY CC4580 DEPT. OF ENVIRONMENTAL HEALTH ENVIRONMENTAL PROTECTION DIV. 1131 HARBOR BAY PKWY., #250 ALAMEDA CA 94502-6577

re:

Underground Storage Tank Removal follow up Residence, 1142 Sunnyhills Rd., Oakland CA 94610

Dear Mr. Dunn.

My last letter to you was dated 11/2/94, in which I requested 1) proper documentation of soil disposal, and 2) a letter from a California-Registered civil or structural engineer stating that further excavation would have jeopardized the structural integrity of the house.

I have since received two letters from Jeffrey Hacker of PHH Homequity, dated 11/8/94 and 11/22/94. I have also received your two letters, dated 11/16/94 and 11/18/94. The former letter included the appropriate letter from a Professional Engineer. The latter letter was addressed to All Pro Environmental Corp, requesting a manifest for soil disposal.

To date, I have not received a manifest for the disposal of soil. This case remains open until I receive this documentation. Since you have been identified as the "responsible party" for this site, you are responsible for submitting this documentation. I believe our mutual goal is the closure of this case. At that point, a closure letter, signed by our director, will be issued, stating that no further action is required. Kindly submit this documentation within 30 days, or by March 17, 1995. Please fill out the enclosed Unauthorized Leak Report (ULR) and include it along with the soil disposal documentation. The ULR is standard procedure for these type of sites, and is a necessary document for case closure. The ULR is a carbonless, 5-part form. Do not tear off a copy of the ULR. I will sign it in the upper right hand corner, and then distribute the copies. You will get the bright orange copy.

If you have any questions, please contact me at 510-567-6761.

Sincerely /

J*e*nnifer Eberle

Hazardous Materials Specialist

February 17, 1995 STID 4611 PHH Homequity c/o Mark Dunn page 2 of 2

cc: Jeffrey Hacker, PHH Homequity, 400 E. Las Colinas Blvd., Suite 300, Irving TX 75039-5536 Resident, 1142 Sunnyhills Rd., Oakland CA 94610 Ed Howell/file

je.4611-F

AGENCY

DAVID J. KEARS, Agency Director

R0535

430-453

November 2, 1994 STID 4611

ALAMEDA CA 94502-6577
re: Residence
1142 Sunnyhills Rd.
Oakland CA 94610

ALAMEDA COUNTY

HEALTH CARE SERVICES

DEPT. OF ENVIRONMENTAL HEALTH

1131 HARBOR BAY PKWY 2ND FLOOR

PHH Homequity c/o Mark Dunn Mason McDuffie Real Estate 25 Orinda Way, Suite 220 Orinda CA 94563

Dear Mr. Dunn,

My last letter to you was dated 2/24/94, in which I requested that you 1) repair the plywood fence, 2) remove the stockpiled soil to an appropriate disposal facility, and 3) backfill the excavation with certified clean fill, upon written certification from a California-Registered civil or structural engineer stating that further excavation would jeopardize the structural integrity of the house.

This case remains open until I receive the following documentation: 1) proper documentation of soil disposal, and 2) a letter from a California-Registered civil or structural engineer stating that further excavation would have jeopardized the structural integrity of the house.

This information was requested of you by letter dated 2/24/94, as well as numerous subsequent telephone calls. A closure letter will be written upon receipt of this information. I visited the site on 4/11/94 to confirm that the excavation had been restored.

If you have any questions, please contact me at 510-567-6761.

Sincerely,

Jennifer Eberle

Hazardous Materials Specialist

CC: Derek Matthews, PHH Homequity, 1855 Gateway Blvd., Suite 950, PO Box 4039, Concord CA 94524-4039
Ed Howell/file

je4611-E

DAVID J. KEARS, Agency Director

Mason McDuffie Real Estate

25 Orinda Way, Suite 220

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

February 24, 1994

DEPARTMENT OF ENVIRONMENTAL HEALTH

State Water Resources Control Board

Residence Division of Clean Water Programs
1142 Sunnyhills RdUST Local Oversight Program

Oakland CA 94610 80 Swan Way, Rm 200

Oakland, CA 94621

STID 4611

(510) 271-4530

R0535

Dear Mr. Dunn,

Orinda CA 94563

PHH Homequity

c/o Mark Dunn

As you know, cleanup has been delayed at the above referenced site. Soil remains stockpiled onsite, and the excavation remains open. I visited the site on 2/8/94 and took photographs. I have been in contact with Derek Matthews, the Western Regional Counsel for PHH Homequity. We discussed the need for removing stockpiled soil, repairing the plywood fence, and backfilling the excavation. Mr. Matthews indicated agreement to this course of action, and has been in the process of obtaining bids for this work.

re:

It appears that all concerned parties would like to resolve this matter in a timely fashion. Therefore, you are requested to do the following:

- 1) repair the plywood fence within 3 days, or by February 27, 1994
- 2) remove the stockpiled soil to an appropriate disposal facility within 2 weeks, or by March 3, 1994
- 3) backfill the excavation with certified clean fill, upon written certification from a California-Registered civil or structural engineer stating that further excavation would jeopardize the structural integrity of the house, within 3 weeks, or by March 10, 1994

Soil disposal receipts must be submitted to this office upon completion of work. If you have any questions, please contact me at 510-271-4530. Please notify me at least 2 business days in advance of field activities so that I may arrange to be onsite.

Sincerely,

Jennifer Eberle

Hazardous Materials Specialist

cc: Derek Matthews, PHH Homequity, 1855 Gateway Blvd., Suite 950, PO Box 4039, Concord CA 94524-4039
Daniel Piccinini, 506 Midcrest Rd., Oakland CA 94610
Rich Hiett, RWQCB
Ed Howell

DAVID J. KEARS, Agency Director

R0535

RAFAT A. SHAHID, ASST, AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH State Water Resources Control Board Division of Clean Water Programs **UST Local Oversight Program**

80 Swan Way, Rm 200 Oakland, CA 94621 (510) 271-4530

February 16, 1994 STID 4611

Daniel Piccinini 506 Midcrest Rd. Oakland CA 94610

RE:

1142 Sunnyhills Rd. Oakland CA 94610

Dear Mr. Piccinini,

According to This letter responds to your letter dated 2/10/94. our contract with the State Water Resources Control Board (SWRCB), we can only charge responsible parties for time spent overseeing a particular site. Inquiries and complaints from you and Mr. Carpino cannot be charged to the responsible parties. The Local Oversight Program (LOP) contract pays 100% of our program's operation, which does not include the type of request in your letter dated 2/8/94. Public funds are not used for these activities. Our staff has spent several hours responding to your Our agency is very concerned about the cleanup of contaminated sites. We are progressing with oversight of this case towards closure.

Sincerely,

Edgár B. Howell lll, Chief

Hazardous Materials Division

Alameda County Environmental Health Department

cc: Jennifer Eberle

> Mr. Robert Carpino, 1154 Sunnyhills Rd., Oakland CA 94610 Mark Dunn, Mason McDuffie Real Estate Inc., 25 Orinda Way.

Suite 220, Orinda CA 94563

DAVID J. KEARS, Agency Director

R0535

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH
State Water Resources Control Board
Division of Clean Water Programs
UST Local Oversight Program
80 Swan Way, Rm 200
Oakland, CA 94621
(510) 271-4530

February 8, 1994 STID 4611

Daniel Piccinini 506 Midcrest Rd. Oakland CA 94610

RE:

1142 Sunnyhills Rd. Oakland CA 94610

Dear Mr. Piccinini,

This letter is per our phone conversation earlier today. We are in receipt of your fax dated 2/8/94 requesting further clarification of stated concerns. We request a deposit of \$150.00 for oversight costs for future work on our behalf at \$75.00 per hour.

sincerely,

Edgar B. Howell 111, Chief Hazardous Materials Division

Alameda County Environmental Health Department

ALAMEDA COUNTY

HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, Assistant Agency Director

February 4, 1994 STID 4611

Daniel Piccinini 506 Midcrest Rd. Oakland CA 94610

RE: 1142 Sunnyhills Rd. Oakland CA 94610

Dear Mr. Piccinini:

DEPARTMENT OF ENVIRONMENTAL HEALTH Hazardous Materials Division 80 Swan Way, Rm. 200 Oakland, CA 94621 (510) 271-4320

I am responding to your letters dated January 24, 1994 and February 1, 1994 concerning the activities of Alameda County in overseeing the removal of a home heating oil underground storage tank (UST) located at the above referenced site. As you probably know, the (UST) tank was removed on 8/11/93. Soil in the UST excavation was found to be contaminated. Further soil excavation was strongly recommended by the County in a letter dated 10/26/93. The driveway belonging to Bob Carpino at 1154 Sunnyhills Rd. was the sole access for the backhoe equipment needed for this work. However, site access was denied by Mr. Carpino, who wanted a letter from this office documenting that his property was not contaminated. We sent a letter to Mr. Carpino dated 11/12/94, and expected the site closure to continue. Again, site access was denied by Mr. Carpino, as per subsequent conversations with Mark Dunn from Mason McDuffie Realtors.

We responded to your complaints of 11/10/9 and 11/16/93, as well as Mr. Carpino's complaints of 11/19/93 and 11/16/93 regarding the "uncovered excavation and the contaminated stockpiled soil." Subsequently, the excavation was reportedly secured, and the stockpiled soil covered. We are concerned about the site as well as you are; however, without cooperation regarding access, it has become near impossible to continue site remediation.

If you have any questions or solutions to the problem I can be reached at 271-4320.

Sincerely:

Edgar B. Howell 111, Chief Hazardous Materials Division

Alameda County Environmental Health Department

cc: Mr. Robert Carpino, 1154 Sunnyhills Rd., Oakland CA 94610 Mark Dunn, Mason McDuffie Real Estate Inc., 25 Orinda Way, Suite 220, Orinda CA 94563

Jennifer Eberle, files

02/04/94

LOP - INSPECTOR'S DAILY ACTIVITY REPORT

pg ' 2 Init Site Insp Foll-InspDate /Assoc ID# Hours Activ. Up Company - Name / Zip for Jennifer EBERLE Grou 10/21/93 JE 4611 0.80 312 - Spoke w/M. Dunn. Wrote him a letter /94610 1142 Sunnyhills Rd 10/26/93 JE 4611 1.20 312 - Spoke w/J. Kaiser of SB and w/J. Mrakovich. Thursday: 0.8 /94610 1142 Sunnyhills Rd Discussed w/TP. Revised letter to RP 11/01/93 JE 4611 0.10 312 Tuesday: 1.2 /94610 - Spoke w/M. Dunn 1142 Sunnyhills Rd 11/05/93 JE 4611 0.20 312 Monday : 0.1 /94610 - Spoke w/Mark Dunn 1142 Sunnyhills Rd 11/09/93 JE 4611 Friday : 0.2 0.40 312 /94610 - Spoke w/M. Dunn and Jaff of TPE 1142 Sunnyhills Rd Tuesday : 0.4 11/10/93 JE 4611 0.20 312 /94610 - Spoke w/Jaff of TPE 1142 Sunnyhills Rd Wednesday: 0.2 11/15/93 JE 4611 0.20 /94610 - spoke w/M. Dunn 1142 Sunnyhills Rd Monday : 0.2 11/16/93 JE 4611 0.30 - spoke w/M. Dunn and TPE 312 /94610 1142 Sunnyhills Rd 11/17/93 JE 4611 1.00 Tuesday : 0.3 315 /94610 - Spoke w/Louise White from Home Equity. 1142 Sunnyhills Rd Discussed w/TP. Researched H&SC. left mess. for L. White. Spoke w/M. Dunn. 12/28/93 JE 4611 Wednesday: 1. 0.30 312 /94610 - spoke w/M. Dunn 1142 Sunnyhills Rd Tuesday : 0.3 01/26/94 JE 4611 0.20 312 /94610 - spoke w/Mark Dunn 1142 Sunnyhills Rd for Tom PEACOCK Grou 10/26/93 TP 4611 0.30 215 /94610 ~ W/JE, what to do? 1142 Sunnyhills Rd Tuesday : 0.3 11/02/93 TP 4611 0.10 206 /94610 - W/EH 1142 Sunnyhills Rd 11/17/93 TP 4611 0.10 215 Tuesday : 0.1 /94610 - consult w/JE 1142 Sunnyhills Rd for Barney CHAN Grou 10/26/93 BC 4611 0.20 215 /94610 - JE letter reviewed 1142 Sunnyhills Rd

RAFAT A. SHAHID, Assistant Agency Director

February 3, 1994

Daniel Piccinini One Hallidie Plaza, Suite 202 San Francisco, CA. 94102

Dear Mr. Piccinini:

DEPARTMENT OF ENVIRONMENTAL HEALTH Hazardous Materials Division 80 Swan Way, Rm. 200 Oakland, CA 94621 (510) 271-4320

In response to your letter of February 1, 1994 concerning the activities of Alameda County in overseeing the removal of one Home Heating Oil Tank at 1142 Sunnyhills Road. From our files we find that the tank was removed 8/11/93 and the contamination found under the tank required further soil removal. The owners/contractor was denied entry to the area via the next door neighbor unless he could be given a letter that his property was not involved. We sent a letter dated Nov. 12, 1993 at his request and expected the site closure to continue. The next I hear the contractor has been denied access. We are concerned about the site as well as you and Mr. Carpino however without cooperation between neighbors to allow access it becomes very difficult to remediate the site. We have been in contact with Mr Carpino and Mr. Mark Dunn representing the owners of the property.

If you have any questions or solutions to the problem I can be reached at 271-4320.

Sincerely:

Edgar B. Howell 111, Chief Hazardous Materials Division

Alameda County Environmental Health Department

cc. Mr. Robert Carpino

dgar BHOWO

DAVID J. KEARS, Agency Director

R0535

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH
State Water Resources Control Board
Division of Clean Water Programs
UST Local Oversight Program
80 Swan Way, Rm 200
Oakland, CA 94621
(510) 271-4530

October 26, 1993 STID 4611

Mark Dunn Mason McDuffie Real Estate 25 Orinda Way, Suite 220 Orinda CA 94563

RE:

Residence

1142 Sunnyhills Rd. Oakland CA 94610

Dear Mr. Dunn,

I am in receipt of laboratory results, a site map, and an Unauthorized Leak/Release (ULR) report for the above referenced site. The laboratory results indicate that concentrations as high as 11,000 parts per million (ppm) were detected in soils in the former tank excavation. It is strongly recommended to remove as much contaminated soil as possible, to the best practicable means available. If contamination is found to migrate offsite, then its extent should be determined, and remediation should be conducted.

Please note that reports and documents no longer need to be copied to the Regional Water Quality Control Board. Kindly submit a cover letter with your consultant's reports. If you have any questions, please contact me at 510-271-4530. Please notify me at least 2 business days in advance of field activities so that I may arrange to be onsite.

Sincerely,

Jennifer Eberle

Hazardous Materials Specialist

cc:

Ed Howell/file

John Mrakovich, Tank Protect Engineering, 2821 Whipple Rd., Union City CA 94587-1233

enclosure

DAVID J. KEARS, Agency Director

ROS35

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH

State Water Resources Control Board

Division of Clean Water Programs

UST Local Oversight Program 80 Swan Way, Rm 200

Oakland, CA 94621

(510) 271-4530

August 19, 1993 STID 4611

Lori Casias SWRCB LOP Program PO Box 944212 Sacramento CA 94244-2120

Residence RE:

> Home heating oil UST 1142 Sunnyhill Rd. Oakland CA 94610

Lori,

I am requesting use of state funds for the above referenced site. It is a single-family dwelling property from which a 250-gallon heating oil UST was removed on 8/11/93. Up to 11,000 ppm TPH-d was detected in the soils beneath the UST.

If you have any questions, please contact me at 510-271-4530.

Sincerely,

Jennifer Eberle

Hazardous Materials Specialist

Ed Howell/file cc:

ję