



92 OCT 20 11 13 11

October 21, 1992

Alameda County Health Care Services Agency
80 Swan Way, Room 200
Oakland, CA 94621

ATTENTION: Ms. Susan Hugo

SUBJECT: Project Update
Phase II Activities
The Oliver Rubber Company
1200 65th Street
Emeryville, CA

Dear Ms. Hugo:

As discussed in a recent telephone conversation regarding the subject property, Aqua Science Engineers, Inc. (ASE) request ACHCSA's authorization to repair the sidewalk above the former ^{Prokter & Gamble} Waste Oil Tank. As requested, we have enclosed a drawing showing where samples were collected in reference to the former tank and the corresponding analytical test results. As the results detail, monitoring well MW-1 soil samples were analyzed by EPA methods 3550/8015, 8020, 5520 D&F, and 8270 (at the cappillary fringe); all results show non-detectable levels (ND). The MW-1 water sample was analyzed by EPA methods 3510/8015, and 602 (BTEX), 5520 D&F, and 8270. All of these samples resulted in ND levels of contamination.

In the soil borings SB-1 and SB-2, samples were analyzed by EPA methods 3510/8015, 8020, and 5520 D&F. All of these samples resulted in ND levels of contamination.

Our client is anxious to repair the sidewalk before the rainy weather arrives, and we feel that these results indicate that overexcavation of the former waste oil tank pit is no longer an issue. With your verbal, and later written, approval, ASE will replace the sidewalk above the former waste oil tank to match existing conditions.

A complete Project Report detailing the Phase I activities at the subject site is being produced and will be mailed under Oliver Rubber Company letterhead to your attention by next week. If you have any questions or comments regarding these or any other issues, please feel free to give us a call at (510) 820-9391.

Respectfully submitted,

AQUA SCIENCE ENGINEERS, INC.

A handwritten signature in cursive script that reads "David Allen". The signature is written in black ink and is positioned above the printed name and title.


David Allen
Project Manager

Attachments: Site Plan
 Analytical test results



cc: Mr. Dave Kuhre, The Oliver Rubber Company



LOADING DOCK



SIDEWALK



MW-3

SIDEWALK




MW-2

FORMER 8000 GALLON NON-HALOGENATED SOLVENT UST

RAILROAD TRACKS

65th Street



SIDEWALK

DRIVEWAY

SB-1

SIDEWALK

MW-1

SB-2

FORMER 1000 GALLON WASTE OIL UST

BUILDING

PARKING LOT

LEGEND



Soil Boring



Monitoring Well



0 ft. 20 ft.

SCALE

SITE PLAN

Oliver Rubber
1200 65th Street
Emeryville, California

Aqua Science Engineers | Figure 2



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

October 08, 1992

PEL # 9210011

AQUA SCIENCE ENGINEERS, INC.

Attn: David Allen

Re: Seven soil samples for BTEX, Diesel, and Oil & Grease analyses.

Project name: Oliver Rubber

Project location: 1200 65th St. -Emeryville, CA.

Project number: 2571

Date sampled: Oct 01, 1992


Date submitted: Oct 06, 1992


Date extracted: Oct 06-08, 1992

Date analyzed: Oct 06-08, 1992

RESULTS:

SAMPLE I.D.	Dieselsk (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)	Oil & Grease (mg/Kg)
*SB 1-10'	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
*SB 2-10'	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
*MW 1-10'	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW 2-10'	---	N.D.	N.D.	N.D.	N.D.	---
MW 2-15'	---	N.D.	N.D.	N.D.	N.D.	---
MW 3-5'	---	N.D.	N.D.	N.D.	N.D.	---
MW 3-15'	---	N.D.	N.D.	N.D.	N.D.	---
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	
Spiked Recovery	93.4%	97.6%	102.4%	98.2%	103.5%	---
Duplicate Spiked Recovery	88.2%	86.0%	80.3%	89.0%	93.5%	---
Detection limit	1.0	5.0	5.0	5.0	5.0	10
Method of Analysis	3550 / 8015	8020	8020	8020	8020	5520 D & F


 David Duong
 Laboratory Director



CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: David Duong
Priority Environmental Labs
1764 Houret Court
Milpitas, CA 95035

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Project: #9210011
Matrix: Soil

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 8270 (Low Level)
mg/Kg

Lab I.D.: 73991-2
Client I.D.: MW1-15'

Table with 3 columns: ACID COMPOUNDS, CONCENTRATION, and LIMIT OF DETECTION. Lists various phenols and their detection levels.

BASE/NEUTRAL COMPOUNDS

Table with 3 columns: BASE/NEUTRAL COMPOUNDS, CONCENTRATION, and LIMIT OF DETECTION. Lists various amines and ethers and their detection levels.

ND = Not Detected

Signature of Jaime Chow

Jaime Chow
Laboratory Director



CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: David Duong
Priority Environmental Labs

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Project: #9210011
Matrix: Soil

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 8270 - Low Level
mg/Kg

Lab I.D.: 73991-2
Client I.D.: MW1-15'

Table with 3 columns: BASE/NEUTRAL COMPOUNDS, CONCENTRATION, and LIMIT OF DETECTION. Lists various chemical compounds and their corresponding concentration and detection limits.



CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Attn: David Duong
Priority Environmental Labs

Project: #9210011
Matrix: Soil

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 8270 - Low Level
mg/Kg

Lab I.D.: 73991-2
Client I.D.: MW1-15'

Table with 3 columns: BASE/NEUTRAL COMPOUNDS, CONCENTRATION, and LIMIT OF DETECTION. Lists various chemical compounds and their detection limits.

ND = Not detected



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

October 08, 1992

PEL # 9210010

AQUA SCIENCE ENGINEERS, INC.

Attn: David Allen

Re: Three water samples for BTEX, Diesel, Oil & Grease, pH and Conductivity analyses.

Project name: Oliver Rubber

Project location: 1200 65th , Emeryville, CA.

Project number: 2571

Date sampled: Oct 05, 1992


Date submitted: Oct 06, 1992

Date extracted: Oct 06-07, 1992

Date analyzed: Oct 06-07, 1992

RESULTS:

SAMPLE I.D.	pH	Conductivity (uS)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)	Oil & Grease (mg/L)
* MW 1	6.8	930	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW 2	7.0	1100	---	---	---	---	---	---
MW 3	6.7	670	---	---	---	---	---	---
Blank	7.0	0.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	---	---	93.4%	97.6%	102.4%	98.2%	103.5%	---
Detection limit	0.2	10	50	0.5	0.5	0.5	0.5	0.5
Method of Analysis	9045	120.1	3510 / 8015	602	602	602	602	5520 C & F


David Duong
Laboratory Director



CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Attn: David Duong
Priority Environmental Labs
1764 Houret Court
Milpitas, CA 95035

Project: #9210011
Matrix: Water

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 625 - Water
µg/L

Lab I.D.: 73991-1
Client I.D.: MW1


Table with 3 columns: ACID COMPOUNDS, CONCENTRATION, and LIMIT OF DETECTION. Lists various phenols and their detection limits.

BASE/NEUTRAL COMPOUNDS

Table with 3 columns: BASE/NEUTRAL COMPOUNDS, CONCENTRATION, and LIMIT OF DETECTION. Lists various amines and ethers and their detection limits.

ND = Not detected

Signature of Jaime Chow
Jaime Chow
Laboratory Director



STATE LICENSE NO. 1150

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Attn: David Duong
Priority Environmental Labs

Project: #9210011
Matrix: Water

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 625 - Water
µg/L

Lab I.D.: 73991-1
Client I.D.: MW1

<u>BASE/NEUTRAL COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
N-nitrosodi-n-propylamine	ND<1	1
Hexachloroethane	ND<1	1
Nitrobenzene	ND<1	1
Isophorone	ND<1	1
Bis-(2-chloroethoxy)methane	ND<2	2
1,2,4-trichlorobenzene	ND<2	2
Napthalene	ND<3	3
Hexachlorobutadiene	ND<1	1
2-chloronaphthalene	ND<1	1
2-methyl naphthalene	ND<2	2
4-chloroaniline	ND<1	1
2-nitroaniline	ND<1	1
3-nitroaniline	ND<1	1
4-nitroaniline	ND<1	1
Hexachlorocyclopentadiene	ND<1	1
Dimethyl phthalate	ND<10	10
Acenaphthylene	ND<1	1
Acenaphthene	ND<1	1
2,4-dinitrotoluene	ND<1	1
2,6-dinitrotoluene	ND<1	1
Diethyl phthalate	ND<1	1
4-chlorophenylphenylether	ND<1	1
Fluorene	ND<1	1
N-nitrosodiphenylamine	ND<1	1
4-bromophenylphenylether	ND<1	1
Hexachlorobenzene	ND<1	1

ND = Not detected



Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

STATE LICENSE NO. 1150

Received: 10/07/92

Reported: 10/13/92

Job #: 73991

Attn: David Duong
Priority Environmental Labs

Project: #9210011
Matrix: Water

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 625 - Water
µg/L

Lab I.D.: 73991-1
Client I.D.: MW1

<u>BASE/NEUTRAL COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
Phenanthrene	ND<1	1
Anthracene	ND<1	1
Di-n-butylphthalate	ND<3	3
Fluoranthene	ND<2	2
Benzidine	ND<30	30
Pyrene	ND<3	3
Benzylbutylphthalate	ND<1	1
3,3'-dichlorobenzidine	ND<40	40
Benzo(a)anthracene	ND<1	1
Bis-(2-ethylhexyl)phthalate	ND<12	12
Chrysene	ND<2	2
Di-n-octylphthalate	ND<2	2
Benzo(b)fluoranthene	ND<3	3
Benzo(k)fluoranthene	ND<3	3
Benzo(a)pyrene	ND<1	1
Indeno(1,2,3-cd)pyrene	ND<5	5
Dibenzo(a,h)anthracene	ND<3	3
Benzo(ghi)perylene	ND<2	2

ND = Not detected

FAX BEING SENT BY:

AQUA SCIENCE ENGINEERS, INC.
2411 OLD CROW CANYON RD., #4
SAN RAMON, CA 94583

PHONE (510) 820-9391
FAX (510) 837-4853

DATE: 10.21.92

TO: MS. SUSAN HUGO

FROM: DAVE ALLEN

NUMBER OF PAGES TO FOLLOW: 11

*****PLEASE PHONE IF THE MESSAGE WAS RECEIVED INCOMPLETE*****

COMMENTS:

ORIGINALS TO FOLLOW BY MAIL.

IF YOU APPROVE, WE'D APPRECIATE A
VERBAL AUTHORIZATION.

THANK YOU VERY MUCH

Dave



October 21, 1992

Alameda County Health Care Services Agency
80 Swan Way, Room 200
Oakland, CA 94621

ATTENTION: Ms. Susan Hugo

SUBJECT: Project Update
Phase II Activities
The Oliver Rubber Company
1200 65th Street
Emeryville, CA

Dear Ms. Hugo:

As discussed in a recent telephone conversation regarding the subject property, Aqua Science Engineers, Inc. (ASE) request ACHCSA's authorization to repair the sidewalk above the former Waste Oil Tank. As requested, we have enclosed a drawing showing where samples were collected in reference to the former tank and the corresponding analytical test results. As the results detail, monitoring well MW-1 soil samples were analyzed by EPA methods 3550/8015, 8020, 5520 D&F, and 8270 (at the capillary fringe); all results show non-detectable levels (ND). The MW-1 water sample was analyzed by EPA methods 3510/8015, and 602 (BTEX), 5520 D&F, and 8270. All of these samples resulted in ND levels of contamination.


In the soil borings SB-1 and SB-2, samples were analyzed by EPA methods 3510/8015, 8020, and 5520 D&F. All of these samples resulted in ND levels of contamination.

Our client is anxious to repair the sidewalk before the rainy weather arrives, and we feel that these results indicate that overexcavation of the former waste oil tank pit is no longer an issue. With your verbal, and later written, approval, ASE will replace the sidewalk above the former waste oil tank to match existing conditions.

A complete Project Report detailing the Phase I activities at the subject site is being produced and will be mailed under Oliver Rubber Company letterhead to your attention by next week. If you have any questions or comments regarding these or any other issues, please feel free to give us a call at (510) 820-9391.

Respectfully submitted,


AQUA SCIENCE ENGINEERS, INC.



David Allen
Project Manager

Attachments: Site Plan
Analytical test results

cc: Mr. Dave Kuhre, The Oliver Rubber Company



LEGEND

- SB-1 Soil Boring
- ⊕ MW-1 Monitoring Well



0 ft. 20 ft.
SCALE

SITE PLAN

Oliver Rubber
1200 65th Street
Emeryville, California

Aqua Science Engineers Figure 2



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

October 08, 1992

PEL # 9210011

AQUA SCIENCE ENGINEERS, INC.

Attn: David Allen

Re: Seven soil samples for BTEX, Diesel, and Oil & Grease analyses.

Project name: Oliver Rubber

Project location: 1200 65th St. -Emeryville, CA.

Project number: 2571

Date sampled: Oct 01, 1992

Date submitted: Oct 06, 1992

Date extracted: Oct 06-08, 1992

Date analyzed: Oct 06-08, 1992

RESULTS:


SAMPLE I.D.	Dieselsk (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)	Oil & Grease (mg/Kg)
*SB 1-10'	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
*SB 2-10'	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
*MW 1-10'	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW 2-10'	---	N.D.	N.D.	N.D.	N.D.	---
MW 2-15'	---	N.D.	N.D.	N.D.	N.D.	---
MW 3-5'	---	N.D.	N.D.	N.D.	N.D.	---
MW 3-15'	---	N.D.	N.D.	N.D.	N.D.	---
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	
Spiked Recovery	93.4%	97.6%	102.4%	98.2%	103.5%	---
Duplicate Spiked Recovery	88.2%	86.0%	80.3%	89.0%	93.5%	---
Detection limit	1.0	5.0	5.0	5.0	5.0	10
Method of Analysis	3550 / 8015	8020	8020	8020	8020	5520 D & F

David Duong
David Duong
Laboratory Director

1764 Houret Court Milpitas, CA. 95035

Tel: 408-946-9600

Fax: 408-946-9611



Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: David Duong
 Priority Environmental Labs
 1764 Houret Court
 Milpitas, CA 95035

Received: 10/07/92
 Reported: 10/13/92
 Job #: 73991

Project: #9210011
 Matrix: Soil

ACID & BASE/NEUTRAL EXTRACTABLES
 EPA Method 8270 (Low Level)
 mg/Kg

Lab I.D.: 73991-2
 Client I.D.: MW1-15'

<u>ACID COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
Phenol	ND<0.08	0.08
2-chlorophenol	ND<0.06	0.06
2-methyl phenol	ND<0.09	0.09
4-methyl phenol	ND<0.10	0.10
2-nitrophenol	ND<0.06	0.06
2,4-dimethylphenol	ND<0.10	0.10
2,4-dichlorophenol	ND<0.10	0.10
4-chloro-3-methylphenol	ND<0.10	0.10
2,4,5-trichlorophenol	ND<0.07	0.07
2,4,6-trichlorophenol	ND<0.08	0.08
2,4-dinitrophenol	ND<0.40	0.40
4-nitrophenol	ND<0.10	0.10
2-methyl-4,6-dinitrophenol	ND<0.10	0.10
Pentachlorophenol	ND<0.30	0.30

BASE/NEUTRAL COMPOUNDS

N-nitrosodimethylamine	ND<0.10	0.10
Bis(2-chloroethyl) ether	ND<0.04	0.04
1,3-dichlorobenzene	ND<0.50	0.50
1,4-dichlorobenzene	ND<0.50	0.50
1,2-dichlorobenzene	ND<0.40	0.40
Bis-(2-chloroisopropyl) ether	ND<0.20	0.20

ND = Not Detected

Surinder Sidh (For)

Jaime Chow
 Laboratory Director


Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: David Duong
Priority Environmental Labs

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Project: #9210011
Matrix: Soil

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 8270 - Low Level
mg/Kg

Lab I.D.: 73991-2
Client I.D.: MW1-15'

<u>BASE/NEUTRAL COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
N-nitrosodi-n-propylamine	ND<0.10	0.10
Hexachloroethane	ND<0.50	0.50
Nitrobenzene	ND<0.06	0.06
Isophorone	ND<0.09	0.09
Bis-(2-chloroethoxy)methane	ND<0.10	0.10
1,2,4-trichlorobenzene	ND<0.30	0.30
Napthalene	ND<0.20	0.20
Hexachlorobutadiene	ND<0.50	0.50
2-chloronapthalene	ND<0.05	0.05
2-methyl naphthalene	ND<0.20	0.20
4-chloroaniline	ND<0.10	0.10
2-nitroaniline	ND<0.10	0.10
3-nitroaniline	ND<0.10	0.10
4-nitroaniline	ND<0.10	0.10
Hexachlorocyclopentadiene	ND<0.20	0.20
Dimethyl phthalate	ND<0.04	0.04
Acenaphthylene	ND<0.04	0.04
Acenaphthene	ND<0.04	0.04
2,4-dinitrotoluene	ND<0.10	0.10
2,6-dinitrotoluene	ND<0.06	0.06
Diethyl phthalate	ND<0.10	0.10
4-chlorophenylphenylether	ND<0.05	0.05
Fluorene	ND<0.20	0.20
N-nitrosodiphenylamine	ND<0.09	0.09
4-bromophenylphenylether	ND<0.07	0.07

Page 2 of 3

OUTSTANDING QUALITY AND SERVICE
CALIFORNIA STATE CERTIFIED LABORATORY

Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Attn: David Duong
Priority Environmental Labs

Received: 10/07/92
Reported: 10/13/92
Job #: 73991

Project: #9210011
Matrix: Soil

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 8270 - Low Level
mg/Kg

Lab I.D.: 73991-2
Client I.D.: MW1-15'

<u>BASE/NEUTRAL COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
Hexachlorobenzene	ND<0.20	0.20
Phenanthrene	ND<0.10	0.10
Anthracene	ND<0.20	0.20
Di-n-butylphthalate	ND<0.20	0.20
Fluoranthene	ND<0.50	0.50
Benzidine	ND<1	1
Pyrene	ND<0.60	0.60
Benzylbutylphthalate	ND<0.10	0.10
3,3'-dichlorobenzidine	ND<0.30	0.30
Benzo(a)anthracene	ND<0.30	0.30
Bis-(2-ethylhexyl)phthalate	ND<0.30	0.30
Chrysene	ND<0.30	0.30
Di-n-octylphthalate	ND<0.13	0.13
Benzo(b)fluoranthene	ND<0.20	0.20
Benzo(k)fluoranthene	ND<0.40	0.40
Benzo(a)pyrene	ND<0.09	0.09
Indeno(1,2,3-cd)pyrene	ND<0.20	0.20
Dibenzo(a,h)anthracene	ND<0.20	0.20
Benzo(ghi)perylene	ND<0.20	0.20

ND = Not detected

Page 3 of 3

OUTSTANDING QUALITY AND SERVICE
CALIFORNIA STATE CERTIFIED LABORATORY



PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

October 08, 1992

PEL # 9210010

AQUA SCIENCE ENGINEERS, INC.

Attn: David Allen

Re: Three water samples for BTEX, Diesel, Oil & Grease, pH and Conductivity analyses.

Project name: Oliver Rubber
 Project location: 1200 65th , Emeryville, CA.
 Project number: 2571

Date sampled: Oct 05, 1992
 Date extracted: Oct 06-07, 1992

Date submitted: Oct 06, 1992
 Date analyzed: Oct 06-07, 1992

RESULTS:

SAMPLE I.D.	pH	Conductivity (uS)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)	Oil & Grease (mg/L)
* MW 1	6.8	930	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
MW 2	7.0	1100	---	---	---	---	---	---
MW 3	6.7	670	---	---	---	---	---	---
Blank	7.0	0.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	---	---	93.4%	97.6%	102.4%	98.2%	103.5%	---
Detection limit	0.2	10	50	0.5	0.5	0.5	0.5	0.5
Method of Analysis	9045	120.1	3510 / 8015	602	602	602	602	5520 C & F

David Duong
 David Duong
 Laboratory Director

Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

CERTIFICATE OF ANALYSIS

STATE LICENSE NO. 1150

Received: 10/07/92

Reported: 10/13/92

Job #: 73991

Attn: David Duong
Priority Environmental Labs
1764 Houret Court
Milpitas, CA 95035

Project: #9210011
Matrix: Water

ACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 625 - Water
 $\mu\text{g/L}$

Lab I.D.: 73991-1
Client I.D.: MW1

<u>ACID COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
Phenol	ND<5	5
2-chlorophenol	ND<1	1
2-nitrophenol	ND<1	1
2,4-dimethylphenol	ND<1	1
2,4-dichlorophenol	ND<1	1
4-chloro-3-methylphenol	ND<1	1
2,4,6-trichlorophenol	ND<1	1
2,4-dinitrophenol	ND<2	2
4-nitrophenol	ND<2	2
2-methyl-4,6-dinitrophenol	ND<1	1
Pentachlorophenol	ND<2	2
 <u>BASE/NEUTRAL COMPOUNDS</u>		
N-nitrosodimethylamine	ND<5	5
Bis(2-chloroethyl) ether	ND<1	1
1,3-dichlorobenzene	ND<1	1
1,4-dichlorobenzene	ND<1	1
1,2-dichlorobenzene	ND<1	1
Bis-(2-chloroisopropyl) ether	ND<1	1

ND = Not detected

Suminder Sidhu (For)

Jaime Chow
Laboratory Director

Page 1 of 3

JC/td

OUTSTANDING QUALITY AND SERVICE
CALIFORNIA STATE CERTIFIED LABORATORY

Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

STATE LICENSE NO. 1150

Received: 10/07/92

Reported: 10/13/92

Job #: 73991

Attn: David Duong
Priority Environmental LabsProject: #9210011
Matrix: WaterACID & BASE/NEUTRAL EXTRACTABLES
EPA Method 625 - Water
µg/LLab I.D.: 73991-1
Client I.D.: MW1

<u>BASE/NEUTRAL COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
N-nitrosodi-n-propylamine	ND<1	1
Hexachloroethane	ND<1	1
Nitrobenzene	ND<1	1
Isophorone	ND<1	1
Bis-(2-chloroethoxy)methane	ND<2	2
1,2,4-trichlorobenzene	ND<2	2
Napthalene	ND<3	3
Hexachlorobutadiene	ND<1	1
2-chloronaphthalene	ND<1	1
2-methyl naphthalene	ND<2	2
4-chloroaniline	ND<1	1
2-nitroaniline	ND<1	1
3-nitroaniline	ND<1	1
4-nitroaniline	ND<1	1
Hexachlorocyclopentadiene	ND<1	1
Dimethyl phthalate	ND<10	10
Acenaphthylene	ND<1	1
Acenaphthene	ND<1	1
2,4-dinitrotoluene	ND<1	1
2,6-dinitrotoluene	ND<1	1
Diethyl phthalate	ND<1	1
4-chlorophenylphenylether	ND<1	1
Fluorene	ND<1	1
N-nitrosodiphenylamine	ND<1	1
4-bromophenylphenylether	ND<1	1
Hexachlorobenzene	ND<1	1

ND = Not detected

Page 2 of 3

OUTSTANDING QUALITY AND SERVICE
CALIFORNIA STATE CERTIFIED LABORATORY


Precision Analytical Laboratory, Inc.

4136 LAKESIDE DRIVE, RICHMOND, CA 94806

PHONE (510) 222-3002

FAX (510) 222-1251

STATE LICENSE NO. 1150

Received: 10/07/92

Reported: 10/13/92

Job #: 73991

Attn: David Duong
Priority Environmental Labs

Project: #9210011

Matrix: Water

ACID & BASE/NEUTRAL EXTRACTABLES

EPA Method 625 - Water

µg/L

Lab I.D.: 73991-1

Client I.D.: MW1

<u>BASE/NEUTRAL COMPOUNDS</u>	<u>CONCENTRATION</u>	<u>LIMIT OF DETECTION</u>
Phenanthrene	ND<1	1
Anthracene	ND<1	1
Di-n-butylphthalate	ND<3	3
Fluoranthene	ND<2	2
Benzidine	ND<30	30
Pyrene	ND<3	3
Benzylbutylphthalate	ND<1	1
3,3'-dichlorobenzidine	ND<40	40
Benzo(a)anthracene	ND<1	1
Bis-(2-ethylhexyl)phthalate	ND<12	12
Chrysene	ND<2	2
Di-n-octylphthalate	ND<2	2
Benzo(b)fluoranthene	ND<3	3
Benzo(k)fluoranthene	ND<3	3
Benzo(a)pyrene	ND<1	1
Indeno(1,2,3-cd)pyrene	ND<5	5
Dibenzo(a,h)anthracene	ND<3	3
Benzo(ghi)perylene	ND<2	2

ND = Not detected