

August 8, 1996

Mr. Scott Seery
Environmental Protection Services
1131 Harbor Bay Parkway, Room 250
Alameda, CA 94502-6577

Dear Mr. Seery,


On August 8, 1996 West Hazmat Drilling completed a well abandonment for Lorge Enterprises at 2522 Castro Valley Boulevard in Castro Valley, California.

This well had a 6" diameter PVC with an approximate depth of 5'. The well was pressure grouted in place. Neat cement grout was tremied into the well. A cap was placed on the well to allow pressure to be applied. Approximately 50 pounds of pressure was applied for 5 minutes. Cement was added and pressure applied three additional times.

The permit number 96561 for work performed was issued August 1, 1996 by Zone 7. State location number is 3S/2W 4080.

Sincerely,

WEST HAZMAT DRILLING CORP



Timothy J. Collett
District Manager

TJC/lf

CONFIDENTIAL

STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)

REMOVED



ZONE 7 WATER AGENCY

5997 PARKSIDE DRIVE

PLEASANTON, CALIFORNIA 94588

VOICE (510) 484-2600

FAX (510) 462-3014

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE

FOR OFFICE USE

LOCATION OF PROJECT 2522 Castro Valley Blvd.
Castro Valley, CA 94546

PERMIT NUMBER 96561

LOCATION NUMBER 3S/2W 4Q80

CLIENT

Name R & J Quick Clean Center
Address 2252 Castro Vly Blvd
City Castro Valley Zip 94546

PERMIT CONDITIONS

Circled Permit Requirements Apply

APPLICANT

Name West Hazmat Drilling
Address 8261 Enterprise Dr Fax 510-494-8144
City NEWARK Zip 94560

TYPE OF PROJECT

Well Construction	Geotechnical Investigation
Cathodic Protection	General
Water Supply	Contamination
Monitoring	Well Destruction <input checked="" type="checkbox"/>

PROPOSED WATER SUPPLY WELL USE

Domestic	Industrial	Other
Municipal	Irrigation	

DRILLING METHOD:

Mud Rotary	Air Rotary	Auger
Cable	Other	

DRILLER'S LICENSE NO. C57 - 554979

WELL PROJECTS

Drill Hole Diameter	<u>12</u> in.	Maximum	
Casing Diameter	<u>8</u> in.	Depth	<u>5</u> ft.
Surface Seal Depth	<u>2</u> ft.	Number	<u>1</u>

GEOTECHNICAL PROJECTS

Number of Borings		Maximum	
Hole Diameter		Depth	

ESTIMATED STARTING DATE Aug. 2, 1996

ESTIMATED COMPLETION DATE Aug. 2, 1996

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-88

APPLICANT'S SIGNATURE Timothy J. Collett Date 7-30-96

A. GENERAL

1. A permit application should be submitted so as to arrive at the Zone 7 office five days prior to proposed starting date.
2. Submit to Zone 7 within 60 days after completion of permitted work the original Department of Water Resources Water Well Drillers Report or equivalent for well Projects, or drilling logs and location sketch for geotechnical projects.
3. Permit is void if project not begun within 90 days of approval date.

B. WATER WELLS, INCLUDING PIEZOMETERS


1. Minimum surface seal thickness is two inches of cement grout placed by tremie.
2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.

C. GEOTECHNICAL. Backfill bore hole with compacted cuttings or heavy bentonite and upper two feet with compacted material. In areas of known or suspected contamination, tremied cement grout shall be used in place of compacted cuttings.


D. CATHODIC. Fill hole above anode zone with concrete placed by tremie.

E. WELL DESTRUCTION. See attached.

Approved Wyman Hong Date 1 Aug 96
Wyman Hong



- Proposed Exploratory Soil Boring
- ⊕ Existing Monitoring Well



GEN TECH
ENVIRONMENTAL, INC.
 SAN JOSE, CA

SITE PLAN SKETCH RJ Quick Clean 2522 Castro Valley Blvd. Castro Valley, CA	Project No. proposal Scale: 1' = 30 Date: March, 1993
FIGURE 1	

ALAMEDA COUNTY
HEALTH CARE SERVICES



AGENCY

DAVID J. KEARS, Agency Director

Alameda County CC4580
Environmental Protection Services
1131 Harbor Bay Parkway, Room 250
Alameda CA 94502-6577

STID 659

June 20, 1996

Jim Lorge
R & J Quick Clean Center
2522 Castro Valley Boulevard
Castro Valley, CA 94546

RE: R & J QUICK CLEAN CENTER (PADILLA TRUCKING) - 2522 CASTRO
VALLEY BLVD. (2517 SAN CARLOS AVENUE), CASTRO VALLEY


Dear Mr. Lorge:

The Alameda County Environmental Health Department, Environmental Protection Division, has received concurrence from the California Regional Water Quality Control Board, San Francisco Bay Region (RWQCB), for final closure of the underground storage tank investigation at the referenced site.

Prior to the issuance of a "Remedial Action Completion Certificate" by this office, however, the single well emplaced through the former tank pit located in the driveway leading from San Carlos Avenue must be properly destroyed should you have no further use for it. Well destruction is performed under permit issued by Zone 7 - Alameda County Flood Control and Water Conservation District.

Please advise me if the well will be destroyed, and when well destruction has been completed, as appropriate. I may be reached 510/567-6783.

Sincerely,


Scott O. Seery, CHMM
Senior Hazardous Materials Specialist

cc: Mee Ling Tung, Agency Director
Kevin Graves, RWQCB
Craig Mayfield, Zone 7
Jim Ferdinand, Alameda County Fire Department

ENVIRONMENTAL
PROTECTION

96 AUG 12 PM 3:46